



Helping Users Sync Contacts and Events with Exchange Sync (Beta)

Salesforce, Winter '16




CONTENTS

ADMINISTERING EXCHANGE SYNC (BETA)	1
Exchange Sync (Beta) Syncs your Microsoft® Items	1
Exchange Sync System Requirements	2
See the Big Picture for Setting Up Exchange Sync	2
Prepare Your Microsoft® Exchange Server for Exchange Sync	3
Set up a Microsoft® Exchange Service Account to Communicate with Exchange Sync	3
Run the Microsoft® Remote Connectivity Analyzer Using Exchange Sync Parameters	5
Set up Salesforce to Communicate with Microsoft® Exchange	6
Tell Users How to Prevent Calendar Events from Syncing to Salesforce	6
Define Sync Settings for Exchange Sync Users	7
Tell Users How to Sync Email Contacts with Salesforce	10
Manage Exchange Sync	10
Assign Users to Exchange Sync Configurations	10
How Can I Avoid Syncing Data Between My Salesforce Organizations?	11
Fix Sync Issues for Exchange Sync Users	11
Check Exchange Sync Users' Sync Statuses	12
Build and Run an Exchange Sync Error Report	12
Reset Sync for Exchange Sync Users	13
Exchange Sync Statuses	14
INDEX	22

ADMINISTERING EXCHANGE SYNC (BETA)

Exchange Sync (Beta) Syncs your Microsoft® Items

Help users keep their contacts and events in sync between your Microsoft® Exchange server and Salesforce without installing and maintaining software.

 **Note:** Exchange Sync is currently available as a beta feature, which means it's a high-quality feature with known limitations. Check out our [Exchange Sync Implementation Guide](#) to set up the feature at your company.

When you set up your users' contacts and events to sync between your company's email system and Salesforce, you help your users increase their productivity, because there's no need for them to duplicate their work between the two systems.

You decide whether your users sync both contacts and events by defining sync settings in Salesforce. You can also determine whether users' records sync between your Exchange servers and Salesforce in both directions, or just one.


Your users can sync records they create and maintain either at their desks or on their mobile devices.

EDITIONS

Available in: both Salesforce Classic and Lightning Experience

Available in:

- Enterprise
- Performance
- Unlimited
- Developer



At this time, Exchange Sync doesn't:

- Sync recurring events
- Sync invitees included in events
- Let users delete records from both systems in one action

However, your users can manage these actions as they always have—by manually updating recurring events, adding event invitees, and deleting records in both systems.

Exchange Sync System Requirements

Before setting up your users to sync contacts and events with Exchange Sync, make sure your Microsoft® Exchange-based server meets these system requirements.

Your company must be running	With these settings enabled
Exchange Server 2010 - Service Pack 3	<ul style="list-style-type: none"> Exchange Web Services (EWS) on an SSL connection Exchange Autodiscover Service Basic authentication on both your Exchange server and your Autodiscover service
Exchange Server 2013 - Service Pack 1	
Exchange Online, Office 365® - Enterprise Editions	

EDITIONS

Available in: both Salesforce Classic and Lightning Experience

Available in:

- Enterprise
- Performance
- Unlimited
- Developer

See the Big Picture for Setting Up Exchange Sync

Set up Exchange Sync at your organization so your users can sync contacts and events between your company's Microsoft® Exchange server and Salesforce. You'll complete several steps to prepare the systems to communicate, both on your Exchange server and in Salesforce.

Complete these steps to set up Exchange Sync for your organization.

1. [Prepare your Exchange server for Exchange Sync](#) by enabling a few settings.
2. [Set up an Exchange service account](#) so your server can communicate with Exchange Sync.
3. [Run the Microsoft® Remote Connectivity Analyzer using Exchange Sync parameters](#) to test that you set up your Exchange server correctly.
4. [Set up Salesforce to communicate with Exchange](#) by enabling Exchange Sync and providing your service account credentials in Salesforce.
5. [Prepare your users to manage calendar events they don't want to sync.](#)
6. [Define your users' sync settings](#) in Exchange Sync configurations.
7. [Prepare your users to manage email contacts they want to sync.](#)

SEE ALSO:

[Salesforce for Outlook and Email Connect Success Community](#)

EDITIONS

Available in: both Salesforce Classic and Lightning Experience

Available in:

- Enterprise
- Performance
- Unlimited
- Developer

USER PERMISSIONS

To prepare your Exchange server to communicate with Salesforce:

- Administrative access to your company's Microsoft® Exchange server

Prepare Your Microsoft® Exchange Server for Exchange Sync

The first step in setting up Exchange Sync is to enable several settings on your Exchange server, including Exchange Web Services, Exchange Autodiscover Service, and Basic authentication.

These instructions vary depending on the version of Microsoft® Exchange your company uses. For more support, visit Microsoft's support website, search for the keywords mentioned here, and follow the instructions intended for your Exchange version.

Complete the following steps on your Exchange server.

1. Enable Exchange Web Services (EWS) on an SSL connection.
 - Make sure your Exchange server has a signed certificate from one of the [Salesforce-approved Certificate Authorities](#).
 - If your organization has configured a firewall, allow an inbound connection to your Exchange client access server on ports 80 and 443.
2. Enable Exchange Autodiscover Service.
3. Enable Basic authentication on both your Exchange server and your Autodiscover service. If you need to run additional authentication methods (such as Microsoft NTLM), there is no need to disable those methods; you can run Exchange Sync without conflict.

Now you're ready to [set up an Exchange service account](#).

EDITIONS

Available in: both Salesforce Classic and Lightning Experience

Available in:

- Enterprise
- Performance
- Unlimited
- Developer

Set up a Microsoft® Exchange Service Account to Communicate with Exchange Sync

After you've enabled Exchange Web Services and Exchange Autodiscover Service on your Exchange server, you'll create a service account with impersonation rights for the mailbox of each Exchange Sync user.

Before setting up an Exchange Service account, make sure you've [enabled the appropriate Exchange server settings to set up Exchange Sync](#).

To set up an Exchange service account, you'll complete these steps on your Exchange server.

Watch a Demo:

-  [Salesforce Exchange Sync Setup in Office 365 via Point and Click](#)
-  [Salesforce Exchange Sync Setup in Exchange via the Command Line](#)

 **Note:** For more support, visit Microsoft's support website, search for the keywords mentioned here, and follow the instructions intended for your Exchange version.

1. Create an Exchange user with a mailbox that will act as the service account. You'll use this email address for this mailbox to configure Exchange impersonation for the service account.
2. Using Exchange Management Shell, enter the commands that enable service account impersonation for your version of Exchange. If you receive a pipeline error message, wait a few minutes and re-enter the command to let your server process the requests.
 - If you're using Exchange 2010 or 2013:
 - a. Enable the Active Directory extended permission for `ms-Exch-EPI-Impersonation` on all Client Access servers.

```
Get-ExchangeServer | where {$_IsClientAccessServer -eq $TRUE} | ForEach-Object
{Add-ADPermission -Identity $_.distinguishedname -User (Get-User -Identity
```

EDITIONS

Available in: both Salesforce Classic and Lightning Experience

Available in:

- Enterprise
- Performance
- Unlimited
- Developer

USER PERMISSIONS

To set up a service account to communicate with Exchange Sync:

- Administrative access to your company's Exchange server

```
<EnterExchangeSyncServiceAccountEmailAddress> | select-object).identity
-extendedRight ms-Exch-EPI-Impersonation}
```

- b. Enable the Active Directory extended rights for `ms-Exch-EPI-May-Impersonate` to let your service account impersonate all accounts on your Exchange server. You'll set a filter later that lets you limit the users the service account syncs with Salesforce.

```
Get-MailboxDatabase | ForEach-Object {Add-ADPermission -Identity $_.distinguishedname
-User <EnterExchangeSyncServiceAccountAddress> -ExtendedRights
ms-Exch-EPI-May-Impersonate}
```

- If you're using Exchange Online offered by Microsoft Office 365™:
- a. Enable customization on your Exchange server.

```
Enable-OrganizationCustomization
```

3. Using Exchange Management Shell, enter these commands to configure your service account to impersonate the group of users who'll sync with Exchange Sync.

- a. Create a management scope to define a filter that groups together the Exchange users who'll sync with Exchange Sync. For example, if you want only your sales representatives to sync, and their Exchange mailboxes all have the same value `Sales` for the filterable property `Department`, you'd enter `Department -eq 'Sales'` in place of `<ChooseRecipientFilter>`.

```
New-ManagementScope -Name:<ChooseExchangeSyncScopeName>
-RecipientRestrictionFilter:{<ChooseRecipientFilter>}
```

- b. Create a management role assignment that restricts the service account to impersonate only the users you defined in the management scope.

```
New-ManagementRoleAssignment -Name:<ChooseExchangeSyncRoleAssignmentName>
-Role:ApplicationImpersonation -User:<EnterExchangeSyncServiceAccountAddress>
-CustomRecipientWriteScope:<EnterExchangeSyncScopeName>
```

After you've set up your service account, [run the Microsoft® Remote Connectivity Analyzer using Exchange Sync parameters](#) to make sure you've set up your server for Exchange Sync. We recommend that you wait a few minutes after completing these tasks to let your Exchange server process the changes you've made. Otherwise, the Remote Connectivity Analyzer may show a failed test summary, even though you've configured setup correctly.

Run the Microsoft® Remote Connectivity Analyzer Using Exchange Sync Parameters

If your Exchange Sync users can't sync their items, make sure your Exchange administrator has set up your server correctly by running the Remote Connectivity Analyzer—Microsoft's free, web-based tool—to test your connection and troubleshoot setup issues.

Before you run the Remote Connectivity Analyzer, make sure that you've [enabled the appropriate Exchange server settings](#) and then [set up an Exchange service account](#). We recommend that you wait a few minutes after completing those tasks to let your Exchange server process the changes you've made. Otherwise, the Remote Connectivity Analyzer may show a failed test summary, even though you've configured setup correctly.

1. Visit Microsoft's website and search for the Remote Connectivity Analyzer.
2. On the Exchange Server tab, select the **Service Account Access (Developers)**.
3. Click **Next**.
4. Complete the test fields:

For this Test Field	Type this parameter
Target mailbox email address	The Exchange email address of an Exchange Sync user for whom you'd like to test sync connectivity
Service Account User Name (Domain\User Name or UPN)	The service account domain\user name or UPN you've set up for Exchange Sync
Service Account Password	The service account password you've set up for Exchange Sync

5. Select `Use Autodiscover` to detect server settings.
6. Select `Test predefined folder`.
7. Choose `Contacts` if you'd like to test sync connectivity for this user's contacts, or `Calendar` for this user's events.
8. Check `Use Exchange Impersonation`.
9. In the `Impersonated User` field, type the same Exchange email address you specified for `Target mailbox email address`.
10. For `Impersonated user identifier`, select `SMTP Address`.
11. Check the `I understand that I must use the credentials of a working account...` acknowledgment.
12. Type the analyzer verification code and click **verify**.
13. At the top of the page, click **Perform Test**.
Running the test usually takes less than 30 seconds. When the test is complete, the analyzer displays a summary evaluating the sync connectivity for the Exchange user you've specified.
14. Take action based on the test results.
 - If the test summary displays "Connectivity Test Successful" or "Connectivity Test Successful with Warnings," it's likely that you've set up your service account correctly, and you're ready to [provide your service account credentials to Salesforce](#).

EDITIONS

Available in: both Salesforce Classic and Lightning Experience

Available in:

- Enterprise
- Performance
- Unlimited
- Developer

USER PERMISSIONS

To get the necessary parameters to run the test:

- Administrative access to your company's Microsoft® Exchange server

- If the test summary displays “Connectivity Test Failed,” review the test details to troubleshoot setup issues. You might want to return to instructions on how to [set up Exchange Sync](#) correctly.
- If you still are unable to set up Exchange Sync, or if you complete setup successfully but your users are still unable to sync their records, run the test again, and save the test details as HTML. You can provide these details to Salesforce Customer Support to evaluate your setup if you need to file a case.

Set up Salesforce to Communicate with Microsoft® Exchange

After running the Remote Connectivity Analyzer, you'll log in to Salesforce to enable Exchange Sync and provide the service account credentials you created in Exchange. This task lets Exchange and Salesforce communicate.

1. From Salesforce Setup, enter *Exchange Sync* in the **Quick Find** box, then select **Exchange Sync Setup**.
2. Under Enable Exchange Sync, click **Edit**.
3. Check **Enable Exchange Sync** and click **Save**.
4. Type the service account user name you created in Exchange, including your company's domain and top-level domain. For example, if you created the Exchange user *svcacct* to act as your user account mailbox, *yourcompany* is your company's domain name, and *.com* is your company's top-level domain, you would provide your user name in either of these formats:
 - *svcacct@yourcompany.com*
 - *yourcompany.com\svcacct*

Depending on how your company has set up your network configuration, you might be required to test both formats to successfully set up Exchange Sync.
5. Enter your service account password.
6. Click **Save**.

Next you'll [tell your users it's time to choose which calendar events they want to prevent from syncing](#).

Tell Users How to Prevent Calendar Events from Syncing to Salesforce

Tell your Exchange Sync users that it's time to choose which Exchange calendar events they don't want to sync with Salesforce. We recommend users choose those events before you add users to Exchange Sync configurations and begin the sync process.

If you set up users to sync events from Salesforce to Exchange only, you can skip this step and begin to [define sync settings for your users](#).

Users might not want to sync some calendar events—like personal events—with Salesforce.

In the next step, you'll define user sync settings in Exchange Sync configurations, which starts syncing your users' items. At that time, if you set up users to sync events from Exchange to Salesforce or to sync both ways, all of your users' events sync to Salesforce automatically—unless you tell users to manage their events now.

Tell users that they can prevent syncing some events from Exchange to Salesforce by assigning the private option to those events in their calendar applications.

If users don't assign the private option to their events before syncing begins, users can still delete the events from Salesforce, but they'll have to delete those events manually.

EDITIONS

Available in:

- Enterprise
- Performance
- Unlimited
- Developer

USER PERMISSIONS

To access Exchange Sync setup in Salesforce:

- “View Setup and Configuration”

EDITIONS

Available in: both Salesforce Classic and Lightning Experience

Available in:

- Enterprise
- Performance
- Unlimited
- Developer

When you're sure that users have assigned the private option to the events that they don't want to sync, you're ready to [define sync settings for your users](#) to kick off the sync process.

Define Sync Settings for Exchange Sync Users

After users prepare their events to sync with Salesforce, you'll define sync settings for groups of users in Exchange Sync configurations. This step kicks off the sync process for your users.

Before defining sync settings in Exchange Sync configurations, make sure that your Exchange administrator has [run the Microsoft® Remote Connectivity Analyzer using the Exchange Sync parameters](#).

Defining sync settings lets you control which of your users can sync contacts and events. You can also control which direction your users sync, and create filters to limit certain records from syncing.

1. From Salesforce Setup, enter *Exchange Sync Configurations* in the Quick Find box, then select **Exchange Sync Configurations**.

EDITIONS

Available in: both Salesforce Classic and Lightning Experience

Available in:

- Enterprise
- Performance
- Unlimited
- Developer


USER PERMISSIONS

To access Exchange Sync setup in Salesforce:

- "View Setup and Configuration"

To create, edit, or delete Exchange Sync configurations:

- "Manage Email Client Configurations"



2. Click **New Exchange Configuration**.
3. Enter the name of the configuration. For example, if you're creating a configuration for users in a particular region, enter a unique name for it, and then select **Active**.

Basic Information

Name: Sales Reps Europe

Active:

Description: Sync settings for sales reps in Europe

- Assign users and profiles to this configuration.

Assign Users and Profiles

Select users for this configuration.

Search: Users for: Find

Available Members	Assigned Members
User: Gordon Nodrog	User: Celia Kung
	User: Johannes Kienzle
	User: Lance Santin

Buttons: Add, Remove

- Indicate the sync direction for your users' contacts.

Data Settings

Contacts

Sync Direction: Sync both ways

Conflict Behavior: Salesforce always wins

[Edit Field Mappings](#)

If an Exchange contact matches multiple Salesforce contacts, sync it with the Salesforce contact that:

- Has the most recent activity
- Was last updated
- Has the oldest creation date

- If you need to change field mappings between Salesforce and Exchange contacts, click **Edit Field Mappings**.
- Indicate the sync direction for your users' events.

Data Settings

Events


Sync Direction: Exchange to Salesforce

Conflict Behavior: Exchange always wins


[Edit Field Mappings](#)

- If you need to change field mappings between Salesforce and Exchange events, click **Edit Field Mappings**.
- Click **Save**.
- Set filters to specify the contacts users can sync. You are required to set filters based on your users' record ownership. You'll choose whether you want to:
 - Limit contacts that users sync to only what users own, choose **Selected Contacts**, and then select **User's Records**. Make sure you select both of these settings together, or no contacts sync for users in this configuration.

- Let users sync all contacts they can see in Salesforce, choose **All Contacts**.




Set additional sync filters, if you wish. For example, to prevent contacts from outside your users' territories from syncing, create sync filters for specific fields on users' contact records. Note that contact filters don't apply to contacts syncing from Exchange to Salesforce.



11. Specify the specific events users can sync from Salesforce to Exchange. Enter a filter in the `Greater or equal to` field to limit the events users can sync to these time frames.

- TODAY*—Syncs events that end on or after today. The start time is 12:00 a.m.
- LAST MONTH*—Syncs events that ended on or after the first day of last month.
- LAST N DAYS*—Syncs events that ended on or after a specified number of days ago, such as *LAST 30 DAYS*. You can sync events that ended up to 180 days ago.



12. Click **Save**.

Contact and event syncing has begun for users in this Exchange Sync configuration.

Now it's time to [tell users to choose the email contacts they want to sync with Salesforce](#) and move those contacts into the Salesforce_Sync folders in their email applications.

SEE ALSO:

[How Can I Avoid Syncing Data Between My Salesforce Organizations?](#)

Tell Users How to Sync Email Contacts with Salesforce

Tell your Exchange Sync users that it's time to manage the Exchange email contacts that they want to sync with Salesforce.

If you've set up your users to sync contacts from only Salesforce to Exchange, you can skip this step—your users' contacts and events are already syncing.

After you define users' sync settings by adding them to Exchange Sync configurations and make the configurations active, Exchange Sync creates a folder that's called `Salesforce_Sync` as a subdirectory under the `Contacts` directory in each user's email account.

Users who are syncing contacts from Exchange to Salesforce or syncing both ways can choose which email contacts sync to Salesforce by moving those contacts into the `Salesforce_Sync` folder.

Tell users to move their contacts to the `Salesforce_Sync` folder now.

EDITIONS

Available in: both Salesforce Classic and Lightning Experience

Available in:

- Enterprise
- Performance
- Unlimited
- Developer

Manage Exchange Sync

Assign Users to Exchange Sync Configurations

To get your Exchange Sync users' contacts and events to sync, you'll have to add them to an Exchange Sync Configuration. You can do this in Salesforce by adding individual users, or multiple users with user profiles.

Before you assign a user to an Exchange Sync configuration, consider how that user's records sync if they're already mentioned in another configuration:

- If you assign an individual user to two Exchange Sync configurations, the user is removed from the first configuration automatically and assigned to the new one.
- If you assign a user to two Exchange Sync configurations as both an individual user and as part of a profile, the user is not removed from either configuration, but the user's records will sync according to the configuration that lists the user individually.
- If you assign a user to one Exchange Sync configuration and one configuration, the user is not removed from either configuration, but the user's records will sync according to the Exchange Sync configuration.

Users observe the assignments you've created, added, or removed the next time Exchange Sync runs a sync cycle.

To assign a user to an Exchange Sync configuration,

1. From Setup, enter *Exchange Sync Configurations* in the `Quick Find` box, then select **Exchange Sync Configurations**.
2. If you're modifying an existing Exchange Sync configuration, click **Edit** next to the one that you want to modify. Otherwise, click **New Exchange Configuration**, and then complete the required fields.
3. In the Assign Users and Profiles section, select either *Profiles* or *Users* in the `Search` drop-down list.
4. If you don't see the member you want to add, enter keywords in the search box and click **Find**.
5. Select members from the Available Members box, and click **Add** to add them to the group. If all available users are assigned to this configuration, the Users list is empty and you can only assign profiles.
6. To remove members, select those members and click **Remove**.

EDITIONS

Available in: both Salesforce Classic and Lightning Experience

Available in:

- Enterprise
- Performance
- Unlimited
- Developer

USER PERMISSIONS

To view configurations

- "View Setup and Configuration"

To create, edit, or delete configurations:

- "Manage Email Client Configurations"

7. Click **Save**.

How Can I Avoid Syncing Data Between My Salesforce Organizations?


If your company uses Exchange Sync in multiple Salesforce organizations, make sure the data in those organizations remains separate by being mindful about how you set up your Exchange Sync configurations.

You're using multiple organizations if you either:

- Test new features in a sandbox organization before setting up the feature in your live organization.
- Maintain separate Salesforce organizations for different divisions of your company.

To prevent Exchange Sync from syncing contacts and events between your Salesforce organizations, don't add the same user to Exchange Sync configurations in more than one organization.

We don't recommend marking an Exchange Sync configuration as inactive to prevent data from syncing between your Salesforce organizations. While marking a configuration as inactive prevents it from syncing a user's data, you risk forgetting that user is included in multiple Exchange Sync configurations, and marking the configuration as active later.

 **Example:** You're testing Exchange Sync features in your sandbox organization, so you add user Marianne Schumacher to an Exchange Sync configuration in the sandbox organization. After you're satisfied with how you've set up Exchange Sync features for Marianne, you're ready to add her to an Exchange Sync configuration in your live organization.

Before you add Marianne to an Exchange Sync configuration in your live organization, remove her from the configuration in your sandbox organization. Otherwise, Exchange Sync can sync contacts and events between Marianne's email application, the sandbox organization, and the live organization, saving test and live data to all three data sources.

EDITIONS

Available in: both Salesforce Classic and Lightning Experience

Available in:

- Enterprise
- Performance
- Unlimited
- Developer

Fix Sync Issues for Exchange Sync Users

If an Exchange Sync user has trouble syncing between Microsoft® Exchange and Salesforce, you can troubleshoot sync issues by checking your users' sync statuses or running an Exchange Sync error report. If you find a sync issue that a user can't overcome, then you can reset that user's sync process for them.

- [Check Exchange Sync Users' Sync Statuses](#)
- [Build and Run an Exchange Sync Error Report](#)
- [Reset Sync for Exchange Sync Users](#)

EDITIONS

Available in: both Salesforce Classic and Lightning Experience

Available in:

- Enterprise
- Performance
- Unlimited
- Developer

Check Exchange Sync Users' Sync Statuses

If your users can't sync, you can check their sync statuses—and the sync status of your Exchange Sync setup—to learn where sync is failing.

1. From Setup, enter *Exchange Sync Status* in the **Quick Find** box, then select **Exchange Sync Status**.
2. Type the name of the user whose sync status you'd like to check, and click **Check Status**. The sync status for that user is displayed.

In some cases, you may need to reset sync for a user.

If you need help interpreting sync statuses, or need recommendations on correcting sync issues, check out [Exchange Sync Statuses](#).

Build and Run an Exchange Sync Error Report

If your Exchange Sync users can't sync, you can build and run an error report to discover what's causing sync to fail in your organization, and for which users. The report details provide suggestions to help you troubleshoot sync issues.

First, you'll create a custom report type using an Exchange Sync Error Report custom object we've set up for you in Salesforce. Then, you'll create an Exchange Sync error report. Finally, you'll run your report to help your users fix those pesky sync errors they're experiencing.

1. Create a custom report type. Set the **Primary Object** to **ExchangeSyncError**.
2. Create your Exchange Sync error report. From the Reports tab, click **New Report**. Set the **Report Type** to the Exchange Sync report type you created in step 1, and click **Create**.
3. Save and run your Exchange Sync error report. From the unsaved report, click **Save**, complete the required fields, and click **Save and Run Report**.
Salesforce generates a list of errors sync errors found in your organization, or displays "Grand Totals (0 records)" if the report couldn't identify any sync errors.

If the report couldn't identify any errors, but users still can't sync, contact Salesforce.

EDITIONS

Available in: both Salesforce Classic and Lightning Experience

Available in:

- Enterprise
- Performance
- Unlimited
- Developer

USER PERMISSIONS

To access Exchange Sync statuses:

- "View Setup and Configuration"

EDITIONS

Available in: both Salesforce Classic and Lightning Experience

Available in:

- Enterprise
- Performance
- Unlimited
- Developer

USER PERMISSIONS

To create or update custom report types:

- "Manage Custom Report Types"

To create, edit, and delete reports:

- "Create and Customize Reports"
- AND
- "Report Builder"

Reset Sync for Exchange Sync Users

If a user has trouble syncing between Microsoft Exchange and Salesforce, you can reset that user's sync process. This process clears out and then restores the connections between a user's Exchange and Salesforce records. Resetting the sync process won't affect information stored in those records.

1. Make sure that your user's `Salesforce_Sync` folder contains only the contacts the user wants to sync with Salesforce, and the events the user doesn't want to sync are marked as `Private` in the user's calendar application.
2. From Salesforce Setup, enter *Exchange Sync Status* in the `Quick Find` box, then select **Exchange Sync Status**.

EDITIONS

Available in: both Salesforce Classic and Lightning Experience

Available in:

- Enterprise
- Performance
- Unlimited
- Developer

The screenshot shows the Salesforce Setup interface. On the left is a navigation sidebar with 'Administer' > 'Email Connect BETA' > 'Exchange Sync Status' highlighted with a red circle and a '2'. The main content area is titled 'Exchange Sync Status' and contains the following sections:

- System Sync Status**: Includes a 'Configuration Setup' table with fields like 'Microsoft Exchange service account provided' (s2xsvcc@s2xdomain.com) and 'Salesforce recognizes Microsoft Exchange service account' (checked). It also shows 'Contacts' and 'Events' sync activity for the last 60 minutes and 24 hours.
- User Sync Status**: Includes a search box for a user name, a 'Check Status' button, and a 'Reset Sync' button, all highlighted with a red circle and a '3'.

3. Type a user's name, and click **Reset Sync**.

During the next sync cycle, Exchange Sync will sync:



- All contacts from the user's `Salesforce_Sync` folder in Exchange to Salesforce, excluding contacts that fall outside of the filters you set in the user's Exchange configuration.
- All events from the user's calendar in Exchange to Salesforce, excluding events that fall outside of the filters you set in the user's Exchange configuration, or events the user marked as `Private` in Exchange.

Exchange Sync Statuses

Understanding Exchange Sync statuses helps you assess and correct Exchange Sync errors that appear on the Exchange Sync status page in Salesforce.

System Sync Statuses

Table 1: Configuration Setup Statuses

If	Provides this status	This status means that
Microsoft Exchange service account provided:	<i>Your Service Account User Name</i>	You've saved your service account credentials in Salesforce, and Exchange Sync has recognized a valid service account. This status doesn't necessarily mean that the service account is set up to sync using Exchange Sync. If you continue to have sync errors, we recommend that you use Microsoft's Remote Connectivity Analyzer tool to test your connection and troubleshoot setup issues.
	None	Exchange Sync couldn't save your service account credentials. Verify that you've provided the correct service account ID and password and that you've set up a valid service account in Microsoft Exchange.
Salesforce recognizes Microsoft Exchange service account:		Exchange Sync has recognized that the service account that you provided is valid. This status doesn't necessarily mean that the service account is set up to sync using Exchange Sync. If you continue to have sync errors, we recommend that you use Microsoft's Remote Connectivity Analyzer tool to test your connection and troubleshoot setup issues.
		Exchange Sync couldn't recognize the service account credentials. Check to make sure

EDITIONS

Available in: Salesforce Classic

Available in:

- Enterprise
- Performance
- Unlimited
- Developer

If	Provides this status	This status means that
		that you've set up a valid service account in Microsoft Exchange.
Users in active Salesforce Exchange configurations:	The correct number of Exchange Sync users	All of your Exchange Sync users are in active Exchange configurations.
	The incorrect number of Exchange Sync users	Some of your users are not in active Exchange configurations.
	0	None of your users is in active Exchange Sync configurations.
Users with linked Microsoft Exchange and Salesforce email addresses:	The expected number of Exchange Sync users	All of your users' Microsoft Exchange email addresses have mapped correctly to the corresponding Salesforce email addresses.
	An unexpected number of Exchange Sync users	Some of your users' Microsoft Exchange email addresses have not mapped correctly to the corresponding Salesforce email addresses. Compare your users' addresses in Exchange and Salesforce to verify that they match.
	0	None of your users' Microsoft Exchange email addresses has mapped to its corresponding Salesforce email addresses. Contact Salesforce Customer Support.

Table 2: Contacts Statuses

If	Provides this status	This status means that
Last sync activity:	A contact sync time within the last few minutes	Your organization last synced contacts with Exchange Sync on this date, at this time. In general, Exchange Sync is syncing records as expected. If you see this status and individual users still report that contacts are not syncing as expected, check your Exchange server or Exchange Sync configurations for settings related to those particular users.
	A contact sync time within a few hours	Your organization last synced contacts on this date, at this time. It's possible you recently set up Exchange Sync for your organization, because the initial contacts sync might take up to several hours to complete. If you haven't initiated contacts sync for your organization for the first time, this status might indicate a problem with

If	Provides this status	This status means that
	<p>A contact sync time on a past date</p>	<p>contacts sync in your organization. Monitor the last sync activity over the next 24 hours to see if syncing resumes.</p> <p>Your organization last synced contacts on this date, at this time. If your organization doesn't sync again within 24 hours, verify that you provided the correct Exchange service account credentials, that Salesforce recognized your service account, and that you've used Microsoft's Remote Connectivity Analyzer to verify that your Exchange server can communicate with Exchange Sync. If the analyzer shows that your connection is working, contact Salesforce Customer Support.</p>
<p>Records synced in last 60 minutes:</p>	<p>The number of contacts that were synced in your organization in the last 60 minutes</p> <hr/> <p>0</p>	<p>Within the last 60 minutes, your organization last synced this number of contacts.</p> <p>Your organization hasn't synced any contacts within the last 60 minutes. Monitor record sync activity over the next 24 hours to see if sync resumes. If sync doesn't resume, use Microsoft's Remote Connectivity Analyzer to verify that your Exchange server can communicate with Exchange Sync. If the analyzer shows that your connection is working, contact Salesforce Customer Support.</p>
<p>Records synced in last 24 hours:</p>	<p>The number of contacts that were synced in your organization over the last 24 hours</p> <hr/> <p>0</p>	<p>Within the last 24 hours, your organization synced this number of contacts.</p> <p>Your organization hasn't synced any contacts within the last 60 minutes. Use Microsoft's Remote Connectivity Analyzer to verify that your Exchange server can communicate with Exchange Sync. If the analyzer shows that your connection is working, contact Salesforce Customer Support.</p>

Table 3: Events Statuses

If	Provides this status	This status means that
Last sync activity:	An event sync time within the last few minutes	Your organization last synced events with Exchange sync on this date, at this time. In general, Exchange Sync is syncing records as expected. If you see this status and individual users still report that events are not syncing as expected, check your Exchange server or Exchange Sync configurations for settings related to those particular users.
	An event sync time within a few hours	Your organization last synced events on this date, at this time. You might have recently set up Exchange Sync for your organization, because the initial events sync might take up to several hours to complete. If you haven't initiated events sync for your organization for the first time, this status might indicate a problem with events sync in your organization. Monitor the last sync activity over the next 24 hours to see if syncing resumes.
	An event sync time on a past date	Your organization last synced events on this date, at this time. If your organization doesn't sync again within 24 hours or longer, verify that you provided the correct Exchange service account credentials, that Salesforce recognized your service account, and that you've used Microsoft's Remote Connectivity Analyzer to verify that your Exchange server can communicate with Exchange Sync. If the analyzer shows that your connection is working, contact Salesforce Customer Support.
Records synced in last 60 minutes:	The number of events that were synced in your organization in the last 60 minutes	Within the last 60 minutes, your organization last synced this number of events.
	0	Your organization hasn't synced any events within the last 60 minutes. Monitor record sync activity over the next 24 hours to see if syncing resumes. If syncing doesn't resume, use Microsoft's Remote Connectivity Analyzer to verify that your Exchange server can communicate with Exchange Sync. If the analyzer shows that

If	Provides this status	This status means that
		your connection is working, contact Salesforce Customer Support.
Records synced in last 24 hours:	The number of contacts that were synced in your organization in the last 24 hours	Within the last 24 hours, your organization synced this number of contacts.
	0	Your organization hasn't synced any events within the last 60 minutes. Use Microsoft's Remote Connectivity Analyzer to verify that your Exchange server can communicate with Exchange Sync. If the analyzer shows that your connection is working, contact Salesforce Customer Support.

User Sync Statuses

Table 4: Configuration Setup Statuses













If	Provides this status	This status means that
User assigned to active Exchange configuration:		This user is set up to sync in an active Exchange Sync configuration.
		This user isn't set up to sync in an active Exchange Sync configuration.
User recognized by Exchange service account:		This user is represented by the service account that you've set up in Exchange, and Exchange Sync can communicate with your Exchange service account.
		This user isn't represented by the service account that you've set up in Exchange, or Exchange Sync can't communicate with the Exchange service account that you provided. Check your Exchange service account setup to verify that you've set up a valid service account and that it accurately represents this user.
User's reset sync status:	Marked for reset	You've reset this user for sync, but the reset hasn't started. Your reset request is in the system queue and will be completed when the system is available.
	Reset in progress	The reset sync process is in progress. When reset is complete, "User's reset sync status" is no longer displayed on this page.

Table 5: Contacts Statuses

If	Provides this status	This status means that
Salesforce_Sync folder found:		The Salesforce_Sync folder was found in this user's email account under the Contacts directory.
		Exchange Sync can't find the Salesforce_Sync folder on your Exchange server or can't create it automatically for this user. You can create the folder Salesforce_Sync for this user as a subdirectory under the Contacts directory in this user's email account.
Salesforce and Exchange email addresses linked:		This user's Microsoft Exchange email address has mapped to the user's Salesforce email address correctly.
		This user's Microsoft Exchange email address hasn't mapped to the user's Salesforce email address correctly. Reset sync for this user.
Salesforce to Exchange sync status:	Not started	This user's contacts hasn't started syncing from Salesforce to Exchange.
	Initial sync in progress	This user's contacts are syncing from Salesforce to Exchange for the first time. This initial sync might take several hours.
	Initial sync completed	This user's contacts have completed syncing from Salesforce to Exchange for the first time.
	Sync in progress	This user's contacts are syncing from Salesforce to Exchange right now.
	In sync	This user's contacts have completed syncing from Salesforce to Exchange.
	Exchange configuration not set to sync	This user isn't set up to sync contacts from Salesforce to Exchange in an active Exchange Sync configuration.
Exchange to Salesforce sync status:	Not started	This user's contacts have not started syncing from Exchange to Salesforce yet.
	Initial sync in progress	This user's contacts are syncing from Exchange to Salesforce for the first time. This initial sync might take several hours.
	Initial sync completed	This user's contacts have completed syncing from Exchange to Salesforce for the first time.

If	Provides this status	This status means that
	Sync in progress	This user's contacts are syncing from Exchange to Salesforce.
	In sync	This user's contacts have completed syncing from Exchange to Salesforce.
	Exchange configuration not set to sync	This user isn't set up to sync contacts from Exchange to Salesforce in an active Exchange Sync configuration.
Records in sync	The number of contacts that are syncing for this user	This user has this number of contacts syncing between Exchange and Salesforce. If this user's contacts are syncing as expected, this number matches the number of contacts in this user's Salesforce_Sync folder.

Table 6: Event Statuses

If	Provides this status	This status means that
Calendar folder found:		The calendar folder was found in this user's email account.
		Exchange Sync can't find the user's calendar folder on your Exchange server.
Salesforce and Exchange email addresses linked:		This user's Microsoft Exchange email address has mapped to the user's Salesforce email address correctly.
		This user's Microsoft Exchange email address hasn't mapped to the user's Salesforce email address correctly. Reset sync for this user.
Salesforce to Exchange sync status:	Not started	This user's events haven't started syncing from Salesforce to Exchange.
	Initial sync in progress	This user's events are syncing from Salesforce to Exchange for the first time. This initial sync might take several hours.
	Initial sync completed	This user's events have completed syncing from Salesforce to Exchange for the first time.
	Sync in progress	This user's events are syncing from Salesforce to Exchange right now.
	In sync	This user's events have completed syncing from Salesforce to Exchange.

If	Provides this status	This status means that
	Exchange configuration not set to sync	This user isn't set up to sync events from Salesforce to Exchange in an active Exchange Sync configuration.
Exchange to Salesforce sync status:	Not started	This user's events haven't started syncing from Exchange to Salesforce.
	Initial sync in progress	This user's events are syncing from Exchange to Salesforce for the first time. This initial sync might take several hours.
	Initial sync completed	This user's events have completed syncing from Exchange to Salesforce for the first time.
	Sync in progress	This user's events are syncing from Exchange to Salesforce.
	In sync	This user's events have completed syncing from Exchange Salesforce.
	Exchange configuration not set to sync	This user isn't set up to sync events from Exchange to Salesforce in an active Exchange Sync configuration.
Records in sync	The number of contacts that are syncing for this user	This user has this number of events syncing between Exchange and Salesforce. If this user reports difficulty syncing only some events, verify that the user is set up to sync events as expected in the user's Exchange Sync configuration and that the user didn't assign the <code>private</code> option to the event. Also remember that at this time, Exchange Sync doesn't sync all-day events, recurring events, or invitees on events.

INDEX

A

Assigning
Exchange Sync configurations 10

C

Contacts
Events
1
Microsoft® Exchange, syncing with Salesforce 1
Microsoft® Exchange, syncing with Salesforce 1

E

Exchange Sync
assigning configurations 10
check sync status 12
contacts between Microsoft® Exchange and Salesforce,
syncing 1
data between multiple Salesforce organizations, preventing
contamination between 11
events between Microsoft® Exchange and Salesforce, syncing
1
Microsoft® Connectivity Analyzer test parameters 5

Exchange Sync (*continued*)

multiple Salesforce organizations, guidelines for companies
with 11
reset sync 13
run error report 12
set up 2
set up, Microsoft® Exchange server settings 3
set up, prepare users' contacts 10
set up, prepare users' events 6
set up, Salesforce settings 6
set up, service account 3
sync errors 14
sync settings, define 7
sync statuses 14
system requirements 2

S

Syncing
contacts between Microsoft® Exchange and Salesforce 1–3,
6–7, 10, 12–13
errors 11, 14
events between Microsoft® Exchange and Salesforce 1–3, 6–
7, 12–13
troubleshooting 5