

salesforce

Financial Services Cloud Object Reference Guide

Salesforce, Spring '16



 @salesforcedocs

Last updated: April 27, 2016

CONTENTS

USAGE OF FINANCIAL SERVICES CLOUD FIELDS AND OBJECTS	1
FINANCIAL SERVICES CLOUD STANDARD AND CUSTOM OBJECTS	2
Account Custom Fields	2
AccountAccountRelation	11
AccountContactRelation Standard and Custom Fields	13
AssetsAndLiabilities	16
Contact Custom Fields	19
ContactContactRelation	25
Event Custom Fields	26
FinancialAccount	28
FinancialAccountRole	38
FinancialGoal	41
FinancialHolding	44
LifeEvent	47
ReciprocalRole	49
Securities	51
Task Custom Fields	53

USAGE OF FINANCIAL SERVICES CLOUD FIELDS AND OBJECTS

Refer to the fields and objects that extend Salesforce for Financial Services Cloud. They are available in API version 36.0 for the Financial Services Cloud managed package version 1.0.

Fields and objects in the package have the `FinServ__` namespace prefix. For example, `FinServ__IndividualId__c` is a custom field on Account. `FinServ__FinancialAccount__c` is a custom object. To refer to the standard Salesforce objects, see the [Object Reference for Salesforce](#).

Some fields may not be listed for some objects. To verify the complete list of fields for an object, use a describe call from the API, inspect the WSDL, or use a schema viewer.

FINANCIAL SERVICES CLOUD STANDARD AND CUSTOM OBJECTS

Account Custom Fields

Represents information about a client that pertains to their dealings with your firm, such as their review frequency or service tier. Custom fields extend the standard Account object for use in Financial Services Cloud.

Fields

Field Name	Details
AUM__c	<p>Type currency</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Value of client's financial accounts that our firm manages. Calculated as the sum of <code>TotalAUMPrimaryOwner__c</code> and <code>TotalAUMJointOwner__c</code>.</p>
ClientCategory__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Rates the value of the client's business with our firm. Label is <code>Category</code>. Valid values:</p> <ul style="list-style-type: none">• Platinum• Gold• Silver• Bronze
FinancialInterests__c	<p>Type multipicklist</p> <p>Properties Create, Filter, Nillable, Update</p> <p>Description Client's financial areas of interest. Valid values:</p> <ul style="list-style-type: none">• Municipal Bonds• Fixed Income• Energy

Field Name	Details
	<ul style="list-style-type: none"> • Technology • CRM • AAPL • GOOG • Retirement • College Planning
IndividualId__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Read only. Unique ID that relates this individual's account record to its contact record.</p>
InvestmentExperience__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Client's investment experience. Valid values:</p> <ul style="list-style-type: none"> • Experienced • Moderately Experienced • Moderately Inexperienced • Inexperienced
InvestmentObjectives__c	<p>Type multipicklist</p> <p>Properties Create, Filter, Nillable, Update</p> <p>Description Client's preference for growth versus income investments. Valid values:</p> <ul style="list-style-type: none"> • Conservative Income • Income • Balanced • Growth • Aggressive Growth
LastInteraction__c	<p>Type date</p>

Field Name	Details
	<p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date of the last client meeting or call.</p>
LastReview__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date of the last client review.</p>
MarketingSegment__c	<p>Type multipicklist</p> <p>Properties Create, Filter, Nillable, Update</p> <p>Description Market segments that characterize the client. Valid values:</p> <ul style="list-style-type: none"> • Mass Affluent • High Net Worth • Female Investor • Millennial
NetWorth__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Value of the client's assets minus liabilities.</p>
NextInteraction__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date of the next client meeting or call.</p>
NextReview__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p>

Field Name	Details
	<p>Description Date of the next client review.</p>
Notes__c	<p>Type textarea</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Important notes about the client. Label is Important Notes.</p>
PersonalInterests__c	<p>Type multipicklist</p> <p>Properties Create, Filter, Nillable, Update</p> <p>Description Client's personal areas of interest. Valid values:</p> <ul style="list-style-type: none"> • Cooking • College Basketball • Environment • Hiking • Biking • Wine
PrimaryContact__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Read only. ID of the contact record associated with this individual's account record.</p>
ReviewFrequency__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Frequency of client reviews. Valid values:</p> <ul style="list-style-type: none"> • Monthly • Quarterly • Annually

Field Name	Details
RiskTolerance__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Level of risk the client is comfortable with. Valid values:</p> <ul style="list-style-type: none">• Aggressive• Conservative• Moderate• None
ServiceModel__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Service level assigned to client. Valid values:</p> <ul style="list-style-type: none">• Tier 1• Tier 2• Tier 3
SourceSystemId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the client in an external data source.</p>
Status__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Client's status with your firm. Valid values:</p> <ul style="list-style-type: none">• Prospect• Onboarding• Active• Deceased• Inactive

Field Name	Details
TimeHorizon__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Client's investment time frame. Valid values:</p> <ul style="list-style-type: none"> • Long Term • Medium Term • Short Term
TotalAUMJointOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of client's financial accounts that our firm manages, for which the client is the joint owner of jointly owned accounts.</p>
TotalAUMPrimaryOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of client's financial accounts that our firm manages, for which the client is the primary owner of either individually owned or jointly owned accounts.</p>
TotalBankDeposits__c	<p>Type currency</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Value of client's bank accounts. Calculated as the sum of TotalBankDepositsPrimaryOwner__c and TotalBankDepositsJointOwner__c.</p>
TotalBankDepositsJointOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of client's bank accounts, for which the client is the joint owner of jointly owned accounts.</p>

Field Name	Details
TotalBankDepositsPrimaryOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of client's bank accounts, for which the client is the primary owner of either individually owned or jointly owned accounts.</p>
TotalFinAcctsJointOwner__c	<p>Type double</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Total value of financial account balances (excluding insurance policies), for which the client is the joint owner of jointly owned accounts. Label is Total Financial Accounts Joint Owner.</p>
TotalFinAcctsPrimaryOwner__c	<p>Type double</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Total value of financial account balances (excluding insurance policies), for which the client is the primary owner of either individually owned or jointly owned accounts. Label is Total Financial Accounts Primary Owner.</p>
TotalFinancialAccounts__c	<p>Type currency</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Value of all financial accounts, excluding insurance policies. Calculated as the sum of TotalBankDeposits__c and TotalInvestments__c.</p>
TotalHeldFinAcctsJointOwner__c	<p>Type double</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Total value of held financial account balances, for which the client is the joint owner of jointly owned accounts. Label is Total Held Financial Accounts Joint.</p>

Field Name	Details
TotalHeldFinAcctsPrimaryOwner__c	<p>Type double</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Total value of held financial account balances, for which the client is the primary owner of either individually owned or jointly owned accounts. Label is Total Held Financial Accounts Primary.</p>
TotalInsurance__c	<p>Type currency</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Value of client's insurance policies. Calculated as the sum of TotalInsurancePrimaryOwner__c and TotalInsuranceJointOwner__c.</p>
TotalInsuranceJointOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of client's insurance policies, for which the client is the joint owner of jointly owned accounts.</p>
TotalInsurancePrimaryOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of client's insurance policies, for which the client is the primary owner of either individually owned or jointly owned accounts.</p>
TotalInvestments__c	<p>Type currency</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Value of client's investment accounts. Calculated as the sum of TotalInvestmentsPrimaryOwner__c and TotalInvestmentsJointOwner__c.</p>

Field Name	Details
TotalInvestmentsJointOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of client's investment accounts, for which the client is the joint owner of jointly owned accounts.</p>
TotalInvestmentsPrimaryOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of client's investment accounts, for which the client is the primary owner of either individually owned or jointly owned accounts.</p>
TotalLiabilities__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Value of client's liabilities, stored as a negative value. Calculated as the sum of TotalLiabilitiesPrimaryOwner__c and TotalLiabilitiesJointOwner__c.</p>
TotalLiabilitiesJointOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of client's liabilities, for which the client is the joint owner of jointly owned liabilities.</p>
TotalLiabilitiesPrimaryOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of client's liabilities, for which the client is the primary owner of either individually owned or jointly owned liabilities.</p>

Field Name	Details
TotalNonfinancialAssets__c	<p>Type double</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Value of client's tangible assets such as collectibles or precious metals. Calculated as the sum of TotalNonfinancialAssetsPrimaryOwner__c and TotalNonfinancialAssetsJointOwner__c.</p>
TotalNonfinancialAssetsJointOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of client's tangible assets such as collectibles or precious metals, for which the client is the joint owner of jointly owned assets.</p>
TotalNonfinancialAssetsPrimaryOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of client's tangible assets such as collectibles or precious metals, for which the client is the primary owner of either individually owned or jointly owned assets.</p>
WalletShare__c	<p>Type percent</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Read only. Percentage of client's financial assets that our firm manages or administers. Calculated as the percent of financial accounts that are held (FinancialAccount__c.HeldAway is false).</p>

AccountAccountRelation

Represents a relationship between two accounts, such as between a household and a business account.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
Account__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Account that RelatedAccount__c is related from.</p>
Active__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether the relationship is active (<code>true</code>) or not (<code>false</code>). The default value is <code>true</code>.</p>
EndDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when the relationship ended.</p>
ExternalId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the relationship in an external data source.</p>
Name	<p>Type string</p> <p>Properties Defaulted on create, Filter, idLookup, Sort</p> <p>Description Auto-number identifier for the relationship. Label is <code>Account Relation Name</code>.</p>

Field	Details
OwnerId	<p>Type reference</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description ID of the user who created the relationship record.</p>
RelatedAccount__c	<p>Type reference</p> <p>Properties Filter, Group, Nillable, Sort</p> <p>Description Account that Account__c is related to.</p>
Role__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Sort, Update</p> <p>Description Role that describes how RelatedAccount__c is related to Account__c.</p>
StartDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when the relationship started.</p>

AccountContactRelation Standard and Custom Fields


Represents the relationship between an individual (specifically the contact part of the individual) and the household (account) that the individual is a member of. AccountContactRelation is a standard object that is available through the Shared Contacts feature. Custom fields extend the AccountContactRelation standard object for use in Financial Services Cloud.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `update()`, `upsert()`

Fields

Field	Details
AccountId	<p>Type reference</p> <p>Properties Create, Filter, Group, Sort</p> <p>Description ID of the household (account) that the individual is a member of.</p>
ContactId	<p>Type reference</p> <p>Properties Create, Filter, Group, Sort</p> <p>Description ID of the contact that partially represents the individual.</p>
EndDate	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when the individual's status as a household member is no longer in effect.</p>
IsActive	<p>Type boolean</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description Indicates whether the individual's status as a household member is in effect (<code>true</code>) or not (<code>false</code>). Label is <code>Active</code>.</p>
IsDirect	<p>Type boolean</p> <p>Properties Defaulted on create, Filter, Group, Sort</p> <p>Description Indicates whether the account-to-contact relationship is direct, which means that it relates the account and contact parts of an individual to represent a single individual (<code>true</code>). Otherwise, the relationship is indirect, which means that it relates the contact part of an individual to the household the individual belongs to (<code>false</code>). Label is <code>Direct</code>.</p>

Field	Details
Roles	<p>Type picklist</p> <p>Properties Create, Filter, Nillable, Update</p> <p>Description Role that the individual plays within the household. Valid values:</p> <ul style="list-style-type: none"> • Influencer • Evaluator • Business User • Technical Buyer • Economic Buyer • Other • Decision Maker • Economic Decision Maker • Executive Sponsor <p> Note: Replace these default picklist values with appropriate values for the roles that clients occupy within households, such as client, spouse, domestic partner, and dependent.</p>
StartDate	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when the individual's status as a household member took effect.</p>
Primary__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether the individual is the primary member of the household (<code>true</code>) or not (<code>false</code>).</p>
Rollups__c	<p>Type multipicklist</p> <p>Properties Create, Filter, Nillable, Update</p> <p>Description Records associated with the individual that are included in household roll-up summaries. Valid values:</p>

Field	Details
	<ul style="list-style-type: none"> • Tasks • Events • Financial Accounts • Assets and Liabilities • Financial Goals

AssetsAndLiabilities

Represents assets or liabilities that are not represented in a client's financial accounts, such as real estate or collectibles.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `search()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
<code>Amount__c</code>	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Amount of an asset (positive) or liability (negative).</p>
<code>AssetsAndLiabilitiesSource__c</code>	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Data source. Label is <code>Source</code>. Valid values:</p> <ul style="list-style-type: none"> • Manual Entry • Yodlee
<code>AssetsAndLiabilitiesType__c</code>	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p>

Field	Details
	<p>Description</p> <p>Type of asset or liability. Label is <code>Type</code>. Valid values:</p> <ul style="list-style-type: none"> • Auto Loan • Mortgage • Other • Personal Loan • Real Estate • Equipment • Automobile • Collection • Gold • Jewelry • Cash
Description__c	<p>Type</p> <p>textarea</p> <p>Properties</p> <p>Create, Filter, Group, Nillable, Sort, Update</p> <p>Description</p> <p>Description of this asset or liability.</p>
FinancialAccount__c	<p>Type</p> <p>reference</p> <p>Properties</p> <p>Create, Filter, Group, Nillable, Sort, Update</p> <p>Description</p> <p>Financial account that this asset or liability is related to.</p>
Household__c	<p>Type</p> <p>reference</p> <p>Properties</p> <p>Create, Filter, Group, Nillable, Sort, Update</p> <p>Description</p> <p>Household that this asset or liability is associated with.</p>
JointOwner__c	<p>Type</p> <p>reference</p> <p>Properties</p> <p>Create, Filter, Group, Nillable, Sort, Update</p>

Field	Details
	<p>Description Joint owner, if any, for this asset or liability.</p>
LastReferencedDate	<p>Type date</p> <p>Properties Filter, Nillable, Sort,</p> <p>Description Timestamp for when the current user last viewed a record related to this record.</p>
LastViewedDate	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Timestamp for when the current user last viewed this record.</p>
Name	<p>Type string</p> <p>Properties Create, Defaulted on create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description Name of this asset or liability.</p>
OwnerId	<p>Type reference</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description ID of the user who created the asset or liability record.</p>
Ownership__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Type of ownership for this asset or liability. Valid values:</p> <ul style="list-style-type: none"> • Individual • Joint • Trust

Field	Details
OwnerType__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Client's ownership role (primary or joint) for this asset or liability. The value is specified by a trigger.</p>
PrimaryOwner__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Primary owner of this asset or liability.</p>
RecordTypeId	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description ID of the record type associated with this asset or liability.</p>

Contact Custom Fields

Represents information about a client that pertains to their personhood, irrespective of their relationship with your firm, such as their birthdate or tax ID number. Custom fields extend the Contact object for use in Financial Services Cloud.

Fields

Field Name	Details
Age__c	<p>Type double</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Age. Calculated from <code>Contact.Birthdate</code>.</p>
AgeAsText__c	<p>Type string</p>

Field Name	Details
	<p>Properties Filter, Nillable, Sort</p> <p>Description Age expressed in years, months, and days. Calculated from <code>Contact.Birthdate</code>. Label is Age Text.</p>
AnnualIncome__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Annual income.</p>
BillingAddress__c	<p>Type string</p> <p>Properties Filter, Nillable, Sort</p> <p>Description The compound form of the billing address. Based on these address fields: <code>Account.BillingStreet</code>, <code>Account.BillingCity</code>, <code>Account.BillingState</code>, <code>Account.BillingPostalCode</code>, and <code>Account.BillingCountry</code>.</p>
Citizenship__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Citizenship.</p>
CountryOfResidence__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Country of primary residence.</p>
CurentEmployer__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p>

Field Name	Details
	<p>Description Name of current employer.</p>
EmployedSince__c	<p>Type double</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Tenure with current employer.</p>
Facebook__c	<p>Type url</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Facebook profile URL.</p>
Gender__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Gender. Valid values:</p> <ul style="list-style-type: none"> • Female • Male • Other
IndividualId__c	<p>Type string</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Unique ID that relates this individual's contact record to its account record. Calculated from <code>Account.IndividualId__c</code>.</p>
LanguagesSpoken__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Languages spoken.</p>

Field Name	Details
LinkedIn__c	<p>Type url</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description LinkedIn profile URL.</p>
MailingAddress__c	<p>Type string</p> <p>Properties Filter, Nillable, Sort</p> <p>Description The compound form of the mailing address. Based on these address fields: <code>MailingStreet</code>, <code>MailingCity</code>, <code>MailingState</code>, <code>MailingPostalCode</code>, and <code>MailingCountry</code>.</p>
MaritalStatus__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Marital status. Valid values:</p> <ul style="list-style-type: none"> • Single • Married • Separated • Divorced • Widowed
NumberOfDependents__c	<p>Type double</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Number of dependents, such as spouse and dependent children.</p>
Occupation__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Occupation.</p>

Field Name	Details
OtherAddress__c	<p>Type string</p> <p>Properties Filter, Nillable, Sort</p> <p>Description The compound form of the other address. Based on these address fields: OtherStreet, OtherCity, OtherState, OtherPostalCode, and OtherCountry.</p>
PrimaryAddressIsBilling__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether the billing address is the client's primary address (<code>true</code>) or not (<code>false</code>).</p>
PrimaryAddressIsMailing__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether the mailing address is the client's primary address (<code>true</code>) or not (<code>false</code>).</p>
PrimaryAddressIsOther__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether the other address is the client's primary address (<code>true</code>) or not (<code>false</code>).</p>
PrimaryAddressIsShipping__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether the shipping address is the client's primary address (<code>true</code>) or not (<code>false</code>).</p>
ShippingAddress__c	<p>Type string</p> <p>Properties Filter, Nillable, Sort</p>

Field Name	Details
	<p>Description</p> <p>The compound form of the shipping address. Based on these address fields: <code>Account.ShippingStreet</code>, <code>Account.ShippingCity</code>, <code>Account.ShippingState</code>, <code>Account.ShippingPostalCode</code>, and <code>Account.ShippingCountry</code>.</p>
TaxBracket__c	<p>Type</p> <p>picklist</p> <p>Properties</p> <p>Create, Filter, Group, Nillable, Sort, Update</p> <p>Description</p> <p>Rate at which the individual is taxed. Valid values:</p> <ul style="list-style-type: none"> • 10% • 15% • 25% • 28% • 33% • 35%
TaxId__c	<p>Type</p> <p>string</p> <p>Properties</p> <p>Create, Filter, Group, Nillable, Sort, Update</p> <p>Description</p> <p>Tax Identification Number or Social Security Number.</p>
Twitter__c	<p>Type</p> <p>url</p> <p>Properties</p> <p>Create, Filter, Group, Nillable, Sort, Update</p> <p>Description</p> <p>Twitter profile URL.</p>
WeddingAnniversary__c	<p>Type</p> <p>date</p> <p>Properties</p> <p>Create, Filter, Group, Nillable, Sort, Update</p> <p>Description</p> <p>Date of wedding anniversary.</p>

ContactContactRelation

Represents the relationship between any two individuals.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
<code>Active__c</code>	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether the relationship is active (<code>true</code>) or not (<code>false</code>). The default value is <code>true</code>.</p>
<code>Contact__c</code>	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Contact that <code>RelatedContact__c</code> is related from.</p>
<code>EndDate__c</code>	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when the relationship ended.</p>
<code>ExternalId__c</code>	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the relationship in an external data source.</p>

Field	Details
Name	<p>Type string</p> <p>Properties Defaulted on create, Filter, idLookup, Sort</p> <p>Description Auto-number identifier for the relationship. Label is <code>Contact Relation Name</code>.</p>
OwnerId	<p>Type reference</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description ID of the user who created the relationship record.</p>
RelatedContact__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Contact that <code>Contact__c</code> is related to.</p>
Role__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Sort, Update</p> <p>Description Role that describes how <code>RelatedContact__c</code> is related to <code>Contact__c</code></p>
StartDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when the relationship started.</p>

Event Custom Fields

Represents an event associated with a client. Custom fields extend the standard Event object for use in Financial Services Cloud.

Fields

Field Name	Details
Expectations__c	<p>Type textarea</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Client expectations that this event relates to.</p>
Household__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description ID of the household associated with the client.</p>
NextSteps__c	<p>Type textarea</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Next steps for this client event.</p>
Objectives__c	<p>Type textarea</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Client objectives that this event relates to.</p>
Regarding__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description The nature of this client event. Valid values:</p> <ul style="list-style-type: none"> • Prospecting • Onboarding • Client Retention • Service

FinancialAccount

Represents a financial account such as an investment account, bank account, or insurance policy.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `search()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
Address1__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Street address line 1 for mailing address.</p>
Address2__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Street address line 2 for mailing address.</p>
ApplicationDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when the client submitted the financial account application.</p>
AssetRebalance__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Sort, Update</p> <p>Description Indicates whether automatic portfolio rebalancing applies to this financial account (<code>true</code>) or not (<code>false</code>).</p>

Field	Details
AverageBalance__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Average amount of money in the financial account, over a time period.</p>
Balance__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Amount of money in the financial account.</p>
CashBalance__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Cash available in the financial account.</p>
City__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description City for mailing address.</p>
CloseDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when this financial account was closed.</p>
Country__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Country for mailing address.</p>

Field	Details
Description__c	<p>Type textarea</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Description of the financial account.</p>
Discretionary__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether the advisor has discretionary trading authority for this financial account (<code>true</code>) or not (<code>false</code>).</p>
FinancialAccountNumber__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the financial account in an external data source. Label is <code>Account Number</code>.</p>
FinancialAccountSource__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Data source. Label is <code>Source</code>. Valid values:</p> <ul style="list-style-type: none"> • Integrator • Manual Entry • Pending
FinancialAccountType__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Type of financial account. Label is <code>Type</code>. Valid values:</p> <ul style="list-style-type: none"> • 401(a) • 401(k)

Field	Details
	<ul style="list-style-type: none"> • 403(b) • 529 Plan • Brokerage • Cash Management Account • CD • Checking • Credit Card • Discount Brokerage • Fixed Annuity • Individual Life • IRA • Mutual Fund • Profit Sharing • Rollover IRA • Roth IRA • Savings • Term Life • Variable Life • Whole Life
HeldAway__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether this financial account is managed or administered externally (<code>true</code>) or in-house (<code>false</code>).</p>
HoldingCount__c	<p>Type double</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Number of holdings within this financial account. Calculated by roll-up summary. Label is <code>Number of Holdings</code>.</p>
Household__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p>

Field	Details
	<p>Description Household that this financial account rolls up to.</p>
InsuredAmount__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description The insured value that an insurance policy covers.</p>
InvestmentObjectives__c	<p>Type multipicklist</p> <p>Properties Create, Filter, Nillable, Update</p> <p>Description Purpose of this financial account. Valid values:</p> <ul style="list-style-type: none"> • Safety • Income • Growth • Tax Optimization • Liquidity
JointOwner__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Joint owner of this financial account.</p>
LastActivityDate	<p>Type date</p> <p>Properties Filter, Group, Nillable, Sort</p> <p>Description Timestamp for when this financial account last had a task or event action associated with the record.</p>
LastReferencedDate	<p>Type dateTime</p> <p>Properties Filter, Nillable, Sort</p>

Field	Details
	<p>Description Timestamp for when the current user last viewed a record related to this record.</p>
LastUpdated__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Timestamp for when data for this financial account was last updated by an external data source.</p>
LastViewedDate	<p>Type dateTime</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Timestamp for when the current user last viewed this record.</p>
Managed__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether this financial account is managed or administered by our firm (<code>true</code>) or not (<code>false</code>).</p>
MinimumBalance__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Minimum balance requirement for this financial account.</p>
ModelPortfolio__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Model asset allocation for this financial account. Valid values:</p> <ul style="list-style-type: none"> • Conservative • Moderate

Field	Details
	<ul style="list-style-type: none"> Balanced Growth Aggressive
Name	<p>Type string</p> <p>Properties Create, Defaulted on create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description Name of this financial account.</p>
OpenDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when this financial account was opened.</p>
OwnerId	<p>Type reference</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description ID of the user who created the financial account record.</p>
Ownership__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Type of ownership for this financial account. Valid values:</p> <ul style="list-style-type: none"> Individual Joint Trust
OwnerType__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Client's ownership role (primary or joint) for this financial account.</p>

Field	Details
PaperlessDelivery__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Client elects to receive electronic delivery of financial account documents (<code>true</code>) or not (<code>false</code>).</p>
Performance1Yr__c	<p>Type percent</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Performance measured over the past year.</p>
Performance3Yr__c	<p>Type percent</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Performance measured over the past three years.</p>
PerformanceMTD__c	<p>Type percent</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Performance measured over the past month-to-date.</p>
PerformanceQTD__c	<p>Type percent</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Performance measured over the past quarter-to-date.</p>
PerformanceYTD__c	<p>Type percent</p> <p>Properties Create, Filter, Nillable, Sort, Update</p>

Field	Details
	<p>Description Performance measured over the past calendar year-to-date.</p>
PostalCode__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Postal code for mailing address.</p>
Premium__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Amount paid to the insurer for insurance policy coverage.</p>
PrimaryOwner__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Primary owner of this financial account.</p>
RebalanceFrequency__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Frequency of portfolio rebalancing for this financial account. Valid values:</p> <ul style="list-style-type: none"> • Monthly • Quarterly • Semiannually • Annually
RecordTypeId	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description ID of the record type associated with this financial account.</p>

Field	Details
RecordTypeName__c	<p>Type string</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Record type for this financial account. The value is copied from <code>RecordType.Name</code> and can't be changed. Label is <code>Record Type</code>.</p>
RenewalDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when insurance policy renewal is due.</p>
ServiceProvider__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Custodian or recordkeeper of this financial account.</p>
State__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description State for mailing address.</p>
Status__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Status of this financial account. Valid values:</p> <ul style="list-style-type: none">• Open• Closed• On Hold• Pending

Field	Details
TaxID__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Tax Identification Number associated with this financial account.</p>
TaxStatus__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Type of tax treatment this financial account qualifies for. Valid values:</p> <ul style="list-style-type: none"> • Nonqualified • Qualified
TimeHorizon__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Investment time frame for this financial account. Valid values:</p> <ul style="list-style-type: none"> • Long Term • Medium Term • Short Term

FinancialAccountRole

Represents the role occupied by a person or organizational entity that is involved with a financial account, such as a beneficiary or trustee.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
Active__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether the organizational entity or person currently occupies this role (<code>true</code>) or not (<code>false</code>).</p>
Editable__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether this field is editable (<code>true</code>) or not (<code>false</code>).</p>
EndDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description End date when the organizational entity or person relinquished this role.</p>
FinancialAccount__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Sort</p> <p>Description Financial account that this role is related to.</p>
Name	<p>Type string</p> <p>Properties Defaulted on create, Filter, idLookup, Sort</p> <p>Description Name of the financial account role.</p>
RecordTypeId	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p>

Field	Details
	<p>Description ID of the record type associated with this financial account role.</p>
RelatedAccount__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Name of the organizational entity that is involved with the financial account.</p>
RelatedContact__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Name of the person who is involved with the financial account.</p>
Role__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Role that describes how the organizational entity or person is involved with the financial account. Valid values: When the record type is set to Account Role:</p> <ul style="list-style-type: none"> • Corporation • Foundation <p>When the record type is set to Contact Role:</p> <ul style="list-style-type: none"> • Trustee • Beneficiary • Grantor • Accountant • Business Manager
StartDate__c	<p>Type date</p> <p>Properties Create, Defaulted on create, Filter, Group, Nillable, Sort, Update</p> <p>Description Start date when the organizational entity or person assumed this role. The default value is the current date.</p>

FinancialGoal

Represents a client's financial goal, such as college funds or a major purchase.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `search()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
ActualValue__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Current amount saved toward goal.</p>
CompletionDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when the goal was reached.</p>
Description__c	<p>Type textarea</p> <p>Properties Create, Nillable, Update</p> <p>Description Description of the goal.</p>
Household__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Household that this goal is associated with.</p>
InitialValue__c	<p>Type currency</p>

Field	Details
	<p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Starting amount saved toward goal.</p>
LastActivityDate	<p>Type date</p> <p>Properties Filter, Group, Nillable, Sort</p> <p>Description Timestamp for when this goal last had a task or event action associated with the record.</p>
LastReferencedDate	<p>Type date</p> <p>Properties Filter, Nillable, Sort,</p> <p>Description Timestamp for when the current user last viewed a record related to this record.</p>
LastViewedDate	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Timestamp for when the current user last viewed this record.</p>
Name	<p>Type string</p> <p>Properties Create, Defaulted on create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description Name of this goal.</p>
OwnerId	<p>Type reference</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description ID of the user who created the financial goal record.</p>
PrimaryOwner__c	<p>Type reference</p>

Field	Details
	<p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Primary owner of this goal.</p>
Status__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Status of goal. Valid values:</p> <ul style="list-style-type: none"> • Completed • In Progress • Not Started
TargetDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when the goal is expected to be reached.</p>
TargetValue__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Amount required for the goal.</p>
Type__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Purpose of goal. Valid values:</p> <ul style="list-style-type: none"> • Education • Home Purchase • Other • Retirement

FinancialHolding

Represents a financial holding in an investment account, such as shares of stock.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `search()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
<code>AssetCategory__c</code>	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Subcategory of asset type. Valid values:</p> <ul style="list-style-type: none"> • U.S. Equity • Sector Equity • Allocation • International Equity • Alternative • Commodities • Taxable Bond • Municipal Bond
<code>AssetCategoryName__c</code>	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Market capitalization and investing style. Valid values:</p> <ul style="list-style-type: none"> • Large Growth • Large Value • Large Blend • Small Growth • Small Value • Small Blend • Mid-Cap Growth • Mid-Cap Value

Field	Details
	<ul style="list-style-type: none"> • Mid-Cap Blend
AssetClass__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Major category of asset type. Valid values:</p> <ul style="list-style-type: none"> • Equities • Fixed Income • Cash Equivalents • Alternative Investments
FinancialAccount__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Sort</p> <p>Description Financial account that this holding is related to.</p>
GainLoss__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Change in value since purchase.</p>
Household__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Household that this holding rolls up to.</p>
LastActivityDate	<p>Type date</p> <p>Properties Filter, Group, Nillable, Sort</p> <p>Description Timestamp for when this financial holding last had a task or event action associated with the record.</p>

Field	Details
LastReferencedDate	<p>Type date</p> <p>Properties Filter, Nillable, Sort,</p> <p>Description Timestamp for when the current user last viewed a record related to this record.</p>
LastUpdated__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Timestamp for when data for this holding was last updated by an external data source.</p>
LastViewedDate	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Timestamp for when the current user last viewed this record.</p>
MarketValue__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Current market value.</p>
Name	<p>Type string</p> <p>Properties Create, Defaulted on create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description Name of this holding.</p>
PercentChange__c	<p>Type percent</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Percent change in value since purchase.</p>

Field	Details
Price__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Current price per share.</p>
PrimaryOwner__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Primary owner of this holding.</p>
PurchasePrice__c	<p>Type currency</p> <p>Properties Create, Filter, Sort, Update</p> <p>Description Price per-share at time of purchase.</p>
Shares__c	<p>Type double</p> <p>Properties Create, Filter, Sort, Update</p> <p>Description Number of shares held.</p>
Symbol__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Ticker symbol for the securities held.</p>

LifeEvent

Represents a client's life event, such as a birth or marriage. Reserved for future use.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `search()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
Client__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Client that the life event is related to.</p>
DiscussionNote__c	<p>Type textarea</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Notes from client discussions.</p>
EventDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date of the life event.</p>
EventType__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Type of life event. Valid values:</p> <ul style="list-style-type: none"> • College • New Baby • New Business • New Home • New Job • Retirement

Field	Details
FinancialGoal__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Financial goal that the life event is related to.</p>
GoalType__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Type of financial goal implied by the life event. Valid values:</p> <ul style="list-style-type: none"> • Saving for College • Saving for Retirement

ReciprocalRole

Represents the other entity's corresponding role in a one-to-one relationship between entities. Reserved for Salesforce internal use.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `search()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
InverseRole__c	<p>Type string</p> <p>Properties Create, Filter, Group, Sort, Update</p> <p>Description The role that the other entity occupies in the relationship, such as a grandparent to a grandchild, or an owned business to a proprietor.</p>
LastReferencedDate	<p>Type dateTime</p>

Field	Details
	<p>Properties Filter, Nillable, Sort</p> <p>Description Timestamp for when the current user last viewed a record related to this record.</p>
LastViewedDate	<p>Type dateTime</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Timestamp for when the current user last viewed this record.</p>
Name	<p>Type string</p> <p>Properties Create, Defaulted on create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description Name of this reciprocal role.</p>
OwnerId	<p>Type reference</p> <p>Properties Create, Defaulted on createFilter, Group, Sort, Update</p> <p>Description ID of the user who created the reciprocal role record.</p>
RecordTypeId	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description ID of the record type associated with this reciprocal role.</p>
RelationshipType__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Type of entities involved in the relationship. Valid values:</p> <ul style="list-style-type: none"> • All • Contact Contact Relation

Field	Details
	<ul style="list-style-type: none"> Account Account Relation

Securities

Represents a security, such as a stock or bond.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `search()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
CUSIP__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Committee on Uniform Securities Identification Procedures identification number for the securities.</p>
Exchange__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Exchange on which the securities are traded. Valid values:</p> <ul style="list-style-type: none"> NYSE NASDAQ
LastReferencedDate	<p>Type dateTime</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Timestamp for when the current user last viewed a record related to this record.</p>
LastUpdated__c	<p>Type date</p>

Field	Details
	<p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Timestamp for when data for the securities was last updated by an external data source.</p>
LastViewedDate	<p>Type dateTime</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Timestamp for when the current user last viewed this record.</p>
Name	<p>Type string</p> <p>Properties Create, Defaulted on create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description Name of the securities.</p>
OwnerId	<p>Type reference</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description ID of the user who created the securities record.</p>
Price__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Current price of the securities.</p>
SecuritiesName__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Sort, Update</p> <p>Description Name that uniquely identifies the securities.</p>
SecurityId__c	<p>Type string</p>

Field	Details
	<p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description ID of the securities.</p>

Task Custom Fields

Represents a task associated with a client. Custom fields extend the standard Task object for use in Financial Services Cloud.

Fields

Field Name	Details
Expectations__c	<p>Type textarea</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Client expectations that this task relates to.</p>
Household__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description ID of the household associated with the client.</p>
NextSteps__c	<p>Type textarea</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Next steps for this client task.</p>
Objectives__c	<p>Type textarea</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Client objectives that this task relates to.</p>

Field Name	Details
Regarding__c	<p data-bbox="531 260 591 296">Type</p> <p data-bbox="570 296 646 331">picklist</p> <p data-bbox="531 342 651 378">Properties</p> <p data-bbox="570 378 980 413">Create, Filter, Group, Nillable, Sort, Update</p> <p data-bbox="531 424 662 459">Description</p> <p data-bbox="570 459 976 495">The nature of this client task. Valid values:</p> <ul data-bbox="570 506 773 667" style="list-style-type: none"><li data-bbox="570 506 732 541">• Prospecting<li data-bbox="570 548 732 583">• Onboarding<li data-bbox="570 590 773 625">• Client Retention<li data-bbox="570 632 683 667">• Service