



Financial Services Cloud Object Reference Guide

Salesforce, Summer '16



CONTENTS

USAGE OF FINANCIAL SERVICES CLOUD FIELDS AND OBJECTS	1
FINANCIAL SERVICES CLOUD STANDARD AND CUSTOM OBJECTS	2
Account Custom Fields	2
AccountAccountRelation	12
AccountContactRelation Standard and Custom Fields	14
AssetsAndLiabilities	17
Contact Custom Fields	21
ContactContactRelation	26
Event Custom Fields	29
FinancialAccount	30
FinancialAccountRole	41
FinancialGoal	44
FinancialHolding	47
Lead Custom Fields	52
LifeEvent	52
Opportunity Custom Fields	54
ReciprocalRole	55
Securities	57
Task Custom Fields	60

USAGE OF FINANCIAL SERVICES CLOUD FIELDS AND OBJECTS

Refer to the fields and objects that extend Salesforce for Financial Services Cloud. They are available in API version 37.0 for the Financial Services Cloud managed package version 2.0.

Fields and objects in the package have the `FinServ__` namespace prefix. For example, `FinServ__IndividualId__c` is a custom field on Account. `FinServ__FinancialAccount__c` is a custom object. To refer to the standard Salesforce objects, see the [Object Reference for Salesforce](#).

Some fields may not be listed for some objects. To verify the complete list of fields for an object, use a describe call from the API, inspect the WSDL, or use a schema viewer.

FINANCIAL SERVICES CLOUD STANDARD AND CUSTOM OBJECTS

Account Custom Fields

Represents information about a client that pertains to their dealings with your firm, such as their review frequency or service tier. Custom fields extend the standard Account object for use in Financial Services Cloud.

Fields

Field Name	Details
AUM__c	<p>Type currency</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Value of client's financial accounts that our firm manages. Calculated as the sum of TotalAUMPrimaryOwner__c and TotalAUMJointOwner__c.</p>
ClientCategory__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Rates the value of the client's business with our firm. Label is <code>Category</code>. Valid values:</p> <ul style="list-style-type: none">• Platinum• Gold• Silver• Bronze
FinancialInterests__c	<p>Type multipicklist</p> <p>Properties Create, Filter, Nillable, Update</p> <p>Description Client's financial areas of interest. Valid values:</p> <ul style="list-style-type: none">• Municipal Bonds• Fixed Income• Energy

Field Name	Details
	<ul style="list-style-type: none"> • Technology • CRM • AAPL • GOOG • Retirement • College Planning
IndividualId__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Read only. Unique ID that relates this individual's account record to its contact record.</p>
IndividualType__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Type of individual. Valid values:</p> <ul style="list-style-type: none"> • Individual
InvestmentExperience__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Client's investment experience. Valid values:</p> <ul style="list-style-type: none"> • Experienced • Moderately Experienced • Moderately Inexperienced • Inexperienced
InvestmentObjectives__c	<p>Type multipicklist</p> <p>Properties Create, Filter, Nillable, Update</p> <p>Description Client's preference for growth versus income investments. Valid values:</p> <ul style="list-style-type: none"> • Conservative Income

Field Name	Details
	<ul style="list-style-type: none"> Income Balanced Growth Aggressive Growth
LastInteraction__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date of the last client meeting or call.</p>
LastReview__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date of the last client review.</p>
MarketingSegment__c	<p>Type multipicklist</p> <p>Properties Create, Filter, Nillable, Update</p> <p>Description Market segments that characterize the client. Valid values:</p> <ul style="list-style-type: none"> Mass Affluent High Net Worth Female Investor Millennial
NetWorth__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Value of the client's assets minus liabilities.</p>
NextInteraction__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p>

Field Name	Details
	Description Date of the next client meeting or call.
NextReview__c	Type date Properties Create, Filter, Group, Nillable, Sort, Update Description Date of the next client review.
Notes__c	Type textarea Properties Create, Filter, Group, Nillable, Sort, Update Description Important notes about the client. Label is Important Notes.
PersonalInterests__c	Type multipicklist Properties Create, Filter, Nillable, Update Description Client's personal areas of interest. Valid values: <ul style="list-style-type: none"> • Cooking • College Basketball • Environment • Hiking • Biking • Wine
PrimaryContact__c	Type reference Properties Create, Filter, Group, Nillable, Sort, Update Description Read only. ID of the contact record associated with this individual's account record.
ReviewFrequency__c	Type picklist Properties Create, Filter, Group, Nillable, Sort, Update

Field Name	Details
	Description Frequency of client reviews. Valid values: <ul style="list-style-type: none"> • Monthly • Quarterly • Annually
RiskTolerance__c	Type picklist Properties Create, Filter, Group, Nillable, Sort, Update Description Level of risk the client is comfortable with. Valid values: <ul style="list-style-type: none"> • Aggressive • Conservative • Moderate • None
ServiceModel__c	Type picklist Properties Create, Filter, Group, Nillable, Sort, Update Description Service level assigned to client. Valid values: <ul style="list-style-type: none"> • Tier 1 • Tier 2 • Tier 3
SourceSystemId__c	Type string Properties Create, Filter, Group, idLookup, Nillable, Sort, Update Description ID that uniquely identifies the client in an external data source.
Status__c	Type picklist Properties Create, Filter, Group, Nillable, Sort, Update Description Client's status with your firm. Valid values:

Field Name	Details
	<ul style="list-style-type: none"> Prospect Onboarding Active Deceased Inactive
TimeHorizon__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Client's investment time frame. Valid values:</p> <ul style="list-style-type: none"> Long Term Medium Term Short Term
TotalAUMJointOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of client's financial accounts that our firm manages, for which the client is the joint owner of jointly owned accounts.</p>
TotalAUMPrimaryOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of client's financial accounts that our firm manages, for which the client is the primary owner of either individually owned or jointly owned accounts.</p>
TotalBankDeposits__c	<p>Type currency</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Value of client's bank accounts. Calculated as the sum of TotalBankDepositsPrimaryOwner__c and TotalBankDepositsJointOwner__c.</p>

Field Name	Details
TotalBankDepositsJointOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of client's bank accounts, for which the client is the joint owner of jointly owned accounts.</p>
TotalBankDepositsPrimaryOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of client's bank accounts, for which the client is the primary owner of either individually owned or jointly owned accounts.</p>
TotalFinAcctsJointOwner__c	<p>Type double</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Total value of financial account balances (excluding insurance policies), for which the client is the joint owner of jointly owned accounts. Label is <code>Total Financial Accounts Joint Owner</code>.</p>
TotalFinAcctsPrimaryOwner__c	<p>Type double</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Total value of financial account balances (excluding insurance policies), for which the client is the primary owner of either individually owned or jointly owned accounts. Label is <code>Total Financial Accounts Primary Owner</code>.</p>
TotalFinancialAccounts__c	<p>Type currency</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Value of all financial accounts, excluding insurance policies. Calculated as the sum of <code>TotalBankDeposits__c</code> and <code>TotalInvestments__c</code>.</p>

Field Name	Details
TotalHeldFinAcctsJointOwner__c	<p>Type double</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Total value of held financial account balances, for which the client is the joint owner of jointly owned accounts. Label is Total Held Financial Accounts Joint.</p>
TotalHeldFinAcctsPrimaryOwner__c	<p>Type double</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Total value of held financial account balances, for which the client is the primary owner of either individually owned or jointly owned accounts. Label is Total Held Financial Accounts Primary.</p>
TotalInsurance__c	<p>Type currency</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Value of client's insurance policies. Calculated as the sum of TotalInsurancePrimaryOwner__c and TotalInsuranceJointOwner__c.</p>
TotalInsuranceJointOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of client's insurance policies, for which the client is the joint owner of jointly owned accounts.</p>
TotalInsurancePrimaryOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of client's insurance policies, for which the client is the primary owner of either individually owned or jointly owned accounts.</p>

Field Name	Details
TotalInvestments__c	<p>Type currency</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Value of client's investment accounts. Calculated as the sum of TotalInvestmentsPrimaryOwner__c and TotalInvestmentsJointOwner__c.</p>
TotalInvestmentsJointOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of client's investment accounts, for which the client is the joint owner of jointly owned accounts.</p>
TotalInvestmentsPrimaryOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of client's investment accounts, for which the client is the primary owner of either individually owned or jointly owned accounts.</p>
TotalLiabilities__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Value of client's liabilities, stored as a negative value. Calculated as the sum of TotalLiabilitiesPrimaryOwner__c and TotalLiabilitiesJointOwner__c.</p>
TotalLiabilitiesJointOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of client's liabilities, for which the client is the joint owner of jointly owned liabilities.</p>

Field Name	Details
TotalLiabilitiesPrimaryOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of client's liabilities, for which the client is the primary owner of either individually owned or jointly owned liabilities.</p>
TotalNonfinancialAssets__c	<p>Type double</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Value of client's tangible assets such as collectibles or precious metals. Calculated as the sum of TotalNonfinancialAssetsPrimaryOwner__c and TotalNonfinancialAssetsJointOwner__c.</p>
TotalNonfinancialAssetsJointOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of client's tangible assets such as collectibles or precious metals, for which the client is the joint owner of jointly owned assets.</p>
TotalNonfinancialAssetsPrimaryOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of client's tangible assets such as collectibles or precious metals, for which the client is the primary owner of either individually owned or jointly owned assets.</p>
WalletShare__c	<p>Type percent</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Read only. Percentage of client's financial assets that our firm manages or administers. Calculated as the percent of financial accounts that are held (FinancialAccount__c.HeldAwayis false).</p>

AccountAccountRelation

Represents a relationship between two accounts, such as between a household and a business account.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
Account__c	Type reference Properties Create, Filter, Group, Nillable, Sort, Update Description Account that RelatedAccount__c is related from.
Active__c	Type boolean Properties Create, Defaulted on create, Filter, Group, Sort, Update Description Indicates whether the relationship is active (<code>true</code>) or not (<code>false</code>). The default value is <code>true</code> .
CurrencyIsoCode	Type picklist Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update Description If multiple currencies is enabled, contains the currency ISO code associated with the record.
EndDate__c	Type date Properties Create, Filter, Group, Nillable, Sort, Update Description Date when the relationship ended.

Field	Details
ExternalId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the relationship in an external data source.</p>
InverseRelationship__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Uniquely identifies the relationship between <code>Account</code> and <code>RelatedAccount__c</code> so that it can be referenced by a trigger that creates the inverse relationship record.</p>
Name	<p>Type string</p> <p>Properties Defaulted on create, Filter, idLookup, Sort</p> <p>Description Auto-number identifier for the relationship. Label is <code>Account Relation Name</code>.</p>
OwnerId	<p>Type reference</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description ID of the user who created the relationship record.</p>
RelatedAccount__c	<p>Type reference</p> <p>Properties Filter, Group, Nillable, Sort</p> <p>Description Account that <code>Account__c</code> is related to.</p>
Role__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Sort, Update</p>

Field	Details
	Description Role that describes how RelatedAccount__c is related to Account__c.
SourceSystemId__c	Type string Properties Create, Filter, Group, idLookup, Nillable, Sort, Update Description ID that uniquely identifies the relationship in an external data source.
StartDate__c	Type date Properties Create, Filter, Group, Nillable, Sort, Update Description Date when the relationship started.

AccountContactRelation Standard and Custom Fields

Represents the relationship between an individual (specifically the contact part of the individual) and the household (account) that the individual is a member of. AccountContactRelation is a standard object that is available through the Shared Contacts feature. Custom fields extend the AccountContactRelation standard object for use in Financial Services Cloud.


Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `update()`, `upsert()`

Fields

Field	Details
AccountId	Type reference Properties Create, Filter, Group, Sort Description ID of the household (account) that the individual is a member of.
ContactId	Type reference

Field	Details
	<p>Properties Create, Filter, Group, Sort</p> <p>Description ID of the contact that partially represents the individual.</p>
CurrencyIsoCode	<p>Type picklist</p> <p>Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description If multiple currencies is enabled, contains the currency ISO code associated with the record.</p>
EndDate	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when the individual's status as a household member is no longer in effect.</p>
IsActive	<p>Type boolean</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description Indicates whether the individual's status as a household member is in effect (<code>true</code>) or not (<code>false</code>). Label is <code>Active</code>.</p>
IsDirect	<p>Type boolean</p> <p>Properties Defaulted on create, Filter, Group, Sort</p> <p>Description Indicates whether the account-to-contact relationship is direct, which means that it relates the account and contact parts of an individual to represent a single individual (<code>true</code>). Otherwise, the relationship is indirect, which means that it relates the contact part of an individual to the household the individual belongs to (<code>false</code>). Label is <code>Direct</code>.</p>
Roles	<p>Type picklist</p> <p>Properties Create, Filter, Nillable, Update</p>

Field	Details
	<p>Description</p> <p>Role that the individual plays within the household. Valid values:</p> <ul style="list-style-type: none"> • Influencer • Evaluator • Business User • Technical Buyer • Economic Buyer • Other • Decision Maker • Economic Decision Maker • Executive Sponsor <p> Note: Replace these default picklist values with appropriate values for the roles that clients occupy within households, such as client, spouse, domestic partner, and dependent.</p>
SourceSystemId__c	<p>Type</p> <p>string</p> <p>Properties</p> <p>Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description</p> <p>ID that uniquely identifies the individual in an external data source.</p>
StartDate	<p>Type</p> <p>date</p> <p>Properties</p> <p>Create, Filter, Group, Nillable, Sort, Update</p> <p>Description</p> <p>Date when the individual's status as a household member took effect.</p>
Primary__c	<p>Type</p> <p>boolean</p> <p>Properties</p> <p>Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description</p> <p>Indicates whether the individual is the primary member of the household (<code>true</code>) or not (<code>false</code>).</p>
Rollups__c	<p>Type</p> <p>multipicklist</p> <p>Properties</p> <p>Create, Filter, Nillable, Update</p>

Field	Details
	Description Records associated with the individual that are included in household roll-up summaries. Valid values: <ul style="list-style-type: none"> • Tasks • Events • Financial Accounts • Assets and Liabilities • Financial Goals

AssetsAndLiabilities

Represents assets or liabilities that are not represented in a client's financial accounts, such as real estate or collectibles.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `search()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
Amount__c	Type currency Properties Create, Filter, Nillable, Sort, Update Description Amount of an asset (positive) or liability (negative).
AssetsAndLiabilitiesSource__c	Type picklist Properties Create, Filter, Group, Nillable, Sort, Update Description Data source. Label is <code>Source</code> . Valid values: <ul style="list-style-type: none"> • Manual Entry • Yodlee
AssetsAndLiabilitiesType__c	Type picklist

Field	Details
	<p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Type of asset or liability. Label is <code>Type</code>. Valid values:</p> <ul style="list-style-type: none"> • Auto Loan • Mortgage • Other • Personal Loan • Real Estate • Equipment • Automobile • Collection • Gold • Jewelry • Cash
CurrencyIsoCode	<p>Type picklist</p> <p>Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description If multiple currencies is enabled, contains the currency ISO code associated with the record.</p>
Description__c	<p>Type textarea</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Description of this asset or liability.</p>
FinancialAccount__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Financial account that this asset or liability is related to.</p>
Household__c	<p>Type reference</p>

Field	Details
	Properties Create, Filter, Group, Nillable, Sort, Update Description Household that this asset or liability is associated with.
JointOwner__c	Type reference Properties Create, Filter, Group, Nillable, Sort, Update Description Joint owner, if any, for this asset or liability.
LastReferencedDate	Type date Properties Filter, Nillable, Sort, Description Timestamp for when the current user last viewed a record related to this record.
LastViewedDate	Type date Properties Create, Filter, Group, Nillable, Sort, Update Description Timestamp for when the current user last viewed this record.
Name	Type string Properties Create, Defaulted on create, Filter, Group, idLookup, Nillable, Sort, Update Description Name of this asset or liability.
OwnerId	Type reference Properties Create, Defaulted on create, Filter, Group, Sort, Update Description ID of the user who created the asset or liability record.
Ownership__c	Type picklist

Field	Details
	<p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Type of ownership for this asset or liability. Valid values:</p> <ul style="list-style-type: none"> • Individual • Joint • Trust
OwnerType__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Client's ownership role (primary or joint) for this asset or liability. The value is specified by a trigger.</p>
PrimaryOwner__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Primary owner of this asset or liability.</p>
RecordTypeId	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description ID of the record type associated with this asset or liability.</p>
SourceSystemId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the asset or liability in an external data source.</p>

Contact Custom Fields

Represents information about a client that pertains to their personhood, irrespective of their relationship with your firm, such as their birthdate or tax ID number. Custom fields extend the Contact object for use in Financial Services Cloud.

Fields

Field Name	Details
Age__c	Type double Properties Filter, Nillable, Sort Description Age. Calculated from <code>Contact.Birthdate</code> .
AgeAsText__c	Type string Properties Filter, Nillable, Sort Description Age expressed in years, months, and days. Calculated from <code>Contact.Birthdate</code> . Label is Age Text .
AnnualIncome__c	Type currency Properties Create, Filter, Nillable, Sort, Update Description Annual income.
BillingAddress__c	Type string Properties Filter, Nillable, Sort Description The compound form of the billing address. Based on these address fields: <code>Account.BillingStreet</code> , <code>Account.BillingCity</code> , <code>Account.BillingState</code> , <code>Account.BillingPostalCode</code> , and <code>Account.BillingCountry</code> .
Citizenship__c	Type string

Field Name	Details
	Properties Create, Filter, Group, Nillable, Sort, Update Description Citizenship.
CountryOfResidence__c	Type string Properties Create, Filter, Group, Nillable, Sort, Update Description Country of primary residence.
CreatedFromLead__c	Type boolean Properties Create, Defaulted on create, Filter, Group, Sort, Update Description Indicates whether the individual was created from a converted lead (<code>true</code>) or not (<code>false</code>).
CurrentEmployer__c	Type string Properties Create, Filter, Group, Nillable, Sort, Update Description Name of current employer.
EmployedSince__c	Type double Properties Create, Filter, Nillable, Sort, Update Description Tenure with current employer.
Facebook__c	Type url Properties Create, Filter, Group, Nillable, Sort, Update Description Facebook profile URL.
Gender__c	Type string

Field Name	Details
	Properties Create, Filter, Group, Nillable, Sort, Update Description Gender. Valid values: <ul style="list-style-type: none"> Female Male Other
IndividualId__c	Type string Properties Filter, Nillable, Sort Description Unique ID that relates this individual's contact record to its account record. Calculated from Account.IndividualId__c.
IndividualType__c	Type picklist Properties Create, Filter, Group, Nillable, Sort, Update Description Type of individual. Valid values: <ul style="list-style-type: none"> Individual
LanguagesSpoken__c	Type string Properties Create, Filter, Group, Nillable, Sort, Update Description Languages spoken.
LinkedIn__c	Type url Properties Create, Filter, Group, Nillable, Sort, Update Description LinkedIn profile URL.
MailingAddress__c	Type string

Field Name	Details
	<p>Properties Filter, Nillable, Sort</p> <p>Description The compound form of the mailing address. Based on these address fields: <code>MailingStreet</code>, <code>MailingCity</code>, <code>MailingState</code>, <code>MailingPostalCode</code>, and <code>MailingCountry</code>.</p>
<code>MaritalStatus__c</code>	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Marital status. Valid values:</p> <ul style="list-style-type: none"> • Single • Married • Separated • Divorced • Widowed
<code>NumberOfDependents__c</code>	<p>Type double</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Number of dependents, such as spouse and dependent children.</p>
<code>Occupation__c</code>	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Occupation.</p>
<code>OtherAddress__c</code>	<p>Type string</p> <p>Properties Filter, Nillable, Sort</p> <p>Description The compound form of the other address. Based on these address fields: <code>OtherStreet</code>, <code>OtherCity</code>, <code>OtherState</code>, <code>OtherPostalCode</code>, and <code>OtherCountry</code>.</p>

Field Name	Details
PrimaryAddressIsBilling__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether the billing address is the client's primary address (<code>true</code>) or not (<code>false</code>).</p>
PrimaryAddressIsMailing__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether the mailing address is the client's primary address (<code>true</code>) or not (<code>false</code>).</p>
PrimaryAddressIsOther__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether the other address is the client's primary address (<code>true</code>) or not (<code>false</code>).</p>
PrimaryAddressIsShipping__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether the shipping address is the client's primary address (<code>true</code>) or not (<code>false</code>).</p>
ShippingAddress__c	<p>Type string</p> <p>Properties Filter, Nillable, Sort</p> <p>Description The compound form of the shipping address. Based on these address fields: <code>Account.ShippingStreet</code>, <code>Account.ShippingCity</code>, <code>Account.ShippingState</code>, <code>Account.ShippingPostalCode</code>, and <code>Account.ShippingCountry</code>.</p>
SourceSystemId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p>

Field Name	Details
	Description ID that uniquely identifies the individual in an external data source.
TaxBracket__c	Type picklist Properties Create, Filter, Group, Nillable, Sort, Update Description Rate at which the individual is taxed. Valid values: <ul style="list-style-type: none"> • 10% • 15% • 25% • 28% • 33% • 35%
TaxId__c	Type string Properties Create, Filter, Group, Nillable, Sort, Update Description Tax Identification Number or Social Security Number.
Twitter__c	Type url Properties Create, Filter, Group, Nillable, Sort, Update Description Twitter profile URL.
WeddingAnniversary__c	Type date Properties Create, Filter, Group, Nillable, Sort, Update Description Date of wedding anniversary.

ContactContactRelation

Represents the relationship between any two individuals.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
Active__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether the relationship is active (<code>true</code>) or not (<code>false</code>). The default value is <code>true</code>.</p>
Contact__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Contact that RelatedContact__c is related from.</p>
CurrencyIsoCode	<p>Type picklist</p> <p>Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description If multiple currencies is enabled, contains the currency ISO code associated with the record.</p>
EndDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when the relationship ended.</p>
ExternalId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the relationship in an external data source.</p>

Field	Details
InverseRelationship__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Uniquely identifies the relationship between <code>Contact</code> and <code>RelatedContact__c</code> so that it can be referenced by a trigger that creates the inverse relationship record.</p>
Name	<p>Type string</p> <p>Properties Defaulted on create, Filter, idLookup, Sort</p> <p>Description Auto-number identifier for the relationship. Label is <code>Contact Relation Name</code>.</p>
OwnerId	<p>Type reference</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description ID of the user who created the relationship record.</p>
RelatedContact__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Contact that <code>Contact__c</code> is related to.</p>
Role__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Sort, Update</p> <p>Description Role that describes how <code>RelatedContact__c</code> is related to <code>Contact__c</code></p>
SourceSystemId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p>

Field	Details
	Description ID that uniquely identifies the relationship in an external data source.
StartDate__c	Type date Properties Create, Filter, Group, Nillable, Sort, Update Description Date when the relationship started.

Event Custom Fields

Represents an event associated with a client. Custom fields extend the standard Event object for use in Financial Services Cloud.

Fields

Field Name	Details
Expectations__c	Type textarea Properties Create, Filter, Group, Nillable, Sort, Update Description Client expectations that this event relates to.
Household__c	Type reference Properties Create, Filter, Group, Nillable, Sort, Update Description ID of the household associated with the client.
NextSteps__c	Type textarea Properties Create, Filter, Group, Nillable, Sort, Update Description Next steps for this client event.

Field Name	Details
Objectives__c	Type textarea Properties Create, Filter, Group, Nillable, Sort, Update Description Client objectives that this event relates to.
Regarding__c	Type picklist Properties Create, Filter, Group, Nillable, Sort, Update Description The nature of this client event. Valid values: <ul style="list-style-type: none"> Prospecting Onboarding Client Retention Service

FinancialAccount

Represents a financial account such as an investment account, bank account, or insurance policy.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `search()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
Address1__c	Type string Properties Create, Filter, Group, Nillable, Sort, Update Description Street address line 1 for mailing address.
Address2__c	Type string

Field	Details
	Properties Create, Filter, Group, Nillable, Sort, Update Description Street address line 2 for mailing address.
ApplicationDate__c	Type date Properties Create, Filter, Group, Nillable, Sort, Update Description Date when the client submitted the financial account application.
AssetRebalance__c	Type boolean Properties Create, Defaulted on create, Filter, Sort, Update Description Indicates whether automatic portfolio rebalancing applies to this financial account (<code>true</code>) or not (<code>false</code>).
AverageBalance__c	Type currency Properties Create, Defaulted on create, Filter, Nillable, Sort, Update Description Average amount of money in the financial account, over a time period.
Balance__c	Type currency Properties Create, Defaulted on create, Filter, Nillable, Sort, Update Description Amount of money in the financial account.
CashBalance__c	Type currency Properties Create, Filter, Nillable, Sort, Update Description Cash available in the financial account.

Field	Details
City__c	Type string Properties Create, Filter, Group, Nillable, Sort, Update Description City for mailing address.
CloseDate__c	Type date Properties Create, Filter, Group, Nillable, Sort, Update Description Date when this financial account was closed.
Country__c	Type string Properties Create, Filter, Group, Nillable, Sort, Update Description Country for mailing address.
CurrencyIsoCode	Type picklist Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update Description If multiple currencies is enabled, contains the currency ISO code associated with the record.
Description__c	Type textarea Properties Create, Filter, Group, Nillable, Sort, Update Description Description of the financial account.
Discretionary__c	Type boolean Properties Create, Defaulted on create, Filter, Group, Sort, Update

Field	Details
	Description Indicates whether the advisor has discretionary trading authority for this financial account (<code>true</code>) or not (<code>false</code>).
FinancialAccountNumber__c	Type string Properties Create, Filter, Group, idLookup, Nillable, Sort, Update Description ID that uniquely identifies the financial account in an external data source. Label is <code>Account Number</code> .
FinancialAccountSource__c	Type picklist Properties Create, Filter, Group, Nillable, Sort, Update Description Data source. Label is <code>Source</code> . Valid values: <ul style="list-style-type: none"> Integrator Manual Entry Pending
FinancialAccountType__c	Type picklist Properties Create, Filter, Group, Nillable, Sort, Update Description Type of financial account. Label is <code>Type</code> . Valid values: <ul style="list-style-type: none"> 401(a) 401(k) 403(b) 529 Plan Brokerage Cash Management Account CD Checking Credit Card Discount Brokerage Fixed Annuity Individual Life

Field	Details
	<ul style="list-style-type: none"> • IRA • Mutual Fund • Profit Sharing • Rollover IRA • Roth IRA • Savings • Term Life • Variable Life • Whole Life
HeldAway__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether this financial account is managed or administered externally (<code>true</code>) or in-house (<code>false</code>).</p>
HoldingCount__c	<p>Type double</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Number of holdings within this financial account. Calculated by roll-up summary. Label is <code>Number of Holdings</code>.</p>
Household__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Household that this financial account rolls up to.</p>
InsuredAmount__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description The insured value that an insurance policy covers.</p>

Field	Details
InvestmentObjectives__c	<p>Type multipicklist</p> <p>Properties Create, Filter, Nillable, Update</p> <p>Description Purpose of this financial account. Valid values:</p> <ul style="list-style-type: none"> • Safety • Income • Growth • Tax Optimization • Liquidity
JointOwner__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Joint owner of this financial account.</p>
LastActivityDate	<p>Type date</p> <p>Properties Filter, Group, Nillable, Sort</p> <p>Description Timestamp for when this financial account last had a task or event action associated with the record.</p>
LastReferencedDate	<p>Type dateTime</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Timestamp for when the current user last viewed a record related to this record.</p>
LastUpdated__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Timestamp for when data for this financial account was last updated by an external data source.</p>

Field	Details
LastViewedDate	<p>Type dateTime</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Timestamp for when the current user last viewed this record.</p>
Managed__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether this financial account is managed or administered by our firm (<code>true</code>) or not (<code>false</code>).</p>
MinimumBalance__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Minimum balance requirement for this financial account.</p>
ModelPortfolio__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Model asset allocation for this financial account. Valid values:</p> <ul style="list-style-type: none"> • Conservative • Moderate • Balanced • Growth • Aggressive
Name	<p>Type string</p> <p>Properties Create, Defaulted on create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description Name of this financial account.</p>

Field	Details
OpenDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when this financial account was opened.</p>
OwnerId	<p>Type reference</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description ID of the user who created the financial account record.</p>
Ownership__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Type of ownership for this financial account. Valid values:</p> <ul style="list-style-type: none"> • Individual • Joint • Trust
OwnerType__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Client's ownership role (primary or joint) for this financial account.</p>
PaperlessDelivery__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Client elects to receive electronic delivery of financial account documents (<code>true</code>) or not (<code>false</code>).</p>
PerformancelYr__c	<p>Type percent</p>

Field	Details
	Properties Create, Filter, Nillable, Sort, Update Description Performance measured over the past year.
Performance3Yr__c	Type percent Properties Create, Filter, Nillable, Sort, Update Description Performance measured over the past three years.
PerformanceMTD__c	Type percent Properties Create, Filter, Nillable, Sort, Update Description Performance measured over the past month-to-date.
PerformanceQTD__c	Type percent Properties Create, Filter, Nillable, Sort, Update Description Performance measured over the past quarter-to-date.
PerformanceYTD__c	Type percent Properties Create, Filter, Nillable, Sort, Update Description Performance measured over the past calendar year-to-date.
PostalCode__c	Type string Properties Create, Filter, Group, Nillable, Sort, Update Description Postal code for mailing address.
Premium__c	Type currency

Field	Details
	Properties Create, Filter, Nillable, Sort, Update Description Amount paid to the insurer for insurance policy coverage.
PrimaryOwner__c	Type reference Properties Create, Filter, Group, Nillable, Sort, Update Description Primary owner of this financial account.
RebalanceFrequency__c	Type picklist Properties Create, Filter, Group, Nillable, Sort, Update Description Frequency of portfolio rebalancing for this financial account. Valid values: <ul style="list-style-type: none"> Monthly Quarterly Semiannually Annually
RecordTypeId	Type reference Properties Create, Filter, Group, Nillable, Sort, Update Description ID of the record type associated with this financial account.
RecordTypeName__c	Type string Properties Filter, Nillable, Sort Description Record type for this financial account. The value is copied from <code>RecordType.Name</code> and can't be changed. Label is <code>Record Type</code> .
RenewalDate__c	Type date

Field	Details
	Properties Create, Filter, Group, Nillable, Sort, Update Description Date when insurance policy renewal is due.
ServiceProvider__c	Type string Properties Create, Filter, Group, Nillable, Sort, Update Description Custodian or recordkeeper of this financial account.
SourceSystemId__c	Type string Properties Create, Filter, Group, idLookup, Nillable, Sort, Update Description ID that uniquely identifies the financial account in an external data source.
State__c	Type string Properties Create, Filter, Group, Nillable, Sort, Update Description State for mailing address.
Status__c	Type picklist Properties Create, Filter, Group, Nillable, Sort, Update Description Status of this financial account. Valid values: <ul style="list-style-type: none"> • Open • Closed • On Hold • Pending
TaxID__c	Type string Properties Create, Filter, Group, Nillable, Sort, Update

Field	Details
	Description Tax Identification Number associated with this financial account.
TaxStatus__c	Type picklist Properties Create, Filter, Group, Nillable, Sort, Update Description Type of tax treatment this financial account qualifies for. Valid values: <ul style="list-style-type: none"> Nonqualified Qualified
TimeHorizon__c	Type picklist Properties Create, Filter, Group, Nillable, Sort, Update Description Investment time frame for this financial account. Valid values: <ul style="list-style-type: none"> Long Term Medium Term Short Term

FinancialAccountRole

Represents the role occupied by a person or organizational entity that is involved with a financial account, such as a beneficiary or trustee.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
Active__c	Type boolean Properties Create, Defaulted on create, Filter, Group, Sort, Update

Field	Details
	Description Indicates whether the organizational entity or person currently occupies this role (<code>true</code>) or not (<code>false</code>).
CurrencyIsoCode	Type picklist Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update Description If multiple currencies is enabled, contains the currency ISO code associated with the record.
Editable__c	Type boolean Properties Create, Defaulted on create, Filter, Group, Sort, Update Description Indicates whether this field is editable (<code>true</code>) or not (<code>false</code>).
EndDate__c	Type date Properties Create, Filter, Group, Nillable, Sort, Update Description End date when the organizational entity or person relinquished this role.
FinancialAccount__c	Type reference Properties Create, Filter, Group, Sort Description Financial account that this role is related to.
Name	Type string Properties Defaulted on create, Filter, idLookup, Sort Description Name of the financial account role.
RecordTypeId	Type reference

Field	Details
	Properties Create, Filter, Group, Nillable, Sort, Update Description ID of the record type associated with this financial account role.
RelatedAccount__c	Type reference Properties Create, Filter, Group, Nillable, Sort, Update Description Name of the organizational entity that is involved with the financial account.
RelatedContact__c	Type reference Properties Create, Filter, Group, Nillable, Sort, Update Description Name of the person who is involved with the financial account.
Role__c	Type picklist Properties Create, Filter, Group, Nillable, Sort, Update Description Role that describes how the organizational entity or person is involved with the financial account. Valid values: When the record type is set to Account Role: <ul style="list-style-type: none"> • Corporation • Foundation When the record type is set to Contact Role: <ul style="list-style-type: none"> • Trustee • Beneficiary • Grantor • Accountant • Business Manager
SourceSystemId__c	Type string Properties Create, Filter, Group, idLookup, Nillable, Sort, Update

Field	Details
	Description ID that uniquely identifies the role in an external data source.
StartDate__c	Type date Properties Create, Defaulted on create, Filter, Group, Nillable, Sort, Update Description Start date when the organizational entity or person assumed this role. The default value is the current date.

FinancialGoal

Represents a client's financial goal, such as college funds or a major purchase.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `search()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
ActualValue__c	Type currency Properties Create, Filter, Nillable, Sort, Update Description Current amount saved toward goal.
CompletionDate__c	Type date Properties Create, Filter, Group, Nillable, Sort, Update Description Date when the goal was reached.
CurrencyIsoCode	Type picklist

Field	Details
	Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update Description If multiple currencies is enabled, contains the currency ISO code associated with the record.
Description__c	Type textarea Properties Create, Nillable, Update Description Description of the goal.
Household__c	Type reference Properties Create, Filter, Group, Nillable, Sort, Update Description Household that this goal is associated with.
InitialValue__c	Type currency Properties Create, Filter, Nillable, Sort, Update Description Starting amount saved toward goal.
LastActivityDate	Type date Properties Filter, Group, Nillable, Sort Description Timestamp for when this goal last had a task or event action associated with the record.
LastReferencedDate	Type date Properties Filter, Nillable, Sort, Description Timestamp for when the current user last viewed a record related to this record.
LastViewedDate	Type date

Field	Details
	Properties Create, Filter, Group, Nillable, Sort, Update Description Timestamp for when the current user last viewed this record.
Name	Type string Properties Create, Defaulted on create, Filter, Group, idLookup, Nillable, Sort, Update Description Name of this goal.
OwnerId	Type reference Properties Create, Defaulted on create, Filter, Group, Sort, Update Description ID of the user who created the financial goal record.
PrimaryOwner__c	Type reference Properties Create, Filter, Group, Nillable, Sort, Update Description Primary owner of this goal.
SourceSystemId__c	Type string Properties Create, Filter, Group, idLookup, Nillable, Sort, Update Description ID that uniquely identifies the goal in an external data source.
Status__c	Type picklist Properties Create, Filter, Group, Nillable, Sort, Update Description Status of goal. Valid values: <ul style="list-style-type: none"> Completed In Progress

Field	Details
	<ul style="list-style-type: none"> Not Started
TargetDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when the goal is expected to be reached.</p>
TargetValue__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Amount required for the goal.</p>
Type__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Purpose of goal. Valid values:</p> <ul style="list-style-type: none"> Education Home Purchase Other Retirement

FinancialHolding

Represents a financial holding in an investment account, such as shares of stock.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `search()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
AssetCategory__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Subcategory of asset type. Valid values:</p> <ul style="list-style-type: none"> • U.S. Equity • Sector Equity • Allocation • International Equity • Alternative • Commodities • Taxable Bond • Municipal Bond
AssetCategoryName__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Market capitalization and investing style. Valid values:</p> <ul style="list-style-type: none"> • Large Growth • Large Value • Large Blend • Small Growth • Small Value • Small Blend • Mid-Cap Growth • Mid-Cap Value • Mid-Cap Blend
AssetClass__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Major category of asset type. Valid values:</p>

Field	Details
	<ul style="list-style-type: none"> • Equities • Fixed Income • Cash Equivalents • Alternative Investments
CurrencyIsoCode	<p>Type picklist</p> <p>Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description If multiple currencies is enabled, contains the currency ISO code associated with the record.</p>
FinancialAccount__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Sort</p> <p>Description Financial account that this holding is related to.</p>
GainLoss__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Change in value since purchase.</p>
Household__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Household that this holding rolls up to.</p>
LastActivityDate	<p>Type date</p> <p>Properties Filter, Group, Nillable, Sort</p> <p>Description Timestamp for when this financial holding last had a task or event action associated with the record.</p>

Field	Details
LastReferencedDate	<p>Type date</p> <p>Properties Filter, Nillable, Sort,</p> <p>Description Timestamp for when the current user last viewed a record related to this record.</p>
LastUpdated__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Timestamp for when data for this holding was last updated by an external data source.</p>
LastViewedDate	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Timestamp for when the current user last viewed this record.</p>
MarketValue__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Current market value.</p>
Name	<p>Type string</p> <p>Properties Create, Defaulted on create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description Name of this holding.</p>
PercentChange__c	<p>Type percent</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Percent change in value since purchase.</p>

Field	Details
Price__c	Type currency Properties Create, Filter, Nillable, Sort, Update Description Current price per share.
PrimaryOwner__c	Type reference Properties Create, Filter, Group, Nillable, Sort, Update Description Primary owner of this holding.
PurchasePrice__c	Type currency Properties Create, Filter, Sort, Update Description Price per-share at time of purchase.
Securities__c	Type reference Properties Create, Filter, Group, Nillable, Sort, Update Description Name of the securities held. Label is Symbol.
Shares__c	Type double Properties Create, Filter, Sort, Update Description Number of shares held.
SourceSystemId__c	Type string Properties Create, Filter, Group, idLookup, Nillable, Sort, Update Description ID that uniquely identifies the holding in an external data source.

Field	Details
Symbol__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Ticker symbol for the securities held. The value is copied from <code>Securities__c</code> and can't be changed.</p>

Lead Custom Fields

Represents a lead associated with a client. Custom fields extend the Lead object for use in Financial Services Cloud.

Fields

Field Name	Details
CreatedFromLead__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether a contact converted from this lead sets the value of <code>Contact.CreatedFromLead__c</code> as (true) or not (false).</p>
Employer__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description The lead's employer information that converts to the client's contact record upon lead conversion.</p>

LifeEvent

Represents a client's life event, such as a birth or marriage. Reserved for future use.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `search()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
Client__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Client that the life event is related to.</p>
CurrencyIsoCode	<p>Type picklist</p> <p>Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description If multiple currencies is enabled, contains the currency ISO code associated with the record.</p>
DiscussionNote__c	<p>Type textarea</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Notes from client discussions.</p>
EventDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date of the life event.</p>
EventType__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Type of life event. Valid values:</p>

Field	Details
	<ul style="list-style-type: none"> College New Baby New Business New Home New Job Retirement
FinancialGoal__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Financial goal that the life event is related to.</p>
GoalType__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Type of financial goal implied by the life event. Valid values:</p> <ul style="list-style-type: none"> Saving for College Saving for Retirement
SourceSystemId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the goal in an external data source.</p>

Opportunity Custom Fields

Represents an opportunity associated with a client. Custom fields extend the Opportunity object for use in Financial Services Cloud.

Fields

Field Name	Details
FinancialAccount__c	<p>Type reference</p>

Field Name	Details
	Properties Create, Filter, Group, Nillable, Sort, Update
	Description Indicates whether the billing address is the client's primary address (<code>true</code>) or not (<code>false</code>).

ReciprocalRole

Represents the other entity's corresponding role in a one-to-one relationship between entities.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `search()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
<code>CreateInverseRole__c</code>	Type boolean
	Properties Create, Defaulted on create, Filter, Group, Sort, Update
	Description Indicates whether the corresponding reciprocal role record is created automatically for the inverse role (<code>true</code>) or not (<code>false</code>).
<code>CurrencyIsoCode</code>	Type picklist
	Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update
	Description If multiple currencies is enabled, contains the currency ISO code associated with the record.
<code>InverseRelationship__c</code>	Type reference
	Properties Create, Filter, Group, Nillable, Sort, Update
	Description Uniquely identifies the relationship between <code>Role</code> and <code>InverseRole__c</code> so that it can be referenced by a trigger that creates the inverse relationship record.

Field	Details
InverseRole__c	<p>Type string</p> <p>Properties Create, Filter, Group, Sort, Update</p> <p>Description The role that the other entity occupies in the relationship, such as a grandparent to a grandchild, or an owned business to a proprietor.</p>
LastReferencedDate	<p>Type dateTime</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Timestamp for when the current user last viewed a record related to this record.</p>
LastViewedDate	<p>Type dateTime</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Timestamp for when the current user last viewed this record.</p>
Name	<p>Type string</p> <p>Properties Create, Defaulted on create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description Name of this reciprocal role.</p>
OwnerId	<p>Type reference</p> <p>Properties Create, Defaulted on createFilter, Group, Sort, Update</p> <p>Description ID of the user who created the reciprocal role record.</p>
RecordTypeId	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p>

Field	Details
	Description ID of the record type associated with this reciprocal role.
RelationshipType__c	Type picklist Properties Create, Filter, Group, Nillable, Sort, Update Description Type of entities involved in the relationship. Valid values: <ul style="list-style-type: none"> All Contact Contact Relation Account Account Relation
SourceSystemId__c	Type string Properties Create, Filter, Group, idLookup, Nillable, Sort, Update Description ID that uniquely identifies the reciprocal role in an external data source.

Securities

Represents a security, such as a stock or bond.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `search()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
CurrencyIsoCode	Type picklist Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update Description If multiple currencies is enabled, contains the currency ISO code associated with the record.

Field	Details
CUSIP__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Committee on Uniform Securities Identification Procedures identification number for the securities.</p>
Exchange__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Exchange on which the securities are traded. Valid values:</p> <ul style="list-style-type: none"> • NYSE • NASDAQ
LastReferencedDate	<p>Type dateTime</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Timestamp for when the current user last viewed a record related to this record.</p>
LastUpdated__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Timestamp for when data for the securities was last updated by an external data source.</p>
LastViewedDate	<p>Type dateTime</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Timestamp for when the current user last viewed this record.</p>
Name	<p>Type string</p>

Field	Details
	Properties Create, Defaulted on create, Filter, Group, idLookup, Nillable, Sort, Update Description Name of the securities. Label is <code>Symbol</code> .
OwnerId	Type reference Properties Create, Defaulted on create, Filter, Group, Sort, Update Description ID of the user who created the securities record.
Price__c	Type currency Properties Create, Filter, Nillable, Sort, Update Description Current price of the securities.
SecuritiesName__c	Type string Properties Create, Filter, Group, idLookup, Sort, Update Description Name that uniquely identifies the securities.
SecurityId__c	Type string Properties Create, Filter, Group, Nillable, Sort, Update Description ID of the securities.
SourceSystemId__c	Type string Properties Create, Filter, Group, idLookup, Nillable, Sort, Update Description ID that uniquely identifies the securities in an external data source.

Task Custom Fields

Represents a task associated with a client. Custom fields extend the standard Task object for use in Financial Services Cloud.

Fields

Field Name	Details
Expectations__c	Type textarea Properties Create, Filter, Group, Nillable, Sort, Update Description Client expectations that this task relates to.
Household__c	Type reference Properties Create, Filter, Group, Nillable, Sort, Update Description ID of the household associated with the client.
NextSteps__c	Type textarea Properties Create, Filter, Group, Nillable, Sort, Update Description Next steps for this client task.
Objectives__c	Type textarea Properties Create, Filter, Group, Nillable, Sort, Update Description Client objectives that this task relates to.
Regarding__c	Type picklist Properties Create, Filter, Group, Nillable, Sort, Update Description The nature of this client task. Valid values: <ul style="list-style-type: none"> Prospecting

Field Name	Details
	<ul style="list-style-type: none">• Onboarding• Client Retention• Service