



Financial Services Cloud Developer Guide

Salesforce, Summer '18



CONTENTS

FINANCIAL SERVICES CLOUD DEVELOPER GUIDE	1
FINANCIAL SERVICES CLOUD STANDARD AND CUSTOM OBJECTS	2
Account Custom Fields	2
AccountAccountRelation	17
AccountContactRelation Standard and Custom Fields	19
Alert	23
AssetsAndLiabilities	24
BillingStatement	28
Card	32
ChargesAndFees	34
Contact Custom Fields	38
ContactContactRelation	77
Education	79
Employment	81
Event Custom Fields	83
FinancialAccount	85
FinancialAccountRole	102
FinancialAccountTransaction	105
FinancialGoal	108
FinancialHolding	111
IdentificationDocument	116
IdentityVerification	124
Lead Custom Fields	125
LifeEvent	128
Opportunity Custom Fields	129
ReciprocalRole	130
Securities	133
Task Custom Fields	135
Revenue	136
User Custom Fields	138
WealthAppConfig	138
FINANCIAL SERVICES CLOUD CUSTOM METADATA TYPES	140
Financial Services Cloud Custom Metadata Types	140
IndividualRecordTypeMapper	140
GroupRecordTypeMapper	142
FINANCIAL SERVICES CLOUD CUSTOM TRIGGERS	143


Contents

Financial Services Cloud Custom Triggers **143**

FINANCIAL SERVICES CLOUD DEVELOPER GUIDE

Use the fields, objects, and metadata that extend Salesforce for Financial Services Cloud. Apex trigger information is also provided.

Fields and objects in the package have the `FinServ` namespace prefix. For example, `FinServ__IndividualId__c` is a custom field on Account. `FinServ__FinancialAccount__c` is a custom object. To refer to the standard Salesforce objects, see the [Object Reference for Salesforce](#).

 **Note:** The API version for objects included in the Financial Services Cloud packages is one version behind core Salesforce. For example, if your org's API version is 40, the packaged Financial Services Cloud elements including custom objects, components, classes, and triggers are API version 39.

FINANCIAL SERVICES CLOUD STANDARD AND CUSTOM OBJECTS

Account Custom Fields

Represents information about an individual that pertains to their dealings with your firm, such as their review frequency or service tier. Custom fields extend the standard Account object for use in Financial Services Cloud.


Fields

Field Name	Details
AUM__c	<p>Type currency</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Value of this individual's financial accounts that your firm manages. Calculated as the sum of <code>TotalAUMPrimaryOwner__c</code> and <code>TotalAUMJointOwner__c</code>.</p>
BankNumber__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Identifies a financial institution for electronic purposes.</p>
BorrowingHistory__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description Rating of this individual's borrowing history. Valid values:</p> <ul style="list-style-type: none">• Excellent• Moderate• Poor• Limited to No History

Field Name	Details
BorrowingPriorities__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description Primary goal for loan application. Valid values:</p> <ul style="list-style-type: none"> • Build Equity • Debt Consolidation • Education • Investments • Large Capital Purchases • Property Purchase • Renovations
BranchCode__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Identifies an office or building of a financial institution. Code format is based on the financial institution. Record type for this account. The value is copied from <code>RecordType.Name</code> and can't be changed.</p>
BranchName__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Location name for a financial institution office. Record type for this account. The value is copied from <code>RecordType.Name</code> and can't be changed.</p>
ClientCategory__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Rates the value of this individual's business with your firm. Label is <code>Category</code>. Valid values:</p>

Field Name	Details
	<ul style="list-style-type: none"> Platinum Gold Silver Bronze Investments
CreditRating__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description Assessment of creditworthiness. Valid values:</p> <ul style="list-style-type: none"> Excellent Good Fair Poor
CreditScore__c	<p>Type double</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Numerical rating of borrower's creditworthiness.</p>
CustomerID__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Financial institution's identification number for this individual (80 characters) Record type for this account. The value is copied from RecordType.Name and can't be changed.</p>
CustomerSegment__c	<p>Type multipicklist</p> <p>Properties Create, Filter, Nillable, Update</p> <p>Description Individual's market segment. Valid values:</p>

Field Name	Details
	<ul style="list-style-type: none"> • Borrower • Long-Term Growth • Mass Affluent • Mass Market • Millennial • Transactional • Wealth Accumulation
CustomerType__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Individual's financial category. Valid values:</p> <ul style="list-style-type: none"> • Borrower • Investor • Relational • Transaction
FinancialInterests__c	<p>Type multipicklist</p> <p>Properties Create, Filter, Nillable, Update</p> <p>Description This individual's financial areas of interest. Valid values:</p> <ul style="list-style-type: none"> • Municipal Bonds • Fixed Income • Energy • Technology • CRM • AAPL • GOOG • Retirement • College Planning
IndividualId__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p>

Field Name	Details
	<p>Description Read only. Unique ID that relates this individual's account record to its contact record.</p>
IndividualType__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Type of individual. Valid values:</p> <ul style="list-style-type: none"> • Individual • Group • (Blank) - If this value is blank, then the Individual Type is Business. <p> Note: This field is for Salesforce internal-use only. This field can't be changed.</p>
InvestmentExperience__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description This individual's investment experience. Valid values:</p> <ul style="list-style-type: none"> • Experienced • Moderately Experienced • Moderately Inexperienced • Inexperienced
InvestmentObjectives__c	<p>Type multipicklist</p> <p>Properties Create, Filter, Nillable, Update</p> <p>Description This individual's preference for growth versus income investments. Valid values:</p> <ul style="list-style-type: none"> • Conservative Income • Income • Balanced • Growth • Aggressive Growth

Field Name	Details
KYCDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when the Know Your Customer compliance program was completed for this individual.</p>
LastInteraction__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date of the last meeting or call.</p>
LastReview__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date of the last review.</p>
LastTransactionDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date of the last transaction.</p>
LastTransactionDateJointOwner__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date of the last transaction - joint owner.</p>
LastTransactionDatePrimaryOwner__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p>

Field Name	Details
	<p>Description Date of the last transaction - primary owner.</p>
LastUsedChannel__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description Most recent contact channel. Valid values:</p> <ul style="list-style-type: none"> • Branch • Call Center • Mobile • Web • Other
LengthOfRelationship__c	<p>Type double</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Individual's tenure with the financial institution.</p>
LifetimeValue__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Individual's lifetime net asset value to your financial institution.</p>
MarketingSegment__c	<p>Type multipicklist</p> <p>Properties Create, Filter, Nillable, Update</p> <p>Description Market segments that characterize this individual. Valid values:</p> <ul style="list-style-type: none"> • Mass Affluent • High Net Worth • Female Investor • Millennial

Field Name	Details
NetWorth__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Value of this individual's assets minus liabilities.</p>
NextInteraction__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date of the next meeting or call.</p>
NextReview__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date of the next review.</p>
Notes__c	<p>Type textarea</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Important notes about the individual. Label is Important Notes.</p>
PersonalInterests__c	<p>Type multipicklist</p> <p>Properties Create, Filter, Nillable, Update</p> <p>Description Personal areas of interest. Valid values:</p> <ul style="list-style-type: none"> • Cooking • College Basketball • Environment • Hiking • Biking • Wine

Field Name	Details
PrimaryContact__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Read only. ID of the contact record associated with this individual's account record.</p>
RecordTypeName__c	<p>Type string</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Record type for this account. The value is copied from RecordType.Name and can't be changed.</p>
ReferredByContact__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description External contact referring this individual.</p>
ReferredByUser__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Internal Salesforce user who made the referral.</p>
RelationshipStartDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date this individual started working with your company.</p>
ReviewFrequency__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p>

Field Name**Details**

Field Name	Details
	<p>Description Frequency of reviews. Valid values:</p> <ul style="list-style-type: none"> • Monthly • Quarterly • Annually
RiskTolerance__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Level of risk this individual is comfortable with. Valid values:</p> <ul style="list-style-type: none"> • Aggressive • Conservative • Moderate • None
ServiceModel__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Service level assigned to this individual. Valid values:</p> <ul style="list-style-type: none"> • Tier 1 • Tier 2 • Tier 3
SourceSystemId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies this individual in an external data source.</p>
Status__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Individual's status with your firm. Valid values:</p>

Field Name	Details
	<ul style="list-style-type: none"> • Active • Closed • Deceased • Delinquent • Dormant • Inactive • Onboarding • Prospect
TimeHorizon__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Individual's investment time frame. Valid values:</p> <ul style="list-style-type: none"> • Long Term • Medium Term • Short Term
TotalAUMJointOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of financial accounts that your company manages, for which this individual is the joint owner of jointly owned accounts.</p>
TotalAUMPrimaryOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of financial accounts that your company manages, for which this individual is the primary owner of either separately owned or jointly owned accounts.</p>
TotalBankDeposits__c	<p>Type currency</p> <p>Properties Filter, Nillable, Sort</p>

Field Name	Details
	<p>Description Value of this individual's accounts. Calculated as the sum of TotalBankDepositsPrimaryOwner__c and TotalBankDepositsJointOwner__c.</p>
TotalBankDepositsJointOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of accounts, for which this individual is the joint owner of jointly owned accounts.</p>
TotalBankDepositsPrimaryOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of accounts, for which this individual is the primary owner of either separately owned or jointly owned accounts.</p>
TotalFinAcctsJointOwner__c	<p>Type double</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Total value of financial account balances (excluding insurance policies), for which this individual is the joint owner of jointly owned accounts. Label is Total Financial Accounts Joint Owner.</p>
TotalFinAcctsPrimaryOwner__c	<p>Type double</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Total value of financial account balances (excluding insurance policies), for which this individual is the primary owner of either separately owned or jointly owned accounts. Label is Total Financial Accounts Primary Owner.</p>
TotalFinancialAccounts__c	<p>Type currency</p>

Field Name	Details
	<p>Properties Filter, Nillable, Sort</p> <p>Description Value of all financial accounts, excluding insurance policies. Calculated as the sum of <code>TotalBankDeposits__c</code> and <code>TotalInvestments__c</code>.</p>
<code>TotalHeldFinAcctsJointOwner__c</code>	<p>Type double</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Total value of held financial account balances, for which this individual is the joint owner of jointly owned accounts. Label is <code>Total Held Financial Accounts Joint</code>.</p>
<code>TotalHeldFinAcctsPrimaryOwner__c</code>	<p>Type double</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Total value of held financial account balances, for which this individual is the primary owner of either separately owned or jointly owned accounts. Label is <code>Total Held Financial Accounts Primary</code>.</p>
<code>TotalInsurance__c</code>	<p>Type currency</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Value of this individual's insurance policies. Calculated as the sum of <code>TotalInsurancePrimaryOwner__c</code> and <code>TotalInsuranceJointOwner__c</code>.</p>
<code>TotalInsuranceJointOwner__c</code>	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of insurance policies, for which the individual is the joint owner of jointly owned accounts.</p>

Field Name	Details
TotalInsurancePrimaryOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of insurance policies, for which the individual is the primary owner of either separately owned or jointly owned accounts.</p>
TotalInvestments__c	<p>Type currency</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Value of investment accounts. Calculated as the sum of TotalInvestmentsPrimaryOwner__c and TotalInvestmentsJointOwner__c.</p>
TotalInvestmentsJointOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of investment accounts, for which the individual is the joint owner of jointly owned accounts.</p>
TotalInvestmentsPrimaryOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of investment accounts, for which the individual is the primary owner of either separately owned or jointly owned accounts.</p>
TotalLiabilities__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Value of individual's liabilities, stored as a negative value. Calculated as the sum of TotalLiabilitiesPrimaryOwner__c and TotalLiabilitiesJointOwner__c.</p>

Field Name	Details
TotalLiabilitiesJointOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of liabilities, for which this individual is the joint owner of jointly owned liabilities.</p>
TotalLiabilitiesPrimaryOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of liabilities, for which this individual is the primary owner of either separately owned or jointly owned liabilities.</p>
TotalNonfinancialAssets__c	<p>Type double</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Value of tangible assets such as collectibles or precious metals. Calculated as the sum of TotalNonfinancialAssetsPrimaryOwner__c and TotalNonfinancialAssetsJointOwner__c.</p>
TotalNonfinancialAssetsJointOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of tangible assets such as collectibles or precious metals, for which this individual is the joint owner of jointly owned assets.</p>
TotalNonfinancialAssetsPrimaryOwner__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Total value of tangible assets such as collectibles or precious metals, for which this individual is the primary owner of either separately owned or jointly owned assets.</p>

Field Name	Details
TotalPremium__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Policyholder's total annual premium.</p>
WalletShare__c	<p>Type percent</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Read only. Percentage of this individual's financial assets that your company manages or administers. Calculated as the percent of financial accounts that are held (<code>FinancialAccount__c.HeldAway</code> is false).</p>

AccountAccountRelation

Represents a relationship between two accounts, such as between a household and a business account.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
Account__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Account that <code>RelatedAccount__c</code> is related from.</p>
Active__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p>

Field	Details
	<p>Description</p> <p>Indicates whether the relationship is active (<code>true</code>) or not (<code>false</code>). The default value is <code>true</code>.</p>
CurrencyIsoCode	<p>Type</p> <p>picklist</p> <p>Properties</p> <p>Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description</p> <p>If multiple currencies is enabled, contains the currency ISO code associated with the record.</p>
EndDate__c	<p>Type</p> <p>date</p> <p>Properties</p> <p>Create, Filter, Group, Nillable, Sort, Update</p> <p>Description</p> <p>Date when the relationship ended.</p>
ExternalId__c	<p>Type</p> <p>string</p> <p>Properties</p> <p>Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description</p> <p>ID that uniquely identifies the relationship in an external data source.</p>
InverseRelationship__c	<p>Type</p> <p>reference</p> <p>Properties</p> <p>Create, Filter, Group, Nillable, Sort, Update</p> <p>Description</p> <p>Uniquely identifies the relationship between <code>Account</code> and <code>RelatedAccount__c</code> so that it can be referenced by a trigger that creates the inverse relationship record.</p>
Name	<p>Type</p> <p>string</p> <p>Properties</p> <p>Defaulted on create, Filter, idLookup, Sort</p> <p>Description</p> <p>Auto-number identifier for the relationship. Label is <code>Account Relation Name</code>.</p>
OwnerId	<p>Type</p> <p>reference</p>

Field	Details
	<p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description ID of the user who created the relationship record.</p>
RelatedAccount__c	<p>Type reference</p> <p>Properties Filter, Group, Nillable, Sort</p> <p>Description Account that Account__c is related to.</p>
Role__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Sort, Update</p> <p>Description Role that describes how RelatedAccount__c is related to Account__c.</p>
SourceSystemId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the relationship in an external data source.</p>
StartDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when the relationship started.</p>

AccountContactRelation Standard and Custom Fields

Represents the relationship between an individual (specifically the contact part of the individual) and the household (account) that the individual is a member of. AccountContactRelation is a standard object that is available through the Shared Contacts feature. Custom fields extend the AccountContactRelation standard object for use in Financial Services Cloud.


Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `update()`, `upsert()`

Fields

Field	Details
AccountId	<p>Type reference</p> <p>Properties Create, Filter, Group, Sort</p> <p>Description ID of the household (account) that the individual is a member of.</p>
ContactId	<p>Type reference</p> <p>Properties Create, Filter, Group, Sort</p> <p>Description ID of the contact that partially represents the individual.</p>
CurrencyIsoCode	<p>Type picklist</p> <p>Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description If multiple currencies is enabled, contains the currency ISO code associated with the record.</p>
EndDate	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when the individual's status as a household member is no longer in effect.</p>
IncludeInGroup__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Includes this account in a related individual's primary group.</p>

Field	Details
IsActive	<p>Type boolean</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description Indicates whether the individual's status as a household member is in effect (<code>true</code>) or not (<code>false</code>). Label is <code>Active</code>.</p>
IsDirect	<p>Type boolean</p> <p>Properties Defaulted on create, Filter, Group, Sort</p> <p>Description Indicates whether the account-to-contact relationship is direct, which means that it relates the account and contact parts of an individual to represent a single individual (<code>true</code>). Otherwise, the relationship is indirect, which means that it relates the contact part of an individual to the household the individual belongs to (<code>false</code>). Label is <code>Direct</code>.</p>
Primary__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates the primary member of a group (<code>true</code>) or not (<code>false</code>).</p>
PrimaryGroup__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates a person's primary group. You can roll up summary fields only to a person's primary group if <code>PrimaryGroup__c</code> is set to <code>true</code>.</p>
Roles	<p>Type picklist</p> <p>Properties Create, Filter, Nillable, Update</p> <p>Description Role that the individual plays within the household. Valid values:</p> <ul style="list-style-type: none"> • Influencer • Evaluator • Business User

Field	Details
	<ul style="list-style-type: none"> • Technical Buyer • Economic Buyer • Other • Decision Maker • Economic Decision Maker • Executive Sponsor <p> Note: Replace these default picklist values with appropriate values for the roles that clients occupy within households, such as client, spouse, domestic partner, and dependent.</p>
Rollups__c	<p>Type multipicklist</p> <p>Properties Create, Filter, Nillable, Update</p> <p>Description Records associated with the individual that are included in household roll-up summaries. Valid values:</p> <ul style="list-style-type: none"> • All • Tasks • Events • Financial Accounts • Assets and Liabilities • Financial Goals
SourceSystemId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the individual in an external data source.</p>
StartDate	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when the individual's status as a household member took effect.</p>

Alert

Represents notifications to alert advisors about their client accounts.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
Account__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description A lookup field to an account that alerts are related to.</p>
Active__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether an alert is active.</p>
FinancialAccount__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description The financial account that alerts are related to.</p>
Message__c	<p>Type string</p> <p>Properties Create, Filter, Group, Sort, Update</p> <p>Description The main content of an alert.</p>
MessageDescription__c	<p>Type string</p>

Field	Details
	<p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description An optional description for the main content of an alert as specified in the <code>Message__c</code> field. This text appears below the main content.</p>
<code>Priority__c</code>	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description An indication of the urgency of an alert. Valid values:</p> <ul style="list-style-type: none"> • High • Low • Medium
<code>Severity__c</code>	<p>Type picklist</p> <p>Properties Create, Defaulted on create, Filter, Group, Restricted picklist, Sort, Update</p> <p>Description The type of alert. Valid values:</p> <ul style="list-style-type: none"> • Error • Info • Warning
<code>SourceSystemId__c</code>	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description The ID of a record from the external system that triggered the alert.</p>

AssetsAndLiabilities

Represents assets or liabilities that are not represented in a client's financial accounts, such as real estate or collectibles.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `search()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
Amount__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Amount of an asset (positive) or liability (negative).</p>
AssetsAndLiabilitiesSource__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Data source. Label is <code>Source</code>. Valid values:</p> <ul style="list-style-type: none"> • Manual Entry • Yodlee
AssetsAndLiabilitiesType__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Type of asset or liability. Label is <code>Type</code>. Valid values:</p> <ul style="list-style-type: none"> • Auto Loan • Mortgage • Other • Personal Loan • Real Estate • Equipment • Automobile • Collection • Gold • Jewelry • Cash

Field	Details
CurrencyIsoCode	<p>Type picklist</p> <p>Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description If multiple currencies is enabled, contains the currency ISO code associated with the record.</p>
Description__c	<p>Type textarea</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Description of this asset or liability.</p>
FinancialAccount__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Financial account that this asset or liability is related to.</p>
Household__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Household that this asset or liability is associated with.</p>
JointOwner__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Joint owner, if any, for this asset or liability.</p>
LastReferencedDate	<p>Type date</p> <p>Properties Filter, Nillable, Sort,</p> <p>Description Timestamp for when the current user last viewed a record related to this record.</p>

Field	Details
LastViewedDate	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Timestamp for when the current user last viewed this record.</p>
Name	<p>Type string</p> <p>Properties Create, Defaulted on create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description Name of this asset or liability.</p>
OwnerId	<p>Type reference</p> <p>Properties Create, Defaulted on createFilter, Group, Sort, Update</p> <p>Description ID of the user who created the asset or liability record.</p>
Ownership__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Type of ownership for this asset or liability. Valid values:</p> <ul style="list-style-type: none"> • Individual • Joint • Trust
OwnerType__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Client's ownership role (primary or joint) for this asset or liability. The value is specified by a trigger.</p>
PrimaryOwner__c	<p>Type reference</p>

Field	Details
	<p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Primary owner of this asset or liability.</p>
RecordTypeId	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description ID of the record type associated with this asset or liability.</p>
SourceSystemId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the asset or liability in an external data source.</p>

BillingStatement

Represents a billing statement for an individual's financial account.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
BalanceTransfers__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Balance transfer details.</p>

Field	Details
BillingPeriodEnd__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Billing period end date.</p>
BillingPeriodStart__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Billing period start date.</p>
CashAdvances__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Cash advance amount for the billing period.</p>
Deposits__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Deposit made to the account during the billing period.</p>
EndingBalance__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Balance due on the account during the billing period.</p>
FeesCharged__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Fee charged during the billing period.</p>

Field	Details
FinancialAccount__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Sort</p> <p>Description Financial account associated with this billing statement.</p>
InterestThisPeriod__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Interest charged on the account during the billing period.</p>
InterestYTD__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Interest charged year to date.</p>
LastPaymentDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date of the last payment made on the account.</p>
MinimumPaymentDue__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Minimum payment required by the due date.</p>
OtherCredits__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Other credits made during the billing period.</p>

Field	Details
PastDueAmount__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Amount past due as of the statement date.</p>
PaymentDueDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date a payment is due.</p>
Payments__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Payment received since the last statement.</p>
PreviousBalance__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Account balance at the end of the previous billing period.</p>
Purchases__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Total purchases made during the current billing period.</p>
SourceSystemId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the individual in an external data source.</p>

Field	Details
StatementDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date the current statement was generated.</p>
Withdrawals__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Cash withdrawal made during the billing period.</p>

Card

Represents credit or debit card associated with this financial account.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
AccountHolder__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Individual credit or debit holder associated with this card.</p>
Active__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether the account is active (<code>true</code>) or inactive (<code>false</code>). Default is <code>true</code>.</p>

Field	Details
BinNumber__c	<p>Type double</p> <p>Properties CreateFilter, Nillable, SortUpdate</p> <p>Description Bank Identification number for this account.</p>
FinancialAccount__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Financial account associated with this card.</p>
OwnershipType__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Type of ownership for this card. Valid values:</p> <ul style="list-style-type: none"> • Primary • Authorized • Other
SourceSystemId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the financial account in an external data source.</p>
ValidUntil__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date card is no longer valid.</p>

ChargesAndFees

Represents agreed-to fees and charges for servicing an individual's financial account.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
AnnualAccountCharge__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Annual fee for maintaining an account.</p>
AnnualMembershipFee__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Annual fee for credit card membership.</p>
APR__c	<p>Type percent</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Annual percentage rate.</p>
APRType__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Annual percentage rate type. Valid values:</p> <ul style="list-style-type: none"> • Fixed • Other • Variable

Field	Details
ATMFee__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description ATM fee.</p>
BalanceTransferAPR__c	<p>Type percent</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description APR for balance transfers.</p>
CashAdvanceFee__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Fee for withdrawing cash from a credit card account.</p>
CashAPR__c	<p>Type percent</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Annual percentage rate applied to cash withdrawals.</p>
CashAPRType__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description APR applied to cash borrowed from a credit card account. Valid values:</p> <ul style="list-style-type: none"> • Fixed • Other • Variable
ForeignTransactionFee__c	<p>Type currency</p>

Field	Details
	<p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Fee for making a credit card purchase in a foreign currency.</p>
InsufficientFundsFee__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Fee for attempting to make a purchase or payment from an account with insufficient funds.</p>
InterestRate__c	<p>Type percent</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Interest rate on a loan account (APR%).</p>
LatePaymentFee__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Fee for not paying the minimum payment by the due date.</p>
MaximumTransactionFee__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Fee for exceeding the maximum monthly transaction limit.</p>
MonthlyServiceFee__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Monthly account maintenance charge.</p>
OverdraftFees__c	<p>Type currency</p>

Field	Details
	<p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Fee for a withdrawal that exceeds the available balance.</p>
ReplacementCardFee__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Fee for debit or credit card replacement.</p>
ReturnedCheckFee__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Fee for writing or receiving a check returned due to insufficient funds.</p>
SourceSystemId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the individual in an external data source.</p>
StatementFee__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Fee for mailing an account statement.</p>
StopPaymentFee__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Fee for requesting a stop payment on a check or payment that hasn't been processed yet.</p>

Contact Custom Fields

Represents information about an individual that pertains to their personhood, irrespective of their relationship with your firm, such as their birthdate or tax ID number. Custom fields extend the Contact object for use in Financial Services Cloud.

Fields

Field Name	Details
Affiliations__c	<p>Type textarea</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Memberships in clubs, organizations, and alumni associations.</p>
Age__c	<p>Type double</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Age. Calculated from <code>Contact.Birthdate</code>.</p>
AgeAsText__c	<p>Type string</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Age expressed in years, months, and days. Calculated from <code>Contact.Birthdate</code>. Label is Age Text.</p>
AnnualIncome__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Annual income.</p>
BillingAddress__c	<p>Type string</p> <p>Properties Filter, Nillable, Sort</p>

Field Name	Details
	<p>Description</p> <p>The compound form of the billing address. Based on these address fields: Account.BillingStreet, Account.BillingCity, Account.BillingState, Account.BillingPostalCode, and Account.BillingCountry.</p>
Citizenship__c	<p>Type</p> <p>string</p> <p>Properties</p> <p>Create, Filter, Group, Nillable, Sort, Update</p> <p>Description</p> <p>Citizenship.</p>
CommunicationPreferences__c	<p>Type</p> <p>multipicklist</p> <p>Properties</p> <p>Create, Filter, Nillable, Update</p> <p>Description</p> <p>Preferred communication channel. Valid values:</p> <ul style="list-style-type: none"> • Balance Activities:Email • Balance Activities:Phone • Balance Activities:SMS • Fraud:Email • Fraud:Phone • Fraud:SMS • Promotions:Email • Promotions:Phone • Promotions:SMS
ContactPreference__c	<p>Type</p> <p>picklist</p> <p>Properties</p> <p>Create, Filter, Group, Nillable, Sort, Update</p> <p>Description</p> <p>Preferred communication method.</p> <p>Valid values:</p> <ul style="list-style-type: none"> • Email • Mobile • Phone

Field Name	Details
CountryOfBirth__c	<p>Type picklist</p> <p>Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description This individual's country of birth. Valid values:</p> <ul style="list-style-type: none">• Afghanistan• Aland Islands• Albania• Algeria• Andorra• Angola• Anguilla• Antarctica• Antigua and Barbuda• Argentina• Armenia• Aruba• Australia• Austria• Azerbaijan• Bahamas• Bahrain• Bangladesh• Barbados• Belarus• Belgium• Belize• Benin• Bermuda• Bhutan• Bolivia, Plurinational State of• Bonaire, Sint Eustatius and Saba• Bosnia and Herzegovina• Botswana• Bouvet Island• Brazil

Field Name**Details**

-
- British Indian Ocean Territory
 - Brunei Darussalam
 - Bulgaria
 - Burkina Faso
 - Burundi
 - Cambodia
 - Cameroon
 - Canada
 - Cape Verde
 - Cayman Islands
 - Central African Republic
 - Chad
 - Chile
 - China
 - Christmas Island
 - Cocos (Keeling) Islands
 - Colombia
 - Comoros
 - Congo
 - Congo, the Democratic Republic of the
 - Cook Islands
 - Costa Rica
 - Cote d'Ivoire
 - Croatia
 - Cuba
 - Curaçao
 - Cyprus
 - Czech Republic
 - Denmark
 - Djibouti
 - Dominica
 - Dominican Republic
 - Ecuador
 - Egypt
 - El Salvador
 - Equatorial Guinea
 - Eritrea
 - Estonia
-

Field Name**Details**

-
- Ethiopia
 - Falkland Islands (Malvinas)
 - Faroe Islands
 - Fiji
 - Finland
 - France
 - French Guiana
 - French Polynesia
 - French Southern Territories
 - Gabon
 - Gambia
 - Georgia
 - Germany
 - Ghana
 - Gibraltar
 - Greece
 - Greenland
 - Grenada
 - Guadeloupe
 - Guatemala
 - Guernsey
 - Guinea
 - Guinea-Bissau
 - Guyana
 - Haiti
 - Heard Island and McDonald Islands
 - Holy See (Vatican City State)
 - Honduras
 - Hungary
 - Iceland
 - India
 - Indonesia
 - Iran, Islamic Republic of
 - Iraq
 - Ireland
 - Isle of Man
 - Israel
 - Italy
-

Field Name**Details**

-
- Jamaica
 - Japan
 - Jersey
 - Jordan
 - Kazakhstan
 - Kenya
 - Kiribati
 - Korea, Democratic People's Republic of
 - Korea, Republic of
 - Kuwait
 - Kyrgyzstan
 - Lao People's Democratic Republic
 - Latvia
 - Lebanon
 - Lesotho
 - Liberia
 - Libyan Arab Jamahiriya
 - Liechtenstein
 - Lithuania
 - Luxembourg
 - Macao
 - Macedonia, the former Yugoslav Republic of
 - Madagascar
 - Malawi
 - Malaysia
 - Maldives
 - Mali
 - Malta
 - Martinique
 - Mauritania
 - Mauritius
 - Mayotte
 - Mexico
 - Moldova, Republic of
 - Monaco
 - Mongolia
 - Montenegro
 - Montserrat
-

Field Name**Details**

-
- Morocco
 - Mozambique
 - Myanmar
 - Namibia
 - Nauru
 - Nepal
 - Netherlands
 - New Caledonia
 - New Zealand
 - Nicaragua
 - Niger
 - Nigeria
 - Niue
 - Norfolk Island
 - Norway
 - Oman
 - Pakistan
 - Palestine
 - Panama
 - Papua New Guinea
 - Paraguay
 - Peru
 - Philippines
 - Pitcairn
 - Poland
 - Portugal
 - Qatar
 - Reunion
 - Romania
 - Russian Federation
 - Rwanda
 - Saint Barthélemy
 - Saint Helena, Ascension and Tristan da Cunha
 - Saint Kitts and Nevis
 - Saint Lucia
 - Saint Martin (French part)
 - Saint Pierre and Miquelon
 - Saint Vincent and the Grenadines
-

Field Name**Details**

-
- Samoa
 - San Marino
 - Sao Tome and Principe
 - Saudi Arabia
 - Senegal
 - Serbia
 - Seychelles
 - Sierra Leone
 - Singapore
 - Sint Maarten (Dutch part)
 - Slovakia
 - Slovenia
 - Solomon Islands
 - Somalia
 - South Africa
 - South Georgia and the South Sandwich Islands
 - South Sudan
 - Spain
 - Sri Lanka
 - Sudan
 - Suriname
 - Svalbard and Jan Mayen
 - Swaziland
 - Sweden
 - Switzerland
 - Syrian Arab Republic
 - Taiwan
 - Tajikistan
 - Tanzania, United Republic of
 - Thailand
 - Timor-Leste
 - Togo
 - Tokelau
 - Tonga
 - Trinidad and Tobago
 - Tunisia
 - Turkey
 - Turkmenistan
-

Field Name	Details
	<ul style="list-style-type: none"> Turks and Caicos Islands Tuvalu Uganda Ukraine United Arab Emirates United Kingdom United States Uruguay Uzbekistan Vanuatu Venezuela, Bolivarian Republic of Vietnam Virgin Islands, British Wallis and Futuna Western Sahara Yemen Zambia Zimbabwe
CountryOfResidence__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Country of primary residence.</p>
CreatedFromLead__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether this individual was created from a converted lead (<code>true</code>) or not (<code>false</code>).</p>
CurrentEmployer__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Name of current employer.</p>

Field Name**Details**

CustomerTimezone__c

Type

picklist

Properties

Create, Filter, Group, Nillable, Sort, Update

Description

Primary time zone.

Valid values:

- Africa/Cairo
- Africa/Johannesburg
- Africa/Nairobi
- America/Anchorage
- America/Bogota
- America/Buenos_Aires
- America/Caracas
- America/Chicago
- America/Denver
- America/El_Salvador
- America/Halifax
- America/Indianapolis
- America/Lima
- America/Los_Angeles
- America/Mexico_City
- America/New_York
- America/Panama
- America/Phoenix
- America/Puerto_Rico
- America/Santiago
- America/Sao_Paulo
- America/St_Johns
- America/Tijuana
- Asia/Baghdad
- Asia/Bangkok
- Asia/Calcutta
- Asia/Colombo
- Asia/Dacca
- Asia/Dubai
- Asia/Hong_Kong
- Asia/Jakarta

Field Name**Details**

-
- Asia/Jerusalem
 - Asia/Kabul
 - Asia/Kamchatka
 - Asia/Karachi
 - Asia/Katmandu
 - Asia/Kuala_Lumpur
 - Asia/Kuwait
 - Asia/Manila
 - Asia Rangoon
 - Asia/Riyadh
 - Asia/Saigon
 - Asia/Seoul
 - Asia/Shanghai
 - Asia/Singapore
 - Asia/Taipei
 - Asia/Tashkent
 - Asia/Tbilisi
 - Asia/Tehran
 - Asia/Tokyo
 - Asia/Yekaterinburg
 - Atlantic/Bermuda
 - Atlantic/Cape_Verde
 - Atlantic/South_Georgia
 - Australia/Adelaide
 - Australia/Brisbane
 - Australia/Darwin
 - Australia/Lord_Howe
 - Australia/Perth
 - Australia/Sydney
 - Europe/Amsterdam
 - Europe/Athens
 - Europe/Berlin
 - Europe/Bucharest
 - Europe/Brussels
 - Europe/Dublin
 - Europe/Helsinki
 - Europe/Istanbul
 - Europe/Lisbon
-

Field Name	Details
	<ul style="list-style-type: none"> • Europe/London • Europe/Minsk • Europe/Moscow • Europe/Paris • Europe/Prague • Europe/Rome • GMT • Pacific/Auckland • Pacific/Chatham • Pacific/Enderbury • Pacific/Fiji • Pacific/Guadalcanal • Pacific/Honolulu • Pacific/Kiritimati • Pacific/Niue • Pacific/Norfolk • Pacific/Pago_Pago • Pacific/Tongatapu
EmailVerified__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates that the individual's email address has been verified (<code>true</code>), or not (<code>false</code>).</p>
EmployedSince__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Tenure with current employer.</p>
Facebook__c	<p>Type url</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Facebook profile URL.</p>

Field Name	Details
FaxVerified__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates that the individual's fax number has been verified (<code>true</code>), or not (<code>false</code>).</p>
Gender__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Gender. Valid values:</p> <ul style="list-style-type: none"> • Female • Male • Decline to Specify • Other
HomeOwnership__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Restricted picklist Sort, Update</p> <p>Description Relationship to primary residence. Valid values:</p> <ul style="list-style-type: none"> • Rent • Own • Other
HomePhoneVerified__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates that the home phone number has been verified (<code>true</code>), or not (<code>false</code>).</p>
IndividualId__c	<p>Type string</p>

Field Name	Details
	<p>Properties Filter, Nillable, Sort</p> <p>Description Unique ID that relates this individual's contact record to its account record. Calculated from <code>Account.IndividualId__c</code>.</p>
IndividualType__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Type of individual. Valid values:</p> <ul style="list-style-type: none"> • Individual
LanguagesSpoken__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Languages spoken.</p>
LastFourDigitSSN__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Last four digits of the individual's Social Security number. This field is encrypted.</p>
LinkedIn__c	<p>Type url</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description LinkedIn profile URL.</p>
MailingAddress__c	<p>Type string</p> <p>Properties Filter, Nillable, Sort</p>

Field Name	Details
	<p>Description</p> <p>The compound form of the mailing address. Based on these address fields: <code>MailingStreet</code>, <code>MailingCity</code>, <code>MailingState</code>, <code>MailingPostalCode</code>, and <code>MailingCountry</code>.</p>
<p><code>MaritalStatus__c</code></p>	<p>Type</p> <p>picklist</p> <p>Properties</p> <p>Create, Filter, Group, Nillable, Sort, Update</p> <p>Description</p> <p>Marital status. Valid values:</p> <ul style="list-style-type: none"> • Single • Married • Separated • Divorced • Widowed
<p><code>MarketingOptOut__c</code></p>	<p>Type</p> <p>boolean</p> <p>Properties</p> <p>Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description</p> <p>Indication that the individual has opted out of receiving marketing materials. (<code>true</code>) or not (<code>false</code>).</p>
<p><code>MobileVerified__c</code></p>	<p>Type</p> <p>boolean</p> <p>Properties</p> <p>Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description</p> <p>Indicates the mobile phone number has been verified (<code>true</code>), or not (<code>false</code>).</p>
<p><code>MostUsedChannel__c</code></p>	<p>Type</p> <p>picklist</p> <p>Properties</p> <p>Create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description</p> <p>Most frequent communication channel.</p> <p>Valid values:</p>

Field Name	Details
	<ul style="list-style-type: none"> • Mobile • Web • Branch • Call Center • Other
MotherMaidenName__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Maiden name of the individual's mother.</p>
NextLifeEvent__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Next major life event. Valid values:</p> <ul style="list-style-type: none"> • Children • Critical Family Event • Enter Workforce • First Home Purchase • Higher Education • Moving • Promotion • Renovations • Retirement • Returning to Workforce
NumberOfChildren__c	<p>Type double</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Number of children.</p>

Field Name	Details
NumberOfDependents__c	<p>Type double</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Number of dependents.</p>
Occupation__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Occupation.</p>
OtherAddress__c	<p>Type string</p> <p>Properties Filter, Nillable, Sort</p> <p>Description The compound form of the other address. Based on these address fields: OtherStreet, OtherCity, OtherState, OtherPostalCode, and OtherCountry.</p>
PreferredName__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort</p> <p>Description This individual's preferred name.</p>
PrimaryAddressIsBilling__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether the billing address is the primary address (<code>true</code>) or not (<code>false</code>).</p>
PrimaryAddressIsMailing__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p>

Field Name	Details
	<p>Description Indicates whether the mailing address is the primary address (<code>true</code>) or not (<code>false</code>).</p>
PrimaryAddressIsOther__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether the other address is the primary address (<code>true</code>) or not (<code>false</code>).</p>
PrimaryAddressIsShipping__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether the shipping address is the primary address (<code>true</code>) or not (<code>false</code>).</p>
PrimaryCitizenship__c	<p>Type picklist</p> <p>Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description Country of primary citizenship. Valid values:</p> <ul style="list-style-type: none"> • Afghanistan • Aland Islands • Albania • Algeria • Andorra • Angola • Anguilla • Antarctica • Antigua and Barbuda • Argentina • Armenia • Aruba • Australia • Austria

Field Name**Details**

-
- Azerbaijan
 - Bahamas
 - Bahrain
 - Bangladesh
 - Barbados
 - Belarus
 - Belgium
 - Belize
 - Benin
 - Bermuda
 - Bhutan
 - Bolivia, Plurinational State of
 - Bonaire, Sint Eustatius and Saba
 - Bosnia and Herzegovina
 - Botswana
 - Bouvet Island
 - Brazil
 - British Indian Ocean Territory
 - Brunei Darussalam
 - Bulgaria
 - Burkina Faso
 - Burundi
 - Cambodia
 - Cameroon
 - Canada
 - Cape Verde
 - Cayman Islands
 - Central African Republic
 - Chad
 - Chile
 - China
 - Christmas Island
 - Cocos (Keeling) Islands
 - Colombia
 - Comoros
 - Congo
 - Congo, the Democratic Republic of the
 - Cook Islands
-

Field Name**Details**

-
- Costa Rica
 - Cote d'Ivoire
 - Croatia
 - Cuba
 - Curaçao
 - Cyprus
 - Czech Republic
 - Denmark
 - Djibouti
 - Dominica
 - Dominican Republic
 - Ecuador
 - Egypt
 - El Salvador
 - Equatorial Guinea
 - Eritrea
 - Estonia
 - Ethiopia
 - Falkland Islands (Malvinas)
 - Faroe Islands
 - Fiji
 - Finland
 - France
 - French Guiana
 - French Polynesia
 - French Southern Territories
 - Gabon
 - Gambia
 - Georgia
 - Germany
 - Ghana
 - Gibraltar
 - Greece
 - Greenland
 - Grenada
 - Guadeloupe
 - Guatemala
 - Guernsey
-

Field Name**Details**

-
- Guinea
 - Guinea-Bissau
 - Guyana
 - Haiti
 - Heard Island and McDonald Islands
 - Holy See (Vatican City State)
 - Honduras
 - Hungary
 - Iceland
 - India
 - Indonesia
 - Iran, Islamic Republic of
 - Iraq
 - Ireland
 - Isle of Man
 - Israel
 - Italy
 - Jamaica
 - Japan
 - Jersey
 - Jordan
 - Kazakhstan
 - Kenya
 - Kiribati
 - Korea, Democratic People's Republic of
 - Korea, Republic of
 - Kuwait
 - Kyrgyzstan
 - Lao People's Democratic Republic
 - Latvia
 - Lebanon
 - Lesotho
 - Liberia
 - Libyan Arab Jamahiriya
 - Liechtenstein
 - Lithuania
 - Luxembourg
 - Macao
-

Field Name**Details**

-
- Macedonia, the former Yugoslav Republic of
 - Madagascar
 - Malawi
 - Malaysia
 - Maldives
 - Mali
 - Malta
 - Martinique
 - Mauritania
 - Mauritius
 - Mayotte
 - Mexico
 - Moldova, Republic of
 - Monaco
 - Mongolia
 - Montenegro
 - Montserrat
 - Morocco
 - Mozambique
 - Myanmar
 - Namibia
 - Nauru
 - Nepal
 - Netherlands
 - New Caledonia
 - New Zealand
 - Nicaragua
 - Niger
 - Nigeria
 - Niue
 - Norfolk Island
 - Norway
 - Oman
 - Pakistan
 - Palestine
 - Panama
 - Papua New Guinea
 - Paraguay
-

Field Name**Details**

-
- Peru
 - Philippines
 - Pitcairn
 - Poland
 - Portugal
 - Qatar
 - Reunion
 - Romania
 - Russian Federation
 - Rwanda
 - Saint Barthélemy
 - Saint Helena, Ascension and Tristan da Cunha
 - Saint Kitts and Nevis
 - Saint Lucia
 - Saint Martin (French part)
 - Saint Pierre and Miquelon
 - Saint Vincent and the Grenadines
 - Samoa
 - San Marino
 - Sao Tome and Principe
 - Saudi Arabia
 - Senegal
 - Serbia
 - Seychelles
 - Sierra Leone
 - Singapore
 - Sint Maarten (Dutch part)
 - Slovakia
 - Slovenia
 - Solomon Islands
 - Somalia
 - South Africa
 - South Georgia and the South Sandwich Islands
 - South Sudan
 - Spain
 - Sri Lanka
 - Sudan
 - Suriname
-

Field Name	Details
	<ul style="list-style-type: none"> • Svalbard and Jan Mayen • Swaziland • Sweden • Switzerland • Syrian Arab Republic • Taiwan • Tajikistan • Tanzania, United Republic of • Thailand • Timor-Leste • Togo • Tokelau • Tonga • Trinidad and Tobago • Tunisia • Turkey • Turkmenistan • Turks and Caicos Islands • Tuvalu • Uganda • Ukraine • United Arab Emirates • United Kingdom • United States • Uruguay • Uzbekistan • Vanuatu • Venezuela, Bolivarian Republic of • Vietnam • Virgin Islands, British • Wallis and Futuna • Western Sahara • Yemen • Zambia • Zimbabwe
PrimaryLanguage__c	Type picklist

Field Name**Details****Properties**

Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update

Description

This individual's primary language.

Valid values:

- Abkhaz
- Adyghe
- Afrikaans
- Akan
- Albanian
- American Sign Language
- Amharic
- Arabic
- Aragonese
- Aramaic
- Armenian
- Aymara
- Balinese
- Basque
- Betawi
- Bosnian
- Breton
- Bulgarian
- Cantonese
- Catalan
- Cherokee
- Chickasaw
- Chinese
- Coptic
- Cornish
- Corsican
- Crimean Tatar
- Croatian
- Czech
- Danish
- Dawro
- Dutch
- English

Field Name	Details
	<ul style="list-style-type: none">• Esperanto• Estonian• Ewe• Fiji Hindi• Filipino• Finnish• French• Galician• Georgian• German• Greek, Modern• Greenlandic• Haitian Creole• Hawaiian• Hebrew• Hindi• Hungarian• Icelandic• Indonesian• Inuktitut• Irish (Gaelic)• Italian• Japanese• Javanese• Kabardian• Kalasha• Kannada• Kashubian• Khmer• Kinyarwanda• Korean• Kurdish/Kurdi• Ladin• Latgalian• Latin• Lingala• Livonian• Lojban

Field Name**Details**

-
- Low German
 - Lower Sorbian
 - Macedonian
 - Malay
 - Malayalam
 - Mandarin
 - Manx
 - Maori
 - Mauritian Creole
 - Min Nan
 - Mongolian
 - Norwegian
 - Oriya
 - Pangasinan
 - Papiamentu
 - Pashto
 - Persian
 - Pitjantjatjara
 - Polish
 - Portuguese
 - Quenya
 - Rapa Nui
 - Romanian
 - Russian
 - Scots
 - Scottish Gaelic
 - Serbian
 - Serbo-Croatian
 - Sinhalese
 - Slovak
 - Slovene
 - Spanish
 - Swahili
 - Swedish
 - Tagalog
 - Tajik
 - Tamil
 - Tarantino
-

Field Name	Details
	<ul style="list-style-type: none"> • Telugu • Thai • Tok Pisin • Turkish • Twi • Ukrainian • Upper Sorbian • Urdu • Uzbek • Venetian • Vietnamese • Vilamovian • Võro • Welsh • Xhosa • Yiddish • Zazaki
ReferredByContact__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description External contact referring this individual.</p>
ReferredByUser__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Internal Salesforce user who made the referral.</p>
ReferrerScore__c	<p>Type double</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description A value of 0 to 100. A high score reflects a high rate of referral conversion.</p>

Field Name	Details
SecondaryCitizenship__	<p>Type picklist</p> <p>Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description Country of secondary citizenship. Valid values:</p> <ul style="list-style-type: none">• Afghanistan• Aland Islands• Albania• Algeria• Andorra• Angola• Anguilla• Antarctica• Antigua and Barbuda• Argentina• Armenia• Aruba• Australia• Austria• Azerbaijan• Bahamas• Bahrain• Bangladesh• Barbados• Belarus• Belgium• Belize• Benin• Bermuda• Bhutan• Bolivia, Plurinational State of• Bonaire, Sint Eustatius and Saba• Bosnia and Herzegovina• Botswana• Bouvet Island• Brazil

Field Name**Details**

-
- British Indian Ocean Territory
 - Brunei Darussalam
 - Bulgaria
 - Burkina Faso
 - Burundi
 - Cambodia
 - Cameroon
 - Canada
 - Cape Verde
 - Cayman Islands
 - Central African Republic
 - Chad
 - Chile
 - China
 - Christmas Island
 - Cocos (Keeling) Islands
 - Colombia
 - Comoros
 - Congo
 - Congo, the Democratic Republic of the
 - Cook Islands
 - Costa Rica
 - Cote d'Ivoire
 - Croatia
 - Cuba
 - Curaçao
 - Cyprus
 - Czech Republic
 - Denmark
 - Djibouti
 - Dominica
 - Dominican Republic
 - Ecuador
 - Egypt
 - El Salvador
 - Equatorial Guinea
 - Eritrea
 - Estonia
-

Field Name**Details**

-
- Ethiopia
 - Falkland Islands (Malvinas)
 - Faroe Islands
 - Fiji
 - Finland
 - France
 - French Guiana
 - French Polynesia
 - French Southern Territories
 - Gabon
 - Gambia
 - Georgia
 - Germany
 - Ghana
 - Gibraltar
 - Greece
 - Greenland
 - Grenada
 - Guadeloupe
 - Guatemala
 - Guernsey
 - Guinea
 - Guinea-Bissau
 - Guyana
 - Haiti
 - Heard Island and McDonald Islands
 - Holy See (Vatican City State)
 - Honduras
 - Hungary
 - Iceland
 - India
 - Indonesia
 - Iran, Islamic Republic of
 - Iraq
 - Ireland
 - Isle of Man
 - Israel
 - Italy
-

Field Name**Details**

-
- Jamaica
 - Japan
 - Jersey
 - Jordan
 - Kazakhstan
 - Kenya
 - Kiribati
 - Korea, Democratic People's Republic of
 - Korea, Republic of
 - Kuwait
 - Kyrgyzstan
 - Lao People's Democratic Republic
 - Latvia
 - Lebanon
 - Lesotho
 - Liberia
 - Libyan Arab Jamahiriya
 - Liechtenstein
 - Lithuania
 - Luxembourg
 - Macao
 - Macedonia, the former Yugoslav Republic of
 - Madagascar
 - Malawi
 - Malaysia
 - Maldives
 - Mali
 - Malta
 - Martinique
 - Mauritania
 - Mauritius
 - Mayotte
 - Mexico
 - Moldova, Republic of
 - Monaco
 - Mongolia
 - Montenegro
 - Montserrat
-

Field Name**Details**

-
- Morocco
 - Mozambique
 - Myanmar
 - Namibia
 - Nauru
 - Nepal
 - Netherlands
 - New Caledonia
 - New Zealand
 - Nicaragua
 - Niger
 - Nigeria
 - Niue
 - Norfolk Island
 - Norway
 - Oman
 - Pakistan
 - Palestine
 - Panama
 - Papua New Guinea
 - Paraguay
 - Peru
 - Philippines
 - Pitcairn
 - Poland
 - Portugal
 - Qatar
 - Reunion
 - Romania
 - Russian Federation
 - Rwanda
 - Saint Barthélemy
 - Saint Helena, Ascension and Tristan da Cunha
 - Saint Kitts and Nevis
 - Saint Lucia
 - Saint Martin (French part)
 - Saint Pierre and Miquelon
 - Saint Vincent and the Grenadines
-

Field Name**Details**

-
- Samoa
 - San Marino
 - Sao Tome and Principe
 - Saudi Arabia
 - Senegal
 - Serbia
 - Seychelles
 - Sierra Leone
 - Singapore
 - Sint Maarten (Dutch part)
 - Slovakia
 - Slovenia
 - Solomon Islands
 - Somalia
 - South Africa
 - South Georgia and the South Sandwich Islands
 - South Sudan
 - Spain
 - Sri Lanka
 - Sudan
 - Suriname
 - Svalbard and Jan Mayen
 - Swaziland
 - Sweden
 - Switzerland
 - Syrian Arab Republic
 - Taiwan
 - Tajikistan
 - Tanzania, United Republic of
 - Thailand
 - Timor-Leste
 - Togo
 - Tokelau
 - Tonga
 - Trinidad and Tobago
 - Tunisia
 - Turkey
 - Turkmenistan
-

Field Name	Details
	<ul style="list-style-type: none"> • Turks and Caicos Islands • Tuvalu • Uganda • Ukraine • United Arab Emirates • United Kingdom • United States • Uruguay • Uzbekistan • Vanuatu • Venezuela, Bolivarian Republic of • Vietnam • Virgin Islands, British • Wallis and Futuna • Western Sahara • Yemen • Zambia • Zimbabwe
SecondaryLanguage__c	<p>Type picklist</p> <p>Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description This individual's secondary language.</p> <p>Valid values:</p> <ul style="list-style-type: none"> • Abkhaz • Adyghe • Afrikaans • Akan • Albanian • American Sign Language • Amharic • Arabic • Aragonese • Aramaic • Armenian • Aymara • Balinese

Field Name**Details**

-
- Basque
 - Betawi
 - Bosnian
 - Breton
 - Bulgarian
 - Cantonese
 - Catalan
 - Cherokee
 - Chickasaw
 - Chinese
 - Coptic
 - Cornish
 - Corsican
 - Crimean Tatar
 - Croatian
 - Czech
 - Danish
 - Dawro
 - Dutch
 - English
 - Esperanto
 - Estonian
 - Ewe
 - Fiji Hindi
 - Filipino
 - Finnish
 - French
 - Galician
 - Georgian
 - German
 - Greek, Modern
 - Greenlandic
 - Haitian Creole
 - Hawaiian
 - Hebrew
 - Hindi
 - Hungarian
 - Icelandic
-

Field Name**Details**

-
- Indonesian
 - Inuktitut
 - Irish (Gaelic)
 - Italian
 - Japanese
 - Javanese
 - Kabardian
 - Kalasha
 - Kannada
 - Kashubian
 - Khmer
 - Kinyarwanda
 - Korean
 - Kurdish/Kurdi
 - Ladin
 - Latgalian
 - Latin
 - Lingala
 - Livonian
 - Lojban
 - Low German
 - Lower Sorbian
 - Macedonian
 - Malay
 - Malayalam
 - Mandarin
 - Manx
 - Maori
 - Mauritian Creole
 - Min Nan
 - Mongolian
 - Norwegian
 - Oriya
 - Pangasinan
 - Papiamentu
 - Pashto
 - Persian
 - Pitjantjatjara
-

Field Name	Details
	<ul style="list-style-type: none">• Polish• Portuguese• Quenya• Rapa Nui• Romanian• Russian• Scots• Scottish Gaelic• Serbian• Serbo-Croatian• Sinhalese• Slovak• Slovene• Spanish• Swahili• Swedish• Tagalog• Tajik• Tamil• Tarantino• Telugu• Thai• Tok Pisin• Turkish• Twi• Ukrainian• Upper Sorbian• Urdu• Uzbek• Venetian• Vietnamese• Vilamovian• Võro• Welsh• Xhosa• Yiddish• Zazaki

Field Name	Details
ShippingAddress__c	<p>Type string</p> <p>Properties Filter, Nillable, Sort</p> <p>Description The compound form of the shipping address. Based on these address fields: Account.ShippingStreet, Account.ShippingCity, Account.ShippingState, Account.ShippingPostalCode, and Account.ShippingCountry.</p>
SourceSystemId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies this individual in an external data source.</p>
TaxBracket__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Rate at which this individual is taxed. Valid values:</p> <ul style="list-style-type: none"> • 10% • 15% • 25% • 28% • 33% • 35%
TaxId__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Tax Identification Number or Social Security number.</p>
Twitter__c	<p>Type url</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p>

Field Name	Details
	<p>Description Twitter profile URL.</p>
WeddingAnniversary__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date of wedding anniversary.</p>

ContactContactRelation

Represents the relationship between any two individuals.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
Active__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether the relationship is active (<code>true</code>) or not (<code>false</code>). The default value is <code>true</code>.</p>
Contact__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Contact that <code>RelatedContact__c</code> is related from.</p>
CurrencyIsoCode	<p>Type picklist</p>

Field	Details
	<p>Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description If multiple currencies is enabled, contains the currency ISO code associated with the record.</p>
EndDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when the relationship ended.</p>
ExternalId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the relationship in an external data source.</p>
InverseRelationship__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Uniquely identifies the relationship between Contact and RelatedContact__c so that it can be referenced by a trigger that creates the inverse relationship record.</p>
Name	<p>Type string</p> <p>Properties Defaulted on create, Filter, idLookup, Sort</p> <p>Description Auto-number identifier for the relationship. Label is Contact Relation Name.</p>
OwnerId	<p>Type reference</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description ID of the user who created the relationship record.</p>

Field	Details
RelatedContact__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Contact that Contact__c is related to.</p>
Role__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Sort, Update</p> <p>Description Role that describes how RelatedContact__c is related to Contact__c</p>
SourceSystemId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the relationship in an external data source.</p>
StartDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when the relationship started.</p>

Education

Represents an individual's educational background.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
Contact__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description The individual's contact record.</p>
EducationLevel__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Level of education. Valid values:</p> <ul style="list-style-type: none"> • Declined to Comment • Graduate • High School • Post Graduate
GraduationDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date of graduation from the corresponding education level.</p>
Institution__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Name of the educational institution that awarded the degree.</p>
SourceSystemId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the individual in an external data source.</p>

Employment

Represents information about an individual's employment history.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
<code>AnnualIncome__c</code>	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Gross annual income as reported on the most recent tax return.</p>
<code>Contact__c</code>	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description The individual's contact record.</p>
<code>EmployerAddress__c</code>	<p>Type textarea</p> <p>Properties Create, Nillable, Update</p> <p>Description Address of the individual's employer.</p>
<code>EmployerPhoneNumber__c</code>	<p>Type phone</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Phone number of the employer.</p>
<code>EmploymentStatus__c</code>	<p>Type picklist</p>

Field	Details
	<p>Properties Create, Filter, Group, Restricted picklist, Nillable, Sort, Update</p> <p>Description Employment status. Valid values:</p> <ul style="list-style-type: none"> • Employed • Self-Employed • Homemaker • Retired • Student • Unemployed with Income • Unemployed Without Income
EndDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description End date at former employer.</p>
LengthOfEmployment__c	<p>Type double</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Length of employment in years (to two decimal places).</p>
Occupation__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Restricted picklist, Nillable, Sort, Update</p> <p>Description Job category. Valid values:</p> <ul style="list-style-type: none"> • Architecture and Engineering • Arts, Design, Entertainment, Sports, and Media • Building and Grounds Cleaning or Maintenance • Community and Social Service • Computer and Mathematical • Construction and Extraction • Education, Training, and Library • Farming, Fishing, and Forestry

Field	Details
	<ul style="list-style-type: none"> • Food Preparation and Serving • Healthcare Practitioners and Technical • Healthcare Support • Installation, Maintenance, and Repair • Legal • Life, Physical, and Social Science • Management • Office Admin • Other • Personal Care and Service • Production • Protective Service • Sales • Transportation and Material Moving
Position__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Job title.</p>
SourceSystemId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the individual in an external data source.</p>
StartDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date the individual began working for current employer.</p>

Event Custom Fields

Represents an event associated with a client. Custom fields extend the standard Event object for use in Financial Services Cloud.

Fields

Field Name	Details
Expectations__c	<p>Type textarea</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Client expectations that this event relates to.</p>
Household__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description ID of the household associated with the client.</p>
NextSteps__c	<p>Type textarea</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Next steps for this client event.</p>
Objectives__c	<p>Type textarea</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Client objectives that this event relates to.</p>
Regarding__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description The nature of the most recent interaction. Valid values:</p> <ul style="list-style-type: none"> • Prospecting • Onboarding • Client Retention • Service

FinancialAccount

Represents a financial account such as an investment account, bank account, or insurance policy.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `search()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
Address1__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Street address line 1 for mailing address.</p>
Address2__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Street address line 2 for mailing address.</p>
ApplicationDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when this individual submitted the financial account application.</p>
APY__c	<p>Type percent</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Annual percentage yield. (Can be fractional.)</p>
AssetRebalance__c	<p>Type boolean</p>

Field	Details
	<p>Properties Create, Defaulted on create, Filter, Sort, Update</p> <p>Description Indicates whether automatic portfolio rebalancing applies to this financial account (<code>true</code>) or not (<code>false</code>).</p>
AvailableCredit__c	<p>Type currency</p> <p>Properties Create, , Filter, Nillable, Sort, Update</p> <p>Description Total current available credit for this financial account.</p>
AverageBalance__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Average amount of money in the financial account, over a time period.</p>
Balance__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Amount of money in the financial account.</p>
BalanceLastStatement__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Account balance posted on last statement.</p>
BookedDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date charge or credit booked to account.</p>

Field	Details
CashBalance__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Cash available in the financial account.</p>
CashLimit__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Maximum cash withdrawal or advance amount.</p>
City__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description City for mailing address.</p>
CloseDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when this financial account was closed.</p>
CollateralDesc__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Description of collateral provided for loan.</p>
Country__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Country for mailing address.</p>

Field	Details
CurrencyIsoCode	<p>Type picklist</p> <p>Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description If multiple currencies is enabled, contains the currency ISO code associated with the record.</p>
CurrentPostedBalance__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Current posted balance in account.</p>
DailyWithdrawalLimit__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Amount that can be withdrawn in one day.</p>
Description__c	<p>Type textarea</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Description of the financial account.</p>
Discretionary__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether the advisor has discretionary trading authority for this financial account (<code>true</code>) or not (<code>false</code>).</p>
DrawPeriodMonths__c	<p>Type double</p> <p>Properties CreateFilter, Nillable, SortUpdate</p>

Field	Details
	<p>Description Number of months an individual can withdraw funds from a credit account.</p>
EscrowBalance__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Current balance in escrow account.</p>
ExpectedCloseDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Expected date when the debit account or loan closes.</p>
FinancialAccountChargesAndFees__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Reference to Charges and Fees record for the account.</p>
FinancialAccountNumber__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the financial account in an external data source. Label is <code>Account Number</code>.</p>
FinancialAccountSource__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Data source. Label is <code>Source</code>. Valid values:</p> <ul style="list-style-type: none"> • Integrator • Manual Entry • Pending

Field	Details
FinancialAccountType__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Type of financial account. Label is <code>Type</code>. Valid values:</p> <ul style="list-style-type: none"> • 401(a) • 401(k) • 403(b) • 529 Plan • Brokerage • Cash Management Account • CD • Checking • Credit Card • Discount Brokerage • Fixed Annuity • Individual Life • IRA • Mutual Fund • Profit Sharing • Rollover IRA • Roth IRA • Savings • Term Life • Variable Life • Whole Life
HeldAway__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether this financial account is managed or administered externally (<code>true</code>) or in-house (<code>false</code>).</p>
HoldingCount__c	<p>Type double</p> <p>Properties Filter, Nillable, Sort</p>

Field	Details
	<p>Description Number of holdings within this financial account. Calculated by roll-up summary. Label is Number of Holdings.</p>
Household__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Household that this financial account rolls up to.</p>
InsuredAmount__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description The insured value that an insurance policy covers.</p>
InterestRate__c	<p>Type percent</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Interest rate as a percent.</p>
InvestmentObjectives__c	<p>Type multipicklist</p> <p>Properties Create, Filter, Nillable, Update</p> <p>Description Purpose of this financial account. Valid values:</p> <ul style="list-style-type: none"> • Safety • Income • Growth • Tax Optimization • Liquidity
JointOwner__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p>

Field	Details
	<p>Description Joint owner of this financial account.</p>
LastActivityDate	<p>Type date</p> <p>Properties Filter, Group, Nillable, Sort</p> <p>Description Timestamp for when this financial account last had a task or event action associated with the record.</p>
LastReferencedDate	<p>Type dateTime</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Timestamp for when the current user last viewed a record related to this record.</p>
LastTransactionDate	<p>Type dateTime</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Timestamp for the last transaction on the account.</p>
LastUpdated__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Timestamp for when data for the financial account was last updated by an external data source.</p>
LastViewedDate	<p>Type dateTime</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Timestamp for when the current user last viewed this record.</p>
LienHolder__c	<p>Type string</p>

Field	Details
	<p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Name of lien holder on the financial account.</p>
LoanAmount__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Amount of the loan.</p>
LoanEndDate	<p>Type date</p> <p>Properties Filter, Group, Nillable, Sort</p> <p>Description End date for the loan.</p>
LoanTermMonths__c	<p>Type double</p> <p>Properties CreateFilter, Nillable, SortUpdate</p> <p>Description Loan term in months.</p>
Managed__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether this financial account is managed or administered (<code>true</code>), or not (<code>false</code>).</p>
MinimumBalance__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Minimum balance requirement for this financial account.</p>

Field	Details
MinimumPayment__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Minimum monthly payment on account.</p>
ModelPortfolio__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Model asset allocation for the financial account. Valid values:</p> <ul style="list-style-type: none"> • Conservative • Moderate • Balanced • Growth • Aggressive
Name	<p>Type string</p> <p>Properties Create, Defaulted on create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description Name of the financial account.</p>
NickName__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Nickname of the financial account.</p>
OpenDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when the financial account was opened.</p>

Field	Details
OverDraftAllowed__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether the financial account allows an overdraft (<code>true</code>) or not (<code>false</code>).</p>
OverDraftLinkedAccount__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Sort, Update</p> <p>Description Reference to the linked overdraft account.</p>
OwnerId	<p>Type reference</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description ID of the user who created the financial account record.</p>
Ownership__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Type of ownership for the account. Valid values:</p> <ul style="list-style-type: none"> • Individual • Joint • Trust
OwnerType__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Individual's ownership role (primary or joint) for the account.</p>
PaperlessDelivery__c	<p>Type boolean</p>

Field	Details
	<p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Account owner elects to receive electronic delivery of financial account documents (<code>true</code>) or not (<code>false</code>).</p>
PaymentAmount__c	<p>Type currency</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Minimum monthly payment on account.</p>
PaymentDueDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when payment due on the account.</p>
PaymentFrequency__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Frequency of payments on the account. Valid values:</p> <ul style="list-style-type: none"> • Weekly • Biweekly • Monthly • Quarterly • Semiannually • Annually
PendingDeposits__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Deposits pending on the account.</p>

Field	Details
PendingWithdrawals__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Withdrawals pending on the account.</p>
Performance1Yr__c	<p>Type percent</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Performance measured over the past year.</p>
Performance3Yr__c	<p>Type percent</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Performance measured over the past three years.</p>
PerformanceMTD__c	<p>Type percent</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Performance measured over the past month-to-date.</p>
PerformanceQTD__c	<p>Type percent</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Performance measured over the past quarter-to-date.</p>
PerformanceYTD__c	<p>Type percent</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Performance measured over the past calendar year-to-date.</p>

Field	Details
PolicyTerm__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description The period of coverage provided by the policy.</p>
PostalCode__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Postal code for mailing address.</p>
Premium__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Amount paid to the insurer for insurance policy coverage.</p>
PrimaryOwner__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Primary owner of the financial account.</p>
PrincipalBalance__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Principal balance on the loan account.</p>
ProductName__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Policy product name.</p>

Field	Details
RebalanceFrequency__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Frequency of portfolio rebalancing for this financial account. Valid values:</p> <ul style="list-style-type: none"> • Monthly • Quarterly • Semiannually • Annually
RecordTypeId	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description ID of the record type associated with this financial account.</p>
RecordTypeName__c	<p>Type string</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Record type for this financial account. The value is copied from <code>RecordType.Name</code> and can't be changed. Label is <code>Record Type</code>.</p>
RenewalDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when insurance policy renewal is due.</p>
RepaymentPeriodMonths__c	<p>Type double</p> <p>Properties CreateFilter, Nillable, SortUpdate</p> <p>Description Repayment period in months.</p>

Field	Details
RoutingNumber__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Bank routing number.</p>
ServiceProvider__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Custodian or recordkeeper of this financial account.</p>
SourceSystemId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the financial account in an external data source.</p>
State__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description State for mailing address.</p>
StatementFrequency__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Frequency statements are issued. Valid values:</p> <ul style="list-style-type: none"> • Monthly • Biweekly • Quarterly • Annually
Status__c	<p>Type picklist</p>

Field	Details
	<p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Status of this financial account. Valid values:</p> <ul style="list-style-type: none"> • Open • Closed • On Hold • Pending
TaxID__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Tax Identification Number associated with this financial account.</p>
TaxStatus__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Type of tax treatment this financial account qualifies for. Valid values:</p> <ul style="list-style-type: none"> • Nonqualified • Qualified
TimeHorizon__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Investment time frame for this financial account. Valid values:</p> <ul style="list-style-type: none"> • Long Term • Medium Term • Short Term
TotalCreditLimit__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p>

Field	Details
	<p>Description Total credit limit.</p>
Type__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Type of account. Valid values:</p> <ul style="list-style-type: none"> • Brokerage • Discount Brokerage • CD • Checking • Cash Management Account • Credit Card • Savings • Mutual Fund, Fixed Annuity • Variable Annuity • Managed Account • Individual Life • Term Life • Variable Life • Whole Life

FinancialAccountRole

Represents the role occupied by a person or organizational entity that is involved with a financial account, such as a beneficiary or trustee.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
Active__c	<p>Type boolean</p>

Field	Details
	<p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether the organizational entity or person currently occupies this role (<code>true</code>) or not (<code>false</code>).</p>
CurrencyIsoCode	<p>Type picklist</p> <p>Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description If multiple currencies is enabled, contains the currency ISO code associated with the record.</p>
Editable__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether this field is editable (<code>true</code>) or not (<code>false</code>).</p>
EndDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description End date when the organizational entity or person relinquished this role.</p>
FinancialAccount__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Sort</p> <p>Description Financial account that this role is related to.</p>
Name	<p>Type string</p> <p>Properties Defaulted on create, Filter, idLookup, Sort</p> <p>Description Name of the financial account role.</p>

Field	Details
RecordTypeId	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description ID of the record type associated with this financial account role.</p>
RelatedAccount__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Name of the organizational entity that is involved with the financial account.</p>
RelatedContact__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Name of the person who is involved with the financial account.</p>
Role__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Role that describes how the organizational entity or person is involved with the financial account. Valid values:</p> <p>When the record type is set to Account Role:</p> <ul style="list-style-type: none"> • Corporation • Foundation <p>When the record type is set to Contact Role:</p> <ul style="list-style-type: none"> • Trustee • Beneficiary • Grantor • Accountant • Business Manager
SourceSystemId__c	<p>Type string</p>

Field	Details
	<p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the role in an external data source.</p>
StartDate__c	<p>Type date</p> <p>Properties Create, Defaulted on create, Filter, Group, Nillable, Sort, Update</p> <p>Description Start date when the organizational entity or person assumed this role. The default value is the current date.</p>

FinancialAccountTransaction

Represents information about a single financial account transaction.

Supported Calls

create(), delete(), describeLayout(), getDeleted(), getUpdated(), query(), retrieve(), undelete(), update(), upsert()

Fields

Field	Details
Amount__c	<p>Type currency</p> <p>Properties Create, Filter, Sort, Update</p> <p>Description Amount of the transaction.</p>
BillingStatement__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Billing statement record associated with the account.</p>

Field	Details
CardAccountID__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Card number linked to the transaction.</p>
Description__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Description of the transaction.</p>
FinancialAccount__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Financial account to which the transaction pertains.</p>
MerchantCategoryCode__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Merchant category code.</p>
PostDate__c	<p>Type dateTime</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Date the transaction posted to the account.</p>
RunningBalance__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Running balance for the transaction.</p>

Field	Details
SourceSystemId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description Record ID from an external data source.</p>
SourceTransactionType__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Source transaction type from an external data source.</p>
TransactionDate__c	<p>Type dateTime</p> <p>Properties Create, Filter, Sort, Update</p> <p>Description Date of the transaction.</p>
TransactionId__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the transaction in an external data source.</p>
TransactionStatus__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Restricted picklist, Nillable, Sort, Update</p> <p>Description Status of the transaction.</p> <ul style="list-style-type: none"> • Pending • Posted
TransactionType__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p>

Field	Details
	<p>Description</p> <p>Type of transaction.</p> <ul style="list-style-type: none"> • Credit • Debit

FinancialGoal

Represents a client's financial goal, such as college funds or a major purchase.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `search()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
ActualValue__c	<p>Type</p> <p>currency</p> <p>Properties</p> <p>Create, Filter, Nillable, Sort, Update</p> <p>Description</p> <p>Current amount saved toward goal.</p>
CompletionDate__c	<p>Type</p> <p>date</p> <p>Properties</p> <p>Create, Filter, Group, Nillable, Sort, Update</p> <p>Description</p> <p>Date when the goal was reached.</p>
CurrencyIsoCode	<p>Type</p> <p>picklist</p> <p>Properties</p> <p>Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description</p> <p>If multiple currencies is enabled, contains the currency ISO code associated with the record.</p>

Field	Details
Description__c	<p>Type textarea</p> <p>Properties Create, Nillable, Update</p> <p>Description Description of the goal.</p>
Household__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Household that this goal is associated with.</p>
InitialValue__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Starting amount saved toward goal.</p>
LastActivityDate	<p>Type date</p> <p>Properties Filter, Group, Nillable, Sort</p> <p>Description Timestamp for when this goal last had a task or event action associated with the record.</p>
LastReferencedDate	<p>Type date</p> <p>Properties Filter, Nillable, Sort,</p> <p>Description Timestamp for when the current user last viewed a record related to this record.</p>
LastViewedDate	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Timestamp for when the current user last viewed this record.</p>

Field	Details
Name	<p>Type string</p> <p>Properties Create, Defaulted on create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description Name of this goal.</p>
OwnerId	<p>Type reference</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description ID of the user who created the financial goal record.</p>
PrimaryOwner__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Primary owner of this goal.</p>
SourceSystemId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the goal in an external data source.</p>
Status__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Status of goal. Valid values:</p> <ul style="list-style-type: none"> • Completed • In Progress • Not Started
TargetDate__c	<p>Type date</p>

Field	Details
	<p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date when the goal is expected to be reached.</p>
TargetValue__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Amount required for the goal.</p>
Type__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Purpose of goal. Valid values:</p> <ul style="list-style-type: none"> • Education • Home Purchase • Other • Retirement

FinancialHolding

Represents a financial holding in an investment account, such as shares of stock.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `search()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
AssetCategory__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p>

Field	Details
	<p>Description Subcategory of asset type. Valid values:</p> <ul style="list-style-type: none"> • U.S. Equity • Sector Equity • Allocation • International Equity • Alternative • Commodities • Taxable Bond • Municipal Bond
AssetCategoryName__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Market capitalization and investing style. Valid values:</p> <ul style="list-style-type: none"> • Large Growth • Large Value • Large Blend • Small Growth • Small Value • Small Blend • Mid-Cap Growth • Mid-Cap Value • Mid-Cap Blend
AssetClass__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Major category of asset type. Valid values:</p> <ul style="list-style-type: none"> • Equities • Fixed Income • Cash Equivalents • Alternative Investments

Field	Details
CurrencyIsoCode	<p>Type picklist</p> <p>Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description If multiple currencies is enabled, contains the currency ISO code associated with the record.</p>
FinancialAccount__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Sort</p> <p>Description Financial account that this holding is related to.</p>
GainLoss__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Change in value since purchase.</p>
Household__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Household that this holding rolls up to.</p>
LastActivityDate	<p>Type date</p> <p>Properties Filter, Group, Nillable, Sort</p> <p>Description Timestamp for when this financial holding last had a task or event action associated with the record.</p>
LastReferencedDate	<p>Type date</p> <p>Properties Filter, Nillable, Sort,</p>

Field	Details
	<p>Description Timestamp for when the current user last viewed a record related to this record.</p>
LastUpdated__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Timestamp for when data for this holding was last updated by an external data source.</p>
LastViewedDate	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Timestamp for when the current user last viewed this record.</p>
MarketValue__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Current market value.</p>
Name	<p>Type string</p> <p>Properties Create, Defaulted on create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description Name of this holding.</p>
PercentChange__c	<p>Type percent</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Percent change in value since purchase.</p>
Price__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p>

Field	Details
	<p>Description Current price per share.</p>
PrimaryOwner__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Primary owner of this holding.</p>
PurchasePrice__c	<p>Type currency</p> <p>Properties Create, Filter, Sort, Update</p> <p>Description Price per-share at time of purchase.</p>
Securities__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Name of the securities held. Label is <code>Symbol</code>.</p>
Shares__c	<p>Type double</p> <p>Properties Create, Filter, Sort, Update</p> <p>Description Number of shares held.</p>
SourceSystemId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the holding in an external data source.</p>
Symbol__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p>

Field	Details
	<p>Description</p> <p>Ticker symbol for the securities held. The value is copied from <code>Securities__c</code> and can't be changed.</p>

IdentificationDocument

Represents information about documents used to verify an individual's identity.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
<code>Account__c</code>	<p>Type</p> <p>reference</p> <p>Properties</p> <p>Create, Filter, Group, Nillable, Sort, Update</p> <p>Description</p> <p>Account object related to the identification document.</p>
<code>DocumentNumber__c</code>	<p>Type</p> <p>string</p> <p>Properties</p> <p>Create, Filter, Group, Nillable, Sort, Update</p> <p>Description</p> <p>Number listed on the identification document.</p>
<code>DocumentType__c</code>	<p>Type</p> <p>picklist</p> <p>Properties</p> <p>Create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description</p> <p>Type of document used to verify the person's identity. Valid values:</p> <ul style="list-style-type: none"> • Green Card • License • Other

Field	Details
	<ul style="list-style-type: none">• Passport• Visa
ExpirationDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date the document expires.</p>
IssueDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date the document was issued.</p>
IssuingCountry__c	<p>Type picklist</p> <p>Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description The country in which the document was issued. Valid values:</p> <ul style="list-style-type: none">• Afghanistan• Aland Islands• Albania• Algeria• Andorra• Angola• Anguilla• Antarctica• Antigua and Barbuda• Argentina• Armenia• Aruba• Australia• Austria• Azerbaijan• Bahamas• Bahrain

Field**Details**

-
- Bangladesh
 - Barbados
 - Belarus
 - Belgium
 - Belize
 - Benin
 - Bermuda
 - Bhutan
 - Bolivia, Plurinational State of
 - Bonaire, Sint Eustatius and Saba
 - Bosnia and Herzegovina
 - Botswana
 - Bouvet Island
 - Brazil
 - British Indian Ocean Territory
 - Brunei Darussalam
 - Bulgaria
 - Burkina Faso
 - Burundi
 - Cambodia
 - Cameroon
 - Canada
 - Cape Verde
 - Cayman Islands
 - Central African Republic
 - Chad
 - Chile
 - China
 - Christmas Island
 - Cocos (Keeling) Islands
 - Colombia
 - Comoros
 - Congo
 - Congo, the Democratic Republic of the
 - Cook Islands
 - Costa Rica
 - Cote d'Ivoire
 - Croatia
-

Field**Details**

-
- Cuba
 - Curaçao
 - Cyprus
 - Czech Republic
 - Denmark
 - Djibouti
 - Dominica
 - Dominican Republic
 - Ecuador
 - Egypt
 - El Salvador
 - Equatorial Guinea
 - Eritrea
 - Estonia
 - Ethiopia
 - Falkland Islands (Malvinas)
 - Faroe Islands
 - Fiji
 - Finland
 - France
 - French Guiana
 - French Polynesia
 - French Southern Territories
 - Gabon
 - Gambia
 - Georgia
 - Germany
 - Ghana
 - Gibraltar
 - Greece
 - Greenland
 - Grenada
 - Guadeloupe
 - Guatemala
 - Guernsey
 - Guinea
 - Guinea-Bissau
 - Guyana
-

Field**Details**

-
- Haiti
 - Heard Island and McDonald Islands
 - Holy See (Vatican City State)
 - Honduras
 - Hungary
 - Iceland
 - India
 - Indonesia
 - Iran, Islamic Republic of
 - Iraq
 - Ireland
 - Isle of Man
 - Israel
 - Italy
 - Jamaica
 - Japan
 - Jersey
 - Jordan
 - Kazakhstan
 - Kenya
 - Kiribati
 - Korea, Democratic People's Republic of
 - Korea, Republic of
 - Kuwait
 - Kyrgyzstan
 - Lao People's Democratic Republic
 - Latvia
 - Lebanon
 - Lesotho
 - Liberia
 - Libyan Arab Jamahiriya
 - Liechtenstein
 - Lithuania
 - Luxembourg
 - Macao
 - Macedonia, the former Yugoslav Republic of
 - Madagascar
 - Malawi
-

Field**Details**

-
- Malaysia
 - Maldives
 - Mali
 - Malta
 - Martinique
 - Mauritania
 - Mauritius
 - Mayotte
 - Mexico
 - Moldova, Republic of
 - Monaco
 - Mongolia
 - Montenegro
 - Montserrat
 - Morocco
 - Mozambique
 - Myanmar
 - Namibia
 - Nauru
 - Nepal
 - Netherlands
 - New Caledonia
 - New Zealand
 - Nicaragua
 - Niger
 - Nigeria
 - Niue
 - Norfolk Island
 - Norway
 - Oman
 - Pakistan
 - Palestine
 - Panama
 - Papua New Guinea
 - Paraguay
 - Peru
 - Philippines
 - Pitcairn
-

Field**Details**

-
- Poland
 - Portugal
 - Qatar
 - Reunion
 - Romania
 - Russian Federation
 - Rwanda
 - Saint Barthélemy
 - Saint Helena, Ascension and Tristan da Cunha
 - Saint Kitts and Nevis
 - Saint Lucia
 - Saint Martin (French part)
 - Saint Pierre and Miquelon
 - Saint Vincent and the Grenadines
 - Samoa
 - San Marino
 - Sao Tome and Principe
 - Saudi Arabia
 - Senegal
 - Serbia
 - Seychelles
 - Sierra Leone
 - Singapore
 - Sint Maarten (Dutch part)
 - Slovakia
 - Slovenia
 - Solomon Islands
 - Somalia
 - South Africa
 - South Georgia and the South Sandwich Islands
 - South Sudan
 - Spain
 - Sri Lanka
 - Sudan
 - Suriname
 - Svalbard and Jan Mayen
 - Swaziland
 - Sweden
-

Field	Details
	<ul style="list-style-type: none"> • Switzerland • Syrian Arab Republic • Taiwan • Tajikistan • Tanzania, United Republic of • Thailand • Timor-Leste • Togo • Tokelau • Tonga • Trinidad and Tobago • Tunisia • Turkey • Turkmenistan • Turks and Caicos Islands • Tuvalu • Uganda • Ukraine • United Arab Emirates • United Kingdom • United States • Uruguay • Uzbekistan • Vanuatu • Venezuela, Bolivarian Republic of • Vietnam • Virgin Islands, British • Wallis and Futuna • Western Sahara • Yemen • Zambia • Zimbabwe
SourceSystemId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the financial account in an external data source.</p>

Field	Details
VerifiedBy__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Name of the person who verified the document.</p>
VerifiedOn__c	<p>Type dateTime</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Date the identification document was verified.</p>

IdentityVerification

Represents information about methods used to verify a client's identity.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
Account__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Account object related to the identity verification.</p>
IsVerified__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether the client's identity has been verified.</p>

Field	Details
VerificationMethod__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description Method used to verify the client's identity. Valid values:</p> <ul style="list-style-type: none"> • External • Last 4 digits of ID • License • Manual • Mother's Maiden Name
VerifiedBy__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Individual who verified the client's identity.</p>
VerifiedOn__c	<p>Type dateTime</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Date the client's identity was verified.</p>

Lead Custom Fields

Represents a lead associated with an individual. Custom fields extend the Lead object for use in Financial Services Cloud.

Fields

Field Name	Details
CreatedByMe__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p>

Field Name	Details
	<p>Description Indicates whether the user contact was converted from this lead.</p>
CreatedFromLead__c	<p>Type boolean</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether a contact converted from this lead sets the value of <code>Contact.CreatedFromLead__c</code> as (<code>true</code>) or not (<code>false</code>).</p>
Employer__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description The lead's employer information that converts to the individual's contact record upon lead conversion.</p>
ExpressedInterest__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Lead's expressed area of interest. Label is <code>Category</code>. Valid values:</p> <ul style="list-style-type: none"> • Mortgage • Personal Loan • Credit Card • Savings Account • Checking Account • HELOC • Day to Day Banking • Manage Money • Property Purchase • Investments • Education • Manage Debt
Household__c	<p>Type reference</p>

Field Name	Details
	<p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description ID of the household record associated with the lead record.</p>
PotentialValue__c	<p>Type currency</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Potential value from converting the lead.</p>
ReferredByContact__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description External contact who made the referral.</p>
ReferredByUser__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Internal Salesforce user who made the referral.</p>
ReferrerScore__c	<p>Type double</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description A value of 0 to 100. A high score reflects a high rate of referral conversion.</p>
RelatedAccount__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Individual or household account related to a lead.</p>

LifeEvent

Represents a client's life event, such as a birth or marriage.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `search()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
Client__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Individual the life event is related to.</p>
CurrencyIsoCode	<p>Type picklist</p> <p>Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description If multiple currencies is enabled, contains the currency ISO code associated with the record.</p>
DiscussionNote__c	<p>Type textarea</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Notes from past discussions.</p>
EventDate__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Date of the life event.</p>
EventType__c	<p>Type picklist</p>

Field	Details
	<p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Type of life event. Valid values:</p> <ul style="list-style-type: none"> • College • New Baby • New Business • New Home • New Job • Retirement
FinancialGoal__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Financial goal that the life event is related to.</p>
GoalType__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Type of financial goal implied by the life event. Valid values:</p> <ul style="list-style-type: none"> • Saving for College • Saving for Retirement
SourceSystemId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the goal in an external data source.</p>

Opportunity Custom Fields

Represents an opportunity associated with an individual. Custom fields extend the Opportunity object for use in Financial Services Cloud.

Fields

Field Name	Details
FinancialAccount__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Indicates whether the billing address is this individual's primary address (<code>true</code>) or not (<code>false</code>).</p>
ReferredByContact__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description External contact referring this opportunity.</p>
ReferredByUser__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Internal user referring this opportunity.</p>

ReciprocalRole

Represents the other entity's corresponding role in a one-to-one relationship between entities.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `search()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
CreateInverseRole__c	<p>Type boolean</p>

Field	Details
	<p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description Indicates whether the corresponding reciprocal role record is created automatically for the inverse role (<code>true</code>) or not (<code>false</code>).</p>
CurrencyIsoCode	<p>Type picklist</p> <p>Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description If multiple currencies is enabled, contains the currency ISO code associated with the record.</p>
InverseRelationship__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Uniquely identifies the relationship between <code>Role</code> and <code>InverseRole__c</code> so that it can be referenced by a trigger that creates the inverse relationship record.</p>
InverseRole__c	<p>Type string</p> <p>Properties Create, Filter, Group, Sort, Update</p> <p>Description The role that the other entity occupies in the relationship, such as a grandparent to a grandchild, or an owned business to a proprietor.</p>
LastReferencedDate	<p>Type dateTime</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Timestamp for when the current user last viewed a record related to this record.</p>
LastViewedDate	<p>Type dateTime</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Timestamp for when the current user last viewed this record.</p>

Field	Details
Name	<p>Type string</p> <p>Properties Create, Defaulted on create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description Name of this reciprocal role.</p>
OwnerId	<p>Type reference</p> <p>Properties Create, Defaulted on createFilter, Group, Sort, Update</p> <p>Description ID of the user who created the reciprocal role record.</p>
RecordTypeId	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description ID of the record type associated with this reciprocal role.</p>
RelationshipType__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Type of entities involved in the relationship. Valid values:</p> <ul style="list-style-type: none"> • All • Contact Contact Relation • Account Account Relation
SourceSystemId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the reciprocal role in an external data source.</p>

Securities

Represents a security, such as a stock or bond.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `search()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
CurrencyIsoCode	<p>Type picklist</p> <p>Properties Create, Defaulted on create, Filter, Group, Nillable, Restricted picklist, Sort, Update</p> <p>Description If multiple currencies is enabled, contains the currency ISO code associated with the record.</p>
CUSIP__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Committee on Uniform Securities Identification Procedures identification number for the securities.</p>
Exchange__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Exchange on which the securities are traded. Valid values:</p> <ul style="list-style-type: none"> • NYSE • NASDAQ
LastReferencedDate	<p>Type dateTime</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Timestamp for when the current user last viewed a record related to this record.</p>

Field	Details
LastUpdated__c	<p>Type date</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Timestamp for when data for the securities was last updated by an external data source.</p>
LastViewedDate	<p>Type dateTime</p> <p>Properties Filter, Nillable, Sort</p> <p>Description Timestamp for when the current user last viewed this record.</p>
Name	<p>Type string</p> <p>Properties Create, Defaulted on create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description Name of the securities. Label is <code>Symbol</code>.</p>
OwnerId	<p>Type reference</p> <p>Properties Create, Defaulted on create, Filter, Group, Sort, Update</p> <p>Description ID of the user who created the securities record.</p>
Price__c	<p>Type currency</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description Current price of the securities.</p>
SecuritiesName__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Sort, Update</p> <p>Description Name that uniquely identifies the securities.</p>

Field	Details
SecurityId__c	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description ID of the securities.</p>
SourceSystemId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description ID that uniquely identifies the securities in an external data source.</p>

Task Custom Fields

Represents a task associated with a client. Custom fields extend the standard Task object for use in Financial Services Cloud.

Fields

Field Name	Details
Expectations__c	<p>Type textarea</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Expectations that this task relates to.</p>
Household__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description ID of the household associated with the individual.</p>
NextSteps__c	<p>Type textarea</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p>

Field Name	Details
	<p>Description Next steps for this task.</p>
Objectives__c	<p>Type textarea</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Objectives that this task relates to.</p>
Regarding__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description The nature of this task. Valid values:</p> <ul style="list-style-type: none"> • Prospecting • Onboarding • Client Retention • Service

Revenue

Represents data from Financial Services Cloud and external systems to aggregate revenue streams for an advisor's book of business.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `search()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
Account__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p>

Field	Details
	<p>Description Account that Revenue__c is related from. This field or FinancialAccount__c requires an entry but not both.</p>
Amount__c	<p>Type currency</p> <p>Properties Create, Filter Sort, Update</p> <p>Description Revenue amount.</p>
Date__c	<p>Type date</p> <p>Properties Create, Filter, Group, Sort, Update</p> <p>Description Date when this revenue was made.</p>
FinancialAccount__c	<p>Type reference</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description Financial Account that Revenue__c is related from. This field or Account__c requires an entry but not both.</p>
SourceSystemId__c	<p>Type string</p> <p>Properties Create, Filter, Group, idLookup, Nillable, Sort, Update</p> <p>Description A value that uniquely identifies the revenue in an external data source.</p>
SubType__c	<p>Type picklist</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description The subtype of revenues. Valid values: Transaction, Advisory, Investment, Custodian, Planning.</p>
Type__c	<p>Type picklist</p>

Field	Details
	<p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description The type of revenues. Valid values: Fees, Commission.</p>

User Custom Fields

Represents a user in your organization.

Supported Calls

`create()`, `describeLayout()`, `describeSObjects()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `search()`, `update()`, `upsert()`

Fields

Field	Details
<code>ReferrerScore__c</code>	<p>Type double</p> <p>Properties Create, Filter, Nillable, Sort, Update</p> <p>Description A value of 0 to 100. A high score reflects a high rate of referral conversion.</p>

WealthAppConfig

Represents configuration information for Financial Services Cloud functionality.

Supported Calls

`create()`, `delete()`, `describeLayout()`, `getDeleted()`, `getUpdated()`, `query()`, `retrieve()`, `undelete()`, `update()`, `upsert()`

Fields

Field	Details
InteractionUpdateFrequency	<p>Type double</p> <p>Properties Create, Defaulted on create, Filter, Nillable, Sort, Update</p> <p>Description Frequency (in minutes) with which the Last Interaction and Next Interaction dates are automatically updated. Default is 15 min.</p>
RejectedReferralStatus	<p>Type string</p> <p>Properties Create, Filter, Group, Nillable, Sort, Update</p> <p>Description The lead status used to identify rejected referrals.</p>

FINANCIAL SERVICES CLOUD CUSTOM METADATA TYPES

Financial Services Cloud Custom Metadata Types

Use custom metadata types and fields that help deliver additional features for Financial Services Cloud.

Fields and custom metadata types in the package have the `FinServ` namespace prefix. For example,

`FinServ__AccountRecordType__c` is a custom field on Individual Record Type Mapper.

`FinServ__IndividualRecordTypeMapper__mdt` is a custom metadata type.


Not all fields are listed for some custom metadata types. To verify the complete list of fields for a custom metadata type, use a describe call from the API, inspect the WSDL, or use a schema viewer.

SEE ALSO:

[Custom Metadata Types](#)

IndividualRecordTypeMapper


Maps a new custom Individual record type to the standard Individual record type from Financial Services Cloud.

 **Note:** New custom fields can't be added to managed custom metadata types.

Supported Calls

`describeLayout()`, `describeSObjects()`, `query()`, `retrieve()`, `search()`

Field	Details
<code>AccountRecordTypeNamespace__c</code>	<p>Type string</p> <p>Properties Filter, Group, Nillable, Sort</p> <p>Description Namespace for Account record type being mapped.</p>
<code>AccountRecordType__c</code>	<p>Type string</p> <p>Properties Filter, Group, Nillable, Sort</p> <p>Description The name of your new custom Individual record type being mapped to the Financial Services Cloud Individual record type.</p>

Field	Details
	 Note: This field is for Salesforce internal-use only. By default, this field doesn't appear on any page layout.
ContactRecordTypeNamespace__c	<p>Type string</p> <p>Properties Filter, Group, Nillable, Sort</p> <p>Description Namespace for Contact record type being mapped.</p>
ContactRecordType__c	<p>Type string</p> <p>Properties Filter, Group, Nillable, Sort</p> <p>Description Contact record type being mapped to the Financial Services Cloud Individual record type.</p>
DetailPage__c	<p>Type string</p> <p>Properties Filter, Group, Nillable, Sort</p> <p>Description Salesforce internal-use only.</p>
IndividualType__c	<p>Type string</p> <p>Properties Filter, Group, Nillable, Sort</p> <p>Description Type of Individual being mapped.</p>
LeadRecordTypeNamespace__c	<p>Type string</p> <p>Properties Filter, Group, Nillable, Sort</p> <p>Description Lead namespace for your custom record type's org.</p>
LeadRecordType__c	<p>Type string</p> <p>Properties Filter, Group, Nillable, Sort</p>

Field	Details
	<p>Description</p> <p>Lead Record Type to be used when converting Lead records. Leave this field blank to use any record type. All available record types are converted to an Individual record type unless there is another mapping specified.</p>


GroupRecordTypeMapper

Maps a new custom Group record type to the standard Group record type from Financial Services Cloud.

 **Note:** New custom fields can't be added to managed custom metadata types.

Supported Calls

`describeLayout()`, `describeSObjects()`, `query()`, `retrieve()`, `search()`

Field	Details
<code>AccountRecordType__c</code>	<p>Type</p> <p>string</p> <p>Properties</p> <p>Filter, Group, Nillable, Sort</p> <p>Description</p> <p>The name of your new custom Group record type being mapped to the Financial Services Cloud Group record type.</p> <p> Note: This field is for Salesforce internal-use only. By default, this field doesn't appear on any page layout.</p>
<code>AccountRecordTypeNamespace__c</code>	<p>Type</p> <p>string</p> <p>Properties</p> <p>Filter, Group, Nillable, Sort</p> <p>Description</p> <p>Namespace for Account record type being mapped.</p>

FINANCIAL SERVICES CLOUD CUSTOM TRIGGERS

Financial Services Cloud Custom Triggers

Custom triggers ensure that data flows properly through the custom-designed objects and fields for Financial Services Cloud.

Custom triggers that are provided for you, and use the `FinServ` namespace prefix. For example, `FinServ__AccountTrigger` is a custom trigger on `Account` that performs tasks on `Account`, `Contact`, and the relationship object `AccountAccountRelation`.

Table 1: Financial Services Cloud Quick Reference for Triggers

Host Object	Trigger Name
AccountAccountRelation	FinServ__AccountAccountRelationTrigger.trigger
AccountContactRelation	FinServ__AccountContactRelationTrigger.trigger
Account	FinServ__AccountTrigger.trigger
Alert	FinServ__AlertTrigger.trigger
AssetsAndLiabilities	FinServ__AssetsAndLiabilitiesTrigger.trigger
ContactcontactRelation	FinServ__ContactContactRelationTrigger.trigger
Contact	FinServ__ContactTrigger.trigger
Event	FinServ__EventTrigger.trigger
FinancialAccountRole	FinServ__FinancialAccountRoleTrigger.trigger
FinancialAccount	FinServ__FinancialAccountTrigger.trigger
FinancialGoal	FinServ__FinancialGoalTrigger.trigger
FinancialHolding	FinServ__FinancialHoldingTrigger.trigger
Lead	FinServ__LeadTrigger.trigger
RBLFilterCriteria	FinServ__RBLFilterCriteriaTrigger.trigger
ReciprocalRole	FinServ__ReciprocalRoleTrigger.trigger
Revenue	FinServ__RevenueTrigger.trigger
RollupByLookupConfig	FinServ__RollupByLookupConfigTrigger.trigger
Securities	FinServ__SecuritiesTrigger.trigger
Task	FinServ__TaskTrigger.trigger

Trigger Behavior

The package provides triggers on SObjects, Relation SObjects, and Rollup SObjects. Each object type's trigger checks for various conditions and then performs tasks based on what it finds. Each object has only one trigger, the following list explains trigger behavior by object.

SObjects

Account

Before insert: Checks the record type to see if the account is a portion of an individual. If it isn't, the `IndividualType` field is set to blank.

After insert: Creates an individual contact linked to the account if the user creates an account of record type Individual. Also assigns topics based on the value in the field after a new account has been created.

Steps to create an individual contact and assign topics:

- For each account created, create a contact.
- For each contact, associate the `AccountId`.
- For each account, associate the `ContactId`. This is done in a **future** method.
- Set `IndividualId__c` to the `AccountId`, and set to the current date.

Before update: Validates that the update on the account:

- Doesn't change the account's record type from individual to another record type, and doesn't change from one individual record type to another.
- Doesn't change the account's record type from another record type to an individual record type.

After update: Updates the `Account Name` when the `Contact Name` for that client is updated. Also assigns topics based on the values in the field after a new account has been created.

Before delete: Helps perform cascade deletes. Gathers all rollup objects related to the account to be deleted.

After delete: Rolls back the rollup objects related to the deleted account.

Contact

Before insert: Creates an individual (Account - Representing Party) when the individual contact is promoted as an individual.

- For each account that is passed, create a contact entity.
- For each contact, associate the `AccountId`.
- For each account, associate the `ContactId`. This is done in a **future** method.
- Set `IndividualId__c` to the `AccountId`, and set the current datetime.

After insert: Validates that the referenced individual account does not already have a contact associated with it. This check is bypassed during a lead conversion.

Before update: Validates that the update on the account record:

- Doesn't change the record type of the account from individual to another record type.
- Doesn't change the record type of the account from any other record type to an individual.
- Validates that the referenced individual account does not already have a contact associated with it.

After update: Syncs the account associated with the updated contact to reflect the updated fields. The following fields are synced:

- `AccountName`
- `OwnerId`
- `IndividualType__c`

- RecordTypeId

 **Note:** Revenue and Securities SObjects don't have triggers.

Relation SObjects

AccountContactRelation (ACR)

Before insert: Populates the `RecordTypeId` and the `Date` for each ACR record to be inserted. Ensures that each ACR obeys the following requirements:

- No multiple primary members for a given household
- Contact portion can't be a member of multiple households
- No multiple ACR records with the same `AccountId` and `ContactId` combination

After insert: Recalculates the rollups for all groups in which member or business ACRs are changed.

Before update: Performs the same actions as before the insert.

After update: Performs the same actions as after the insert.

Before delete: Ensures that none of the ACRs to be deleted are of the record type Group. Also recalculates rollups for all groups when any member or business ACRs are changed.

AccountAccountRelation (AAR)

After insert: Creates the inverse record if the auto-create inverse setting is selected.

Before update: Checks to see if records are being deactivated. If so, sets `EndDate__c` as the day of the update, and deactivates the inverse record if the auto-create inverse setting is selected.

Before delete: Deletes the inverse record of the AAR if the auto-create inverse setting is selected.


ContactContactRelation (CCR)

After insert: Creates the inverse record if the auto-create inverse setting is selected.

Before update: Checks to see if records are being deactivated. If so, sets the `EndDate__c` as today, and deactivates the inverse record if the auto-create inverse setting is selected.

Before delete: Deletes the inverse record of the CCR if the auto-create inverse setting is selected.

Rollup SObjects

 **Note:** Rollup SObject triggers generally revolve around updating the `Household__c` field, which points to the account portion of the group that they roll up to. In most cases, the rollup calculation is also calculated.

Financial Account

Before insert: Sets the value of the owner type when an existing FinancialAccount record is updated, then sets the `Household__c` field to the account portion of the group that it's rolling up to.

After insert: At a minimum, creates the primary owner role for a new financial account, along with joint owner roles and user-selected roles if any. Also, performs a rollup calculation.

Before update: Sets the value of the owner type when a financial account is updated, then sets the `Household__c` field to the account portion of the group that it's rolling up to.

After update:

- Creates a primary owner role for a new financial account.
- Creates joint owner roles and user-selected roles if any.

- Performs rollup calculation.

After delete: Performs rollup calculation.

Assets and Liabilities

Before insert: Sets the value of the owner type when a financial account is updated, then sets the `Household__c` field to the account portion of the group that it's rolling up to.

Before update: Sets the value of the owner type when a financial account is updated, then sets the `Household__c` field to the account portion of the group that the financial account is rolling up to.

Financial Goals

Before insert: Sets the `Household__c` field of the FinancialGoal record to the account portion of the group that the financial goal is rolling up to.

After insert: No validation or action.

Before update: Sets the `Household__c` field of the financial goal to the account portion of the group that the financial goal is rolling up to.

Financial Account Role (FAR)


Before insert: Checks the `RelatedContact__c` field of the FAR record to see if it's associated with an individual account. Updates the `RelatedAccount__c` field to that of the individual account if it is.

Before update:

- Checks the `RelatedContact__c` field of the FAR record to see if it's associated with an individual account. Updates the `RelatedAccount__c` field if it is.
- Sets the end day to the day of the update on the FARs that were deactivated.

Financial Holdings

Before insert: Retrieves financial account fields based on the FinancialHolding record and then populates the `Household__c` and `PrimaryOwner` fields on the financial holding to be inserted.

 **Note:** Financial holdings are not part of the rollup objects, so no rollup is performed.