

Salesforce Field Reference Guide

Salesforce, Winter '22



CONTENTS

Fields Reference Introduction	1
AIApplication	3
AIApplicationConfig	4
AIInsightAction	5
AIInsightFeedback	6
AIInsightReason	7
AIInsightValue	8
AIPredictionEvent	9
AIRecordInsight	10
AIUpdateRecordEvent	11
AcceptedEventRelation	12
Account	13
AccountBrand	15
AccountBrandShare	17
AccountCleanInfo	18
AccountContactRelation	23
AccountContactRole	24
AccountFeed	25
AccountForecast	26
AccountForecastAdjustment	27
AccountForecastFeed	28
AccountForecastHistory	29
AccountForecastPeriodMetric	30
AccountForecastShare	31
AccountHistory	32

Contents

AccountPartner	33
AccountProductForecast	34
AccountProductPeriodForecast	36
AccountShare	38
Accreditation	39
AccreditationFeed	41
AccreditationHistory	42
AccreditationShare	43
AcctMgrPeriodicTargetDstr	44
AcctMgrPeriodicTargetDstrHistory	46
AcctMgrTarget	47
AcctMgrTargetDstr	48
AcctMgrTargetDstrHistory	49
AcctMgrTargetFeed	50
AcctMgrTargetHistory	51
AcctMgrTargetMeasure	52
AcctMgrTargetShare	53
ActionLinkGroupTemplate	54
ActionLinkTemplate	55
ActionPlan	56
ActionPlanItem	57
ActionPlanItemDependency	58
ActionPlanShare	59
ActionPlanTemplateItem	60
ActionPlanTemplateItemValue	61
ActionPlanTemplateShare	62
ActionPlanTemplateVersion	63
ActionPlanTmplPkgConfig	64

Contents

ActionPlnTmplItmDependency	65
ActivationTarget	66
ActivationTargetFeed	67
ActivationTargetHistory	68
ActivationTargetShare	69
ActivationTrgtIntOrgAccess	70
ActivationTrgtIntOrgAccessFeed	71
ActivationTrgtIntOrgAccessHistory	72
ActivationTrgtIntOrgAccessShare	73
ActiveFeatureLicenseMetric	74
ActivePermSetLicenseMetric	75
ActiveProfileMetric	76
ActivityHistory	77
ActivityTiming	79
ActivityTimingFeed	81
ActivityTimingHistory	82
ActivityTimingShare	83
AdditionalNumber	84
Address	85
AdvAccountForecastFact	86
AdvAccountForecastFactFeed	88
AdvAccountForecastFactHistory	89
AdvAccountForecastFactShare	90
AdvAccountForecastFormula	91
AdvAccountForecastPeriod	92
AdvAccountForecastSet	93
AdvAcctForecastAdjPeriod	95
AdvAcctForecastDimSource	96

Contents

AdvAcctForecastDimension	97
AdvAcctForecastFactAdj	98
AdvAcctForecastFactAdjShare	99
AdvAcctForecastMeasureDef	100
AdvAcctForecastPeriodGroup	101
AdvAcctForecastSetPartner	102
AdvAcctForecastSetPartnerFeed	103
AdvAcctForecastSetPartnerHistory	104
AdvAcctForecastSetPartnerShare	105
AggregateResult	106
AlternativePaymentMethod	107
AlternativePaymentMethodShare	109
AnalysisSetupStatusEvent	110
AnalyticsLicensedAsset	111
Announcement	112
ApexClass	113
ApexComponent	114
ApexEmailNotification	115
ApexLog	116
ApexPage	117
ApexPageInfo	118
ApexTestQueueItem	119
ApexTestResult	120
ApexTestResultLimits	121
ApexTestRunResult	123
ApexTestSuite	125
ApexTrigger	126
ApiAnomalyEvent	127

Contents

ApiAnomalyEventStore	128
ApiAnomalyEventStoreFeed	130
ApiEvent	131
ApiEventStream	133
AppAnalyticsQueryRequest	135
AppDefinition	137
AppExtension	138
AppMenuItem	139
AppTabMember	141
AppUsageAssignment	142
AppointmentAssignmentPolicy	143
AppointmentScheduleAggr	144
AppointmentScheduleLog	145
AppointmentSchedulingPolicy	146
AppointmentTopicTimeSlot	148
AppointmentTopicTimeSlotFeed	149
AppointmentTopicTimeSlotHistory	150
AssessmentIndDefinedValue	151
AssessmentIndDefinedValueHistory	152
AssessmentIndValue	153
AssessmentIndValueHistory	154
AssessmentIndValueShare	155
AssessmentIndicatorDefinition	156
AssessmentIndicatorDefinitionFeed	157
AssessmentIndicatorDefinitionHistory	158
AssessmentIndicatorDefinitionShare	159
AssessmentTask	160
AssessmentTaskContentDocument	161

Contents

AssessmentTaskContentDocumentFeed	162
AssessmentTaskContentDocumentHistory	163
AssessmentTaskDefinition	164
AssessmentTaskDefinitionFeed	165
AssessmentTaskDefinitionHistory	166
AssessmentTaskDefinitionShare	167
AssessmentTaskFeed	168
AssessmentTaskHistory	169
AssessmentTaskIndDefinition	170
AssessmentTaskIndDefinitionFeed	171
AssessmentTaskIndDefinitionHistory	172
AssessmentTaskOrder	173
AssessmentTaskOrderFeed	174
AssessmentTaskOrderHistory	175
AssessmentTaskShare	176
Asset	177
AssetAction	179
AssetActionSource	181
AssetDowntimePeriod	182
AssetDowntimePeriodFeed	183
AssetDowntimePeriodHistory	184
AssetFeed	185
AssetHistory	186
AssetRelationship	187
AssetRelationshipFeed	188
AssetRelationshipHistory	189
AssetShare	190
AssetStatePeriod	191

Contents

AssetTokenEvent	192
AssetWarranty	193
AssetWarrantyFeed	195
AssetWarrantyHistory	196
AssignedResource	197
AssignedResourceFeed	198
AssignmentRule	199
AssociatedLocation	200
AssociatedLocationHistory	201
Assortment	202
AssortmentFeed	203
AssortmentHistory	204
AssortmentProduct	205
AssortmentProductFeed	206
AssortmentProductHistory	207
AssortmentShare	208
AsyncApexJob	209
AsyncOperationEvent	210
AsyncOperationStatus	211
AttachedContentDocument	212
AttachedContentNote	213
Attachment	214
Audience	215
AuraDefinition	216
AuraDefinitionBundle	217
AuraDefinitionBundleInfo	218
AuraDefinitionInfo	219
AuthApplicationAsset	220

Contents

AuthApplicationAssetFeed	221
AuthApplicationAssetHistory	222
AuthApplicationAssetShare	223
AuthApplicationPlace	224
AuthApplicationPlaceFeed	225
AuthApplicationPlaceHistory	226
AuthApplicationPlaceShare	227
AuthConfig	228
AuthConfigProviders	229
AuthFormRequestRecord	230
AuthFormRequestRecordFeed	231
AuthFormRequestRecordHistory	232
AuthLocationAccessSchedule	233
AuthLocationAccessScheduleFeed	234
AuthLocationAccessScheduleHistory	235
AuthLocationAccessScheduleShare	236
AuthProvider	237
AuthSession	239
AuthorNote	240
AuthorNoteFeed	241
AuthorNoteHistory	242
AuthorNoteShare	243
AuthorizationForm	244
AuthorizationFormConsent	245
AuthorizationFormConsentHistory	246
AuthorizationFormConsentShare	247
AuthorizationFormDataUse	248
AuthorizationFormDataUseHistory	249

Contents

AuthorizationFormDataUseShare	250
AuthorizationFormHistory	251
AuthorizationFormShare	252
AuthorizationFormText	253
AuthorizationFormTextFeed	254
AuthorizationFormTextHistory	255
Award	256
AwardFeed	257
AwardHistory	258
AwardShare	259
BackgroundOperation	260
BackgroundOperationResult	262
BatchApexErrorEvent	263
BatchCalcJobDefinition	264
BatchCalcJobDefinitionView	265
BatchDataSource	266
BatchDataSrcFilterCriteria	267
BatchJob	268
BatchJobDefinition	269
BatchJobFeed	270
BatchJobHistory	271
BatchJobPart	272
BatchJobPartFailedRecord	273
BatchJobPartFailedRecordFeed	274
BatchJobPartFailedRecordHistory	275
BatchJobPartFeed	276
BatchJobPartHistory	277
BatchJobShare	278

Contents

BatchJobStatusChangedEvent	279
BatchProcessJobDefView	280
BatchProcessJobDefinition	281
Benefit	282
BenefitAction	283
BenefitActionParameter	284
BenefitActionParameterValue	285
BenefitParameterValue	286
BenefitType	287
BenefitTypeShare	288
BoardCertification	289
BoardCertificationFeed	291
BoardCertificationHistory	292
BoardCertificationShare	293
BrandTemplate	294
BrandingSet	295
BrandingSetProperty	296
BriefcaseAssignment	297
BriefcaseDefinition	298
BriefcaseRule	299
BriefcaseRuleFilter	300
BulkApiResultEvent	301
BulkApiResultEventStore	302
BusProcessFeedbackConfig	303
BusRegAuthTypeDependency	304
BusRegAuthTypeDependencyFeed	305
BusRegAuthTypeDependencyHistory	306
BusRegAuthTypeDependencyShare	307

Contents

BusRegAuthorizationType	308
BusRegAuthorizationTypeFeed	309
BusRegAuthorizationTypeHistory	310
BusinessBrand	311
BusinessBrandShare	312
BusinessHours	313
BusinessLicense	315
BusinessLicenseApplication	317
BusinessLicenseApplicationFeed	319
BusinessLicenseApplicationHistory	320
BusinessLicenseApplicationShare	321
BusinessLicenseFeed	322
BusinessLicenseHistory	323
BusinessLicenseShare	324
BusinessMilestone	325
BusinessMilestoneFeed	326
BusinessMilestoneHistory	327
BusinessMilestoneShare	328
BusinessProcess	329
BusinessProcessDefinition	330
BusinessProcessFeedback	331
BusinessProcessGroup	332
BusinessProfile	333
BusinessProfileFeed	334
BusinessProfileHistory	335
BusinessType	336
BusinessTypeFeed	337
BusinessTypeHistory	338

Contents

BusinessTypeShare	339
CalcInsightStatusEvent	340
Calendar	341
CalendarView	342
CalendarViewShare	343
CallCenter	344
CallCoachConfigModifyEvent	345
CallCoachingMediaProvider	346
CallRecordingGeoRestriction	347
Campaign	348
CampaignFeed	350
CampaignHistory	351
CampaignInfluenceModel	352
CampaignMember	353
CampaignMemberStatus	355
CampaignShare	356
CardPaymentMethod	357
CareBarrier	360
CareBarrierDeterminant	361
CareBarrierDeterminantFeed	362
CareBarrierDeterminantHistory	363
CareBarrierDeterminantShare	364
CareBarrierFeed	365
CareBarrierHistory	366
CareBarrierShare	367
CareBarrierType	368
CareBarrierTypeFeed	369
CareBarrierTypeHistory	370

Contents

CareBarrierTypeShare	371
CareBenefitVerifyRequest	372
CareBenefitVerifyRequestFeed	373
CareBenefitVerifyRequestHistory	374
CareBenefitVerifySettings	375
CareDeterminant	376
CareDeterminantFeed	377
CareDeterminantHistory	378
CareDeterminantShare	379
CareDeterminantType	380
CareDeterminantTypeFeed	381
CareDeterminantTypeHistory	382
CareDeterminantTypeShare	383
CareDiagnosis	384
CareDiagnosisFeed	386
CareDiagnosisHistory	387
CareInterventionType	388
CareInterventionTypeFeed	389
CareInterventionTypeHistory	390
CareInterventionTypeShare	391
CareLimitType	392
CareMetricTarget	393
CareMetricTargetFeed	394
CareMetricTargetHistory	395
CareMetricTargetShare	396
CareObservation	397
CareObservationComponent	398
CareObservationComponentFeed	400

Contents

CareObservationComponentHistory	401
CareObservationFeed	402
CareObservationHistory	403
CarePgmProvHealthcareProvider	404
CarePgmProvHealthcareProviderFeed	405
CarePgmProvHealthcareProviderHistory	406
CarePreauth	407
CarePreauthFeed	408
CarePreauthHistory	409
CarePreauthItem	410
CarePreauthItemFeed	411
CarePreauthItemHistory	412
CarePreauthItemShare	413
CarePreauthShare	414
CareProgram	415
CareProgramCampaign	416
CareProgramCampaignFeed	417
CareProgramCampaignHistory	418
CareProgramEligibilityRule	419
CareProgramEligibilityRuleFeed	420
CareProgramEligibilityRuleHistory	421
CareProgramEligibilityRuleShare	422
CareProgramEnrollee	423
CareProgramEnrolleeFeed	424
CareProgramEnrolleeHistory	425
CareProgramEnrolleeProduct	426
CareProgramEnrolleeProductFeed	427
CareProgramEnrolleeProductHistory	428

Contents

CareProgramEnrolleeProductShare	429
CareProgramEnrollmentCard	430
CareProgramEnrollmentCardFeed	431
CareProgramEnrollmentCardHistory	432
CareProgramEnrollmentCardShare	433
CareProgramFeed	434
CareProgramGoal	435
CareProgramGoalFeed	436
CareProgramGoalHistory	437
CareProgramGoalShare	438
CareProgramHistory	439
CareProgramProduct	440
CareProgramProductFeed	441
CareProgramProductHistory	442
CareProgramProductShare	443
CareProgramProvider	444
CareProgramProviderFeed	445
CareProgramProviderHistory	446
CareProgramProviderShare	447
CareProgramShare	448
CareProgramTeam/Member	449
CareProgramTeam/MemberFeed	450
CareProgramTeam/MemberHistory	451
CareProviderAdverseAction	452
CareProviderAdverseActionFeed	454
CareProviderAdverseActionHistory	455
CareProviderAdverseActionShare	456
CareProviderFacilitySpecialty	457

Contents

CareProviderFacilitySpecialtyFeed	458
CareProviderFacilitySpecialtyHistory	459
CareProviderFacilitySpecialtyShare	460
CareProviderSearchConfig	461
CareProviderSearchableField	462
CareProviderSearchableFieldFeed	464
CareProviderSearchableFieldHistory	465
CareProviderSearchableFieldShare	466
CareRegisteredDevice	467
CareRegisteredDeviceFeed	468
CareRegisteredDeviceHistory	469
CareRequest	470
CareRequestConfiguration	475
CareRequestDrug	476
CareRequestDrugFeed	479
CareRequestDrugHistory	480
CareRequestExtension	481
CareRequestExtensionFeed	483
CareRequestExtensionHistory	484
CareRequestFeed	485
CareRequestHistory	486
CareRequestItem	487
CareRequestItemFeed	489
CareRequestItemHistory	490
CareRequestReviewer	491
CareRequestReviewerFeed	492
CareRequestReviewerHistory	493
CareSpecialty	494

Contents

CareSpecialtyFeed	495
CareSpecialtyHistory	496
CareSpecialtyShare	497
CareSpecialtyTaxonomy	498
CareSpecialtyTaxonomyFeed	499
CareSpecialtyTaxonomyHistory	500
CareTaxonomy	501
CareTaxonomyFeed	502
CareTaxonomyHistory	503
CareTaxonomyShare	504
Case	505
CaseComment	507
CaseContactRole	508
CaseFeed	509
CaseHistory	510
CaseMilestone	511
CaseShare	513
CaseSolution	514
CaseStatus	515
CaseSubjectParticle	516
CaseTeamMember	517
CaseTeamRole	518
CaseTeamTemplate	519
CaseTeamTemplateMember	520
CaseTeamTemplateRecord	521
CategoryData	522
CategoryNode	523
Category__Share	524

Contents

Category__c	525
ChannelProgram	526
ChannelProgramFeed	527
ChannelProgramHistory	528
ChannelProgramLevel	529
ChannelProgramLevelFeed	530
ChannelProgramLevelHistory	531
ChannelProgramLevelShare	532
ChannelProgramMember	533
ChannelProgramMemberFeed	534
ChannelProgramMemberHistory	535
ChannelProgramMemberShare	536
ChannelProgramShare	537
ChatterActivity	538
ChatterExtension	539
ChatterExtensionConfig	540
ClientBrowser	541
CodeSet	542
CodeSetBundle	543
CodeSetBundleHistory	545
CodeSetBundleShare	546
CodeSetFeed	547
CodeSetHistory	548
CodeSetShare	549
CollaborationGroup	550
CollaborationGroupFeed	552
CollaborationGroupMember	553
CollaborationGroupMemberRequest	554

Contents

CollaborationGroupRecord	555
CollaborationInvitation	556
ColorDefinition	557
CombinedAttachment	558
CommSubscription	559
CommSubscriptionChannelType	560
CommSubscriptionChannelTypeFeed	561
CommSubscriptionChannelTypeHistory	562
CommSubscriptionChannelTypeShare	563
CommSubscriptionConsent	564
CommSubscriptionConsentFeed	565
CommSubscriptionConsentHistory	566
CommSubscriptionConsentShare	567
CommSubscriptionFeed	568
CommSubscriptionHistory	569
CommSubscriptionShare	570
CommSubscriptionTiming	571
CommSubscriptionTimingFeed	572
CommSubscriptionTimingHistory	573
Community	574
ComplaintCase	575
ComplaintCaseFeed	576
ComplaintCaseHistory	577
ComplaintCaseShare	578
ConcurLongRunApexErrEvent	579
ConditionalFormattingProperty	580
ConditionalFormattingPropertyBin	581
ConditionalFormattingPropertyPredicate	582

Contents

ConferenceNumber	583
ConnectedApplication	584
ConsumptionRate	585
ConsumptionRateHistory	586
ConsumptionSchedule	587
ConsumptionScheduleFeed	588
ConsumptionScheduleHistory	589
ConsumptionScheduleShare	590
Contact	591
ContactCleanInfo	594
ContactEncounter	597
ContactEncounterFeed	598
ContactEncounterHistory	599
ContactEncounterParticipant	600
ContactEncounterParticipantFeed	601
ContactEncounterParticipantHistory	602
ContactEncounterShare	603
ContactFeed	604
ContactHistory	605
ContactPointAddress	606
ContactPointAddressHistory	608
ContactPointAddressShare	609
ContactPointConsent	610
ContactPointConsentHistory	611
ContactPointConsentShare	612
ContactPointEmail	613
ContactPointEmailHistory	615
ContactPointEmailShare	616

Contents

ContactPointPhone	617
ContactPointPhoneHistory	619
ContactPointPhoneShare	620
ContactPointTypeConsent	621
ContactPointTypeConsentHistory	623
ContactPointTypeConsentShare	624
ContactRequest	625
ContactRequestShare	626
ContactShare	627
ContentAsset	628
ContentBody	629
ContentDistribution	630
ContentDistributionView	632
ContentDocument	633
ContentDocumentFeed	635
ContentDocumentHistory	636
ContentDocumentLink	637
ContentDocumentSubscription	638
ContentFolder	639
ContentFolderItem	640
ContentFolderLink	641
ContentFolderMember	642
ContentNote	643
ContentNotification	644
ContentTagSubscription	645
ContentUserSubscription	646
ContentVersion	647
ContentVersionComment	649

Contents

ContentVersionHistory	650
ContentVersionRating	651
ContentWorkspace	652
ContentWorkspaceDoc	653
ContentWorkspaceMember	654
ContentWorkspacePermission	655
ContentWorkspaceSubscription	656
Contract	657
ContractContactRole	659
ContractFeed	660
ContractHistory	661
ContractLineItem	662
ContractLineItemHistory	664
ContractStatus	665
ConversationChannelResponse	666
ConversationEntry	667
CorsWhitelistEntry	669
CourseOffering	670
CourseOfferingFeed	671
CourseOfferingHistory	672
CourseOfferingShare	673
CoverageBenefit	674
CoverageBenefitFeed	677
CoverageBenefitHistory	678
CoverageBenefitItem	679
CoverageBenefitItemFeed	681
CoverageBenefitItemHistory	682
CoverageBenefitItemLimit	683

Contents

CoverageBenefitItemLimitFeed	684
CoverageBenefitItemLimitHistory	685
CoverageBenefitItemShare	686
CoverageBenefitShare	687
CredentialStuffingEvent	688
CredentialStuffingEventStore	689
CredentialStuffingEventStoreFeed	691
CreditMemo	692
CreditMemoFeed	694
CreditMemoHistory	695
CreditMemoInvApplication	696
CreditMemoLine	697
CreditMemoLineFeed	699
CreditMemoLineHistory	700
CreditMemoShare	701
CronJobDetail	702
CronTrigger	703
CspTrustedSite	704
CustomBrand	705
CustomBrandAsset	706
CustomHelpMenuItem	707
CustomHelpMenuSection	708
CustomHttpHeader	709
CustomNotificationType	710
CustomObjectUserLicenseMetrics	711
CustomPermission	712
CustomPermissionDependency	713
CustomProduct__Share	714

Contents

CustomProduct__c	715
CustomRebateMemberProductAggregate__Share	717
CustomRebateMemberProductAggregate__c	718
CustomTransactionJournal__Share	719
CustomTransactionJournal__c	720
Custom_Product__Share	721
Custom_Product__c	722
Customer	723
CustomerShare	724
DTCO__Share	725
DTCO__c	726
DandBCompany	727
Dashboard	732
DashboardComponent	734
DashboardComponentFeed	735
DashboardFeed	736
DataAction	737
DataActionFeed	738
DataActionHistory	739
DataActionShare	740
DataActionTarget	741
DataActionTargetFeed	742
DataActionTargetHistory	743
DataActionTargetShare	744
DataAssessmentFieldMetric	745
DataAssessmentMetric	746
DataAssessmentValueMetric	747
DataIntegrationRecordPurchasePermission	748

Contents

DataLakeObjectInstance	749
DataLakeObjectInstanceFeed	750
DataLakeObjectInstanceHistory	751
DataLakeObjectInstanceShare	752
DataObjectDataChgEvent	753
DataObjectMetadataChgEvent	754
DataSourceBundle	755
DataSourceBundleShare	756
DataStatistics	757
DataStream	758
DataStreamFeed	760
DataStreamHistory	761
DataStreamShare	762
DataStreamStatusEvent	763
DataType	764
DataUseLegalBasis	765
DataUseLegalBasisHistory	766
DataUseLegalBasisShare	767
DataUsePurpose	768
DataUsePurposeHistory	769
DataUsePurposeShare	770
DatacloudCompany	771
DatacloudContact	773
DatacloudDandBCompany	774
DatacloudOwnedEntity	779
DatacloudPurchaseUsage	780
DatasetExport	781
DatasetExportEvent	782

Contents

DatasetExportPart	783
DecisionTable	784
DecisionTableDatasetLink	785
DecisionTableParameter	786
DecisionTblDatasetParameter	787
DeclinedEventRelation	788
DelegatedAccount	789
DelegatedAccountFeed	790
DelegatedAccountHistory	791
DelegatedAccountShare	792
DeleteEvent	793
DialerCallUsage	794
DialerCallUsageShare	795
DigitalSignature	796
DigitalWallet	797
Document	799
DocumentAttachmentMap	801
DocumentChecklistItem	802
DocumentChecklistItemFeed	803
DocumentChecklistItemHistory	804
DocumentChecklistItemShare	805
DocumentType	806
Domain	807
DomainSite	808
DuplicateJob	809
DuplicateJobDefinition	810
DuplicateJobMatchingRule	811
DuplicateJobMatchingRuleDefinition	812

Contents

DuplicateRecordItem	813
DuplicateRecordSet	814
DuplicateRule	815
EmailCapture	816
EmailDomainFilter	817
EmailDomainKey	818
EmailMessage	819
EmailMessageRelation	821
EmailRelay	822
EmailServicesAddress	823
EmailServicesFunction	824
EmailStatus	826
EmailTemplate	827
EmbeddedServiceDetail	829
EmbeddedServiceLabel	831
EngagementChannelType	832
EngagementChannelTypeFeed	833
EngagementChannelTypeHistory	834
EngagementChannelTypeShare	835
EnhancedLetterhead	836
EnhancedLetterheadFeed	837
EnrollmentEligibilityCriteria	838
EnrollmentEligibilityCriteriaFeed	839
EnrollmentEligibilityCriteriaHistory	840
EnrollmentEligibilityCriteriaShare	841
Entitlement	842
EntitlementContact	844
EntitlementFeed	845

Contents

EntitlementHistory	846
EntitlementTemplate	847
EntityDefinition	848
EntityImplements	850
EntityMilestone	851
EntityMilestoneFeed	853
EntityMilestoneHistory	854
EntityParticle	855
EntitySubscription	858
Event	859
EventBusSubscriber	861
EventFeed	862
EventLogFile	863
EventRelation	864
EventWhoRelation	865
Examination	866
ExaminationFeed	867
ExaminationHistory	868
ExaminationShare	869
ExecutionPlan	870
ExecutionPlanTask	871
Expense	872
ExpenseFeed	874
ExpenseHistory	875
ExpenseReport	876
ExpenseReportEntry	877
ExpenseReportEntryFeed	878
ExpenseReportEntryHistory	879

Contents

ExpenseReportFeed	880
ExpenseReportHistory	881
ExpenseReportShare	882
ExpenseShare	883
ExpressionFilter	884
ExpressionFilterCriteria	885
ExternalDataSource	886
ExternalDataUserAuth	887
ExternalEvent	888
ExternalEventMapping	889
ExternalEventMappingShare	890
ExternalSocialAccount	891
ExternalString	893
FeedAttachment	894
FeedComment	895
FeedItem	896
FeedLike	898
FeedPollChoice	899
FeedPollVote	900
FeedRevision	901
FeedSignal	902
FeedTrackedChange	903
FieldDefinition	904
FieldHistoryArchive	906
FieldImplements	907
FieldPermissions	908
FieldSecurityClassification	909
FieldServiceMobileSettings	910

Contents

FieldServiceOrgSettings	913
FileSearchActivity	914
FinanceBalanceSnapshot	915
FinanceBalanceSnapshotShare	917
FinanceTransaction	918
FinanceTransactionShare	921
FiscalYearSettings	922
FlexQueueItem	923
FlowDefinitionView	924
FlowExecutionErrorEvent	926
FlowInterview	928
FlowInterviewLog	929
FlowInterviewLogEntry	930
FlowInterviewLogShare	931
FlowInterviewShare	932
FlowRecordRelation	933
FlowStageRelation	934
FlowVariableView	935
FlowVersionView	936
Folder	937
FolderedContentDocument	938
ForecastingAdjustment	939
ForecastingCategoryMapping	940
ForecastingDisplayedFamily	941
ForecastingFact	942
ForecastingItem	943
ForecastingOwnerAdjustment	945
ForecastingQuota	946

Contents

ForecastingShare	947
ForecastingSourceDefinition	948
ForecastingType	949
ForecastingTypeSource	950
ForecastingTypeToCategory	951
ForecastingUserPreference	952
FormulaFunction	953
FormulaFunctionAllowedType	954
FormulaFunctionCategory	955
GenericVisitTask	956
GenericVisitTaskContext	957
GenericVisitTaskContextFeed	958
GenericVisitTaskContextHistory	959
GenericVisitTaskContextShare	960
GenericVisitTaskFeed	961
GenericVisitTaskHistory	962
GenericVisitTaskShare	963
GnrcVstKeyPerformanceInd	964
GnrcVstKeyPerformanceIndFeed	966
GnrcVstKeyPerformanceIndHistory	967
GnrcVstTaskContextRelation	968
GnrcVstTaskContextRelationFeed	969
GnrcVstTaskContextRelationHistory	970
Group	971
GroupMember	972
GtwyProvPaymentMethodType	973
HealthCareDiagnosis	974
HealthCareDiagnosisHistory	976

Contents

HealthCareDiagnosisShare	977
HealthCareProcedure	978
HealthCareProcedureHistory	979
HealthCareProcedureShare	980
HealthcareFacility	981
HealthcareFacilityFeed	982
HealthcareFacilityHistory	983
HealthcareFacilityNetwork	984
HealthcareFacilityNetworkFeed	986
HealthcareFacilityNetworkHistory	987
HealthcareFacilityNetworkShare	988
HealthcarePayerNetwork	989
HealthcarePayerNetworkFeed	990
HealthcarePayerNetworkHistory	991
HealthcarePayerNetworkShare	992
HealthcarePractitionerFacility	993
HealthcarePractitionerFacilityFeed	995
HealthcarePractitionerFacilityHistory	996
HealthcarePractitionerFacilityShare	997
HealthcareProvider	998
HealthcareProviderFeed	1000
HealthcareProviderHistory	1001
HealthcareProviderNpi	1002
HealthcareProviderNpiFeed	1003
HealthcareProviderNpiHistory	1004
HealthcareProviderNpiShare	1005
HealthcareProviderShare	1006
HealthcareProviderSpecialty	1007

Contents

HealthcareProviderSpecialtyFeed	1008
HealthcareProviderSpecialtyHistory	1009
HealthcareProviderSpecialtyShare	1010
HealthcareProviderTaxonomy	1011
HealthcareProviderTaxonomyFeed	1012
HealthcareProviderTaxonomyHistory	1013
HealthcareProviderTaxonomyShare	1014
HierarchyObject__Share	1015
HierarchyObject__c	1016
Holiday	1017
IPAddressRange	1018
IconDefinition	1019
IdRsolStatusEvent	1020
Idea	1021
IdeaComment	1023
Identifier	1024
IdentifierFeed	1025
IdentifierHistory	1026
IdentityDocument	1027
IdentityDocumentHistory	1028
IdentityDocumentShare	1029
IdentityProviderEventStore	1030
IdentityResolution	1031
IdentityResolutionFeed	1032
IdentityResolutionHistory	1033
IdentityResolutionShare	1034
IdentityVerificationEvent	1035
IdpEventLog	1037

Contents

IframeWhiteListUrl	1038
Image	1039
ImageFeed	1040
ImageHistory	1041
ImageShare	1042
InStoreLocation	1043
InStoreLocationFeed	1044
InStoreLocationHistory	1045
Individual	1046
IndividualApplication	1048
IndividualApplicationFeed	1049
IndividualApplicationHistory	1050
IndividualApplicationShare	1051
IndividualHistory	1052
IndividualShare	1053
InfoAuthRequestForm	1054
InfoAuthRequestFormFeed	1055
InfoAuthRequestFormHistory	1056
InfoAuthorizationRequest	1057
InfoAuthorizationRequestFeed	1058
InfoAuthorizationRequestHistory	1059
InfoAuthorizationRequestShare	1060
InspectionAssessmentInd	1061
InspectionAssessmentIndFeed	1062
InspectionAssessmentIndHistory	1063
InspectionType	1064
InspectionTypeFeed	1065
InspectionTypeHistory	1066

Contents

InspectionTypeShare	1067
InstalledMobileApp	1068
InterfaceFieldMapping	1069
Invoice	1070
InvoiceFeed	1072
InvoiceHistory	1073
InvoiceLine	1074
InvoiceLineFeed	1076
InvoiceLineHistory	1077
InvoiceShare	1078
JobProfile	1079
JobProfileFeed	1080
JobProfileHistory	1081
JobProfileShare	1082
JournalReason	1083
JournalSubType	1084
JournalSubTypeHistory	1085
JournalType	1086
JournalTypeHistory	1087
JournalTypeShare	1088
KeyPerformanceIndicator	1089
KnowledgeableUser	1090
Lead	1091
LeadCleanInfo	1093
LeadFeed	1097
LeadHistory	1098
LeadShare	1099
LeadStatus	1100

Contents

LegalEntity	1101
LegalEntityFeed	1103
LegalEntityHistory	1104
LegalEntityShare	1105
LightningExitByPageMetrics	1106
LightningExperienceTheme	1107
LightningOnboardingConfig	1108
LightningToggleMetrics	1109
LightningUriEvent	1110
LightningUriEventStream	1112
LightningUsageByAppTypeMetrics	1114
LightningUsageByBrowserMetrics	1115
LightningUsageByFlexiPageMetrics	1116
LightningUsageByPageMetrics	1117
ListEmail	1119
ListEmailIndividualRecipient	1121
ListEmailRecipientSource	1122
ListEmailShare	1123
ListView	1124
ListViewChart	1125
ListViewChartInstance	1126
ListViewEvent	1127
ListViewEventStream	1129
LiveChatSensitiveDataRule	1131
Location	1132
LocationFeed	1134
LocationHistory	1135
LocationShare	1136

Contents

LocationTrustMeasure	1137
LocationTrustMeasureShare	1138
LoginAsEvent	1139
LoginAsEventStream	1140
LoginEvent	1141
LoginEventStream	1143
LoginGeo	1145
LoginHistory	1146
LoginIp	1147
LoginIpRange	1148
LogoutEvent	1149
LookedUpFromActivity	1150
LoyaltyLedger	1152
LoyaltyMemberCurrency	1153
LoyaltyMemberCurrencyFeed	1155
LoyaltyMemberCurrencyHistory	1156
LoyaltyMemberTier	1157
LoyaltyMemberTierHistory	1158
LoyaltyPartnerProduct	1159
LoyaltyPartnerProductHistory	1160
LoyaltyProgram	1161
LoyaltyProgramCurrency	1162
LoyaltyProgramFeed	1164
LoyaltyProgramHistory	1165
LoyaltyProgramMbrPromotion	1166
LoyaltyProgramMbrPromotionHistory	1167
LoyaltyProgramMember	1168
LoyaltyProgramMemberCase	1170

Contents

LoyaltyProgramMemberCaseHistory	1171
LoyaltyProgramMemberCaseShare	1172
LoyaltyProgramMemberHistory	1173
LoyaltyProgramMemberShare	1174
LoyaltyProgramPartner	1175
LoyaltyProgramPartnerHistory	1176
LoyaltyProgramPartnerShare	1177
LoyaltyProgramShare	1178
LoyaltyTier	1179
LoyaltyTierBenefit	1180
LoyaltyTierGroup	1181
LoyaltyTierHistory	1183
MLField	1184
MLPredictionDefinition	1185
MLRecommendationDefinition	1186
Macro	1187
MacroHistory	1188
MacroInstruction	1189
MacroShare	1190
MacroUsage	1191
MacroUsageShare	1192
MailmergeTemplate	1193
MaintenanceAsset	1194
MaintenanceAssetFeed	1195
MaintenanceAssetHistory	1196
MaintenancePlan	1197
MaintenancePlanFeed	1199
MaintenancePlanHistory	1200

Contents

MaintenancePlanShare	1201
MaintenanceWorkRule	1202
MaintenanceWorkRuleFeed	1203
MaintenanceWorkRuleHistory	1204
MaintenanceWorkRuleShare	1205
MarketSegment	1206
MarketSegmentActivation	1208
MarketSegmentActivationFeed	1209
MarketSegmentActivationHistory	1210
MarketSegmentActivationShare	1211
MarketSegmentFeed	1212
MarketSegmentHistory	1213
MarketSegmentShare	1214
MarketSegmentStatusEvent	1215
MarketSgmtActvStatusEvent	1216
MatchingInformation	1217
MatchingRule	1218
MatchingRuleItem	1219
Medication	1220
MedicationFeed	1221
MedicationHistory	1222
MedicationShare	1223
MedicinalIngredient	1224
MedicinalIngredientFeed	1225
MedicinalIngredientHistory	1226
MedicinalIngredientShare	1227
MemberBenefit	1228
MemberBenefitHistory	1230

Contents

MemberPlan	1231
MemberPlanFeed	1233
MemberPlanHistory	1234
MemberPlanShare	1235
MessagingChannel	1236
MessagingChannelSkill	1238
MessagingConfiguration	1239
MessagingDeliveryError	1240
MessagingEndUser	1241
MessagingEndUserHistory	1242
MessagingEndUserShare	1243
MessagingLink	1244
MessagingSession	1245
MessagingSessionFeed	1247
MessagingSessionHistory	1248
MessagingSessionShare	1249
MessagingTemplate	1250
MilestoneType	1251
MktCalculatedInsight	1252
MktCalculatedInsightFeed	1253
MktCalculatedInsightHistory	1254
MktCalculatedInsightShare	1255
MktSgmntActvtnAudAttribute	1256
MktSgmntActvtnContactPoint	1257
MktSgmtActvContactPtField	1258
MktSgmtActvContactPtSrc	1259
MIQueryObservation	1260
MobSecurityCertPinConfig	1261

Contents

MobileApplicationDetail	1262
MobileSecurityPolicy	1263
MobileSecurityUserMetric	1264
MobileSettingsAssignment	1265
MsgChannellLanguageKeyword	1266
MutingPermissionSet	1267
MyDomainDiscoverableLogin	1281
Name	1282
NamedCredential	1283
NavigationLinkSet	1284
NavigationMenuItem	1285
Network	1286
NetworkActivityAudit	1289
NetworkAffinity	1290
NetworkDiscoverableLogin	1291
NetworkFeedResponseMetric	1292
NetworkMember	1293
NetworkMemberGroup	1295
NetworkModeration	1296
NetworkPageOverride	1297
NetworkReferencedObject	1298
NetworkSelfRegistration	1299
NetworkUserHistoryRecent	1300
Note	1301
NoteAndAttachment	1302
OauthCustomScope	1303
OauthCustomScopeApp	1304
OauthToken	1305

Contents

ObjectPermissions	1306
OnboardingMetrics	1307
OpenActivity	1308
OperatingHours	1310
OperatingHoursFeed	1311
Opportunity	1312
OpportunityCompetitor	1314
OpportunityContactRole	1315
OpportunityFeed	1316
OpportunityFieldHistory	1317
OpportunityHistory	1318
OpportunityLineItem	1319
OpportunityLineItemSchedule	1320
OpportunityPartner	1321
OpportunityShare	1322
OpportunityStage	1323
Order	1324
OrderFeed	1326
OrderHistory	1327
OrderItem	1328
OrderItemFeed	1329
OrderItemHistory	1330
OrderShare	1331
OrderStatus	1332
OrgDeleteRequest	1333
OrgDeleteRequestShare	1334
OrgLifecycleNotification	1335
OrgMetric	1336

Contents

OrgMetricScanResult	1337
OrgMetricScanSummary	1338
OrgWideEmailAddress	1339
Organization	1340
OtherComponentTask	1343
OtherComponentTaskFeed	1344
OtherComponentTaskHistory	1345
OtherComponentTaskShare	1346
OutgoingEmail	1347
OutgoingEmailRelation	1348
OwnedContentDocument	1349
OwnerChangeOptionInfo	1350
PackageLicense	1351
PardotTenant	1352
Partner	1353
PartnerFundAllocation	1354
PartnerFundAllocationFeed	1355
PartnerFundAllocationHistory	1356
PartnerFundAllocationShare	1357
PartnerFundClaim	1358
PartnerFundClaimFeed	1359
PartnerFundClaimHistory	1360
PartnerFundClaimShare	1361
PartnerFundRequest	1362
PartnerFundRequestFeed	1364
PartnerFundRequestHistory	1365
PartnerFundRequestShare	1366
PartnerMarketingBudget	1367

Contents

PartnerMarketingBudgetFeed	1369
PartnerMarketingBudgetHistory	1370
PartnerMarketingBudgetShare	1371
PartnerRole	1372
PartyConsent	1373
PartyConsentFeed	1374
PartyConsentHistory	1375
PartyConsentShare	1376
Payment	1377
PaymentAuthAdjustment	1379
PaymentAuthorization	1381
PaymentGateway	1383
PaymentGatewayLog	1384
PaymentGatewayProvider	1386
PaymentGroup	1387
PaymentLineInvoice	1388
PaymentMethod	1389
Period	1391
PermissionSet	1392
PermissionSetAssignment	1407
PermissionSetLicense	1408
PermissionSetLicenseAssign	1423
PermissionSetTabSetting	1424
PersonEducation	1425
PersonEducationFeed	1426
PersonEducationHistory	1427
PersonEducationShare	1428
PersonExamination	1429

Contents

PersonExaminationFeed	1430
PersonExaminationHistory	1431
PersonExaminationShare	1432
PersonLanguage	1433
PersonLanguageFeed	1434
PersonLanguageHistory	1435
PersonLifeEvent	1436
PersonLifeEventFeed	1438
PersonLifeEventHistory	1439
PersonLifeEventShare	1440
PersonName	1441
PersonNameFeed	1442
PersonNameHistory	1443
PersonalizationTargetInfo	1444
PgmRebateTypBnftMapping	1445
PgmRebateTypBnftMappingFeed	1446
PgmRebateTypBnftMappingHistory	1447
PicklistValueInfo	1448
PlanBenefit	1449
PlanBenefitFeed	1451
PlanBenefitHistory	1452
PlanBenefitItem	1453
PlanBenefitItemFeed	1455
PlanBenefitItemHistory	1456
PlanBenefitItemShare	1457
PlanBenefitShare	1458
PlatformAction	1459
PlatformCachePartition	1461

Contents

PlatformCachePartitionType	1462
PlatformEventUsageMetric	1463
PlatformStatusAlertEvent	1464
Polygon	1465
PolygonFeed	1466
PolygonHistory	1467
PolygonShare	1468
PortalDelegablePermissionSet	1469
PreliminaryApplicationRef	1470
PreliminaryApplicationRefFeed	1471
PreliminaryApplicationRefHistory	1472
PreliminaryApplicationRefShare	1473
Pricebook2	1474
Pricebook2History	1475
PricebookEntry	1476
PricebookEntryHistory	1477
PricebookShare	1478
ProcessDefinition	1479
ProcessException	1480
ProcessExceptionEvent	1481
ProcessExceptionShare	1482
ProcessInstance	1483
ProcessInstanceHistory	1484
ProcessInstanceNode	1485
ProcessInstanceStep	1486
ProcessInstanceWorkitem	1487
ProcessNode	1488
Product2	1489

Contents

Product2Feed	1490
Product2History	1491
ProductCatalog	1492
ProductCatalogFeed	1493
ProductCatalogHistory	1494
ProductCatalogShare	1495
ProductCategory	1496
ProductCategoryFeed	1497
ProductCategoryHistory	1498
ProductCategoryProduct	1499
ProductCategoryProductHistory	1500
ProductConsumed	1501
ProductConsumedFeed	1503
ProductConsumedHistory	1504
ProductConsumptionSchedule	1505
ProductEntitlementTemplate	1506
ProductFulfillmentLocation	1507
ProductFulfillmentLocationFeed	1508
ProductFulfillmentLocationHistory	1509
ProductFulfillmentLocationShare	1510
ProductItem	1511
ProductItemFeed	1512
ProductItemHistory	1513
ProductItemShare	1514
ProductItemTransaction	1515
ProductItemTransactionFeed	1516
ProductItemTransactionHistory	1517
ProductMap__Share	1518

Contents

ProductMap__c	1519
ProductRequest	1520
ProductRequestFeed	1522
ProductRequestHistory	1523
ProductRequestLineItem	1524
ProductRequestLineItemFeed	1526
ProductRequestLineItemHistory	1527
ProductRequestShare	1528
ProductRequired	1529
ProductRequiredFeed	1530
ProductRequiredHistory	1531
ProductServiceCampaign	1532
ProductServiceCampaignFeed	1533
ProductServiceCampaignHistory	1534
ProductServiceCampaignItem	1535
ProductServiceCampaignItemFeed	1536
ProductServiceCampaignItemHistory	1537
ProductServiceCampaignItemStatus	1538
ProductServiceCampaignShare	1539
ProductServiceCampaignStatus	1540
ProductTransfer	1541
ProductTransferFeed	1543
ProductTransferHistory	1544
ProductTransferShare	1545
ProductWarrantyTerm	1546
ProductWarrantyTermFeed	1547
ProductWarrantyTermHistory	1548
Profile	1549

Contents

ProfileSkill	1564
ProfileSkillEndorsement	1565
ProfileSkillEndorsementFeed	1566
ProfileSkillEndorsementHistory	1567
ProfileSkillFeed	1568
ProfileSkillHistory	1569
ProfileSkillShare	1570
ProfileSkillUser	1571
ProfileSkillUserFeed	1572
ProfileSkillUserHistory	1573
ProgramRebateTypePayoutSrc	1574
ProgramRebateTypePayoutSrcFeed	1575
ProgramRebateTypePayoutSrcHistory	1576
ProgramRebateType	1577
ProgramRebateTypeBenefit	1579
ProgramRebateTypeBenefitFeed	1580
ProgramRebateTypeBenefitHistory	1581
ProgramRebateTypeFeed	1582
ProgramRebateTypeFilter	1583
ProgramRebateTypeFilterFeed	1584
ProgramRebateTypeFilterHistory	1585
ProgramRebateTypeHistory	1586
ProgramRebateTypePayout	1587
ProgramRebateTypePayoutFeed	1588
ProgramRebateTypePayoutHistory	1589
ProgramRebateTypeProduct	1590
ProgramRebateTypeProductFeed	1591
ProgramRebateTypeProductHistory	1592

Contents

ProgramRebateTypeReference	1593
ProgramRebateTypeReferenceFeed	1594
ProgramRebateTypeReferenceHistory	1595
ProgramRebateTypeReferenceShare	1596
ProgramRebateTypeShare	1597
Promotion	1598
PromotionChannel	1599
PromotionChannelFeed	1600
PromotionChannelHistory	1601
PromotionFeed	1602
PromotionHistory	1603
PromotionLoyaltyPtnrProdt	1604
PromotionLoyaltyPtnrProdtFeed	1605
PromotionLoyaltyPtnrProdtHistory	1606
PromotionMarketSegment	1607
PromotionMarketSegmentFeed	1608
PromotionMarketSegmentHistory	1609
PromotionProduct	1610
PromotionProductCategory	1611
PromotionProductCategoryFeed	1612
PromotionProductCategoryHistory	1613
PromotionProductFeed	1614
PromotionProductHistory	1615
PromotionShare	1616
Prompt	1617
PromptAction	1618
PromptActionShare	1619
PromptError	1620

Contents

PromptErrorShare	1621
PromptVersion	1622
ProviderSearchSyncLog	1624
ProviderSearchSyncLogFeed	1625
ProviderSearchSyncLogHistory	1626
ProviderSearchSyncLogShare	1627
PublicComplaint	1628
PublicComplaintFeed	1629
PublicComplaintHistory	1630
PublicComplaintShare	1631
Publisher	1632
PurchaserPlan	1633
PurchaserPlanAssn	1634
PurchaserPlanAssnFeed	1635
PurchaserPlanAssnHistory	1636
PurchaserPlanAssnShare	1637
PurchaserPlanFeed	1638
PurchaserPlanHistory	1639
PurchaserPlanShare	1640
PushTopic	1641
QueueSubject	1642
QuickText	1643
QuickTextHistory	1644
QuickTextShare	1645
QuickTextUsage	1646
QuickTextUsageShare	1647
Quote	1648
QuoteDocument	1653

Contents

QuoteFeed	1654
QuoteLineItem	1655
QuoteShare	1658
QuoteTemplateRichTextData	1659
Quote__Share	1660
Quote__c	1661
RebateMemberProductAggregate	1662
RebateMemberProductAggregateFeed	1664
RebateMemberProductAggregateHistory	1665
RebateMemberProductAggregateShare	1666
RebatePayment	1667
RebatePaymentFeed	1668
RebatePaymentHistory	1669
RebatePaymentShare	1670
RebatePayoutAdjustment	1671
RebatePayoutAdjustmentFeed	1672
RebatePayoutAdjustmentHistory	1673
RebateProgram	1674
RebateProgramFeed	1675
RebateProgramHistory	1676
RebateProgramMember	1677
RebateProgramMemberFeed	1678
RebateProgramMemberHistory	1679
RebateProgramMemberPayout	1680
RebateProgramMemberPayoutFeed	1681
RebateProgramMemberPayoutHistory	1682
RebateProgramMemberShare	1683
RebateProgramPayoutPeriod	1684

Contents

RebateProgramPayoutPeriodFeed	1685
RebateProgramPayoutPeriodHistory	1686
RebateProgramShare	1687
ReceivedDocument	1688
ReceivedDocumentFeed	1689
ReceivedDocumentHistory	1690
ReceivedDocumentShare	1691
RecentlyViewed	1692
Recommendation	1693
RecordAction	1694
RecordActionHistory	1695
RecordDisplayLookup	1696
RecordType	1697
RecordsetFilterCriteria	1698
RecordsetFilterCriteriaFeed	1699
RecordsetFilterCriteriaHistory	1700
RecordsetFilterCriteriaRule	1701
RecordsetFilterCriteriaShare	1702
RedirectWhitelistUrl	1703
Refund	1704
RefundLinePayment	1706
RegAuthorizationTypeProduct	1708
RegAuthorizationTypeProductFeed	1709
RegAuthorizationTypeProductHistory	1710
RegAuthorizationTypeProductShare	1711
RegulatoryAuthApplication	1712
RegulatoryAuthority	1713
RegulatoryAuthorityFeed	1714

Contents

RegulatoryAuthorityHistory	1715
RegulatoryAuthorityShare	1716
RegulatoryAuthorizationType	1717
RegulatoryAuthorizationTypeFeed	1718
RegulatoryAuthorizationTypeHistory	1719
RegulatoryAuthorizationTypeShare	1720
RegulatoryCode	1721
RegulatoryCodeAssessmentInd	1722
RegulatoryCodeAssessmentIndFeed	1723
RegulatoryCodeAssessmentIndHistory	1724
RegulatoryCodeFeed	1725
RegulatoryCodeHistory	1726
RegulatoryCodeViolation	1727
RegulatoryCodeViolationFeed	1729
RegulatoryCodeViolationHistory	1730
RegulatoryCodeViolationShare	1731
RegulatoryTrxnFee	1732
RegulatoryTrxnFeeFeed	1733
RegulatoryTrxnFeeHistory	1734
RegulatoryTrxnFeeItem	1735
RegulatoryTrxnFeeItemFeed	1736
RegulatoryTrxnFeeItemHistory	1737
RegulatoryTrxnFeeShare	1738
RelationshipDomain	1739
RelationshipInfo	1740
RemoteKeyCalloutEvent	1741
Report	1742
ReportAnomalyEvent	1743

Contents

ReportAnomalyEventStore	1744
ReportAnomalyEventStoreFeed	1745
ReportEvent	1746
ReportEventStream	1748
ReportFeed	1750
ReputationLevel	1751
ReputationPointsRule	1752
ResourceAbsence	1753
ResourceAbsenceFeed	1755
ResourceAbsenceHistory	1756
ResourcePreference	1757
ResourcePreferenceFeed	1758
ResourcePreferenceHistory	1759
RetailLocationGroup	1760
RetailLocationGroupFeed	1761
RetailLocationGroupHistory	1762
RetailLocationGroupShare	1763
RetailStore	1764
RetailStoreFeed	1766
RetailStoreGroupAssignment	1767
RetailStoreGroupAssignmentFeed	1768
RetailStoreGroupAssignmentHistory	1769
RetailStoreHistory	1770
RetailStoreKpi	1771
RetailStoreKpiFeed	1773
RetailStoreKpiHistory	1774
RetailStoreKpiShare	1775
RetailStoreShare	1776

Contents

RetailVisitKpi	1777
RetailVisitKpiFeed	1779
RetailVisitKpiHistory	1780
ReturnOrder	1781
ReturnOrderFeed	1783
ReturnOrderHistory	1784
ReturnOrderItemAdjustment	1785
ReturnOrderItemTax	1786
ReturnOrderLineItem	1787
ReturnOrderLineItemFeed	1789
ReturnOrderLineItemHistory	1790
ReturnOrderShare	1791
SPSamlAttributes	1792
SalesAgreement	1793
SalesAgreementFeed	1795
SalesAgreementHistory	1796
SalesAgreementProduct	1797
SalesAgreementProductFeed	1799
SalesAgreementProductHistory	1800
SalesAgreementProductSchedule	1801
SalesAgreementProductScheduleFeed	1803
SalesAgreementProductScheduleHistory	1804
SalesAgreementShare	1805
SalesAgreementStatus	1806
SalesStore	1807
SamlSsoConfig	1808
Scontrol	1810
Scorecard	1811

Contents

ScorecardAssociation	1812
ScorecardMetric	1813
ScorecardShare	1814
SearchLayout	1815
SearchPromotionRule	1816
SecurityCustomBaseline	1817
Seller	1818
SellerShare	1819
ServiceAppointment	1820
ServiceAppointmentFeed	1822
ServiceAppointmentHistory	1823
ServiceAppointmentShare	1824
ServiceAppointmentStatus	1825
ServiceContract	1826
ServiceContractFeed	1828
ServiceContractHistory	1829
ServiceContractShare	1830
ServiceCrew	1831
ServiceCrewFeed	1832
ServiceCrewHistory	1833
ServiceCrewMember	1834
ServiceCrewMemberFeed	1835
ServiceCrewMemberHistory	1836
ServiceCrewShare	1837
ServiceReport	1838
ServiceReportHistory	1839
ServiceReportLayout	1840
ServiceResource	1841

Contents

ServiceResourceCapacity	1842
ServiceResourceCapacityFeed	1843
ServiceResourceCapacityHistory	1844
ServiceResourceFeed	1845
ServiceResourceHistory	1846
ServiceResourceShare	1847
ServiceResourceSkill	1848
ServiceResourceSkillFeed	1849
ServiceResourceSkillHistory	1850
ServiceSetupProvisioning	1851
ServiceTerritory	1852
ServiceTerritoryFeed	1854
ServiceTerritoryHistory	1855
ServiceTerritoryLocation	1856
ServiceTerritoryLocationFeed	1857
ServiceTerritoryLocationHistory	1858
ServiceTerritoryMember	1859
ServiceTerritoryMemberFeed	1861
ServiceTerritoryMemberHistory	1862
ServiceTerritoryShare	1863
ServiceTerritoryWorkType	1864
ServiceTerritoryWorkTypeFeed	1865
ServiceTerritoryWorkTypeHistory	1866
SessionHijackingEvent	1867
SessionHijackingEventStore	1869
SessionHijackingEventStoreFeed	1871
SessionPermSetActivation	1872
SetupAssistantStep	1873

Contents

SetupAuditTrail	1874
SetupEntityAccess	1875
SharingCoverageJob	1876
SharingRecordCollection	1877
SharingRecordCollectionItem	1878
SharingRecordCollectionMember	1879
SharingRecordCollectionShare	1880
SharingUserCoverage	1881
Shift	1882
ShiftFeed	1883
ShiftHistory	1884
ShiftPattern	1885
ShiftPatternEntry	1886
ShiftPatternEntryFeed	1887
ShiftPatternEntryHistory	1888
ShiftPatternFeed	1889
ShiftPatternHistory	1890
ShiftPatternShare	1891
ShiftShare	1892
ShiftStatus	1893
ShiftTemplateShare	1894
Shipment	1895
ShipmentFeed	1897
ShipmentHistory	1898
ShipmentItem	1899
ShipmentItemFeed	1900
ShipmentItemHistory	1901
ShipmentShare	1902

Contents

SignatureTask	1903
SignatureTaskFeed	1904
SignatureTaskHistory	1905
SignatureTaskLineItem	1906
SignatureTaskLineItemFeed	1907
SignatureTaskLineItemHistory	1908
Site	1909
SiteDetail	1911
SiteFeed	1912
SiteHistory	1913
SiteframeWhiteListUrl	1914
SiteRedirectMapping	1915
Skill	1916
SkillRequirement	1917
SkillRequirementFeed	1918
SkillRequirementHistory	1919
SlaProcess	1920
SocialPersona	1921
SocialPersonaHistory	1923
SocialPost	1924
SocialPostFeed	1927
SocialPostHistory	1928
SocialPostShare	1929
Solution	1930
SolutionFeed	1931
SolutionHistory	1932
SolutionStatus	1933
Stamp	1934

Contents

StampAssignment	1935
StaticResource	1936
StoreActionPlanTemplate	1937
StoreActionPlanTemplateFeed	1938
StoreActionPlanTemplateHistory	1939
StoreAssortment	1940
StoreAssortmentFeed	1941
StoreAssortmentHistory	1942
StoreProduct	1943
StoreProductFeed	1944
StoreProductHistory	1945
StoreProductShare	1946
StreamingChannel	1947
StreamingChannelShare	1948
Student__Share	1949
Student__c	1950
Survey	1951
SurveyEmailBranding	1952
SurveyEngagementContext	1953
SurveyEngagementContextShare	1954
SurveyFeed	1955
SurveyInvitation	1956
SurveyInvitationShare	1958
SurveyPage	1959
SurveyQuestion	1960
SurveyQuestionChoice	1961
SurveyQuestionResponse	1962
SurveyQuestionScore	1963

Contents

SurveyResponse	1964
SurveyShare	1966
SurveySubject	1967
SurveyVersion	1968
SurveyVersionAddlInfo	1969
TabDefinition	1970
Task	1971
TaskFeed	1973
TaskGroup	1974
TaskPriority	1975
TaskRelation	1976
TaskStatus	1977
TaskWhoRelation	1978
TenantUsageEntitlement	1979
TestSuiteMembership	1980
ThirdPartyAccountLink	1981
ThreatDetectionFeedback	1982
ThreatDetectionFeedbackFeed	1983
TimeSheet	1984
TimeSheetEntry	1985
TimeSheetEntryFeed	1986
TimeSheetEntryHistory	1987
TimeSheetFeed	1988
TimeSheetHistory	1989
TimeSheetShare	1990
TimeSlot	1991
TodayGoal	1992
TodayGoalShare	1993

Contents

Topic	1994
TopicAssignment	1995
TopicFeed	1996
TopicUserEvent	1997
TrainingCourseParticipant	1998
TrainingCourseParticipantFeed	1999
TrainingCourseParticipantHistory	2000
TrainingCourseParticipantShare	2001
TransactionJournal	2002
TransactionSecurityPolicy	2004
Translation	2005
TrialTemplate	2006
TrnCourse	2007
TrnCourseFeed	2008
TrnCourseHistory	2009
TrnCourseShare	2010
UiFormulaCriterion	2011
UiFormulaRule	2012
UndecidedEventRelation	2013
UnitOfMeasure	2014
UnitOfMeasureConversion	2015
UnitOfMeasureConversionFeed	2016
UnitOfMeasureConversionHistory	2017
UnitOfMeasureConversionShare	2018
UnitOfMeasureShare	2019
UriEvent	2020
UriEventStream	2021
User	2022

Contents

UserAppInfo	2029
UserAppMenuCustomization	2030
UserAppMenuCustomizationShare	2031
UserAppMenuItem	2032
UserCustomBadge	2033
UserEmailPreferredPerson	2034
UserEmailPreferredPersonShare	2035
UserEntityAccess	2036
UserFeed	2037
UserFieldAccess	2038
UserLicense	2039
UserListView	2040
UserListViewCriterion	2041
UserLogin	2042
UserPackageLicense	2043
UserPermissionAccess	2044
UserPreference	2058
UserProvAccount	2059
UserProvAccountStaging	2060
UserProvMockTarget	2061
UserProvisioningConfig	2062
UserProvisioningLog	2063
UserProvisioningRequest	2064
UserProvisioningRequestShare	2065
UserRecordAccess	2066
UserRole	2067
UserSetupEntityAccess	2068
UserShare	2069

Contents

VerificationHistory	2070
VideoCall	2071
VideoCallFeed	2073
VideoCallParticipant	2074
VideoCallRecording	2075
VideoCallShare	2076
ViolationEnforcementAction	2077
ViolationEnforcementActionFeed	2078
ViolationEnforcementActionHistory	2079
ViolationType	2080
ViolationTypeAssessmentInd	2081
ViolationTypeAssessmentIndFeed	2082
ViolationTypeAssessmentIndHistory	2083
ViolationTypeFeed	2084
ViolationTypeHistory	2085
ViolationTypeShare	2086
Visit	2087
VisitFeed	2089
VisitHistory	2090
VisitShare	2091
VisitTask	2092
VisitTaskContext	2093
VisitTaskContextRelation	2094
VisitedParty	2095
VisitedPartyFeed	2096
VisitedPartyHistory	2097
Visitor	2098
VisitorFeed	2099

Contents

VisitorHistory	2100
VisualforceAccessMetrics	2101
VoiceCall	2102
VoiceCallFeed	2104
VoiceCallRecording	2105
VoiceCallShare	2106
VoiceOrgSetting	2107
VoiceVendorInfo	2108
VoiceVendorLine	2109
VoiceVendorLineShare	2110
VolunteerProject	2111
VolunteerProjectFeed	2112
VolunteerProjectHistory	2113
VolunteerProjectShare	2114
Vote	2115
Voucher	2116
VoucherDefinition	2118
VoucherDefinitionHistory	2120
VoucherDefinitionShare	2121
VoucherHistory	2122
VoucherShare	2123
WarrantyTerm	2124
WarrantyTermFeed	2126
WarrantyTermHistory	2127
WarrantyTermShare	2128
WaveAutoInstallRequest	2129
WaveCompatibilityCheckItem	2130
WebLink	2131

Contents

WorkAccess	2133
WorkAccessShare	2134
WorkBadge	2135
WorkBadgeDefinition	2136
WorkBadgeDefinitionFeed	2137
WorkBadgeDefinitionHistory	2138
WorkBadgeDefinitionShare	2139
WorkOrder	2140
WorkOrderFeed	2142
WorkOrderHistory	2143
WorkOrderLineItem	2144
WorkOrderLineItemFeed	2146
WorkOrderLineItemHistory	2147
WorkOrderLineItemStatus	2148
WorkOrderShare	2149
WorkOrderStatus	2150
WorkPlan	2151
WorkPlanFeed	2152
WorkPlanHistory	2153
WorkPlanSelectionRule	2154
WorkPlanSelectionRuleFeed	2155
WorkPlanSelectionRuleHistory	2156
WorkPlanSelectionRuleShare	2157
WorkPlanShare	2158
WorkPlanTemplate	2159
WorkPlanTemplateEntry	2160
WorkPlanTemplateEntryFeed	2161
WorkPlanTemplateEntryHistory	2162

Contents

WorkPlanTemplateFeed	2163
WorkPlanTemplateHistory	2164
WorkPlanTemplateShare	2165
WorkStep	2166
WorkStepFeed	2167
WorkStepHistory	2168
WorkStepStatus	2169
WorkStepTemplate	2170
WorkStepTemplateFeed	2171
WorkStepTemplateHistory	2172
WorkStepTemplateShare	2173
WorkThanks	2174
WorkThanksShare	2175
WorkType	2176
WorkTypeFeed	2178
WorkTypeGroup	2179
WorkTypeGroupFeed	2180
WorkTypeGroupHistory	2181
WorkTypeGroupMember	2182
WorkTypeGroupMemberFeed	2183
WorkTypeGroupMemberHistory	2184
WorkTypeGroupShare	2185
WorkTypeHistory	2186
WorkTypeShare	2187
ActionPlanTemplate	2188
maps__MapsSetting__c	2189

FIELDS REFERENCE INTRODUCTION

This guide lists important details for standard objects in Salesforce.

- All the fields
- The data type for each field
- Any applicable size restrictions for each field

Use this guide along with these other resources:

- The [Object Reference for Salesforce and Lightning Platform](#), which provides the primary information about the objects and how they are used in the Salesforce APIs.
- Salesforce Help, which describes how the objects are used in the Salesforce user interface.

Depending on your org settings and Salesforce Edition, some of these objects and fields might not be available.

The columns in this guide are:


Field Label	How the field is displayed in the user interface in areas such as record detail pages, search results, and list views.
API Field Name	The name of the field, as represented in the Salesforce APIs.
Type	The data type of a field. For more information, see Primitive Data Types and Field Types in the <i>Object Reference</i> .
Digits	The maximum number of digits in the field.
Length	The maximum number of characters in the field. For example, the Shipping Zip/Postal Code field on the Account object has a length of 20. You can't set it to a value longer than 20 characters.
Precision	The maximum total number of digits in the number, including digits both to the left and right of the decimal point. For example, 12345.67 has a precision of seven, five for the numbers to the left of the decimal place and two for the numbers to the right.
Scale	The number of digits to the right of the decimal place. A scale of two means that two digits to the right of the decimal place are displayed.



Note: Not all fields have information in every column. For example, a picklist field does not have a precision or scale.

Terminology in the API versus the User Interface

Some places in the user interface, such as the New Custom Field screen, use different terminology. On that screen, **length** refers to the number of digits to the left of the decimal place and **decimal places** refers to the number of digits to the right.



AIAPPLICATION

Represents an AI application such as Einstein Prediction Builder.

For more information, see AIApplication in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	AI Application ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	App Type	picklist		255		

AIAPPLICATIONCONFIG

Additional prediction information related to an AI application.

For more information, see AIApplicationConfig in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	AI Application config Id	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

AIINSIGHTACTION

Represents an Einstein prediction insight action.

For more information, see AllInsightAction in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionId	Action ID	reference		18		
ActionName	Action Name	picklist		255		
AiRecordInsightId	AI Record Insight ID	reference		18		
Confidence	Confidence	double			4	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	AI Insight Action ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				
Type	Action Type	picklist		255		

AIINSIGHTFEEDBACK

Represents an Einstein prediction insight feedback.

For more information, see AllInsightFeedback in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualValue	Actual Value	string		255		
AiFeedback	AI Insight Feedback	picklist		255		
AiInsightFeedbackType	AI Insight Feedback Type	picklist		255		
AiRecordInsightId	AI Record Insight ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	AI Insight Feedback ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
Rank	Rank	int	9			
SystemModstamp	System Modstamp	datetime				
ValueId	AI Insight Value ID or AI Insight Action ID	reference		18		

AIINSIGHTREASON

Represents an Einstein prediction insight reason.

For more information, see AllInsightReason in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AiInsightValueId	AI Insight Value ID	reference		18		
Contribution	Contribution	double			4	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FeatureType	Feature Type	picklist		255		
FeatureValue	Feature Value	string		255		
FieldName	Field Name	string		255		
FieldValue	Field Value	string		255		
Id	AI Insight Reason ID	id		18		
Intensity	Intensity	double			4	2
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
Operator	Operator	picklist		255		
ReasonLabelKey	Reason Label Key	string		255		
RelatedInsightReasonId	AI Insight Reason ID	reference		18		
SortOrder	Sort Order	int	8			
SystemModstamp	System Modstamp	datetime				
Variance	Variance	double			4	2

AIINSIGHTVALUE

Represents an Einstein prediction insight value.

For more information, see AllInsightValue in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AiInsightActionId	AI Insight Action ID	reference		18		
AiRecordInsightId	AI Record Insight ID	reference		18		
Confidence	Confidence	double			5	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Field	Field	picklist		255		
FieldValueLowerBound	Field Value Lower Bound	textarea		131072		
FieldValueUpperBound	Field Value Upper Bound	textarea		131072		
Id	AI Insight Value ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
SubjectLookupValueId	sObject Lookup Value ID	reference		18		
SubjectType	sObject Type	picklist		255		
SystemModstamp	System Modstamp	datetime				
Value	Value	textarea		131072		
ValueType	Value Type	picklist		255		

AIPREDICTIONEVENT

Notifies subscribers when an Einstein feature, such as Prediction Builder or Case Classification, has written prediction results back to a target object and AI prediction field.

For more information, see `AIPredictionEvent` in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Confidence	AI Insight Value Confidence	double			5	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EventUuid	Event UUID	string		36		
FieldName	AI Predicted Field API Name	string		255		
HasError	AI Has Error	boolean				
InsightId	AI Record Insight ID	string		18		
PredictionEntityId	AI Insight Value ID	string		80		
ReplayId	Replay ID	string		1000		
TargetId	AI Predicted Object ID	string		18		

AIRECORDINSIGHT

Represents an Einstein prediction insight.

For more information, see `AIRecordInsight` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>AiApplicationId</code>	AI Application ID	reference		18		
<code>Confidence</code>	Confidence	double			4	2
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>Id</code>	AI Record Insight ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>MLPredictionDefinitionId</code>	ML Prediction Definition ID	reference		18		
<code>Name</code>	Name	string		255		
<code>PredictionField</code>	Prediction Field	string		250		
<code>RunGuid</code>	Run GUID	string		250		
<code>RunStartTime</code>	Run Start Time	datetime				
<code>Status</code>	Status	picklist		255		
<code>SystemModstamp</code>	System Modstamp	datetime				
<code>TargetField</code>	Target Field	picklist		255		
<code>TargetId</code>	Target ID	reference		18		
<code>TargetSobjectType</code>	Target sObject Type	picklist		255		
<code>Type</code>	Type	picklist		255		
<code>ValidUntil</code>	Valid Until	datetime				

AIUPDATERECORDEVENT

Notifies subscribers when Einstein Case Classification has generated a case field value prediction and potentially updated a case record. This object is available in API version 47.0 and later.

For more information, see `AIUpdateRecordEvent` in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>ErrorCode</code>	Error Code	picklist		255		
<code>ErrorMessage</code>	Error Message	textarea		4000		
<code>EventUuid</code>	Event UUID	string		36		
<code>IsUpdated</code>	Is Updated	boolean				
<code>RecordId</code>	Record ID	string		18		
<code>ReplayId</code>	Replay ID	string		1000		
<code>UpdatedFields</code>	Updated Fields	complexvalue				

ACCEPTEDEVENTRELATION

Represents event participants (invitees or attendees) with the status `Accepted` for a given event.

For more information, see `AcceptedEventRelation` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>EventId</code>	Event ID	reference		18		
<code>Id</code>	Event Relation ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>RelationId</code>	Relation ID	reference		18		
<code>RespondedDate</code>	Response Date	datetime				
<code>Response</code>	Response	string		255		
<code>SystemModstamp</code>	System Modstamp	datetime				
<code>Type</code>	Type	string		50		

ACCOUNT

Represents an individual account, which is an organization or person involved with your business (such as customers, competitors, and partners).

For more information, see Account in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountSource	Account Source	picklist		255		
AnnualRevenue	Annual Revenue	currency			18	0
BillingAddress	Billing Address	address				
BillingCity	Billing City	string		40		
BillingCountry	Billing Country	string		80		
BillingGeocodeAccuracy	Billing Geocode Accuracy	picklist		40		
BillingLatitude	Billing Latitude	double			18	15
BillingLongitude	Billing Longitude	double			18	15
BillingPostalCode	Billing Zip/Postal Code	string		20		
BillingState	Billing State/Province	string		80		
BillingStreet	Billing Street	textarea		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Account Description	textarea		32000		
Fax	Account Fax	phone		40		
Id	Account ID	id		18		
Industry	Industry	picklist		255		
IsDeleted	Deleted	boolean				
Jigsaw	Data.com Key	string		20		
JigsawCompanyId	Jigsaw Company ID	string		20		
LastActivityDate	Last Activity	date				
LastModifiedById	Last Modified By ID	reference		18		

Account

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MasterRecordId	Master Record ID	reference		18		
Name	Account Name	string		255		
NumberOfEmployees	Employees	int	8			
OperatingHoursId	Operating Hour ID	reference		18		
OwnerId	Owner ID	reference		18		
ParentId	Parent Account ID	reference		18		
Phone	Account Phone	phone		40		
PhotoUrl	Photo URL	url		255		
ShippingAddress	Shipping Address	address				
ShippingCity	Shipping City	string		40		
ShippingCountry	Shipping Country	string		80		
ShippingGeocodeAccuracy	Shipping Geocode Accuracy	picklist		40		
ShippingLatitude	Shipping Latitude	double			18	15
ShippingLongitude	Shipping Longitude	double			18	15
ShippingPostalCode	Shipping Zip/Postal Code	string		20		
ShippingState	Shipping State/Province	string		80		
ShippingStreet	Shipping Street	textarea		255		
SicDesc	SIC Description	string		80		
SystemModstamp	System Modstamp	datetime				
Type	Account Type	picklist		255		
Website	Website	url		255		

ACCOUNTBRAND

Represents the brand details of a Partner Account.

For more information, see AccountBrand in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Address	Address	address				
City	City	string		40		
CompanyName	Company Name	string		255		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Email	Email	email		80		
GeocodeAccuracy	Geocode Accuracy	picklist		255		
Id	Account Brand Id	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
LogoId	Asset File ID	reference		18		
LogoUrl	Logo URL	url		1000		
Longitude	Longitude	double			18	15
MayEdit	May Edit	boolean				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Phone	Phone	phone		40		
PostalCode	Zip/Postal Code	string		20		
State	State/Province	string		80		
Street	Street	textarea		255		
SystemModstamp	System Modstamp	datetime				
Website	Website	url		255		

ACCOUNTBRANDSHARE

Sharing for AccountBrand.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACCOUNTCLEANINFO

Stores the metadata Data.com Clean uses to determine an account record's clean status. AccountCleanInfo helps you automate the cleaning or related processing of account records.

For more information, see AccountCleanInfo in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AccountSite	Account Site	string		80		
Address	Address	address				
AnnualRevenue	Annual Revenue	currency			18	0
City	City	string		40		
CleanedByJob	Cleaned by Job	boolean				
CleanedByUser	Cleaned by User	boolean				
CompanyName	Company Name	string		255		
CompanyStatusDataDotCom	Company Status per Data.com	picklist		255		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DandBCompanyDunsNumber	D&B Company D-U-N-S Number	string		9		
DataDotComId	Data.com ID	string		20		
Description	Description	textarea		32000		
DunsNumber	D-U-N-S Number	string		9		
DunsRightMatchConfidence	DUNSRight™ Match Confidence	int	9			
DunsRightMatchGrade	DUNSRight™ Match Grade	string		255		
Fax	Fax	phone		40		
GeocodeAccuracy	Geocode Accuracy	picklist		255		
Id	Account Clean Info ID	id		18		
Industry	Industry	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsDeleted	Deleted	boolean				
IsDifferentAccountSite	Account Site is Different	boolean				
IsDifferentAnnualRevenue	Annual Revenue is Different	boolean				
IsDifferentCity	City is Different	boolean				
IsDifferentCompanyName	Company Name is Different	boolean				
IsDifferentCountry	Country is Different	boolean				
IsDifferentCountryCode	Country Code is Different	boolean				
IsDifferentDandBCompanyDunsNumber	D&B Company D-U-N-S Number is Different	boolean				
IsDifferentDescription	Description is Different	boolean				
IsDifferentDunsNumber	D-U-N-S Number is Different	boolean				
IsDifferentFax	Fax is Different	boolean				
IsDifferentIndustry	Industry is Different	boolean				
IsDifferentNaicsCode	NAICS Code is Different	boolean				
IsDifferentNaicsDescription	NAICS Description is Different	boolean				
IsDifferentNumberOfEmployees	Number of Employees is Different	boolean				
IsDifferentOwnership	Ownership is Different	boolean				
IsDifferentPhone	Phone is Different	boolean				
IsDifferentPostalCode	ZIP is Different	boolean				
IsDifferentSic	SIC Code is Different	boolean				
IsDifferentSicDescription	SIC Description is Different	boolean				
IsDifferentState	State is Different	boolean				
IsDifferentStateCode	State Code is Different	boolean				
IsDifferentStreet	Street is Different	boolean				
IsDifferentTickerSymbol	Ticker Symbol is Different	boolean				
IsDifferentTradestyle	Tradestyle is Different	boolean				
IsDifferentWebsite	Website is Different	boolean				
IsDifferentYearStarted	Year Started is Different	boolean				
IsFlaggedWrongAccountSite	Account Site is Flagged Wrong	boolean				
IsFlaggedWrongAddress	Address is Flagged Wrong	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsFlaggedWrongAnnualRevenue	Annual Revenue is Flagged Wrong	boolean				
IsFlaggedWrongCompanyName	Company Name is Flagged Wrong	boolean				
IsFlaggedWrongDescription	Description is Flagged Wrong	boolean				
IsFlaggedWrongDunsNumber	D-U-N-S Number is Flagged Wrong	boolean				
IsFlaggedWrongFax	Fax is Flagged Wrong	boolean				
IsFlaggedWrongIndustry	Industry is Flagged Wrong	boolean				
IsFlaggedWrongNaicsCode	NAICS Code is Flagged Wrong	boolean				
IsFlaggedWrongNaicsDescription	NAICS Description is Flagged Wrong	boolean				
IsFlaggedWrongNumberOfEmployees	Number of Employees is Flagged Wrong	boolean				
IsFlaggedWrongOwnership	Ownership is Flagged Wrong	boolean				
IsFlaggedWrongPhone	Phone is Flagged Wrong	boolean				
IsFlaggedWrongSic	SIC Code is Flagged Wrong	boolean				
IsFlaggedWrongSicDescription	SIC Description is Flagged Wrong	boolean				
IsFlaggedWrongTickerSymbol	Ticker Symbol is Flagged Wrong	boolean				
IsFlaggedWrongTradestyle	Tradestyle is Flagged Wrong	boolean				
IsFlaggedWrongWebsite	Website is Flagged Wrong	boolean				
IsFlaggedWrongYearStarted	Year Started is Flagged Wrong	boolean				
IsInactive	Company Status in Salesforce	boolean				
IsReviewedAccountSite	Account Site is Reviewed	boolean				
IsReviewedAddress	Address is Reviewed	boolean				
IsReviewedAnnualRevenue	Annual Revenue is Reviewed	boolean				
IsReviewedCompanyName	Company Name is Reviewed	boolean				
IsReviewedCompanyDunsNumber	D&B Company D-U-N-S Number is Reviewed	boolean				
IsReviewedDescription	Description is Reviewed	boolean				
IsReviewedDunsNumber	D-U-N-S Number is Reviewed	boolean				
IsReviewedFax	Fax is Reviewed	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsReviewedIndustry	Industry is Reviewed	boolean				
IsReviewedNaicsCode	NAICS Code is Reviewed	boolean				
IsReviewedNaicsDescription	NAICS Description is Reviewed	boolean				
IsReviewedNumberOfEmployees	Number of Employees is Reviewed	boolean				
IsReviewedOwnership	Ownership is Reviewed	boolean				
IsReviewedPhone	Phone is Reviewed	boolean				
IsReviewedSic	SIC Code is Reviewed	boolean				
IsReviewedSicDescription	SIC Description is Reviewed	boolean				
IsReviewedTickerSymbol	Ticker Symbol is Reviewed	boolean				
IsReviewedTradestyle	Tradestyle is Reviewed	boolean				
IsReviewedWebsite	Website is Reviewed	boolean				
IsReviewedYearStarted	Year Started is Reviewed	boolean				
LastMatchedDate	Last Matched Date	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastStatusChangedById	User ID	reference		18		
LastStatusChangedDate	Last Status Changed Date	datetime				
Latitude	Latitude	double			18	15
Longitude	Longitude	double			18	15
NaicsCode	NAICS Code	string		8		
NaicsDescription	NAICS Description	string		120		
Name	Account Clean Info Name	string		255		
NumberOfEmployees	Number of Employees	int	8			
Ownership	Ownership	picklist		40		
Phone	Phone	phone		40		
PostalCode	Zip	string		20		
Sic	SIC Code	string		20		
SicDescription	SIC Description	string		80		
State	State	string		80		
Street	Street	textarea		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
TickerSymbol	Ticker Symbol	string		20		
Tradestyle	Tradestyle	string		255		
Website	Website	url		255		
YearStarted	Year Started	string		12		

ACCOUNTCONTACTRELATION

Represents a relationship between a contact and one or more accounts.

For more information, see AccountContactRelation in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDate	End Date	date				
Id	Account Contact Relationship ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsDirect	Direct	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Roles	Roles	multipicklist		4099	0	
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				
velocity_ins__IsPrimaryRelationship_c	Primary Relationship	boolean				
velocity_ins__OperatingHoursId_c	Operating Hours	string		80		

ACCOUNTCONTACTROLE

Represents the role that a Contact plays on an Account.

For more information, see AccountContactRole in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Contact Role ID	id		18		
IsDeleted	Deleted	boolean				
IsPrimary	Primary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Role	Role	picklist		40		
SystemModstamp	System Modstamp	datetime				

ACCOUNTFEED

Feed tracking for Account.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ACCOUNTFORECAST

Represents the rolling forecast record of a particular account. The forecast is prepared using data directly from sales agreements, orders, and opportunities.

For more information, see AccountForecast in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultAccountGrowthPercentage	Default Account Growth Percentage	percent			5	2
DefaultMarketGrowthPercentage	Default Market Growth Percentage	percent			5	2
EndDate	End Date	date				
Id	Account Forecast ID	id		18		
IsCalculationInProgress	Calculation In Progress	boolean				
IsDeleted	Deleted	boolean				
LastCalculatedDate	Recalculation Date	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
StartDate	Start Date	date				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalAdjustedRevenue	Total Adjusted Revenue	currency			18	0
TotalRevenue	Total Revenue	currency			18	0

ACCOUNTFORECASTADJUSTMENT

Represents the manual adjustments made to forecast values for a particular account.

For more information, see AccountForecastAdjustment in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountProdPeriodForecastId	Account Product Period Forecast ID	reference		18		
AdjustedById	User ID	reference		18		
AdjustedByName	Adjusted By Name	string		80		
AdjustmentComments	Adjustment Comments	textarea		2000		
AdjustmentType	Adjustment Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FromValue	From Value	double			18	0
Id	AccountForecastAdjustment ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				
ToValue	To Value	double			18	0

ACCOUNTFORECASTFEED

Feed tracking for AccountForecast.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ACCOUNTFORECASTHISTORY

History for tracked fields of AccountForecast.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountForecastId	Account Forecast ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Account Forecast History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ACCOUNTFORECASTPERIODMETRIC

Represents records of account metrics which vary by period but are not specific for a product.

For more information, see AccountForecastPeriodMetric in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountForecastId	Account Forecast ID	reference		18		
AccountGrowthPercentage	Account Growth Percentage	percent			5	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Account Forecast Period Metric ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MarketGrowthPercentage	Market Growth Percentage	percent			5	2
Name	Name	string		255		
PeriodId	Period ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ACCOUNTFORECASTSHARE

Sharing for AccountForecast.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACCOUNTHISTORY

History for tracked fields of Account.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Account History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ACCOUNTPARTNER

This object represents a partner relationship between two Account records. An AccountPartner record is created automatically when a Partner record is created for a partner relationship between two accounts.

For more information, see AccountPartner in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountFromId	Account ID	reference		18		
AccountToId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Account Partner ID	id		18		
IsDeleted	Deleted	boolean				
IsPrimary	Primary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OpportunityId	Opportunity ID	reference		18		
ReversePartnerId	Reverse Partner ID	reference		18		
Role	Role	picklist		255		
SystemModstamp	System Modstamp	datetime				

ACCOUNTPRODUCTFORECAST

Represents the cumulative values for planned quantities, opportunities, and orders of a sales agreement for a given product across all periods in that rolling time period.

For more information, see AccountProductForecast in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountForecastId	Account Forecast ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Account Product Forecast ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsProductInvalidForAccountForecast	Product Not Valid For Account Forecasting	boolean				
IsSystemGenerated	System Generated	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ProductId	Product ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalAdjustedForecastedQuantity	Total Adjusted Forecasted Quantity	double			18	0
TotalAdjustedForecastedRevenue	Total Adjusted Forecasted Revenue	currency			18	0
TotalCurrentOrdersQuantity	Total Current Orders Quantity	double			18	0
TotalCurrentOrdersRevenue	Total Current Orders Revenue	currency			18	0
TotalForecastedQuantity	Total Forecasted Quantity	double			18	0

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalForecastedRevenue	Total Forecasted Revenue	currency			18	0
TotalOpportunityQuantity	Total Opportunity Quantity	double			18	0
TotalOpportunityRevenue	Total Opportunity Revenue	currency			18	0
TotalPastOrdersQuantity	Total Last Year's Orders Quantity	double			18	0
TotalPastOrdersRevenue	Total Last Year's Orders Revenue	currency			18	0
TotalSalesAgreementPlannedQuantity	Total Sales Agreement Planned Quantity	double			18	0
TotalSalesAgreementPlannedRevenue	Total Sales Agreement Planned Revenue	currency			18	0

ACCOUNTPRODUCTPERIODFORECAST

Represents the quantity and revenue information of opportunities, sales agreements, orders, and resultant forecasted quantities for a product in a particular time period of the forecast rolling period. Other than the fields AdjustedForecastQuantity and AdjustedForecastRevenue, no other fields of this object can be updated.

For more information, see AccountProductPeriodForecast in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccForecastPeriodMetricId	Account Forecast Period Metric ID	reference		18		
AccountProductForecastId	Account Product Forecast ID	reference		18		
AdjustedForecastedQuantity	Adjusted Forecasted Quantity	double			18	0
AdjustedForecastedRevenue	Adjusted Forecasted Revenue	currency			18	0
AdjustmentComments	Adjustment Comment	textarea		2000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrentOrdersQuantity	Current Orders Quantity	double			18	0
CurrentOrdersRevenue	Current Orders Revenue	currency			18	0
ForecastedQuantity	Forecasted Quantity	double			18	0
ForecastedRevenue	Forecasted Revenue	currency			18	0
Id	Account Product Period Forecast ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastCalculatedDate	Last Calculated Date	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OpportunityQuantity	Opportunity Quantity	double			18	0
OpportunityRevenue	Opportunity Revenue	currency			18	0
PastOrdersQuantity	Last Year's Orders Quantity	double			18	0
PastOrdersRevenue	Last Year's Orders Revenue	currency			18	0
PeriodId	Period ID	reference		18		
SalesAgreementPlannedQuantity	Sales Agreement Planned Quantity	double			18	0
SalesAgreementPlannedRevenue	Sales Agreement Planned Revenue	currency			18	0
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

ACCOUNTSHARE

Represents a sharing entry on an Account.

For more information, see AccountShare in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountAccessLevel	Account Access	picklist		40		
AccountId	Account ID	reference		18		
CaseAccessLevel	Case Access	picklist		40		
ContactAccessLevel	Contact Access	picklist		40		
Id	Account Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OpportunityAccessLevel	Opportunity Access	picklist		40		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACCREDITATION

Represents the professional accreditations of a facility. For example, a joint commission accredits a facility as a general acute care hospital. For more information, see Accreditation in the *Provider Network Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AccreditationRating	Accreditation Rating	picklist		40		
AccreditingBody	Accrediting Body	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
HealthcareProviderId	Healthcare Provider ID	reference		18		
Id	Accreditation ID	id		18		
IsDeleted	Deleted	boolean				
LastFullSurveyDate	Last Full Survey Date	date				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastOnsiteSurveyDate	Last On-site Survey Date	date				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Accreditation Name	string		255		
OwnerId	Owner ID	reference		18		
PractitionerId	Contact ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
Status	Status	picklist		40		
SubType	Sub-Type	picklist		40		

Accreditation

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

ACCREDITATIONFEED

Feed tracking for Accreditation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ACCREDITATIONHISTORY

History for tracked fields of Accreditation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccreditationId	Accreditation ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Accreditation History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ACCREDITATIONSHARE

Sharing for Accreditation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACCTMGRPERIODICTARGETDSTR

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AcctMgrTargetDstrId	Account Manager Target Distribution ID	reference		18		
AcctMgrTargetId	Account Manager Target ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FiscalPeriodId	Period ID	reference		18		
Id	Account Manager Periodic Target Distribution ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Period10Id	Period ID	reference		18		
Period10TargetCurrencyValue	Period 10 Target Currency Value	currency			18	2
Period10TargetValue	Period 10 Target Value	double			18	2
Period11Id	Period ID	reference		18		
Period11TargetCurrencyValue	Period 11 Target Currency Value	currency			18	2
Period11TargetValue	Period 11 Target Value	double			18	2
Period12Id	Period ID	reference		18		
Period12TargetCurrencyValue	Period 12 Target Currency Value	currency			18	2
Period12TargetValue	Period 12 Target Value	double			18	2
Period1Id	Period ID	reference		18		
Period1TargetCurrencyValue	Period 1 Target Currency Value	currency			18	2
Period1TargetValue	Period 1 Target Value	double			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Period2Id	Period ID	reference		18		
Period2TargetCurrencyValue	Period 2 Target Currency Value	currency			18	2
Period2TargetValue	Period 2 Target Value	double			18	2
Period3Id	Period ID	reference		18		
Period3TargetCurrencyValue	Period 3 Target Currency Value	currency			18	2
Period3TargetValue	Period 3 Target Value	double			18	2
Period4Id	Period ID	reference		18		
Period4TargetCurrencyValue	Period 4 Target Currency Value	currency			18	2
Period4TargetValue	Period 4 Target Value	double			18	2
Period5Id	Period ID	reference		18		
Period5TargetCurrencyValue	Period 5 Target Currency Value	currency			18	2
Period5TargetValue	Period 5 Target Value	double			18	2
Period6Id	Period ID	reference		18		
Period6TargetCurrencyValue	Period 6 Target Currency Value	currency			18	2
Period6TargetValue	Period 6 Target Value	double			18	2
Period7Id	Period ID	reference		18		
Period7TargetCurrencyValue	Period 7 Target Currency Value	currency			18	2
Period7TargetValue	Period 7 Target Value	double			18	2
Period8Id	Period ID	reference		18		
Period8TargetCurrencyValue	Period 8 Target Currency Value	currency			18	2
Period8TargetValue	Period 8 Target Value	double			18	2
Period9Id	Period ID	reference		18		
Period9TargetCurrencyValue	Period 9 Target Currency Value	currency			18	2
Period9TargetValue	Period 9 Target Value	double			18	2
SystemModstamp	System Modstamp	datetime				

ACCTMGRPERIODICTARGETDSTRHISTORY

History for tracked fields of AcctMgrPeriodicTargetDstr.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AcctMgrPeriodicTargetDstrId	Account Manager Periodic Target Distribution ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Account Manager Periodic Target Distribution History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ACCTMGRTARGET

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssignedTargetPercentage	Assigned Target Percentage	percent			5	2
AssignedToUserId	Assigned To User ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDate	End Date	date				
FiscalYearId	Fiscal Year ID	reference		18		
Id	Account Manager Target ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Measure	Measure	picklist		40		
MeasureType	Measure Type	picklist		255		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentAcctMgrTargetId	Parent Account Manager Target ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				
TargetCurrencyValue	Target Currency Value	currency			18	2
TargetValue	Target Value	double			18	2
TeamMemberHierarchyType	Team Member Hierarchy Type	picklist		255		

ACCTMGRTARGETDSTR

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AcctMgrTargetId	Account Manager Target ID	reference		18		
AssignedTargetPercentage	Assigned Target Percentage	percent			5	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Account Manager Target Distribution ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ListPrice	List Price	currency			18	2
Name	Name	string		255		
PricebookEntryId	Price Book Entry ID	reference		18		
PricebookId	Price Book ID	reference		18		
ProductId	Product ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TargetCurrencyValue	Target Currency Value	currency			18	2
TargetValue	Target Value	double			18	2

ACCTMGRTARGETDSTRHISTORY

History for tracked fields of AcctMgrTargetDstr.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AcctMgrTargetDstrId	Account Manager Target Distribution ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Account Manager Target Distribution History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ACCTMGRTARGETFEED

Feed tracking for AcctMgrTarget.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ACCTMGRTARGETHISTORY

History for tracked fields of AcctMgrTarget.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AcctMgrTargetId	Account Manager Target ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Account Manager Target History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ACCTMGRTARGETMEASURE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Account Manager Target Measure ID	id		18		
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
MeasureType	Measure Type	picklist		40		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

ACCTMGRTARGETSHARE

Sharing for AcctMgrTarget.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACTIONLINKGROUPTEMPLATE

Action link templates let you reuse action link definitions and package and distribute action links. An action link is a button on a feed element. Clicking on an action link can take a user to another Web page, initiate a file download, or invoke an API call to an external server or Salesforce. Use action links to integrate Salesforce and third-party services into the feed. Every action link belongs to an action link group and action links within the group are mutually exclusive.

For more information, see `ActionLinkGroupTemplate` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Developer Name	string		80		
ExecutionsAllowed	Executions Allowed	picklist		255		
HoursUntilExpiration	Hours until Expiration	int	9			
Id	Action Link Group Template ID	id		18		
IsDeleted	Deleted	boolean				
IsPublished	Published	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Name	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

ACTIONLINKTEMPLATE

Action link templates let you reuse action link definitions and package and distribute action links. An action link is a button on a feed element. Clicking an action link can take a user to another Web page, initiate a file download, or invoke an API call to an external server or Salesforce. Use action links to integrate Salesforce and third-party services into the feed.

For more information, see `ActionLinkTemplate` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionLinkGroupTemplateId	Action Link Group Template ID	reference		18		
ActionUrl	Action URL	textarea		32000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Headers	HTTP Headers	textarea		32000		
Id	Action Link Template ID	id		18		
IsConfirmationRequired	Confirmation Required	boolean				
IsDeleted	Deleted	boolean				
IsGroupDefault	Default Link in Group	boolean				
Label	Label	string		255		
LabelKey	Label Key	string		128		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LinkType	Action Type	picklist		255		
Method	HTTP Method	picklist		255		
Position	Position	int	9			
RequestBody	HTTP Request Body	textarea		32000		
SystemModstamp	System Modstamp	datetime				
UserAlias	Custom User Alias	string		128		
UserVisibility	User Visibility	picklist		255		

ACTIONPLAN

For more information, see ActionPlan in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionPlanState	Status	picklist		40		
ActionPlanTemplateVersionId	Action Plan Template Version ID	reference		18		
ActionPlanType	Action Plan Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Action Plan ID	id		18		
IsDeleted	Deleted	boolean				
IsUsingHolidayHours	Skip Nonwork Days For Tasks	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				
TargetId	Target Record ID	reference		18		

ACTIONPLANITEM

Represents the instance of an action plan item.

For more information, see ActionPlanItem in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionPlanId	Action Plan ID	reference		18		
ActionPlanTemplateItemId	Action Plan Template Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DependencyStatus	Dependency Status	picklist		255		
DisplayOrder	Display Order	int	9			
Id	Action Plan Item ID	id		18		
IsDeleted	Deleted	boolean				
IsRequired	Required	boolean				
ItemId	Action Plan Item ID	reference		18		
ItemState	Action Plan Item State	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Action Plan Item Name	string		255		
SystemModstamp	System Modstamp	datetime				

ACTIONPLANITEMDEPENDENCY

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionPlanItemId	Action Plan Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Action Plan Item Dependency ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
PreviousActionPlanItemId	Action Plan Item ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ACTIONPLANSHARE

Sharing for ActionPlan.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACTIONPLANTEMPLATEITEM

Represents the instance of an item on an action plan template version.

For more information, see `ActionPlanTemplateItem` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionPlanTemplateVersionId	Action Plan Template Version ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DisplayOrder	Display Order	int	9			
Id	Action Plan Template Item ID	id		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
IsRequired	Required	boolean				
ItemEntityType	Item Entity Type	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Item Name	string		255		
SystemModstamp	System Modstamp	datetime				
UniqueName	Unique Name	string		80		

ACTIONPLANTEMPLATEITEMVALUE

Represents the value associated with an action plan template item.

For more information, see `ActionPlanTemplateItemValue` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionPlanTemplateItemId	Action Plan Template Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Action Plan Template Item Value ID	id		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
ItemEntityFieldName	Field Name	picklist		255		
ItemEntityType	Item Entity Type	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Item Value Name	string		255		
SystemModstamp	System Modstamp	datetime				
ValueFormula	Field Value - Dynamic	string		255		
ValueLiteral	Field Value - Static	textarea		32000		

ACTIONPLANTEMPLATESHARE

Sharing for ActionPlanTemplate.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACTIONPLANTEMPLATEVERSION

Represents the version of an action plan template.

For more information, see `ActionPlanTemplateVersion` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionPlanTemplateId	Action Plan Template ID	reference		18		
ActivationDateTime	Activation Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Action Plan Template Version ID	id		18		
InactivationDateTime	Inactivation Date	datetime				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Version Name	string		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Version	Version Number	int	2			

ACTIONPLANTMPLPKGCONFIG

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionPlanTemplate	Action Plan Template ID	string		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Action Plan Template Package Config ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

ACTIONPLNTMPLTMDEPENDENCY

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreationType	Creation Type	picklist		255		
Id	Action Plan Template Item Dependency ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
PreviousTemplateItemId	Action Plan Template Item ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TemplateItemId	Action Plan Template Item ID	reference		18		

ACTIVATIONTARGET

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConnectionType	Platform	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
ExportToDirectory	Export To Directory	string		255		
ExportToEndpoint	Export To Endpoint	string		255		
Id	Partner Profile ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastPublishStatusDate	Last Publish Status Date	datetime				
LastPublishStatusErrorMessage	Last Publish Status Error Message	string		255		
LastReferencedDate	Last Referenced Date	datetime				
LastTargetStatusDateTime	Target Status Last Updated	datetime				
LastTargetStatusErrorCode	Target Status Error Code	picklist		255		
LastViewedDate	Last Viewed Date	datetime				
MasterLabel	Name	string		255		
OutputFormat	Output Format	picklist		255		
OwnerId	Owner ID	reference		18		
RefreshMode	Refresh Mode	picklist		255		
RunStatus	Data Export Run Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TargetStatus	Target Status	picklist		255		

ACTIVATIONTARGETFEED

Feed tracking for ActivationTarget.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ACTIVATIONTARGETHISTORY

History for tracked fields of ActivationTarget.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivationTargetId	Partner Profile ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Activation Target History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ACTIVATIONTARGETSHARE

Sharing for ActivationTarget.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACTIVATIONTRGTINTORGACCESS

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivationTargetId	Partner Profile ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataChangeStatus	Data Change Status	picklist		255		
Id	Activation Target Internal Organization Access ID	id		18		
IsDeleted	Deleted	boolean				
LastDataChangeStatusDateTime	Data Change Status Last Updated	datetime				
LastDataChangeStatusErrorCode	Data Change Status Error Code	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ACTIVATIONTRGTINTORGACCESSFEED

Feed tracking for ActivationTrgtIntOrgAccess.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ACTIVATIONTRGTINTORGACCESSHISTORY

History for tracked fields of ActivationTrgtIntOrgAccess.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivationTrgtIntOrgAccessId	Activation Target Internal Organization Access ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Activation Target Internal Organization Access History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ACTIVATIONTRGTINTORGACCESSSHARE

Sharing for ActivationTrgtIntOrgAccess.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACTIVEFEATURELICENSEMETRIC

Represents the number of active, assigned, and purchased feature licenses in the org.

For more information, see ActiveFeatureLicenseMetric in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActiveUserCount	Active User Count	int	9			
AssignedUserCount	Assigned User Count	int	9			
FeatureType	Primary Grain	picklist		40		
Id	Active Feature License Metric ID	id		18		
MetricsDate	Metrics Date	date				
SystemModstamp	System Modstamp	datetime				
TotalLicenseCount	Total License Count	int	9			

ACTIVEPERMSETLICENSEMETRIC

Represents the number of active, assigned, and purchased permission set licenses in the org.

For more information, see `ActivePermSetLicenseMetric` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>ActiveUserCount</code>	Active User Count	int	9			
<code>AssignedUserCount</code>	Assigned User Count	int	9			
<code>Id</code>	Active Permission Set License Metric ID	id		18		
<code>MetricsDate</code>	Metrics Date	date				
<code>PermissionSetLicenseId</code>	Permission Set License ID	reference		18		
<code>SystemModstamp</code>	System Modstamp	datetime				

ACTIVEPROFILEMETRIC

Represents the profile associated with the active, assigned, and purchased user licenses.

For more information, see ActiveProfileMetric in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActiveUserCount	Active User Count	int	9			
AssignedUserCount	Assigned User Count	int	9			
Id	Active Profile Metric ID	id		18		
MetricsDate	Metrics Date	date				
ProfileId	Profile ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UserLicenseId	User License ID	reference		18		

ACTIVITYHISTORY

This read-only object is displayed in a related list of closed activities—past events and closed tasks—related to an object. It includes activities for all contacts related to the object. ActivityHistory fields for phone calls are only available if your organization uses Salesforce CRM Call Center.

For more information, see ActivityHistory in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActivityDate	Date	date				
ActivityDateTime	Time	datetime				
ActivitySubtype	Activity Subtype	picklist		40		
ActivityType	Type	picklist		40		
AlternateDetailId	Email Message ID	reference		18		
CallDisposition	Call Result	string		255		
CallDurationInSeconds	Call Duration	int	8			
CallObject	Call Object Identifier	string		255		
CallType	Call Type	picklist		40		
CompletedDateTime	Completed Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Comments	textarea		32000		
DurationInMinutes	Duration	int	9			
EndDateTime	End	datetime				
Id	Activity ID	id		18		
IsAllDayEvent	All-Day Event	boolean				
IsClosed	Closed	boolean				
IsDeleted	Deleted	boolean				
IsHighPriority	High Priority	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsReminderSet	Reminder Set	boolean				
IsTask	Task	boolean				
IsVisibleInSelfService	Public	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Location	Location	string		80		
OwnerId	Assigned To ID	reference		18		
Priority	Priority	picklist		20		
ReminderDateTime	Reminder Date/Time	datetime				
StartDateTime	Start	datetime				
Status	Status	picklist		255		
Subject	Subject	combobox		80		
SystemModstamp	System Modstamp	datetime				
WhatId	Related To ID	reference		18		
WhoId	Name ID	reference		18		

ACTIVITYTIMING

Represents detailed information about an activity that's repeated in regular intervals over a period of time.

For more information, see ActivityTiming in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivityCountPerRepetition	Activity Count in Repetition Cycle	double			18	2
ActivityDuration	Activity Duration	double			18	2
ActivityDurationUnitId	Unit of Measure ID	reference		18		
ActivityTime	Activity Time	multipicklist		4099	0	
ActivityTimeOffset	Activity Time Offset	int	9			
CountInPeriod	Activity Count in Period	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Activity Timing ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaxActivityCountPerRepetition	Maximum Activity Count in Repetition Cycle	int	9			
MaxActivityDuration	Maximum Activity Duration	double			18	2
MaxCountInPeriod	Maximum Activity Count in Period	int	9			
MaxRepetitionCycleLength	Maximum Repetition Cycle Length	double			18	2
Name	Name	string		255		
OwnerId	Owner ID	reference		18		

ActivityTiming

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PeriodEndDateTime	Period End Date	datetime				
PeriodLength	Period Length	int	9			
PeriodLengthLowerLimit	Period Length Lower Limit	double			18	2
PeriodLengthUnitId	Unit of Measure ID	reference		18		
PeriodLengthUpperLimit	Period Length Upper Limit	double			18	2
PeriodStartDateTime	Period Start Date	datetime				
RepetitionCycleLength	Repetition Cycle Length	double			18	2
RepetitionCycleUnitId	Unit of Measure ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System ID	string		255		
SourceSystemModified	Source System Modified	datetime				
SystemModstamp	System Modstamp	datetime				
TimingCodeId	Code Set ID	reference		18		
UsageType	Usage Type	picklist		255		
WeeklyActivityTimeId	Operating Hour ID	reference		18		

ACTIVITYTIMINGFEED

Feed tracking for ActivityTiming.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ACTIVITYTIMINGHISTORY

History for tracked fields of ActivityTiming.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivityTimingId	Activity Timing ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Activity Timing History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ACTIVITYTIMINGSHARE

Sharing for ActivityTiming.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ADDITIONALNUMBER

Represents an optional additional number for a call center. This additional number is visible in the call center's phone directory. For more information, see AdditionalNumber in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CallCenterId	Call Center ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Additional Directory Number ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		80		
Phone	Phone	phone		40		
SystemModstamp	System Modstamp	datetime				

ADDRESS

Represents a mailing, billing, or home address.

For more information, see Address in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Address	Address	address				
AddressType	Address Type	picklist		40		
City	City	string		40		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DrivingDirections	Driving Directions	string		1000		
GeocodeAccuracy	Geocode Accuracy	picklist		255		
Id	Address ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Latitude	Latitude	double			18	15
LocationType	Location Type	picklist		40		
Longitude	Longitude	double			18	15
Name	Name	string		255		
ParentId	Parent ID	reference		18		
PostalCode	Zip/Postal Code	string		20		
State	State/Province	string		80		
Street	Address	textarea		255		
SystemModstamp	System Modstamp	datetime				
TimeZone	Time Zone	picklist		255		

ADVACCOUNTFORECASTFACT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AdvAccountForecastSetId	Advanced Account Forecast Set ID	reference		18		
AdvAcctForecastSetPartnerId	Advanced Account Forecast Set Partner ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ForecastedQuantity	Forecasted Quantity	double			18	6
ForecastedRevenue	Forecasted Revenue	currency			14	2
Id	Advanced Account Forecast Fact ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LastYearOrderQuantity	Last Year Order Quantity	double			18	6
LastYearOrderRevenue	Last Year Order Revenue	currency			14	2
Name	Name	string		255		
OpportunityQuantity	Opportunity Quantity	double			18	6
OpportunityRevenue	Opportunity Revenue	currency			14	2
OrderQuantity	Order Quantity	double			18	6
OrderRevenue	Order Revenue	currency			14	2
OwnerId	Owner ID	reference		18		
PeriodId	Period ID	reference		18		
ProductId	Product ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SalesAgreementQuantity	Sales Agreement Quantity	double			18	6
SalesAgreementRevenue	Sales Agreement Revenue	currency			14	2
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

ADVACCOUNTFORECASTFACTFEED

Feed tracking for AdvAccountForecastFact.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ADVACCOUNTFORECASTFACTHISTORY

History for tracked fields of AdvAccountForecastFact.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdvAccountForecastFactId	Advanced Account Forecast Fact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Advanced Account Forecast Fact History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ADVACCOUNTFORECASTFACTSHARE

Sharing for AdvAccountForecastFact.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ADVACCOUNTFORECASTFORMULA

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdvAccountForecastSetId	Advanced Account Forecast Set ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndPeriod	End Period	int	9			
FormulaExpression	Formula Expression	textarea		1333		
FormulaType	Formula Type	picklist		255		
Id	Advanced Account Forecast Formula ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
StartPeriod	Start Period	int	9			
SystemModstamp	System Modstamp	datetime				

ADVACCOUNTFORECASTPERIOD

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DisplayDuration	Display Duration	int	9			
ForecastPeriodGroupId	Advanced Account Forecast Period Group ID	reference		18		
Id	Advanced Account Forecast Period ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SequenceNumber	Sequence Number	int	9			
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

ADVACCOUNTFORECASTSET

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountFieldName	Custom Field Definition ID	picklist		255		
CalculationFrequency	Calculation Frequency	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
DeveloperName	Name	string		80		
ForecastFactObjectName	Custom Object Definition ID	picklist		255		
ForecastPeriodGroupId	Advanced Account Forecast Period Group ID	reference		18		
ForecastQuantityFieldName	Custom Field Definition ID	picklist		255		
ForecastRevenueFieldName	Custom Field Definition ID	picklist		255		
ForecastSetFieldName	Custom Field Definition ID	picklist		255		
ForecastSetName	Forecast Set Name	string		80		
ForecastStatusFieldName	Custom Field Definition ID	picklist		255		
GenerationDpeDefNameId	Batch Calculation Job Definition ID	reference		18		
Id	Advanced Account Forecast Set ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
PeriodFieldName	Custom Field Definition ID	picklist		255		
RecalculateDpeDefNameId	Batch Calculation Job Definition ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RegenerationDpeDefNameId	Batch Calculation Job Definition ID	reference		18		
RolloverDpeDefNameId	Batch Calculation Job Definition ID	reference		18		
RolloverFrequency	Rollover Frequency	picklist		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

ADVACCTFORECASTADJPERIOD

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentDayCount	Adjustment Day Count	int	9			
AdvAccountForecastSetId	Advanced Account Forecast Set ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Frequency	Frequency	picklist		255		
Id	Advanced Account Forecast Adjustment Period ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ProfileId	Profile ID	reference		18		
StartDay	Start Day	int	9			
SystemModstamp	System Modstamp	datetime				

ADVACCTFORECASTDIMSOURCE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdvAcctForecastDimSrcName	Name	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Advanced Account Forecast Dimension Source ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
SourceObjectName	Custom Object Definition ID	picklist		255		
SystemModstamp	System Modstamp	datetime				

ADVACCTFORECASTDIMENSION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdvAcctForecastDimName	Name	string		80		
AdvAcctForecastDimSourceId	Advanced Account Forecast Dimension Source ID	reference		18		
AdvAcctForecastSetId	Advanced Account Forecast Set ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DimensionFieldName	Custom Field Definition ID	picklist		255		
HierarchySequenceNumber	Hierarchy Sequence Number	int	9			
Id	Advanced Account Forecast Dimension ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				

ADVACCTFORECASTFACTADJ

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustedById	User ID	reference		18		
AdvAcctForecastFactId	Advanced Account Forecast Fact ID	reference		18		
AdvAcctForecastMeasureDefId	Advanced Account Forecast Measure Definition ID	reference		18		
Comment	Comment	textarea		2000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Advanced Account Forecast Fact Adjustment ID	id		18		
InitialValue	Initial Value	double			18	6
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UpdatedValue	Updated Value	double			18	6

ADVACCTFORECASTFACTADJSHARE

Sharing for AdvAcctForecastFactAdj.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ADVACCTFORECASTMEASUREDEF

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdvAccountForecastSetId	Advanced Account Forecast Set ID	reference		18		
AdvAcctForecastMeasureDefName	Name	string		80		
AggregationType	Aggregation Type	picklist		255		
ComputationMethod	Computation Method	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ForecastDataMeasureName	Forecast Data Measure Name	string		80		
ForecastMeasureName	Forecast Measure Name	string		80		
ForecastMeasureType	Forecast Measure Type	picklist		255		
Id	Advanced Account Forecast Measure Definition ID	id		18		
IsAdjustmentTracked	Track Adjustments	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				

ADVACCTFORECASTPERIODGROUP

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
ForecastPeriodGroupName	Name	string		80		
Id	Advanced Account Forecast Period Group ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
StartPeriod	Start Period	int	9			
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

ADVACCTFORECASTSETPARTNER

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AdvAccountForecastSetId	Advanced Account Forecast Set ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalReferenceNumber	External Reference Number	string		80		
Id	Advanced Account Forecast Set Partner ID	id		18		
IsDeleted	Deleted	boolean				
LastCalculationDate	Last Calculation Date	date				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

ADVACCTFORECASTSETPARTNERFEED

Feed tracking for AdvAcctForecastSetPartner.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ADVACCTFORECASTSETPARTNERHISTORY

History for tracked fields of AdvAcctForecastSetPartner.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdvAcctForecastSetPartnerId	Advanced Account Forecast Set Partner ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Advanced Account Forecast Set Partner History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ADVACCTFORECASTSETPARTNERSHARE

Sharing for AdvAcctForecastSetPartner.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

AGGREGATERESULT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	Aggregate Result ID	id		18		

ALTERNATIVEPAYMENTMETHOD

Represents a payment method that doesn't have a defined Commerce Orders entity such as CardPaymentMethod or DigitalWallet. Common examples of alternative payment methods for Commerce Orders include CashOnDeliver, Klarna, and Direct Debit. `AlternativePaymentMethod` functions the same as any other type of payment method for processing transactions in the payment gateway.

For more information, see `AlternativePaymentMethod` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AlternativePaymentMethodNumber	Alternative Payment Method Number	string		255		
AuditEmail	Audit Email	email		80		
Comments	Comments	textarea		1000		
CompanyName	Company Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Email	Registered Email	email		80		
GatewayToken	Gateway Token	encrypted string		255		
GatewayTokenDetails	Gateway Token Details	textarea		1000		
Id	Alternative Payment Method ID	id		18		
IpAddress	IP Address	string		39		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MacAddress	MAC Address	string		32		
NickName	Nickname	string		255		
OwnerId	Owner ID	reference		18		

AlternativePaymentMethod

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PaymentGatewayId	Payment Gateway ID	reference		18		
PaymentMethodAddress	Payment Method Address	address				
PaymentMethodCity	City	string		40		
PaymentMethodCountry	Country	string		80		
PaymentMethodGeoCodeAccuracy	GeoCode Accuracy	picklist		255		
PaymentMethodLatitude	Latitude	double			18	15
PaymentMethodLongitude	Longitude	double			18	15
PaymentMethodPostalCode	Postal Code	string		20		
PaymentMethodState	State	string		80		
PaymentMethodStreet	Street	textarea		255		
Phone	Phone	phone		40		
ProcessingMode	Processing Mode	picklist		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

ALTERNATIVEPAYMENTMETHODSHARE

Sharing for AlternativePaymentMethod.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ANALYSISSETUPSTATUSEVENT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AnalysisConfigurationId	Analysis Configuration ID	string		18		
AnalysisSetupId	Analysis Setup ID	string		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ErrorMessage	Error Message	string		255		
EventUuid	Event UUID	string		36		
FolderId	Story Folder ID	string		18		
Label	Story Label	string		255		
ReplayId	Replay ID	string		1000		
Status	Analysis Setup Status	string		255		

ANALYTICSLICENSEDASSET

Represents a licensed Analytics asset.

For more information, see AnalyticsLicensedAsset in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConsumerNamespace	Consumer Namespace	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Analytics Licensed Asset ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LicenseType	License Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

ANNOUNCEMENT

Represents a Chatter group announcement.

For more information, see Announcement in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExpirationDate	Expiration Date	datetime				
FeedItemId	Feed Item ID	reference		18		
Id	Announcement ID	id		18		
IsArchived	Is Announcement Archived	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
SendEmails	Send Emails on Announcement	boolean				
SystemModstamp	System Modstamp	datetime				

APEXCLASS

Represents an Apex class.

For more information, see ApexClass in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiVersion	Api Version	double			18	1
Body	Body	textarea		1000000		
BodyCrc	Body CRC	double			18	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Class ID	id		18		
IsValid	Is Valid	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LengthWithoutComments	Size Without Comments	int	9			
Name	Name	string		255		
NamespacePrefix	Namespace Prefix	string		15		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

APEXCOMPONENT

Represents a definition for a custom component that can be used in a Visualforce page alongside standard components such as `<apex:relatedList>` and `<apex:dataTable>`

For more information, see ApexComponent in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiVersion	Api Version	double			18	1
ControllerKey	Controller Key	string		255		
ControllerType	Controller Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		4000		
Id	Component ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Markup	Markup	textarea		1048576		
MasterLabel	Label	string		80		
Name	Name	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

APEXEMAILNOTIFICATION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Email	email	string		255		
Id	ApexEmailNotification ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

APEXLOG

Represents a debug log containing information about a transaction, including information about Apex, Visualforce, and workflow and validation rules.

For more information, see ApexLog in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Application	Application	string		64		
DurationMilliseconds	Duration (ms)	int	9			
Id	Log ID	id		18		
LastModifiedDate	Date	datetime				
Location	Location	picklist		40		
LogLength	Log Size (bytes)	int	9			
LogUserId	Log User ID	reference		18		
Operation	Operation	string		128		
Request	Request Type	string		16		
RequestIdentifier	Request ID	string		84		
StartTime	Start Time	datetime				
Status	Status	string		255		
SystemModstamp	System Modstamp	datetime				

APEXPAGE

Represents a single Visualforce page.

For more information, see `ApexPage` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>ApiVersion</code>	Api Version	double			18	1
<code>ControllerKey</code>	Controller Key	string		255		
<code>ControllerType</code>	Controller Type	picklist		40		
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>Description</code>	Description	textarea		4000		
<code>Id</code>	Page ID	id		18		
<code>IsAvailableInTouch</code>	Available for Lightning Experience, Experience Builder sites, and the mobile app	boolean				
<code>IsConfirmationTokenRequired</code>	Require CSRF protection on GET requests	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>Markup</code>	Markup	textarea		1048576		
<code>MasterLabel</code>	Label	string		80		
<code>Name</code>	Name	string		80		
<code>NamespacePrefix</code>	Namespace Prefix	string		15		
<code>SystemModstamp</code>	System Modstamp	datetime				

APEXPAGEINFO

Represents metadata about a single Visualforce page.

For more information, see `ApexPageInfo` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>ApexPageId</code>	Apex Page ID	string		18		
<code>ApiVersion</code>	API Version	double			18	1
<code>Description</code>	Description	textarea		1333		
<code>DurableId</code>	Durable ID	string		255		
<code>Id</code>	Entity Id	id		18		
<code>IsAvailableInTouch</code>	Is Available In Touch	boolean				
<code>IsShowHeader</code>	Show Header	string		80		
<code>MasterLabel</code>	Master Label	string		80		
<code>Name</code>	Name	string		80		
<code>NamespacePrefix</code>	Name Space Prefix	string		512		

APEXTESTQUEUEITEM

Represents a single Apex class in the Apex job queue.

For more information, see `ApexTestQueueItem` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>ApexClassId</code>	Class ID	reference		18		
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>ExtendedStatus</code>	Status Detail	string		1000		
<code>Id</code>	Apex Test Queue Item ID	id		18		
<code>ParentJobId</code>	Apex Job ID	reference		18		
<code>ShouldSkipCodeCoverage</code>	Should Skip Code Coverage	boolean				
<code>Status</code>	Status	picklist		40		
<code>SystemModstamp</code>	System Modstamp	datetime				
<code>TestRunResultId</code>	ApexTestRunResult ID	reference		18		

APEXTESTRESULT

Represents the result of an Apex test method execution.

For more information, see ApexTestResult in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApexClassId	Class ID	reference		18		
ApexLogId	Log ID	reference		18		
ApexTestRunResultId	ApexTestRunResult ID	reference		18		
AsyncApexJobId	Apex Job ID	reference		18		
Id	Apex Test Result ID	id		18		
Message	Error Message	string		4000		
MethodName	Method Name	string		255		
Outcome	Pass/Fail	picklist		40		
QueueItemId	Apex Test Queue Item ID	reference		18		
RunTime	Run Time	int	9			
StackTrace	Stack Trace	string		4000		
SystemModstamp	System Modstamp	datetime				
TestTimestamp	Time Started	datetime				

APEXTESTRESULTLIMITS

Captures the Apex test limits used for a particular test method execution. An instance of this object is associated with each ApexTestResult record.

For more information, see ApexTestResultLimits in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApexTestResultId	Apex Test Result ID	reference		18		
AsyncCalls	Total number of async calls	int	9			
Callouts	Total number of callouts	int	9			
Cpu	Maximum CPU time on the Salesforce servers	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Dml	Total number of DML statements issued	int	9			
DmlRows	Total number of records processed as a result of DML statements	int	9			
Email	Total number of sendEmail methods allowed	int	9			
Id	ApexTestResultLimits ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LimitContext	LimitContext	string		255		
LimitExceptions	LimitExceptions	string		255		
MobilePush	Maximum number of push notification method calls allowed per Apex transaction	int	9			
QueryRows	Total number of records retrieved by SOQL queries	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Soql	Total number of SOQL queries issued	int	9			
Sosl	Total number of SOSL queries issued	int	9			
SystemModstamp	System Modstamp	datetime				

APEXTESTRUNRESULT

Contains summary information about all the test methods that were run in a particular Apex job.

For more information, see `ApexTestRunResult` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AsyncApexJobId	Apex Job ID	reference		18		
ClassesCompleted	Number of classes completed in this test run	int	9			
ClassesEnqueued	Number of classes enqueued in this test run	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndTime	End time of the test run	datetime				
Id	ApexTestRunResult ID	id		18		
IsAllTests	allTests	boolean				
IsDeleted	Deleted	boolean				
JobName	Name of the job	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MethodsCompleted	Number of methods completed in this test run	int	9			
MethodsEnqueued	Number of methods enqueued in this test run	int	9			
MethodsFailed	Number of methods failed in this test run	int	9			
Source	Client that kicked off the test run	string		255		
StartTime	Start time of the test run	datetime				
Status	Status of the test run	picklist		255		
SystemModstamp	System Modstamp	datetime				

ApexTestRunResult

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TestTime	Time(ms) actually spent running tests	int	9			
UserId	User ID	reference		18		

APEXTESTSUITE

Represents a suite of Apex classes to include in a test run. A TestSuiteMembership object associates each class with the suite.

For more information, see ApexTestSuite in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Test Suite ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				
TestSuiteName	Test Suite Name	string		255		

APEXTRIGGER

Represents an Apex trigger.

For more information, see ApexTrigger in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiVersion	Api Version	double			18	1
Body	Body	textarea		1000000		
BodyCrc	Body CRC	double			18	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Trigger ID	id		18		
IsValid	Is Valid	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LengthWithoutComments	Size Without Comments	int	9			
Name	Name	string		255		
NamespacePrefix	Namespace Prefix	string		15		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TableEnumOrId	Custom Object Definition ID	picklist		40		
UsageAfterDelete	AfterDelete	boolean				
UsageAfterInsert	AfterInsert	boolean				
UsageAfterUndelete	AfterUndelete	boolean				
UsageAfterUpdate	AfterUpdate	boolean				
UsageBeforeDelete	BeforeDelete	boolean				
UsageBeforeInsert	BeforeInsert	boolean				
UsageBeforeUpdate	BeforeUpdate	boolean				
UsageIsBulk	IsBulk	boolean				

APIANOMALYEVENT

Track anomalies in how users make API calls.

For more information, see `ApiAnomalyEvent` in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event ID	string		80		
EventUuid	Event UUID	string		36		
LoginKey	Login Key	string		24		
Operation	Operation	string		255		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
QueriedEntities	Queried Entities	string		1000		
ReplayId	Replay ID	string		1000		
RequestIdentifier	Request Identifier	string		255		
RowsProcessed	Rows Processed	double			18	0
Score	Score	double			12	6
SecurityEventData	Event Data	textarea		10000		
SessionKey	Session Key	string		24		
SourceIp	Source IP Address	string		255		
Summary	Summary	textarea		1000		
Uri	Uri	string		255		
UserAgent	User Agent	string		1000		
UserId	User ID	reference		18		
Username	Username	string		255		

APIANOMALYEVENTSTORE

Tracks anomalies in how users make API calls. ApiAnomalyEventStore is an object that stores the event data of ApiAnomalyEvent. This object is available in API version 50.0 and later.

For more information, see ApiAnomalyEventStore in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiAnomalyEventNumber	Event Name	string		255		
CreatedDate	Created Date	datetime				
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event ID	string		80		
Id	API Anomaly Event Store ID	id		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoginKey	Login Key	string		24		
Operation	Operation	string		255		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
QueriedEntities	Queried Entities	textarea		1000		
RequestIdentifier	Request Identifier	string		255		
RowsProcessed	Rows Processed	double			18	0
Score	Score	double			12	6
SecurityEventData	Event Data	textarea		10000		
SessionKey	Session Key	string		24		
SourceIp	Source IP Address	string		255		
Summary	Summary	textarea		1000		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Uri	Uri	string		255		
UserAgent	User Agent	textarea		1000		
UserId	User ID	reference		18		
Username	Username	string		255		

APIANOMALYEVENTSTOREFEED

Feed tracking for ApiAnomalyEventStore.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

APIEVENT

Tracks these user-initiated read-only API calls: `query()`, `queryMore()`, and `count()`. Captures API requests through SOAP API, REST API, and Bulk API for the Enterprise and Partner WSDLs. Tooling API calls and API calls originating from a Salesforce mobile app aren't captured.

For more information, see `ApiEvent` in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>AdditionalInfo</code>	Additional Information	string		10000		
<code>ApiType</code>	API Type	string		80		
<code>ApiVersion</code>	API Version	double			18	0
<code>Application</code>	Application	string		255		
<code>Client</code>	Client	string		255		
<code>ConnectedAppId</code>	Connected App ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>ElapsedTime</code>	Elapsed Time	int	9			
<code>EvaluationTime</code>	Evaluation Time	double			18	0
<code>EventDate</code>	Event Date	datetime				
<code>EventIdentifier</code>	Event Identifier	string		80		
<code>Id</code>	API Event ID	id		18		
<code>LoginHistoryId</code>	Login History ID	reference		18		
<code>LoginKey</code>	Login Key	string		24		
<code>Operation</code>	Operation	picklist		255		
<code>Platform</code>	Platform	string		255		
<code>PolicyId</code>	Transaction Security Policy ID	reference		18		
<code>PolicyOutcome</code>	Policy Outcome	picklist		255		
<code>QueriedEntities</code>	Queried Entities	string		1000		
<code>Query</code>	Query	string		10000		
<code>Records</code>	Records	json		250000		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RelatedEventIdentifier	Related Event Identifier	string		80		
RowsProcessed	Rows Processed	double			18	0
RowsReturned	Rows Returned	double			18	0
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
UserAgent	User Agent	string		1000		
UserId	User ID	reference		18		
Username	Username	string		255		

APIEVENTSTREAM

Tracks these user-initiated read-only API calls: `query()`, `queryMore()`, and `count()`. Captures API requests through SOAP API, REST API, and Bulk API for the Enterprise and Partner WSDLs. Tooling API calls and API calls originating from a Salesforce mobile app aren't captured.

For more information, see `ApiEventStream` in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>AdditionalInfo</code>	Additional Information	string		10000		
<code>ApiType</code>	API Type	string		80		
<code>ApiVersion</code>	API Version	double			18	0
<code>Application</code>	Application	string		255		
<code>Client</code>	Client	string		255		
<code>ConnectedAppId</code>	Connected Application ID	string		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>ElapsedTime</code>	Elapsed Time	int	9			
<code>EvaluationTime</code>	Evaluation Time	double			18	0
<code>EventDate</code>	Event Date	datetime				
<code>EventIdentifier</code>	Event Identifier	string		80		
<code>EventUuid</code>	Event UUID	string		36		
<code>LoginHistoryId</code>	Login History ID	reference		18		
<code>LoginKey</code>	Login Key	string		24		
<code>Operation</code>	Operation	picklist		255		
<code>Platform</code>	Platform	string		255		
<code>PolicyId</code>	Transaction Security Policy ID	reference		18		
<code>PolicyOutcome</code>	Policy Outcome	picklist		255		
<code>QueriedEntities</code>	Queried Entities	string		1000		
<code>Query</code>	Query	textarea		20000		
<code>Records</code>	Records	json		250000		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RelatedEventIdentifier	Related Event Identifier	string		80		
ReplayId	Replay ID	string		1000		
RowsProcessed	Rows Processed	double			18	0
RowsReturned	Rows Returned	double			18	0
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
UserAgent	User Agent	string		1000		
UserId	User ID	reference		18		
Username	Username	string		255		

APPANALYTICSQUERYREQUEST

Represents a request for AppExchange App Analytics data.

For more information, see `AppAnalyticsQueryRequest` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AvailableSince	Available Since	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Data Type	picklist		255		
DownloadExpirationTime	Download Expiration Time	datetime				
DownloadSize	Download File Size	long	18			
DownloadUrl	Download URL	textarea		8096		
EndTime	End Time	datetime				
ErrorMessage	Error Message	string		255		
FileCompression	File Compression	picklist		255		
FileType	File Type	picklist		255		
Id	App Analytics Query Request ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Number	string		255		
OrganizationIds	Organization IDs	string		255		
PackageIds	Package IDs	string		255		
QuerySubmittedTime	Query Submitted Time	datetime				
RequestState	Request State	picklist		255		
StartTime	Start Time	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

APPDEFINITION

Represents the metadata of an app and its navigation items. Metadata is returned only for apps that the current user can access. For more information, see AppDefinition in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Description	Description	string		255		
DeveloperName	Developer Name	string		80		
DurableId	Durable ID	string		255		
HeaderColor	Header Color	string		20		
Id	App Definition ID	id		18		
IsLargeFormFactorSupported	Is Large Form Factor Supported	boolean				
IsMediumFormFactorSupported	Is Medium Form Factor Supported	boolean				
IsNavAutoTempTabsDisabled	Is Navigation Menu Automatically Create Temporary Tabs Disabled	boolean				
IsNavPersonalizationDisabled	Is Navigation Menu Personalization Disabled	boolean				
IsOverrideOrgTheme	Is Org Theme Overridden	boolean				
IsSmallFormFactorSupported	Is Small Form Factor Supported	boolean				
Label	Label	string		1000		
LogoUrl	Logo URL	url		255		
MasterLabel	Master Label	string		40		
NamespacePrefix	Namespace Prefix	string		15		
NavType	Navigation Type	picklist		255		
UiType	UI Type	picklist		255		
UtilityBar	Utility Bar Name	string		80		

APPEXTENSION

Represents a connection between the Field Service mobile app and another app, typically for passing record data to the Salesforce mobile app or other apps.

For more information, see AppExtension in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppExtensionLabel	Label	string		255		
AppExtensionName	Name	string		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FieldServiceMobileSettingsId	Field Service Mobile Settings ID	reference		18		
Id	App Extension ID	id		18		
InstallationUrl	Installation URL	string		255		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LaunchValue	Launch Value	string		255		
ScopedToObjectTypes	Scoped To Object Types	string		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

APPMENUITEM

Represents the organization's default settings for items in the app menu or App Launcher.

For more information, see `AppMenuItem` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>ApplicationId</code>	Application ID	reference		18		
<code>CanvasAccessMethod</code>	The configured access method for the canvas application	picklist		255		
<code>CanvasEnabled</code>	Is this a canvas-enabled application	boolean				
<code>CanvasOptions</code>	The options to hide publisher header or publisher share button	string		255		
<code>CanvasReferenceId</code>	The identifier used to render the canvas application.	string		18		
<code>CanvasSelectedLocations</code>	The selected/supported locations of the canvas application	string		255		
<code>CanvasUrl</code>	The canvas url for the canvas application	url		255		
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>Description</code>	Description	string		250		
<code>IconUrl</code>	Icon Url	url		255		
<code>Id</code>	AppMenuItem ID	id		18		
<code>InfoUrl</code>	Info URL	url		255		
<code>IsAccessible</code>	Is Accessible	boolean				
<code>IsDeleted</code>	Deleted	boolean				
<code>IsRegisteredDeviceOnly</code>	App requires a registered mobile device	boolean				
<code>IsUsingAdminAuthorization</code>	IsUsingAdminAuthorization	boolean				
<code>IsVisible</code>	Is Visible	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Label	Label	string		250		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LogoUrl	Logo Image URL	url		255		
MobileAppBinaryId	ID for the related mobile app binary	string		255		
MobileAppInstallUrl	URL to install the mobile app	url		255		
MobileAppInstalledDate	Date the mobile app was most recently installed	datetime				
MobileAppInstalledVersion	Most recently installed version of the mobile app	string		255		
MobileAppVer	Version of the mobile app	string		255		
MobileDeviceType	Type of mobile device	string		255		
MobileMinOsVer	Minimum required mobile device OS version	string		255		
MobilePlatform	Mobile device OS platform	picklist		255		
MobileStartUrl	Mobile Start Url	url		255		
Name	Developer Name	string		80		
NamespacePrefix	Namespace Prefix	string		80		
SortOrder	Sort Order	int	9			
StartUrl	Start Url	url		255		
SystemModstamp	System Modstamp	datetime				
Type	App Type	picklist		255		
UserSortOrder	User Sort Order	int	9			

APPTABMEMBER

Represents the list of tabs for each of the available apps.

For more information, see AppTabMember in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppDefinitionId	App Definition ID	string		512		
DurableId	Durable ID	string		255		
Id	App Tab Member ID	id		18		
SortOrder	Sort Order	int	9			
TabDefinitionId	Tab Definition ID	string		512		
WorkspaceDriverField	Workspace Driver Field	string		30		

APPUSAGEASSIGNMENT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppUsageType	Application Usage Type	string		100		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Application Usage Assignment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
RecordId	Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				

APPOINTMENTASSIGNMENTPOLICY

Stores information about resource assignment rules.

For more information, see AppointmentAssignmentPolicy in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Developer Name	string		80		
Id	Appointment Assignment Policy ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Name	string		80		
PolicyApplicableDuration	Utilization Calculation Frequency	picklist		255		
PolicyType	Policy Type	picklist		255		
SystemModstamp	System Modstamp	datetime				
UtilizationFactor	Utilization Count Type	picklist		255		

APPOINTMENTSCHEDULEAGGR

Records the utilization of a service resource, by date, for the Load Balancing appointment assignment policy.

For more information, see AppointmentScheduleAggr in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppointmentDate	Appointment Date	date				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Appointment Schedule Aggregate ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
ResourceUtilizationCount	Resource Utilization Count	int	9			
ServiceResourceId	Resource ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalResourceUtilization	Total Resource Utilization	double			18	2
UsageType	Usage Type	picklist		255		

APPOINTMENTSCHEDULELOG

Stores service appointments of each service Resource.

For more information, see AppointmentScheduleLog in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppointmentDate	Appointment Date	date				
AppointmentScheduleAggrId	Appointment Schedule Aggregate ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Appointment Schedule Log ID	id		18		
IsDeleted	Deleted	boolean				
IsUsedForResourceUtilization	Used for Resource Utilization	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
RelatedRecordId	Related Record ID	reference		18		
ResourceUtilization	Resource Utilization	double			18	2
ServiceResourceId	Resource ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		255		

APPOINTMENTSCHEDULINGPOLICY

Represents a set of rules for scheduling appointments using Salesforce Scheduler.

For more information, see AppointmentSchedulingPolicy in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppointmentStartTimeInterval	Appointment Start Time Interval	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Developer Name	string		80		
ExtCalEventHandlerId	Class ID	reference		18		
Id	Appointment Scheduling Policy ID	id		18		
IsDeleted	Deleted	boolean				
IsOrgDefault	Is Default	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Name	string		80		
ShouldConsiderCalendarEvents	Check Salesforce Calendar for Resource Availability	boolean				
ShouldEnforceExcludedResource	Ignore Excluded Service Resources	boolean				
ShouldEnforceRequiredResource	Include Only Required Service Resources	boolean				
ShouldMatchSkill	Match Skills	boolean				
ShouldMatchSkillLevel	Match Skill Levels	boolean				
ShouldRespectVisitingHours	Enforce Account's Visiting Hours	boolean				
ShouldUsePrimaryMembers	Include Primary Service Territory Members	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ShouldUseSecondaryMembers	Include Secondary Service Territory Members	boolean				
SystemModstamp	System Modstamp	datetime				

APPOINTMENTTOPICTIMESLOT

Junction object that is a lookup to a work type or a work type group for a time slot.

For more information, see AppointmentTopicTimeSlot in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppointmentTopicTimeSlotKey	Appointment Topic Time Slot Key	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Appointment Topic Time Slot ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OperatingHoursId	Operating Hour ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TimeSlotId	Time Slot ID	reference		18		
WorkTypeGroupId	Work Type Group ID	reference		18		
WorkTypeId	Work Type ID	reference		18		

APPOINTMENTTOPICTIMESLOTFEED

Feed tracking for AppointmentTopicTimeSlot.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

APPOINTMENTTOPICTIMESLOTHISTORY

History for tracked fields of AppointmentTopicTimeSlot.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppointmentTopicTimeSlotId	Appointment Topic Time Slot ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Appointment Topic Time Slot History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTINDDEFINEDVALUE

Stores the list of acceptable values which are defined as part of assessment indicator definition for a single and multi select question.

For more information, see AssessmentIndDefinedValue in the *Public Sector Solutions Developer Guide for License and Permit Management, and Inspection Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentIndicatorDefinitionId	Assessment Indicator Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Assessment Indicator Defined Value ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SequenceNumber	Sequence Number	int	9			
SystemModstamp	System Modstamp	datetime				
Value	Value	string		255		

ASSESSMENTINDDEFINEDVALUEHISTORY

History for tracked fields of AssessmentIndDefinedValue.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentIndDefinedValueId	Assessment Indicator Defined Value ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Indicator Defined Value History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTINDVALUE

Stores the list of target or captured values which are defined as part of assessment indicator definition for a single and multi select question.

For more information, see AssessmentIndValue in the *Public Sector Solutions Developer Guide for License and Permit Management, and Inspection Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentIndDefinedValueId	Assessment Indicator Defined Value ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Assessment Indicator Value ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SourceObjectId	SourceObject ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ASSESSMENTINDVALUEHISTORY

History for tracked fields of AssessmentIndValue.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentIndValueId	Assessment Indicator Value ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Indicator Value History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTINDVALUESHARE

Sharing for AssessmentIndValue.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ASSESSMENTINDICATORDEFINITION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Indicator Field Type	picklist		255		
Description	Description	textarea		1000		
Id	Assessment Indicator Definition ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ASSESSMENTINDICATORDEFINITIONFEED

Feed tracking for AssessmentIndicatorDefinition.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ASSESSMENTINDICATORDEFINITIONHISTORY

History for tracked fields of AssessmentIndicatorDefinition.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentIndicatorDefinitionId	Assessment Indicator Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Indicator Definition History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTINDICATORDEFINITIONSHARE

Sharing for AssessmentIndicatorDefinition.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ASSESSMENTTASK

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentTaskDefinitionId	Assessment Task Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created	datetime				
Description	Description	textarea		1000		
EndTime	End Time	datetime				
Id	Assessment Task ID	id		18		
IsDeleted	Deleted	boolean				
IsRequired	Required	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentId	Visit ID	reference		18		
SequenceNumber	Sequence	int	9			
StartTime	Start Time	datetime				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TaskDefinitionId	TaskDefinition ID	reference		18		
TaskType	Task Type	picklist		255		

ASSESSMENTTASKCONTENTDOCUMENT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentTaskId	Assessment Task ID	reference		18		
ContentContextId	ContentContext ID	reference		18		
ContentDocumentId	ContentDocument ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created	datetime				
Id	Assessment Task Content Document ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

ASSESSMENTTASKCONTENTDOCUMENTFEED

Feed tracking for AssessmentTaskContentDocument.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ASSESSMENTTASKCONTENTDOCUMENTHISTORY

History for tracked fields of AssessmentTaskContentDocument.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentTaskContentDocumentId	Assessment Task Content Document ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Task Content Document History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTTASKDEFINITION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Assessment Task Definition Description	textarea		1000		
Id	Assessment Task Definition ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TaskType	Assessment Task Definition Task Type	picklist		255		

ASSESSMENTTASKDEFINITIONFEED

Feed tracking for AssessmentTaskDefinition.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ASSESSMENTTASKDEFINITIONHISTORY

History for tracked fields of AssessmentTaskDefinition.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentTaskDefinitionId	Assessment Task Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Task Definition History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTTASKDEFINITIONSHARE

Sharing for AssessmentTaskDefinition.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ASSESSMENTTASKFEED

Feed tracking for AssessmentTask.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ASSESSMENTTASKHISTORY

History for tracked fields of AssessmentTask.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentTaskId	Assessment Task ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Task History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTTASKINDDEFINITION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentIndDefinitionId	Assessment Indicator Definition ID	reference		18		
AssessmentTaskDefinitionId	Assessment Task Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DisplayOrder	Display Order	int	9			
Id	Assessment Task Indicator Definition ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

ASSESSMENTTASKINDDEFINITIONFEED

Feed tracking for AssessmentTaskIndDefinition.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ASSESSMENTTASKINDDEFINITIONHISTORY

History for tracked fields of AssessmentTaskIndDefinition.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentTaskIndDefinitionId	Assessment Task Indicator Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Task Indicator Definition History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTTASKORDER

Define an order activity that the sales rep can perform during a visit to the stores.

For more information, see AssessmentTaskOrder in the *Consumer Goods Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentTaskId	Assessment Task ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Assessment Task Order ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OrderId	Order ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ASSESSMENTTASKORDERFEED

Feed tracking for AssessmentTaskOrder.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ASSESSMENTTASKORDERHISTORY

History for tracked fields of AssessmentTaskOrder.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentTaskOrderId	Assessment Task Order ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Task Order History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTTASKSHARE

Sharing for AssessmentTask.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ASSET

Represents an item of commercial value, such as a product sold by your company or a competitor, that a customer has purchased and installed.

For more information, see [Asset](#) in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AssetLevel	Asset Level	int	9			
AssetProvidedById	Asset Provided By ID	reference		18		
AssetServicedById	Asset Serviced By ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Id	Asset ID	id		18		
InstallDate	Install Date	date				
IsCompetitorProduct	Competitor Asset	boolean				
IsDeleted	Deleted	boolean				
IsInternal	Internal Asset	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Asset Name	string		255		
OwnerId	Owner ID	reference		18		
ParentId	Parent Asset ID	reference		18		
Price	Price	currency			18	0
Product2Id	Product ID	reference		18		

Asset

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ProductCode	Product Code	string		255		
PurchaseDate	Purchase Date	date				
Quantity	Quantity	double			12	2
RootAssetId	Root Asset ID	reference		18		
SerialNumber	Serial Number	string		80		
Status	Status	picklist		255		
StockKeepingUnit	Product SKU	string		180		
SystemModstamp	System Modstamp	datetime				
UsageEndDate	Usage End Date	date				

ASSETACTION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionDate	Action Date	datetime				
ActualTaxChange	Change in Actual Tax	currency			18	2
AdjustmentAmountChange	Change in Adjustment Amount	currency			18	2
Amount	Amount	currency			18	2
AssetActionNumber	Name	string		255		
AssetId	Asset ID	reference		18		
Category	Category (Deprecated)	picklist		40		
CategoryEnum	Business Category	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EstimatedTaxChange	Change in Estimated Tax	currency			18	2
Id	Asset Action ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MrrChange	Change in Monthly Recurring Revenue	currency			18	2
ProductAmountChange	Change in Product Amount	currency			18	2
QuantityChange	Change in Quantity	double			14	2
SubtotalChange	Change in Subtotal	currency			18	2
SystemModstamp	System Modstamp	datetime				
TotalAmount	Total Amount	currency			18	2
TotalCancellationsAmount	Total Cancellations Amount	currency			18	2
TotalCrossSellsAmount	Total Cross-Sells Amount	currency			18	2
TotalDownsellsAmount	Total Downsells Amount	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalInitialSaleAmount	Total Initial Sale Amount	currency			18	2
TotalMrr	Total Monthly Recurring Revenue	currency			18	2
TotalOtherAmount	Total Other Amount	currency			18	2
TotalQuantity	Total Quantity	double			14	2
TotalRenewalsAmount	Total Renewals Amount	currency			18	2
TotalTermsAndConditionsAmount	Total Terms And Conditions Changes Amount	currency			18	2
TotalTransfersAmount	Total Transfers Amount	currency			18	2
TotalUpsellsAmount	Total Upsells Amount	currency			18	2
Type	Type	picklist		255		

ASSETACTIONSOURCE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualTax	Actual Tax	currency			18	2
AdjustmentAmount	Adjustment Amount	currency			18	2
AssetActionId	Asset Action ID	reference		18		
AssetActionSourceNumber	Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDate	End Date	datetime				
EstimatedTax	Estimated Tax	currency			18	2
ExternalReference	External Reference	string		255		
ExternalReferenceDataSource	External Reference Data Source	string		255		
Id	Asset Action Source ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ProductAmount	Product Amount	currency			18	2
Quantity	Quantity	double			14	2
ReferenceEntityItemId	Reference Entity Item ID	reference		18		
StartDate	Start Date	datetime				
Subtotal	Subtotal	currency			18	2
SystemModstamp	System Modstamp	datetime				
TransactionDate	Transaction Date	datetime				

ASSETDOWNTIMEPERIOD

Represents a period during which an asset is not able to perform as expected. Downtime periods include planned activities, such as maintenance, and unplanned events, such as mechanical breakdown.

For more information, see `AssetDowntimePeriod` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>AssetDowntimePeriodNumber</code>	Asset Downtime Period Number	string		255		
<code>AssetId</code>	Asset ID	reference		18		
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>Description</code>	Description	textarea		32000		
<code>DowntimeType</code>	Downtime Type	picklist		255		
<code>EndTime</code>	End Date	datetime				
<code>Id</code>	Asset Downtime Period ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>IsExcluded</code>	Outside Uptime Calculation Period	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>LastReferencedDate</code>	Last Referenced Date	datetime				
<code>LastViewedDate</code>	Last Viewed Date	datetime				
<code>StartTime</code>	Start Date	datetime				
<code>SystemModstamp</code>	System Modstamp	datetime				

ASSETDOWNTIMEPERIODFEED

Feed tracking for AssetDowntimePeriod.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ASSETDOWNTIMEPERIODHISTORY

History for tracked fields of AssetDowntimePeriod.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetDowntimePeriodId	Asset Downtime Period ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Asset Downtime Period History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSETFEED

Feed tracking for Asset.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ASSETHISTORY

History for tracked fields of Asset.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Asset History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSETRELATIONSHIP

Represents a non-hierarchical relationship between assets due to replacement, upgrade, or other circumstances.

For more information, see AssetRelationship in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
AssetRelationshipNumber	Asset Relationship Number	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FromDate	From Date	datetime				
Id	Asset Relationship ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
RelatedAssetId	Asset ID	reference		18		
RelationshipType	Relationship Type	picklist		40		
SystemModstamp	System Modstamp	datetime				
ToDate	To Date	datetime				

ASSETRELATIONSHIPFEED

Feed tracking for AssetRelationship.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ASSETRELATIONSHIPHISTORY

History for tracked fields of AssetRelationship.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetRelationshipId	Asset Relationship ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Asset Relationship History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSETSHARE

Represents a sharing entry on an Asset.

For more information, see AssetShare in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetAccessLevel	Asset Access	picklist		40		
AssetId	Asset ID	reference		18		
Id	Asset Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ASSETSTATEPERIOD

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
AssetId	Asset ID	reference		18		
AssetStatePeriodNumber	Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDate	End Date	datetime				
Id	Asset State Period ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Mrr	Monthly Recurring Revenue	currency			18	2
Quantity	Quantity	double			14	2
StartDate	Start Date	datetime				
SystemModstamp	System Modstamp	datetime				

ASSETTOKENEVENT

An event related to the AssetTokenEvent object.

For more information, see AssetTokenEvent in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActorTokenPayload	Actor Token Payload	textarea		6000		
AssetId	Asset ID	reference		18		
AssetName	Asset Name	string		255		
AssetSerialNumber	Asset Serial Number	string		255		
ConnectedAppId	Connected App ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeviceId	Device ID	string		255		
DeviceKey	Device Key	textarea		2000		
EventUuid	Event UUID	string		36		
Expiration	Expiration	datetime				
Name	Name	string		255		
ReplayId	Replay ID	string		1000		
UserId	User ID	reference		18		

ASSETWARRANTY

Defines the warranty terms applicable to an asset along with any exclusions and extensions.

For more information, see AssetWarranty in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
AssetWarrantyNumber	Asset Warranty Number	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDate	End Date	date				
ExchangeType	Exchange Type	picklist		40		
Exclusions	Exclusions	textarea		32000		
ExpensesCovered	Expenses Covered	percent			5	2
ExpensesCoveredEndDate	Expenses Covered End Date	date				
Id	Asset Warranty ID	id		18		
IsDeleted	Deleted	boolean				
IsTransferable	Transferable	boolean				
LaborCovered	Labor Covered	percent			5	2
LaborCoveredEndDate	Labor Covered End Date	date				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
PartsCovered	Parts Covered	percent			5	2
PartsCoveredEndDate	Parts Covered End Date	date				
Pricebook2Id	Price Book ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

AssetWarranty

Field Name	Field Label	Type	Digits	Length	Precision	Scale
WarrantyTermId	Warranty Term ID	reference		18		
WarrantyType	Warranty Type	picklist		40		

ASSETWARRANTYFEED

Feed tracking for AssetWarranty.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ASSETWARRANTYHISTORY

History for tracked fields of AssetWarranty.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetWarrantyId	Asset Warranty ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Asset Warranty History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSIGNEDRESOURCE

Represents a service resource who is assigned to a service appointment in Field Service and Lightning Scheduler. Assigned resources appear in the Assigned Resources related list on service appointments.

For more information, see `AssignedResource` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>AssignedResourceNumber</code>	Assigned Resource Number	string		255		
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>EventId</code>	Activity ID	reference		18		
<code>Id</code>	Assigned Resource ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>IsRequiredResource</code>	Required Resource	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>Role</code>	Role	picklist		40		
<code>ServiceAppointmentId</code>	Service Appointment ID	reference		18		
<code>ServiceResourceId</code>	Service Resource ID	reference		18		
<code>SystemModstamp</code>	System Modstamp	datetime				

ASSIGNEDRESOURCEFEED

Feed tracking for AssignedResource.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ASSIGNMENTRULE

Represents an assignment rule associated with a Case or Lead.

For more information, see AssignmentRule in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Active	Active	boolean				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Rule ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		120		
SobjectType	SObject Type	picklist		40		
SystemModstamp	System Modstamp	datetime				

ASSOCIATEDLOCATION

Represents a link between an account and a location in Field Service. You can associate multiple accounts with one location. For example, a shopping center location may have multiple customer accounts.

For more information, see AssociatedLocation in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActiveFrom	Active From	datetime				
ActiveTo	Active To	datetime				
AssociatedLocationNumber	Associated Location Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Associated Location ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
ParentRecordId	Account Name ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

ASSOCIATEDLOCATIONHISTORY

History for tracked fields of AssociatedLocation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssociatedLocationId	Associated Location ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Associated Location History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSORTMENT

Add products eligible for sale in a store to a list.

For more information, see Assortment in the *Consumer Goods Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created	datetime				
Description	Description	textarea		1000		
Id	Assortment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ASSORTMENTFEED

Feed tracking for Assortment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ASSORTMENTHISTORY

History for tracked fields of Assortment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssortmentId	Assortment ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assortment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSORTMENTPRODUCT

Associate products to an assortment.

For more information, see AssortmentProduct in the *Consumer Goods Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssortmentId	Assortment ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created	datetime				
DefaultOrderQuantity	Default Order Quantity	int	9			
Id	Assortment Product ID	id		18		
IsDeleted	Deleted	boolean				
IsFavorite	Favorite	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ProductId	Product ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ASSORTMENTPRODUCTFEED

Feed tracking for AssortmentProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ASSORTMENTPRODUCTHISTORY

History for tracked fields of AssortmentProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssortmentProductId	Assortment Product ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assortment Product History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSORTMENTSHARE

Sharing for Assortment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ASYNCAPEXJOB

Represents an individual Apex sharing recalculation job, a batch Apex job, a method with the `future` annotation, or a job that implements `Queueable`. Use this object to query Apex batch jobs in your organization.

For more information, see `AsyncApexJob` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApexClassId	Class ID	reference		18		
CompletedDate	Completion Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CronTriggerId	Scheduled Job ID	reference		18		
ExtendedStatus	Status Detail	string		255		
Id	Apex Job ID	id		18		
JobItemsProcessed	Batches Processed	int	9			
JobType	Job Type	picklist		40		
LastProcessed	Last ID processed and committed	string		15		
LastProcessedOffset	Offset of last ID processed and committed	int	9			
MethodName	Apex Method	string		255		
NumberOfErrors	Failures	int	9			
ParentJobId	Apex Job ID	reference		18		
Status	Status	picklist		40		
TotalJobItems	Total Batches	int	9			

ASYNCOOPERATIONEVENT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EventUuid	Event Uuid	string		36		
OperationDetails	Async Operation Status ID	complexvalue				
OperationId	Operation Id	string		255		
ReplayId	ReplayId	string		1000		
SourceEvent	Source Event	complexvalue				

ASYNCOOPERATIONSTATUS

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EventUuid	Event Uuid	string		36		
Fields	Fields	complexvalue				
Message	Message	string		1000		
Status	Status	picklist		255		
StatusCode	Status Code	string		255		

ATTACHEDCONTENTDOCUMENT

This read-only object contains all `ContentDocument` objects associated with an object.

For more information, see `AttachedContentDocument` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>ContentDocumentId</code>	ContentDocument ID	reference		18		
<code>ContentSize</code>	Content Size	int	9			
<code>ContentUrl</code>	Content URL	url		255		
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created	datetime				
<code>ExternalDataSourceName</code>	External Data Source	string		80		
<code>ExternalDataSourceType</code>	Class ID	picklist		80		
<code>FileExtension</code>	File Extension	string		40		
<code>FileType</code>	File Type	string		20		
<code>Id</code>	Content Document Link Id	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Content Modified Date	datetime				
<code>LinkedEntityId</code>	Parent ID	reference		18		
<code>SharingOption</code>	Prevent others from sharing and unsharing	picklist		40		
<code>Title</code>	Title	string		255		

ATTACHEDCONTENTNOTE

This read-only object contains all ContentNote objects associated with an object.

For more information, see AttachedContentNote in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentDocumentId	ContentDocument ID	reference		18		
ContentSize	Content Size	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created	datetime				
FileExtension	File Extension	string		40		
FileType	File Type	string		20		
Id	Note Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Content Modified Date	datetime				
LinkedEntityId	Parent ID	reference		18		
TextPreview	Text Preview	string		255		
Title	Title	string		255		

ATTACHMENT

Represents a file that a User has uploaded and attached to a parent object.

For more information, see Attachment in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Body	Body	base64				
BodyLength	Body Length	int	8			
ContentType	Content Type	string		120		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		500		
Id	Attachment ID	id		18		
IsDeleted	Deleted	boolean				
IsPrivate	Private	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	File Name	string		255		
OwnerId	Owner ID	reference		18		
ParentId	Parent ID	reference		18		
SystemModstamp	System Modstamp	datetime				

AUDIENCE

Represents an audience that is defined by criteria and can be assigned and used for targeting in an Experience Cloud site.

For more information, see Audience in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AudienceName	Audience Name	string		80		
ContainerId	Container ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	Name	string		80		
FormulaFilterType	Formula Filter Type	picklist		255		
Id	Audience ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
SystemModstamp	System Modstamp	datetime				

AURADEFINITION

Represents an Aura component definition, such as component markup, a client-side controller, or an event.

For more information, see AuraDefinition in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuraDefinitionBundleId	Lightning Definition Bundle ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefType	Definition Type	picklist		255		
Format	Format	picklist		255		
Id	Lightning Definition ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Source	Source	textarea		1000000		
SystemModstamp	System Modstamp	datetime				

AURADEFINITIONBUNDLE

Represents a Lightning Aura component definition bundle, such as a component or application bundle. A bundle contains a Lightning Aura component definition and all its related resources.

For more information, see `AuraDefinitionBundle` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiVersion	Api Version	double			18	1
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
DeveloperName	Name	string		80		
Id	Lightning Definition Bundle ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

AURADEFINITIONBUNDLEINFO

For internal use only.

For more information, see `AuraDefinitionBundleInfo` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiVersion	Api Version	double			18	1
AuraDefinitionBundleId	Lightning Definition Bundle ID	string		18		
DeveloperName	Bundle Name	string		80		
DurableId	Durable ID	string		255		
Id	Lightning Definition Bundle ID	id		18		
NamespacePrefix	Namespace Prefix	string		15		

AURADEFINITIONINFO

For internal use only.

For more information, see AuraDefinitionInfo in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuraDefinitionBundleInfoId	Lightning Definition Bundle ID	string		100		
AuraDefinitionId	Lightning Definition ID	string		18		
DefType	Definition Type	picklist		255		
DeveloperName	Bundle Name	string		80		
DurableId	Durable ID	string		255		
Format	Format	picklist		255		
Id	Lightning Definition ID	id		18		
LastModifiedDate	Last Modified Date	datetime				
NamespacePrefix	Namespace Prefix	string		15		
Source	Source	textarea		1000000		

AUTHAPPLICATIONASSET

Information related to the association between an Asset and the Application for the license of an Asset.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Authorization Application Asset ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LicensePermitNameId	Business License ID	reference		18		
Name	Authorization Application Asset ID	string		255		
OwnerId	Owner ID	reference		18		
RgltyAuthApplicationId	Application ID	reference		18		
SystemModstamp	System Modstamp	datetime				

AUTHAPPLICATIONASSETFEED

Feed tracking for AuthApplicationAsset.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

AUTHAPPLICATIONASSETHISTORY

History for tracked fields of AuthApplicationAsset.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthApplicationAssetId	Authorization Application Asset ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Authorization Application Asset History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

AUTHAPPLICATIONASSETSHARE

Sharing for AuthApplicationAsset.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

AUTHAPPLICATIONPLACE

For more information, see AuthApplicationPlace in the *Public Sector Solutions Developer Guide for License and Permit Management, and Inspection Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorizationId	Authorization ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Authorization Application Place ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Authorization Application Place ID	string		255		
OwnerId	Owner ID	reference		18		
PlaceId	Place ID	reference		18		
RgltyAuthApplicationId	Regulatory Authorization Application ID	reference		18		
SystemModstamp	System Modstamp	datetime				

AUTHAPPLICATIONPLACEFEED

Feed tracking for AuthApplicationPlace.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

AUTHAPPLICATIONPLACEHISTORY

History for tracked fields of AuthApplicationPlace.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthApplicationPlaceId	Authorization Application Place ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Authorization Application Place History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

AUTHAPPLICATIONPLACESHARE

Sharing for AuthApplicationPlace.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

AUTHCONFIG

Represents authentication options for an org with a My Domain configured, an Experience Cloud site, or a custom domain.

For more information, see AuthConfig in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthOptionsAuthProvider	AuthProvider	boolean				
AuthOptionsCertificate	Certificate	boolean				
AuthOptionsSaml	Saml	boolean				
AuthOptionsUsernamePassword	UsernamePassword	boolean				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Authentication Configuration ID	id		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				
Type	Authentication Configuration Type	picklist		255		
Url	URL	string		240		

AUTHCONFIGPROVIDERS

Represents an authentication provider that's configured in an organization. This object is a child of the AuthConfig object. For more information, see AuthConfigProviders in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthConfigId	Authentication Configuration ID	reference		18		
AuthProviderId	Authentication Provider ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Auth Config Provider ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				

AUTHFORMREQUESTRECORD

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Authorizable Form Request Record ID	id		18		
InfoAuthRequestFormId	Info Auth Request Form ID	reference		18		
InfoAuthorizationRequestId	Info Authorization Request ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				

AUTHFORMREQUESTRECORDFEED

Feed tracking for AuthFormRequestRecord.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

AUTHFORMREQUESTRECORDHISTORY

History for tracked fields of AuthFormRequestRecord.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthFormRequestRecordId	Authorizable Form Request Record ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Authorizable Form Request Record History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

AUTHLOCATIONACCESSSCHEDULE

Represents the operating hours during a specified period in which authorization is valid for a place.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthApplPlaceId	Authorization Application Place ID	reference		18		
AuthEndDate	Authorization End Date	date				
AuthStartDate	Authorization Start Date	date				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Authorization Location Access Schedule ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
WorkDay	Work Day	multipicklist		4099	0	
WorkEndTime	Work End Time	time				
WorkStartTime	Work Start Time	time				

AUTHLOCATIONACCESSSCHEDULEFEED

Feed tracking for AuthLocationAccessSchedule.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

AUTHLOCATIONACCESSSCHEDULEHISTORY

History for tracked fields of AuthLocationAccessSchedule.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthLocationAccessScheduleId	Authorization Location Access Schedule ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Authorization Location Access Schedule History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

AUTHLOCATIONACCESSCHEDULESHARE

Sharing for AuthLocationAccessSchedule.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

AUTHPROVIDER

Represents an authentication provider (auth provider). An auth provider lets users log in to your Salesforce org from an external service provider, such as Facebook, Google, or GitHub.

For more information, see AuthProvider in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppleTeam	Apple Team	string		12		
AuthorizeUrl	Authorize Endpoint URL	url		1024		
ConsumerKey	Consumer Key	string		256		
ConsumerSecret	Consumer Secret	string		100		
CreatedDate	Created Date	datetime				
CustomMetadataTypeRecord	Custom Metadata Type Record	string		15		
DefaultScopes	Default Scopes	string		256		
DeveloperName	URL Suffix	string		32		
EcKey	Elliptic Curve Key	string		30		
ErrorUrl	Custom Error URL	string		500		
ExecutionUserId	User ID	reference		18		
FriendlyName	Name	string		32		
IconUrl	Icon URL	url		1024		
Id	Auth. Provider ID	id		18		
IdTokenIssuer	Token Issuer	string		1024		
LinkKickoffUrl	Existing User Linking URL	url		255		
LogoutUrl	Custom Logout URL	url		1500		
OauthKickoffUrl	OAuth-Only Initialization URL	url		255		
OptionsIncludeOrgIdInId	Include identity organization's Organization ID for third-party account linkage	boolean				
OptionsSendAccessTokenInHeader	Send access token in header	boolean				
OptionsSendClientCredentialsInHeader	Send client credentials in header	boolean				

AuthProvider

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OptionsSendSecretInApis	Include Consumer Secret in API Responses	boolean				
PluginId	Class ID	reference		18		
ProviderType	Provider Type	picklist		40		
RegistrationHandlerId	Class ID	reference		18		
SsoKickoffUrl	Single Sign-On Initialization URL	url		255		
TokenUrl	Token Endpoint URL	url		1024		
UserInfoUrl	User Info Endpoint URL	url		1024		

AUTHSESSION

The AuthSession object represents an individual user session in your organization.

For more information, see AuthSession in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created	datetime				
Id	Auth Session ID	id		18		
IsCurrent	Current Session	boolean				
LastModifiedDate	Updated	datetime				
LoginGeoId	Login Geo Data ID	reference		18		
LoginHistoryId	Login History ID	reference		18		
LoginType	Login	picklist		40		
LogoutUrl	Logout URL	string		1500		
NumSecondsValid	Valid For	int	9			
ParentId	Auth Session ID	reference		18		
SessionSecurityLevel	Session Security Level	picklist		40		
SessionType	Session Type	picklist		40		
SourceIp	Source IP	string		39		
UserType	User Type	picklist		40		
UsersId	User ID	reference		18		

AUTHORNOTE

Stores notes associated with different types of records along with information about the author of the note and the time the note was authored. The author isn't necessarily the person who created a record. The author is the person who provided the information in the note.

For more information, see `AuthorNote` in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>AuthorId</code>	Author ID	reference		18		
<code>AuthorName</code>	Author Name	string		255		
<code>AuthoredDateTime</code>	Authored Date	datetime				
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>Id</code>	Author Note ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>LastReferencedDate</code>	Last Referenced Date	datetime				
<code>LastViewedDate</code>	Last Viewed Date	datetime				
<code>Name</code>	Name	string		255		
<code>NoteText</code>	Note Text	textarea		32000		
<code>OwnerId</code>	Owner ID	reference		18		
<code>ParentRecordId</code>	ParentRecord ID	reference		18		
<code>SourceSystem</code>	Source System	string		64		
<code>SourceSystemIdentifier</code>	Source System ID	string		255		
<code>SourceSystemModified</code>	Source System Modified	datetime				
<code>SystemModstamp</code>	System Modstamp	datetime				

AUTHORNOTEFEED

Feed tracking for AuthorNote.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

AUTHORNOTEHISTORY

History for tracked fields of AuthorNote.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorNoteId	Author Note ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Author Note History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

AUTHORNOTESHARE

Sharing for AuthorNote.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

AUTHORIZATIONFORM

Represents the specific version and effective dates of a form that is associated with consent, such as a privacy policy or terms and conditions.

For more information, see `AuthorizationForm` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>DefaultAuthFormTextId</code>	Default Authorization Form Text ID	reference		18		
<code>EffectiveFromDate</code>	Effective From Date	date				
<code>EffectiveToDate</code>	Effective To Date	date				
<code>Id</code>	Authorization Form ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>IsSignatureRequired</code>	Is Signature Required	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>LastReferencedDate</code>	Last Referenced Date	datetime				
<code>LastViewedDate</code>	Last Viewed Date	datetime				
<code>Name</code>	Name	string		255		
<code>OwnerId</code>	Owner ID	reference		18		
<code>RevisionNumber</code>	Revision Number	string		10		
<code>SystemModstamp</code>	System Modstamp	datetime				

AUTHORIZATIONFORMCONSENT

Represents the date and way in which a user consented to an authorization form.

For more information, see AuthorizationFormConsent in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorizationFormTextId	Authorization Form Text ID	reference		18		
ConsentCapturedDateTime	Consent Captured Date Time	datetime				
ConsentCapturedSource	Consent Captured Source	string		255		
ConsentCapturedSourceType	Consent Captured Source Type	picklist		255		
ConsentGiverId	Consent Giver ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DocumentVersionId	ContentVersion ID	reference		18		
Id	Authorization Form Consent ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

AUTHORIZATIONFORMCONSENTHISTORY

History for tracked fields of AuthorizationFormConsent.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorizationFormConsentId	Authorization Form Consent ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Authorization Form Consent History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

AUTHORIZATIONFORMCONSENTSHARE

Sharing for AuthorizationFormConsent.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

AUTHORIZATIONFORMDATAUSE

Represents the data use consented to in an authorization form.

For more information, see `AuthorizationFormDataUse` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>AuthorizationFormId</code>	Authorization Form ID	reference		18		
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>DataUsePurposeId</code>	Data Use Purpose ID	reference		18		
<code>Id</code>	Authorization Form Data Use ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>LastReferencedDate</code>	Last Referenced Date	datetime				
<code>LastViewedDate</code>	Last Viewed Date	datetime				
<code>Name</code>	Name	string		255		
<code>OwnerId</code>	Owner ID	reference		18		
<code>SystemModstamp</code>	System Modstamp	datetime				

AUTHORIZATIONFORMDATAUSEHISTORY

History for tracked fields of AuthorizationFormDataUse.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorizationFormDataUseId	Authorization Form Data Use ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Authorization Form Data Use History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

AUTHORIZATIONFORMDATAUSESHARE

Sharing for AuthorizationFormDataUse.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

AUTHORIZATIONFORMHISTORY

History for tracked fields of AuthorizationForm.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorizationFormId	Authorization Form ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Authorization Form History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

AUTHORIZATIONFORMSHARE

Sharing for AuthorizationForm.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

AUTHORIZATIONFORMTEXT

Represents an authorization form's text and language settings.

For more information, see `AuthorizationFormText` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>AuthorizationFormId</code>	Authorization Form ID	reference		18		
<code>ContentDocumentId</code>	Content Document ID	reference		18		
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>FullAuthorizationFormUrl</code>	Full Authorization Form Url	string		255		
<code>Id</code>	Authorization Form Text ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>LastReferencedDate</code>	Last Referenced Date	datetime				
<code>LastViewedDate</code>	Last Viewed Date	datetime				
<code>Locale</code>	Locale	picklist		255		
<code>LocaleSelection</code>	Locale	picklist		255		
<code>Name</code>	Name	string		255		
<code>SummaryAuthFormText</code>	Summary Auth Form Text	string		255		
<code>SystemModstamp</code>	System Modstamp	datetime				

AUTHORIZATIONFORMTEXTFEED

Feed tracking for AuthorizationFormText.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

AUTHORIZATIONFORMTEXTISTORY

History for tracked fields of AuthorizationFormText.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorizationFormTextId	Authorization Form Text ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Authorization Form Text ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

AWARD

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AwardDate	Award Date	datetime				
AwardedBy	Awarded By	string		255		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
HealthcareProviderId	Healthcare Provider ID	reference		18		
Id	Award ID	id		18		
Identifier	Identifier	string		255		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Award Name	string		255		
OwnerId	Owner ID	reference		18		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		
VerificationStatus	Verification Status	picklist		40		
VerifiedDate	Verified On	datetime				

AWARDFEED

Feed tracking for Award.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

AWARDHISTORY

History for tracked fields of Award.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AwardId	Award ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Award History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

AWARDSHARE

Sharing for Award.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BACKGROUNDOPERATION

Represents a background operation in an asynchronous job queue.

For more information, see BackgroundOperation in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Error	Error	string		255		
ExecutionGroup	Execution Group	string		255		
ExpiresAt	ExpiresAt	datetime				
FinishedAt	Finished	datetime				
GroupLeaderId	Background Operation ID	reference		18		
Id	Background Operation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Background Operation Name	string		255		
NumFollowers	NumFollowers	int	9			
ParentKey	ParentKey	string		255		
ProcessAfter	ProcessAfter	datetime				
RetryBackoff	RetryBackoff	int	9			
RetryCount	RetryCount	int	9			
RetryLimit	RetryLimit	int	9			
SequenceGroup	Sequence Group	string		255		
SequenceNumber	Sequence Number	int	9			
StartedAt	Started	datetime				
Status	Status	picklist		255		
SubmittedAt	Submitted	datetime				

BackgroundOperation

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
Timeout	Timeout	int	9			
Type	Type	picklist		255		
WorkerUri	Worker URI	string		255		

BACKGROUNDOPERATIONRESULT

Stores error messages generated when running Async SOQL queries or importing data into big objects using Bulk API.

For more information, see BackgroundOperationResult in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Data	Data	string		255		
Id	Background Operation Result Id	id		18		
Message	Message	string		255		
MessageType	Message Type	picklist		255		
ParentId	Parent ID	reference		18		

BATCHAPEXERROREVENT

An event related to the BatchApexErrorEvent object.

For more information, see BatchApexErrorEvent in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AsyncApexJobId	Async Apex Job ID	string		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DoesExceedJobScopeMaxLength	Item Values Max Length Exceeded	boolean				
EventUuid	Event UUID For Platform Event	string		36		
ExceptionType	Exception Type Thrown	string		200		
JobScope	Items In Failed Batch	textarea		40000		
Message	Exception Message	string		5000		
Phase	Phase	string		8		
ReplayId	Replay ID For Platform Event	string		1000		
RequestId	Jetty Request ID	string		18		
StackTrace	Error Stack Trace	string		5000		

BATCHCALCJOBDEFINITION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BatchJobDefinitionId	Batch Job Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	API Name	string		80		
Id	Batch Calculation Job Definition ID	id		18		
IsDeleted	Deleted	boolean				
IsTemplate	Template	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Name	string		80		
NamespacePrefix	Namespace Prefix	string		15		
ProcessType	Process Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

BATCHCALCJOBDEFINITIONVIEW

Represents the details of a Data Processing Engine definition. The definition can also be a file-based definition that is available in your Salesforce org.

For more information, see BatchCalcJobDefinitionView in the *Data Processing Engine, Batch Management, and Monitor Workflow Services Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Description	Description	string		255		
DurableId	Durable ID	string		255		
Id	Batch Calculation Job Definition View ID	id		18		
InstalledPackageName	Package Name	string		240		
IsActive	Active	boolean				
IsTemplate	Template	boolean				
LastModifiedBy	Last Modified By	string		255		
LastModifiedDate	Last Modified Date	datetime				
ManageableState	Package State	picklist		255		
MasterLabel	Job Name	string		255		
Name	API Name	string		255		
NamespacePrefix	Namespace	string		255		
ProcessType	Process Type	picklist		255		

BATCHDATASOURCE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BatchJobDefinitionId	Batch Job Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CriteriaJoinCondition	Criteria Join Condition	string		255		
CriteriaJoinType	Criteria Join Type	picklist		255		
Id	Batch Data Source ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SourceTableName	Source Table Name	string		50		
SystemModstamp	System Modstamp	datetime				

BATCHDATASRCFILTERCRITERIA

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BatchDataSourceId	Batch Data Source ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DynamicValueType	Dynamic Value Type	picklist		255		
FieldName	Field Name	string		50		
FieldValue	Field Value	string		255		
FilterCriteriaSequence	Filter Criteria Sequence	int	9			
Id	Batch Data Source Filter Criteria ID	id		18		
IsDeleted	Deleted	boolean				
IsDynamicValue	Is Dynamic Value	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Operator	Operator	picklist		255		
SystemModstamp	System Modstamp	datetime				

BATCHJOB

Represents an instance of a batch job that is either running and has been run.

For more information, see BatchJob in the *Data Processing Engine, Batch Management, and Monitor Workflow Services Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BatchJobDefinitionId	Batch Job Definition ID	reference		18		
BatchJobDefinitionName	Batch Job Definition Name	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndTime	End Time	datetime				
ErrorDescription	Error Description	string		1333		
ExternalReference	External Reference	string		255		
Id	Run ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProcessGroup	Group	string		80		
RetryCount	Retry Count	int	9			
RuntimeParameter	Runtime Parameter	textarea		100000		
StartTime	Start Time	datetime				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

BATCHJOBDEFINITION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
DeveloperName	API Name	string		80		
Id	Batch Job Definition ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Name	string		80		
ProcessGroup	Group	string		80		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

BATCHJOBFEED

Feed tracking for BatchJob.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BATCHJOBHISTORY

History for tracked fields of BatchJob.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BatchJobId	Run ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Batch Job History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BATCHJOBPART

Represents one part of a batch job.

For more information, see BatchJobPart in the *Data Processing Engine, Batch Management, and Monitor Workflow Services Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BatchJobId	Run ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndTime	End Date	datetime				
ErrorDescription	Error	string		1333		
FailedRecordCount	Total Failure	int	9			
Id	Batch Job Part ID	id		18		
InputRecordCount	Input Record	int	9			
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OutputRecordCount	Output Record	int	9			
ParentBatchJobPartId	Batch Job Part ID	reference		18		
RetryCount	Retry Count	int	9			
StartTime	Start Date	datetime				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Node	picklist		255		

BATCHJOBPARTFAILEDRECORD

Represents records that a batch job part couldn't successfully process.

For more information, see BatchJobPartFailedRecord in the *Data Processing Engine, Batch Management, and Monitor Workflow Services Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BatchJobId	Run ID	reference		18		
BatchJobPartId	Batch Job Part ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ErrorDescription	Error	string		1333		
Id	Batch Job Part Failed Record ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
Record	Record	string		100		
ResubmittedBatchJobId	Run ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

BATCHJOBPARTFAILEDRECORDFEED

Feed tracking for BatchJobPartFailedRecord.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BATCHJOBPARTFAILEDRECORDHISTORY

History for tracked fields of BatchJobPartFailedRecord.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BatchJobPartFailedRecordId	Batch Job Part Failed Record ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Batch Job Part Failed Record History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BATCHJOBPARTFEED

Feed tracking for BatchJobPart.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BATCHJOBPARTHISTORY

History for tracked fields of BatchJobPart.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BatchJobPartId	Batch Job Part ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Batch Job Part History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BATCHJOBSHARE

Sharing for BatchJob.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BATCHJOBSTATUSCHANGEDEVENT

Notifies subscribers of when a batch job is completed in a flow.

For more information, see BatchJobStatusChangedEvent in the *Data Processing Engine, Batch Management, and Monitor Workflow Services Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BatchJob	Batch Job	string		20		
BatchJobDefinition	Batch Job Definition	string		20		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDateTime	End Date Time	datetime				
EventUuid	Event UUID	string		36		
ReplayId	Replay ID	string		1000		
StartDateTime	Start Date Time	datetime				
Status	Status	picklist		255		

BATCHPROCESSJOBDEFVIEW

Represents the details of a Batch Job definition. The definition can also be a file-based definitions that are available in your Salesforce org.

For more information, see BatchProcessJobDefView in the *Data Processing Engine, Batch Management, and Monitor Workflow Services Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
DurableId	Durable ID	string		255		
Id	Batch Process Job Definition View ID	id		18		
IsActive	Active	boolean				
Label	Label	string		255		
Name	Name	string		255		
NamespacePrefix	Namespace	string		255		
ProcessDefinition	Process Definition	textarea		32000		
ProcessGroup	Group	string		80		
SourceObjectName	Source Object Name	string		80		
TypeInstance	Type Instance	string		80		

BATCHPROCESSJOBDEFINITION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BatchJobDefinitionId	Batch Job Definition ID	reference		18		
BatchJobDefinitionName	Batch Job Definition Name	string		80		
BatchSize	Batch Size	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
DeveloperName	API Name	string		80		
Id	Batch Process Job Definition ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Name	string		80		
NamespacePrefix	Namespace Prefix	string		15		
ProcessGroup	Group	string		80		
RecordIdVariable	Record ID Variable	string		80		
RetryCount	Retry Count	int	9			
RetryInterval	Retry Interval	int	9			
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TypeInstance	Type Instance	string		80		

BENEFIT

Represents information about benefits associated with the loyalty program. Benefits are mapped to the members based on the tier or other program rules.

For more information, see Benefit in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitActionId	Benefit Action ID	reference		18		
BenefitTypeId	Benefit Type ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
Id	Benefit ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MayEdit	May Edit	boolean				
Name	Benefit Name	string		255		
PrioritySequence	Priority Sequence	int	9			
SystemModstamp	System Modstamp	datetime				
UnitId	Unit of Measure ID	reference		18		
Value	Value	double			18	0

BENEFITACTION

Represents details of an action that can be triggered for a benefit.

For more information, see BenefitAction in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
DeveloperName	Name	string		80		
FlowDefinition	Interaction Definition ID	picklist		255		
FlowInstance	Flow Instance	string		80		
Id	Benefit Action ID	id		18		
IsActive	Active	boolean				
IsBenefitExpirationAllowed	Allow Benefit Expiration	boolean				
IsBenefitUpdateAllowed	Allow Benefit Update	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
MemberBenefitVariableName	Member Benefit Variable Name	string		80		
NamespacePrefix	Namespace Prefix	string		15		
ProcessType	Process Type	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

BENEFITACTIONPARAMETER

Represents the flow input parameters to be used in a benefit action.

For more information, see BenefitActionParameter in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitActionId	Benefit Action ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Data Type	picklist		255		
DeveloperName	Object Name	string		80		
Id	Benefit Action Parameter ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
ObjectName	Object Name	string		80		
PicklistName	Picklist Name	string		80		
SystemModstamp	System Modstamp	datetime				

BENEFITACTIONPARAMETERVALUE

Represents the pre-defined values for a benefit action parameter

For more information, see BenefitActionParameterValue in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitActionParameterId	Benefit Action Parameter ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Benefit Action Parameter Value ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParameterValue	Parameter Value	string		255		
SystemModstamp	System Modstamp	datetime				

BENEFITPARAMETERVALUE

Represents the runtime value of a parameter that's used when executing a flow for benefit action.

For more information, see BenefitParameterValue in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitActionParameterId	Benefit Action Parameter ID	reference		18		
BenefitId	Benefit ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Benefit Parameter Value ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MayEdit	May Edit	boolean				
Name	Benefit Parameter Value Name	string		255		
ParameterValue	Parameter Value	string		255		
SystemModstamp	System Modstamp	datetime				

BENEFITTYPE

Represents information about the type of benefits such as Support Benefits available to the loyalty program member.

For more information, see `BenefitType` in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		80		
Id	Benefit Type ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramId	Loyalty Program ID	reference		18		
MayEdit	May Edit	boolean				
Name	Benefit Type Name	string		255		
OwnerId	Owner ID	reference		18		
ProcessType	Process Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

BENEFITTYPESHARE

Sharing for BenefitType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BOARDCERTIFICATION

Represents the practitioner's board certifications such as being board-certified in cardiology and cardiovascular disease.

For more information, see BoardCertification in the *Provider Network Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
BoardName	Board Name	string		255		
CertificationType	Certification Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrentCertificationDate	Current Certification Date	date				
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
ExpirationDate	Expiration Date	date				
HealthcareProviderId	Healthcare Provider ID	reference		18		
Id	Board Certification ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Board Certification Name	string		255		
OwnerId	Owner ID	reference		18		
PractitionerId	Contact ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TerminationDate	Termination Date	date				
TerminationReason	Termination Reason	string		255		

BOARDCERTIFICATIONFEED

Feed tracking for BoardCertification.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BOARDCERTIFICATIONHISTORY

History for tracked fields of BoardCertification.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BoardCertificationId	Board Certification ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Board Certification History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BOARDCERTIFICATIONSHARE

Sharing for BoardCertification.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BRANDTEMPLATE

Letterhead for HTML EmailTemplate.

For more information, see BrandTemplate in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		1000		
DeveloperName	Letterhead Unique Name	string		80		
Id	Letterhead ID	id		18		
IsActive	Active	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Brand Template Name	string		255		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				
Value	Value	textarea		32000		

BRANDINGSET

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
DeveloperName	Name	string		80		
Id	Branding Set ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Set Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

BRANDINGSETPROPERTY

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BrandingSetId	Branding Set ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Branding Set ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PropertyName	Branding Set Property Name	string		255		
PropertyValue	Branding Set Property Value	textarea		4000		
SystemModstamp	System Modstamp	datetime				

BRIEFCASEASSIGNMENT

Represents the assignment of a briefcase definition to selected users and user groups.

For more information, see BriefcaseAssignment in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BriefcaseId	Briefcase Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Briefcase Assignment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				
UserOrGroupId	User or Group ID	reference		18		

BRIEFCASEDEFINITION

Represents a briefcase definition. A briefcase makes selected records available for users to view when they're offline in the Salesforce Field Service mobile app for iOS and Android.

For more information, see BriefcaseDefinition in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1024		
DeveloperName	Name	string		80		
Id	Briefcase Definition ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

BRIEFCASERULE

Represents a rule that specifies records for a briefcase definition.

For more information, see BriefcaseRule in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BriefcaseId	Briefcase Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FilterLogic	Filter Logic	string		255		
Id	Briefcase Rule ID	id		18		
IsAscendingOrder	Ascending	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OrderBy	Order By	picklist		255		
QueryScope	Scope	picklist		255		
RecordLimit	Limit	int	9			
SystemModstamp	System Modstamp	datetime				
TargetEntity	Target Object	picklist		255		

BRIEFCASERULEFILTER

Represents a filter criteria for a briefcase rule.

For more information, see BriefcaseRuleFilter in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BriefcaseRuleId	Briefcase Rule ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FilterOperator	Operator	picklist		255		
FilterSeqNumber	Filter Sequence Number	int	9			
FilterValue	Value	string		255		
Id	Briefcase Rule Filter ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				
TargetEntityField	Field	picklist		255		

BULKAPIRESULTEVENT

Tracks when a user downloads the results of a Bulk API request.

For more information, see BulkApiResultEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
EventUuid	Event UUID	string		36		
LoginHistoryId	Login History ID	reference		18		
LoginKey	Login Key	string		24		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
Query	Query	string		10000		
RelatedEventIdentifier	Related Event Identifier	string		80		
ReplayId	Replay ID	string		1000		
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
UserId	User ID	reference		18		
Username	Username	string		255		

BULKAPIRESULTEVENTSTORE

Tracks when a user downloads the results of a Bulk API request. BulkApiResponseEventStore is a big object that stores the event data of BulkApiResponseEvent. This object is available in API version 50.0 and later.

For more information, see BulkApiResponseEventStore in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
Id	Bulk API Result Event Store ID	id		18		
LoginHistoryId	Login History ID	reference		18		
LoginKey	Login Key	string		24		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
Query	Query	string		10000		
RelatedEventIdentifier	Related Event Identifier	string		80		
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
UserId	User ID	reference		18		
Username	Username	string		255		

BUSPROCESSFEEDBACKCONFIG

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionName	Feedback Collection Method Name	string		255		
ActionType	Feedback Collection Method	picklist		255		
ConfigurationDescription	Configuration Description	textarea		4000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Field	Field	string		255		
FieldValue	Field Value	string		255		
Id	Business Process Feedback Configuration ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
Object	Object	string		255		
Recipient	Recipient	string		255		
RecordType	Record Type	string		255		
SystemModstamp	System Modstamp	datetime				
TriggerAction	Trigger Action	picklist		255		

BUSREGAUTHTYPEDEPENDENCY

Information related to the association of permit to permit dependency in a given business context.

For more information, see BusRegAuthTypeDependency in the *Public Sector Solutions Developer Guide for License and Permit Management, and Inspection Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DependentBusRegAuthId	Business Regulatory Authorization Type ID	reference		18		
Id	Business Regulatory Authorization Type Dependency ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentBusRegAuthId	Business Regulatory Authorization Type ID	reference		18		
SystemModstamp	System Modstamp	datetime				

BUSREGAUTHTYPEDEPENDENCYFEED

Feed tracking for BusRegAuthTypeDependency.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BUSREGAUTHTYPEDEPENDENCYHISTORY

History for tracked fields of BusRegAuthTypeDependency.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusRegAuthTypeDependencyId	Business Regulatory Authorization Type Dependency ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Business Regulatory Authorization Type Dependency History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BUSREGAUTHTYPEDEPENDENCYSHARE

Sharing for BusRegAuthTypeDependency.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BUSREGAUTHORIZATIONTYPE

Represents the association between authorization activity and license or permit type.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessTypeIdentifierId	Business Type ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Business Regulatory Authorization Type ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
RegAuthTypeIdentifierId	Regulatory Authorization Type ID	reference		18		
SystemModstamp	System Modstamp	datetime				

BUSREGAUTHORIZATIONTYPEFEED

Feed tracking for BusRegAuthorizationType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BUSREGAUTHORIZATIONTYPEHISTORY

History for tracked fields of BusRegAuthorizationType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusRegAuthorizationTypeId	Business Regulatory Authorization Type ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Business Regulatory Authorization Type History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BUSINESSBRAND

Represents a unique brand for a business that belongs to a parent entity.

For more information, see BusinessBrand in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Business Brand ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OrgId	Org Id	string		255		
OwnerId	Owner ID	reference		18		
ParentId	Business Brand ID	reference		18		
SystemModstamp	System Modstamp	datetime				

BUSINESSBRANDSHARE

Sharing for BusinessBrand.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BUSINESSHOURS

Specifies the business hours of your support organization. Escalation rules are run only during these hours.

For more information, see BusinessHours in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FridayEndTime	Friday End	time				
FridayStartTime	Friday Start	time				
Id	Business Hours ID	id		18		
IsActive	Active	boolean				
IsDefault	Default Business Hours	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MondayEndTime	Monday End	time				
MondayStartTime	Monday Start	time				
Name	Business Hours Name	string		80		
SaturdayEndTime	Saturday End	time				
SaturdayStartTime	Saturday Start	time				
SundayEndTime	Sunday End	time				
SundayStartTime	Sunday Start	time				
SystemModstamp	System Modstamp	datetime				
ThursdayEndTime	Thursday End	time				
ThursdayStartTime	Thursday Start	time				
TimeZoneSidKey	Time Zone	picklist		40		
TuesdayEndTime	Tuesday End	time				
TuesdayStartTime	Tuesday Start	time				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
WednesdayEndTime	Wednesday End	time				
WednesdayStartTime	Wednesday Start	time				

BUSINESSLICENSE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
HealthcareProviderId	Healthcare Provider ID	reference		18		
Id	Business License ID	id		18		
Identifier	Identifier	string		255		
IsActive	IsActive	boolean				
IsDeleted	Deleted	boolean				
Issuer	Issuer	string		255		
JurisdictionCountry	Jurisdiction Country	string		255		
JurisdictionOther	Jurisdiction Other	string		255		
JurisdictionState	Jurisdiction State	string		255		
JurisdictionType	Jurisdiction Type	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PeriodEnd	Period End	datetime				
PeriodStart	Period Start	datetime				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
VerificationStatus	Verification Status	picklist		40		
VerifiedDate	Verified On	date				

BUSINESSLICENSEAPPLICATION

Represents an application form submitted by a business owner. This object is available in API version 49.0 and later.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AdditionalLocationDescription	Additional Location Description	string		255		
AmountPaid	Amount Paid	currency			18	0
ApplicantId	Contact ID	reference		18		
ApplicationCaseId	Case ID	reference		18		
ApplicationCategory	Application Tier	picklist		40		
ApplicationType	Application Type	picklist		40		
AppliedDate	Applied Date	datetime				
ApprovedDate	Approved Date	datetime				
BusinessTypeId	Business Type ID	reference		18		
Category	Category	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Business License Application ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Updated	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LicensePermitNameId	Business License ID	reference		18		
LicenseTypeId	Regulatory Authorization Type ID	reference		18		
Name	Application ID	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OwnerId	Owner ID	reference		18		
PaymentDate	Payment Date	datetime				
PrimaryOwnerId	Contact ID	reference		18		
RequirementsCompleteDate	Requirements Complete Date	datetime				
SavedApplicationRefId	Preliminary Application Reference ID	reference		18		
SiteAddress	Site Address	address				
SiteCity	Site Address City	string		40		
SiteCountry	Site Address Country	string		80		
SiteGeocodeAccuracy	Site Address Geocode Accuracy	picklist		255		
SiteLatitude	Site Address Latitude	double			18	15
SiteLongitude	Site Address Longitude	double			18	15
SitePostalCode	Site Address Postal Code	string		20		
SiteState	Site Address State	string		80		
SiteStreet	Site Address Street	textarea		255		
Status	Application Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
WasReturned	Returned to Applicant	boolean				

BUSINESSLICENSEAPPLICATIONFEED

Feed tracking for BusinessLicenseApplication.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BUSINESSLICENSEAPPLICATIONHISTORY

History for tracked fields of BusinessLicenseApplication.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessLicenseApplicationId	Business License Application ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Business License Application History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BUSINESSLICENSEAPPLICATIONSHARE

Sharing for BusinessLicenseApplication.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BUSINESSLICENSEFEED

Feed tracking for BusinessLicense.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BUSINESSLICENSEHISTORY

History for tracked fields of BusinessLicense.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessLicenseId	Business License ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Business License History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BUSINESSLICENSESHARE

Sharing for BusinessLicense.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BUSINESSMILESTONE

Represents the milestones of a business, such as acquisition, market listing, and expansion.

For more information, see BusinessMilestone in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExpirationDate	Expiration Date	datetime				
ExpirationDescription	Expiration Description	textarea		32000		
Id	Business Milestone ID	id		18		
IsDeleted	Deleted	boolean				
IsExpired	Expired	boolean				
IsTentative	Tentative	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MilestoneDate	Milestone Date	datetime				
MilestoneDescription	Milestone Description	textarea		32000		
MilestoneSiteId	Location ID	reference		18		
MilestoneType	Milestone Type	picklist		40		
Name	Milestone Name	string		255		
OwnerId	Owner ID	reference		18		
PrimaryAccountId	Account ID	reference		18		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
SystemModstamp	System Modstamp	datetime				

BUSINESSMILESTONEFEED

Feed tracking for BusinessMilestone.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BUSINESSMILESTONEHISTORY

History for tracked fields of BusinessMilestone.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessMilestoneId	Business Milestone ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Business Milestone History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BUSINESSMILESTONESHARE

Sharing for BusinessMilestone.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BUSINESSPROCESS

Represents a business process.

For more information, see `BusinessProcess` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>Description</code>	Description	string		255		
<code>Id</code>	Business Process ID	id		18		
<code>IsActive</code>	Active	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>Name</code>	Name	string		80		
<code>NamespacePrefix</code>	Namespace Prefix	string		15		
<code>SystemModstamp</code>	System Modstamp	datetime				
<code>TableEnumOrId</code>	Entity Enumeration Or ID	picklist		40		

BUSINESSPROCESSDEFINITION

Setup object that stores information about stages in a customer lifecycle map. The stages are associated with surveys and questions created using Salesforce Surveys.

For more information, see BusinessProcessDefinition in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessProcessGroupId	Business Process Group ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Object Name	string		80		
Id	Business Process Definition ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
ProcessDescription	Description	textarea		4000		
SequenceNumber	Sequence Number	int	9			
SystemModstamp	System Modstamp	datetime				

BUSINESSPROCESSFEEDBACK

Setup object that stores information about the survey and the question associated with each stage in a customer lifecycle map. Customer lifecycle maps are used to track the scores provided by customers across their lifecycle using Salesforce Surveys.

For more information, see BusinessProcessFeedback in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionName	Feedback Collection Method Name	string		255		
ActionParam	Feedback Collection Method Parameter	string		255		
ActionType	Feedback Collection Method	picklist		255		
BusinessProcessDefinitionId	Business Process Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Business Process Feedback ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				

BUSINESSPROCESSGROUP

Setup object that stores information about customer lifecycle maps. Customer lifecycle maps are used to track the scores provided by customers across their lifecycle using Salesforce Surveys.

For more information, see `BusinessProcessGroup` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>CustomerSatisfactionMetric</code>	Customer Satisfaction Metric	picklist		255		
<code>Description</code>	Description	textarea		4000		
<code>DeveloperName</code>	Name	string		80		
<code>Id</code>	Business Process Group ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>Language</code>	Master Language	picklist		40		
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>MasterLabel</code>	Label	string		80		
<code>NamespacePrefix</code>	Namespace Prefix	string		15		
<code>SystemModstamp</code>	System Modstamp	datetime				

BUSINESSPROFILE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Business Profile ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

BUSINESSPROFILEFEED

Feed tracking for BusinessProfile.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BUSINESSPROFILEHISTORY

History for tracked fields of BusinessProfile.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessProfileId	Business Profile ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Business Profile History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BUSINESSTYPE

Represents a category of any activity (business or individual), such as healthcare, restaurant, or retail. This object is available in API version 49.0 and later.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivityCode	Activity Code	string		255		
AuthorizationActivityType	Authorization Activity Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Business Type ID	id		18		
Industry	Industry	picklist		40		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

BUSINESSTYPEFEED

Feed tracking for BusinessType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BUSINESSTYPEHISTORY

History for tracked fields of BusinessType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessTypeId	Business Type ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Business Type History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BUSINESSTYPESHARE

Sharing for BusinessType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CALCINSIGHTSTATUSEVENT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CalculatedInsightId	External Id of the Calculated Insight	string		4000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EventCreationDate	Event creation time	datetime				
EventPublishDate	Event published time	datetime				
EventType	Type of CDP Event	string		4000		
EventUuid	EventUuid	string		36		
LastRunDateTime	Last Run Time	datetime				
LastRunStatus	Status of the last run	string		4000		
LastRunStatusDateTime	Last Run Status Time	datetime				
ReplayId	ReplayId	string		1000		
SchemaVersion	Schema version	string		4000		

CALENDAR

Represents a calendar. This can be a default user calendar, public calendar, resource calendar, or holiday calendar.

For more information, see Calendar in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Calendar ID	id		18		
IsActive	Active	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Calendar Name	string		80		
SystemModstamp	System Modstamp	datetime				
Type	Calendar Type	picklist		40		
UserId	User ID	reference		18		

CALENDARVIEW

These calendars can be created and assigned to users other than the creator. Available calendars include object, shared, public, resource, and user list calendars. Object calendars represent a calendar based on a Salesforce object, either standard or custom.

For more information, see CalendarView in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Color	Color	string		6		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DateHandlingType	Date Handling Type	picklist		255		
DisplayField	Display Field	string		255		
EndField	End Field	string		255		
FillPattern	Fill Pattern	string		50		
Id	Calendar ID	id		18		
IsDeleted	Deleted	boolean				
IsDisplayed	Is Displayed	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ListViewFilterId	List View ID	reference		18		
Name	Calendar Name	string		255		
OwnerId	Owner ID	reference		18		
PublisherId	Publisher ID	reference		18		
SObjectType	sObject Type	picklist		255		
StartField	Start Field	string		255		
SystemModstamp	System Modstamp	datetime				

CALENDARVIEWSHARE

Sharing for CalendarView.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CALLCENTER

Represents a call center, which is a logical representation of a single computer-telephony integration (CTI) system instance in an organization.

For more information, see `CallCenter` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>AdapterUrl</code>	CTI Adapter URL	string		2000		
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>CustomSettings</code>	Custom Settings	string		3000		
<code>Id</code>	Call Center ID	id		18		
<code>InternalName</code>	Internal Name	string		240		
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>Name</code>	Name	string		255		
<code>SystemModstamp</code>	System Modstamp	datetime				
<code>Version</code>	Version	double			18	3

CALLCOACHCONFIGMODIFYEVENT

Represents a Conversation Insights configuration change.

For more information, see `CallCoachConfigModifyEvent` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChangeType	Change Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EventUuid	Event UUID	string		36		
OrganizationId	Organization ID	string		18		
ProviderIdChange	Provider ID Change	string		18		
ReplayId	Replay ID	string		1000		

CALLCOACHINGMEDIAPROVIDER

Represents the media provider for call recordings.

For more information, see `CallCoachingMediaProvider` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>Id</code>	CallCoachingMediaProvider ID	id		18		
<code>IsActive</code>	Is Active	boolean				
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>ProviderDescription</code>	Provider Description	string		255		
<code>ProviderName</code>	Provider Name	string		255		
<code>SystemModstamp</code>	System Modstamp	datetime				

CALLRECORDINGGEORESTRICTION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
GeographicRegionName	Geographic Region Name	string		255		
GeographicRegionType	Geographic Region Type	picklist		255		
Id	CallRecordingGeoRestriction Id	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
SystemModstamp	System Modstamp	datetime				

CAMPAIGN

Represents and tracks a marketing campaign, such as a direct mail promotion, webinar, or trade show.

For more information, see Campaign in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualCost	Actual Cost in Campaign	currency			18	0
AmountAllOpportunities	Value Opportunities in Campaign	currency			18	0
AmountWonOpportunities	Value Won Opportunities in Campaign	currency			18	0
BudgetedCost	Budgeted Cost in Campaign	currency			18	0
CampaignMemberRecordTypeId	Record Type ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
EndDate	End Date	date				
ExpectedResponse	Expected Response (%)	percent			10	2
ExpectedRevenue	Expected Revenue in Campaign	currency			18	0
Id	Campaign ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastActivityDate	Last Activity	date				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		80		
NumberOfContacts	Contacts in Campaign	int	9			

Campaign

Field Name	Field Label	Type	Digits	Length	Precision	Scale
NumberOfConvertedLeads	Converted Leads in Campaign	int	9			
NumberOfLeads	Leads in Campaign	int	9			
NumberOfOpportunities	Opportunities in Campaign	int	9			
NumberOfResponses	Responses in Campaign	int	9			
NumberOfWonOpportunities	Won Opportunities in Campaign	int	9			
NumberSent	Num Sent in Campaign	double			18	0
OwnerId	Owner ID	reference		18		
ParentId	Parent Campaign ID	reference		18		
StartDate	Start Date	date				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TenantId	Business Unit ID	reference		18		
Type	Type	picklist		255		

CAMPAIGNFEED

Feed tracking for Campaign.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAMPAIGNHISTORY

History for tracked fields of Campaign.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CampaignId	Campaign ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Campaign Field History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAMPAIGNINFLUENCEMODEL

This read-only object represents a campaign influence model in Customizable Campaign Influence. Use campaign influence models to group `CampaignInfluence` records created by a specific set of triggers and workflows that you define. The Primary Campaign Source influence model is the default model.

For more information, see `CampaignInfluenceModel` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>DeveloperName</code>	Unique Name	string		80		
<code>Id</code>	Campaign Influence Model ID	id		18		
<code>IsActive</code>	Active	boolean				
<code>IsDefaultModel</code>	Default Model	boolean				
<code>IsDeleted</code>	Deleted	boolean				
<code>IsModelLocked</code>	Locked	boolean				
<code>Language</code>	Master Language	picklist		40		
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>MasterLabel</code>	Model Name	string		80		
<code>ModelDescription</code>	Model Description	string		255		
<code>ModelType</code>	Model Type	picklist		255		
<code>NamespacePrefix</code>	Namespace Prefix	string		15		
<code>RecordPreference</code>	Record Preference	picklist		255		
<code>SystemModstamp</code>	System Modstamp	datetime				

CAMPAIGNMEMBER

Represents the association between a campaign and either a lead or a contact.

For more information, see CampaignMember in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CampaignId	Campaign ID	reference		18		
City	City	string		40		
CompanyOrAccount	Company (Account)	string		255		
ContactId	Contact ID	reference		18		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
DoNotCall	Do Not Call	boolean				
Email	Email	email		80		
Fax	Fax	phone		40		
FirstName	First Name	string		40		
FirstRespondedDate	First Responded Date	date				
HasOptedOutOfEmail	Email Opt Out	boolean				
HasOptedOutOfFax	Fax Opt Out	boolean				
HasResponded	Responded	boolean				
Id	Campaign Member ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastName	Last Name	string		80		
LeadId	Lead ID	reference		18		
LeadOrContactId	Related Record ID	reference		18		

CampaignMember

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LeadOrContactOwnerId	Related Record Owner ID	reference		18		
LeadSource	Lead Source	picklist		255		
MobilePhone	Mobile	phone		40		
Name	Name	string		255		
Phone	Phone	phone		40		
PostalCode	Zip/Postal Code	string		20		
Salutation	Salutation	picklist		255		
State	State/Province	string		80		
Status	Status	picklist		40		
Street	Street	string		255		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		128		
Type	Type	string		40		

CAMPAIGNMEMBERSTATUS

One or more member status values defined for a campaign.

For more information, see CampaignMemberStatus in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CampaignId	Campaign ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
HasResponded	Responded	boolean				
Id	Campaign Member Status ID	id		18		
IsDefault	Is Default	boolean				
IsDeleted	Deleted	boolean				
Label	Member Status	string		765		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

CAMPAIGNSHARE

Represents a sharing entry on a Campaign.

For more information, see CampaignShare in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CampaignAccessLevel	Campaign Access	picklist		40		
CampaignId	Campaign ID	reference		18		
Id	Campaign Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CARDPAYMENTMETHOD

References a credit card or debit card payment method. This entity implements the PaymentMethod entity interface.

For more information, see CardPaymentMethod in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AuditEmail	Audit Email	email		80		
AutoCardType	Auto Card Type	string		20		
CardBin	Card BIN	int	6			
CardCategory	Card Category	picklist		255		
CardHolderFirstName	Card Holder First Name	string		255		
CardHolderLastName	Card Holder Last Name	string		255		
CardHolderName	Card Holder Name	string		255		
CardLastFour	Card Last Four	int	4			
CardPaymentMethodNumber	Card Payment Method Number	string		255		
CardType	Card Type	picklist		40		
CardTypeCategory	Card Type Category	picklist		255		
Comments	Comments	textarea		1000		
CompanyName	Company Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DisplayCardNumber	Display Card Number	string		20		
Email	Registered Card Email	email		80		
ExpiryMonth	Expiry Month	int	2			
ExpiryYear	Expiry Year	int	4			
GatewayDate	Gateway Date	datetime				
GatewayResultCode	Gateway Result Code	string		64		

CardPaymentMethod

Field Name	Field Label	Type	Digits	Length	Precision	Scale
GatewayResultCodeDescription	Gateway Result Code Description	string		255		
GatewayToken	GatewayToken	string		255		
GatewayTokenDetails	Gateway Token Details	textarea		1000		
GatewayTokenEncrypted	Gateway Token Encrypted	encrypted string		255		
Id	Card Payment Method ID	id		18		
InputCardNumber	Input Card Number	string		20		
IpAddress	IP Address	string		39		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MacAddress	MAC Address	string		32		
NickName	Nickname	string		255		
PaymentGatewayId	Payment Gateway ID	reference		18		
PaymentMethodAddress	Payment Method Address	address				
PaymentMethodCity	City	string		40		
PaymentMethodCountry	Country	string		80		
PaymentMethodGeoCodeAccuracy	GeoCode Accuracy	picklist		255		
PaymentMethodLatitude	Latitude	double			18	15
PaymentMethodLongitude	Longitude	double			18	15
PaymentMethodPostalCode	Postal Code	string		20		
PaymentMethodState	State	string		80		
PaymentMethodStreet	Street	textarea		255		
Phone	Phone	phone		40		
ProcessingMode	Processing Mode	picklist		255		
SfResultCode	Salesforce Result Code	picklist		255		
StartMonth	Start Month	int	2			
StartYear	Start Year	int	4			
Status	Status	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

CAREBARRIER

Represents the circumstances or obstacles affecting a patient or member.

For more information, see CareBarrier in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareBarrierTypeId	Care Barrier Type ID	reference		18		
CaseId	Case ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
Id	Care Barrier ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PatientId	Account ID	reference		18		
Priority	Priority	picklist		40		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

CAREBARRIERDETERMINANT

Represents the relationship of a barrier to a determinant for a patient or member.

For more information, see CareBarrierDeterminant in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareBarrierId	Care Barrier ID	reference		18		
CareDeterminantId	Care Determinant ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Care Barrier Determinant ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CAREBARRIERDETERMINANTFEED

Feed tracking for CareBarrierDeterminant.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREBARRIERDETERMINANTHISTORY

History for tracked fields of CareBarrierDeterminant.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareBarrierDeterminantId	Care Barrier Determinant ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Barrier Determinant History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREBARRIERDETERMINANTSHARE

Sharing for CareBarrierDeterminant.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREBARRIERFEED

Feed tracking for CareBarrier.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREBARRIERHISTORY

History for tracked fields of CareBarrier.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareBarrierId	Care Barrier ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Barrier History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREBARRIERSHARE

Sharing for CareBarrier.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREBARRIERTYPE

Represents the standard, defined list of barriers maintained by an organization.

For more information, see CareBarrierType in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Code	Code	string		40		
CodeType	Code Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
HealthCareDiagnosisId	Healthcare Diagnosis ID	reference		18		
Id	Care Barrier Type ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CAREBARRIERTYPEFEED

Feed tracking for CareBarrierType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREBARRIERTYPEHISTORY

History for tracked fields of CareBarrierType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareBarrierTypeId	Care Barrier Type ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Barrier Type History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREBARRIERPESHARE

Sharing for CareBarrierType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREBENEFITVERIFYREQUEST

Request for verification of benefits.

For more information, see CareBenefitVerifyRequest in the *Benefits Verification Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Care Benefit Verify Request ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MemberPlanId	Member Plan ID	reference		18		
Name	Care Benefit Verify Request Name	string		255		
ResponseBody	Response Body	base64				
ResponseContentType	Response Content Type	picklist		255		
ResponseLength	Response Length	int	9			
ResponseName	Response Name	string		40		
SystemModstamp	System Modstamp	datetime				

CAREBENEFITVERIFYREQUESTFEED

Feed tracking for CareBenefitVerifyRequest.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREBENEFITVERIFYREQUESTHISTORY

History for tracked fields of CareBenefitVerifyRequest.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareBenefitVerifyRequestId	Care Benefit Verify Request ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Benefit Verify Request History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREBENEFITVERIFYSETTINGS

Configuration settings for benefit verification requests.

For more information, see CareBenefitVerifySettings in the *Benefits Verification Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CodeSetType	Code Set Type	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultNpi	Default NPI	string		80		
DeveloperName	Name	string		80		
GeneralPlanServiceTypeCode	General Plan Service Type Code	string		80		
Id	Care Benefit Verification Settings ID	id		18		
IsDefault	Default	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
OrganizationName	Organization Name	string		80		
ServiceApexClassId	Class ID	reference		18		
ServiceNamedCredentialId	Named Credential ID	reference		18		
ServiceTypeSourceSystem	Service Type Source System	string		255		
SystemModstamp	System Modstamp	datetime				
UriPath	Care Benefit Verification URI Path	textarea		2048		

CAREDETERMINANT

Represents the determinants of health for a patient such as availability of safe housing, adequate employment, or local food markets. For more information, see CareDeterminant in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareDeterminantTypeId	Care Determinant Type ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Care Determinant ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PatientId	Account ID	reference		18		
Priority	Priority	picklist		40		
SystemModstamp	System Modstamp	datetime				

CAREDETERMINANTFEED

Feed tracking for CareDeterminant.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREDETERMINANTHISTORY

History for tracked fields of CareDeterminant.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareDeterminantId	Care Determinant ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Determinant History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREDETERMINANTSHARE

Sharing for CareDeterminant.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREDETERMINANTTYPE

Represents the standard, defined list of determinants of health maintained by an organization, including the domain and type.

For more information, see CareDeterminantType in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Domain	Domain	picklist		40		
Id	Care Determinant Type ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

CAREDETERMINANTTYPEFEED

Feed tracking for CareDeterminantType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREDETERMINANTTYPEHISTORY

History for tracked fields of CareDeterminantType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareDeterminantTypeId	Care Determinant Type ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Determinant Type History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREDETERMINANTTYPESHARE

Sharing for CareDeterminantType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREDIAGNOSIS

Represents the details of a diagnosis including code type, name, and description. One or more care diagnoses can be associated with a care request.

For more information, see CareDiagnosis in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareRequestCaseId	Case ID	reference		18		
CareRequestId	Care Request ID	reference		18		
CodeDescription	Code Description	string		255		
CodeType	Code Type	picklist		40		
CodeTypeIdentifier	Code Type ID	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DiagnosisCodeId	Healthcare Diagnosis ID	reference		18		
DischargeCode	Discharge Code	string		32		
DischargeCodeDescription	Discharge Code Description	string		255		
DischargeCodeType	Discharge Code Type	picklist		40		
DischargeCodeTypeIdentifier	Discharge Code Type ID	string		255		
DischargeDiagnosisCodeId	Healthcare Diagnosis ID	reference		18		
DischargeDiagnosisEffectiveDate	Discharge Diagnosis Effective Date	date				
DischargeDiagnosisEndDate	Discharge Diagnosis End Date	date				
EffectiveDate	Effective Date	date				
EndDate	End Date	date				
Id	Care Diagnosis ID	id		18		
IsDeleted	Deleted	boolean				
IsDischargeDiagnosisPrimary	Primary Discharge Diagnosis	boolean				
IsModifiedDiagnosisPrimary	Modified Primary Diagnosis	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsPrimary	Primary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ModifiedCode	Modified Code	string		32		
ModifiedCodeDescription	Modified Code Description	string		255		
ModifiedCodeType	Modified Code Type	picklist		40		
ModifiedCodeTypeIdentifier	Modified Code Type ID	string		255		
ModifiedDiagnosisCodeId	Healthcare Diagnosis ID	reference		18		
ModifiedEffectiveDate	Modified Effective Date	date				
ModifiedEndDate	Modified End Date	date				
Name	Name	string		255		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
SystemModstamp	System Modstamp	datetime				

CAREDIAGNOSISFEED

Feed tracking for CareDiagnosis.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREDIAGNOSISHISTORY

History for tracked fields of CareDiagnosis.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareDiagnosisId	Care Diagnosis ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Diagnosis History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREINTERVENTIONTYPE

Represents the standard, defined list of interventions maintained by an organization.

For more information, see `CareInterventionType` in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Code	Code	string		40		
CodeType	Code Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
HealthCareProcedureId	Health Care Procedure ID	reference		18		
Id	Care Intervention Type ID	id		18		
InterventionType	Intervention Type	picklist		40		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CAREINTERVENTIONTYPEFEED

Feed tracking for CareInterventionType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREINTERVENTIONTYPEHISTORY

History for tracked fields of CareInterventionType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareInterventionTypeId	Care Intervention Type ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Intervention Type History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREINTERVENTIONTYPE SHARE

Sharing for CareInterventionType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CARELIMITTYPE

Defines the characteristics of limits on benefit provision.

For more information, see CareLimitType in the *Benefits Verification Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Care Limit Type ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LimitType	Limit Type	string		255		
MasterLabel	Label	string		80		
MetricType	Metric Type	picklist		255		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

CAREMETRICTARGET

Represents the expected care metrics at org level and patient level.

For more information, see CareMetricTarget in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CodeId	Code Set ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDate	End Date	date				
Id	Care Metric Target ID	id		18		
IsDeleted	Deleted	boolean				
IsOutcomePositive	Outcome positive	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LowerLimit	Lower Limit	double			18	6
Name	Name	string		255		
NumericValue	Numeric Value	double			18	6
OwnerId	Owner ID	reference		18		
PatientId	Account ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		
UnitOfMeasureId	Unit of Measure ID	reference		18		
UpperLimit	Upper Limit	double			18	6

CAREMETRICTARGETFEED

Feed tracking for CareMetricTarget.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREMETRICTARGETHISTORY

History for tracked fields of CareMetricTarget.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareMetricTargetId	Care Metric Target ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Metric Target History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREMETRICTARGETSHARE

Sharing for CareMetricTarget.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREOBSERVATION

For more information, see CareObservation in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CodeId	Code Set ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeviceId	Asset ID	reference		18		
EffectiveDateTime	Effective Date and Time	datetime				
ExpectedValueId	Care Metric Target ID	reference		18		
HasMetExpectedValue	Met expected value	boolean				
Id	Care Observation ID	id		18		
IsDeleted	Deleted	boolean				
IsMonitoredRemotely	Monitored remotely	boolean				
IsOutcomePositive	Outcome positive	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
NumericValue	Numeric Value	double			18	6
ObservedSubjectId	Account ID	reference		18		
ProcessingResult	Processing Result	picklist		255		
SystemModstamp	System Modstamp	datetime				
UnitOfMeasureId	Unit of Measure ID	reference		18		

CAREOBSERVATIONCOMPONENT

Represents information about a component of a care observation.

For more information, see CareObservationComponent in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BaselineUnitId	Unit of Measure ID	reference		18		
BaselineValueText	Baseline Value Text	string		255		
CareObservationId	Care Observation ID	reference		18		
ComponentTypeCodeId	Code Set Bundle ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Care Observation Component ID	id		18		
IsDeleted	Deleted	boolean				
IsObserved	Observed	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LowerBaselineValue	Lower Baseline Value	double			18	0
MissingDataReason	Missing Data Reason	string		255		
Name	Name	string		255		
ObservationEndDateTime	Observation End Time	datetime				
ObservationStartDateTime	Observation Start Time	datetime				
ObservedValueCodeId	Code Set Bundle ID	reference		18		
ObservedValueDenominator	Observed Value Denominator	double			6	2
ObservedValueNumerator	Observed Value Numerator	double			6	2
ObservedValueText	Observed Value Text	string		255		

CareObservationComponent

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ObservedValueUnitId	Unit of Measure ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UpperBaselineValue	Upper Baseline Value	double			18	0
ValueInterpretation	Value Interpretation	picklist		40		
ValueType	Value Type	picklist		255		

CAREOBSERVATIONCOMPONENTFEED

Feed tracking for CareObservationComponent.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREOBSERVATIONCOMPONENTHISTORY

History for tracked fields of CareObservationComponent.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareObservationComponentId	Care Observation Component ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Observation Component History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREOBSERVATIONFEED

Feed tracking for CareObservation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREOBSERVATIONHISTORY

History for tracked fields of CareObservation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareObservationId	Care Observation ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Observation History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPGMPROVHEALTHCAREPROVIDER

Represents a junction object identifying the primary healthcare professional associated with a care program provider and to look up all healthcare professionals for care program providers.

For more information, see `CarePgmProvHealthcareProvider` in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramProviderId	Care Program Provider ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
HealthcareProviderId	Healthcare Provider ID	reference		18		
Id	Care Program Healthcare Provider ID	id		18		
IsDeleted	Deleted	boolean				
IsPrimaryProvider	Primary Provider	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Care Provider Association Name	string		255		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
SystemModstamp	System Modstamp	datetime				

CAREPGMPROVHEALTHCAREPROVIDERFEED

Feed tracking for CarePgmProvHealthcareProvider.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREPGMPROVHEALTHCAREPROVIDERHISTORY

History for tracked fields of CarePgmProvHealthcareProvider.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CarePgmProvHealthcareProviderId	Care Program Healthcare Provider ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program Healthcare Provider History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPREAUTH

Represents the details of preauthorizations for care under a member's plan.

For more information, see CarePreauth in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
Id	Care Preauth ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MemberPlanId	Member Plan ID	reference		18		
Name	Name	string		255		
Notes	Notes	textarea		32000		
OwnerId	Owner ID	reference		18		
PayerId	Account ID	reference		18		
PreauthIdentifier	Preauth Identifier	string		64		
ReferringPhysician	Referring Physician	string		64		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

CAREPREAUTHFEED

Feed tracking for CarePreauth.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREPREAUTHHISTORY

History for tracked fields of CarePreauth.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CarePreauthId	Care Preauth ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Preauth History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPREAUTHITEM

Represents the details of items included in a preauthorization for care under a member's plan.

For more information, see CarePreauthItem in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CarePreauthId	Care Preauth ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndingServiceCode	Ending Service Code	string		64		
Id	Care Preauth Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Laterality	Laterality	picklist		40		
Name	Name	string		255		
Notes	Notes	textarea		32000		
OwnerId	Owner ID	reference		18		
PreauthitemSequence	Preauth Item Sequence	int	9			
Quantity	Quantity	int	9			
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
StartingServiceCode	Starting Service Code	string		64		
SystemModstamp	System Modstamp	datetime				
Unit	Unit	string		64		

CAREPREAUTHITEMFEED

Feed tracking for CarePreauthItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREPREAUTHITEMHISTORY

History for tracked fields of CarePreauthItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CarePreauthItemId	Care Preauth Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Preauth Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPREAUTHITEMSHARE

Sharing for CarePreauthItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPREAUTHSHARE

Sharing for CarePreauth.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPROGRAM

Represents a set of activities, such as a patient therapy, financial assistance, education, wellness, or fitness plan, offered to participants by an employer or insurer.

For more information, see CareProgram in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BudgetAmount	Budget Amount	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
EndDate	End Date	date				
Id	Care Program ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentProgramId	Care Program ID	reference		18		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
SponsorId	Account ID	reference		18		
StartDate	Start Date	date				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

CAREPROGRAMCAMPAIGN

Represents a relationship between the Care Program object and the Campaign object.

For more information, see CareProgramCampaign in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CampaignId	Campaign ID	reference		18		
CareProgramId	Care Program ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Care Program Campaign ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
SystemModstamp	System Modstamp	datetime				

CAREPROGRAMCAMPAIGNFEED

Feed tracking for CareProgramCampaign.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREPROGRAMCAMPAIGNHISTORY

History for tracked fields of CareProgramCampaign.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramCampaignId	Care Program Campaign ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program Campaign History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROGRAMELIGIBILITYRULE

Represents a rule defining the criteria for patient care program enrollment eligibility. This entity creates an association between Care Program and an Enrollment Eligibility Criteria.

For more information, see `CareProgramEligibilityRule` in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramId	Care Program ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EligibilityCriteriaId	Enrollment Eligibility Criteria ID	reference		18		
Id	Care Program Eligibility Rule ID	id		18		
IsDeleted	Deleted	boolean				
IsRequired	Required	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

CAREPROGRAMELIGIBILITYRULEFEED

Feed tracking for CareProgramEligibilityRule.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREPROGRAMELIGIBILITYRULEHISTORY

History for tracked fields of CareProgramEligibilityRule.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramEligibilityRuleId	Care Program Eligibility Rule ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program Eligibility Rule History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROGRAMELIGIBILITYRULESHARE

Sharing for CareProgramEligibilityRule.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPROGRAMENROLLEE

Represents a participant enrolled in a care program.

For more information, see `CareProgramEnrollee` in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CareProgramId	Care Program ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Care Program Enrollee ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LeadId	Lead ID	reference		18		
Name	Name	string		255		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

CAREPROGRAMENROLLEEFEED

Feed tracking for CareProgramEnrollee.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREPROGRAMENROLLEEHistory

History for tracked fields of CareProgramEnrollee.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramEnrolleeId	Care Program Enrollee ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program Enrollee History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROGRAMENROLLEEPRODUCT

Represents the affiliation between a care program enrollee and a care program product, a care program provider, or both.

For more information, see `CareProgramEnrolleeProduct` in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramEnrolleeId	Care Program Enrollee ID	reference		18		
CareProgramProductId	Care Program Product ID	reference		18		
CareProgramProviderId	Care Program Provider ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Care Program Enrollee Product ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

CAREPROGRAMENROLLEEPRODUCTFEED

Feed tracking for CareProgramEnrolleeProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREPROGRAMENROLLEEPRODUCTHISTORY

History for tracked fields of CareProgramEnrolleeProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramEnrolleeProductId	Care Program Enrollee Product ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program Enrollee Product History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROGRAMENROLLEPRODUCTSHARE

Sharing for CareProgramEnrolleeProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPROGRAMENROLLMENTCARD

Represents a care program membership card that includes a membership number or enrollment code.

For more information, see `CareProgramEnrollmentCard` in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CardNumber	Card Number	string		255		
CareProgramEnrolleeId	Care Program Enrollee ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Care Program Enrollment Card ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

CAREPROGRAMENROLLMENTCARDFEED

Feed tracking for CareProgramEnrollmentCard.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREPROGRAMENROLLMENTCARDHISTORY

History for tracked fields of CareProgramEnrollmentCard.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramEnrollmentCardId	Care Program Enrollment Card ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program Enrollment Card History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROGRAMENROLLMENTCARDSHARE

Sharing for CareProgramEnrollmentCard.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPROGRAMFEED

Feed tracking for CareProgram.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREPROGRAMGOAL

Represents a business or clinical goal related to a care program.

For more information, see `CareProgramGoal` in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramId	Care Program ID	reference		18		
CompletionDate	Completion Date	date				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
DueDate	Due Date	date				
Id	Care Program Goal ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Priority	Priority	picklist		40		
ProgressPercentage	Progress Percentage	percent			3	0
SequenceNumber	Sequence Number	double			18	0
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
StartDate	Start Date	date				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

CAREPROGRAMGOALFEED

Feed tracking for CareProgramGoal.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREPROGRAMGOALHISTORY

History for tracked fields of CareProgramGoal.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramGoalId	Care Program Goal ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program Goal History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROGRAMGOALSHARE

Sharing for CareProgramGoal.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPROGRAMHISTORY

History for tracked fields of CareProgram.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramId	Care Program ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROGRAMPRODUCT

Represents the affiliation between a care program and a care program product, care program provider, or both.

For more information, see CareProgramProduct in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Availability	Availability	picklist		40		
CareProgramId	Care Program ID	reference		18		
CareProgramPrice	Care Program Price	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Care Program Product ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProductId	Product ID	reference		18		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

CAREPROGRAMPRODUCTFEED

Feed tracking for CareProgramProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREPROGRAMPRODUCTHISTORY

History for tracked fields of CareProgramProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramProductId	Care Program Product ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program Product History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROGRAMPRODUCTSHARE

Sharing for CareProgramProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPROGRAMPROVIDER

Represents a business account that is the service provider for a care program product.

For more information, see `CareProgramProvider` in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CareProgramContactId	Contact ID	reference		18		
CareProgramProductId	Care Program Product ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Care Program Provider ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Role	Role	picklist		40		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

CAREPROGRAMPROVIDERFEED

Feed tracking for CareProgramProvider.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREPROGRAMPROVIDERHISTORY

History for tracked fields of CareProgramProvider.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramProviderId	Care Program Provider ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program Provider History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROGRAMPROVIDERSHARE

Sharing for CareProgramProvider.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPROGRAMSHARE

Sharing for CareProgram.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPROGRAMTEAMMEMBER

Represents a person who delivers services under a program, such as a program manager or care coordinator.

For more information, see `CareProgramTeamMember` in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CareProgramId	Care Program ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Care Program Team Member ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Role	Role	picklist		40		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

CAREPROGRAMTEAMMEMBERFEED

Feed tracking for CareProgramTeamMember.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREPROGRAMTEAMMEMBERHISTORY

History for tracked fields of CareProgramTeamMember.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramTeamMemberId	Care Program Team Member ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program Team Member History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROVIDERADVERSEACTION

Captures adverse actions against the provider, such as malpractice lawsuits or revoked licences.

For more information, see CareProviderAdverseAction in the *Provider Network Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AccreditationId	Accreditation ID	reference		18		
ActionType	Type	picklist		40		
BoardCertificationId	Board Certification ID	reference		18		
BusinessLicenseId	Business License ID	reference		18		
CaseNumber	Case Number	string		255		
CourtSentence	Court Sentence	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
HealthcareProviderId	Healthcare Provider ID	reference		18		
Id	Care Provider Adverse Action ID	id		18		
IsDeleted	Deleted	boolean				
Jurisdiction	Jurisdiction	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PractitionerId	Contact ID	reference		18		

CareProviderAdverseAction

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ReportingEntity	Reporting Entity	string		255		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

CAREPROVIDERADVERSEACTIONFEED

Feed tracking for CareProviderAdverseAction.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREPROVIDERADVERSEACTIONHISTORY

History for tracked fields of CareProviderAdverseAction.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProviderAdverseActionId	Care Provider Adverse Action ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Provider Adverse Action History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROVIDERADVERSEACTIONSHARE

Sharing for CareProviderAdverseAction.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPROVIDERFACILITYSPECIALTY

Represents all the specialties that the practitioner provides at a given location. For example, a physician who is board-certified in both spine and neuro may provide spine services at one location and neuro services at another.

For more information, see CareProviderFacilitySpecialty in the *Provider Network Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
Id	Care Provider Facility Specialty ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsPrimarySpecialty	Primary Specialty	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Provider Facility Specialty Name	string		255		
OwnerId	Owner ID	reference		18		
PractitionerFacilityId	Healthcare Practitioner Facility ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SpecialtyId	Care Specialty ID	reference		18		
SpecialtyRole	Specialty Role	picklist		40		
SystemModstamp	System Modstamp	datetime				

CAREPROVIDERFACILITYSPECIALTYFEED

Feed tracking for CareProviderFacilitySpecialty.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREPROVIDERFACILITYSPECIALTYHISTORY

History for tracked fields of CareProviderFacilitySpecialty.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProviderFacilitySpecialtyId	Care Provider Facility Specialty ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Provider Facility Specialty History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROVIDERFACILITYSPECIALTYSHARE

Sharing for CareProviderFacilitySpecialty.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPROVIDERSEARCHCONFIG

Represents fields that can appear in provider search results.

For more information, see CareProviderSearchConfig in the *Provider Network Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Care Provider Search Config ID	id		18		
IsActive	IsActive	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MappedObject	Mapped Object	picklist		255		
MasterLabel	Label	string		80		
SourceField	Source Field	string		255		
SystemModstamp	System Modstamp	datetime				
TargetField	Target Field	string		255		

CAREPROVIDERSEARCHABLEFIELD

This object holds denormalized data from certain fields in the Provider data model.

For more information, see CareProviderSearchableField in the *Provider Network Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CertificationType	Certification Type	textarea		4000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EducationType	Education Type	textarea		4000		
FacilityAddress	Address	address				
FacilityCity	Facility City	string		40		
FacilityCountry	Facility Country	string		80		
FacilityGeocodeAccuracy	Facility Geocode Accuracy	picklist		255		
FacilityId	Account ID	reference		18		
FacilityLatitude	Facility Latitude	double			18	15
FacilityLongitude	Facility Longitude	double			18	15
FacilityName	Facility Name	string		255		
FacilityPhone	Facility Phone	phone		40		
FacilityPostalCode	Facility Postal Code	string		20		
FacilityState	Facility State	string		80		
FacilityStreet	Facility Street	textarea		255		
GenderRestriction	Gender Restriction	string		255		
Id	Care Provider Search Data ID	id		18		
IsAcceptingNewPatients	Accepts new patients	boolean				
IsDeleted	Deleted	boolean				
IsHandicapAccess	Accessible	boolean				
LanguagesSpoken	Languages Spoken	textarea		4000		
LastModifiedById	Last Modified By ID	reference		18		

CareProviderSearchableField

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Care Provider Searchable Field Name	string		255		
NationalProviderIdentifier	National Provider Identifier	string		255		
OperatingHoursId	Operating Hour ID	reference		18		
OwnerId	Owner ID	reference		18		
PhotoUrl	Photo URL	string		255		
PlanType	Plan Type	textarea		4000		
ProviderId	Healthcare Provider ID	reference		18		
ProviderName	Provider Name	string		255		
ProviderType	Provider Type	string		255		
Specialty	Specialty	textarea		4000		
SubSpecialty	Subspecialty	textarea		4000		
SystemModstamp	System Modstamp	datetime				
UniqueKey	Unique Key	string		255		

CAREPROVIDERSEARCHABLEFIELDFEED

Feed tracking for CareProviderSearchableField.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREPROVIDERSEARCHABLEFIELDHISTORY

History for tracked fields of CareProviderSearchableField.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProviderSearchableFieldId	Care Provider Search Data ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Provider Searchable Field History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROVIDERSEARCHABLEFIELDSHARE

Sharing for CareProviderSearchableField.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREREGISTEREDDEVICE

For more information, see CareRegisteredDevice in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramEnrolleeId	Care Program Enrollee ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeviceId	Asset ID	reference		18		
Id	Care Registered Device ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Care Registered Device Name	string		255		
PatientId	Account ID	reference		18		
RegistrationDate	Registration Date	datetime				
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

CAREREGISTEREDDEVICEFEED

Feed tracking for CareRegisteredDevice.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREREGISTEREDDEVICEHISTORY

History for tracked fields of CareRegisteredDevice.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareRegisteredDeviceId	Care Registered Device ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Registered Device History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREREQUEST

Represents the general details of a care-related request including member information, admission date, decision reason, and so on. A single request can contain multiple diagnoses, services, or drugs. Care requests include preauthorizations for drugs and services, admission notifications, concurrent review of admissions, appeals, complaints, and grievances.

For more information, see `CareRequest` in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>AcknowledgementLetterSentDate</code>	Acknowledgement Letter Sent Date	datetime				
<code>ActualAdmissionDate</code>	Actual Admission Date	datetime				
<code>ActualDischargeDate</code>	Actual Discharge Date	datetime				
<code>AdmissionNotes</code>	Admission Notes	textarea		32000		
<code>AdmissionSource</code>	Admission Source	picklist		40		
<code>AdmissionType</code>	Admission Type	picklist		40		
<code>AorReceivedDate</code>	AOR Received Date	datetime				
<code>AorRequestedDate</code>	AOR Requested Date	datetime				
<code>AppointedRepVerbalContactDate</code>	Appointed Rep Verbal Contact Date	datetime				
<code>AppointedRepWrittenContactDate</code>	Appointed Rep Written Contact Date	datetime				
<code>AppointedRepresentativeId</code>	Account ID	reference		18		
<code>ApprovedLengthOfStay</code>	Approved Length of Stay	int	9			
<code>ApprovedLevelOfCare</code>	Approved Level of Care	picklist		40		
<code>CareRequestCaseId</code>	Case ID	reference		18		
<code>ClaimNumber</code>	Claim Number	string		32		
<code>ClinicalCaseType</code>	Clinical Case Type	picklist		40		
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>CriteriaMet</code>	Criteria Met	picklist		40		
<code>CumulativeLengthOfStay</code>	Cumulative Length of Stay	int	9			

CareRequest

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CurrentLevelOfCare	Current Level of Care	picklist		40		
DecisionDate	Decision Date	datetime				
DecisionDaysRemaining	Decision Days Remaining	int	9			
DecisionLetter	Decision Letter	textarea		32000		
DecisionNotes	Decision Notes	textarea		32000		
DecisionReason	Decision Reason	picklist		40		
DecisionReasonDescription	Decision Reason Description	textarea		32000		
DeniedLengthOfStay	Denied Length of Stay	int	9			
DeniedLevelOfCare	Denied Level of Care	picklist		40		
DispositionNotes	Disposition Notes	textarea		32000		
DueDate	Due Date	datetime				
EffectiveFrom	Effective From	datetime				
EffectiveTo	Effective To	datetime				
ExpirationDate	Expiration Date	datetime				
ExtensionRequestReceivedDate	Extension Request Received Date	datetime				
ExternalComplaintIdentifier	External Complaint ID	string		255		
FacilityRecordNumber	Facility Record Number	string		32		
FacilityRoomBedType	Facility Room Bed Type	picklist		40		
FacilityRoomNumber	Facility Room Number	string		32		
FinalLevelOfCare	Final Level of Care	picklist		40		
FirstReviewerId	User ID	reference		18		
FirstReviewerNotes	First Reviewer Notes	textarea		32000		
GeneralPractitionerId	Contact ID	reference		18		
~~GeneralPractitionerVerbalNotifiedDate~~	General Practitioner Verbal Notification Date	datetime				
~~GeneralPractitionerWrittenNotifiedDate~~	General Practitioner Written Notification Date	datetime				
Id	Care Request ID	id		18		
InfoReceivedDate	Info Received Date	datetime				
InfoRequestedDate	Info Requested Date	datetime				

CareRequest

Field Name	Field Label	Type	Digits	Length	Precision	Scale
InitialDenialNotificationDate	Initial Denial Notification Date	date				
IsDeleted	Deleted	boolean				
IsExtendedRequest	Extended Request	boolean				
IsServiceOrMedicationReceived	Service or Medication Received	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MedicalDirectorId	User ID	reference		18		
MedicalDirectorNotes	Medical Director Notes	textarea		32000		
MemberCondition	Member Condition	textarea		255		
MemberContactDateTime	Member Contact Date	datetime				
MemberDateOfBirth	Member Date of Birth	date				
MemberFirstName	Member First Name	string		32		
MemberGender	Member Gender	picklist		40		
MemberGroupNumber	Member Group Number	string		64		
MemberId	Account ID	reference		18		
MemberIdentificationNumber	Member ID	string		64		
MemberLastName	Member Last Name	string		32		
MemberPrognosis	Member Prognosis	picklist		40		
MemberStatus	Member Status	textarea		255		
MemberVerbalNotificationDate	Member Verbal Notification Date	datetime				
MemberWrittenNotificationDate	Member Written Notification Date	datetime				
ModificationDate	Modification Date	datetime				
ModifiedLengthOfStay	Modified Length of Stay	int	9			
ModifiedLevelOfCare	Modified Level of Care	picklist		40		
Name	Name	string		255		
NextReviewDate	Next Review Date	datetime				
OriginalDenialMedicalDirectorId	User ID	reference		18		
ParProvider	Par Provider	picklist		40		

CareRequest

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PlaceOfService	Place of Service	picklist		40		
PractitionerContactDateTime	Practitioner Contact Date	datetime				
QuantityType	Quantity Type	picklist		40		
ReceivedDate	Received Date	datetime				
ReconsiderationDenialNotificationDate	Reconsideration Denial Notification Date	date				
ReferenceCaseNumber	Reference Case Number	string		32		
ReopenReason	Reopen Reason	picklist		40		
ReopenReasonDescription	Reopen Reason Description	textarea		32000		
ReopenedDate	Reopened Date	datetime				
RequestPractitionerVerbalNotifiedDate	Requesting Practitioner Verbal Notification Date	datetime				
RequestPractitionerWrittenNotifiedDate	Requesting Practitioner Written Notification Date	datetime				
RequestedDate	Requested Date	datetime				
RequestedLengthOfStay	Requested Length of Stay	int	9			
RequestedLevelOfCare	Requested Level of Care	picklist		40		
RequesterType	Requester Type	picklist		40		
RequestingPractitionerId	Contact ID	reference		18		
RequestingPractitionerLicense	Requesting Practitioner License	picklist		40		
RequestingPractitionerSpecialty	Requesting Practitioner Specialty	picklist		40		
ResolutionDate	Resolution Date	datetime				
ResolutionLetterSentDate	Resolution Letter Sent Date	datetime				
ResolutionNotes	Resolution Notes	textarea		32000		
ReviewDate	Review Date	datetime				
RootCauseNotes	Root Cause Notes	textarea		32000		
ScheduledAdmissionDate	Scheduled Admission Date	datetime				
ScheduledDischargeDate	Scheduled Discharge Date	datetime				
ServiceDate	Service Date	date				
ServicingFacilityId	Account ID	reference		18		
ServicingPractitionerId	Contact ID	reference		18		

CareRequest

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ServicingPractitionerLicense	Servicing Practitioner License	picklist		40		
ServicingPractitionerSpecialty	Servicing Practitioner Specialty	picklist		40		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
SystemModstamp	System Modstamp	datetime				

CAREREQUESTCONFIGURATION

Represents the details for a record type such as service request, drug request, or admission request. One or more record types can be associated with a care request.

For more information, see `CareRequestConfiguration` in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareRequestRecordType	Care Request Record Type	string		255		
CareRequestRecords	Care Request Records	multipicklist		4099	0	
CareRequestType	Care Request Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Care Request Configuration ID	id		18		
IsActive	Active	boolean				
IsDefaultRecordType	Default record type	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

CAREREQUESTDRUG

Represents the details of a requested drug including name, strength, frequency, and instructions for administration. One or more drug requests can be associated with a care request.

For more information, see `CareRequestDrug` in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApprovedUnits	Approved Units	int	9			
CareRequestCaseId	Case ID	reference		18		
CareRequestId	Care Request ID	reference		18		
ClinicalDeterminationReasonId	Code Set ID	reference		18		
Code	Code	string		32		
CodeType	Code Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DaysSupply	Days Supply	int	9			
DeniedUnits	Denied Units	int	9			
DispenserAddress	Dispenser Address	address				
DispenserCity	Dispenser City	string		40		
DispenserCountry	Dispenser Country	string		80		
DispenserFaxNumber	Dispenser Fax Number	phone		40		
DispenserGeocodeAccuracy	Dispenser Geocode Accuracy	picklist		255		
DispenserIdentifier	Dispenser ID	string		32		
DispenserLatitude	Dispenser Latitude	double			18	15
DispenserLongitude	Dispenser Longitude	double			18	15
DispenserName	Dispenser Name	string		255		
DispenserPhoneNumber	Dispenser Phone Number	phone		40		
DispenserPostalCode	Dispenser Postal Code	string		20		
DispenserState	Dispenser State	string		80		

CareRequestDrug

Field Name	Field Label	Type	Digits	Length	Precision	Scale
DispenserStreet	Dispenser Street	textarea		255		
DispenserTaxIdentifier	Dispenser Tax ID	string		32		
DispenseVerbalNotificationDateTime	Dispenser Verbal Notification Date	datetime				
DispenseWrittenNotificationDateTime	Dispenser Written Notification Date	datetime				
DispensingPharmacyId	Dispensing Pharmacy ID	reference		18		
Dose	Dose	string		255		
Frequency	Frequency	string		255		
Id	Care Request Drug ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MedicationCodeId	Medication ID	reference		18		
ModifiedCode	Modified Code	string		32		
ModifiedCodeType	Modified Code Type	picklist		40		
ModifiedDaysSupply	Modified Days Supply	int	9			
ModifiedDose	Modified Dose	string		255		
ModifiedFrequency	Modified Frequency	string		255		
ModifiedName	Modified Name	string		255		
ModifiedSig	Modified Sig	textarea		32000		
ModifiedStrength	Modified Strength	string		255		
ModifiedTherapyDuration	Modified Therapy Duration	int	9			
ModifiedUnits	Modified Units	int	9			
Name	Name	string		255		
PrescriptionDate	Prescription Date	date				
PrescriptionFillDate	Prescription Fill Date	date				
PrescriptionFills	Prescription Fill	int	9			
PrescriptionNumber	Prescription Number	string		32		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ServiceCategory	Service Category	string		255		
ServiceCategoryCode	Service Category Code	string		32		
Sig	Sig	textarea		32000		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
Strength	Strength	string		255		
SystemModstamp	System Modstamp	datetime				
TherapyDuration	Therapy Duration	int	9			
Units	Units	int	9			

CAREREQUESTDRUGFEED

Feed tracking for CareRequestDrug.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREREQUESTDRUGHISTORY

History for tracked fields of CareRequestDrug.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareRequestDrugId	Care Request Drug ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Request Drug History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREREQUESTEXTENSION

Represents extra details for a care request such as the subscriber details for the member's health plan, home health care status, and ambulance transportation details.

For more information, see `CareRequestExtension` in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>AmbulanceTransportReason</code>	Ambulance Transport Reason	picklist		40		
<code>AmbulanceTransportType</code>	Ambulance Transport Type	picklist		40		
<code>CareRequestCaseId</code>	Case ID	reference		18		
<code>CareRequestId</code>	Care Request ID	reference		18		
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>HomeHealthCertificationEndDate</code>	Home Health Certification End Date	date				
<code>HomeHealthCertificationStartDate</code>	Home Health Certification Start Date	date				
<code>HomeHealthStartDate</code>	Home Health Start Date	date				
<code>Id</code>	Care Request Extension ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>IsMedicareCoverage</code>	Medicare Coverage	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>LastReferencedDate</code>	Last Referenced Date	datetime				
<code>LastViewedDate</code>	Last Viewed Date	datetime				
<code>Name</code>	Name	string		255		
<code>NursingHomeResidentialStatus</code>	Nursing Home Residential Status	picklist		40		
<code>RequestType</code>	Request Type	picklist		40		
<code>ServiceLevel</code>	Service Level	picklist		40		
<code>ServiceType</code>	Service Type	string		255		

CareRequestExtension

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SubscriberId	Account ID	reference		18		
SubscriberMemberIdentifier	Subscriber Member ID	string		64		
SystemModstamp	System Modstamp	datetime				
TotalAmbulanceTransportDistance	Total Ambulance Transport Distance	double			5	2

CAREREQUESTEXTENSIONFEED

Feed tracking for CareRequestExtension.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREREQUESTEXTENSIONHISTORY

History for tracked fields of CareRequestExtension.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareRequestExtensionId	Care Request Extension ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Request Extension History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREREQUESTFEED

Feed tracking for CareRequest.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREREQUESTHISTORY

History for tracked fields of CareRequest.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareRequestId	Care Request ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Request History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREREQUESTITEM

Represents the details of a care service request, including name, modifiers, and the effective date. One or more care service requests can be associated with a care request.

For more information, see `CareRequestItem` in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AmbulanceTransportDistance	Ambulance Transport Distance	double			7	2
AmbulanceTransportReason	Ambulance Transport Reason	picklist		40		
AmbulanceTransportType	Ambulance Transport Type	picklist		40		
ApprovedQuantity	Approved Quantity	int	9			
CareRequestCaseId	Case ID	reference		18		
CareRequestId	Care Request ID	reference		18		
CodeDescription	Code Description	string		255		
CodeType	Code Type	picklist		40		
CodeTypeIdentifier	Code Type ID	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeniedQuantity	Denied Quantity	int	9			
EffectiveDate	Effective Date	date				
EndDate	End Date	date				
FreeFormProcedureDescription	Free Form Procedure Description	textarea		255		
Id	Care Request Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ModifiedCodeDescription	Modified Code Description	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ModifiedCodeIdentifier	Modified Code	string		32		
ModifiedCodeType	Modified Code Type	picklist		40		
ModifiedCodeTypeIdentifier	Modified Code Type ID	string		255		
ModifiedEffectiveDate	Modified Effective Date	date				
ModifiedEndDate	Modified End Date	date				
ModifiedModifier	Modified Modifier	string		32		
ModifiedModifierDescription	Modified Modifier Description	string		255		
ModifiedProcedureCodeId	Health Care Procedure ID	reference		18		
ModifiedQuantity	Modified Quantity	int	9			
Modifier	Modifier	string		32		
Modifier2	Modifier 2	string		32		
Modifier2Description	Modifier 2 Description	string		255		
Modifier3	Modifier 3	string		32		
Modifier3Description	Modifier 3 Description	string		255		
Modifier4	Modifier 4	string		32		
Modifier4Description	Modifier 4 Description	string		255		
ModifierDescription	Modifier Description	string		255		
Name	Name	string		255		
ProcedureCodeId	Health Care Procedure ID	reference		18		
Quantity	Quantity	int	9			
QuantityType	Quantity Type	picklist		40		
ServiceCategory	Service Category	string		64		
ServiceCategoryCode	Service Category Code	string		64		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
Status	Status	picklist		40		
StatusReason	Status Reason	picklist		40		
SystemModstamp	System Modstamp	datetime				
TransportLocationId	Account ID	reference		18		

CAREREQUESTITEMFEED

Feed tracking for CareRequestItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREREQUESTITEMHISTORY

History for tracked fields of CareRequestItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareRequestId	Care Request Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Request Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREREQUESTREVIEWER

Represents the details of a care request reviewer including name, reviewer type, status of the care request at the end of the review, the reviewer's notes, and date of review. A care request, care request item, care request drug, or care diagnosis can be associated with a care request reviewer.

For more information, see `CareRequestReviewer` in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareRequestCaseId	Case ID	reference		18		
CareRequestReferenceId	Care Request Reference ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Care Request Reviewer ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Care Request Reviewer Name	string		255		
ReviewerId	Reviewer ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CAREREQUESTREVIEWERFEED

Feed tracking for CareRequestReviewer.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREREQUESTREVIEWERHISTORY

History for tracked fields of CareRequestReviewer.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareRequestReviewerId	Care Request Reviewer ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Request Reviewer History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CARESPECIALTY

Represents a listing of provider specialty codes and descriptions. For example, 02 – Physician/General Surgery. For more information, see CareSpecialty in the *Provider Network Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
Id	Care Specialty ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SpecialtyCode	Specialty Code	string		18		
SpecialtyType	Specialty Type	picklist		40		
SpecialtyUsage	Specialty Usage	picklist		40		
SystemModstamp	System Modstamp	datetime				

CARESPECIALTYFEED

Feed tracking for CareSpecialty.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CARESPECIALTYHISTORY

History for tracked fields of CareSpecialty.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareSpecialtyId	Care Specialty ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Specialty History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CARESPECIALTYSHARE

Sharing for CareSpecialty.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CARESPECIALTYTAXONOMY

The junction object between CareSpecialty and CareTaxonomy.

For more information, see CareSpecialtyTaxonomy in the *Provider Network Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareSpecialtyId	Care Specialty ID	reference		18		
CareTaxonomyId	Care Taxonomy ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Care Specialty Taxonomy ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

CARESPECIALTYTAXONOMYFEED

Feed tracking for CareSpecialtyTaxonomy.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CARESPECIALTYTAXONOMYHISTORY

History for tracked fields of CareSpecialtyTaxonomy.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareSpecialtyTaxonomyId	Care Specialty Taxonomy ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Specialty Taxonomy History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CARETAXONOMY

Represents a static list of taxonomy codes.

For more information, see CareTaxonomy in the *Provider Network Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
Id	Care Taxonomy ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TaxonomyCode	Taxonomy Code	string		18		
TaxonomyType	Taxonomy Type	picklist		40		

CARETAXONOMYFEED

Feed tracking for CareTaxonomy.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CARETAXONOMYHISTORY

History for tracked fields of CareTaxonomy.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareTaxonomyId	Care Taxonomy ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Taxonomy History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CARETAXONOMYSHARE

Sharing for CareTaxonomy.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CASE

Represents a case, which is a customer issue or problem.

For more information, see Case in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CaseNumber	Case Number	string		30		
ClosedDate	Closed Date	datetime				
Comments	Internal Comments	textarea		4000		
ContactEmail	Contact Email	email		80		
ContactFax	Contact Fax	phone		40		
ContactId	Contact ID	reference		18		
ContactMobile	Contact Mobile	phone		40		
ContactPhone	Contact Phone	phone		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Id	Case ID	id		18		
IsClosed	Closed	boolean				
IsDeleted	Deleted	boolean				
IsEscalated	Escalated	boolean				
Language	Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MasterRecordId	Master Record ID	reference		18		
Origin	Case Origin	picklist		255		

Case

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OwnerId	Owner ID	reference		18		
ParentId	Parent Case ID	reference		18		
Priority	Priority	picklist		255		
Reason	Case Reason	picklist		255		
Status	Status	picklist		255		
Subject	Subject	string		255		
SuppliedCompany	Company	string		80		
SuppliedEmail	Email Address	email		80		
SuppliedName	Name	string		80		
SuppliedPhone	Phone	string		40		
SystemModstamp	System Modstamp	datetime				
Type	Case Type	picklist		255		

CASECOMMENT

Represents a comment that provides additional information about the associated Case.

For more information, see CaseComment in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CommentBody	Body	textarea		4000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Case Comment ID	id		18		
IsDeleted	Deleted	boolean				
IsPublished	Published	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CASECONTACTROLE

Represents the role that a given Contact plays on a Case.

For more information, see CaseContactRole in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CasesId	Case ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Contact Role ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Role	Role	picklist		255		
SystemModstamp	System Modstamp	datetime				

CASEFEED

Feed tracking for Case.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CASEHISTORY

Represents historical information about changes that have been made to the associated Case.

For more information, see CaseHistory in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CaseId	Case ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Case History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CASEMILESTONE

Represents a milestone (required step in a customer support process) on a Case.

For more information, see CaseMilestone in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualElapsedTimeInDays	Actual Elapsed Time (Days)	double			6	2
ActualElapsedTimeInHrs	Actual Elapsed Time (Hours)	double			6	2
ActualElapsedTimeInMins	Actual Elapsed Time (Mins)	int	9			
BusinessHoursId	Business Hours ID	reference		18		
CaseId	Case ID	reference		18		
CompletionDate	Completion Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ElapsedTimeInDays	Elapsed Time (Days)	double			6	2
ElapsedTimeInHrs	Elapsed Time (Hours)	double			6	2
ElapsedTimeInMins	Elapsed Time (Mins)	int	9			
Id	Case Milestone ID	id		18		
IsCompleted	Completed	boolean				
IsDeleted	Deleted	boolean				
IsViolated	Violation	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MilestoneTypeId	Milestone Type ID	reference		18		
StartDate	Start Date	datetime				
StoppedTimeInDays	Stopped Time (Days)	double			6	2
StoppedTimeInHrs	Stopped Time (Hours)	double			6	2
StoppedTimeInMins	Stopped Time (Mins)	int	9			
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TargetDate	Target Date	datetime				
TargetResponseInDays	Target Response (Days)	double			6	2
TargetResponseInHrs	Target Response (Hours)	double			6	2
TargetResponseInMins	Target Response (Mins)	int	9			
TimeRemainingInDays	Time Remaining (Days)	double			6	2
TimeRemainingInHrs	Time Remaining (Hour:Min)	string		10		
TimeRemainingInMins	Time Remaining (Min:Sec)	string		10		
TimeSinceTargetInDays	Time Since Target (Days)	double			6	2
TimeSinceTargetInHrs	Time Since Target (Hour:Min)	string		10		
TimeSinceTargetInMins	Time Since Target (Min:Sec)	string		10		

CASESHARE

Represents a sharing entry on a Case.

For more information, see CaseShare in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CaseAccessLevel	Case Access	picklist		40		
CaseId	Case ID	reference		18		
Id	Case Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CASESOLUTION

Represents the association between a Case and a Solution.

For more information, see CaseSolution in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CaseId	Case ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Case Solution ID	id		18		
IsDeleted	Deleted	boolean				
SolutionId	Solution ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CASESTATUS

Represents the status of a Case, such as New, On Hold, or In Process.

For more information, see CaseStatus in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Case Status Value ID	id		18		
IsClosed	Is Closed	boolean				
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

CASESUBJECTPARTICLE

Represents the Social Business Rules custom format for the **Case Subject** field on cases created from inbound social posts.

For more information, see CaseSubjectParticle in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Case Subject Particle Id	id		18		
Index	Index	int	9			
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
SystemModstamp	System Modstamp	datetime				
TextField	Freeform Text Field	string		255		
Type	Type	picklist		255		

CASETEAMMEMBER

Represents a case team member, who works with a team of other users to help resolve a case.

For more information, see CaseTeamMember in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Team Member Id	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MemberId	Member ID	reference		18		
ParentId	Case ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TeamRoleId	Team Role ID	reference		18		
TeamTemplateId	Team Template ID	reference		18		
TeamTemplateMemberId	Team Template Member ID	reference		18		

CASETEAMROLE

Represents a case team role. Every case team member has a role on a case, such as “Customer Contact” or “Case Manager.”

For more information, see CaseTeamRole in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Access Level	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Team Role Id	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		80		
PreferencesVisibleInCSP	Visible in Customer Portal	boolean				
SystemModstamp	System Modstamp	datetime				

CASETEAMTEMPLATE

Represents a predefined case team, which is a group of users that helps resolve a case.

For more information, see CaseTeamTemplate in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		300		
Id	Team Template Id	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		80		
SystemModstamp	System Modstamp	datetime				

CASETEAMTEMPLATEMEMBER

Represents a member on a predefined case team, which is a group of users that helps resolve cases.

For more information, see CaseTeamTemplateMember in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Team Template Member Id	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MemberId	Member ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TeamRoleId	Team Role ID	reference		18		
TeamTemplateId	Team Template ID	reference		18		

CASETEAMTEMPLATERECORD

The CaseTeamTemplateRecord object is a linking object between the Case and CaseTeamTemplate objects. To assign a predefined case team to a case (customer inquiry), create a CaseTeamTemplateRecord record and point the `ParentId` to the case and the `TeamTemplateId` to the predefined case team.

For more information, see CaseTeamTemplateRecord in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Predefined Team Record Id	id		18		
ParentId	Case ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TeamTemplateId	Team Template ID	reference		18		

CATEGORYDATA

Represents a logical grouping of Solution records.

For more information, see CategoryData in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CategoryNodeId	Category Node ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Category Data ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RelatedSubjectId	sObject ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CATEGORYNODE

Represents a tree of Solution categories.

For more information, see CategoryNode in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Category Node ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Name	string		40		
ParentId	Parent Category Node ID	reference		18		
SortOrder	Sort Order	int	8			
SortStyle	Subcategory Sort Style	picklist		40		
SystemModstamp	System Modstamp	datetime				

CATEGORY__SHARE

Sharing for Category__.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CATEGORY__C

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Record ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MayEdit	May Edit	boolean				
Name	Category Name	string		80		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CHANNELPROGRAM

Represents a channel program that vendors use to market and sell their products through channel partners.

For more information, see ChannelProgram in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Id	Channel Program ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MayEdit	May Edit	boolean				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CHANNELPROGRAMFEED

Feed tracking for ChannelProgram.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CHANNELPROGRAMHISTORY

History for tracked fields of ChannelProgram.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChannelProgramId	Channel Program ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Channel Program History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CHANNELPROGRAMLEVEL

Represents a level, based on member experience, in a channel program.

For more information, see ChannelProgramLevel in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Id	Channel Program Level ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MayEdit	May Edit	boolean				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProgramId	Channel Program ID	reference		18		
Rank	Rank	int	9			
SystemModstamp	System Modstamp	datetime				

CHANNELPROGRAMLEVELFEED

Feed tracking for ChannelProgramLevel.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CHANNELPROGRAMLEVELHISTORY

History for tracked fields of ChannelProgramLevel.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChannelProgramLevelId	Channel Program Level ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Channel Program Level History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CHANNELPROGRAMLEVELSHARE

Sharing for ChannelProgramLevel.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CHANNELPROGRAMMEMBER

Represents a partner who is a member of a channel program.

For more information, see ChannelProgramMember in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Channel Program Member ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LevelId	Channel Program Level ID	reference		18		
MayEdit	May Edit	boolean				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PartnerId	Account ID	reference		18		
ProgramId	Channel Program ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CHANNELPROGRAMMEMBERFEED

Feed tracking for ChannelProgramMember.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CHANNELPROGRAMMEMBERHISTORY

History for tracked fields of ChannelProgramMember.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChannelProgramMemberId	Channel Program Member ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Channel Program Member History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CHANNELPROGRAMMEMBERSHARE

Sharing for ChannelProgramMember.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CHANNELPROGRAMSHARE

Sharing for ChannelProgram.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CHATTERACTIVITY

ChatterActivity represents the number of posts and comments made by a user and the number of comments and likes on posts and comments received by the same user.

For more information, see ChatterActivity in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CommentCount	Comment Count	int	9			
CommentReceivedCount	Comment Received Count	int	9			
Id	Chatter Activity ID	id		18		
InfluenceRawRank	Influence Raw Rank	int	9			
LikeReceivedCount	Like Received Count	int	9			
ParentId	Parent ID	reference		18		
PostCount	Post Count	int	9			
SystemModstamp	System Modstamp	datetime				

CHATTEREXTENSION

Represents a Rich Publisher App that's integrated with the Chatter publisher.

For more information, see ChatterExtension in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CompositionComponentEnumOrId	Lightning Definition Bundle ID	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	Name	string		80		
ExtensionName	Name	string		32		
HeaderText	Header Text	string		255		
HoverText	Hover Text	string		255		
IconId	Asset File ID	reference		18		
Id	Extension ID	id		18		
IsDeleted	Deleted	boolean				
IsProtected	Protected Component	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
RenderComponentEnumOrId	Lightning Definition Bundle ID	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

CHATTEREXTENSIONCONFIG

Configuration for the Chatter extension for Experience Cloud sites.

For more information, see ChatterExtensionConfig in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CanCreate	Can Create	boolean				
CanRead	Can Read	boolean				
ChatterExtensionId	Chatter Extension ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Chatter Extension Configuration ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Position	Position	int	9			
SystemModstamp	System Modstamp	datetime				

CLIENTBROWSER

Represents a cookie added to the browser upon login, and also includes information about the browser application where the cookie was inserted.

For more information, see ClientBrowser in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
FullUserAgent	Full User Agent	string		1024		
Id	Client Browser ID	id		18		
LastUpdate	Last Update	datetime				
ProxyInfo	Proxy Info	string		1024		
UsersId	User ID	reference		18		

CODESET

Represents various industry defined codes in the context of their systems and versions of those systems. These codes are used in all sorts of digital records.

For more information, see `CodeSet` in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Code	Code	string		255		
CodeDescription	Code Description	textarea		32000		
CodeSetKey	Code Set Key	string		255		
CodeSetType	Code Set Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDate	End Date	date				
Id	Code Set ID	id		18		
IsActive	Active	boolean				
IsCustomCode	Custom Code	boolean				
IsDeleted	Deleted	boolean				
IsPrimary	Primary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SourceSystem	Source System	string		255		
StartDate	Effective Date	date				
SystemModstamp	System Modstamp	datetime				
SystemVersion	System Version	string		255		

CODESETBUNDLE

Represents a group of code sets across multiple systems and versions. All of these code sets refer to the same conceptual entity.

For more information, see `CodeSetBundle` in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CodeSet10Id	Code Set ID	reference		18		
CodeSet11Id	Code Set ID	reference		18		
CodeSet12Id	Code Set ID	reference		18		
CodeSet13Id	Code Set ID	reference		18		
CodeSet14Id	Code Set ID	reference		18		
CodeSet15Id	Code Set ID	reference		18		
CodeSet1Id	Code Set ID	reference		18		
CodeSet2Id	Code Set ID	reference		18		
CodeSet3Id	Code Set ID	reference		18		
CodeSet4Id	Code Set ID	reference		18		
CodeSet5Id	Code Set ID	reference		18		
CodeSet6Id	Code Set ID	reference		18		
CodeSet7Id	Code Set ID	reference		18		
CodeSet8Id	Code Set ID	reference		18		
CodeSet9Id	Code Set ID	reference		18		
CodeSetBundleKey	Code Set Bundle Key	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Code Set Bundle ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	multipicklist		4099	0	

CODESETBUNDLEHISTORY

History for tracked fields of CodeSetBundle.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CodeSetBundleId	Code Set Bundle ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Code Set Bundle History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CODESETBUNDLESARE

Sharing for CodeSetBundle.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CODESETFEED

Feed tracking for CodeSet.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CODESETHISTORY

History for tracked fields of CodeSet.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CodeSetId	Code Set ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Code Set History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CODESETSHARE

Sharing for CodeSet.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

COLLABORATIONGROUP

Represents a Chatter group.

For more information, see CollaborationGroup in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AnnouncementId	Announcement ID	reference		18		
BannerPhotoUrl	Banner Photo Url	url		1024		
CanHaveGuests	Allow customers	boolean				
CollaborationType	Access Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
FullPhotoUrl	Url for full-sized Photo	url		1024		
GroupEmail	Group Email	email		1000		
HasPrivateFieldsAccess	Has Private Fields Access	boolean				
Id	Group Id	id		18		
InformationBody	Information	textarea		4000		
InformationTitle	Information Title	string		30		
IsArchived	Archive	boolean				
IsAutoArchiveDisabled	Disable automatic archiving	boolean				
IsBroadcast	Broadcast Only	boolean				
LastFeedModifiedDate	Last Feed Modified Date	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MediumPhotoUrl	Url for medium profile photo	url		1024		
MemberCount	Member Count	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Name	Name	string		40		
OwnerId	Owner ID	reference		18		
SmallPhotoUrl	Photo	url		1024		
SystemModstamp	System Modstamp	datetime				

COLLABORATIONGROUPFEED

Feed tracking for CollaborationGroup.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

COLLABORATIONGROUPMEMBER

Represents a member of a Chatter group.

For more information, see CollaborationGroupMember in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CollaborationGroupId	CollaborationGroup ID	reference		18		
CollaborationRole	Group Member Role	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Group Member Id	id		18		
LastFeedAccessDate	Last Feed Access Date	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MemberId	Member ID	reference		18		
NotificationFrequency	Notification Frequency	picklist		40		
SystemModstamp	System Modstamp	datetime				

COLLABORATIONGROUPMEMBERREQUEST

Represents a request to join a private Chatter group.

For more information, see CollaborationGroupMemberRequest in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CollaborationGroupId	CollaborationGroup ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Group Member Request Id	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RequesterId	User ID	reference		18		
ResponseMessage	Response Message	string		255		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

COLLABORATIONGROUPRECORD

Represents the records associated with Chatter groups.

For more information, see CollaborationGroupRecord in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CollaborationGroupId	Chatter Group ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Group Record ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RecordId	Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				

COLLABORATIONINVITATION

Represents an invitation to join Chatter, either directly or through a group.

For more information, see CollaborationInvitation in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Chatter Invitation Id	id		18		
InvitedUserEmail	Invited Email	string		240		
InvitedUserEmailNormalized	Invited Email (Normalized)	email		80		
InviterId	Inviter User ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Modified Date	datetime				
OptionalMessage	Optional Message	string		255		
ParentId	Parent ID	reference		18		
SharedEntityId	Shared Entity ID	reference		18		
Status	Invitation Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

COLORDEFINITION

Represents the color-related metadata for a custom tab.

For more information, see ColorDefinition in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Color	Color	string		255		
Context	Context	string		255		
DurableId	Color Definition Durable ID	string		255		
Id	Color Definition ID	id		18		
TabDefinitionId	Tab Definition ID	string		512		
Theme	Theme	string		255		

COMBINEDATTACHMENT

This read-only object contains all notes, attachments, Google Docs, documents uploaded to libraries in Salesforce CRM Content, and files added to Chatter that are associated with a record.

For more information, see CombinedAttachment in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentSize	Content Size	int	9			
ContentUrl	Content URL	url		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created	datetime				
ExternalDataSourceName	External Data Source	string		80		
ExternalDataSourceType	Class ID	picklist		80		
FileExtension	File Extension	string		40		
FileType	File Type	string		30		
Id	Combined Attachment Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Content Modified Date	datetime				
ParentId	Parent ID	reference		18		
RecordType	Type	string		30		
SharingOption	Prevent others from sharing and unsharing	picklist		40		
Title	Title	string		255		

COMMSUBSCRIPTION

Represents a customer's subscription preferences for a specific communication.

For more information, see CommSubscription in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Communication Subscription ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

COMMSUBSCRIPTIONCHANNELTYPE

Represents the engagement channel through which you can reach a customer for a communication subscription.

For more information, see `CommSubscriptionChannelType` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CommunicationSubscriptionId</code>	Communication Subscription ID	reference		18		
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>EngagementChannelTypeId</code>	Engagement Channel Type ID	reference		18		
<code>Id</code>	Communication Subscription Channel Type ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>LastReferencedDate</code>	Last Referenced Date	datetime				
<code>LastViewedDate</code>	Last Viewed Date	datetime				
<code>Name</code>	Name	string		255		
<code>OwnerId</code>	Owner ID	reference		18		
<code>SystemModstamp</code>	System Modstamp	datetime				

COMMSUBSCRIPTIONCHANNELTYPEFEED

Feed tracking for CommSubscriptionChannelType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

COMMSUBSCRIPTIONCHANNELTYPEHISTORY

History for tracked fields of CommSubscriptionChannelType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CommSubscriptionChannelTypeId	Communication Subscription Channel Type ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Communication Subscription Channel Type History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

COMMSUBSCRIPTIONCHANNELTYPE SHARE

Sharing for CommSubscriptionChannelType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

COMMSUBSCRIPTIONCONSENT

Represents a customer's consent to a communication subscription.

For more information, see `CommSubscriptionConsent` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>BusinessBrandId</code>	Business Brand ID	reference		18		
<code>CommunicationChannelTypeId</code>	Communication Subscription Channel Type ID	reference		18		
<code>ConsentCapturedDateTime</code>	Consent Captured Date Time	datetime				
<code>ConsentCapturedSource</code>	Consent Captured Source	string		255		
<code>ConsentGiverId</code>	Consent Giver ID	reference		18		
<code>ContactPointId</code>	Contact Point ID	reference		18		
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>EffectiveFromDate</code>	Effective From	date				
<code>Id</code>	Communication Subscription Consent ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>LastReferencedDate</code>	Last Referenced Date	datetime				
<code>LastViewedDate</code>	Last Viewed Date	datetime				
<code>Name</code>	Name	string		255		
<code>OwnerId</code>	Owner ID	reference		18		
<code>PartyRoleId</code>	Party Role ID	reference		18		
<code>SystemModstamp</code>	System Modstamp	datetime				

COMMSUBSCRIPTIONCONSENTFEED

Feed tracking for CommSubscriptionConsent.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

COMMSUBSCRIPTIONCONSENTHISTORY

History for tracked fields of CommSubscriptionConsent.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CommSubscriptionConsentId	Communication Subscription Consent ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Communication Subscription Consent History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

COMMSUBSCRIPTIONCONSENTSHARE

Sharing for CommSubscriptionConsent.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

COMMSUBSCRIPTIONFEED

Feed tracking for CommSubscription.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

COMMSUBSCRIPTIONHISTORY

History for tracked fields of CommSubscription.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CommSubscriptionId	Communication Subscription ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Communication Subscription History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

COMMSUBSCRIPTIONSHARE

Sharing for CommSubscription.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

COMMSUBSCRIPTIONTIMING

Represents a customer's timing preferences for receiving a communication subscription.

For more information, see `CommSubscriptionTiming` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CommSubscriptionConsentId</code>	Communication Subscription Consent ID	reference		18		
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>Id</code>	Communication Subscription Timing ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>LastReferencedDate</code>	Last Referenced Date	datetime				
<code>LastViewedDate</code>	Last Viewed Date	datetime				
<code>Name</code>	Name	string		255		
<code>SystemModstamp</code>	System Modstamp	datetime				
<code>Unit</code>	Unit	picklist		255		

COMMSUBSCRIPTIONTIMINGFEED

Feed tracking for CommSubscriptionTiming.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

COMMSUBSCRIPTIONTIMINGHISTORY

History for tracked fields of CommSubscriptionTiming.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CommSubscriptionTimingId	Communication Subscription Timing ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Communication Subscription Timing History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

COMMUNITY

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
Id	Zone ID	id		18		
IsActive	Active	boolean				
IsPublished	Show In Portal	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		80		
SystemModstamp	System Modstamp	datetime				

COMPLAINTCASE

For more information, see ComplaintCase in the *Public Sector Solutions Developer Guide for License and Permit Management, and Inspection Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CaseId	Case ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Complaint Case ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PublicComplaintId	Public Complaint ID	reference		18		
SystemModstamp	System Modstamp	datetime				

COMPLAINTCASEFEED

Feed tracking for ComplaintCase.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

COMPLAINTCASEHISTORY

History for tracked fields of ComplaintCase.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ComplaintCaseId	Complaint Case ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Complaint Case History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

COMPLAINTCASESHARE

Sharing for ComplaintCase.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CONCURLONGRUNAPEXERR EVENT

Notifies subscribers of errors that occur when a Salesforce org exceeds the concurrent long-running Apex limit. If a high volume of these events occur concurrently in an org, we may rate limit the events based on resource availability. Event log files, which are the predecessor of Real-time Event Monitoring, provide a list of Apex-related events. For more information, see [Apex-related EventLogFile events](#).

For more information, see ConcurLongRunApexErrEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
CurrentValue	Current Value	int	9			
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
EventUuid	Event UUID	string		36		
LimitValue	Limit Value	int	9			
LoginKey	Login Key	string		24		
Quiddity	Quiddity	string		50		
ReplayId	Replay ID	string		1000		
RequestId	Jetty Request ID	string		18		
RequestUri	Request URI	string		5000		
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
UserId	User ID	reference		18		
Username	Username	string		255		

CONDITIONALFORMATTINGPROPERTY

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FieldId	Field ID	reference		18		
Id	Conditional Formatting Property ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Property	Property	string		255		
ReferenceField	Reference Field	string		255		
SortIndex	Sort Index	int	9			
SystemModstamp	System Modstamp	datetime				
Type	Type	string		255		

CONDITIONALFORMATTINGPROPERTYBIN

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Bin	Bin	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FormatValue	Format Value	string		255		
FormattingPropertyId	Conditional Formatting Property ID	reference		18		
Id	Conditional Formatting Property Bin ID	id		18		
IsDeleted	Deleted	boolean				
Label	Label	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SortIndex	Sort Index	int	9			
SystemModstamp	System Modstamp	datetime				

CONDITIONALFORMATTINGPROPERTYPREDICATE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FormatValue	Format Value	string		255		
FormattingPropertyId	Conditional Formatting Property ID	reference		18		
Id	Conditional Formatting Property Predicate ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Operator	Operator	string		255		
SortIndex	Sort Index	int	9			
SystemModstamp	System Modstamp	datetime				
Value	Value	double			18	0

CONFERENCENUMBER

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessCode	Access Code	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalEventId	External Event ID	reference		18		
Id	Conference Number ID	id		18		
IsDeleted	Deleted	boolean				
Label	Label	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
Number	Number	phone		40		
SystemModstamp	System Modstamp	datetime				
Vendor	Vendor	string		255		

CONNECTEDAPPLICATION

Represents a connected app and its details; all fields are read-only.

For more information, see ConnectedApplication in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Connected App ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MobileSessionTimeout	Lock App After	picklist		40		
MobileStartUrl	Mobile Start URL	url		2400		
Name	Connected App Name	string		80		
OptionsAllowAdminApprovedUsersOnly	AllowAdminApprovedUsersOnly	boolean				
OptionsFullContentPushNotifications	FullContentPushNotifications	boolean				
OptionsHasSessionLevelPolicy	HasSessionLevelPolicy	boolean				
OptionsIsInternal	isInternal	boolean				
OptionsRefreshTokenValidityMetric	RefreshTokenValidityMetric	boolean				
PinLength	PIN Length	picklist		40		
RefreshTokenValidityPeriod	Refresh Token Policy:	int	9			
StartUrl	Start URL	url		2400		
SystemModstamp	System Modstamp	datetime				

CONSUMPTIONRATE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConsumptionScheduleId	Consumption Schedule ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Id	Consumption Rate ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LowerBound	Lower Bound	int	9			
Name	Consumption Rate Name	string		255		
Price	Price	currency			13	2
PricingMethod	Pricing Method	picklist		255		
ProcessingOrder	Processing Order	int	9			
SystemModstamp	System Modstamp	datetime				
UpperBound	Upper Bound	int	9			

CONSUMPTIONRATEHISTORY

History for tracked fields of ConsumptionRate.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConsumptionRateId	Consumption Rate ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Consumption Rate History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONSUMPTIONSCHEDULE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillingTerm	Billing Term	int	9			
BillingTermUnit	Billing Term Unit	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Id	Consumption Schedule ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MatchingAttribute	Matching Attribute	string		255		
Name	Consumption Schedule Name	string		255		
NumberOfRates	Number of Consumption Rates	int	9			
OwnerId	Owner ID	reference		18		
RatingMethod	Rating Method	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		
UnitOfMeasure	Unit of Measure	picklist		40		

CONSUMPTIONSCHEDULEFEED

Feed tracking for ConsumptionSchedule.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CONSUMPTIONSCHEDULEHISTORY

History for tracked fields of ConsumptionSchedule.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConsumptionScheduleId	Consumption Schedule ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Consumption Schedule History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONSUMPTIONSCHEDULESHARE

Sharing for ConsumptionSchedule.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CONTACT

Represents a contact, which is a person associated with an account.

For more information, see Contact in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AssistantName	Assistant's Name	string		40		
AssistantPhone	Asst. Phone	phone		40		
Birthdate	Birthdate	date				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Department	Department	string		80		
Description	Contact Description	textarea		32000		
Email	Email	email		80		
EmailBouncedDate	Email Bounced Date	datetime				
EmailBouncedReason	Email Bounced Reason	string		255		
Fax	Business Fax	phone		40		
FirstName	First Name	string		40		
HasOptedOutOfEmail	Email Opt Out	boolean				
HasOptedOutOfFax	Fax Opt Out	boolean				
HomePhone	Home Phone	phone		40		
Id	Contact ID	id		18		
IndividualId	Individual ID	reference		18		
IsDeleted	Deleted	boolean				
IsEmailBounced	Is Email Bounced	boolean				
Jigsaw	Data.com Key	string		20		
JigsawContactId	Jigsaw Contact ID	string		20		
LastActivityDate	Last Activity	date				

Contact

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastCURequestDate	Last Stay-in-Touch Request Date	datetime				
LastCUUpdateDate	Last Stay-in-Touch Save Date	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastName	Last Name	string		80		
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LeadSource	Lead Source	picklist		255		
MailingAddress	Mailing Address	address				
MailingCity	Mailing City	string		40		
MailingCountry	Mailing Country	string		80		
MailingGeocodeAccuracy	Mailing Geocode Accuracy	picklist		40		
MailingLatitude	Mailing Latitude	double			18	15
MailingLongitude	Mailing Longitude	double			18	15
MailingPostalCode	Mailing Zip/Postal Code	string		20		
MailingState	Mailing State/Province	string		80		
MailingStreet	Mailing Street	textarea		255		
MasterRecordId	Master Record ID	reference		18		
MobilePhone	Mobile Phone	phone		40		
Name	Full Name	string		121		
OtherAddress	Other Address	address				
OtherCity	Other City	string		40		
OtherCountry	Other Country	string		80		
OtherGeocodeAccuracy	Other Geocode Accuracy	picklist		40		
OtherLatitude	Other Latitude	double			18	15
OtherLongitude	Other Longitude	double			18	15
OtherPhone	Other Phone	phone		40		
OtherPostalCode	Other Zip/Postal Code	string		20		
OtherState	Other State/Province	string		80		
OtherStreet	Other Street	textarea		255		

Contact

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OwnerId	Owner ID	reference		18		
Phone	Business Phone	phone		40		
PhotoUrl	Photo URL	url		255		
ReportsToId	Reports To ID	reference		18		
Salutation	Salutation	picklist		40		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		128		

CONTACTCLEANINFO

Stores the metadata Data.com Clean uses to determine a contact record's clean status. Helps you automate the cleaning or related processing of contact records. ContactCleanInfo includes a number of bit vector fields.

For more information, see ContactCleanInfo in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Address	Address	address				
City	City	string		40		
CleanedByJob	Cleaned by Job	boolean				
CleanedByUser	Cleaned by User	boolean				
ContactId	Contact ID	reference		18		
ContactStatusDataDotCom	Contact Status per Data.com	picklist		255		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataDotComId	Data.com ID	string		20		
Email	Email	email		80		
FirstName	First Name	string		255		
GeocodeAccuracy	Geocode Accuracy	picklist		255		
Id	Contact Clean Info ID	id		18		
IsDeleted	Deleted	boolean				
IsDifferentCity	City is Different	boolean				
IsDifferentCountry	Country is Different	boolean				
IsDifferentCountryCode	Country Code is Different	boolean				
IsDifferentEmail	Email is Different	boolean				
IsDifferentFirstName	First Name is Different	boolean				
IsDifferentLastName	Last Name is Different	boolean				
IsDifferentPhone	Phone is Different	boolean				

ContactCleanInfo

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsDifferentPostalCode	ZIP is Different	boolean				
IsDifferentState	State is Different	boolean				
IsDifferentStateCode	State Code is Different	boolean				
IsDifferentStreet	Street is Different	boolean				
IsDifferentTitle	Title is Different	boolean				
IsFlaggedWrongAddress	Address is Flagged Wrong	boolean				
IsFlaggedWrongEmail	Email is Flagged Wrong	boolean				
IsFlaggedWrongName	Name is Flagged Wrong	boolean				
IsFlaggedWrongPhone	Phone is Flagged Wrong	boolean				
IsFlaggedWrongTitle	Title is Flagged Wrong	boolean				
IsInactive	Contact Status in Salesforce	boolean				
IsReviewedAddress	Address is Reviewed	boolean				
IsReviewedEmail	Email is Reviewed	boolean				
IsReviewedName	Name is Reviewed	boolean				
IsReviewedPhone	Phone is Reviewed	boolean				
IsReviewedTitle	Title is Reviewed	boolean				
LastMatchedDate	Last Matched Date	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastName	Last Name	string		255		
LastStatusChangedById	User ID	reference		18		
LastStatusChangedDate	Last Status Changed Date	datetime				
Latitude	Latitude	double			18	15
Longitude	Longitude	double			18	15
Name	Contact Clean Info Name	string		255		
Phone	Phone	phone		40		
PostalCode	Zip	string		20		
State	State	string		80		
Street	Street	textarea		255		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Title	Title	string		128		

CONTACTENCOUNTER

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualParticipantCount	Actual Participant Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		65535		
EncounterDuration	Encounter Duration (in minutes)	int	9			
EstimatedParticipantCount	Estimated Participant Count	int	9			
Id	Contact Encounter ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
StartTime	Start Time	datetime				
SystemModstamp	System Modstamp	datetime				

CONTACTENCOUNTERFEED

Feed tracking for ContactEncounter.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CONTACTENCOUNTERHISTORY

History for tracked fields of ContactEncounter.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactEncounterId	Contact Encounter ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Contact Encounter History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONTACTENCOUNTERPARTICIPANT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Age	Age	int	3			
ContactEncounterId	Contact Encounter ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EncounterDuration	Encounter Duration (in minutes)	int	9			
Id	Contact Encounter Participant ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LeadId	Lead ID	reference		18		
Name	Name	string		255		
StartTime	Start Time	datetime				
SystemModstamp	System Modstamp	datetime				

CONTACTENCOUNTERPARTICIPANTFEED

Feed tracking for ContactEncounterParticipant.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CONTACTENCOUNTERPARTICIPANTHISTORY

History for tracked fields of ContactEncounterParticipant.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactEncounterParticipantId	Contact Encounter Participant ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Contact Encounter Participant History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONTACTENCOUNTERSHARE

Sharing for ContactEncounter.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CONTACTFEED

Feed tracking for Contact.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CONTACTHISTORY

History for tracked fields of Contact.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Contact History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONTACTPOINTADDRESS

Represents a contact's billing or shipping address, which is associated with an individual or person account.

For more information, see ContactPointAddress in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActiveFromDate	Active from Date	date				
ActiveToDate	Active to Date	date				
Address	Address	address				
AddressType	Address Type	picklist		40		
BestTimeToContactEndTime	Best time to contact end time	time				
BestTimeToContactStartTime	Best time to contact start time	time				
BestTimeToContactTimezone	Best time to contact time zone	picklist		255		
City	City	string		40		
ContactPointPhoneId	Contact Point Phone ID	reference		18		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
GeocodeAccuracy	Shipping Geocode Accuracy	picklist		255		
Id	Contact Point Address ID	id		18		
IsDefault	Is Default Address	boolean				
IsDeleted	Deleted	boolean				
IsPrimary	Is Primary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
Longitude	Longitude	double			18	15

ContactPointAddress

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentId	Parent ID	reference		18		
PostalCode	Zip/Postal Code	string		20		
PreferenceRank	Preference Rank	int	9			
State	State/Province	string		80		
Street	Address	textarea		255		
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		40		

CONTACTPOINTADDRESSHISTORY

History for tracked fields of ContactPointAddress.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactPointAddressId	Contact Point Address ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Contact Point Address History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONTACTPOINTADDRESSSHARE

Sharing for ContactPointAddress.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CONTACTPOINTCONSENT

Represents a customer's consent to be contacted via a specific contact point, such as an email address or phone number.

For more information, see ContactPointConsent in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessBrandId	Business Brand ID	reference		18		
CaptureContactPointType	Capture Contact Point Type	picklist		255		
CaptureDate	Capture Date	datetime				
CaptureSource	Capture Source	string		255		
ContactPointId	Contact Point ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataUsePurposeId	Data Use Purpose ID	reference		18		
DoubleConsentCaptureDate	Double Consent Capture Date	datetime				
EffectiveFrom	Effective From	datetime				
EffectiveTo	Effective To	datetime				
Id	Contact Point Consent ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PartyRoleId	Party Role ID	reference		18		
PrivacyConsentStatus	Privacy Consent Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

CONTACTPOINTCONSENTHISTORY

History for tracked fields of ContactPointConsent.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactPointConsentId	Contact Point Consent ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Contact Point Consent History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONTACTPOINTCONSENTSHARE

Sharing for ContactPointConsent.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CONTACTPOINTEMAIL

Represents a contact's email, which is associated with an individual or person account.

For more information, see ContactPointEmail in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActiveFromDate	Active from Date	date				
ActiveToDate	Active to Date	date				
BestTimeToContactEndTime	Best time to contact end time	time				
BestTimeToContactStartTime	Best time to contact start time	time				
BestTimeToContactTimezone	Best time to contact time zone	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmailAddress	Email address	email		80		
EmailDomain	Email domain	string		250		
EmailLatestBounceDateTime	Email latest bounce date time	datetime				
EmailLatestBounceReasonText	Email latest bounce reason text	string		250		
EmailMailBox	Email mail box	string		250		
Id	Contact Point Email ID	id		18		
IsDeleted	Deleted	boolean				
IsPrimary	Is Primary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentId	Parent ID	reference		18		
PreferenceRank	Preference Rank	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		40		

CONTACTPOINTEMAILHISTORY

History for tracked fields of ContactPointEmail.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactPointEmailId	Contact Point Email ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Contact Point Email History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONTACTPOINTEMAILSHARE

Sharing for ContactPointEmail.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CONTACTPOINTPHONE

Represents a contact's phone number, which is associated with an individual or person account.

For more information, see ContactPointPhone in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActiveFromDate	Active from Date	date				
ActiveToDate	Active to Date	date				
AreaCode	Area code	string		30		
BestTimeToContactEndTime	Best time to contact end time	time				
BestTimeToContactStartTime	Best time to contact start time	time				
BestTimeToContactTimezone	Best time to contact time zone	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExtensionNumber	Extension number	string		30		
FormattedInternationalPhoneNumber	Formatted international phone number	string		250		
FormattedNationalPhoneNumber	Formatted national phone number	string		250		
Id	Contact Point Phone ID	id		18		
IsBusinessPhone	Is business phone	boolean				
IsDeleted	Deleted	boolean				
IsFaxCapable	Is fax capable	boolean				
IsPersonalPhone	Is personal phone	boolean				
IsPrimary	Is Primary	boolean				
IsSmsCapable	Is SMS capable	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				

ContactPointPhone

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentId	Parent ID	reference		18		
PhoneType	Phone Type	picklist		255		
PreferenceRank	Preference Rank	int	9			
SystemModstamp	System Modstamp	datetime				
TelephoneNumber	Telephone number	phone		40		
UsageType	Usage Type	picklist		40		

CONTACTPOINTPHONEHISTORY

History for tracked fields of ContactPointPhone.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactPointPhoneId	Contact Point Phone ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Contact Point Phone History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONTACTPOINTPHONESHARE

Sharing for ContactPointPhone.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CONTACTPOINTTYPECONSENT

Represents consent for a contact point type, such as email or phone.

For more information, see `ContactPointTypeConsent` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessBrandId	Business Brand ID	reference		18		
CaptureContactPointType	Capture Contact Point Type	picklist		255		
CaptureDate	Capture Date	datetime				
CaptureSource	Capture Source	string		255		
ContactPointType	Contact Point Type ID	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataUsePurposeId	Data Use Purpose ID	reference		18		
DoubleConsentCaptureDate	Double Consent Capture Date	datetime				
EffectiveFrom	Effective From	datetime				
EffectiveTo	Effective To	datetime				
EngagementChannelTypeId	Engagement Channel Type ID	reference		18		
Id	Contact Point Type Consent ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PartyId	Party ID	reference		18		
PartyRoleId	Party Role ID	reference		18		
PrivacyConsentStatus	Privacy Consent Status	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

CONTACTPOINTTYPECONSENTHISTORY

History for tracked fields of ContactPointTypeConsent.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactPointTypeConsentId	Contact Point Type Consent ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Contact Point Type Consent History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONTACTPOINTTYPECONSENTSHARE

Sharing for ContactPointTypeConsent.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CONTACTREQUEST

Represents a customer's request for support to get back to them about an issue.

For more information, see ContactRequest in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Contact Request ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Contact Request Number	string		255		
OwnerId	Owner ID	reference		18		
PreferredChannel	Preferred Channel	picklist		40		
PreferredPhone	Preferred Phone Number	phone		40		
RequestDescription	Request Description	textarea		32000		
RequestReason	Request Reason	picklist		40		
Status	Request Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
WhatId	Related To ID	reference		18		
WhoId	Requestor ID	reference		18		

CONTACTREQUESTSHARE

Represents a list of access levels to a ContactRequest with an explanation of the access level.

For more information, see ContactRequestShare in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CONTACTSHARE

Represents a list of access levels to a Contact along with an explanation of the access level. For example, if you have access to a record because you own it, the `ContactAccessLevel` is `All` and `RowCause` is `Owner`.

For more information, see `ContactShare` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>ContactAccessLevel</code>	Contact Access	picklist		40		
<code>ContactId</code>	Contact ID	reference		18		
<code>Id</code>	Contact Share ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>RowCause</code>	Row Cause	picklist		40		
<code>UserOrGroupId</code>	User/Group ID	reference		18		

CONTENTASSET

Represents a Salesforce file that has been converted to an asset file in a custom app in Lightning Experience. Use asset files for org setup and configuration. Asset files can be packaged and referenced by other components.

For more information, see ContentAsset in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentDocumentId	ContentDocument ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Unique Name	string		80		
Id	Asset File ID	id		18		
IsDeleted	Deleted	boolean				
IsVisibleByExternalUsers	Let unauthenticated users see this asset file	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

CONTENTBODY

Represents the body of a file in Salesforce CRM Content or Salesforce Files
For more information, see ContentBody in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	Content Body ID	id		18		

CONTENTDISTRIBUTION

Represents information about sharing a document externally.

For more information, see ContentDistribution in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentDocumentId	ContentDocument ID	reference		18		
ContentDownloadUrl	File Download Link	string		256		
ContentVersionId	ContentVersion ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DistributionPublicUrl	External Link	string		256		
ExpiryDate	Expiration Date	datetime				
FirstViewDate	First Viewed	datetime				
Id	Content Delivery ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastViewDate	Last Viewed	datetime				
Name	Content Delivery Name	string		100		
OwnerId	Owner ID	reference		18		
Password	Password	string		36		
PdfDownloadUrl	PDF Download Link	string		256		
PreferencesAllowOriginalDownload	Allow Download in Original Format	boolean				
PreferencesAllowPDFDownload	Allow Download as PDF	boolean				
PreferencesAllowViewInBrowser	Allow View in the Browser	boolean				
PreferencesExpires	Content Delivery Expires	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PreferencesLinkLatestVersion	Content Delivery Opens Latest Version	boolean				
PreferencesNotifyOnVisit	Notify Me of First View or Download	boolean				
PreferencesNotifyPdnComplete	Email when Preview Images are Ready	boolean				
PreferencesPasswordRequired	Require Password to Access Content	boolean				
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
ViewCount	View Count	int	9			

CONTENTDISTRIBUTIONVIEW

Represents information about views of a shared document.

For more information, see ContentDistributionView in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	View Date	datetime				
DistributionId	Content Delivery ID	reference		18		
Id	Content Delivery View ID	id		18		
IsDeleted	Deleted	boolean				
IsDownload	File Downloaded	boolean				
IsInternal	Internal View	boolean				
ParentViewId	Content Delivery View ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CONTENTDOCUMENT

Represents a document that has been uploaded to a library in Salesforce CRM Content or Salesforce Files. This object is available in versions 17.0 and later for Salesforce CRM Content.

For more information, see ContentDocument in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ArchivedById	User ID	reference		18		
ArchivedDate	Archived Date	date				
ContentAssetId	Asset File ID	reference		18		
ContentModifiedDate	Content Modified Date	datetime				
ContentSize	Size	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created	datetime				
Description	Description	textarea		1000		
FileExtension	File Extension	string		40		
FileType	File Type	string		20		
Id	ContentDocument ID	id		18		
IsArchived	Is Archived	boolean				
IsDeleted	Is Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LatestPublishedVersionId	Latest Published Version ID	reference		18		
OwnerId	Owner ID	reference		18		
ParentId	Parent ID	reference		18		
PublishStatus	Publish Status	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SharingOption	Prevent others from sharing and unsharing	picklist		40		
SharingPrivacy	File Privacy on Records	picklist		40		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		

CONTENTDOCUMENTFEED

Feed tracking for ContentDocument.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CONTENTDOCUMENTHISTORY

Represents the history of a document.

For more information, see ContentDocumentHistory in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentDocumentId	ContentDocument ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Content Document ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONTENTDOCUMENTLINK

Represents the link between a Salesforce CRM Content document or Salesforce file and where it's shared. A file can be shared with other users, groups, records, and Salesforce CRM Content libraries.

For more information, see ContentDocumentLink in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentDocumentId	ContentDocument ID	reference		18		
Id	ContentDocumentLink ID	id		18		
IsDeleted	Is Deleted	boolean				
LinkedEntityId	Linked Entity ID	reference		18		
ShareType	Share Type	picklist		40		
SystemModstamp	System Modstamp	datetime				
Visibility	Visibility	picklist		40		

CONTENTDOCUMENTSUBSCRIPTION

Represents a subscription for a user following or commenting on a file in a library.

For more information, see ContentDocumentSubscription in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentDocumentId	Document ID	reference		18		
Id	ContentDocumentSubscription ID	id		18		
IsCommentSub	Is Comment Subscription	boolean				
IsDocumentSub	Is Document Subscription	boolean				
UserId	User ID	reference		18		

CONTENTFOLDER

Represents a folder in a content library for adding files.

For more information, see ContentFolder in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Content Folder ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
ParentContentFolderId	Parent Content Folder ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CONTENTFOLDERITEM

Represents a file (ContentDocument) or folder (ContentFolder) that resides in a ContentFolder in a ContentWorkspace.

For more information, see ContentFolderItem in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentSize	Size	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FileExtension	File Extension	string		40		
FileType	File Type	string		20		
Id	Content Folder Item ID	id		18		
IsDeleted	Deleted	boolean				
IsFolder	Is Folder	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentContentFolderId	Parent Content Folder ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		

CONTENTFOLDERLINK

Defines the association between a library and its root folder.

For more information, see ContentFolderLink in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentFolderId	Content Folder ID	reference		18		
EnableFolderStatus	Enable Folder Status	picklist		40		
Id	Content Folder Link ID	id		18		
IsDeleted	Is Deleted	boolean				
ParentEntityId	Parent Entity ID	reference		18		

CONTENTFOLDERMEMBER

Defines the association between a file and a folder.

For more information, see ContentFolderMember in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChildRecordId	Child Record ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Content Folder Member ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentContentFolderId	Parent Content Folder ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CONTENTNOTE

Represents a note created with the enhanced note taking tool, released in Winter '16.

For more information, see ContentNote in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Content	Content	base64				
ContentModifiedDate	Content Modified Date	datetime				
ContentSize	Content Size	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created	datetime				
FileExtension	File Extension	string		20		
FileType	File Type	string		20		
Id	Note Id	id		18		
IsDeleted	Deleted	boolean				
IsReadOnly	Is Read Only	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified	datetime				
LastViewedDate	Last Viewed Date	datetime				
LatestContentId	Content Body ID	reference		18		
LatestPublishedVersionId	ContentVersion ID	reference		18		
OwnerId	Owner ID	reference		18		
SharingPrivacy	Note Privacy on Records	picklist		40		
TextPreview	Text Preview	string		255		
Title	Title	string		255		

CONTENTNOTIFICATION

Represents a notification for a file.

For more information, see ContentNotification in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
EntityIdentifierId	Entity ID	reference		18		
EntityType	Entity Type	string		20		
Id	ContentNotification ID	id		18		
Nature	Nature	string		20		
Subject	Subject	textarea		333		
Text	Text	textarea		666		
UsersId	User ID	reference		18		

CONTENTTAGSUBSCRIPTION

Represents a subscription for a user following a tag on a file.

For more information, see ContentTagSubscription in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	ContentTagSubscription ID	id		18		
UserId	User ID	reference		18		

CONTENTUSERSUBSCRIPTION

Represents a subscription for a user following another user.

For more information, see ContentUserSubscription in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	ContentUserSubscription ID	id		18		
SubscribedToUserId	User ID	reference		18		
SubscriberUserId	User ID	reference		18		

CONTENTVERSION

Represents a specific version of a document in Salesforce CRM Content or Salesforce Files.

For more information, see ContentVersion in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Checksum	Checksum	string		50		
ContentBodyId	Content Body ID	reference		18		
ContentDocumentId	ContentDocument ID	reference		18		
ContentLocation	Content Location	picklist		40		
ContentModifiedById	User ID	reference		18		
ContentModifiedDate	Content Modified Date	datetime				
ContentSize	Size	int	9			
ContentUrl	Content URL	url		1333		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
ExternalDataSourceId	External Data Source ID	reference		18		
ExternalDocumentInfo1	External Document Info1	string		1000		
ExternalDocumentInfo2	External Document Info2	string		1000		
FeaturedContentBoost	Featured Content Boost	int	9			
FeaturedContentDate	Featured Content Date	date				
FileExtension	File Extension	string		40		
FileType	File Type	string		20		
FirstPublishLocationId	First Publish Location ID	reference		18		
Id	ContentVersion ID	id		18		
IsAssetEnabled	Asset File Enabled	boolean				
IsDeleted	Is Deleted	boolean				
IsLatest	Is Latest	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsMajorVersion	Major Version	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
NegativeRatingCount	Negative Rating Count	int	9			
Origin	Content Origin	picklist		40		
OwnerId	Owner ID	reference		18		
PathOnClient	Path On Client	string		500		
PositiveRatingCount	Positive Rating Count	int	9			
PublishStatus	Publish Status	picklist		40		
RatingCount	Rating Count	int	9			
ReasonForChange	Reason For Change	string		1000		
SharingOption	Prevent others from sharing and unsharing	picklist		40		
SharingPrivacy	File Privacy on Records	picklist		40		
SystemModstamp	System Modstamp	datetime				
TagCsv	Tags	textarea		2000		
TextPreview	Text Preview	string		255		
Title	Title	string		255		
VersionData	Version Data	base64				
VersionNumber	Version Number	string		20		

CONTENTVERSIONCOMMENT

Represents a comment on a version of a file.

For more information, see ContentVersionComment in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentDocumentId	ContentDocument ID	reference		18		
ContentVersionId	ContentVersion ID	reference		18		
CreatedDate	Created Date	datetime				
Id	ContentVersionComment ID	id		18		
UserComment	Version Comment	textarea		2000		

CONTENTVERSIONHISTORY

Represents the history of a specific version of a document.

For more information, see ContentVersionHistory in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentVersionId	ContentVersion ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Content Version ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONTENTVERSIONRATING

Represents a rating on a version of a file.

For more information, see ContentVersionRating in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentVersionId	Version ID	reference		18		
Id	ContentVersionRating ID	id		18		
LastModifiedDate	Last Modified Date	datetime				
Rating	Rating	int	9			
UserComment	User Comment	textarea		1000		
UserId	User ID	reference		18		

CONTENTWORKSPACE

Represents a content library.

For more information, see ContentWorkspace in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultRecordTypeId	Record Type ID	reference		18		
Description	Description	textarea		500		
DeveloperName	Unique Name	string		80		
Id	Library ID	id		18		
IsRestrictContentTypes	Restrict Record Types	boolean				
IsRestrictLinkedContentTypes	Restrict Linked Record Types	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastWorkspaceActivityDate	Last Activity	datetime				
Name	Name	string		255		
NamespacePrefix	Namespace Prefix	string		15		
RootContentFolderId	Content Folder ID	reference		18		
ShouldAddCreatorMembership	Add Creator Membership	boolean				
SystemModstamp	System Modstamp	datetime				
TagModel	Tag Model	picklist		40		
WorkspaceImageId	Asset File ID	reference		18		
WorkspaceType	Library Type	picklist		40		

CONTENTWORKSPACEDOC

Represents a link between a document and a public library in Salesforce CRM Content.

For more information, see ContentWorkspaceDoc in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentDocumentId	ContentDocument ID	reference		18		
ContentWorkspaceId	Library ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Library Document ID	id		18		
IsDeleted	Is Deleted	boolean				
IsOwner	Is Owning Library	boolean				
SystemModstamp	System Modstamp	datetime				

CONTENTWORKSPACEMEMBER

Represents a member of a content library.

For more information, see ContentWorkspaceMember in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentWorkspaceId	Library ID	reference		18		
ContentWorkspacePermissionId	Library Permission ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Library Member ID	id		18		
MemberId	Member ID	reference		18		
MemberType	Member Type	picklist		40		

CONTENTWORKSPACEPERMISSION

Represents a library permission.

For more information, see ContentWorkspacePermission in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		2000		
Id	Library Permission ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
PermissionsAddComment	Add Comment	boolean				
PermissionsAddContent	Add Content	boolean				
PermissionsAddContentOBO	Add Content on Behalf of Others	boolean				
PermissionsArchiveContent	Archive Content	boolean				
PermissionsChatterSharing	Attach or Share Content	boolean				
PermissionsDeleteContent	Delete Content	boolean				
PermissionsDeliverContent	Deliver Content	boolean				
PermissionsFeatureContent	Feature Content	boolean				
PermissionsManageWorkspace	Manage Library	boolean				
PermissionsModifyComments	Modify Comments	boolean				
PermissionsOrganizeFileAndFolder	Organize File and Content Folder	boolean				
PermissionsTagContent	Tag Content	boolean				
PermissionsViewComments	View Comment	boolean				
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

CONTENTWORKSPACESUBSCRIPTION

Represents a subscription for a user following a library.

For more information, see ContentWorkspaceSubscription in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentWorkspaceId	Workspace ID	reference		18		
Id	ContentWorkspaceSubscription ID	id		18		
UserId	User ID	reference		18		

CONTRACT

Represents a contract (a business agreement) associated with an Account.

For more information, see Contract in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActivatedById	Activated By ID	reference		18		
ActivatedDate	Activated Date	datetime				
BillingAddress	Billing Address	address				
BillingCity	Billing City	string		40		
BillingCountry	Billing Country	string		80		
BillingGeocodeAccuracy	Billing Geocode Accuracy	picklist		40		
BillingLatitude	Billing Latitude	double			18	15
BillingLongitude	Billing Longitude	double			18	15
BillingPostalCode	Billing Zip/Postal Code	string		20		
BillingState	Billing State/Province	string		80		
BillingStreet	Billing Street	textarea		255		
CompanySignedDate	Company Signed Date	date				
CompanySignedId	Company Signed By ID	reference		18		
ContractNumber	Contract Number	string		30		
ContractTerm	Contract Term	int	4			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomerSignedDate	Customer Signed Date	date				
CustomerSignedId	Customer Signed By ID	reference		18		
CustomerSignedTitle	Customer Signed Title	string		40		
Description	Description	textarea		32000		
EndDate	Contract End Date	date				

Contract

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	Contract ID	id		18		
IsDeleted	Deleted	boolean				
LastActivityDate	Last Activity	date				
LastApprovedDate	Last Approved Date	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerExpirationNotice	Owner Expiration Notice	picklist		40		
OwnerId	Owner ID	reference		18		
ShippingAddress	Shipping Address	address				
ShippingCity	Shipping City	string		40		
ShippingCountry	Shipping Country	string		80		
ShippingGeocodeAccuracy	Shipping Geocode Accuracy	picklist		40		
ShippingLatitude	Shipping Latitude	double			18	15
ShippingLongitude	Shipping Longitude	double			18	15
ShippingPostalCode	Shipping Zip/Postal Code	string		20		
ShippingState	Shipping State/Province	string		80		
ShippingStreet	Shipping Street	textarea		255		
SpecialTerms	Special Terms	textarea		4000		
StartDate	Contract Start Date	date				
Status	Status	picklist		100		
StatusCode	Status Category	picklist		40		
SystemModstamp	System Modstamp	datetime				

CONTRACTCONTACTROLE

Represents the role that a given Contact plays on a Contract.

For more information, see ContractContactRole in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactId	Contact ID	reference		18		
ContractId	Contract ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Contact Role ID	id		18		
IsDeleted	Deleted	boolean				
IsPrimary	Primary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Role	Role	picklist		255		
SystemModstamp	System Modstamp	datetime				

CONTRACTFEED

Feed tracking for Contract.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CONTRACTHISTORY

History for tracked fields of Contract.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContractId	Contract ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Contract History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONTRACTLINEITEM

Represents a product covered by a service contract (customer support agreement).

For more information, see ContractLineItem in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Discount	Discount	percent			5	2
EndDate	End Date	date				
Id	Contract Line Item ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LineItemNumber	Line Item Number	string		255		
ListPrice	List Price	currency			18	2
LocationId	Location ID	reference		18		
MayEdit	May Edit	boolean				
ParentContractLineItemId	Contract Line Item ID	reference		18		
PricebookEntryId	Price Book Entry ID	reference		18		
Product2Id	Product ID	reference		18		
Quantity	Quantity	double			12	2
RootContractLineItemId	Contract Line Item ID	reference		18		
ServiceContractId	Service Contract ID	reference		18		

ContractLineItem

Field Name	Field Label	Type	Digits	Length	Precision	Scale
StartDate	Start Date	date				
Status	Status	picklist		255		
Subtotal	Subtotal	currency			18	2
SystemModstamp	System Modstamp	datetime				
TotalPrice	Total Price	currency			18	2
UnitPrice	Sales Price	currency			18	2

CONTRACTLINEITEMHISTORY

History for tracked fields of ContractLineItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContractLineItemId	Contract Line Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Contract Line Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONTRACTSTATUS

Represents the status of a Contract, such as Draft, InApproval, Activated, Terminated, or Expired.

For more information, see ContractStatus in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Contract Status Value ID	id		18		
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
StatusCode	Status Code	picklist		40		
SystemModstamp	System Modstamp	datetime				

CONVERSATIONCHANNELRESPONSE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConversationChannelId	Messaging Channel ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	ConversationChannelResponse ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MediaContentId	Asset File ID	reference		18		
ResponseType	Response Type	picklist		255		
SystemModstamp	System Modstamp	datetime				
TextContent	Text Content	textarea		1000		
Title	Response Title	string		255		

CONVERSATIONENTRY

Represents a message or an event in the chat history between an agent and a messaging user.

For more information, see ConversationEntry in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActorId	Actor ID	reference		18		
ActorName	Actor Name	string		650		
ActorType	Actor Type	picklist		40		
ClientDuration	ClientDuration	int	9			
ClientTimestamp	ClientTimestamp	datetime				
ConversationId	Conversation ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EntryEndTime	Entry End Time	datetime				
EntryTime	Entry Start Time	datetime				
EntryTimeMilliSecs	Entry Time Milli Seconds(last 3 digits)	int	9			
EntryType	Entry Type	picklist		40		
HasAttachments	Has Attachments	boolean				
Id	Conversation Entry ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Message	Message	textarea		131072		
MessageDeliverTime	Message Deliver Time	datetime				
MessageIdentifier	Message ID	string		36		
MessageReadTime	Message Read Time	datetime				
MessageSendTime	Message Send Time	datetime				

ConversationEntry

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MessageStatus	Message Status	picklist		40		
MessageStatusCode	Message Status Code	string		25		
Seq	Sequence	int	9			
ServerReceivedTimestamp	ServerReceivedTimestamp	datetime				
SystemModstamp	System Modstamp	datetime				

CORSWHITELISTENTRY

Represents an entry in the cross-origin resource sharing (CORS) allowlist. Origins included in the allowlist can request REST resources from that Salesforce org.

For more information, see CorsWhitelistEntry in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	CORS Allowed Origin List ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				
UrlPattern	Origin URL Pattern	string		255		

COURSEOFFERING

Represents an instance of a training course with location and date details of training courses

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CourseNameId	Course Name ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Course Offering ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

COURSEOFFERINGFEED

Feed tracking for CourseOffering.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

COURSEOFFERINGHISTORY

History for tracked fields of CourseOffering.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CourseOfferingId	Course Offering ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Course Offering History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

COURSEOFFERINGSHARE

Sharing for CourseOffering.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

COVERAGEBENEFIT

Represents the benefits provided to a covered member by a purchaser's plan.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitNotes	Benefit Notes	textarea		32000		
BenefitPeriodEndDate	Benefit Period End Date	date				
BenefitPeriodStartDate	Benefit Period Start Date	date				
CoinsuranceNotes	Coinsurance Notes	textarea		32000		
CopayNotes	Copay Notes	textarea		32000		
CoverageType	Coverage Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeductibleNotes	Deductible Notes	textarea		32000		
Disclaimer	Disclaimers	string		255		
EmergencyDepartmentCopay	Emergency Department Copay	currency			18	2
FamilyInNetworkDeductibleApplied	Family In-Network Deductible Applied	currency			18	2
FamilyInNetworkDeductibleLimit	Family In-Network Deductible Limit	currency			18	2
FamilyInNetworkDeductibleRemaining	Family In-Network Deductible Remaining	currency			18	2
FamilyInNetworkOutOfPocketApplied	Family In-Network Out-of-Pocket Applied	currency			18	2
FamilyInNetworkOutOfPocketLimit	Family In-Network Out-of-Pocket Limit	currency			18	2
FamilyInNetworkOutOfPocketRemaining	Family In-Network Out-of-Pocket Remaining	currency			18	2
FamilyOutOfNetworkDeductibleApplied	Family Out-of-Network Deductible Applied	currency			18	2
FamilyOutOfNetworkDeductibleLimit	Family Out-of-Network Deductible Limit	currency			18	2

CoverageBenefit

Field Name	Field Label	Type	Digits	Length	Precision	Scale
FamilyOutofNetworkDeductibleRemaining	Family Out-of-Network Deductible Remaining	currency			18	2
FamilyOutofNetworkOutofPocketApplied	Family Out-of-Network Out-of-Pocket Applied	currency			18	2
FamilyOutofNetworkOutofPocketLimit	Family Out-of-Network Out-of-Pocket Limit	currency			18	2
FamilyOutofNetworkOutofPocketRemaining	Family Out-of-Network Out-of-Pocket Remaining	currency			18	2
Id	Coverage Benefit ID	id		18		
InNetworkCoinsuranceAmount	In-Network Coinsurance (Amount)	currency			18	2
InNetworkCoinsurancePercentage	In-Network Coinsurance (Percentage)	percent			3	0
InNetworkLifetimeMaximum	In-Network Lifetime Maximum	currency			18	2
IndividualInNetworkDeductibleApplied	Individual In-Network Deductible Applied	currency			18	2
IndividualInNetworkDeductibleLimit	Individual In-Network Deductible Limit	currency			18	2
IndividualInNetworkDeductibleRemaining	Individual In-Network Deductible Remaining	currency			18	2
IndividualInNetworkOutofPocketApplied	Individual In-Network Out-of-Pocket Applied	currency			18	2
IndividualInNetworkOutofPocketLimit	Individual In-Network Out-of-Pocket Limit	currency			18	2
IndividualInNetworkOutofPocketRemaining	Individual In-Network Out-of-Pocket Remaining	currency			18	2
IndividualOutofNetworkDeductibleApplied	Individual Out-of-Network Deductible Applied	currency			18	2
IndividualOutofNetworkDeductibleLimit	Individual Out-of-Network Deductible Limit	currency			18	2
IndividualOutofNetworkDeductibleRemaining	Individual Out-of-Network Deductible Remaining	currency			18	2
IndividualOutofNetworkOutofPocketApplied	Individual Out-of-Network Out-of-Pocket Applied	currency			18	2
IndividualOutofNetworkOutofPocketLimit	Individual Out-of-Network Out-of-Pocket Limit	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IndividualOutofNetworkOutofPocketRemaining	Individual Out-of-Network Out-of-Pocket Remaining	currency			18	2
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LifetimeMaximumNotes	Lifetime Maximum Notes	textarea		32000		
MemberId	Account ID	reference		18		
MemberPlanId	Member Plan ID	reference		18		
Name	Name	string		255		
OutofNetworkCoinsuranceAmount	Out-of-Network Coinsurance (Amount)	currency			18	2
OutofNetworkCoinsurancePercentage	Out-of-Network Coinsurance (Percentage)	percent			3	0
OutofNetworkLifetimeMaximum	Out-of-Network Lifetime Maximum	currency			18	2
OutofPocketNotes	Out-of-Pocket Notes	textarea		32000		
OwnerId	Owner ID	reference		18		
PrimaryCareCopay	Primary Care Copay	currency			18	2
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
SpecialistCopay	Specialist Copay	currency			18	2
SystemModstamp	System Modstamp	datetime				
UrgentCareCopay	Urgent Care Copay	currency			18	2
VerificationDate	Verification Date	datetime				

COVERAGEBENEFITFEED

Feed tracking for CoverageBenefit.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

COVERAGEBENEFITHISTORY

History for tracked fields of CoverageBenefit.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CoverageBenefitId	Coverage Benefit ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Coverage Benefit History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

COVERAGEBENEFITITEM

Specific service covered by the insurance plan.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitCategory	Benefit Category	string		64		
CodeSetServiceTypeId	Code Set ID	reference		18		
CoverageBenefitId	Coverage Benefit ID	reference		18		
CoverageLevel	Coverage Level	string		64		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DoesDeductibleApply	Deductible Applies	boolean				
Id	Coverage Benefit Item ID	id		18		
InNetworkCoverage	In-Network Coverage	textarea		32000		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsInPlanNetwork	In-Plan Network	boolean				
IsPreauthorizationRequired	Requires Preauthorization	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MemberId	Account ID	reference		18		
Name	Name	string		255		
Notes	Notes	textarea		32000		
OutofNetworkCoverage	Out-of-Network Coverage	textarea		32000		
OwnerId	Owner ID	reference		18		
ServiceType	Service Type	string		64		
ServiceTypeCode	Service Type Code	string		64		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
SystemModstamp	System Modstamp	datetime				
TimePeriod	Time Period	string		64		

COVERAGEBENEFITITEMFEED

Feed tracking for CoverageBenefitItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

COVERAGEBENEFITITEMHISTORY

History for tracked fields of CoverageBenefitItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CoverageBenefitItemId	Coverage Benefit Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Coverage Benefit Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

COVERAGEBENEFITITEMLIMIT

Services not covered, or expenditures required for coverage.

For more information, see CoverageBenefitItemLimit in the *Benefits Verification Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AllowedLimit	Allowed Limit	string		255		
AppliedLimit	Applied Limit	string		255		
CareLimitTypeId	Care Limit Type ID	reference		18		
CoverageBenefitItemId	Coverage Benefit Item ID	reference		18		
CoverageLevel	Coverage Level	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Coverage Benefit Item Limit ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LimitNotes	Limit Notes	textarea		32000		
Name	Coverage Benefit Item Limit Name	string		255		
NetworkType	Network Type	picklist		255		
PriorityOrder	Priority Order	double			18	0
SystemModstamp	System Modstamp	datetime				
TermType	Term Type	picklist		40		

COVERAGEBENEFITITEMLIMITFEED

Feed tracking for CoverageBenefitItemLimit.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

COVERAGEBENEFITITEMLIMITHISTORY

History for tracked fields of CoverageBenefitItemLimit.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CoverageBenefitItemLimitId	Coverage Benefit Item Limit ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Coverage Benefit Item Limit History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

COVERAGEBENEFITITEMSHARE

Sharing for CoverageBenefitItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

COVERAGEBENEFITSHARE

Sharing for CoverageBenefit.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CREDENTIALSTUFFINGEVENT

Tracks when a user successfully logs into Salesforce during an identified credential stuffing attack. Credential stuffing refers to large-scale automated login requests using stolen user credentials.

For more information, see `CredentialStuffingEvent` in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AcceptLanguage	Accept-Language Header	string		255		
CreatedDate	Created Date	datetime				
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event ID	string		80		
EventUuid	Event UUID	string		36		
LoginKey	Login Key	string		24		
LoginType	Login Type	picklist		255		
LoginUrl	Login URL	string		255		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
ReplayId	Replay ID	string		1000		
Score	Score	double			12	6
SessionKey	Session Key	string		24		
SourceIp	Source IP Address	string		255		
Summary	Summary	textarea		1000		
UserAgent	User Agent	textarea		1000		
UserId	User ID	reference		18		
Username	Username	string		255		

CREDENTIALSTUFFINGEVENTSTORE

Tracks when a user successfully logs into Salesforce during an identified credential stuffing attack. Credential stuffing refers to large-scale automated login requests using stolen user credentials.

For more information, see `CredentialStuffingEventStore` in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AcceptLanguage	Accept-Language Header	string		255		
CreatedDate	Created Date	datetime				
CredentialStuffingEventNumber	Event Name	string		255		
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event ID	string		80		
Id	Credential Stuffing Event Store ID	id		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoginKey	Login Key	string		24		
LoginType	Login Type	picklist		255		
LoginUrl	Login URL	string		255		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
Score	Score	double			12	6
SessionKey	Session Key	string		24		
SourceIp	Source IP Address	string		255		
Summary	Summary	textarea		1000		
SystemModstamp	System Modstamp	datetime				
UserAgent	User Agent	textarea		1000		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UserId	User ID	reference		18		
Username	Username	string		255		

CREDENTIALSTUFFINGEVENTSTOREFEED

Feed tracking for CredentialStuffingEventStore.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CREDITMEMO

Represents a document that is used to adjust or rectify errors made in an invoice. The invoice has already been processed and sent to a customer.

For more information, see CreditMemo in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Balance	Balance	currency			18	2
BillToContactId	Contact ID	reference		18		
BillingAccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditDate	Credit Date	date				
CreditMemoNumber	Credit Memo Number	string		10		
Description	Description	string		255		
DocumentNumber	Document Number	string		255		
Id	Credit Memo ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
ReferenceEntityId	ReferenceEntity ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalAdjustmentAmount	Total Adjustment Amount	currency			18	2
TotalAdjustmentAmountWithTax	Total Adjustment Amount with Tax	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalAdjustmentTaxAmount	Total Adjustment Tax Amount	currency			18	2
TotalAmount	Total Amount	currency			18	2
TotalAmountWithTax	Total with Tax	currency			18	2
TotalChargeAmount	Total Charges	currency			18	2
TotalChargeAmountWithTax	Total Charge Amount with Tax	currency			18	2
TotalChargeTaxAmount	Total Charge Tax Amount	currency			18	2
TotalTaxAmount	Total Tax	currency			18	2

CREDITMEMOFEED

Feed tracking for CreditMemo.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CREDITMEMOHISTORY

History for tracked fields of CreditMemo.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditMemoId	Credit Memo ID	reference		18		
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Credit Memo History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CREDITMEMOINVAPPLICATION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
AppliedDate	Applied Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditMemoId	Credit Memo ID	reference		18		
CreditMemoInvoiceNumber	Name	string		255		
Date	Date	datetime				
Description	Description	string		255		
EffectiveDate	Effective Date	datetime				
Id	Credit Memo Invoice Application ID	id		18		
ImpactAmount	Impact Amount	currency			18	2
InvoiceId	Invoice ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		
UnappliedDate	Unapplied Date	datetime				

CREDITMEMOLINE

Represents a partial or full application of a credit memo's balance against an invoice or invoice line.

For more information, see CreditMemoLine in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentAmount	Adjustment Amount	currency			18	2
AdjustmentAmountWithTax	Adjustment Amount with Tax	currency			18	2
AdjustmentTaxAmount	Adjustment Tax Amount	currency			18	2
ChargeAmount	Charge Amount	currency			18	2
ChargeAmountWithTax	Charge Amount with Tax	currency			18	2
ChargeTaxAmount	Charge Tax Amount	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditMemoId	Credit Memo ID	reference		18		
Description	Description	string		255		
EndDate	End Date	date				
Id	Credit Memo Line ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LineAmount	Line Amount	currency			18	2
Name	Name	string		255		
Product2Id	Product ID	reference		18		
ReferenceEntityItemId	ReferenceEntityItem ID	reference		18		
ReferenceEntityType	Reference Entity Item Type	picklist		40		
ReferenceEntityTypeCode	Reference Entity Item Type Code	picklist		255		
RelatedLineId	Credit Memo Line ID	reference		18		
StartDate	Start Date	date				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Status	Status	string		50		
SystemModstamp	System Modstamp	datetime				
TaxAmount	Tax Amount	currency			18	2
TaxCode	Tax Code	string		255		
TaxEffectiveDate	Tax Effective Date	date				
TaxName	Tax Name	string		255		
TaxRate	Tax Rate	percent			3	0
Type	Type	picklist		255		

CREDITMEMOLINEFEED

Feed tracking for CreditMemoLine.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CREDITMEMOLINEHISTORY

History for tracked fields of CreditMemoLine.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditMemoLineId	Credit Memo Line ID	reference		18		
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Credit Memo Line History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CREDITMEMOSHARE

Sharing for CreditMemo.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CRONJOBDETAIL

Contains details about the associated scheduled job, such as the job's name and type.
For more information, see CronJobDetail in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	Job ID	id		18		
JobType	Type	picklist		40		
Name	Job Name	string		255		

CRONTRIGGER

Contains schedule information for a scheduled job. CronTrigger is similar to a cron job on UNIX systems. This object is available in API version 17.0 and later.

For more information, see CronTrigger in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CronExpression	Cron Expression	string		255		
CronJobDetailId	Job ID	reference		18		
EndTime	End Time	datetime				
Id	Scheduled Job ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
NextFireTime	Next Run Time	datetime				
OwnerId	User ID	reference		18		
PreviousFireTime	Previous Run Time	datetime				
StartTime	Start Time	datetime				
State	Job State	string		16		
TimeZoneSidKey	Java Time Zone Id	picklist		40		
TimesTriggered	Job Fired Count	int	9			

CSPTRUSTEDSITE

Represents a CSP Trusted Site. The Lightning Component framework uses Content Security Policy (CSP) to impose restrictions on content. The main objective is to help prevent cross-site scripting (XSS) and other code injection attacks. To use third-party APIs that make requests to an external (non-Salesforce) server or to use a WebSocket connection, add a CSP Trusted Site.

For more information, see `CspTrustedSite` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Context	Context	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
DeveloperName	Trusted Site Name	string		80		
EndpointUrl	Trusted Site URL	string		255		
Id	Trusted Site ID	id		18		
IsActive	Active	boolean				
IsApplicableToConnectSrc	Allow site for connect-src	boolean				
IsApplicableToFontSrc	Allow site for font-src	boolean				
IsApplicableToFrameSrc	Allow site for frame-src	boolean				
IsApplicableToImgSrc	Allow site for img-src	boolean				
IsApplicableToMediaSrc	Allow site for media-src	boolean				
IsApplicableToStyleSrc	Allow site for style-src	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

CUSTOMBRAND

Represents a custom branding and color scheme.

For more information, see CustomBrand in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Custom Brand ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Modified Date	datetime				
ParentId	Branded Entity ID	reference		18		

CUSTOMBRANDASSET

Represents a branding element in a custom branding scheme. For example, a color, logo image, header image, or footer text.

For more information, see CustomBrandAsset in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetCategory	Asset Category	picklist		40		
AssetSourceId	Asset source ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomBrandId	Custom Brand ID	reference		18		
Id	Custom Brand Asset ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Modified Date	datetime				
TextAsset	Text Asset	string		333		

CUSTOMHELPMENUITEM

Represents the items within a section of the Lightning Experience help menu that the admin added to display custom, org-specific help resources.

For more information, see CustomHelpMenuItem in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Custom Help Menu Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LinkUrl	Link Url	url		1000		
MasterLabel	Item Label	string		100		
ParentId	Custom Help Menu Section ID	reference		18		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

CUSTOMHELPMENUSECTION

Represents a section of the Lightning Experience help menu that the admin added to display custom, org-specific help resources. For more information, see CustomHelpMenuSection in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Custom Help Menu Section ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Section Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

CUSTOMHTTPHEADER

Represents a custom HTTP header that provides context information from Salesforce such as region, org details, or the role of the person viewing the external object.

For more information, see CustomHttpHeader in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
HeaderFieldName	Header Field Name	string		255		
HeaderFieldValue	Header Field Value	string		1000		
Id	Custom HTTP Header ID	id		18		
IsActive	Active	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CUSTOMNOTIFICATIONTYPE

Stores information about custom notification types.

For more information, see CustomNotificationType in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomNotifTypeName	Name	string		80		
Description	Description	textarea		255		
Desktop	Desktop	boolean				
DeveloperName	Name	string		80		
Id	Custom Notification Type Id	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
Mobile	Mobile	boolean				
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

CUSTOMOBJECTUSERLICENSEMETRICS

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CustomObjectId	Custom Object Id	string		40		
CustomObjectName	Custom Object Name	string		120		
CustomObjectType	Custom Object Type	picklist		255		
Id	Custom Object Usage By User License Metrics Id	id		18		
MetricsDate	Metrics Date	date				
ObjectCount	Count of Objects assigned	int	9			
SystemModstamp	System Modstamp	datetime				
UserLicenseId	User License ID	reference		18		

CUSTOMPERMISSION

Represents a permission created to control access to a custom process or app, such as sending email.

For more information, see CustomPermission in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
DeveloperName	Name	string		80		
Id	Custom Permission ID	id		18		
IsDeleted	Deleted	boolean				
IsLicensed	License Required	boolean				
IsProtected	Protected Component	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

CUSTOMPERMISSIONDEPENDENCY

Represents the dependency between two custom permissions when one custom permission requires that you enable another custom permission.

For more information, see CustomPermissionDependency in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomPermissionId	Custom Permission ID	reference		18		
Id	Custom Permission Dependency ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RequiredCustomPermissionId	Custom Permission ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CUSTOMPRODUCT__SHARE

Sharing for CustomProduct__.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CUSTOMPRODUCT__C

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BrandSiteURL__c	BrandSiteURL	url		255		
Brand__c	Brand	string		200		
Category__c	Category	reference		18		
Color__c	Color	picklist		255		
ContactNumber__c	ContactNumber	double			10	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomerCare__c	CustomerCare	email		80		
Description__c	Description	textarea		255		
Discount__c	Discount	percent			4	2
GiftWrap__c	GiftWrap	boolean				
Id	Record ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MayEdit	May Edit	boolean				
Mfg_Date__c	Mfg_Date	date				
Name	CustomProduct Name	string		80		
OwnerId	Owner ID	reference		18		
Points__c	Points	double			18	0
Price__c	Price	double			18	2
Quantity__c	Quantity	double			18	0

CustomProduct__c

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Size__c	Size	multipicklist		4099	5	
Store__c	Store	multipicklist		4099	4	
SystemModstamp	System Modstamp	datetime				
isReturnable__c	isReturnable	boolean				
recordNumber__c	recordNumber	string		30		
skuId__c	skuld	textarea		255		

CUSTOMREBATEMEMBERPRODUCTAGGREGATE__SHARE

Sharing for CustomRebateMemberProductAggregate__.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CUSTOMREBATEMEMBERPRODUCTAGGREGATE__C

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Record ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Custom Rebate Member Product Aggregate N	string		80		
OwnerId	Owner ID	reference		18		
ProductId__c	Product	reference		18		
ProgramRebateTypeId__c	Rebate Type	reference		18		
RebateProgramMemberId__c	Member	reference		18		
RebateProgramPayoutPeriodId__c	Rebate Program Payout Period	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalQuantity__c	Custom Total Quantity	double			18	2
TotalTransactionAmount__c	Custom Total Transaction Amount	currency			18	2
TransactionJournalId__c	Transaction Journal	reference		18		

CUSTOMTRANSACTIONJOURNAL__SHARE

Sharing for CustomTransactionJournal__.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CUSTOMTRANSACTIONJOURNAL__C

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivityDate__c	Activity Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalTransactionNumber__c	External Transaction Number	string		40		
Id	Record ID	id		18		
IsDeleted	Deleted	boolean				
JournalDate__c	Journal Date	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MemberId__c	Rebate Program Member	reference		18		
Name	Custom Transaction Journal Name	string		80		
OrderId__c	Order	reference		18		
OrderItemId__c	Order Product	reference		18		
OwnerId	Owner ID	reference		18		
ProductId__c	Product	reference		18		
QuantityUnitOfMeasureId__c	Quantity Unit	reference		18		
Quantity__c	Quantity	double			18	2
SystemModstamp	System Modstamp	datetime				
TransactionAmount__c	Transaction Amount	currency			18	2
UsageType__c	Usage Type	picklist		255		

CUSTOM_PRODUCT__SHARE

Sharing for Custom_Product__.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CUSTOM_PRODUCT__C

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Record ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		80		
OwnerId	Owner ID	reference		18		
Product__c	Product	reference		18		
SystemModstamp	System Modstamp	datetime				

CUSTOMER

Represents the customer role of an individual with respect to a particular company or organization.

For more information, see Customer in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomerStatusType	Customer Status Type	picklist		255		
Id	Customer ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PartyId	Individual ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalLifeTimeValue	Total Life Time Value	int	9			

CUSTOMERSHARE

Sharing for Customer.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DTCO__SHARE

Sharing for DTCO__.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Record ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MayEdit	May Edit	boolean				
Name	DTCO Name	string		80		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
age__c	age	double			18	0
amount__c	amount	currency			18	2
balance__c	balance	currency			18	0
serianno__c	autonum	string		30		
size__c	size	double			18	3
weight__c	weight	double			18	2

DANDBCOMPANY

Represents a Dun & Bradstreet® company record, which is associated with an account added from Data.com.

For more information, see DandBCompany in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Address	Primary Address	address				
City	City	string		40		
CompanyCurrencyIsoCode	Local Currency ISO Code	picklist		255		
Country	Country	string		80		
CountryAccessCode	International Dialing Code	string		4		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyCode	Local Currency Code	picklist		255		
Description	Company Description	textarea		32000		
DomesticUltimateBusinessName	Domestic Ultimate Business Name	string		255		
DomesticUltimateDunsNumber	Domestic Ultimate D-U-N-S Number	string		9		
DunsNumber	D-U-N-S Number	string		9		
EmployeeQuantityGrowthRate	Employee Growth	double			18	6
EmployeesHere	Number of Employees - Location	double			18	0
EmployeesHereReliability	Number of Employees - Location Indicator	picklist		255		
EmployeesTotal	Number of Employees - Total	double			18	0
EmployeesTotalReliability	Number of Employees - Total Indicator	picklist		255		
FamilyMembers	Number of Business Family Members	int	5			
Fax	Facsimile Number	phone		40		
FifthNaics	Fifth NAICS Code	string		6		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
FifthNaicsDesc	Fifth NAICS Description	string		120		
FifthSic	Fifth SIC Code	string		4		
FifthSic8	Fifth SIC8 Code	string		8		
FifthSic8Desc	Fifth SIC8 Description	string		80		
FifthSicDesc	Fifth SIC Description	string		80		
FipsMsaCode	FIPS MSA Code	string		5		
FipsMsaDesc	FIPS MSA Code Description	string		255		
FortuneRank	Fortune 1000 Rank	int	4			
FourthNaics	Fourth NAICS Code	string		6		
FourthNaicsDesc	Fourth NAICS Description	string		120		
FourthSic	Fourth SIC Code	string		4		
FourthSic8	Fourth SIC8 Code	string		8		
FourthSic8Desc	Fourth SIC8 Description	string		80		
FourthSicDesc	Fourth SIC Description	string		80		
GeoCodeAccuracy	Geocode Accuracy	picklist		255		
GeocodeAccuracyStandard	Geocode Accuracy	picklist		255		
GlobalUltimateBusinessName	Global Ultimate Business Name	string		255		
GlobalUltimateDunsNumber	Global Ultimate D-U-N-S Number	string		9		
GlobalUltimateTotalEmployees	Number of Employees - Global	double			18	0
Id	D&B Company ID	id		18		
ImportExportAgent	Import/Export	picklist		255		
IncludedInSnP500	S&P 500	string		10		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	string		11		
LegalStatus	Legal Structure	picklist		255		
LocationStatus	Location Type	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Longitude	Longitude	string		11		
MailingAddress	Mailing Address	address				
MailingCity	Mailing City	string		40		
MailingCountry	Mailing Country	string		80		
MailingGeocodeAccuracy	Mailing Geocode Accuracy	picklist		255		
MailingPostalCode	Mailing Postal Code	string		20		
MailingState	Mailing State	string		80		
MailingStreet	Mailing Street Address	textarea		255		
MarketingPreScreen	Delinquency Risk	picklist		255		
MarketingSegmentationCluster	Marketing Segmentation Cluster	picklist		255		
MinorityOwned	Minority-Owned Indicator	picklist		255		
Name	Primary Business Name	string		255		
NationalId	National Identification Number	string		255		
NationalIdType	National Identification System	picklist		255		
OutOfBusiness	Out Of Business Indicator	picklist		255		
OwnOrRent	Location Ownership Indicator	picklist		255		
ParentOrHqBusinessName	Parent Company Business Name	string		255		
ParentOrHqDunsNumber	Parent Company D-U-N-S Number	string		9		
Phone	Telephone Number	phone		40		
PostalCode	Postal Code	string		20		
PremisesMeasure	Location Size	int	9			
PremisesMeasureReliability	Location Size Accuracy	string		64		
PremisesMeasureUnit	Location Size Unit of Measure	string		64		
PrimaryNaics	Primary NAICS Code	string		6		
PrimaryNaicsDesc	Primary NAICS Description	string		120		
PrimarySic	Primary SIC Code	string		4		
PrimarySic8	Primary SIC8 Code	string		8		
PrimarySic8Desc	Primary SIC8 Description	string		80		
PrimarySicDesc	Primary SIC Description	string		80		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PriorYearEmployees	Prior Year Number of Employees - Total	int	9			
PriorYearRevenue	Prior Year Revenue	double			18	0
PublicIndicator	Ownership Type Indicator	picklist		255		
SalesTurnoverGrowthRate	Annual Revenue Growth	double			18	6
SalesVolume	Annual Sales Volume	double			18	0
SalesVolumeReliability	Annual Sales Volume Indicator	picklist		255		
SecondNaics	Second NAICS Code	string		6		
SecondNaicsDesc	Second NAICS Description	string		120		
SecondSic	Second SIC Code	string		4		
SecondSic8	Second SIC8 Code	string		8		
SecondSic8Desc	Second SIC8 Description	string		80		
SecondSicDesc	Second SIC Description	string		80		
SixthNaics	Sixth NAICS Code	string		6		
SixthNaicsDesc	Sixth NAICS Description	string		120		
SixthSic	Sixth SIC Code	string		4		
SixthSic8	Sixth SIC8 Code	string		8		
SixthSic8Desc	Sixth SIC8 Description	string		80		
SixthSicDesc	Sixth SIC Description	string		80		
SmallBusiness	Small Business Indicator	picklist		255		
State	State	string		80		
StockExchange	Stock Exchange	string		16		
StockSymbol	Ticker Symbol	string		6		
Street	Street Address	textarea		255		
Subsidiary	Subsidiary Indicator	picklist		255		
SystemModstamp	System Modstamp	datetime				
ThirdNaics	Third NAICS Code	string		6		
ThirdNaicsDesc	Third NAICS Description	string		120		
ThirdSic	Third SIC Code	string		4		
ThirdSic8	Third SIC8 Code	string		8		
ThirdSic8Desc	Third SIC8 Description	string		80		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ThirdSicDesc	Third SIC Description	string		80		
TradeStyle1	Primary Tradestyle	string		255		
TradeStyle2	Second Tradestyle	string		255		
TradeStyle3	Third Tradestyle	string		255		
TradeStyle4	Fourth Tradestyle	string		255		
TradeStyle5	Fifth Tradestyle	string		255		
URL	URL	url		255		
UsTaxId	US Tax ID Number	string		9		
WomenOwned	Woman-Owned Indicator	picklist		255		
YearStarted	Year Started	string		4		

DASHBOARD

Represents a dashboard, which shows data from custom reports as visual components. Access is read-only.

For more information, see Dashboard in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BackgroundDirection	Background Fade Direction	picklist		40		
BackgroundEnd	Ending Color	int	9			
BackgroundStart	Starting Color	int	9			
ChartTheme	Chart Background	picklist		40		
ColorPalette	Color Palette	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DashboardResultRefreshedDate	Last refreshed for this user	string		256		
DashboardResultRunningUser	Running as	string		256		
Description	Description	string		255		
DeveloperName	Dashboard Unique Name	string		80		
FolderId	Folder ID	reference		18		
FolderName	Folder Name	string		256		
Id	Dashboard ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LeftSize	Left Size	picklist		40		
MiddleSize	Middle Size	picklist		40		
NamespacePrefix	Namespace Prefix	string		15		
RightSize	Right Size	picklist		40		

Dashboard

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RunningUserId	Running User ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TextColor	Text Color	int	9			
Title	Title	string		80		
TitleColor	Title Color	int	9			
TitleSize	Title Size	int	9			
Type	Dashboard Running User	picklist		40		

DASHBOARDCOMPONENT

Represents a dashboard component, which can be a chart, metric, table, or gauge on a dashboard. Access is read-only.
For more information, see DashboardComponent in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CustomReportId	Report ID	reference		18		
DashboardId	Dashboard ID	reference		18		
Id	Dashboard Component ID	id		18		
Name	Dashboard Component Name	string		80		

DASHBOARDCOMPONENTFEED

Feed tracking for DashboardComponent.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DASHBOARDFEED

Feed tracking for Dashboard.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DATAACTION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionApiName	Data Action API Name	string		255		
ActionStatus	Status	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Data Action Description	string		255		
Id	Data Action ID	id		18		
IsDeleted	Deleted	boolean				
LastActionStatusDateTime	Last Data Action Status Date Time	datetime				
LastActionStatusErrorCode	Last Data Action Status Error Code	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Data Action Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

DATAACTIONFEED

Feed tracking for DataAction.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DATAACTIONHISTORY

History for tracked fields of DataAction.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataActionId	Data Action ID	reference		18		
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Data Action History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DATAACTIONSHARE

Sharing for DataAction.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DATAACTIONTARGET

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Data Action Target ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastSigningKeyDateTime	Last Signing Key Generated Date Time	datetime				
LastTargetStatusDateTime	Last Data Action Target Status Date Time	datetime				
LastTargetStatusErrorCode	Last Data Action Target Status Error Code	picklist		255		
LastViewedDate	Last Viewed Date	datetime				
Name	Data Action Target Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TargetApiName	Data Action Target API Name	string		255		
TargetEndpoint	URL to Publish	url		255		
TargetStatus	Status	picklist		255		
TargetType	Data Action Target Type	picklist		255		

DATAACTIONTARGETFEED

Feed tracking for DataActionTarget.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DATAACTIONTARGETHISTORY

History for tracked fields of DataActionTarget.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataActionTargetId	Data Action Target ID	reference		18		
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Data Action Target History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DATAACTIONTARGETSHARE

Sharing for DataActionTarget.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DATAASSESSMENTFIELDMETRIC

Represents summary statistics for matched, blank, and differing fields in account records of an org compared to records in Data.com. For more information, see `DataAssessmentFieldMetric` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>DataAssessmentMetricId</code>	Data Assessment Metric ID	reference		18		
<code>FieldName</code>	Field Name	string		255		
<code>Id</code>	Data Assessment Field Metric ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>Name</code>	Data Assessment Field Metric	string		255		
<code>NumMatchedBlanks</code>	Number of Matched Records that have blanks for this field	int	9			
<code>NumMatchedDifferent</code>	Number of Matched Records that have different value for this field than Data.com	int	9			
<code>NumMatchedInSync</code>	Number of Matched Records that have the same value for this field as Data.com	int	9			
<code>NumUnmatchedBlanks</code>	Number of Unmatched Records that have blanks for this field	int	9			
<code>SystemModstamp</code>	System Modstamp	datetime				

DATAASSESSMENTMETRIC

Represents a summary of statistics for fields matched and unmatched in your account records with Data.com account records.

For more information, see `DataAssessmentMetric` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>Id</code>	Data Assessment Metric ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>Name</code>	Data Assessment Metric	string		255		
<code>NumDuplicates</code>	Number of Duplicates	int	9			
<code>NumMatched</code>	Number of Matched Records	int	9			
<code>NumMatchedDifferent</code>	Number of Matched Records with different field values	int	9			
<code>NumProcessed</code>	Number of Processed Records	int	9			
<code>NumTotal</code>	Total Number of Records to access	int	9			
<code>NumUnmatched</code>	Number of Unmatched Records	int	9			
<code>SystemModstamp</code>	System Modstamp	datetime				

DATAASSESSMENTVALUEMETRIC

Summarizes the number of fields matched for your account records with Data.com account records.

For more information, see `DataAssessmentValueMetric` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataAssessmentFieldMetricId	Data Assessment Field Metric ID	reference		18		
FieldValue	Field Value	string		255		
Id	Data Assessment Field Value Metric ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Data Assessment Field Value Metric	string		255		
SystemModstamp	System Modstamp	datetime				
ValueCount	Number of times this value appears in this field	int	9			

DATAINTEGRATIONRECORDPURCHASEPERMISSION

Indicates Lightning Data purchase credits that a Salesforce admin has granted to users.

For more information, see `DataIntegrationRecordPurchasePermission` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>ExternalObject</code>	Custom Object Definition ID	picklist		255		
<code>Id</code>	Data Integration Record Purchase Permission ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>SystemModstamp</code>	System Modstamp	datetime				
<code>UserId</code>	User ID	reference		18		
<code>UserRecordPurchaseLimit</code>	User Record Purchase Limit	int	9			

DATALAKEOBJECTINSTANCE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Data Lake Object Instance ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastRefreshDate	Last Refresh Date	datetime				
LastUpdatedStatus	Last Updated Status	picklist		255		
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalRecords	Total Records	long	18			

DATALAKEOBJECTINSTANCEFEED

Feed tracking for DataLakeObjectInstance.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DATALAKEOBJECTINSTANCEHISTORY

History for tracked fields of DataLakeObjectInstance.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataLakeObjectInstanceId	Data Lake Object Instance ID	reference		18		
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Data Lake Object History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DATALAKEOBJECTINSTANCESHARE

Sharing for DataLakeObjectInstance.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DATAOBJECTDATAACHGEVENT

Notifies subscribers of an action within Salesforce CDP.

For more information, see `DataObjectDataChgEvent` in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionDeveloperName	Action identifier	string		4000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EventCreationDateTime	Event creation time	datetime				
EventPrompt	Trigger (Insert/Update/Delete/Action) that caused this event	picklist		255		
EventPublishDateTime	Event published time	datetime				
EventSchemaVersion	Schema version	string		4000		
EventType	Type of CDP Event	string		4000		
EventUuid	EventUuid	string		36		
Offset	Event offset for the events triggered per action configured per tenant	string		4000		
PayloadCurrentValue	Current data	textarea		32000		
PayloadPrevValue	Previous data	textarea		32000		
PayloadSchema	Schema for event payload	textarea		32000		
ReplayId	ReplayId	string		1000		
SourceObjectDeveloperName	Source entity developer name	string		4000		

DATAOBJECTMETADATACHGEVENT

Notifies subscribers of a metadata change within Salesforce CDP for these objects: Data Lake, Data Model, and Calculated Insight. For more information, see `DataObjectMetadataChgEvent` in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrentValue	Current metadata	textarea		32000		
EventCreationDate	Event creation time	datetime				
EventPublishDate	Event published time	datetime				
EventType	Type of CDP Event	string		4000		
EventUuid	EventUuid	string		36		
PreviousValue	Previous metadata	textarea		32000		
ReplayId	ReplayId	string		1000		
SchemaVersion	Schema version	string		4000		
SourceTableDeveloperName	Source entity developer name	string		4000		
Trigger	Trigger (Insert/Update/Delete) that caused this event	string		4000		

DATASOURCEBUNDLE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Data Source Bundle ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

DATASOURCEBUNDLESHARE

Sharing for DataSourceBundle.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DATASTATISTICS

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ExternalId	ExternalId	string		255		
Id	DataStatistics ID	id		18		
StatType	StatType	picklist		255		
StatValue	StatValue	int	9			
Type	Type	picklist		255		
UserId	User ID	reference		18		

DATASTREAM

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataStreamStatus	Data Stream Status	picklist		255		
Description	Description	string		255		
ExternalRecordIdentifier	External Record Identifier	string		255		
Id	Data Stream ID	id		18		
ImportRunStatus	Last Run Status	picklist		255		
IsDeleted	Deleted	boolean				
IsRefreshDeliveryHourAutomatic	Is Refresh Delivery Hour Automatic	boolean				
LastDataChangeStatusDateTime	Last Data Change Status at	datetime				
LastDataChangeStatusErrorCode	Last Data Change Status Error	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastNumberOfRowsAddedCount	Last # of Records Added	long	18			
LastReferencedDate	Last Referenced Date	datetime				
LastRefreshDate	Last Refreshed	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Data Stream Name	string		255		
OwnerId	Owner ID	reference		18		
RefreshDayOfMonth	Refresh Day of Month	int	9			
RefreshDayOfWeek	Refresh Day of Week	int	9			
RefreshFrequency	Frequency	picklist		255		
RefreshHours	Refresh Hours	multipicklist		4099	0	
RefreshMode	Refresh Mode	picklist		255		

DataStream

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
TotalNumberOfRowsAdded	Total Records	long	18			
TotalRowsProcessed	Last Processed Records	long	18			

DATASTREAMFEED

Feed tracking for DataStream.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DATASTREAMHISTORY

History for tracked fields of DataStream.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataStreamId	Data Stream ID	reference		18		
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Data Stream History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DATASTREAMSHARE

Sharing for DataStream.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DATASTREAMSTATEUSEVENT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CdpEventPublishDate	Event published time	datetime				
CdpEventType	Type of CDP Event	string		4000		
CdpSchemaVersion	Schema version	string		4000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataStreamStatus	Data Stream status	string		4000		
DatastreamId	External Id of the Data Stream	string		4000		
EventCreationDate	Event creation time	datetime				
EventUuid	EventUuid	string		36		
LastRunStatus	Status of the last run	string		4000		
ReplayId	ReplayId	string		1000		
RowsAdded	Total rows added	long	18			
StartExecutionTime	Last refreshed time of Data Stream	datetime				
StatusReason	Error message of the status if present	string		4000		
TotalRecords	Total records processed	long	18			
TotalRowsProcessed	Records processed in last run	long	18			

DATATYPE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContextServiceDataTypeId	Service Data Type ID	string		70		
ContextWsdldataTypeId	WSDL Data Type ID	string		70		
DeveloperName	Data Type Name	string		70		
DurableId	Data Type Durable ID	string		255		
Id	Data Type ID	id		18		
IsComplex	Is this Data Type Complex?	boolean				

DATAUSELEGALBASIS

Represents the legal basis for contacting a customer, such as billing or contract.

For more information, see `DataUseLegalBasis` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>Description</code>	Description	string		255		
<code>Id</code>	Data Use Legal Basis ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>LastReferencedDate</code>	Last Referenced Date	datetime				
<code>LastViewedDate</code>	Last Viewed Date	datetime				
<code>Name</code>	Name	string		255		
<code>OwnerId</code>	Owner ID	reference		18		
<code>Source</code>	Source	string		255		
<code>SystemModstamp</code>	System Modstamp	datetime				

DATAUSELEGALBASISHISTORY

History for tracked fields of DataUseLegalBasis.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
DataUseLegalBasisId	Data Use Legal Basis ID	reference		18		
Field	Changed Field	picklist		255		
Id	Data Use Legal Basis History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DATAUSELEGALBASISSHARE

Sharing for DataUseLegalBasis.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DATAUSEPURPOSE

Represents the reason for contacting a prospect or customer, such as for billing, marketing, or surveys

For more information, see `DataUsePurpose` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CanDataSubjectOptOut</code>	Can Data Subject Opt Out	boolean				
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>Description</code>	Description	string		255		
<code>Id</code>	Data Use Purpose ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>LastReferencedDate</code>	Last Referenced Date	datetime				
<code>LastViewedDate</code>	Last Viewed Date	datetime				
<code>LegalBasisId</code>	Legal Basis ID	reference		18		
<code>Name</code>	Name	string		255		
<code>OwnerId</code>	Owner ID	reference		18		
<code>PurposeId</code>	Purpose ID	reference		18		
<code>SystemModstamp</code>	System Modstamp	datetime				

DATAUSEPURPOSEHISTORY

History for tracked fields of DataUsePurpose.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
DataUsePurposeId	Data Use Purpose ID	reference		18		
Field	Changed Field	picklist		255		
Id	Data Use Purpose History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DATAUSEPURPOSESHARE

Sharing for DataUsePurpose.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DATA CLOUD COMPANY

Represents the fields for Data.com company records.

For more information, see DatacloudCompany in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActiveContacts	Active Contacts	int	9			
AnnualRevenue	Annual Revenue	currency			18	2
City	City	string		255		
CompanyId	Data.com Company ID	string		25		
Country	Country/Territory	string		50		
CountryCode	Country/Territory	picklist		255		
Description	Company Synopsis	string		400		
DunsNumber	Duns Number	string		128		
EmployeeQuantityGrowthRate	Employee Quantity Growth Rate	double			18	6
ExternalId	Data.com Company ID	string		255		
Fax	Fax Number	phone		40		
FortuneRank	Fortune Rank	int	9			
FullAddress	Address	string		255		
Id	System ID	id		18		
IncludedInSnP500	Included In S&P 500	string		10		
Industry	Industry	string		128		
IsInCrm	In CRM	boolean				
IsInactive	Inactive Status	boolean				
IsOwned	Owned	boolean				
NaicsCode	NAICS Code	string		128		
NaicsDesc	NAICS Description	string		128		
Name	Company Name	string		128		
NumberOfEmployees	Employee Count	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Ownership	Ownership Status	string		16		
Phone	Phone Number	phone		40		
PremisesMeasure	Premises Area Measurement	int	9			
PremisesMeasureReliability	Premises Area Measurement Reliability Text	string		64		
PremisesMeasureUnit	Premises Area Unit of Measurement	string		64		
PriorYearEmployees	Prior Year Employee	int	9			
PriorYearRevenue	Prior Year Revenue	currency			18	0
SalesTurnoverGrowthRate	Sales Turnover Growth Rate	double			18	6
Sic	SIC Code	string		128		
SicCodeDesc	Industry Codes	string		255		
SicDesc	SIC Description	string		128		
Site	Location Type	picklist		255		
State	State	string		50		
StateCode	State	picklist		255		
Street	Street Address	string		255		
TickerSymbol	Stock Ticker Symbol	string		16		
TradeStyle	Trade Style	string		128		
UpdatedDate	Updated Date	datetime				
Website	Company or Website	url		255		
YearStarted	Company Founding Date	string		4		
Zip	Zip	string		32		

DATA CLOUD CONTACT

The fields and properties for Data.com contact records.

For more information, see DatacloudContact in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
City	City	string		255		
CompanyId	Company Id	string		25		
CompanyName	Company	string		128		
ContactId	Data.com Contact ID	string		25		
Country	Country/Territory	string		50		
Department	Department	picklist		255		
Email	Email	email		80		
ExternalId	Data.com Contact ID	string		255		
FirstName	First name	string		128		
Id	System ID	id		18		
IsInCrm	In CRM	boolean				
IsInactive	Inactive Status	boolean				
IsOwned	Owned	boolean				
LastName	Last name	string		128		
Level	Level	picklist		255		
Phone	Phone	phone		40		
State	State	string		50		
Street	Street Address	string		255		
Title	Title	string		128		
UpdatedDate	Updated Date	datetime				
Zip	ZIP code	string		32		

DATA CLOUD DAND B COMPANY

Represents a set of read-only fields that are used to return D&B company data from Data.com API calls.

For more information, see DatacloudDandBCompany in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
City	City	string		255		
CompanyCurrencyIsoCode	Local Currency ISO Code	picklist		255		
CompanyId	D&B Company ID	string		25		
Country	Country	string		50		
CountryAccessCode	International Dialing Code	string		4		
CountryCode	Country Code	string		50		
CurrencyCode	Local Currency Code	picklist		255		
Description	Company Description	string		1000		
DomesticUltimateBusinessName	Domestic Ultimate Business Name	string		255		
DomesticUltimateDunsNumber	Domestic Ultimate D-U-N-S Number	string		9		
DunsNumber	D-U-N-S Number	string		9		
EmployeeQuantityGrowthRate	Employee Quantity Growth Rate	double			18	6
EmployeesHere	Number of Employees - Location	double			18	0
EmployeesHereReliability	Number of Employees - Location Indicator	picklist		255		
EmployeesTotal	Number of Employees - Total	double			18	0
EmployeesTotalReliability	Number of Employees - Total Indicator	picklist		255		
ExternalId	D&B Company ID	string		255		
FamilyMembers	Number of Business Family Members	int	5			
Fax	Facsimile Number	phone		40		
FifthNaics	Fifth NAICS Code	string		6		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
FifthNaicsDesc	Fifth NAICS Description	string		120		
FifthSic	Fourth SIC Description	string		4		
FifthSic8	Fifth SIC8 Code	string		8		
FifthSic8Desc	Fifth SIC8 Description	string		80		
FifthSicDesc	Fifth SIC Description	string		80		
FipsMsaCode	FIPS MSA Code	string		5		
FipsMsaDesc	FIPS MSA Code Description	string		255		
FortuneRank	Fortune Rank	int	9			
FourthNaics	Fourth NAICS Code	string		6		
FourthNaicsDesc	Fourth NAICS Description	string		120		
FourthSic	Fourth SIC Code	string		4		
FourthSic8	Fourth SIC8 Code	string		8		
FourthSic8Desc	Fourth SIC8 Description	string		80		
FourthSicDesc	Fourth SIC Description	string		80		
FullAddress	Address	string		255		
GeoCodeAccuracy	Geocode Accuracy	picklist		255		
GlobalUltimateBusinessName	Global Ultimate Business Name	string		255		
GlobalUltimateDunsNumber	Global Ultimate D-U-N-S Number	string		9		
GlobalUltimateTotalEmployees	Number of Employees - Global	double			18	0
Id	D&B Company ID	id		18		
ImportExportAgent	Import/Export	picklist		255		
IncludedInSnP500	Included In S&P 500	string		10		
Industry	Industry	string		80		
IsInCrm	In CRM	boolean				
IsOwned	Owned Status	boolean				
IsParent	Parent	boolean				
Latitude	Latitude	string		11		
LegalStatus	Legal Structure	picklist		255		
LocationStatus	Location Type	picklist		255		
Longitude	Longitude	string		11		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MailingCity	Mailing City	string		255		
MailingCountry	Mailing Country	string		50		
MailingCountryCode	Mailing Country Code	string		50		
MailingState	Mailing State	string		50		
MailingStateCode	Mailing State Code	string		50		
MailingStreet	Mailing Street Address	string		255		
MailingZip	Mailing Postal Code	string		32		
MarketingPreScreen	Delinquency Risk	picklist		255		
MarketingSegmentationCluster	Marketing Segmentation Cluster	picklist		255		
MinorityOwned	Minority-Owned Indicator	picklist		255		
Name	D&B Company Name	string		255		
NationalId	National Identification Number	string		255		
NationalIdType	National Identification System	picklist		255		
OutOfBusiness	Out Of Business Indicator	picklist		255		
OwnOrRent	Location Ownership Indicator	picklist		255		
ParentOrHqBusinessName	Parent Company Business Name	string		255		
ParentOrHqDunsNumber	Parent Company D-U-N-S Number	string		9		
Phone	Telephone Number	phone		40		
PremisesMeasure	Premises Area Measurement	int	9			
PremisesMeasureReliability	Premises Area Measurement Reliability Text	string		64		
PremisesMeasureUnit	Premises Area Unit of Measurement	string		64		
PrimaryNaics	Primary NAICS Code	string		6		
PrimaryNaicsDesc	Primary NAICS Description	string		120		
PrimarySic	Primary SIC Code	string		4		
PrimarySic8	SIC8 Code	string		8		
PrimarySic8Desc	SIC8 Description	string		80		
PrimarySicDesc	Primary SIC Description	string		80		
PriorYearEmployees	Prior Year Employee	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PriorYearRevenue	Prior Year Revenue	double			18	0
PublicIndicator	Ownership Type Indicator	picklist		255		
Revenue	Revenue	double			18	0
SalesTurnoverGrowthRate	Sales Turnover Growth Rate	double			18	6
SalesVolume	Annual Sales Volume	double			18	2
SalesVolumeReliability	Annual Sales Volume Indicator	picklist		255		
SecondNaics	Second NAICS Code	string		6		
SecondNaicsDesc	Second NAICS Description	string		120		
SecondSic	Second SIC Code	string		4		
SecondSic8	Second SIC8 Code	string		8		
SecondSic8Desc	Second SIC8 Description	string		80		
SecondSicDesc	Second SIC Description	string		80		
SicCodeDesc	Industry Codes	string		255		
SixthNaics	Sixth NAICS Code	string		6		
SixthNaicsDesc	Sixth NAICS Description	string		120		
SixthSic	Sixth SIC Code	string		4		
SixthSic8	Sixth SIC8 Code	string		8		
SixthSic8Desc	Sixth SIC8 Description	string		80		
SixthSicDesc	Sixth SIC Description	string		80		
SmallBusiness	Small Business Indicator	picklist		255		
State	State	string		50		
StateCode	State Code	string		50		
StockExchange	Stock Exchange	string		16		
StockSymbol	Ticker Symbol	string		6		
Street	Street Address	string		255		
Subsidiary	Subsidiary Indicator	picklist		255		
ThirdNaics	Third NAICS Code	string		6		
ThirdNaicsDesc	Third NAICS Description	string		120		
ThirdSic	Third SIC Code	string		4		
ThirdSic8	Third SIC8 Code	string		8		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ThirdSic8Desc	Third SIC8 Description	string		80		
ThirdSicDesc	Third SIC Description	string		80		
TradeStyle1	Primary Tradestyle	string		255		
TradeStyle2	Second Tradestyle	string		255		
TradeStyle3	Third Tradestyle	string		255		
TradeStyle4	Fourth Tradestyle	string		255		
TradeStyle5	Fifth Tradestyle	string		255		
URL	URL	url		255		
UsTaxId	US Tax ID Number	string		9		
WomenOwned	Woman-Owned Indicator	picklist		255		
YearStarted	Year Started	string		4		
Zip	Postal Code	string		32		

DATACLOUDOWNEDENTITY

Represents fields in the DatacloudOwnedEntity object. The DatacloudOwnedEntity object tracks user-purchased records. For more information, see DatacloudOwnedEntity in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataDotComKey	Data.com key	string		25		
DatacloudEntityType	Data.com Object Type	picklist		255		
Id	Data.com Owned Entity ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Description	string		255		
PurchaseType	Data.com Purchase Type	picklist		255		
PurchaseUsageId	Data.com Usage ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

DATA CLOUD PURCHASE USAGE

Represents an object used to identify and track Data.com record purchases. This object is available in API version 30.0 or later.

For more information, see `DatacloudPurchaseUsage` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DatacloudEntityType	Data.com Object Type	picklist		255		
Description	Description	string		255		
Id	Data.com Usage ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Sequence ID	string		255		
PurchaseType	Data.com Purchase Type	picklist		255		
SystemModstamp	System Modstamp	datetime				
Usage	Purchase Count	double			18	0
UserId	User ID	reference		18		
UserType	Data.com Usage Type	picklist		255		

DATASETEXPORT

Represents a dataset exported from Tableau CRM. When a dataset is exported, the data is converted into a .csv file and the schema is stored in a separate JSON file. These files are stored in two objects: DatasetExport and DatasetExportPart. DatasetExport acts as the header and includes the JSON schema.

For more information, see DatasetExport in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CompressedMetadataLength	Compressed Metadata Length	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Dataset Export ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Metadata	Metadata	base64				
MetadataLength	Metadata Length	int	9			
Owner	Owner	string		18		
PublisherInfo	Publisher Info	string		1000		
PublisherType	Publisher Type	picklist		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

DATASETEXPORTEVENT

Notifies subscribers on the export of a Tableau CRM dataset.

For more information, see DatasetExportEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataflowInstanceId	Dataflow Instance Id	string		18		
DatasetExportId	Dataset Export ID	string		18		
EventUuid	Event UUID	string		36		
Message	Message	string		255		
Owner	Owner	string		18		
PublisherInfo	Publisher Info	string		1000		
PublisherType	Publisher Type	picklist		255		
ReplayId	Replay ID	string		1000		
Status	Status	picklist		255		

DATASETEXPORTPART

Represents a dataset exported from Tableau CRM. When a dataset is exported, the data is converted into a .csv file and the schema is stored in a separate JSON file. These files are stored in two objects: DatasetExport and DatasetExportPart. DatasetExportPart contains parts of the .csv file.

For more information, see DatasetExportPart in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CompressedDataFileLength	Compressed Data File Length	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataFile	Data File	base64				
DataFileLength	Data File Length	int	9			
DatasetExportId	Dataset Export ID	reference		18		
Id	Dataset Export Part ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Owner	Owner	string		18		
PartNumber	Part Number	int	9			
SystemModstamp	System Modstamp	datetime				

DECISIONTABLE

Represents the information about a decision table. Use an input fields criteria to define when a decision table must provide outcomes. For more information, see DecisionTable in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConditionCriteria	Condition Criteria	string		255		
ConditionType	Condition Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
DeveloperName	API Name	string		80		
Id	Decision Table ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastSyncDate	Last Refreshed Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SetupName	Name	string		120		
SourceObject	Source Object	string		120		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

DECISIONTABLEDATASETLINK

Represents a dataset link associated with a decision table. Use dataset links in a decision table to select multiple source objects whose field values the decision table must evaluate and provide outcomes for.

For more information, see `DecisionTableDatasetLink` in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DecisionTableId	Decision Table ID	reference		18		
Description	Description	textarea		1000		
DeveloperName	Name	string		80		
Id	Decision Table Payload ID	id		18		
IsDefault	Is Default	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SetupName	Name	string		120		
SourceObject	Source Object	string		120		
SystemModstamp	System Modstamp	datetime				

DECISIONTABLEPARAMETER

Represents an input or output field in a decision table. An input field is a field in the business rule object or custom metadata type that contains values used by the decision table to evaluate field values. An output field is a field in the business rule object or custom metadata type that contains the values provided as outcomes for a rule.

For more information, see DecisionTableParameter in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DecisionTableId	Decision Table ID	reference		18		
FieldName	Attribute	string		120		
Id	Decision Table Parameter ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Operator	Operator	picklist		255		
Sequence	Sequence	int	9			
SystemModstamp	System Modstamp	datetime				
Usage	Type	picklist		255		

DECISIONTBLDATASETPARAMETER

Represents the mapping between the decision table input fields and the fields of the different source objects in the dataset link. This mapping allows the decision table to know which field values from the source objects must be evaluated by the input fields of the decision table.

For more information, see `DecisionTblDatasetParameter` in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DatasetFieldName	Dataset Field Name	string		120		
DatasetSourceObject	Dataset Source Object	string		120		
DecisionTableDatasetLinkId	Decision Table Payload ID	reference		18		
DecisionTableParameterId	Decision Table Parameter ID	reference		18		
Id	Decision Table Dataset Parameter ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				

DECLINEDEVENTRELATION

Represents event participants (invitees or attendees) with the status `Declined` for a given event.

For more information, see `DeclinedEventRelation` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>EventId</code>	Event ID	reference		18		
<code>Id</code>	Event Relation ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>RelationId</code>	Relation ID	reference		18		
<code>RespondedDate</code>	Response Date	datetime				
<code>Response</code>	Response	string		255		
<code>SystemModstamp</code>	System Modstamp	datetime				
<code>Type</code>	Type	string		50		

DELEGATEDACCOUNT

Represents the external managed account.

For more information, see DelegatedAccount in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessManageUsers	Allows user to manage users in delegated accounts	boolean				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	External Managed Account ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ManagedById	User ID	reference		18		
MayEdit	May Edit	boolean				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentId	Account ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TargetId	Account ID	reference		18		

DELEGATEDACCOUNTFEED

Feed tracking for DelegatedAccount.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

DELEGATEDACCOUNTHISTORY

History for tracked fields of DelegatedAccount.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
DelegatedAccountId	External Managed Account ID	reference		18		
Field	Changed Field	picklist		255		
Id	External Managed Account History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DELEGATEDACCOUNTSHARE

Sharing for DelegatedAccount.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DELETEDEVENT

Represents a record that has been soft deleted.

For more information, see DeleteEvent in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
DeletedById	Owner ID	reference		18		
DeletedDate	Deleted Date	datetime				
Id	Delete Event ID	id		18		
Record	Record ID	string		18		
RecordName	Record Name	string		255		
SubjectName	Type	string		40		
SystemModstamp	System Modstamp	datetime				

DIALERCALLUSAGE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CallStartDateTime	Call Started	datetime				
CallType	Call Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DurationInSeconds	Call Duration	int	8			
FromCountry	From Country	picklist		255		
Id	DialerCallUsage ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	DialerCallUsage Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
ToCountry	To Country	picklist		255		
VendorType	VendorType	picklist		255		
VoiceCallId	Voice Call ID	reference		18		

DIALERCALLUSAGESHARE

Sharing for DialerCallUsage.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DIGITALSIGNATURE

Represents a signature captured on a service report in field service.

For more information, see DigitalSignature in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DigitalSignatureNumber	Signature Number	string		255		
DocumentBody	Digital Signature Body	base64				
DocumentContentType	Digital Signature Content Type	picklist		255		
DocumentLength	Digital Signature Length	int	9			
DocumentName	Signature Document Name	string		40		
Id	Digital Signature ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent Record ID	reference		18		
Place	Place	string		255		
SignatureType	Type	picklist		40		
SignedBy	Signed By	string		255		
SignedDate	Date	datetime				
SystemModstamp	System Modstamp	datetime				

DIGITALWALLET

The digital wallet entity represents a customer's digital wallet service. Commerce Payments can use a digital wallet as a payment source when processing payments through a payment gateway.

For more information, see DigitalWallet in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AuditEmail	Audit Email	email		80		
Comments	Comments	textarea		1000		
CompanyName	Company Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Customer	Customer ID	string		255		
DigitalWalletNumber	Digital Wallet Number	string		255		
Email	Registered Email	email		80		
GatewayToken	Gateway Token	string		255		
GatewayTokenDetails	Gateway Token Details	textarea		1000		
GatewayTokenEncrypted	Gateway Token Encrypted	encrypted string		255		
Id	Digital Wallet ID	id		18		
IpAddress	IP Address	string		39		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MacAddress	MAC Address	string		32		
NickName	Nickname	string		255		
PaymentGatewayId	Payment Gateway ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PaymentMethodAddress	Payment Method Address	address				
PaymentMethodCity	City	string		40		
PaymentMethodCountry	Country	string		80		
PaymentMethodGeoCodeAccuracy	GeoCode Accuracy	picklist		255		
PaymentMethodLatitude	Latitude	double			18	15
PaymentMethodLongitude	Longitude	double			18	15
PaymentMethodPostalCode	Postal Code	string		20		
PaymentMethodState	State	string		80		
PaymentMethodStreet	Street	textarea		255		
Phone	Phone	phone		40		
ProcessingMode	Processing Mode	picklist		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

DOCUMENT

Represents a file that a user has uploaded. Unlike Attachment records, documents are not attached to a parent object.

For more information, see Document in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorId	Author ID	reference		18		
Body	Body	base64				
BodyLength	Body Length	int	8			
ContentType	MIME Type	string		120		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
DeveloperName	Document Unique Name	string		80		
FolderId	Folder ID	reference		18		
Id	Document ID	id		18		
IsBodySearchable	Document Content Searchable	boolean				
IsDeleted	Deleted	boolean				
IsInternalUseOnly	Internal Use Only	boolean				
IsPublic	Externally Available	boolean				
Keywords	Keywords	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Document Name	string		255		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				
Type	File Extension	string		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Url	Url	string		255		

DOCUMENTATTACHMENTMAP

Maps the relationship between an EmailTemplate and its attachment, which is stored as a Document.

For more information, see DocumentAttachmentMap in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DocumentId	Document ID	reference		18		
DocumentSequence	Attachment Sequence	int	9			
Id	Document Entity Map Id	id		18		
ParentId	Entity ID	reference		18		

DOCUMENTCHECKLISTITEM

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Document Checklist Item ID	id		18		
Instruction	Instructions	textarea		32000		
IsAccepted	Accepted	boolean				
IsDeleted	Deleted	boolean				
IsFrozen	Frozen	boolean				
IsRequired	Required	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentRecordId	ParentRecord ID	reference		18		
ReceivedDocumentId	Received Document ID	reference		18		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TransformationInfo	Transformation Info	textarea		10240		
UploadedById	User ID	reference		18		
WhoId	Who ID	reference		18		

DOCUMENTCHECKLISTITEMFEED

Feed tracking for DocumentChecklistItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DOCUMENTCHECKLISTITEMHISTORY

History for tracked fields of DocumentChecklistItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
DocumentChecklistItemId	Document Checklist Item ID	reference		18		
Field	Changed Field	picklist		255		
Id	Document Checklist Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DOCUMENTCHECKLISTITEMSHARE

Sharing for DocumentChecklistItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DOCUMENTTYPE

Represents the type of file being uploaded or attached.

For more information, see `DocumentType` in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	Name	string		80		
Id	Document Type ID	id		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

DOMAIN

Read-only object that represents a custom Web address assigned to a site in your organization.

For more information, see Domain in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CnameTarget	CNAME Target	string		765		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Domain	Domain Name	string		765		
DomainType	Domain Type	picklist		40		
HttpsOption	Current HTTPS Option	picklist		40		
Id	Domain ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OptionsHstsHeaders	Enable Strict Transport Security headers	boolean				
OptionsHstsPreload	Allow Strict Transport Security preloading	boolean				
SystemModstamp	System Modstamp	datetime				

DOMAINSITE

Read-only junction object that joins together the Site and Domain objects.

For more information, see DomainSite in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DomainId	Domain ID	reference		18		
Id	Custom URL ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PathPrefix	Path	string		255		
SiteId	Site ID	reference		18		
SystemModstamp	System Modstamp	datetime				

DuplicateJob

Represents an instance of a job that identifies duplicates among existing records in the system.

For more information, see DuplicateJob in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DuplicateJobDefinitionId	Duplicate Job Definition ID	reference		18		
DuplicateJobStatus	Duplicate Job Status	picklist		255		
EndDateTime	Duplicate Job Completed	datetime				
Id	Duplicate Job ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Duplicate Job Name	string		255		
NumDuplicateRecordItems	Number of Duplicate Record Items	int	9			
NumDuplicateRecordSets	Number of Duplicate Record Sets	int	9			
NumRecordsScanned	Number of Duplicate Records Scanned	int	9			
ResultListViewId	Duplicate Set List View ID	reference		18		
StartDateTime	Duplicate Job Started	datetime				
SystemModstamp	System Modstamp	datetime				

DUPLICATEJOBDEFINITION

Setup object defining a job that identifies duplicate record items globally.

For more information, see DuplicateJobDefinition in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Unique Duplicate Job Definition Name	string		80		
Id	Duplicate Job Definition ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Duplicate Job Definition Name	string		80		
SubjectSubtype	Object Subtype	picklist		255		
SubjectType	Object Type	picklist		40		
SystemModstamp	System Modstamp	datetime				

DUPLICATEJOBMATCHINGRULE

Represents a MatchingRule to be used with a DuplicateJob sharing the corresponding DuplicateJobMatchingRuleDefinition.

For more information, see DuplicateJobMatchingRule in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DuplicateJobId	Duplicate Job ID	reference		18		
DuplicateJobMatchingRuleDefId	Duplicate Job Matching Rule Definition ID	reference		18		
Id	Duplicate Job Matching Rule ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MatchingRuleBooleanFilter	Matching Rule Boolean Filter	textarea		1333		
MatchingRuleDescription	Matching Rule Description	textarea		255		
MatchingRuleName	Matching Rule Name	string		255		
Name	Duplicate Job Matching Rule Name	string		255		
SystemModstamp	System Modstamp	datetime				

DUPLICATEJOBMATCHINGRULEDEFINITION

Setup object specifying a MatchingRule to use with DuplicateJob instances that share a DuplicateJobDefinition.

For more information, see DuplicateJobMatchingRuleDefinition in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DuplicateJobDefinitionId	Duplicate Job Definition ID	reference		18		
Id	Duplicate Job Matching Rule Definition ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MatchingRuleId	Matching Rule ID	reference		18		
SystemModstamp	System Modstamp	datetime				

DUPLICATERECORDITEM

Represents an individual record that's part of a duplicate record set. Use this object to create custom report types.

For more information, see DuplicateRecordItem in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DuplicateRecordSetId	Duplicate Record Set ID	reference		18		
Id	Duplicate Record Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Duplicate Record Item Name	string		255		
RecordId	Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				

DUPLICATERECORDSET

Represents a group of records that have been identified as duplicates. Each duplicate record set contains one or more duplicate record items. Use this object to create custom report types and view the results of duplicate jobs.

For more information, see DuplicateRecordSet in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DuplicateRuleId	Duplicate Rule ID	reference		18		
Id	Duplicate Record Set ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Duplicate Record Set Name	string		255		
RecordCount	Record Count	int	9			
SystemModstamp	System Modstamp	datetime				

DUPLICATERULE

Represents a duplicate rule for detecting duplicate records.

For more information, see DuplicateRule in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Object Name	string		80		
Id	Duplicate Rule ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MasterLabel	Rule Name	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SubjectSubtype	Object Subtype	picklist		255		
SubjectType	Custom Object Definition ID	picklist		40		
SystemModstamp	System Modstamp	datetime				

EMAILCAPTURE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CaptureDate	Capture Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FromPattern	From	string		255		
Id	Email Capture ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RawMessage	Raw Message	base64				
RawMessageLength	Raw Message Length	int	9			
Recipient	Recipient	string		255		
Sender	Sender	string		255		
SystemModstamp	System Modstamp	datetime				
ToPattern	To	string		255		

EMAILDOMAINFILTER

Represents a filter that determines whether an email relay is restricted to a specific list of domains.

For more information, see EmailDomainFilter in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmailRelayId	Email Relay ID	reference		18		
FromDomain	Sender Domain	textarea		4000		
Id	Email Domain Filter ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PriorityNumber	Priority	int	9			
SystemModstamp	System Modstamp	datetime				
ToDomain	Recipient Domain	textarea		4000		

EMAILDOMAINKEY

Represents a domain key for an organization's domain, used to authenticate outbound email that Salesforce sends on the organization's behalf.

For more information, see EmailDomainKey in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AlternatePublicKey	Alternate Public Key	textarea		32000		
AlternateSelector	Alternate Selector	string		63		
AlternateTxtRecordName	Alternate TXT Record Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Domain	Domain	string		255		
DomainMatch	Domain Match	picklist		255		
Id	Email Domain Key ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
KeySize	Key Size	int	9			
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PublicKey	Public Key	textarea		32000		
Selector	Selector	string		63		
SystemModstamp	System Modstamp	datetime				
TxtRecordName	TXT Record Name	string		255		
TxtRecordsPublishState	TXT Record Status	picklist		255		

EMAILMESSAGE

Represents an email in Salesforce.

For more information, see `EmailMessage` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivityId	Activity ID	reference		18		
BccAddress	BCC Address	string		4000		
CcAddress	CC Address	string		4000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmailTemplateId	Email Template ID	reference		18		
FirstOpenedDate	First Opened	datetime				
FromAddress	From Address	email		1000		
FromName	From Name	string		1000		
HasAttachment	Has Attachment	boolean				
Headers	Headers	textarea		32000		
HtmlBody	HTML Body	textarea		32000		
Id	Email Message ID	id		18		
Incoming	Is Incoming	boolean				
IsBounced	Bounced?	boolean				
IsClientManaged	Is Client Managed	boolean				
IsDeleted	Deleted	boolean				
IsExternallyVisible	Is Externally Visible	boolean				
IsOpened	Opened?	boolean				
IsTracked	Is Tracked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastOpenedDate	Last Opened	datetime				

Email/Message

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MessageDate	Message Date	datetime				
MessageIdentifier	Message ID	string		765		
ParentId	Case ID	reference		18		
RelatedToId	Related To ID	reference		18		
ReplyToEmailMessageId	Email Message ID	reference		18		
Status	Status	picklist		40		
Subject	Subject	string		3000		
SystemModstamp	System Modstamp	datetime				
TextBody	Text Body	textarea		32000		
ThreadIdIdentifier	Thread ID	string		765		
ToAddress	To Address	string		4000		
ValidatedFromAddress	From	picklist		255		

EMAILMESSAGERELATION

Represents the relationship between an email and contacts, leads, and users.

For more information, see `EmailMessageRelation` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>EmailMessageId</code>	Email Message ID	reference		18		
<code>Id</code>	Email Message Relation ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>RelationAddress</code>	Relation Address	string		255		
<code>RelationId</code>	Relation ID	reference		18		
<code>RelationObjectType</code>	Relation Object Type	string		50		
<code>RelationType</code>	Relation Type	picklist		40		
<code>SystemModstamp</code>	System Modstamp	datetime				

EMAILRELAY

Represents the configuration for sending an email relay. An email relay routes email sent from Salesforce through your company's email servers.

For more information, see EmailRelay in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthType	Auth Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Host	Host	string		255		
Id	Email Relay ID	id		18		
IsDeleted	Deleted	boolean				
IsRequireAuth	Enable SMTP Auth	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Password	Password	encrypted string		100		
Port	Port	picklist		255		
SystemModstamp	System Modstamp	datetime				
TlsSetting	TLS Setting	picklist		255		
Username	Username	string		100		

EMAILSERVICESADDRESS

An email service address.

For more information, see EmailServicesAddress in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorizedSenders	Accept Email From	textarea		4000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Email Address Name	string		25		
EmailDomainName	Email address domain	string		255		
FunctionId	Service ID	reference		18		
Id	Address ID	id		18		
IsActive	Active	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LocalPart	Email address	string		64		
RunAsUserId	User ID	reference		18		
SystemModstamp	System Modstamp	datetime				

EMAILSERVICESFUNCTION

An email service.

For more information, see EmailServicesFunction in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AddressInactiveAction	Deactivated Email Address Action	picklist		40		
ApexClassId	Class ID	reference		18		
AttachmentOption	Accept Attachments	picklist		40		
AuthenticationFailureAction	Unauthenticated Sender Action	picklist		40		
AuthorizationFailureAction	Unauthorized Sender Action	picklist		40		
AuthorizedSenders	Accept Email From	textarea		4000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ErrorRoutingAddress	Route Error Emails to This Email Address	email		270		
FunctionInactiveAction	Deactivated Email Service Action	picklist		40		
FunctionName	Email Service Name	string		64		
Id	Service ID	id		18		
IsActive	Active	boolean				
IsAuthenticationRequired	Advanced Email Security Settings	boolean				
IsErrorRoutingEnabled	Enable Error Routing	boolean				
IsTextAttachmentsAsBinary	Convert Text Attachments to Binary Attachments	boolean				
IsTlsRequired	TLS Required	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OverLimitAction	Over Email Rate Limit Action	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

EMAILSTATUS

Represents the status of email sent.

For more information, see EmailStatus in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmailTemplateName	Email Template Name	string		80		
FirstOpenDate	Date Opened	datetime				
Id	Email Status ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastOpenDate	Last Opened	datetime				
TaskId	Activity ID	reference		18		
TimesOpened	# Times Opened	int	9			
WhoId	Name ID	reference		18		

EMAILTEMPLATE

Represents a template for an email, mass email, list email, or HVS email.

For more information, see EmailTemplate in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiVersion	API Version	double			18	1
Body	Email Body	textarea		384000		
BrandTemplateId	Letterhead ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		4000		
DeveloperName	Template Unique Name	string		80		
Encoding	Encoding	picklist		40		
EnhancedLetterheadId	Enhanced Letterhead ID	reference		18		
FolderId	Folder ID	reference		18		
FolderName	Folder Name	string		256		
HasSalesforceFiles	Contains Salesforce Files	boolean				
HtmlValue	HTML Value	textarea		384000		
Id	Email Template ID	id		18		
IsActive	Available For Use	boolean				
IsBuilderContent	Made in Email Template Builder	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastUsedDate	Last Used Date	datetime				
Markup	Markup	textarea		1048576		
Name	Email Template Name	string		80		
NamespacePrefix	Namespace Prefix	string		15		
OwnerId	Owner ID	reference		18		

EmailTemplate

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RelatedEntityType	Custom Object Definition ID	picklist		40		
Subject	Subject	string		1000		
SystemModstamp	System Modstamp	datetime				
TemplateStyle	Style	picklist		40		
TemplateType	Template Type	picklist		40		
TimesUsed	Times Used	int	9			
UiType	UI Type	picklist		40		

EMBEDDEDSERVICEDETAIL

Represents a metadata catalog object that exposes fields from the underlying Embedded Service setup objects defined in each EmbeddedServiceConfig deployment for guest users. Guest users don't have direct access to the Embedded Service setup objects. For more information, see EmbeddedServiceDetail in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AvatarImg	Avatar Image URL	string		255		
ContrastInvertedColor	Contrast Inverted Color	string		255		
ContrastPrimaryColor	Contrast Primary Color	string		255		
CustomMinimizedComponent	Custom Minimized Component Developer Name	string		18		
CustomPrechatComponent	Custom Prechat Component Developer Name	string		18		
DurableId	Embedded Service Durable ID	string		255		
FieldServiceConfirmCardImg	Field Service Confirmation Card Image URL	string		255		
FieldServiceHomeImg	Field Service Home Image URL	string		255		
FieldServiceLogoImg	Field Service Logo Image URL	string		255		
Font	Font	string		255		
FontSize	Font Size	picklist		255		
Height	Height	int	9			
Id	Embedded Service ID	id		18		
IsFieldServiceEnabled	Enabled	boolean				
IsLiveAgentEnabled	Enabled	boolean				
IsOfflineCaseEnabled	Offline Case Enabled	boolean				
IsPrechatEnabled	Pre-Chat Enabled	boolean				
IsQueuePositionEnabled	Queue Position Enabled	boolean				
NavBarColor	NavBar Color	string		255		
NavBarTextColor	NavBar Text Color	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OfflineCaseBackgroundImg	Offline Case Background Image URL	string		255		
PrechatBackgroundImg	Pre-Chat Background Image URL	string		255		
PrimaryColor	Primary Color	string		255		
SecondaryColor	Secondary Color	string		255		
SecondaryNavBarColor	Secondary NavBar Color	string		255		
ShouldHideAuthDialog	Hide Authentication Dialog	boolean				
ShouldShowExistingAppointment	Show Existing Appointment	boolean				
ShouldShowNewAppointment	Show New Appointment	boolean				
Site	Site	string		18		
SmallCompanyLogoImg	Small Company Logo Image URL	string		255		
WaitingStateBackgroundImg	Waiting State Background Image URL	string		255		
Width	Width	int	9			

EMBEDDEDSERVICELABEL

Represents a customized label in Embedded Chat or embedded Appointment Management.

For more information, see EmbeddedServiceLabel in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CustomLabelName	Custom Label Name	string		80		
DurableId	Embedded Service Label Durable ID	string		255		
EmbeddedServiceConfigDeveloperName	Embedded Service Config Developer Name	string		80		
Id	Embedded Service Label ID	id		18		
LabelKey	Label Key	picklist		255		

ENGAGEMENTCHANNELTYPE

Represents a channel through which a customer can be reached for communication.

For more information, see EngagementChannelType in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Engagement Channel Type ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ENGAGEMENTCHANNELTYPEFEED

Feed tracking for EngagementChannelType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ENGAGEMENTCHANNELTYPEHISTORY

History for tracked fields of EngagementChannelType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
EngagementChannelTypeId	Engagement Channel Type ID	reference		18		
Field	Changed Field	picklist		255		
Id	Engagement Channel Type History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ENGAGEMENTCHANNELTYPESHARE

Sharing for EngagementChannelType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ENHANCEDLETTERHEAD

Represents an enhanced letterhead that can be associated with a Lightning email template that doesn't use the Salesforce Merge Language (SML).

For more information, see EnhancedLetterhead in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Enhanced Letterhead ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LetterheadFooter	Footer	textarea		32000		
LetterheadHeader	Header	textarea		32000		
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

ENHANCEDLETTERHEADFEED

Feed tracking for EnhancedLetterhead.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ENROLLMENTELIGIBILITYCRITERIA

Represents criteria that defines patient enrollment eligibility for one or more care programs.

For more information, see EnrollmentEligibilityCriteria in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Id	Enrollment Eligibility Criteria ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

ENROLLMENTELIGIBILITYCRITERIAFEED

Feed tracking for EnrollmentEligibilityCriteria.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ENROLLMENTELIGIBILITYCRITERIAHISTORY

History for tracked fields of EnrollmentEligibilityCriteria.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
EnrollmentEligibilityCriteriaId	Enrollment Eligibility Criteria ID	reference		18		
Field	Changed Field	picklist		255		
Id	Enrollment Eligibility Criteria History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ENROLLMENTELIGIBILITYCRITERIASHARE

Sharing for EnrollmentEligibilityCriteria.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ENTITLEMENT

Represents the customer support an account or contact is eligible to receive.

For more information, see Entitlement in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AssetId	Asset ID	reference		18		
BusinessHoursId	Business Hours ID	reference		18		
CasesPerEntitlement	Cases Per Entitlement	int	9			
ContractLineItemId	Contract Line Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDate	End Date	date				
Id	Entitlement ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
IsPerIncident	Per Incident	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
MayEdit	May Edit	boolean				
Name	Entitlement Name	string		255		
RemainingCases	Remaining Cases	int	9			
RemainingWorkOrders	Remaining Work Orders	int	9			
ServiceContractId	Service Contract ID	reference		18		
SlaProcessId	Entitlement Process ID	reference		18		

Entitlement

Field Name	Field Label	Type	Digits	Length	Precision	Scale
StartDate	Start Date	date				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		
WorkOrdersPerEntitlement	Work Orders Per Entitlement	int	9			

ENTITLEMENTCONTACT

Represents a Contact eligible to receive customer support via an Entitlement.

For more information, see EntitlementContact in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EntitlementId	Entitlement ID	reference		18		
Id	Entitlement Contact ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MayEdit	May Edit	boolean				
Name	Entitlement Contact	string		255		
SystemModstamp	System Modstamp	datetime				

ENTITLEMENTFEED

Feed tracking for Entitlement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ENTITLEMENTHISTORY

History for tracked fields of Entitlement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
EntitlementId	Entitlement ID	reference		18		
Field	Changed Field	picklist		255		
Id	Entitlement History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ENTITLEMENTTEMPLATE

Represents predefined terms of customer support for a product (Product2).

For more information, see EntitlementTemplate in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessHoursId	Business Hours ID	reference		18		
CasesPerEntitlement	Cases Per Entitlement	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Entitlement Template ID	id		18		
IsPerIncident	Per Incident	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Entitlement Template Name	string		120		
NamespacePrefix	Namespace Prefix	string		15		
SlaProcessId	Entitlement Process ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Term	Term (Days)	int	9			
Type	Type	picklist		255		

ENTITYDEFINITION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
DefaultCompactLayoutId	Compact Layout ID	string		70		
DefaultImplementation	Default Implementation	string		255		
DeploymentStatus	Deployment Status	picklist		255		
DetailUrl	Detail URL	url		255		
DeveloperName	Developer Name	string		40		
DurableId	Durable ID	string		255		
EditDefinitionUrl	Edit Definition URL	url		255		
EditUrl	Edit URL	url		255		
ExtendedBy	Extended By	string		255		
ExtendsInterfaces	Interfaces Extended	string		255		
ExternalSharingModel	External sharing Model	picklist		255		
HasSubtypes	Has Subtypes?	boolean				
HelpSettingPageName	Help Setting Page Name	string		80		
HelpSettingPageUrl	Help Setting Page URL	url		255		
Id	Entity Definition ID	id		18		
ImplementedBy	Implemented By	string		255		
ImplementsInterfaces	Interfaces Implemented	string		255		
InternalSharingModel	Internal Sharing Model	picklist		255		
IsApexTriggerable	Is Apex Triggerable?	boolean				
IsAutoActivityCaptureEnabled	Is Einstein Activity Capture Enabled?	boolean				
IsCompactLayoutable	Is Compact Layout Enabled?	boolean				
IsCustomSetting	Is Custom Setting?	boolean				
IsCustomizable	Is Customizable?	boolean				
IsDeprecatedAndHidden	Is Deprecated And Hidden?	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsEverCreatable	Is Ever Creatable via API?	boolean				
IsEverDeletable	Is Ever Deletable via API?	boolean				
IsEverUpdatable	Is Ever Updatable via API?	boolean				
IsFeedEnabled	Is Feed Enabled?	boolean				
IsIdEnabled	Is Id Enabled?	boolean				
IsInterface	Is Interface?	boolean				
IsLayoutable	Is Layout Enabled?	boolean				
IsMruEnabled	Is MRU List Functionality Enabled for This Object?	boolean				
IsProcessEnabled	Is Approval Process Enabled?	boolean				
IsQueryable	Queryable	boolean				
IsReplicableable	Is Replicableable?	boolean				
IsRetrieveable	Is Retrieveable?	boolean				
IsSearchLayoutable	Is Search Layoutable?	boolean				
IsSearchable	Is Searchable?	boolean				
IsSubtype	Is Subtype?	boolean				
IsTriggerable	Is Triggerable?	boolean				
IsWorkflowEnabled	Is Workflow Enabled?	boolean				
KeyPrefix	Key Prefix	string		3		
Label	Label	string		40		
LastModifiedById	User ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		40		
NamespacePrefix	Namespace Prefix	string		15		
NewUrl	New URL	url		255		
PluralLabel	Plural Label	string		40		
PublisherId	Publisher ID	string		70		
QualifiedApiName	Qualified API Name	string		70		
RecordTypesSupported	Record Types Supported	complexvalue				
RunningUserEntityAccessId	User Entity Access ID	string		150		

ENTITYIMPLEMENTS

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EntityEnumOrId	Implementing Entity	picklist		255		
Id	Entity Implements ID	id		18		
InterfaceEnumOrId	Interface Entity	picklist		255		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

ENTITYMILESTONE

Represents a required step in a customer support process on a work order. The Salesforce user interface uses the term “object milestone.” For more information, see EntityMilestone in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualElapsedTimeInDays	Actual Elapsed Time (Days)	double			6	2
ActualElapsedTimeInHrs	Actual Elapsed Time (Hours)	double			6	2
ActualElapsedTimeInMins	Actual Elapsed Time (Mins)	int	9			
BusinessHoursId	Business Hours ID	reference		18		
CompletionDate	Completion Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ElapsedTimeInDays	Elapsed Time (Days)	double			6	2
ElapsedTimeInHrs	Elapsed Time (Hours)	double			6	2
ElapsedTimeInMins	Elapsed Time (Mins)	int	9			
Id	Object Milestone ID	id		18		
IsCompleted	Completed	boolean				
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
IsViolated	Violation	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MayEdit	May Edit	boolean				
MilestoneTypeId	Milestone Type ID	reference		18		
Name	Object Milestone Name	string		255		
ParentEntityId	Work Order ID	reference		18		
SlaProcessId	Entitlement Process ID	reference		18		
StartDate	Start Date	datetime				

Entity/Milestone

Field Name	Field Label	Type	Digits	Length	Precision	Scale
StoppedTimeInDays	Stopped Time (Days)	double			6	2
StoppedTimeInHrs	Stopped Time (Hours)	double			6	2
StoppedTimeInMins	Stopped Time (Mins)	int	9			
SystemModstamp	System Modstamp	datetime				
TargetDate	Target Date	datetime				
TargetResponseInDays	Target Response (Days)	double			6	2
TargetResponseInHrs	Target Response (Hours)	double			6	2
TargetResponseInMins	Target Response (Mins)	int	9			
TimeRemainingInDays	Time Remaining (Days)	double			6	2
TimeRemainingInHrs	Time Remaining (Hour:Min)	string		10		
TimeRemainingInMins	Time Remaining (Min:Sec)	string		10		
TimeSinceTargetInDays	Time Since Target (Days)	double			6	2
TimeSinceTargetInHrs	Time Since Target (Hour:Min)	string		10		
TimeSinceTargetInMins	Time Since Target (Min:Sec)	string		10		

ENTITYMILESTONEFEED

Feed tracking for EntityMilestone.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ENTITYMILESTONEHISTORY

History for tracked fields of EntityMilestone.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
EntityMilestoneId	Object Milestone ID	reference		18		
Field	Changed Field	picklist		255		
Id	Object Milestone History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ENTITYPARTICLE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ByteLength	Byte Length	int	9			
DataType	Data Type	string		40		
DefaultValueFormula	Default Value if Formula is Not Used	string		150		
DeveloperName	Developer Name	string		40		
Digits	Digits	int	9			
DurableId	Durable ID	string		255		
EntityDefinitionId	Entity Definition ID	string		70		
ExtraTypeInfo	Extra Type Info	string		150		
FieldDefinitionId	Field Definition ID	string		70		
Id	Entity Particle ID	id		18		
InlineHelpText	Inline Help Text	string		150		
IsApiFilterable	Is Field Filterable?	boolean				
IsApiGroupable	Is Field Groupable?	boolean				
IsApiSortable	Is Field Sortable?	boolean				
IsAutonumber	Is Field an Autonumber?	boolean				
IsCalculated	Is Field calculated?	boolean				
IsCaseSensitive	Is Field Case Sensitive?	boolean				
IsCompactLayoutable	Is Compact Layout Enabled?	boolean				
IsComponent	Is Field a component of a compound field	boolean				
IsCompound	Is Field a compound field	boolean				
IsCreatable	Is Field Creatable?	boolean				
IsDefaultedOnCreate	Is Field Defaulted On Create?	boolean				
IsDependentPicklist	Is Field a Dependent Picklist?	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsDeprecatedAndHidden	Is Field a Deprecated and Hidden?	boolean				
IsDisplayLocationInDecimal	Is Field Displays Location in Decimals?	boolean				
IsEncrypted	Is Field Encrypted?	boolean				
IsFieldHistoryTracked	Is Field History Tracked	boolean				
IsHighScaleNumber	Is Field a high scale number?	boolean				
IsHtmlFormatted	Is Field a HTML formatted?	boolean				
IsIdLookup	Can this Field be Used to Specify a Record in Upsert?	boolean				
IsLayoutable	Is Layout Enabled?	boolean				
IsListVisible	Is Field visible in Lists?	boolean				
IsNameField	Is Field a Name field?	boolean				
IsNamePointing	Does this Field Contain the Name of the Parent?	boolean				
IsNillable	Is Field a nillable?	boolean				
IsPermissionable	Is Field Permissionable?	boolean				
IsUnique	Is Field Unique?	boolean				
IsUpdatable	Is Field Updatable?	boolean				
IsWorkflowFilterable	Is Workflow Filterable?	boolean				
IsWriteRequiresMasterRead	Does Write Require Master Read?	boolean				
Label	Label	string		40		
Length	Length	int	9			
Mask	Mask	string		150		
MaskType	Mask Type	string		150		
MasterLabel	Master Label	string		40		
Name	Name	string		150		
NamespacePrefix	Namespace Prefix	string		15		
Precision	Precision	int	9			
QualifiedApiName	Qualified API Name	string		70		
ReferenceTargetField	Reference Target Field	string		150		

EntityParticle

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ReferenceTo	Entities Referenced by Relationship	complexvalue				
RelationshipName	Relationship Name	string		150		
RelationshipOrder	Type of Relationship for a Master-Detail Relationship	int	9			
Scale	Scale	int	9			
ServiceDataTypeId	Data Type ID	string		70		
ValueTypeId	Data Type ID	string		70		

ENTITYSUBSCRIPTION

Represents a subscription for a user following a record or another user.

For more information, see EntitySubscription in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Entity Subscription ID	id		18		
IsDeleted	Deleted	boolean				
ParentId	Parent ID	reference		18		
SubscriberId	Subscriber ID	reference		18		

EVENT

Represents an event in the calendar. In the user interface, event and task records are collectively referred to as activities.

For more information, see Event in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActivityDate	Due Date Only	date				
ActivityDateTime	Due Date Time	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
DurationInMinutes	Duration	int	8			
EndDate	End Date	date				
EndDateTime	End Date Time	datetime				
EventSubtype	Event Subtype	picklist		40		
GroupEventType	Group Event Type	picklist		40		
Id	Activity ID	id		18		
IsAllDayEvent	All-Day Event	boolean				
IsArchived	Archived	boolean				
IsChild	Is Child	boolean				
IsDeleted	Deleted	boolean				
IsGroupEvent	Is Group Event	boolean				
IsPrivate	Private	boolean				
IsRecurrence	Create Recurring Series of Events	boolean				
IsRecurrence2	Repeat	boolean				
IsRecurrence2Exception	Is Exception	boolean				
IsRecurrence2Exclusion	Historical Event, Not Following Recurrence	boolean				

Event

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsReminderSet	Reminder Set	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Location	Location	string		255		
OwnerId	Assigned To ID	reference		18		
Recurrence2PatternStartDate	Recurrence Pattern Start Date	datetime				
Recurrence2PatternText	Recurrence Pattern	textarea		512		
Recurrence2PatternTimeZone	Recurrence Pattern Time Zone Reference	string		255		
Recurrence2PatternVersion	Pattern Version	picklist		40		
RecurrenceActivityId	Recurrence Activity ID	reference		18		
RecurrenceDayOfMonth	Recurrence Day of Month	int	9			
RecurrenceDayOfWeekMask	Recurrence Day of Week Mask	int	9			
RecurrenceEndDateOnly	Recurrence End	date				
RecurrenceInstance	Recurrence Instance	picklist		40		
RecurrenceInterval	Recurrence Interval	int	9			
RecurrenceMonthOfYear	Recurrence Month of Year	picklist		40		
RecurrenceStartDateTime	Recurrence Start	datetime				
RecurrenceTimeZoneSidKey	Recurrence Time Zone	picklist		40		
RecurrenceType	Recurrence Type	picklist		40		
ReminderDateTime	Reminder Date/Time	datetime				
ServiceAppointmentId	Service Appointment ID	reference		18		
ShowAs	Show Time As	picklist		40		
StartDateTime	Start Date Time	datetime				
Subject	Subject	combobox		255		
SystemModstamp	System Modstamp	datetime				
WhatId	Related To ID	reference		18		
WhoId	Name ID	reference		18		

EVENTBUSSUBSCRIBER

Represents a trigger, process, or flow that's subscribed to a platform event or a change data capture event. Doesn't include CometD subscribers.

For more information, see EventBusSubscriber in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ExternalId	External ID	string		255		
Id	Event ID	id		18		
LastError	Last Error Message	string		255		
Name	Subscriber Name	string		80		
Position	Position	int	9			
Retries	Retry Attempts	int	9			
Status	Status	picklist		255		
Tip	Tip	int	9			
Topic	Topic	string		80		
Type	Type	string		80		

EVENTFEED

Feed tracking for Event.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

EVENTLOGFILE

Represents event log files for event monitoring. The event monitoring product gathers information about your Salesforce org's operational events, which you can use to analyze usage trends and user behavior.

For more information, see EventLogFile in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiVersion	API Version	double			18	1
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EventType	Event Type	picklist		255		
Id	Event Log File ID	id		18		
Interval	Interval	picklist		255		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LogDate	Log Date	datetime				
LogFile	Log File	base64				
LogFileContentType	Log File Content Type	string		255		
LogFileFieldNames	Log File Field Names	string		1333		
LogFileFieldTypes	Log File Field Types	string		1333		
LogFileLength	Log File Length	double			18	0
Sequence	Sequence	int	9			
SystemModstamp	System Modstamp	datetime				

EVENTRELATION

Represents a person (a user, lead, or contact) or a resource (such as a conference room) invited to an event. This object lets you add or remove invitees from an event and use the API to manage invitees' responses to invitations. If Shared Activities is enabled, EventRelation can also represent other objects that are related to an event. EventRelation does not support triggers, workflow, or data validation rules. For more information, see EventRelation in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EventId	Event ID	reference		18		
Id	Event Relation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RelationId	Relation ID	reference		18		
RespondedDate	Response Date	datetime				
Response	Response	string		255		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

EVENTWHORELATION

Represents the relationship between an event and a lead or contacts. This derived object is a filtered version of the EventRelation object; that is, IsParent is *true* and IsWhat is *false*. It doesn't represent relationships to invitees or to accounts, opportunities, or other objects.

For more information, see EventWhoRelation in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EventId	Event ID	reference		18		
Id	Event Relation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RelationId	Relation ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	string		50		

EXAMINATION

Represents examinations authorized by a government authority that qualify a license/permit.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Id	Examination ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

EXAMINATIONFEED

Feed tracking for Examination.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

EXAMINATIONHISTORY

History for tracked fields of Examination.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
ExaminationId	Examination ID	reference		18		
Field	Changed Field	picklist		255		
Id	Examination History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

EXAMINATIONSHARE

Sharing for Examination.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

EXECUTIONPLAN

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CompleteTaskCount	Complete Task Count	int	9			
Context	Context	textarea		100000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndTime	End Time	datetime				
Id	Execution Plan ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Message	Message	textarea		32000		
NotificationComplete	Notification Completed	boolean				
NotificationSent	Notification Condition	picklist		255		
PipelineType	Pipeline Type	picklist		255		
Plan	Plan	textarea		100000		
Requestor	Requestor	string		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TaskGroupId	Task Group ID	reference		18		
TotalTaskCount	Total Task Count	int	9			

EXECUTIONPLANTASK

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataflowInstanceId	Dataflow Job ID	reference		18		
DataflowRequestId	Dataflow Request ID	reference		18		
DataflowVersionId	Dataflow Version ID	reference		18		
EndTime	End Time	long	18			
ExecutionPlanId	Execution Plan ID	reference		18		
Id	Execution Plan Task ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
QueueTime	Queue Time	long	18			
RequestTime	Request Time	long	18			
StartTime	Start Time	long	18			
Status	Status	picklist		255		
StepNumber	Step Number	int	9			
SystemModstamp	System Modstamp	datetime				

EXPENSE

Represents an expense linked to a work order. Service resource technicians can log expenses, such as tools or travel costs.

For more information, see Expense in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Amount	Amount	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Discount	Discount	percent			5	2
ExpenseEndDate	End Date	date				
ExpenseNumber	Expense Name	string		255		
ExpenseStartDate	Start Date	date				
ExpenseType	Expense Type	picklist		40		
Id	Expense ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
Quantity	Quantity	double			12	2
Subtotal	Subtotal	currency			18	2
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
TotalPrice	Total Price	currency			18	2
TransactionDate	Transaction Date	date				

Expense

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UnitPrice	Unit Price	currency			18	2
WorkOrderId	Work Order ID	reference		18		

EXPENSEFEED

Feed tracking for Expense.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

EXPENSEHISTORY

History for tracked fields of Expense.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
ExpenseId	Expense ID	reference		18		
Field	Changed Field	picklist		255		
Id	Expense History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

EXPENSEREPORT

Represents a report that summarizes expenses.

For more information, see ExpenseReport in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
ExpenseReportNumber	Expense Report Number	string		255		
Id	Expense Report ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		120		
TotalExpenseAmount	Total Expense Amount	currency			18	2

EXPENSEREPORTENTRY

Represents an entry in an expense report.

For more information, see ExpenseReportEntry in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExpenseId	Expense ID	reference		18		
ExpenseReportEntryNumber	Expense Report Entry Number	string		255		
ExpenseReportId	Expense Report ID	reference		18		
ExpenseType	Expense Type	picklist		40		
Id	Expense Report Entry ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
TransactionDate	Transaction Date	date				

EXPENSEREPORTENTRYFEED

Feed tracking for ExpenseReportEntry.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

EXPENSEREPORTENTRYHISTORY

History for tracked fields of ExpenseReportEntry.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
ExpenseReportEntryId	Expense Report Entry ID	reference		18		
Field	Changed Field	picklist		255		
Id	Expense Report Entry History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

EXPENSEREPORTFEED

Feed tracking for ExpenseReport.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

EXPENSEREPORTHISTORY

History for tracked fields of ExpenseReport.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
ExpenseReportId	Expense Report ID	reference		18		
Field	Changed Field	picklist		255		
Id	Expense Report History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

EXPENSEREPORTSHARE

Sharing for ExpenseReport.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

EXPENSESHARE

Sharing for Expense.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

EXPRESSIONFILTER

Represents a logical expression that's used to control the execution of macro instructions.

For more information, see ExpressionFilter in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContextId	Macro Instruction ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FilterConditionLogic	FilterConditionLogic	string		255		
FilterDescription	FilterDescription	string		255		
Id	ExpressionFilter ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	ExpressionFilter Name	string		255		
SystemModstamp	System Modstamp	datetime				

EXPRESSIONFILTERCRITERIA

Represents a condition in an expression that's used to control the execution of macro instructions.

For more information, see ExpressionFilterCriteria in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExpressionFilterId	ExpressionFilter ID	reference		18		
FilterTarget	FilterTarget	string		255		
FilterTargetValue	Context	string		255		
Id	ExpressionFilterCriteria ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	ExpressionFilterCriteria Name	string		255		
Operation	Operation	picklist		255		
SortOrder	SortOrder	int	8			
SystemModstamp	System Modstamp	datetime				

EXTERNALDATASOURCE

Represents an external data source, which defines connection details for integration with data and content that are stored outside the Salesforce org.

For more information, see ExternalDataSource in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthProviderId	Auth. Provider ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomConfiguration	Custom Configuration	textarea		4000		
DeveloperName	Name	string		80		
Endpoint	URL	textarea		1000		
Id	External Data Source ID	id		18		
IsDeleted	Deleted	boolean				
IsWritable	Writable External Objects	boolean				
Language	Master Language	picklist		40		
LargeIconId	Static Resource ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	External Data Source	string		80		
NamespacePrefix	Namespace Prefix	string		15		
PrincipalType	Identity Type	picklist		255		
Protocol	Authentication Protocol	picklist		255		
Repository	Default External Repository	string		255		
SmallIconId	Static Resource ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Class ID	picklist		255		

EXTERNALDATAUSERAUTH

Stores authentication settings for a Salesforce user to access an external system. The external system must be defined in an external data source or a named credential that's configured to use per-user authentication.

For more information, see ExternalDataUserAuth in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthProviderId	Auth. Provider ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalDataSourceId	External Data Source ID	reference		18		
Id	External Data User Authentication ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Password	Password	textarea		6000		
Protocol	Authentication Protocol	picklist		255		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		
Username	Username	string		255		

EXTERNALEVENT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalId	External Id	string		255		
Id	External Event ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Location	Location	string		255		
Name	Name	string		255		
Notes	Notes	textarea		32000		
SystemModstamp	System Modstamp	datetime				
Time	Time	string		255		
Title	Title	string		255		

EXTERNALEVENTMAPPING

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDate	End Date	date				
EventId	Activity ID	reference		18		
ExternalId	External Id	string		255		
Id	External Event Mapping ID	id		18		
IsDeleted	Deleted	boolean				
IsRecurring	Is Recurring	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

EXTERNALEVENTMAPPINGSHARE

Sharing for ExternalEventMapping.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

EXTERNALSOCIALACCOUNT

Represents a managed social media account on a social network such as Facebook or Twitter.

For more information, see ExternalSocialAccount in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorizedBy	Authorized by	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataSourceId	Data Source Id	string		255		
DefaultResponseAccountId	Managed Social Account ID	reference		18		
DeveloperName	Name	string		80		
ExternalAccountId	External Account Id	string		255		
ExternalPictureURL	Provider External Picture URL	url		255		
Id	Managed Social Account ID	id		18		
IsActive	Is Active Account	boolean				
IsAuthenticated	Is Account Authenticated	boolean				
IsCaseCreationEnabled	Is Case Creation Enabled	boolean				
IsDataSourceActive	Active Data Source	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
ProfileUrl	Profile URL	url		255		
Provider	Social Network	picklist		255		
ProviderUserId	Provider User Id	string		255		
RuleId	Rule Id	string		255		
SocialPropertyId	Social Property Id	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
TopicId	Topic Profile Id	string		255		
UniqueName	Unique Name	string		255		
Username	Username	string		255		

EXTERNALSTRING

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Categories	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Custom Label ID	id		18		
IsDeleted	Deleted	boolean				
IsProtected	Protected Component	boolean				
Language	Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Short Description	string		80		
Name	Name	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				
Value	Value	string		1000		

FEEDATTACHMENT

Represents an attachment to a feed item, such as a file attachment or a link. Use FeedAttachment to add various attachments to one feed item.

For more information, see FeedAttachment in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
FeedEntityId	Feed Entity ID	reference		18		
Id	Feed Attachment ID	id		18		
IsDeleted	Deleted	boolean				
RecordId	Attachment Record ID	reference		18		
Title	Feed Attachment Title	string		255		
Type	Feed Attachment Type	picklist		40		
Value	Feed Attachment Value	string		1000		

FEEDCOMMENT

Represents a comment added to a feed by a user.

For more information, see FeedComment in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CommentBody	Comment Body	textarea		10000		
CommentType	Comment Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FeedItemId	Feed Item ID	reference		18		
HasEntityLinks	Has entity links	boolean				
Id	Feed Comment ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
IsVerified	Is a Verified Comment	boolean				
LastEditById	Last Edit By ID	reference		18		
LastEditDate	Last Edit Date	datetime				
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
Revision	Revision	int	9			
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
ThreadChildrenCount	Thread Children Count	int	9			
ThreadLastUpdatedDate	Thread Last Updated Date	datetime				
ThreadLevel	Thread Level	int	9			
ThreadParentId	Feed Comment ID	reference		18		

FEEDITEM

FeedItem represents an entry in the feed, such as changes in a record feed, including text posts, link posts, and content posts.

For more information, see FeedItem in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
HasContent	Has Content	boolean				
HasFeedEntity	Has Feed Entity Attachment	boolean				
HasLink	Has Link	boolean				
HasVerifiedComment	Has Verified Comment	boolean				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsClosed	Is Closed	boolean				
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastEditById	Last Edit By ID	reference		18		
LastEditDate	Last Edit Date	datetime				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
Revision	Revision	int	9			
Status	Status	picklist		40		

FeedItem

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

FEEDLIKE

Indicates that a user has liked a feed item.

For more information, see FeedLike in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FeedEntityId	Feed Item ID	reference		18		
FeedItemId	Feed Item ID	reference		18		
Id	Feed Like ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				

FEEDPOLLCHOICE

Shows the choices for a poll posted in the feed.

For more information, see FeedPollChoice in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChoiceBody	ChoiceBody	textarea		100		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FeedItemId	Feed Item ID	reference		18		
Id	Feed Poll Choice ID	id		18		
IsDeleted	Deleted	boolean				
Position	Position	int	9			

FEEDPOLLVOTE

Shows how users voted on a poll posted in the feed.

For more information, see FeedPollVote in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChoiceId	Feed Poll Choice ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FeedItemId	Feed Item ID	reference		18		
Id	Feed Poll Vote ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedDate	Last Modified Date	datetime				

FEEDREVISION

Holds the revision history of a specific feed item or comment, including a list of attributes that changed for each revision.

For more information, see FeedRevision in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Action	Action	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EditedAttribute	Edited Attribute	picklist		40		
FeedEntityId	Feed Entity ID	reference		18		
Id	Feed Revision ID	id		18		
IsDeleted	Deleted	boolean				
IsValueRichText	Is Value RichText	boolean				
Revision	Revision	int	9			
SystemModstamp	System Modstamp	datetime				
Value	Value	textarea		10000		

FEEDSIGNAL

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FeedEntityId	Feed Item ID	reference		18		
FeedItemId	Feed Item ID	reference		18		
Id	Feed Signal ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
SignalType	Signal type	picklist		40		
SignalValue	Signal value	int	9			

FEEDTRACKEDCHANGE

Represents an individual field change or set of field changes. A FeedTrackedChange is a child object of a record feed, such as AccountFeed. For more information, see FeedTrackedChange in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
FeedItemId	Feed Item ID	reference		18		
FieldName	Field	string		120		
Id	Feed Tracked Change ID	id		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

FIELDDEFINITION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessOwnerId	Business Owner ID	reference		18		
BusinessStatus	Field Usage	picklist		40		
ComplianceGroup	Compliance Categorization	multipicklist		4099	0	
ControllingFieldDefinitionId	Field Definition ID	string		150		
DataType	Data Type	string		40		
Description	Description	textarea		1000		
DeveloperName	Developer Name	string		40		
DurableId	Durable ID	string		255		
EntityDefinitionId	Entity Definition ID	string		70		
ExtraTypeInfo	Extra Type Info	string		150		
Id	Field Definition ID	id		18		
IsAiPredictionField	Is Field AI Prediction Field?	boolean				
IsApiFilterable	Is Field Filterable?	boolean				
IsApiGroupable	Is Field Groupable?	boolean				
IsApiSortable	Is Field Sortable?	boolean				
IsCalculated	Is Field calculated?	boolean				
IsCompactLayoutable	Is Compact Layout Enabled?	boolean				
IsCompound	Is Field a compound field	boolean				
IsFieldHistoryTracked	Is Field History Tracked	boolean				
IsHighScaleNumber	Is Field a high scale number?	boolean				
IsHtmlFormatted	Is Field a HTML formatted?	boolean				
IsIndexed	Is Field indexed?	boolean				
IsListFilterable	Is Field Filterable in Lists?	boolean				
IsListSortable	Is Field Sortable in Lists?	boolean				
IsListVisible	Is Field visible in Lists?	boolean				

FieldDefinition

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsNameField	Is Field a Name field?	boolean				
IsNillable	Is Field a nillable?	boolean				
IsPolymorphicForeignKey	Is ForeignKey Polymorphic?	boolean				
IsSearchPrefilterable	Is Field Search Prefilterable?	boolean				
IsWorkflowFilterable	Is Workflow Filterable?	boolean				
Label	Label	string		40		
LastModifiedById	User ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Length	Length	int	9			
MasterLabel	Master Label	string		40		
NamespacePrefix	Namespace Prefix	string		15		
Precision	Precision	int	9			
PublisherId	Publisher ID	string		70		
QualifiedApiName	Qualified API Name	string		70		
ReferenceTargetField	Target Field on Entities to Which the Foreign Key Points	string		80		
ReferenceTo	Entities Referenced by Relationship	complexvalue				
RelationshipName	Relationship Name	string		80		
RunningUserFieldAccessId	User Field Access ID	string		150		
Scale	Scale	int	9			
SecurityClassification	Data Sensitivity Level	picklist		40		
ServiceDataTypeId	Data Type ID	string		70		
ValueTypeId	Data Type ID	string		70		

FIELDHISTORYARCHIVE

Represents field history values for all objects that retain field history. `FieldHistoryArchive` is a big object, available only to users with the “Retain Field History” permission.

For more information, see `FieldHistoryArchive` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>ArchiveFieldName</code>	Archive Field Name	string		255		
<code>ArchiveParentName</code>	Archive Parent Name	string		255		
<code>ArchiveParentType</code>	Archive Parent Type	string		255		
<code>ArchiveTimestamp</code>	Archive Timestamp	datetime				
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>Field</code>	Changed Field	picklist		255		
<code>FieldHistoryType</code>	Field History Type	picklist		255		
<code>HistoryId</code>	History ID	reference		18		
<code>Id</code>	Field History Archive ID	id		18		
<code>NewValue</code>	New Value	anyType		255		
<code>OldValue</code>	Old Value	anyType		255		
<code>ParentId</code>	Parent ID	reference		18		

FIELDIMPLEMENTS

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EntityImplementsId	Entity Implements ID	reference		18		
FieldEnumOrId	Implementing Field	picklist		255		
Id	sObject Field Implements Map ID	id		18		
InterfaceFieldEnumOrId	Interface Field	picklist		255		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				

FIELDPERMISSIONS

Represents the enabled field permissions for the parent PermissionSet.

For more information, see FieldPermissions in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Field	Field Name	picklist		40		
Id	Field Permissions ID	id		18		
ParentId	Parent ID	reference		18		
PermissionsEdit	Edit Field	boolean				
PermissionsRead	Read Field	boolean				
SObjectType	SObject Type Name	picklist		40		
SystemModstamp	System Modstamp	datetime				

FIELDSECURITYCLASSIFICATION

Represents a field's data sensitivity value selected from the SecurityClassification picklist.

For more information, see FieldSecurityClassification in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Id	Field Security Classification ID	id		18		
IsHighRiskLevel	High-Risk Level	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

FIELDSEVICEMOBILESETTINGS

Represents a configuration of settings that control the Field Service iOS and Android mobile app experience.

For more information, see `FieldServiceMobileSettings` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>AscAutomaticMode</code>	Mode	picklist		255		
<code>AscCancellationTimerInSec</code>	Cancellation or Dismissal Timer in Seconds	int	9			
<code>AscCompletedStatus</code>	"Completed" Status	picklist		40		
<code>AscOnSiteStatus</code>	"Onsite" Status	picklist		40		
<code>AscRadiusInMeters</code>	Radius in Meters	int	9			
<code>AscTimeLimitationInMin</code>	Time Limit in Minutes	int	9			
<code>AscTravelStatus</code>	"Traveling" Status	picklist		40		
<code>BgGeoLocationAccuracy</code>	Geolocation Accuracy (Background Mode)	picklist		255		
<code>BgGeoLocationMinUpdateFreqMins</code>	Geolocation Update Frequency in Minutes (Background Mode)	int	9			
<code>BrandInvertedColor</code>	Brand Inverted Color	string		7		
<code>ContrastInvertedColor</code>	Contrast Inverted Color	string		7		
<code>ContrastPrimaryColor</code>	Contrast Primary Color	string		7		
<code>ContrastQuaternaryColor</code>	Contrast Quaternary Color	string		7		
<code>ContrastQuinaryColor</code>	Contrast Quinary Color	string		7		
<code>ContrastSecondaryColor</code>	Contrast Secondary Color	string		7		
<code>ContrastTertiaryColor</code>	Contrast Tertiary Color	string		7		
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>DefaultListViewDeveloperName</code>	Default List View Developer Name	string		255		
<code>DeveloperName</code>	Name	string		80		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
FeedbackPrimaryColor	Feedback Primary Color	string		7		
FeedbackSecondaryColor	Feedback Secondary Color	string		7		
FeedbackSelectedColor	Feedback Selected Color	string		7		
FutureDaysInDatePicker	Future Days in the Date Picker	int	9			
GeoLocationAccuracy	Geolocation Accuracy	picklist		255		
GeoLocationMinUpdateFrequencyMins	Geolocation Update Frequency in Minutes	int	9			
Id	Field Service Mobile Settings ID	id		18		
IsAssignmentNotification	Send appointment notifications on assignment	boolean				
IsDefault	Default	boolean				
IsDeleted	Deleted	boolean				
IsDispatchNotification	Send appointment notifications on dispatch	boolean				
IsSendLocationHistory	Collect service resource geolocation history	boolean				
IsShowEditFullRecord	Enable full edit on records	boolean				
IsTimeSheetEnabled	Enable mobile time sheets	boolean				
IsTimeZoneEnabled	Collect time zones for time sheet entries	boolean				
IsUseSalesforceMobileActions	Use Salesforce mobile actions	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
MetadataCacheTimeDays	Metadata Cache Time in Days	int	9			
NavbarBackgroundColor	Navbar Background Color	string		7		
NavbarInvertedColor	Navbar Inverted Color	string		7		
PastDaysInDatePicker	Past Days in the Date Picker	int	9			
PrimaryBrandColor	Primary Brand Color	string		7		
QuickStatusChangeFlowName	Flow Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RecordDataCacheTimeMins	Record Data Cache Time in Minutes	int	9			
SecondaryBrandColor	Secondary Brand Color	string		7		
SystemModstamp	System Modstamp	datetime				
TimeIntervalSetupMins	Picklist Time Interval in Minutes	picklist		255		
UpdateScheduleTimeMins	Schedule Update Frequency in Minutes	int	9			

FIELDSERVICEORGSETTINGS

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Field Service Org Settings ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
SystemModstamp	System Modstamp	datetime				

FILESEARCHACTIVITY

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AvgNumResults	Average Number of Results	double			18	1
ClickRank	Average Click Rank	double			18	1
CountQueries	Number of Searches	int	9			
CountUsers	Number of Users	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Search Activity Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Search Activity Name	string		255		
Period	Duration	picklist		255		
QueryDate	Search Date	date				
QueryLanguage	Language	picklist		255		
SearchTerm	Search Term	string		100		
SystemModstamp	System Modstamp	datetime				

FINANCEBALANCESNAPSHOT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AdjustmentAmount	Adjustment Amount	currency			18	2
Balance	Balance	currency			18	2
BaseCurrencyAmount	Base Currency Amount	currency			18	2
BaseCurrencyBalance	Base Currency Balance	currency			18	2
BaseCurrencyFxDate	Base Currency FX Date	date				
BaseCurrencyFxRate	Base Currency FX Rate	double			18	2
BaseCurrencyIsoCode	Base Currency ISO Code	string		3		
ChargeAmount	Charge Amount	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DueDate	Due Date	datetime				
EffectiveDate	Effective Date	datetime				
EventType	Event Type	picklist		40		
FinanceBalanceSnapshotNumber	Name	string		255		
FinanceSystemIntegrationMode	Finance System Integration Mode	string		255		
FinanceSystemIntegrationStatus	Finance System Integration Status	picklist		255		
FinanceSystemName	Finance System Name	string		255		
FinanceSystemTransactionNumber	Finance System Transaction Number	string		255		
FinanceTransactionId	Finance Transaction ID	reference		18		
Id	Finance Balance Snapshot ID	id		18		
ImpactAmount	Impact Amount	currency			18	2
IsDeleted	Deleted	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LegalEntityId	Legal Entity ID	reference		18		
OriginalEventType	Original Event Type	string		255		
OriginalReferenceEntityType	Original Reference Entity Type	string		255		
OwnerId	Owner ID	reference		18		
ReferenceEntityId	ReferenceEntity ID	reference		18		
ReferenceEntityType	Reference Entity Type	picklist		40		
Subtotal	Subtotal	currency			18	2
SystemModstamp	System Modstamp	datetime				
TaxAmount	Tax Amount	currency			18	2
TotalAmountWithTax	Total Amount With Tax	currency			18	2
TransactionDate	Transaction Date	datetime				

FINANCEBALANCESNAPSHOTSHARE

Sharing for FinanceBalanceSnapshot.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FINANCETRANSACTION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AdjustmentAmount	Adjustment Amount	currency			18	2
BaseCurrencyAmount	Base Currency Amount	currency			18	2
BaseCurrencyBalance	Base Currency Balance	currency			18	2
BaseCurrencyFxDate	Base Currency FX Date	date				
BaseCurrencyFxRate	Base Currency FX Rate	double			18	2
BaseCurrencyIsoCode	Base Currency ISO Code	string		3		
ChargeAmount	Charge Amount	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreationMode	Creation Mode	picklist		255		
DestinationEntityId	DestinationEntity ID	reference		18		
DueDate	Due Date	datetime				
EffectiveDate	Effective Date	datetime				
EventAction	Event Action	picklist		40		
EventType	Event Type	picklist		40		
FinanceSystemIntegrationMode	Finance System Integration Mode	string		255		
FinanceSystemIntegrationStatus	Finance System Integration Status	picklist		255		
FinanceSystemName	Finance System Name	string		255		
FinanceSystemTransactionNumber	Finance System Transaction Number	string		255		
FinanceTransactionNumber	Name	string		255		
Id	Finance Transaction ID	id		18		
ImpactAmount	Impact Amount	currency			18	2

FinanceTransaction

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LegalEntityId	Legal Entity ID	reference		18		
OriginalCreditGLAccountName	Original Credit GL Account Name	string		255		
OriginalCreditGLAccountNumber	Original Credit GL Account Number	string		255		
OriginalDebitGLAccountName	Original Debit GL Account Name	string		255		
OriginalDebitGLAccountNumber	Original Debit GL Account Number	string		255		
OriginalEventAction	Original Event Action	string		255		
OriginalEventType	Original Event Type	string		255		
OriginalFinanceBookName	Original Finance Book Name	string		255		
OriginalFinancePeriodEndDate	Original Finance Period End Date	string		255		
OriginalFinancePeriodName	Original Finance Period Name	string		255		
OriginalFinancePeriodStartDate	Original Finance Period Start Date	string		255		
OriginalFinancePeriodStatus	Original Finance Period Status	string		255		
OriginalGLRuleName	Original GL Rule Name	string		255		
OriginalGLTreatmentName	Original GL Treatment Name	string		255		
OriginalReferenceEntityType	Original Reference Entity Type	string		255		
OwnerId	Owner ID	reference		18		
ParentReferenceEntityId	ParentReferenceEntity ID	reference		18		
ReferenceEntityId	ReferenceEntity ID	reference		18		
ReferenceEntityType	Reference Entity Type	picklist		40		
ResultingBalance	Resulting Balance	currency			18	2
SourceEntityId	SourceEntity ID	reference		18		
Subtotal	Subtotal	currency			18	2
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TaxAmount	Tax Amount	currency			18	2
TotalAmountWithTax	Total Amount With Tax	currency			18	2
TransactionDate	Transaction Date	datetime				

FINANCETRANSACTIONSHARE

Sharing for FinanceTransaction.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FISCALYEARSETTINGS

Settings to define a custom or standard fiscal year for your organization. This object has a parent-child relationship with the Period object. For more information, see FiscalYearSettings in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Description	Description	string		255		
EndDate	End Date	date				
Id	Fiscal Year Settings ID	id		18		
IsStandardYear	Is Standard Year	boolean				
Name	Name	string		80		
PeriodId	Period ID	reference		18		
PeriodLabelScheme	Period Name Scheme	picklist		40		
PeriodPrefix	Period Prefix	picklist		255		
QuarterLabelScheme	Quarter Name Scheme	picklist		40		
QuarterPrefix	Quarter Prefix	picklist		255		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				
WeekLabelScheme	Week Name Scheme	picklist		40		
WeekStartDay	Week Start Day	int	9			
YearType	Year Type	picklist		40		

FLEXQUEUEITEM

Represents an asynchronous Apex job in the Apex flex queue. Provides information about the job type and flex queue position of the AsyncApexJob.

For more information, see FlexQueueItem in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AsyncApexJobId	Apex Job ID	reference		18		
FlexQueueItemId	Flex Queue Item Id	string		255		
Id	Flex Queue Item Id	id		18		
JobPosition	Job Position	int	9			
JobType	Job Type	picklist		255		

FLOWDEFINITIONVIEW

Represents the description of a flow definition.

For more information, see FlowDefinitionView in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActiveVersionId	Active Flow Version API Name or ID	string		255		
ApiName	Flow API Name	string		255		
Builder	Built with	string		255		
Description	Flow Description	string		255		
DurableId	Durable ID	string		255		
Id	Flow Definition View ID	id		18		
InstalledPackageName	Package Name	string		240		
IsActive	Active	boolean				
IsOutOfDate	Is Using an Older Version	boolean				
IsOverridable	Overridable	boolean				
IsSwingFlow	Is Swing Flow	boolean				
IsTemplate	Template	boolean				
Label	Flow Label	string		255		
LastModifiedBy	Last Modified By	string		255		
LastModifiedDate	Last Modified Date	datetime				
LatestVersionId	Latest Flow Version API Name or ID	string		255		
ManageableState	Package State	picklist		255		
NamespacePrefix	Flow Namespace	string		255		
OverriddenById	Flow Definition View ID	string		512		
OverriddenFlowId	Flow Definition View ID	string		512		
ProcessType	Process Type	picklist		255		

FlowDefinitionView

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SourceTemplateId	Flow Definition View ID	string		512		
TriggerObjectOrEventId	Entity Definition ID	string		512		
TriggerObjectOrEventLabel	Triggering Object or Platform Event Label	string		255		
TriggerType	Trigger	picklist		255		

FLOWEXECUTIONERROREVENT

Notifies subscribers of errors related to screen flow executions. Messages for this platform event aren't published for autolaunched flows or processes.

For more information, see `FlowExecutionErrorEvent` in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContextObject	Context Object	string		255		
ContextRecordId	Context Record ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ElementApiName	Flow Element API Name	string		80		
ElementType	Flow Element Type	string		50		
ErrorId	Flow Error ID	string		50		
ErrorMessage	Flow Error Message	string		1000		
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
EventType	Flow Event Type	string		40		
EventUuid	Event UUID	string		36		
ExtendedErrorCode	Extended Error Code	string		255		
FlowApiName	Flow API Name	string		255		
FlowExecutionEndDate	Flow Execution End Date	datetime				
FlowExecutionStartDate	Flow Execution Start Date	datetime				
FlowNamespace	Flow Namespace	string		15		
FlowVersionId	Flow Version ID	string		255		
FlowVersionNumber	Flow Version Number	int	9			
InterviewBatchId	Flow Interview Batch ID	string		40		
InterviewGuid	Flow Interview Guid	string		255		
InterviewRequestId	Flow Interview Request ID	string		18		

FlowExecutionErrorEvent

Field Name	Field Label	Type	Digits	Length	Precision	Scale
InterviewStartDate	Flow Interview Start Date	datetime				
InterviewStartedById	Flow Interview Started By ID	reference		18		
ProcessType	Process Type	string		40		
RelatedRecordId	Related Record ID	string		18		
ReplayId	Replay ID	string		1000		
StageQualifiedApiName	Flow Stage Qualified Api Name	string		360		
UserId	User ID	reference		18		
Username	Username	string		80		

FLOWINTERVIEW

Represents a flow interview. A *flow interview* is a running instance of a flow.

For more information, see FlowInterview in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrentElement	Current Element	string		100		
FlowVersionViewId	Flow Version View ID	string		512		
Guid	Flow Interview Guid	string		255		
Id	Flow Interview Id	id		18		
InterviewLabel	Interview Label	string		1000		
InterviewStatus	Interview Status	picklist		255		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PauseLabel	Pause Reason	string		1000		
SystemModstamp	System Modstamp	datetime				
WasPausedFromScreen	Was Paused From Screen	boolean				

FLOWINTERVIEWLOG

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FlowDeveloperName	Flow API Name	string		255		
FlowInterviewGuid	Flow Interview GUID	string		255		
FlowLabel	Flow Label	string		255		
FlowNamespace	Flow Namespace	string		15		
FlowVersionNumber	Flow Version Number	int	9			
Id	Flow Interview Log ID	id		18		
InterviewDurationInMinutes	Interview Duration In Minutes	double			18	2
InterviewEndTimestamp	Interview End Timestamp	datetime				
InterviewStartTimestamp	Interview Start Timestamp	datetime				
InterviewStatus	Interview Status	picklist		255		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

FLOWINTERVIEWLOGENTRY

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DurationSinceStartInMinutes	Duration In Minutes Since Flow Start	double			18	2
ElementApiName	Element API Name	string		80		
ElementDurationInMinutes	Element Duration in Minutes	double			18	2
ElementLabel	Element Label	string		255		
FlowInterviewLogId	Flow Interview Log ID	reference		18		
Id	Flow Interview Log Entry ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LogEntryTimestamp	Log Entry Timestamp	datetime				
LogEntryType	Log Entry Type	picklist		255		
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

FLOWINTERVIEWLOGSHARE

Sharing for FlowInterviewLog.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FLOWINTERVIEWSHARE

Represents a sharing entry on a FlowInterview.

For more information, see FlowInterviewShare in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FLOWRECORDRELATION

Represents a relationship between a record and a flow interview. When a flow interview is paused, Salesforce uses the `$Flow.CurrentRecord` global variable in the flow to associate the interview with a record.

For more information, see `FlowRecordRelation` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>Id</code>	Flow Record Relation ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>Name</code>	Name	string		255		
<code>ParentId</code>	Flow Interview ID	reference		18		
<code>RelatedRecordId</code>	Record ID	reference		18		
<code>SystemModstamp</code>	System Modstamp	datetime				

FLOWSTAGERELATION

Represents a relationship between a paused flow interview and its stages. When a flow interview is paused, Salesforce creates a FlowStageRelation record for each stage that's set to the `$Flow.CurrentStage` or `$Flow.ActiveStages` global variable. For more information, see FlowStageRelation in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FlexIndex	Flex Index	string		255		
Id	Flow Interview Stage Relation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
ParentId	Flow Interview ID	reference		18		
StageLabel	Stage Label	string		1000		
StageOrder	Stage Order	int	9			
StageType	Stage Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

FLOWVARIABLEVIEW

Represents a variable within the flow version.

For more information, see FlowVariableView in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Variable API Name	string		255		
DataType	Variable Data Type	string		255		
Description	Variable Description	string		255		
DurableId	Durable ID	string		255		
FlowVersionViewId	Flow Version View ID	string		512		
Id	Flow Variable View ID	id		18		
IsCollection	Variable allows multiple values (collection)	boolean				
IsInput	Variable is available for input	boolean				
IsOutput	Variable is available for output	boolean				
ObjectType	Record Variable Object	string		255		

FLOWVERSIONVIEW

Represents the version of a flow definition.

For more information, see FlowVersionView in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiVersion	Api Version	double			18	0
ApiVersionRuntime	Api Version Runtime	double			18	0
Description	Version Description	string		255		
DurableId	Durable ID	string		255		
FlowDefinitionViewId	Flow Definition View ID	string		512		
Id	Flow Version View ID	id		18		
IsSwingFlow	Is Swing Flow	boolean				
IsTemplate	Is Template	boolean				
Label	Version Label	string		255		
LastModifiedDate	Last Modified Date	datetime				
ProcessType	Process Type	picklist		255		
RunInMode	Run in Mode	picklist		255		
Status	Version Status	picklist		255		
VersionNumber	Version Number	int	9			

FOLDER

Represents a repository for a Dashboard, Document, EmailTemplate, Macro, QuickText, or Report. Only one type of item can be contained in a folder.

For more information, see Folder in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessType	Access Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Folder Unique Name	string		80		
Id	Folder ID	id		18		
IsReadonly	Read Only	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		40		
NamespacePrefix	Namespace Prefix	string		15		
ParentId	Folder ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

FOLDEREDCONTENTDOCUMENT

Represents the relationship between a parent and child ContentFolderItem in a ContentWorkspace.

For more information, see FolderedContentDocument in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentDocumentId	ContentDocument ID	reference		18		
ContentSize	Size	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FileExtension	File Extension	string		40		
FileType	File Type	string		20		
Id	Content Folder Member ID	id		18		
IsDeleted	Deleted	boolean				
IsFolder	Is Folder	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentContentFolderId	Parent Content Folder ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		

FORECASTINGADJUSTMENT

This object represents an individual forecast manager's adjustment for a subordinate's or child territory's forecast via a ForecastingItem. For more information, see ForecastingAdjustment in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustedAmount	Adjusted Amount	currency			18	0
AdjustedQuantity	Adjusted Quantity	double			12	2
AdjustmentNote	Adjustment Note	textarea		140		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ForecastCategoryName	Forecast Category	picklist		255		
ForecastingItemCategory	Forecasting Item Category	picklist		255		
ForecastingItemId	Forecasting Item ID	reference		18		
ForecastingTypeId	Forecasting Type ID	reference		18		
Id	ForecastingAdjustment ID	id		18		
IsAmount	Is Amount	boolean				
IsQuantity	Is Quantity	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OwnerId	Owner ID	reference		18		
PeriodId	Period ID	reference		18		
ProductFamily	Product Family	picklist		255		
StartDate	Period Start Date	date				
SystemModstamp	System Modstamp	datetime				

FORECASTINGCATEGORYMAPPING

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ForecastingItemCategory	Forecasting Item Category	picklist		40		
Id	Forecasting Category Mapping ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SourceCategory	Source Category	picklist		40		
SystemModstamp	System Modstamp	datetime				

FORECASTINGDISPLAYEDFAMILY

Represents the table in Forecasts Settings where an admin selects the product families that users can forecast on in Lightning Experience. For more information, see ForecastingDisplayedFamily in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DisplayPosition	Display Position	int	9			
Id	Forecasting Displayed Family ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ProductFamily	Product Family	picklist		40		
SystemModstamp	System Modstamp	datetime				

FORECASTINGFACT

This is a read-only object linking a ForecastingItem with its opportunities, such as opportunities that share the same owner or forecast category and have a closing date within the period of the forecasting item.

For more information, see ForecastingFact in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ForecastCategoryName	Forecast Category	picklist		255		
ForecastedObjectId	ForecastedObject ID	reference		18		
ForecastingItemId	Forecasting Item ID	reference		18		
ForecastingTypeId	Forecasting Type ID	reference		18		
Id	Forecasting Fact ID	id		18		
OpportunityId	Opportunity ID	reference		18		
OwnerId	Owner ID	reference		18		
PeriodId	Period ID	reference		18		
SystemModstamp	System Modstamp	datetime				

FORECASTINGITEM

This is a read-only object used for individual forecast amounts. Users see amounts based on their perspectives and forecast roles. For more information, see ForecastingItem in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AmountWithoutAdjustments	Amount Without Adjustments	currency			18	0
AmountWithoutManagerAdjustment	Amount Without Manager Adjustment	currency			18	0
AmountWithoutOwnerAdjustment	Amount Without Owner Adjustments	currency			18	0
ForecastAmount	Forecast Amount	currency			18	0
ForecastCategoryName	Forecast Category	picklist		255		
ForecastQuantity	Forecast Quantity	double			12	2
ForecastingItemCategory	Forecasting Item Category	picklist		255		
ForecastingTypeId	Forecasting Type ID	reference		18		
HasAdjustment	Has Adjustment	boolean				
HasOwnerAdjustment	Has Owner Adjustment	boolean				
Id	Forecasting Item ID	id		18		
IsAmount	Is Amount	boolean				
IsQuantity	Is Quantity	boolean				
IsUpToDate	Is up to date	boolean				
OwnerId	Owner ID	reference		18		
OwnerOnlyAmount	Owner Only Amount	currency			18	0
OwnerOnlyQuantity	Owner Only Quantity	double			12	2
ParentForecastingItemId	Forecasting Item ID	reference		18		
PeriodId	Period ID	reference		18		
ProductFamily	Product Family	picklist		255		
QuantityWithoutAdjustments	Quantity Without Adjustments	double			12	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
QuantityWithoutManagerAdjustment	Quantity Without Manager Adjustment	double			12	2
QuantityWithoutOwnerAdjustment	Quantity Without Owner Adjustment	double			12	2
SubordinateOverrides	Subordinate Overrides	int	9			
SystemModstamp	System Modstamp	datetime				

FORECASTINGOWNERADJUSTMENT

This object represents an individual forecast user's adjustment of their *own* forecast, including territory forecasts they own, via a ForecastingItem.

For more information, see ForecastingOwnerAdjustment in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ForecastCategoryName	Forecast Category	picklist		40		
ForecastOwnerId	User ID	reference		18		
ForecastingItemCategory	Forecasting Item Category	picklist		40		
ForecastingItemId	Forecasting Item ID	reference		18		
ForecastingTypeId	Forecasting Type ID	reference		18		
Id	ForecastingAdjustment ID	id		18		
IsAmount	Is Amount	boolean				
IsDeleted	Deleted	boolean				
IsQuantity	Is Quantity	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OwnerAdjustedAmount	Owner Adjusted Amount	currency			18	0
OwnerAdjustedQuantity	Owner Adjusted Quantity	double			12	2
OwnerAdjustmentNote	Owner Adjustment Note	textarea		140		
PeriodId	Period ID	reference		18		
ProductFamily	Product Family	picklist		40		
StartDate	Period Start Date	date				
SystemModstamp	System Modstamp	datetime				

FORECASTINGQUOTA

This object represents an individual user's or territory's quota for a specified time period.

For more information, see ForecastingQuota in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ForecastingTypeId	Forecasting Type ID	reference		18		
Id	ForecastingQuota ID	id		18		
IsAmount	Is Amount	boolean				
IsQuantity	Is Quantity	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PeriodId	Period ID	reference		18		
ProductFamily	Product Family	picklist		255		
QuotaAmount	Quota Amount	currency			18	0
QuotaOwnerId	Owner ID	reference		18		
QuotaQuantity	Quota Quantity	double			12	2
StartDate	Quota Month	date				
SystemModstamp	System Modstamp	datetime				

FORECASTINGSHARE

Represents forecasts shared between a forecast manager and a user.

For more information, see ForecastingShare in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Forecasting Share Access Level	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Forecasting Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RoleType	Role Type	picklist		255		
SharedForecastManagerRoleId	SharedForecastManagerRole ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UserOrGroupId	User ID	reference		18		

FORECASTINGSOURCEDEFINITION

Represents the object, measure, date type, and hierarchy that a forecast uses to project sales.

For more information, see ForecastingSourceDefinition in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CategoryField	Custom Field Definition ID	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DateField	Custom Field Definition ID	picklist		255		
DeveloperName	Name	string		80		
FamilyField	Custom Field Definition ID	picklist		255		
Id	Forecasting Source Definition ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
MeasureField	Custom Field Definition ID	picklist		255		
SourceObject	Custom Object Definition ID	picklist		255		
SystemModstamp	System Modstamp	datetime				
Territory2Field	Custom Field Definition ID	picklist		255		
UserField	Custom Field Definition ID	picklist		255		

FORECASTINGTYPE

This object is used to identify the forecast type associated with `ForecastingAdjustment`, `ForecastingOwnerAdjustment`, `ForecastingQuota`, `ForecastingFact`, and `ForecastingItem` objects.

For more information, see `ForecastingType` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CanDisplayQuotas</code>	Can Display Quotas	boolean				
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>DateType</code>	Date Type	picklist		255		
<code>DeveloperName</code>	API Name	string		80		
<code>HasProductFamily</code>	Has Product Family	boolean				
<code>Id</code>	Forecasting Type ID	id		18		
<code>IsActive</code>	Is Active	boolean				
<code>IsAmount</code>	Is Amount	boolean				
<code>IsDeleted</code>	Deleted	boolean				
<code>IsPlatformType</code>	Is Platform Type	boolean				
<code>IsQuantity</code>	Is Quantity	boolean				
<code>Language</code>	Master Language	picklist		40		
<code>LastActivatedDate</code>	Last Activated Date	datetime				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>MasterLabel</code>	Label	string		80		
<code>RoleType</code>	Role Type	picklist		255		
<code>SystemModstamp</code>	System Modstamp	datetime				

FORECASTINGTYPESOURCE

Maps a forecasting source definition to a forecast type.

For more information, see ForecastingTypeSource in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
ForecastingSourceDefinitionId	Forecasting Source Definition ID	reference		18		
ForecastingTypeId	Forecasting Type ID	reference		18		
Id	Forecasting Type Source ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
ParentSourceDefinitionId	Forecasting Source Definition ID	reference		18		
RelationField	Custom Field Definition ID	picklist		255		
SourceGroup	Source Group	int	9			
SystemModstamp	System Modstamp	datetime				

FORECASTINGTYPETOCATEGORY

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DisplayPosition	Display Position	int	9			
ForecastingItemCategory	Forecasting Item Category	picklist		40		
ForecastingTypeId	Forecasting Type ID	reference		18		
Id	Forecasting Type To Category Mapping ID	id		18		
IsAdjustable	Is Adjustable	boolean				
IsDeleted	Deleted	boolean				
IsOwnerAdjustable	Is Owner Adjustable	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				

FORECASTINGUSERPREFERENCE

Represents the forecasting selections that a user has made, such as display options, date range, forecasting type, and currency. For more information, see `ForecastingUserPreference` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ExternalId	External ID	string		255		
ForecastingDisplayedTypeId	Forecasting Type ID	reference		18		
ForecastingPeriodDuration	Period Duration	int	9			
ForecastingPeriodType	Period Type	picklist		255		
ForecastingStartPeriod	Period Start	int	9			
ForecastingViewCurrency	Viewing Currency	string		40		
Id	Forecasting User Preference ID	id		18		
IsForecastingHideZeroRows	Hide Zero Rows	boolean				
IsForecastingShowQuantity	Show Quantity	boolean				
IsHideForecastingGuidedTour	Hide Guided Tour	boolean				
IsHideForecastingQuotaColumn	Hide Quota Column	boolean				
IsShowForecastingQuotaAttainment	Show Quota Attainment	boolean				

FORMULAFUNCTION

Represents a function used when building a formula, including examples and uses.

For more information, see FormulaFunction in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CategoryId	Formula Function Category ID	string		80		
Description	Description	string		255		
DurableId	Formula Function Durable ID	string		255		
ExampleString	Example String	string		255		
Id	Formula Function ID	id		18		
Label	Label	string		80		
Name	Name	string		80		

FORMULAFUNCTIONALLOWEDTYPE

Represents the functions that are supported in the given formula context.

For more information, see FormulaFunctionAllowedType in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
DurableId	Formula Function Allowed Type Durable ID	string		255		
FunctionId	Formula Function ID	string		80		
Id	Formula Function Allowed Type ID	id		18		
Type	Type	picklist		255		

FORMULAFUNCTIONCATEGORY

Represents the category to which a formula belongs when building a formula.

For more information, see `FormulaFunctionCategory` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
DurableId	Formula Function Category Durable ID	string		255		
Id	Formula Function Category ID	id		18		
Label	Label	string		80		
Name	Name	string		80		

GENERICVISITTASK

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomText__c	CustomText	string		100		
DefinitionReferenceId	Generic Visit Task ID	reference		18		
Description	Description	textarea		1000		
EndDateTime	End Date Time	datetime				
Id	Generic Visit Task ID	id		18		
IsDefinition	Is Definition	boolean				
IsDeleted	Deleted	boolean				
IsRequired	Required	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Sequence	Sequence	int	9			
StartDateTime	Start Date Time	datetime				
Status	Status	picklist		40		
StatusCode	Status Code	picklist		255		
SystemModstamp	System Modstamp	datetime				
VisitId	Visit ID	reference		18		

GENERICVISITTASKCONTEXT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContextId	Context ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefinitionReferenceId	Generic Visit Task Context ID	reference		18		
Description	Description	textarea		1000		
EndDateTime	End Date Time	datetime				
Id	Generic Visit Task Context ID	id		18		
IsDefinition	Is Definition	boolean				
IsDeleted	Deleted	boolean				
IsRequired	Required	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
StartDateTime	Start Date Time	datetime				
Status	Status	picklist		40		
StatusCode	Status Code	picklist		255		
SystemModstamp	System Modstamp	datetime				
VisitId	Visit ID	reference		18		

GENERICVISITTASKCONTEXTFEED

Feed tracking for GenericVisitTaskContext.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

GENERICVISITTASKCONTEXTHISTORY

History for tracked fields of GenericVisitTaskContext.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
GenericVisitTaskContextId	Generic Visit Task Context ID	reference		18		
Id	Generic Visit Task Context History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

GENERICVISITTASKCONTEXTSHARE

Sharing for GenericVisitTaskContext.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GENERICVISITTASKFEED

Feed tracking for GenericVisitTask.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

GENERICVISITTASKHISTORY

History for tracked fields of GenericVisitTask.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
GenericVisitTaskId	Generic Visit Task ID	reference		18		
Id	Generic Visit Task History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

GENERICVISITTASKSHARE

Sharing for GenericVisitTask.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GNRCVSTKEYPERFORMANCEIND

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualBooleanValue	Actual Boolean Value	picklist		255		
ActualDateTimeValue	Actual Date Time Value	datetime				
ActualDecimalValue	Actual Decimal Value	double			18	0
ActualIntegerValue	Actual Integer Value	int	9			
ActualStringValue	Actual String Value	textarea		1000		
AssessmentIndDefinitionId	Assessment Indicator Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefinitionReferenceId	Definition Reference ID	reference		18		
ExpectedBooleanValue	Expected Boolean Value	picklist		255		
ExpectedDateTimeValue	Expected Date Time Value	datetime				
ExpectedDecimalValue	Expected Decimal Value	double			18	0
ExpectedIntegerValue	Expected Integer Value	int	9			
ExpectedStringValue	Expected String Value	textarea		1000		
Id	Generic Visit Key Performance Indicator ID	id		18		
IsDefinition	Is Definition	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SequenceNumber	Sequence	int	9			
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UnitOfMeasure	Unit Of Measure	picklist		40		
VisitTaskContextId	Generic Visit Task Context ID	reference		18		

GNRCVSTKEYPERFORMANCEINDFEED

Feed tracking for GnrcVstKeyPerformanceInd.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

GNRCVSTKEYPERFORMANCEINDHISTORY

History for tracked fields of GnrcVstKeyPerformanceInd.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
GnrcVstKeyPerformanceIndId	Generic Visit Key Performance Indicator ID	reference		18		
Id	Generic Visit Key Performance Indicator History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

GNRCVSTTASKCONTEXTRELATION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Generic Visit Task Context Relation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				
VisitTaskContextId	Generic Visit Task Context ID	reference		18		
VisitTaskContextSequence	Sequence	int	9			
VisitTaskId	Generic Visit Task ID	reference		18		

GNRCVSTTASKCONTEXTRELATIONFEED

Feed tracking for GnrcVstTaskContextRelation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

GNRCVSTTASKCONTEXTRELATIONHISTORY

History for tracked fields of GnrcVstTaskContextRelation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
GnrcVstTaskContextRelationId	Generic Visit Task Context Relation ID	reference		18		
Id	Generic Visit Task Context Relation History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

GROUP

A set of User records.

For more information, see Group in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Developer Name	string		80		
DoesIncludeBosses	Include Bosses	boolean				
DoesSendEmailToMembers	Send Email to Members	boolean				
Email	Email	email		255		
Id	Group ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		40		
OwnerId	Owner ID	reference		18		
RelatedId	Related ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

GROUPMEMBER

Represents a User or Group that is a member of a public group.

For more information, see GroupMember in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
GroupId	Group ID	reference		18		
Id	Group Member ID	id		18		
SystemModstamp	System Modstamp	datetime				
UserOrGroupId	User/Group ID	reference		18		

GTWYPROVPAYMENTMETHODTYPE

The gateway provider payment method type allows integrators and payment providers to choose an active payment to receive an order's payment data rather than allowing the Salesforce Order Management platform to select a default payment method.

For more information, see `GtwyProvPaymentMethodType` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Comments	Comments	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		255		
GtwyProvPaymentMethodType	Gateway Provider Payment Method Type	string		60		
Id	Gateway Provider Payment Method Type ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MasterLabel	Label	string		255		
NamespacePrefix	Namespace Prefix	string		15		
PaymentGatewayProviderId	Payment Gateway Provider ID	reference		18		
PaymentMethodType	Payment Method Type	picklist		255		
RecordTypeId	Record Type ID	reference		18		
SystemModstamp	System Modstamp	datetime				

HEALTHCAREDIAGNOSIS

Represents information related to industry-standard healthcare diagnosis codes.

For more information, see HealthCareDiagnosis in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	picklist		40		
Code	Code	string		32		
CodeDescription	Description	string		255		
CodeType	Code Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveDate	Effective Date	date				
EndDate	End Date	date				
Gender	Gender	picklist		40		
Id	Healthcare Diagnosis ID	id		18		
IsActive	Active	boolean				
IsComplicationOrComorbidity	Complication or Comorbidity	boolean				
IsDeleted	Deleted	boolean				
IsHospitalAcquiredCondition	Hospital Acquired Condition	boolean				
IsMajorComplicationOrComorbidity	Major Complication or Comorbidity	boolean				
IsPresentOnAdmissionExempt	Present on Admission Exemption	boolean				
IsPrimaryDiagnosis	Primary Diagnosis Only	boolean				
IsUnacceptablePrincipalDxIPAdmit	Unacceptable Principal Dx IP Admit	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

HEALTHCAREDIAGNOSISHISTORY

History for tracked fields of HealthCareDiagnosis.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HealthCareDiagnosisId	Healthcare Diagnosis ID	reference		18		
Id	Healthcare Diagnosis History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HEALTHCAREDIAGNOSISSHARE

Sharing for HealthCareDiagnosis.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HEALTHCAREPROCEDURE

Represents information related to industry-standard healthcare procedure codes.

For more information, see HealthCareProcedure in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	picklist		40		
Code	Code	string		32		
CodeDescription	Description	string		255		
CodeShortDescription	Short Description	string		255		
CodeType	Code Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveDate	Effective Date	date				
EndDate	End Date	date				
Id	Health Care Procedure ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

HEALTHCAREPROCEDUREHISTORY

History for tracked fields of HealthCareProcedure.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HealthCareProcedureId	Health Care Procedure ID	reference		18		
Id	Healthcare Procedure History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HEALTHCAREPROCEDURESHARE

Sharing for HealthCareProcedure.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HEALTHCAREFACILITY

Represents a healthcare facility and all its related details. These details may be physical, functional, geographic, or business details.

For more information, see HealthcareFacility in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AvailabilityExceptions	Availability Exceptions	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FacilityTypeId	Code Set Bundle ID	reference		18		
Id	Healthcare Facility ID	id		18		
IsAlwaysOpen	Always open	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LicensedBedCount	Licensed Bed Count	int	9			
LocationId	Location ID	reference		18		
LocationType	Location Type	picklist		40		
Name	Name	string		255		
ParentHealthcareFacilityId	Healthcare Facility ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System ID	string		255		
SourceSystemModified	Source System Modified	datetime				
SystemModstamp	System Modstamp	datetime				

HEALTHCAREFACILITYFEED

Feed tracking for HealthcareFacility.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

HEALTHCAREFACILITYHISTORY

History for tracked fields of HealthcareFacility.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HealthcareFacilityId	Healthcare Facility ID	reference		18		
Id	Healthcare Facility History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HEALTHCAREFACILITYNETWORK

Represents a junction object identifying the insurance network that a location or business entity is a part of.

For more information, see HealthcareFacilityNetwork in the *Provider Network Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
GenderRestriction	Gender Restriction	picklist		40		
HighestValidAge	Highest Valid Age	int	3			
Id	Healthcare Facility Network ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LowestValidAge	Lowest Valid Age	int	3			
Name	Facility Network Name	string		255		
OwnerId	Owner ID	reference		18		
PanelLimit	Panel Limit	double			18	0
PanelStatus	Panel Status	picklist		40		
PayerNetworkId	Healthcare Payer Network ID	reference		18		
PractitionerFacilityId	Healthcare Practitioner Facility ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PractitionerId	Contact ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SystemModstamp	System Modstamp	datetime				

HEALTHCAREFACILITYNETWORKFEED

Feed tracking for HealthcareFacilityNetwork.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

HEALTHCAREFACILITYNETWORKHISTORY

History for tracked fields of HealthcareFacilityNetwork.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HealthcareFacilityNetworkId	Healthcare Facility Network ID	reference		18		
Id	Healthcare Facility Network History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HEALTHCAREFACILITYNETWORKSHARE

Sharing for HealthcareFacilityNetwork.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HEALTHCAREPAYERNETWORK

Represents an insurance network group. For example, an insurance company's exclusive provider organization (EPO) plans.

For more information, see HealthcarePayerNetwork in the *Provider Network Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Code	Code	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
Id	Healthcare Payer Network ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Payer Network Name	string		255		
NetworkType	Network Type	picklist		40		
OwnerId	Owner ID	reference		18		
PayerId	Account ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System ID	string		255		
SystemModstamp	System Modstamp	datetime				

HEALTHCAREPAYERNETWORKFEED

Feed tracking for HealthcarePayerNetwork.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

HEALTHCAREPAYERNETWORKHISTORY

History for tracked fields of HealthcarePayerNetwork.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HealthcarePayerNetworkId	Healthcare Payer Network ID	reference		18		
Id	Healthcare Payer Network History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HEALTHCAREPAYERNETWORKSHARE

Sharing for HealthcarePayerNetwork.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HEALTHCAREPRACTITIONERFACILITY

Represents the different locations in which a practitioner provides services.

For more information, see HealthcarePractitionerFacility in the *Provider Network Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AvailabilityExceptions	Availability Exceptions	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
GenderRestriction	Gender Restriction	picklist		40		
HighestValidAge	Highest Valid Age	int	3			
Id	Healthcare Practitioner Facility ID	id		18		
InitialStartDate	Initial Start Date	date				
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsDirectoryPrint	Directory Print Indicator	boolean				
IsPrimaryCarePhysician	Primary Care Physician	boolean				
IsPrimaryFacility	Primary Facility	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LowestValidAge	Lowest Valid Age	int	3			
Name	Practitioner Facility Name	string		255		
OperatingHoursId	Operating Hour ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OwnerId	Owner ID	reference		18		
PractitionerId	Contact ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SsaCountyCode	SSA/County Code	string		10		
SystemModstamp	System Modstamp	datetime				
TerminationDate	Termination Date	date				
TerminationReason	Termination Reason	picklist		40		

HEALTHCAREPRACTITIONERFACILITYFEED

Feed tracking for HealthcarePractitionerFacility.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

HEALTHCAREPRACTITIONERFACILITYHISTORY

History for tracked fields of HealthcarePractitionerFacility.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HealthcarePractitionerFacilityId	Healthcare Practitioner Facility ID	reference		18		
Id	Healthcare Practitioner Facility History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HEALTHCAREPRACTITIONERFACILITYSHARE

Sharing for HealthcarePractitionerFacility.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HEALTHCAREPROVIDER

Represents business-level details about the healthcare organization or the practitioner.

For more information, see HealthcareProvider in the *Provider Network Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
EhrSystem	EHR System	textarea		32000		
Id	Healthcare Provider ID	id		18		
InitialStartDate	Initial Start Date	date				
IsDeleted	Deleted	boolean				
IsNotSearchable	Exclude from search	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Healthcare Provider Name	string		255		
OwnerId	Owner ID	reference		18		
PractitionerId	Contact ID	reference		18		
ProviderClass	Provider Class	picklist		40		
ProviderType	Provider Type	picklist		40		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SystemModstamp	System Modstamp	datetime				
TerminationDate	Termination Date	date				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TerminationReason	Termination Reason	string		255		
TotalLicensedBeds	Total Licensed Bed	int	7			

HEALTHCAREPROVIDERFEED

Feed tracking for HealthcareProvider.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

HEALTHCAREPROVIDERHISTORY

History for tracked fields of HealthcareProvider.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HealthcareProviderId	Healthcare Provider ID	reference		18		
Id	Healthcare Provider History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HEALTHCAREPROVIDERNPI

Represents identifiers from the National Provider Identifier that are assigned to every facility and licensed practitioner in the United States. Also includes NPI assigned date, primary mailing address on file, and so on.

For more information, see HealthcareProviderNpi in the *Provider Network Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
Id	Healthcare Provider NPI ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Npi	NPI	string		15		
NpiType	NPI Type	picklist		40		
OwnerId	Owner ID	reference		18		
PractitionerId	Contact ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SystemModstamp	System Modstamp	datetime				

HEALTHCAREPROVIDERNPIFEED

Feed tracking for HealthcareProviderNpi.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

HEALTHCAREPROVIDERNPIHISTORY

History for tracked fields of HealthcareProviderNpi.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HealthcareProviderNpiId	Healthcare Provider NPI ID	reference		18		
Id	Healthcare Provider NPI History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HEALTHCAREPROVIDERNPISHARE

Sharing for HealthcareProviderNpi.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HEALTHCAREPROVIDERSHARE

Sharing for HealthcareProvider.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HEALTHCAREPROVIDERSPECIALTY

Represents specialties for a practitioner or a provider service organization. A provider can have multiple specialties such as anesthesiology and cardiovascular.

For more information, see HealthcareProviderSpecialty in the *Provider Network Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
Id	Healthcare Provider Specialty ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsPrimarySpecialty	Primary Specialty	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Specialty Name	string		255		
OwnerId	Owner ID	reference		18		
PractitionerId	Contact ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SpecialtyId	Care Specialty ID	reference		18		
SpecialtyRole	Specialty Role	picklist		40		
SystemModstamp	System Modstamp	datetime				

HEALTHCAREPROVIDERSPECIALTYFEED

Feed tracking for HealthcareProviderSpecialty.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

HEALTHCAREPROVIDERSPECIALTYHISTORY

History for tracked fields of HealthcareProviderSpecialty.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HealthcareProviderSpecialtyId	Healthcare Provider Specialty ID	reference		18		
Id	Healthcare Provider Specialty History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HEALTHCAREPROVIDERSPECIALTYSHARE

Sharing for HealthcareProviderSpecialty.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HEALTHCAREPROVIDERTAXONOMY

Represents taxonomy or subspecialty codes for a practitioner or facility. A provider or facility can have multiple taxonomies.

For more information, see HealthcareProviderTaxonomy in the *Provider Network Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
Id	Healthcare Provider Taxonomy ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsPrimaryTaxonomy	Primary Taxonomy	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Taxonomy Name	string		255		
OwnerId	Owner ID	reference		18		
PractitionerId	Contact ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SystemModstamp	System Modstamp	datetime				
TaxonomyId	Care Taxonomy ID	reference		18		

HEALTHCAREPROVIDERTAXONOMYFEED

Feed tracking for HealthcareProviderTaxonomy.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

HEALTHCAREPROVIDERTAXONOMYHISTORY

History for tracked fields of HealthcareProviderTaxonomy.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HealthcareProviderTaxonomyId	Healthcare Provider Taxonomy ID	reference		18		
Id	Healthcare Provider Taxonomy History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HEALTHCAREPROVIDERTAXONOMYSHARE

Sharing for HealthcareProviderTaxonomy.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HIERARCHYOBJECT__SHARE

Sharing for HierarchyObject__.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HIERARCHYOBJECT__C

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId__c	AccountId	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Hierarchy_Path_Self__c	Hierarchy Path Self	string		255		
Hierarchy_Path__c	Hierarchy Path	string		255		
Id	Record ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MayEdit	May Edit	boolean				
Name	HierarchyObject Name	string		80		
OwnerId	Owner ID	reference		18		
ParentId__c	ParentId	string		255		
SystemModstamp	System Modstamp	datetime				

HOLIDAY

Represents a period of time during which your customer support team is unavailable. Business hours and escalation rules associated with business hours are suspended during any holidays with which they are affiliated.

For more information, see Holiday in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivityDate	Holiday Date	date				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		100		
EndTimeInMinutes	End Time In Minutes From Midnight	int	9			
Id	Holiday ID	id		18		
IsAllDay	All Day	boolean				
IsRecurrence	Recurring Holiday	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Holiday Name	string		80		
RecurrenceDayOfMonth	Recurrence Day of Month	int	9			
RecurrenceDayOfWeekMask	Recurrence Day of Week Mask	int	9			
RecurrenceEndDateOnly	Recurrence End	date				
RecurrenceInstance	Recurrence Instance	picklist		40		
RecurrenceInterval	Recurrence Interval	int	9			
RecurrenceMonthOfYear	Recurrence Month of Year	picklist		40		
RecurrenceStartDate	Recurrence Start	date				
RecurrenceType	Recurrence Type	picklist		40		
StartTimeInMinutes	Start Time In Minutes From Midnight	int	9			
SystemModstamp	System Modstamp	datetime				

IPADDRESSRANGE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	Name	string		80		
EndAddress	End Address	string		39		
Id	IP Address Range ID	id		18		
IpAddressFeature	IP Address Feature	picklist		255		
IpAddressUsageScope	Usage Scope	picklist		255		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
StartAddress	Start Address	string		39		
SystemModstamp	System Modstamp	datetime				

ICONDEFINITION

Represents the icon-related metadata for a custom tab.

For more information, see `IconDefinition` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentType	Content Type	string		255		
DurableId	Icon Definition Durable ID	string		255		
Height	Height	int	9			
Id	Icon Definition ID	id		18		
TabDefinitionId	Tab Definition ID	string		512		
Theme	Theme	string		255		
Url	URL	string		255		
Width	Width	int	9			

IDRSOLSTATUSEVENT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConsolidationRate	Consolidation Rate of the Identity Resolution	double			18	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EventCreationDate	Event creation time	datetime				
EventPublishDate	Event published time	datetime				
EventType	Type of CDP Event	string		4000		
EventUuid	EventUuid	string		36		
IdentityResolutionDevName	Developer Name of identity resolution	string		4000		
IdentityResolutionErrorCode	Error code if the Job Run failed	picklist		255		
LastRunStatus	Status of the last Identity Resolution run	picklist		255		
LastRunStatusDateTime	Date Time of the Identity Resolution Job Run	datetime				
MatchCount	Count of Matched Records in Identity Resolution	long	18			
ReplayId	ReplayId	string		1000		
SchemaVersion	Schema version	string		4000		
SourceCount	Count of Source Records used in Identity Resolution	long	18			
UnifiedCount	Count of Unified Records in Identity Resolution	long	18			

IDEA

Represents an idea on which users are allowed to comment and vote, for example, a suggestion for an enhancement to an existing product or process.

For more information, see Idea in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Body	Idea Body	textarea		32000		
Categories	Categories	multipicklist		4099	7	
CommunityId	Zone ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreatorFullPhotoUrl	Url of Creator's Profile Photo	string		255		
CreatorName	Name of Creator	string		121		
CreatorSmallPhotoUrl	Url of Creator's Thumbnail Photo	string		255		
Id	Idea ID	id		18		
IsDeleted	Deleted	boolean				
IsHtml	IsHtml	boolean				
IsMerged	Is Merged	boolean				
LastCommentDate	Last Idea Comment Date	datetime				
LastCommentId	Idea Comment ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
NumComments	Number of Comments	int	9			
ParentIdeaId	Idea ID	reference		18		
RecordTypeId	Record Type ID	reference		18		
Status	Status	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
VoteScore	Vote Score	double			18	4
VoteTotal	Vote Total	double			18	0

IDEACOMMENT

Represents a comment that a user has submitted in response to an idea.

For more information, see IdeaComment in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CommentBody	Comment Body	textarea		4000		
CommunityId	Zone ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreatorFullPhotoUrl	Url of Creator's Profile Photo	string		255		
CreatorName	Name of Creator	string		121		
CreatorSmallPhotoUrl	Url of Creator's Thumbnail Photo	string		255		
Id	Idea Comment ID	id		18		
IdeaId	Idea ID	reference		18		
IsDeleted	Deleted	boolean				
IsHtml	IsHtml	boolean				
SystemModstamp	System Modstamp	datetime				
UpVotes	Up Votes	int	9			

IDENTIFIER

Represents identifier information for multiple objects.

For more information, see Identifier in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveDate	Effective Date	datetime				
EndDate	End Date	datetime				
Id	Identifier ID	id		18		
IdTypeId	Id Type ID	reference		18		
IdUsageType	ID Usage Type	picklist		40		
IdValue	ID Value	string		255		
IdentifierKey	Identifier Key	string		255		
IsDeleted	Deleted	boolean				
IssuingAuthorityId	Account ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParentRecordId	ParentRecord ID	reference		18		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System ID	string		255		
SourceSystemModified	Source System Modified	datetime				
SystemModstamp	System Modstamp	datetime				

IDENTIFIERFEED

Feed tracking for Identifier.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

IDENTIFIERHISTORY

History for tracked fields of Identifier.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Identifier History ID	id		18		
IdentifierId	Identifier ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

IDENTITYDOCUMENT

Represents information about documents used to identify Financial Services Cloud clients.

For more information, see IdentityDocument in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExpirationDate	Expiration Date	date				
Id	Identity Document ID	id		18		
IdDocumentType	Document Type	picklist		40		
IsDeleted	Deleted	boolean				
IssueDate	Issue Date	date				
IssuingAuthority	Issuing Authority/Country	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Document Number	string		255		
OwnerId	Owner ID	reference		18		
RelatedLegalEntityId	Related Legal Entity ID	reference		18		
SystemModstamp	System Modstamp	datetime				
VerifiedById	User ID	reference		18		
VerifiedOn	Verified On	datetime				

IDENTITYDOCUMENTHISTORY

History for tracked fields of IdentityDocument.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Identity Document History ID	id		18		
IdentityDocumentId	Identity Document ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

IDENTITYDOCUMENTSHARE

Sharing for IdentityDocument.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

IDENTITYPROVIDEREVENTSTORE

Tracks problems and successes with inbound SAML or OpenID Connect authentication requests from another app provider. It also records outbound SAML responses when Salesforce is acting as an identity provider.

For more information, see `IdentityProviderEventStore` in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppId	Connected App ID	reference		18		
AuthSessionId	Auth Session ID	reference		18		
CreatedDate	Created Date	datetime				
ErrorCode	Status	picklist		255		
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
HasLogoutUrl	Has Logout URL	boolean				
Id	Identity Provider Event Store ID	id		18		
IdentityUsed	Identity Used	string		765		
InitiatedBy	Usage Type	picklist		255		
SamlEntityUrl	Entity ID	string		1500		
SsoType	SSO Type	picklist		255		
UserId	User ID	reference		18		

IDENTITYRESOLUTION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConsolidationRate	Consolidation Rate	double			18	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
ErrorCode	Error Code	picklist		255		
ErrorMessage	__MISSING LABEL__ PropertyFile - val ErrorMessage not found in section udd_IdentityResolution	string		255		
Id	Identity Resolution ID	id		18		
IsDeleted	Deleted	boolean				
IsScheduled	Scheduled	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastRunStatus	Last Run Status	picklist		255		
LastRunStatusDateTime	Last Run Status DateTime	datetime				
LastViewedDate	Last Viewed Date	datetime				
MatchedCount	Matched Count	long	18			
Name	Identity Resolution Name	string		255		
OwnerId	Owner ID	reference		18		
SourceCount	Source Count	long	18			
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
UnifiedCount	Unified Count	long	18			

IDENTITYRESOLUTIONFEED

Feed tracking for IdentityResolution.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

IDENTITYRESOLUTIONHISTORY

History for tracked fields of IdentityResolution.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	___MISSING LABEL___ PropertyFile - val IdentityResolution not found in section StandardHistoryIdLabel	id		18		
IdentityResolutionId	Identity Resolution ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

IDENTITYRESOLUTIONSHARE

Sharing for IdentityResolution.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

IDENTITYVERIFICATIONEVENT

Tracks user identity verification events in your org.

For more information, see IdentityVerificationEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Activity	User Activity	picklist		255		
City	City	string		200		
Country	Country	string		200		
CountryIso	Country Code	string		3		
CreatedDate	Created Date	datetime				
EventDate	Event Date	datetime				
EventGroup	Verification Attempt	string		255		
EventIdentifier	Event Identifier	string		80		
Id	Identity Verification Event ID	id		18		
Latitude	Latitude	double			9	6
LoginHistoryId	Login History ID	reference		18		
LoginKey	Login Key	string		24		
Longitude	Longitude	double			9	6
Policy	Triggered By	picklist		255		
PostalCode	PostalCode	string		20		
Remarks	Activity Message	string		255		
ResourceId	Connected App ID	reference		18		
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
Status	Status	picklist		255		
Subdivision	Subdivision	string		200		
UserId	User ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Username	Username	string		80		
VerificationMethod	Method	picklist		255		

IDPEVENTLOG

Represents the Identity Provider Event Log. This log records both problems and successes with inbound SAML or OpenID Connect authentication requests from another app provider. It also records outbound SAML responses when Salesforce is acting as an identity provider.

For more information, see `IdpEventLog` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppId	Connected App ID	reference		18		
AuthSessionId	Auth Session ID	reference		18		
ErrorCode	Status	picklist		40		
Id	Event Log Entry ID	id		18		
IdentityUsed	Identity Used	string		765		
InitiatedBy	Usage Type	picklist		40		
OptionsHasLogoutUrl	Has Logout URL	boolean				
SamlEntityUrl	Entity ID	string		1500		
SsoType	SSO Type	picklist		40		
Timestamp	Timestamp	datetime				
UserId	User ID	reference		18		

IFRAMEWHITELISTURL

Represents a list of trusted external domains that you allow to frame your Embedded Service, Surveys, and Visualforce pages.

For more information, see `IframeWhiteListUrl` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Context	Iframe Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Iframe Trusted Url ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				
Url	Domain	string		255		

IMAGE

Represents the details of an image.

For more information, see Image in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AlternateText	Accessibility Text	string		255		
CapturedAngle	Camera Angle	string		8		
ContentDocumentId	ContentDocument ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Image ID	id		18		
ImageClass	Category	picklist		255		
ImageClassObjectType	Image Type	picklist		255		
ImageViewType	Image Orientation	string		80		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Url	URL	url		1000		

IMAGEFEED

Feed tracking for Image.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

IMAGEHISTORY

History for tracked fields of Image.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Image History ID	id		18		
ImageId	Image ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

IMAGESHARE

Sharing for Image.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INSTORELOCATION

Create locations within a retail store's layout such as aisles, shelves, or backrooms.

For more information, see `InStoreLocation` in the *Consumer Goods Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
Id	In-store Location ID	id		18		
InStoreLocationType	In-store Location Type	picklist		255		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
Name	Name	string		255		
PlanogramId	Image ID	reference		18		
RetailStoreId	Retail Store ID	reference		18		
SystemModstamp	System Modstamp	datetime				

INSTORELOCATIONFEED

Feed tracking for InStoreLocation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

INSTORELOCATIONHISTORY

History for tracked fields of InStoreLocation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	In Store Location History ID	id		18		
InStoreLocationId	In-store Location ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INDIVIDUAL

Represents a customer's data privacy and protection preferences. Data privacy records based on the Individual object store your customers' preferences. Data privacy records are associated with related leads, contacts, person accounts, and users.

For more information, see Individual in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BirthDate	Birth Date	date				
CanStorePiiElsewhere	OK to Store PII Data Elsewhere	boolean				
ChildrenCount	Number of Children	int	9			
ConsumerCreditScore	Consumer Credit Score	int	9			
ConsumerCreditScoreProviderName	Consumer Credit Score Provider Name	string		255		
ConvictionsCount	Conviction Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeathDate	Death Date	date				
FirstName	First Name	string		40		
HasOptedOutGeoTracking	Block Geolocation Tracking	boolean				
HasOptedOutProcessing	Don't Process	boolean				
HasOptedOutProfiling	Don't Profile	boolean				
HasOptedOutSolicit	Don't Market	boolean				
HasOptedOutTracking	Don't Track	boolean				
Id	Individual ID	id		18		
IndividualsAge	Individual's Age	picklist		255		
InfluencerRating	Influencer Rating	int	9			
IsDeleted	Deleted	boolean				
IsHomeOwner	Is Homeowner	boolean				
LastModifiedById	Last Modified By ID	reference		18		

Individual

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedDate	Last Modified Date	datetime				
LastName	Last Name	string		80		
LastViewedDate	Last Viewed Date	datetime				
MasterRecordId	Master Record ID	reference		18		
MilitaryService	Military Service	picklist		255		
Name	Name	string		121		
Occupation	Occupation	string		150		
OwnerId	Owner ID	reference		18		
Salutation	Salutation	picklist		40		
SendIndividualData	Export Individual's Data	boolean				
ShouldForget	Forget this Individual	boolean				
SystemModstamp	System Modstamp	datetime				
Website	Website	url		255		

INDIVIDUALAPPLICATION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AmountPaid	Amount Paid	currency			18	0
ApplicationCaseId	Case ID	reference		18		
ApplicationCategory	Application Tier	picklist		40		
ApplicationType	Application Type	picklist		40		
AppliedDate	Applied Date	datetime				
ApprovedDate	Approved Date	datetime				
Category	Category	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Individual Application ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LicensePermitNameId	Business License ID	reference		18		
Name	Application ID	string		255		
OwnerId	Owner ID	reference		18		
PaymentDate	Payment Date	datetime				
RequirementsCompleteDate	Requirements Complete Date	datetime				
Status	Application Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
WasReturned	Returned to Applicant	boolean				

INDIVIDUALAPPLICATIONFEED

Feed tracking for IndividualApplication.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

INDIVIDUALAPPLICATIONHISTORY

History for tracked fields of IndividualApplication.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Individual Application History ID	id		18		
IndividualApplicationId	Individual Application ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INDIVIDUALAPPLICATIONSHARE

Sharing for IndividualApplication.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INDIVIDUALHISTORY

Represents the history of changes to values in the fields of a data privacy record, based on the Individual object.

For more information, see IndividualHistory in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Individual History ID	id		18		
IndividualId	Individual ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INDIVIDUALSHARE

Represents a list of access levels to a data privacy record along with an explanation of the access level. For example, if you have access to a record because you own it, the `IndividualAccessLevel` is `All` and `RowCause` is `Owner`.

For more information, see `IndividualShare` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>Id</code>	Individual Share ID	id		18		
<code>IndividualAccessLevel</code>	Individual Access Level	picklist		40		
<code>IndividualId</code>	Individual ID	reference		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>RowCause</code>	Apex Sharing Reason ID	picklist		40		
<code>UserOrGroupId</code>	User/Group ID	reference		18		

INFOAUTHREQUESTFORM

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorizationFormTextId	Authorization Form Text ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Info Authorization Request Form ID	id		18		
InfoAuthorizationRequestId	Info Authorization Request ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LatestAuthFormConsentId	Latest Authorization Form Consent ID	reference		18		
LatestResponseDateTime	Latest Response Date Time	datetime				
Name	Name	string		255		
ResponseStatus	Response Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

INFOAUTHREQUESTFORMFEED

Feed tracking for InfoAuthRequestForm.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

INFOAUTHREQUESTFORMHISTORY

History for tracked fields of InfoAuthRequestForm.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Info Authorization Request Form History ID	id		18		
InfoAuthRequestFormId	Info Authorization Request Form ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INFOAUTHORIZATIONREQUEST

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CommunicationType	Communication Type	picklist		255		
ConsenterId	Consenter ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataUsePurposeId	Data Use Purpose ID	reference		18		
ExpirationDateTime	Expiration Date Time	datetime				
Id	Info Authorization Request ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Locale	Locale	picklist		255		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PertainsToId	Pertains To ID	reference		18		
RequestedDateTime	Requested Date Time	datetime				
RequesterId	Requester ID	reference		18		
ResponseStatus	Response Status	picklist		255		
SourceRecordId	Source Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				

INFOAUTHORIZATIONREQUESTFEED

Feed tracking for InfoAuthorizationRequest.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

INFOAUTHORIZATIONREQUESTHISTORY

History for tracked fields of InfoAuthorizationRequest.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Info Authorization Request History ID	id		18		
InfoAuthorizationRequestId	Info Authorization Request ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INFOAUTHORIZATIONREQUESTSHARE

Sharing for InfoAuthorizationRequest.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INSPECTIONASSESSMENTIND

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentIndDefinitionId	Assessment Indicator Definition ID	reference		18		
AssessmentTaskId	Assessment Task ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DateTimeFieldResponse	DateTime Field Response	datetime				
DecimalFieldResponse	Decimal Field Response	double			18	5
DisplayOrder	Display Order	int	9			
Id	Inspection Assessment Indicator ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
NumberFieldResponse	Number Field Response	int	9			
PercentageFieldResponse	Percentage Field Response	percent			5	2
Result	Result	picklist		40		
SystemModstamp	System Modstamp	datetime				
TextFieldResponse	Text Field Response	string		255		

INSPECTIONASSESSMENTINDFEED

Feed tracking for InspectionAssessmentInd.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

INSPECTIONASSESSMENTINDHISTORY

History for tracked fields of InspectionAssessmentInd.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Inspection Assessment Indicator History ID	id		18		
InspectionAssessmentIndId	Inspection Assessment Indicator ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INSPECTIONTYPE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Inspection Type ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

INSPECTIONTYPEFEED

Feed tracking for InspectionType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

INSPECTIONTYPEHISTORY

History for tracked fields of InspectionType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Inspection Type History ID	id		18		
InspectionTypeId	Inspection Type ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INSPECTIONTYPESHARE

Sharing for InspectionType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INSTALLEDMOBILEAPP

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConnectedApplicationId	Connected Application ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Installed Mobile App Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Installed Mobile App Name	string		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		
Version	Version	string		255		

INTERFACEFIELD MAPPING

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
DurableId	Durable ID	string		255		
EntityFieldQualifiedApiName	Entity Field Qualified API Name	string		70		
EntityQualifiedApiName	Entity Qualified API Name	string		70		
Id	Interface Field Mapping Id	id		18		
InterfaceFieldQualifiedApiName	Interface Field Qualified API Name	string		70		
InterfaceQualifiedApiName	Interface Qualified API Name	string		70		
IsCustom	Is Custom	boolean				

INVOICE

Represents a financial document describing the total amount a buyer must pay for goods or services provided.

For more information, see Invoice in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillToContactId	Contact ID	reference		18		
BillingAccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DocumentNumber	Document Number	string		255		
DueDate	Due Date	date				
Id	Invoice ID	id		18		
InvoiceDate	Invoice Date	date				
InvoiceNumber	Invoice Number	string		10		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
ReferenceEntityId	ReferenceEntity ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalAdjustmentAmount	Total Adjustment Amount	currency			18	2
TotalAdjustmentAmountWithTax	Total Adjustment Amount with Tax	currency			18	2
TotalAdjustmentTaxAmount	Total Adjustment Tax Amount	currency			18	2

Invoice

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalAmount	Total Amount	currency			18	2
TotalAmountWithTax	Total with Tax	currency			18	2
TotalChargeAmount	Total Charges	currency			18	2
TotalChargeAmountWithTax	Total Charge Amount with Tax	currency			18	2
TotalChargeTaxAmount	Total Charge Tax Amount	currency			18	2
TotalTaxAmount	Total Tax	currency			18	2

INVOICEFEED

Feed tracking for Invoice.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

INVOICEHISTORY

History for tracked fields of Invoice.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Invoice History ID	id		18		
InvoiceId	Invoice ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INVOICELINE

Represents the amount that a buyer must pay for a product, service, or fee. Invoice lines are created based on the amount of an order line.

For more information, see InvoiceLine in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentAmount	Adjustment Amount	currency			18	2
AdjustmentAmountWithTax	Adjustment Amount with Tax	currency			18	2
AdjustmentTaxAmount	Adjustment Tax Amount	currency			18	2
ChargeAmount	Charge Amount	currency			18	2
ChargeAmountWithTax	Charge Amount with Tax	currency			18	2
ChargeTaxAmount	Charge Tax Amount	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
GroupReferenceEntityItemId	GroupReferenceEntityItem ID	reference		18		
Id	Invoice Line ID	id		18		
InvoiceId	Invoice ID	reference		18		
InvoiceLineEndDate	Invoice Line End Date	date				
InvoiceLineStartDate	Invoice Line Start Date	date				
InvoiceStatus	Status	string		50		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LineAmount	Line Amount	currency			18	2
Name	Name	string		255		
Product2Id	Product ID	reference		18		
Quantity	Quantity	double			18	2

InvoiceLine

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ReferenceEntityItemId	ReferenceEntityItem ID	reference		18		
ReferenceEntityItemType	Reference Entity Item Type	picklist		40		
ReferenceEntityItemTypeCode	Reference Entity Item Type Code	picklist		255		
RelatedLineId	Invoice Line ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TaxAmount	Tax Amount	currency			18	2
TaxCode	Tax Code	string		255		
TaxEffectiveDate	Tax Effective Date	date				
TaxName	Tax Name	string		255		
TaxRate	Tax Rate	percent			3	0
Type	Type	picklist		255		
UnitPrice	Unit Price	currency			18	2

INVOICELINEFEED

Feed tracking for InvoiceLine.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

INVOICELINEHISTORY

History for tracked fields of InvoiceLine.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Invoice Line History ID	id		18		
InvoiceLineId	Invoice Line ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INVOICESHARE

Sharing for Invoice.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

JOBPROFILE

Represents a job profile used for shift scheduling.

For more information, see JobProfile in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Id	Job Profile ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Job Profile Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

JOBPROFILEFEED

Feed tracking for JobProfile.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

JOBPROFILEHISTORY

History for tracked fields of JobProfile.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Job Profile History ID	id		18		
IsDeleted	Deleted	boolean				
JobProfileId	Job Profile ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

JOBPROFILESHARE

Sharing for JobProfile.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

JOURNALREASON

Represents a view that specifies the reason for the action that created a transaction journal.

For more information, see *JournalReason* in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Journal Reason ID	id		18		
IsActive	Is Active	picklist		40		
JournalReasonType	Journal Reason Type	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SystemModstamp	System Modstamp	datetime				

JOURNALSUBTYPE

Represents the subcategory of transaction journal.

For more information, see `JournalSubType` in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
Id	Journal SubType ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
JournalTypeId	Industry Type ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MayEdit	May Edit	boolean				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

JOURNALSUBTYPEHISTORY

History for tracked fields of JournalSubType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Journal SubType History ID	id		18		
IsDeleted	Deleted	boolean				
JournalSubTypeId	Journal SubType ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

JOURNALTYPE

Represents the category of transactions. For example: accrual, redemption.

For more information, see `JournalType` in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
Id	Industry Type ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MayEdit	May Edit	boolean				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProcessType	Industry Name	picklist		255		
SystemModstamp	System Modstamp	datetime				

JOURNALTYPEHISTORY

History for tracked fields of JournalType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Journal Type History ID	id		18		
IsDeleted	Deleted	boolean				
JournalTypeId	Industry Type ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

JOURNALTYPESHARE

Sharing for JournalType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

KEYPERFORMANCEINDICATOR

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualBooleanValue	Actual Boolean Value	picklist		255		
ActualDateTimeValue	Actual Date Time Value	datetime				
ActualDecimalValue	Actual Decimal Value	double			18	0
ActualIntegerValue	Actual Integer Value	int	9			
AssessmentIndDefinitionId	Assessment Indicator Definition ID	reference		18		
CreatedById	User ID	reference		18		
CreatedDate	Created Date	datetime				
DefinitionReferenceId	Definition Reference ID	reference		18		
ExpectedBooleanValue	Expected Boolean Value	picklist		255		
ExpectedDateTimeValue	Expected Date Time Value	datetime				
ExpectedDecimalValue	Expected Decimal Value	double			18	0
ExpectedIntegerValue	Expected Integer Value	int	9			
Id	Key Performance Indicator Id	id		18		
ImplementorType	Implementor Type	string		255		
IsDefinition	Is Definition	boolean				
LastModifiedById	User ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
SequenceNumber	Sequence	int	9			
SystemModstamp	System Modstamp	datetime				
VisitTaskContextId	Visit Task Context - RE ID	reference		18		

KNOWLEDGEABLEUSER

Represents a user identified as knowledgeable about a specific topic, and ranks them relative to other knowledgeable users.
For more information, see KnowledgeableUser in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	Knowledgeable User ID	id		18		
RawRank	Rank	int	9			
SystemModstamp	System Modstamp	datetime				
TopicId	Topic ID	reference		18		
UserId	User ID	reference		18		

LEAD

Represents a prospect or lead.

For more information, see Lead in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Address	Address	address				
AnnualRevenue	Annual Revenue	currency			18	0
City	City	string		40		
Company	Company	string		255		
ConvertedAccountId	Converted Account ID	reference		18		
ConvertedContactId	Converted Contact ID	reference		18		
ConvertedDate	Converted Date	date				
ConvertedOpportunityId	Converted Opportunity ID	reference		18		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Email	Email	email		80		
EmailBouncedDate	Email Bounced Date	datetime				
EmailBouncedReason	Email Bounced Reason	string		255		
FirstName	First Name	string		40		
GeocodeAccuracy	Geocode Accuracy	picklist		40		
HasOptedOutOfEmail	Email Opt Out	boolean				
HasOptedOutOfFax	Fax Opt Out	boolean				
Id	Lead ID	id		18		
IndividualId	Individual ID	reference		18		
Industry	Industry	picklist		255		
IsConverted	Converted	boolean				

Lead

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsDeleted	Deleted	boolean				
IsUnreadByOwner	Unread By Owner	boolean				
Jigsaw	Data.com Key	string		20		
JigsawContactId	Jigsaw Contact ID	string		20		
LastActivityDate	Last Activity	date				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastName	Last Name	string		80		
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
LeadSource	Lead Source	picklist		255		
Longitude	Longitude	double			18	15
MasterRecordId	Master Record ID	reference		18		
Name	Full Name	string		121		
NumberOfEmployees	Employees	int	8			
OwnerId	Owner ID	reference		18		
Phone	Phone	phone		40		
PhotoUrl	Photo URL	url		255		
PostalCode	Zip/Postal Code	string		20		
Rating	Rating	picklist		255		
Salutation	Salutation	picklist		40		
State	State/Province	string		80		
Status	Status	picklist		255		
Street	Street	textarea		255		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		128		
Website	Website	url		255		

LEADCLEANINFO

Stores the metadata Data.com Clean uses to determine a lead record's clean status. Helps you automate the cleaning or related processing of lead records.

For more information, see LeadCleanInfo in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Address	Address	address				
AnnualRevenue	Annual Revenue	currency			18	0
City	City	string		40		
CleanedByJob	Cleaned by Job	boolean				
CleanedByUser	Cleaned by User	boolean				
CompanyDunsNumber	Company D-U-N-S Number	string		9		
CompanyName	Company Name	string		255		
ContactStatusDataDotCom	Contact Status per Data.com	picklist		255		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DandBCompanyDunsNumber	D&B Company D-U-N-S Number	string		9		
DataDotComCompanyId	Data.com Company ID	string		20		
DataDotComId	Data.com ID	string		20		
Email	Email	email		80		
FirstName	First Name	string		255		
GeocodeAccuracy	Geocode Accuracy	picklist		255		
Id	Lead Clean Info ID	id		18		
Industry	Industry	picklist		40		
IsDeleted	Deleted	boolean				
IsDifferentAnnualRevenue	Annual Revenue is Different	boolean				
IsDifferentCity	City is Different	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsDifferentCompanyDunsNumber	Company D-U-N-S Number is Different	boolean				
IsDifferentCompanyName	Company Name is Different	boolean				
IsDifferentCountry	Country is Different	boolean				
IsDifferentCountryCode	Country Code is Different	boolean				
IsDifferentDnbCompanyDunsNumber	D&B Company D-U-N-S Number is Different	boolean				
IsDifferentEmail	Email is Different	boolean				
IsDifferentFirstName	First Name is Different	boolean				
IsDifferentIndustry	Industry is Different	boolean				
IsDifferentLastName	Last Name is Different	boolean				
IsDifferentNumberOfEmployees	Number of Employees is Different	boolean				
IsDifferentPhone	Phone is Different	boolean				
IsDifferentPostalCode	ZIP is Different	boolean				
IsDifferentState	State is Different	boolean				
IsDifferentStateCode	State Code is Different	boolean				
IsDifferentStreet	Street is Different	boolean				
IsDifferentTitle	Title is Different	boolean				
IsFlaggedWrongAddress	Address is Flagged Wrong	boolean				
IsFlaggedWrongAnnualRevenue	Annual Revenue is Flagged Wrong	boolean				
IsFlaggedWrongCompanyDunsNumber	Company D-U-N-S Number is Flagged Wrong	boolean				
IsFlaggedWrongCompanyName	Company Name is Flagged Wrong	boolean				
IsFlaggedWrongEmail	Email is Flagged Wrong	boolean				
IsFlaggedWrongIndustry	Industry is Flagged Wrong	boolean				
IsFlaggedWrongName	Name is Flagged Wrong	boolean				
IsFlaggedWrongNumberOfEmployees	Number of Employees is Flagged Wrong	boolean				
IsFlaggedWrongPhone	Phone is Flagged Wrong	boolean				
IsFlaggedWrongTitle	Title is Flagged Wrong	boolean				

LeadCleanInfo

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsInactive	Contact Status in Salesforce	boolean				
IsReviewedAddress	Address is Reviewed	boolean				
IsReviewedAnnualRevenue	Annual Revenue is Reviewed	boolean				
IsReviewedCompanyDunsNumber	Company D-U-N-S Number is Reviewed	boolean				
IsReviewedCompanyName	Company Name is Reviewed	boolean				
IsReviewedDandBCompanyDunsNumber	D&B Company D-U-N-S Number is Reviewed	boolean				
IsReviewedEmail	Email is Reviewed	boolean				
IsReviewedIndustry	Industry is Reviewed	boolean				
IsReviewedName	Name is Reviewed	boolean				
IsReviewedNumberOfEmployees	Number of Employees is Reviewed	boolean				
IsReviewedPhone	Phone is Reviewed	boolean				
IsReviewedTitle	Title is Reviewed	boolean				
LastMatchedDate	Last Matched Date	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastName	Last Name	string		255		
LastStatusChangedById	User ID	reference		18		
LastStatusChangedDate	Last Status Changed Date	datetime				
Latitude	Latitude	double			18	15
LeadId	Lead ID	reference		18		
Longitude	Longitude	double			18	15
Name	Lead Clean Info Name	string		255		
NumberOfEmployees	Number of Employees	int	8			
Phone	Phone	phone		40		
PostalCode	Zip	string		20		
State	State	string		80		
Street	Street	textarea		255		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Title	Title	string		128		

LEADFEED

Feed tracking for Lead.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

LEADHISTORY

History for tracked fields of Lead.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Lead History ID	id		18		
IsDeleted	Deleted	boolean				
LeadId	Lead ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LEADSHARE

Represents a sharing entry on a Lead.

For more information, see LeadShare in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	Lead Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LeadAccessLevel	Lead Access	picklist		40		
LeadId	Lead ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LEADSTATUS

Represents the status of a Lead, such as Open, Qualified, or Converted.

For more information, see LeadStatus in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Lead Status Value ID	id		18		
IsConverted	Is Converted	boolean				
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

LEGALENTITY

Represents the way an organization is structured. An organization can be a single legal entity or it can comprise more than one legal entity.

For more information, see LegalEntity in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CompanyName	Company Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Id	Legal Entity ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LegalEntityAddress	Address	address				
LegalEntityCity	City	string		40		
LegalEntityCountry	Country	string		80		
LegalEntityGeocodeAccuracy	Geocode Accuracy	picklist		255		
LegalEntityLatitude	Latitude	double			18	15
LegalEntityLongitude	Longitude	double			18	15
LegalEntityPostalCode	Postal Code	string		20		
LegalEntityState	State	string		80		
LegalEntityStreet	Street	textarea		255		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Status	Status	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

LEGALENTITYFEED

Feed tracking for LegalEntity.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

LEGALENTITYHISTORY

History for tracked fields of LegalEntity.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Legal Entity History ID	id		18		
IsDeleted	Deleted	boolean				
LegalEntityId	Legal Entity ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LEGALENTITYSHARE

Sharing for LegalEntity.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LIGHTNINGEXITBYPAGEMETRICS

.Represents standard pages users switched from Lightning Experience to Salesforce most frequently.

For more information, see LightningExitByPageMetrics in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	Lightning Exit By Page Metrics ID	id		18		
MetricsDate	Metrics Date	date				
PageName	Page Name	string		40		
RecordCount	Record Count	int	9			
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

LIGHTNINGEXPERIENCETHEME

Represents information for a theme in Lightning Experience.

For more information, see LightningExperienceTheme in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultBrandingSetId	Branding Set ID	reference		18		
Description	Description	textarea		1000		
DeveloperName	Name	string		70		
Id	Theme ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Name	string		70		
NamespacePrefix	Namespace Prefix	string		15		
ShouldOverrideLoadingImage	Should Override Loading Image	boolean				
SystemModstamp	System Modstamp	datetime				

LIGHTNINGONBOARDINGCONFIG

Represents the feedback provided when users switch from Lightning Experience to Salesforce Classic. Admins can customize the question, how frequently the form appears, and where the feedback is stored in Chatter from the Adoption Assistance page in Lightning Experience Setup.

For more information, see LightningOnboardingConfig in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CollaborationGroupId	Collaboration Group ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomQuestion	Custom Question	textarea		1000		
DeveloperName	Name	string		80		
FeedbackFormDaysFrequency	Feedback Form Days Frequency	int	9			
Id	Lightning Onboarding Config ID	id		18		
IsCustom	Is Custom	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
PromptDelayTime	Prompt Delay Time	int	9			
SendFeedbackToSalesforce	Send Feedback To Salesforce	boolean				
SystemModstamp	System Modstamp	datetime				

LIGHTNINGTOGGLEMETRICS

Represents users who switched from Lightning Experience back to Salesforce Classic.

For more information, see LightningToggleMetrics in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Action	Action	string		40		
Id	Lightning Toggle Metrics ID	id		18		
MetricsDate	Metrics Date	date				
RecordCount	Record Count	int	9			
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

LIGHTNINGURIEVENT

Detects when a user creates, accesses, updates, or deletes a record in Lightning Experience only.

For more information, see `LightningUriEvent` in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppName	Application Name	string		255		
ConnectionType	Connection Type	string		255		
CreatedDate	Created Date	datetime				
DeviceId	Device ID	string		255		
DeviceModel	Device Model	string		255		
DevicePlatform	Device Platform	string		255		
DeviceSessionId	Device Session ID	string		255		
Duration	Duration	double			18	0
EffectivePageTime	Effective Page Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
Id	Lightning URI Event ID	id		18		
LoginKey	Login Key	string		24		
Operation	Operation	picklist		255		
OsName	OS Name	string		255		
OsVersion	OS Version	string		255		
PageStartTime	Page Start Time	datetime				
PageUrl	Page URL	url		255		
PreviousPageAppName	Previous Page App Name	string		255		
PreviousPageEntityId	Previous Page Entity ID	reference		18		
PreviousPageEntityType	Previous Page Entity Type	string		255		
PreviousPageUrl	Previous Page URL	url		255		
QueriedEntities	Queried Entities	string		1000		

LightningUriEvent

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RecordId	Record ID	reference		18		
RelatedEventIdentifier	Related Event Identifier	string		80		
SdkAppType	SDK App Type	string		255		
SdkAppVersion	SDK App Version	string		255		
SdkVersion	SDK Version	string		255		
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
UserId	User ID	reference		18		
UserType	User Type	picklist		255		
Username	Username	string		255		

LIGHTNINGURIEVENTSTREAM

Detects when a user creates, accesses, updates, or deletes a record in Lightning Experience only.

For more information, see `LightningUriEventStream` in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppName	Application Name	string		255		
ConnectionType	Connection Type	string		255		
CreatedDate	Created Date	datetime				
DeviceId	Device ID	string		255		
DeviceModel	Device Model	string		255		
DevicePlatform	Device Platform	string		255		
DeviceSessionId	Device Session ID	string		255		
Duration	Duration	double			18	0
EffectivePageTime	Effective Page Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
EventUuid	Event UUID	string		36		
LoginKey	Login Key	string		24		
Operation	Operation	picklist		255		
OsName	OS Name	string		255		
OsVersion	OS Version	string		255		
PageStartTime	Page Start Time	datetime				
PageUrl	Page URL	url		255		
PreviousPageAppName	Previous Page App Name	string		255		
PreviousPageEntityId	Previous Page Entity ID	string		18		
PreviousPageEntityType	Previous Page Entity Type	string		255		
PreviousPageUrl	Previous Page URL	url		255		
QueriedEntities	Queried Entities	string		1000		

LightningUriEventStream

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RecordId	Record ID	string		18		
RelatedEventIdentifier	Related Event Identifier	string		80		
ReplayId	Replay ID	string		1000		
SdkAppType	SDK App Type	string		255		
SdkAppVersion	SDK App Version	string		255		
SdkVersion	SDK Version	string		255		
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
UserId	User ID	reference		18		
UserType	User Type	picklist		255		
Username	Username	string		255		

LIGHTNINGUSAGEBYAPPTYPEMETRICS

Represents number of users on Lightning Experience and Salesforce Mobile.

For more information, see LightningUsageByAppTypeMetrics in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppExperience	App Experience	string		40		
Id	Lightning Usage By App Type Metrics ID	id		18		
MetricsDate	Metrics Date	date				
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

LIGHTNINGUSAGEBYBROWSERMETRICS

Represents Lightning Experience usage grouped by user's browser.

For more information, see LightningUsageByBrowserMetrics in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Browser	Browser	string		40		
EptBin3To5	EptBin3To5	int	9			
EptBin5To8	EptBin5To8	int	9			
EptBin8To10	EptBin8To10	int	9			
EptBinOver10	EptBinOver10	int	9			
EptBinUnder3	EptBinUnder3	int	9			
Id	Lightning Usage By Browser Metrics ID	id		18		
MetricsDate	Metrics Date	date				
PageName	Page Name	string		40		
RecordCountEPT	Record Count EPT	int	9			
SumEPT	Sum EPT	int	9			
SystemModstamp	System Modstamp	datetime				
TotalCount	Total Count	int	9			

LIGHTNINGUSAGEBYFLEXIPAGEMETRICS

Represents custom pages users viewed most frequently in Lightning Experience.

For more information, see LightningUsageByFlexiPageMetrics in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
FlexiPageNameOrId	FlexiPage Name Or Id	string		40		
FlexiPageType	FlexiPage Type	string		40		
Id	Lightning Usage By FlexiPage Metrics ID	id		18		
MetricsDate	Metrics Date	date				
RecordCountEPT	Record Count EPT	int	9			
SumEPT	Sum EPT	int	9			
SystemModstamp	System Modstamp	datetime				
TotalCount	Total Count	int	9			

LIGHTNINGUSAGEBYPAGEMETRICS

Represents standard pages users viewed most frequently in Lightning Experience.

For more information, see LightningUsageByPageMetrics in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CoresBin2To4	CoresBin2To4	int	9			
CoresBin4To8	CoresBin4To8	int	9			
CoresBinOver8	CoresBinOver8	int	9			
CoresBinUnder2	CoresBinUnder2	int	9			
DownlinkBin3To5	DownlinkBin3To5	int	9			
DownlinkBin5To8	DownlinkBin5To8	int	9			
DownlinkBin8To10	DownlinkBin8To10	int	9			
DownlinkBinOver10	DownlinkBinOver10	int	9			
DownlinkBinUnder3	DownlinkBinUnder3	int	9			
EptBin3To5	EptBin3To5	int	9			
EptBin5To8	EptBin5To8	int	9			
EptBin8To10	EptBin8To10	int	9			
EptBinOver10	EptBinOver10	int	9			
EptBinUnder3	EptBinUnder3	int	9			
Id	Lightning Usage By Page Metrics ID	id		18		
MetricsDate	Metrics Date	date				
PageName	Page Name	string		40		
RecordCountEPT	Record Count EPT	int	9			
RttBin50To150	RttBin50To150	int	9			
RttBinOver150	RttBinOver150	int	9			
RttBinUnder50	RttBinUnder50	int	9			
SumEPT	Sum EPT	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
TotalCount	Total Count	int	9			
UserId	User ID	reference		18		

LISTEMAIL

Represents a list email sent from Salesforce, or sent from Pardot and synced to Salesforce. When the list email is sent, the recipients are generated by combining recipients in ListEmailIndividualRecipients and ListEmailRecipientSource. Duplicate and other invalid recipients are removed. The result is the recipients who are sent any given list email. Has a one-to-many relationship with ListEmailRecipientSource and ListEmailIndividualRecipient.

For more information, see ListEmail in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CampaignId	Campaign ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FromAddress	From Address	textarea		320		
FromName	From Name	string		121		
HasAttachment	Has Attachment	boolean				
HtmlBody	Html Body	textarea		32000		
Id	List Email ID	id		18		
IsDeleted	Deleted	boolean				
IsTracked	Is Tracked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ReplyToAddress	Reply To Address	textarea		320		
ScheduledDate	Scheduled Date	datetime				
SentVia	Sent Via	picklist		255		
Status	Status	picklist		255		
Subject	Subject	textarea		3000		

ListEmail

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
TextBody	Text Body	textarea		32000		
TotalSent	Total Sent	int	9			

LISTEMAILINDIVIDUALRECIPIENT

For a list email in Salesforce, represents a recipient. Each record represents a link from a list email to exactly one recipient for that list email. Recipients can be contacts, leads, or campaign members. Has a one-to-many relationship with ListEmail.

For more information, see ListEmailIndividualRecipient in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	List Email Individual Recipient ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ListEmailId	List Email ID	reference		18		
Name	Name	string		255		
RecipientId	Recipient ID	reference		18		
SystemModstamp	System Modstamp	datetime				

LISTEMAILRECIPIENTSOURCE

For a list email in Salesforce, represents the dynamically defined sources of recipient email addresses. Each record represents a link to a single list view or campaign that is examined when the list email is sent. Has a one-to-many relationship with ListEmail.

For more information, see ListEmailRecipientSource in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	List Email Recipient Source ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ListEmailId	List Email ID	reference		18		
Name	Name	string		255		
SourceListId	SourceList ID	reference		18		
SourceType	Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

LISTEMAILSHARE

Sharing for ListEmail.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LISTVIEW

Represents a list view. A list view specifies a set of records for an object, based on specific criteria.

For more information, see [ListView](#) in the *Object Reference*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	View Unique Name	string		80		
Id	List View ID	id		18		
IsSoqlCompatible	Is SOQL Compatible	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	View Name	string		40		
NamespacePrefix	Namespace Prefix	string		15		
ObjectType	Custom Object Definition ID	picklist		40		
SystemModstamp	System Modstamp	datetime				

LISTVIEWCHART

Represents a graphical chart that's displayed on Salesforce for Android, iOS, and mobile web list views. The chart aggregates data that is filtered based on the list view that's currently displayed.

For more information, see `ListViewChart` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>AggregateField</code>	Custom Field Definition ID	picklist		255		
<code>AggregateType</code>	Aggregate Type	picklist		255		
<code>ChartType</code>	Chart Type	picklist		255		
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>DeveloperName</code>	API Name	string		80		
<code>GroupingField</code>	Custom Field Definition ID	picklist		255		
<code>Id</code>	List View Chart ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>Language</code>	Master Language	picklist		40		
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>MasterLabel</code>	Label	string		80		
<code>OwnerId</code>	User ID	reference		18		
<code>ObjectType</code>	Custom Object Definition ID	picklist		40		
<code>SystemModstamp</code>	System Modstamp	datetime				

LISTVIEWCHARTINSTANCE

Retrieves metadata for all standard and custom charts for a given entity in context of a given list view.

For more information, see `ListViewChartInstance` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AggregateField	Aggregate Field	string		255		
AggregateType	Aggregate Type	picklist		255		
ChartType	TODO, use alias	picklist		255		
DataQuery	SOQL Query for Chart Data	textarea		1333		
DataQueryWithoutUserFilters	SOQL Query for Desktop Chart Data without S1 User Filters	textarea		1333		
DeveloperName	API Name	string		80		
ExternalId	ListView Chart Instance ID	string		255		
GroupingField	Grouping Field	string		255		
Id	List View Chart Instance ID	id		18		
IsDeletable	Deletable	boolean				
IsEditable	Editable	boolean				
IsLastViewed	Last Viewed	boolean				
Label	Label	string		255		
ListViewChartId	List View Chart ID	reference		18		
ListViewContextId	List View ID	reference		18		
SourceEntity	Entity	string		255		

LISTVIEWEVENT

Tracks when users access data with list views using Lightning Experience, Salesforce Classic, or the API. It doesn't track list views of Setup entities.

For more information, see `ListViewEvent` in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppName	Application Name	string		255		
ColumnHeaders	Name of Columns	string		10000		
CreatedDate	Created Date	datetime				
DeveloperName	Developer Name	string		80		
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
EventSource	Event Source	picklist		255		
ExecutionIdentifier	Execution Identifier	string		80		
FilterCriteria	Filter Criteria	json		250000		
Id	List View Event ID	id		18		
ListViewId	List View ID	reference		18		
LoginHistoryId	Login History ID	reference		18		
LoginKey	Login Key	string		24		
Name	Name	string		40		
NumberOfColumns	Number of Columns	int	9			
OrderBy	Order By	string		255		
OwnerId	Owner ID	reference		18		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
QueriedEntities	Queried Entities	string		1000		
Records	Records	json		250000		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RelatedEventIdentifier	Related Event Identifier	string		80		
RowsProcessed	Rows Processed	double			18	0
Scope	Scope	string		255		
Sequence	Sequence	int	9			
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
UserId	User ID	reference		18		
Username	Username	string		255		

LISTVIEWEVENTSTREAM

Tracks actions related to list views in Lightning Experience, Salesforce Classic, or the API. For example, the event captures when a user runs or exports a list view. It doesn't capture list view events of Setup entities.

For more information, see `ListViewEventStream` in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppName	Application Name	string		255		
ColumnHeaders	Name of Columns	string		10000		
CreatedDate	Created Date	datetime				
DeveloperName	Developer Name	string		80		
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
EventSource	Event Source	picklist		255		
EventUuid	Event UUID	string		36		
ExecutionIdentifier	Execution Identifier	string		80		
FilterCriteria	Filter Criteria	json		250000		
ListViewId	List View ID	string		18		
LoginHistoryId	Login History ID	reference		18		
LoginKey	Login Key	string		24		
Name	Name	string		40		
NumberOfColumns	Number of Columns	int	9			
OrderBy	Order By	string		255		
OwnerId	Owner	string		18		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
QueriedEntities	Queried Entities	string		1000		
Records	Records	json		250000		

ListViewEventStream

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RelatedEventIdentifier	Related Event Identifier	string		80		
ReplayId	Replay ID	string		1000		
RowsProcessed	Rows Processed	double			18	0
Scope	Scope	string		255		
Sequence	Sequence	int	9			
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
UserId	User ID	reference		18		
Username	Username	string		255		

LIVECHATSENSITIVEDATARULE

Represents a rule for masking or deleting data of a specified pattern. Written as a regular expression (regex).

For more information, see LiveChatSensitiveDataRule in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionType	Action	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
DeveloperName	Developer Name	string		80		
EnforceOn	Enforce	int	9			
Id	Sensitive Data Rule ID	id		18		
IsDeleted	Deleted	boolean				
IsEnabled	Active	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Sensitive Data Rule Name	string		80		
NamespacePrefix	Namespace Prefix	string		15		
Pattern	Patterns	textarea		1000		
Priority	Priority	int	9			
Replacement	Replacement Text	string		255		
SystemModstamp	System Modstamp	datetime				

LOCATION

Represents a warehouse, service vehicle, work site, or other element of the region where your team performs field service work. In API version 49.0 and later, you can associate activities with specific locations. Activities, such as the tasks and events related to a location, appear in the activities timeline when you view the location detail page. Also in API version 49.0 and later, Work.com users can view Employees as a related list on Location records.

For more information, see Location in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CloseDate	Close Date	date				
ConstructionEndDate	Construction End Date	date				
ConstructionStartDate	Construction Start Date	date				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DrivingDirections	Driving Directions	string		1000		
ExternalReference	External Reference	string		255		
Id	Location ID	id		18		
IsDeleted	Deleted	boolean				
IsInventoryLocation	Inventory Location	boolean				
IsMobile	Mobile Location	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
Location	Location	location	0	0	0	0
LocationLevel	Location Level	int	9			
LocationType	Location Type	picklist		40		
LogoId	Asset File ID	reference		18		

Location

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Longitude	Longitude	double			18	15
Name	Location Name	string		255		
OpenDate	Open Date	date				
OwnerId	Owner ID	reference		18		
ParentLocationId	Parent Location ID	reference		18		
PossessionDate	Possession Date	date				
RemodelEndDate	Remodel End Date	date				
RemodelStartDate	Remodel Start Date	date				
RootLocationId	Root Location ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TimeZone	Time Zone	picklist		255		
VisitorAddressId	Address ID	reference		18		

LOCATIONFEED

Feed tracking for Location.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

LOCATIONHISTORY

History for tracked fields of Location.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Location History ID	id		18		
IsDeleted	Deleted	boolean				
LocationId	Location ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOCATIONSHARE

Sharing for Location.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LOCATIONTRUSTMEASURE

Represents the COVID safety protocols that your business follows. For example, enforcement of masks, social distancing, cleanliness, and capacity limits.

For more information, see LocationTrustMeasure in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
IconUrl	Icon Url	string		255		
Id	LocationTrustMeasure ID	id		18		
IsDeleted	Deleted	boolean				
IsVisibleInPublic	Trust Measure Is Published	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationExternalReference	Location External Reference	string		255		
LocationId	Location ID	reference		18		
Name	Location Trust Measure Name	string		255		
OwnerId	Owner ID	reference		18		
SortOrder	Display Order	int	9			
SystemModstamp	System Modstamp	datetime				
Title	Title	string		40		

LOCATIONTRUSTMEASURESHARE

Sharing for LocationTrustMeasure.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LOGINASEVENT

LoginAsEvent tracks when an admin logs in as another user in your org. In Real-Time Event Monitoring, it captures events for org admins and Experience Cloud sites only.

For more information, see LoginAsEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Application	Application	string		255		
Browser	Browser	string		64		
CreatedDate	Created Date	datetime				
DelegatedOrganizationId	Delegated Organization Id	string		18		
DelegatedUsername	Delegated Username	string		128		
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
Id	LoginAs Event ID	id		18		
LoginAsCategory	LoginAs Category	picklist		255		
LoginHistoryId	Login History ID	reference		18		
LoginKey	Login Key	string		24		
LoginType	Login Type	picklist		255		
Platform	Platform	string		255		
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
TargetUrl	Target URL	string		1000		
UserId	User ID	reference		18		
UserType	User Type	picklist		255		
Username	Username	string		255		

LOGINASEVENTSTREAM

LoginAsEvent tracks when an admin logs in as another user in your org. In Real-Time Event Monitoring, it captures events for org admins and Experience Cloud site only.

For more information, see LoginAsEventStream in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Application	Application	string		255		
Browser	Browser	string		64		
CreatedDate	Created Date	datetime				
DelegatedOrganizationId	Delegated Organization ID	string		18		
DelegatedUsername	Delegated Username	string		128		
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
EventUuid	Event UUID	string		36		
LoginAsCategory	LoginAs Category	picklist		255		
LoginHistoryId	Login History ID	reference		18		
LoginKey	Login Key	string		24		
LoginType	Login Type	picklist		255		
Platform	Platform	string		255		
ReplayId	Replay ID	string		1000		
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
TargetUrl	Target URL	string		1000		
UserId	User ID	reference		18		
UserType	User Type	picklist		255		
Username	Username	string		255		

LOGINEVENT

An event related to the LoginEvent object.

For more information, see LoginEvent in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdditionalInfo	Additional Information	string		10000		
ApiType	API Type	string		64		
ApiVersion	API Version	string		32		
Application	Application	string		255		
AuthMethodReference	Authentication Method Reference	string		128		
AuthServiceId	Authentication Service ID	reference		18		
Browser	Browser	string		64		
CipherSuite	TLS Cipher Suite	picklist		255		
City	City	string		200		
ClientVersion	Client Version	string		64		
Country	Country	string		200		
CountryIso	Country Code	string		3		
CreatedDate	Created Date	datetime				
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
HttpMethod	HTTP Method	picklist		255		
Id	Login Event ID	id		18		
LoginGeoId	Login Geo Data ID	reference		18		
LoginHistoryId	Login History ID	reference		18		
LoginKey	Login Key	string		24		
LoginLatitude	Latitude	double			9	6

LoginEvent

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LoginLongitude	Longitude	double			9	6
LoginType	Login Type	picklist		255		
LoginUrl	Login URL	string		1000		
Platform	Platform	string		255		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
PostalCode	PostalCode	string		20		
RelatedEventIdentifier	Related Event Identifier	string		80		
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		80		
Status	Status	string		128		
Subdivision	Subdivision	string		200		
TlsProtocol	TLS Protocol	picklist		255		
UserId	User ID	reference		18		
UserType	User Type	picklist		255		
Username	Username	string		80		

LOGINEVENTSTREAM

LoginEventStream tracks login activity of users who log in to Salesforce.

For more information, see LoginEventStream in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdditionalInfo	Additional Information	string		10000		
ApiType	API Type	string		64		
ApiVersion	API Version	string		32		
Application	Application	string		255		
AuthMethodReference	Authentication Method Reference	string		128		
AuthServiceId	Authentication Service ID	string		18		
Browser	Browser	string		64		
CipherSuite	TLS Cipher Suite	picklist		255		
City	City	string		200		
ClientVersion	Client Version	string		64		
Country	Country	string		200		
CountryIso	Country Code	string		3		
CreatedDate	Created Date	datetime				
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
EventUuid	Event UUID	string		36		
HttpMethod	HTTP Method	picklist		255		
LoginGeoId	Login Geo Data ID	string		18		
LoginHistoryId	Login History ID	reference		18		
LoginKey	Login Key	string		24		
LoginLatitude	Latitude	double			9	6

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LoginLongitude	Longitude	double			9	6
LoginType	Login Type	picklist		255		
LoginUrl	Login URL	string		1000		
Platform	Platform	string		255		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
PostalCode	PostalCode	string		20		
RelatedEventIdentifier	Related Event Identifier	string		80		
ReplayId	Replay ID	string		1000		
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		80		
Status	Status	string		128		
Subdivision	Subdivision	string		200		
TlsProtocol	TLS Protocol	picklist		255		
UserId	User ID	reference		18		
UserType	User Type	picklist		255		
Username	Username	string		80		

LOGINGEO

Represents the geographic location of the user's IP address for a login event. Due to the nature of geolocation technology, the accuracy of geolocation fields (for example, country, city, postal code) may vary.

For more information, see LoginGeo in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
City	City	string		200		
Country	Country	string		200		
CountryIso	Country Code	string		3		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Login Geo Data ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Latitude	Latitude	double			18	0
LoginTime	Login Time	datetime				
Longitude	Longitude	double			18	0
PostalCode	PostalCode	string		20		
Subdivision	Subdivision	string		200		
SystemModstamp	System Modstamp	datetime				

LOGINHISTORY

Represents the login history for all successful and failed login attempts for organizations and enabled portals.

For more information, see LoginHistory in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiType	API Type	string		64		
ApiVersion	API Version	string		32		
Application	Application	string		64		
AuthMethodReference	Authentication Method Reference	string		128		
AuthenticationServiceId	Authentication Service ID	reference		18		
Browser	Browser	string		64		
CipherSuite	TLS Cipher Suite	picklist		40		
ClientVersion	Client Version	string		64		
CountryIso	Country Code	string		3		
Id	Login History Id	id		18		
LoginGeoId	Login Geo Data ID	reference		18		
LoginTime	Login Time	datetime				
LoginType	Login Type	picklist		40		
LoginUrl	Login URL	string		255		
OptionsIsGet	Login via GET	boolean				
OptionsIsPost	Login via POST	boolean				
Platform	Platform	string		64		
SourceIp	Source IP	string		39		
Status	Status	string		128		
TlsProtocol	TLS Protocol	picklist		40		
UserId	User ID	reference		18		

LOGINIP

Represents a validated IP address.

For more information, see LoginIp in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChallengeMethod	Challenge Method	picklist		40		
ChallengeSentDate	Challenge SentDate	datetime				
CreatedDate	Created Date	datetime				
Id	Login IP ID	id		18		
IsAuthenticated	IsAuthenticated	boolean				
SourceIp	Source IP	string		39		
UsersId	User ID	reference		18		

LOGINIPRANGE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Description	Description	textarea		1000		
Id	Login IP Range ID	id		18		
IpEndAddress	End IP Address	string		39		
IpStartAddress	Start IP Address	string		39		
ProfileId	Profile ID	reference		18		

LOGOUTEVENT

Tracks user UI logouts. A logout event records a successful user logout from your org's UI.

For more information, see LogoutEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
Id	Logout Event ID	id		18		
LoginKey	Login Key	string		24		
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
UserId	User ID	reference		18		
Username	Username	string		80		

LOOKEDUPFROMACTIVITY

This read-only object is displayed as a related list on an activity record (an event or a task); the list contains records that have custom lookup relationships from the activity to another object. This object is not queryable.

For more information, see LookedUpFromActivity in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActivityDate	Date	date				
ActivityDateTime	Time	datetime				
ActivitySubtype	Activity Subtype	picklist		40		
ActivityType	Type	picklist		40		
CallDisposition	Call Result	string		255		
CallDurationInSeconds	Call Duration	int	8			
CallObject	Call Object Identifier	string		255		
CallType	Call Type	picklist		40		
CompletedDateTime	Completed Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Comments	textarea		32000		
DurationInMinutes	Duration	int	9			
EndDateTime	End	datetime				
Id	Activity ID	id		18		
IsAllDayEvent	All-Day Event	boolean				
IsClosed	Closed	boolean				
IsDeleted	Deleted	boolean				
IsHighPriority	High Priority	boolean				
IsReminderSet	Reminder Set	boolean				
IsTask	Task	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsVisibleInSelfService	Public	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Location	Location	string		80		
OwnerId	Assigned To ID	reference		18		
Priority	Priority	picklist		20		
ReminderDateTime	Reminder Date/Time	datetime				
StartDateTime	Start	datetime				
Status	Status	picklist		255		
Subject	Subject	combobox		80		
SystemModstamp	System Modstamp	datetime				
WhatId	Related To ID	reference		18		
WhoId	Name ID	reference		18		

LOYALTYLEDGER

Records the points that have been credited or debited for a member across the transactions.

For more information, see `LoyaltyLedger` in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivityDate	Activity Date	datetime				
AdditionalNotes	Additional Notes	string		255		
Correlation	Correlation ID	string		15		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EventType	Event Type	picklist		40		
ExpiryDate	Expiry Date	date				
Flow	Flow ID	string		15		
Id	Loyalty Ledger ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramCurrencyId	Currency ID	reference		18		
LoyaltyProgramMemberId	Loyalty Program Member ID	reference		18		
MayEdit	May Edit	boolean				
Points	Points	double			18	0
PromotionId	Promotion ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TransactionJournalId	Transaction Journal ID	reference		18		

LOYALTYMEMBERCURRENCY

Represents the information about point balance for a member and a particular currency.

For more information, see `LoyaltyMemberCurrency` in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BalanceBeforeReset	Balance Before Reset	double			18	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExpirablePoints	Total Expirable Points	double			18	0
Id	Loyalty Member Currency ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastAccrualProcessedDate	Last Accrual Processed Date	datetime				
LastExpirationProcessRunDate	Last Expiration Process Run Date	date				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastResetDate	Last Reset Date	date				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyMemberId	Loyalty Program Member ID	reference		18		
LoyaltyProgramCurrencyId	Currency ID	reference		18		
MayEdit	May Edit	boolean				
Name	Name	string		255		
NextResetDate	Next Reset Date	date				
PointsBalance	Points Balance	double			18	0
SystemModstamp	System Modstamp	datetime				
TotalPointsAccrued	Total Points Accrued	double			18	0
TotalPointsExpired	Total Points Expired	double			18	0

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalPointsRedeemed	Total Points Redeemed	double			18	0

LOYALTYMEMBERCURRENCYFEED

Feed tracking for LoyaltyMemberCurrency.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

LOYALTYMEMBERCURRENCYHISTORY

History for tracked fields of LoyaltyMemberCurrency.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Member Currency History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyMemberCurrencyId	Loyalty Member Currency ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYMEMBERTIER

Represents information about the current tier of the member across tier groups.

For more information, see `LoyaltyMemberTier` in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AreBenefitsAssigned	Are Benefits Assigned	boolean				
ChangeReasonType	Change Reason Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveDate	Effective Date	date				
Id	Loyalty Member Tier ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyMemberId	Loyalty Program Member ID	reference		18		
LoyaltyTierGroupId	Loyalty Tier Group ID	reference		18		
LoyaltyTierId	Loyalty Tier ID	reference		18		
MayEdit	May Edit	boolean				
Name	Name	string		255		
ReasonForChange	Reason for Change	string		255		
SystemModstamp	System Modstamp	datetime				
TierExpirationDate	Tier Expiration Date	date				

LOYALTYMEMBERTIERHISTORY

History for tracked fields of LoyaltyMemberTier.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Member Tier History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyMemberTierId	Loyalty Member Tier ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTPARTNERPRODUCT

Represents products and product categories offered by loyalty partners.

For more information, see `LoyaltyPartnerProduct` in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDate	End Date	date				
Id	Loyalty Partner Product ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyPartnerId	Loyalty Program Partner ID	reference		18		
MayEdit	May Edit	boolean				
Name	Name	string		255		
PartnerCategoryDerivedFieldId	Category ID	reference		18		
ProductDerivedFieldId	Product ID	reference		18		
ProductId	Product ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

LOYALTPARTNERPRODUCTHISTORY

History for tracked fields of LoyaltyPartnerProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Partner Product History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyPartnerProductId	Loyalty Partner Product ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYPROGRAM

Represents the loyalty program within an organization. All the information related to members, tiers, tier groups, program currencies, vouchers, benefits, partners, promotions, transactions are associated with the program.

For more information, see `LoyaltyProgram` in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		1333		
Id	Loyalty Program ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
IsPrimary	Primary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MayEdit	May Edit	boolean				
Name	Program Name	string		255		
OwnerId	Owner ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

LOYALTYPROGRAMCURRENCY

Represents qualifying and non-qualifying currencies associated with the program. Qualifying currency represents the engagement of a member with the program and it's associated with a tier group. Non-qualifying currency represent the points that the member earns for redemption.

For more information, see `LoyaltyProgramCurrency` in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CostperUnit	Cost per Unit	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyType	Currency Type	picklist		255		
ExpiryModel	Expiration Model	picklist		255		
ExpiryPeriodFrequency	Expiration Interval	int	9			
ExpiryPeriodUnit	Expiration Interval Unit	picklist		255		
ExtendExpiration	Extend Expiration	picklist		255		
Id	Currency ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
IsPrimary	Primary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramId	Loyalty Program ID	reference		18		
LoyaltyTierGroupId	Loyalty Tier Group ID	reference		18		
MayEdit	May Edit	boolean				
Name	Currency Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

LOYALTYPROGRAMFEED

Feed tracking for LoyaltyProgram.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

LOYALTYPROGRAMHISTORY

History for tracked fields of LoyaltyProgram.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Program History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyProgramId	Loyalty Program ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYPROGRAMMBRPROMOTION

Represents details about the promotions to be applied for a loyalty program member. Tracks the enrollment status, promotion status, and progress for a promotion of a member.

For more information, see `LoyaltyProgramMbrPromotion` in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CumulativeUsageCompletePercent	Cumulative Usage Complete Percentage	percent			5	2
CumulativeUsageCompleted	Cumulative Usage Completed	int	9			
CumulativeUsageTarget	Cumulative Usage Target	int	9			
Id	Loyalty Program Member Promotion ID	id		18		
IsDeleted	Deleted	boolean				
IsEnrollmentActive	Enrollment active	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramMemberId	Loyalty Program Member ID	reference		18		
MayEdit	May Edit	boolean				
Name	Name	string		255		
PromotionId	Promotion ID	reference		18		
SystemModstamp	System Modstamp	datetime				

LOYALTYPROGRAMMBRPROMOTIONHISTORY

History for tracked fields of LoyaltyProgramMbrPromotion.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Program Member Promotion History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyProgramMbrPromotionId	Loyalty Program Member Promotion ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYPROGRAMMEMBER

Represents information about member who belongs to a loyalty program. The member can be individual or corporate type.

For more information, see `LoyaltyProgramMember` in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CanReceivePartnerPromotions	Receive Partner Promotion	boolean				
CanReceivePromotions	Receive Promotion	boolean				
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EnrollmentChannel	Enrollment Channel	picklist		255		
EnrollmentDate	Enrollment Date	date				
Id	Loyalty Program Member ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastActivityDate	Last Activity Date	date				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MayEdit	May Edit	boolean				
MemberStatus	Member Status	picklist		40		
MemberType	Member Type	picklist		255		
MembershipEndDate	Membership End Date	date				
MembershipLastRenewalDate	Membership Last Renewal Date	date				
MembershipNumber	Membership Number	string		255		
OwnerId	Owner ID	reference		18		

LoyaltyProgramMember

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ProgramId	Loyalty Program ID	reference		18		
ReferredById	Referred By ID	reference		18		
RelatedCorporateMembershipId	Associated Corporate Membership ID	reference		18		
StatementFrequency	Statement Frequency	picklist		255		
StatementLastGeneratedDate	Statement Last Generated Date	datetime				
StatementMethod	Statement Method	picklist		255		
SystemModstamp	System Modstamp	datetime				

LOYALTYPROGRAMMEMBERCASE

Represents a junction between a loyalty program member and a case.

For more information, see `LoyaltyProgramMemberCase` in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CaseId	Case ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Loyalty Program Member Case ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramMemberId	Loyalty Program Member ID	reference		18		
MayEdit	May Edit	boolean				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

LOYALTYPROGRAMMEMBERCASEHISTORY

History for tracked fields of LoyaltyProgramMemberCase.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Program Member Case History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyProgramMemberCaseId	Loyalty Program Member Case ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYPROGRAMMEMBERCASESHARE

Sharing for LoyaltyProgramMemberCase.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LOYALTYPROGRAMMEMBERHISTORY

History for tracked fields of LoyaltyProgramMember.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Program Member History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyProgramMemberId	Loyalty Program Member ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYPROGRAMMEMBERSHARE

Sharing for LoyaltyProgramMember.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LOYALTYPROGRAMPARTNER

Represents partners that are associated with a given loyalty program. Partners can be an accrual partner, a redemption partner, or both. For more information, see `LoyaltyProgramPartner` in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Loyalty Program Partner ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyPartnerId	Loyalty Program Partner ID	reference		18		
LoyaltyProgramId	Loyalty Program ID	reference		18		
MayEdit	May Edit	boolean				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PartnerCategory	Program Partnership Category	picklist		40		
PartnerIndustry	Industry	picklist		40		
PartnerStatus	Status	picklist		255		
PartnerType	Type	picklist		255		
PartnershipEndDate	Program Partnership End Date	date				
PartnershipStartDate	Program Partnership Start Date	date				
SystemModstamp	System Modstamp	datetime				

LOYALTYPROGRAMPARTNERHISTORY

History for tracked fields of LoyaltyProgramPartner.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Program Partner History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyProgramPartnerId	Loyalty Program Partner ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYPROGRAMPARTNERSHARE

Sharing for LoyaltyProgramPartner.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LOYALTYPROGRAMSHARE

Sharing for LoyaltyProgram.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LOYALTYTIER

Represents information about tiers of a loyalty program. A tier group has a set of tiers in a sequential order.

For more information, see `LoyaltyTier` in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
Id	Loyalty Tier ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyTierGroupId	Loyalty Tier Group ID	reference		18		
MayEdit	May Edit	boolean				
Name	Tier Name	string		255		
SequenceNumber	Sequence Number	int	4			
SystemModstamp	System Modstamp	datetime				

LOYALTYTIERBENEFIT

A junction object that associates the loyalty benefits with the loyalty program tiers.

For more information, see `LoyaltyTierBenefit` in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitId	Benefit ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Loyalty Tier Benefit ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyTierId	Loyalty Tier ID	reference		18		
MayEdit	May Edit	boolean				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

LOYALTYTIERGROUP

Represents information about tier groups of a loyalty program. Tier group categorizes members based on their loyalty points.

For more information, see `LoyaltyTierGroup` in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
ExtendExpiration	Extend Expiration	picklist		255		
Id	Loyalty Tier Group ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsHiddenToMembers	Hidden To Members	boolean				
IsLocked	Is Locked	boolean				
IsPrimary	Primary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramId	Loyalty Program ID	reference		18		
MayEdit	May Edit	boolean				
Name	Tier Group Name	string		255		
QpResetDate	Qualifying Points Reset Date	date				
QpResetFrequency	Qualifying Points Reset Frequency	int	9			
QpResetPeriod	Qualifying Points Reset Period	picklist		255		
SystemModstamp	System Modstamp	datetime				
TierModel	Tier Model	picklist		255		

LoyaltyTierGroup

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TierPeriodQuantity	Period Quantity	int	9			
TierPeriodUnit	Period Duration Type	picklist		255		

LOYALTYTIERHISTORY

History for tracked fields of LoyaltyTier.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Tier History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyTierId	Loyalty Tier ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MLFIELD

Represents a single field in a data definition.

For more information, see MLField in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Entity	Custom Object Definition ID	picklist		255		
Field	Custom Field Definition ID	picklist		255		
Id	ML Field Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				

MLPREDICTIONDEFINITION

Represents a prediction definition that specifies details about the prediction.

For more information, see MLPredictionDefinition in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationId	AI Application ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	ML Prediction Definition ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
PredictionField	Prediction Field ID	string		255		
PushbackField	Pushback Field ID	string		255		
Status	ML Prediction Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	ML Prediction Type	picklist		255		

MLRECOMMENDATIONDEFINITION

For internal use only.

For more information, see MLRecommendationDefinition in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	ML Recommendation Definition ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

MACRO

Represents a macro, which is a set of instructions that tells the system to perform one or more tasks.

For more information, see Macro in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		4096		
FolderId	Folder ID	reference		18		
FolderName	Folder Name	string		256		
Id	Macro ID	id		18		
IsAlohaSupported	Supports Classic	boolean				
IsDeleted	Deleted	boolean				
IsLightningSupported	Supports Lightning	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Macro Name	string		255		
OwnerId	Owner ID	reference		18		
StartingContext	Apply To	picklist		255		
SystemModstamp	System Modstamp	datetime				

MACROHISTORY

History for tracked fields of Macro.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Macro History ID	id		18		
IsDeleted	Deleted	boolean				
MacroId	Macro ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MACROINSTRUCTION

Represents an instruction in a macro. An instruction can specify the object that the macro interacts with, the context or publisher that the macro works within, the operation or action that the macro performs, and the target of the macro's actions.

For more information, see MacroInstruction in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Macro Instruction ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MacroId	Macro ID	reference		18		
Name	Macro Instruction Name	string		255		
Operation	Operation	picklist		255		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				
Target	Target	picklist		255		
Value	Value	textarea		4000		
ValueRecord	Value Record ID	string		15		

MACROSHARE

Sharing for Macro.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MACROUSAGE

Represents macro usage on a record, including which macro was used, who used it, and how they used it.

For more information, see `MacroUsage` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppContext	App Context	picklist		255		
ConditionCount	Condition Count	int	9			
ContextRecord	Context Record	string		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DurationInMs	Duration In Milliseconds	int	9			
ExecutedInstructionCount	Executed Instruction Count	int	9			
ExecutionEndTime	Execution End Time	datetime				
ExecutionState	Execution State	picklist		255		
FailureReason	Failure Reason	picklist		255		
FolderId	Folder ID	reference		18		
Id	Macro Usage ID	id		18		
InstructionCount	Instruction Count	int	9			
IsDeleted	Deleted	boolean				
IsFromBulk	From Bulk Execution	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MacroId	Macro ID	reference		18		
Name	Macro Usage Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

MACROUSAGESHARE

Sharing for MacroUsage.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MAILMERGETEMPLATE

Represents a mail merge template (a Microsoft Word document) used for performing mail merges for your organization.

For more information, see MailmergeTemplate in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Body	Body	base64				
BodyLength	Body Length	int	8			
Category	Document Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Filename	File	string		255		
Id	Mail Merge Template ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastUsedDate	Last Used Date	datetime				
Name	Name	string		80		
SecurityOptionsAttachmentHasFlash	Flash Injection was detected in the attachment	boolean				
SecurityOptionsAttachmentHasXSSthreat	XSS threat was detected in the attachment	boolean				
SecurityOptionsAttachmentScannedForXSS	Attachment has been scanned for XSS	boolean				
SecurityOptionsAttachmentScannedForFlash	Attachment has been scanned for Flash Injection	boolean				
SystemModstamp	System Modstamp	datetime				

MAINTENANCEASSET

Represents an asset covered by a maintenance plan in field service. Assets can be associated with multiple maintenance plans.

For more information, see MaintenanceAsset in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
ContractLineItemId	Contract Line Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Maintenance Asset ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaintenanceAssetNumber	Maintenance Asset Number	string		255		
MaintenancePlanId	Maintenance Plan ID	reference		18		
NextSuggestedMaintenanceDate	Date of the first work order in the next batch	date				
SystemModstamp	System Modstamp	datetime				
WorkTypeId	Work Type ID	reference		18		

MAINTENANCEASSETFEED

Feed tracking for MaintenanceAsset.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

MAINTENANCEASSETHISTORY

History for tracked fields of MaintenanceAsset.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Maintenance Asset History ID	id		18		
IsDeleted	Deleted	boolean				
MaintenanceAssetId	Maintenance Asset ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MAINTENANCEPLAN

Represents a preventive maintenance schedule for one or more assets in field service.

For more information, see MaintenancePlan in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
DoesAutoGenerateWorkOrders	Auto-generate work orders	boolean				
DoesGenerateUponCompletion	Generate new batch upon completion	boolean				
EndDate	End Date	date				
Frequency	Frequency	int	9			
FrequencyType	Frequency Type	picklist		255		
GenerationHorizon	Generation Horizon (Days)	int	9			
GenerationTimeframe	Generation Timeframe	int	9			
GenerationTimeframeType	Generation Timeframe Type	picklist		255		
Id	Maintenance Plan ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
MaintenancePlanNumber	Maintenance Plan Number	string		255		
MaintenancePlanTitle	Maintenance Plan Title	string		255		

MaintenancePlan

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaintenanceWindowEndDays	Maintenance Window End (Days)	int	9			
MaintenanceWindowStartDays	Maintenance Window Start (Days)	int	9			
NextSuggestedMaintenanceDate	Date of the first work order in the next batch	date				
OwnerId	Owner ID	reference		18		
ServiceContractId	Service Contract ID	reference		18		
StartDate	Start Date	date				
SvcApptGenerationMethod	Service Appointment Generation Method	picklist		255		
SystemModstamp	System Modstamp	datetime				
WorkOrderGenerationMethod	Work Order Generation Method	picklist		255		
WorkOrderGenerationStatus	Work Order Generation Status	picklist		255		
WorkTypeId	Work Type ID	reference		18		

MAINTENANCEPLANFEED

Feed tracking for MaintenancePlan.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

MAINTENANCEPLANHISTORY

History for tracked fields of MaintenancePlan.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Maintenance Plan History ID	id		18		
IsDeleted	Deleted	boolean				
MaintenancePlanId	Maintenance Plan ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MAINTENANCEPLANSHARE

Sharing for MaintenancePlan.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MAINTENANCEWORKRULE

Represents the recurrence pattern for a maintenance record.

For more information, see MaintenanceWorkRule in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Maintenance Work Rule ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Maintenance Work Rule Name	string		255		
NextSuggestedMaintenanceDate	Date of the first work order in the next batch	date				
OwnerId	Owner ID	reference		18		
ParentMaintenancePlanId	Maintenance Plan ID	reference		18		
ParentMaintenanceRecordId	Maintenance Asset ID	reference		18		
RecurrencePattern	Recurrence Pattern	string		255		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				
Title	Maintenance Work Rule Title	string		255		
WorkTypeId	Work Type ID	reference		18		

MAINTENANCEWORKRULEFEED

Feed tracking for MaintenanceWorkRule.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

MAINTENANCEWORKRULEHISTORY

History for tracked fields of MaintenanceWorkRule.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Maintenance Work Rule History ID	id		18		
IsDeleted	Deleted	boolean				
MaintenanceWorkRuleId	Maintenance Work Rule ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MAINTENANCEWORKRULESHARE

Sharing for MaintenanceWorkRule.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MARKETSEGMENT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Segment Description	textarea		255		
ExcludeCriteria	Exclude Criteria	textarea		10000		
Id	Segment ID	id		18		
IncludeCriteria	Include Criteria	textarea		25000		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastPublishStatusDateTime	Last Publish Status Date Time	datetime				
LastPublishStatusErrorCode	Last Publish Status Error Code	picklist		255		
LastPublishedEndDateTime	Last Published End	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastSegmentExcludedCount	Population Excluded	long	18			
LastSegmentMemberCount	Population	long	18			
LastSegmentRemainderCount	Population Remainder	long	18			
LastSegmentStatusDateTime	Segment Status Last Updated	datetime				
LastSegmentStatusErrorCode	Segment Status Error Code	picklist		255		
LastViewedDate	Last Viewed Date	datetime				
Name	Segment Name	string		255		
NextPublishDateTime	Next Publish Date Time	datetime				
OwnerId	Owner ID	reference		18		
PublishScheduleEndDate	Expiration Date	date				
PublishScheduleInterval	Publish Schedule	picklist		255		

MarketSegment

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PublishScheduleStartDateTime	Publish Schedule Start Date and Time	datetime				
PublishStatus	Publish Status	picklist		255		
SegmentStatus	Segment Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

MARKETSEGMENTACTIVATION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivationObjectFilter	Activation Object Filter	string		255		
ActivationObjectPath	Activation Object Path	textarea		4096		
ActivationStatus	Activation Status	picklist		255		
ActivationTargetId	Partner Profile ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Segment Activation ID	id		18		
IsDeleted	Deleted	boolean				
LastActivationStatusDateTime	Activation Status Last Updated	datetime				
LastActivationStatusErrorCode	Activation Status Error Code	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastPublishStatus	Last Publish Status	picklist		255		
LastPublishStatusErrorMessage	Last Publish Status Error Message	string		255		
LastPublishedDate	Last Published Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MarketSegmentId	Segment ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

MARKETSEGMENTACTIVATIONFEED

Feed tracking for MarketSegmentActivation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

MARKETSEGMENTACTIVATIONHISTORY

History for tracked fields of MarketSegmentActivation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Activation History ID	id		18		
IsDeleted	Deleted	boolean				
MarketSegmentActivationId	Segment Activation ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MARKETSEGMENTACTIVATIONSHARE

Sharing for MarketSegmentActivation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MARKETSEGMENTFEED

Feed tracking for MarketSegment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

MARKETSEGMENTHISTORY

History for tracked fields of MarketSegment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Segment History ID	id		18		
IsDeleted	Deleted	boolean				
MarketSegmentId	Segment ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MARKETSEGMENTSHARE

Sharing for MarketSegment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MARKETSEGMENTSTATUSEVENT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CdpEventPublishDate	Event published time	datetime				
CdpEventType	Type of CDP Event	string		4000		
CdpSchemaVersion	Schema version	string		4000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EventCreationDate	Event creation time	datetime				
EventUuid	EventUuid	string		36		
LastSegmentExcludedCount	Segment excluded count after the latest run	long	18			
LastSegmentMemberCount	Segment member count after the latest run	long	18			
LastSegmentRemainderCount	Segment remainder count after the latest run	long	18			
LastSegmentStatusDateTime	Last modified datetime of this segment	datetime				
LastSegmentStatusErrorCode	Error code if any on this segment's last run	string		4000		
ReplayId	ReplayId	string		1000		
SegmentId	Segment Id	string		4000		
SegmentJobStatus	Status of the last run on this segment	string		4000		
SegmentJobType	Segment job type	string		4000		

MARKETSGMTACTVSTATUSEVENT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivationId	Activation Id	string		4000		
CdpEventPublishDate	Event published time	datetime				
CdpEventType	Type of CDP Event	string		4000		
CdpSchemaVersion	Schema version	string		4000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EventCreationDate	Event creation time	datetime				
EventUuid	EventUuid	string		36		
LastPublishStatus	Activation status for the last export run	picklist		255		
LastPublishStatusErrorMessage	Error message if any on last export run	string		4000		
ReplayId	ReplayId	string		1000		

MATCHINGINFORMATION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmailAddress	Email Address	email		80		
ExternalId	External Id	string		255		
Id	Matching Information ID	id		18		
IsDeleted	Deleted	boolean				
IsPickedAsPreferred	Preferred	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
PreferenceUsed	Preference Used	string		255		
SFDCIdId	Contact ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

MATCHINGRULE

Represents a matching rule that is used to identify duplicate records.

For more information, see *MatchingRule* in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BooleanFilter	Advanced Logic	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
DeveloperName	Unique Name	string		80		
Id	Matching Rule ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Rule Name	string		80		
MatchEngine	Custom Object Definition ID	picklist		255		
NamespacePrefix	Namespace Prefix	string		15		
RuleStatus	Status	picklist		255		
SubjectSubtype	Object Subtype	picklist		255		
SubjectType	Custom Object Definition ID	picklist		40		
SystemModstamp	System Modstamp	datetime				

MATCHINGRULEITEM

Represents criteria used by a matching rule to identify duplicate records.

For more information, see `MatchingRuleItem` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BlankValueBehavior	Blank Value Behavior	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Field	Field	picklist		255		
Id	Matching Rule Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MatchingMethod	Custom Object Definition ID	picklist		255		
MatchingRuleId	Matching Rule ID	reference		18		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

MEDICATION

Represents detailed information about different medications.

For more information, see *Medication* in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Medication ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ManufacturerId	Account ID	reference		18		
MedicationCodeId	Code Set Bundle ID	reference		18		
MedicationFormId	Code Set Bundle ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
QuantityDenominator	Quantity Denominator	double			6	2
QuantityNumerator	Quantity Numerator	double			6	2
QuantityUnitId	Unit of Measure ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System ID	string		255		
SourceSystemModified	Source System Modified	datetime				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

MEDICATIONFEED

Feed tracking for Medication.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

MEDICATIONHISTORY

History for tracked fields of Medication.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Medication History ID	id		18		
IsDeleted	Deleted	boolean				
MedicationId	Medication ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MEDICATIONSHARE

Sharing for Medication.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MEDICINALINGREDIENT

MedicinalIngredient is a child object of Medication that represents substances or drugs that are used as ingredients in the medication. For more information, see MedicinalIngredient in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Medicinal Ingredient ID	id		18		
IngredientId	Ingredient ID	reference		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentRecordId	Medication ID	reference		18		
StrengthDenominator	Strength Denominator	double			18	5
StrengthDenominatorUnitId	Unit of Measure ID	reference		18		
StrengthNumerator	Strength Numerator	double			18	5
StrengthNumeratorUnitId	Unit of Measure ID	reference		18		
SystemModstamp	System Modstamp	datetime				

MEDICINALINGREDIENTFEED

Feed tracking for MedicinalIngredient.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

MEDICINALINGREDIENTHISTORY

History for tracked fields of MedicinalIngredient.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Medicinal Ingredient History ID	id		18		
IsDeleted	Deleted	boolean				
MedicinalIngredientId	Medicinal Ingredient ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MEDICINALINGREDIENTSHARE

Sharing for MedicinalIngredient.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MEMBERBENEFIT

Represents details about a benefit that's assigned to a loyalty program member and has a benefit action that's triggered.

For more information, see MemberBenefit in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
BenefitId	Benefit ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		80		
EndDate	End Date	date				
Id	Member Benefit ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MayEdit	May Edit	boolean				
MemberId	Member ID	reference		18		
Name	Member Benefit Name	string		255		
PrimaryRefObjectRecord	Primary Reference Object Record	string		80		
PrimaryRefObjectRecordTitle	Primary Reference Object Record Title	string		255		
SourceType	Source Type	picklist		40		
StartDate	Start Date	date				
Status	Status	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

MEMBERBENEFITHISTORY

History for tracked fields of MemberBenefit.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Member Benefit History ID	id		18		
IsDeleted	Deleted	boolean				
MemberBenefitId	Member Benefit ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MEMBERPLAN

Represents details about the insurance coverage for a member or subscriber.

For more information, see MemberPlan in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Affiliation	Affiliation	string		64		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
ExternalIdentifier	External Identifier	string		255		
GroupNumber	Group Number	string		64		
Id	Member Plan ID	id		18		
IsDeleted	Deleted	boolean				
IssuerNumber	Issuer Number	string		64		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastVerification	Last Verification	date				
LastViewedDate	Last Viewed Date	datetime				
MemberId	Account ID	reference		18		
MemberNumber	Member Number	string		64		
Name	Name	string		255		
Notes	Notes	textarea		32000		
OwnerId	Owner ID	reference		18		
PayerId	Account ID	reference		18		
PlanId	Plan ID	reference		18		
PrimaryCarePhysician	Primary Care Physician	string		255		

MemberPlan

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PrimarySecondaryTertiary	Primary/Secondary/Tertiary	picklist		40		
RelationshipToSubscriber	Relationship to Subscriber	picklist		40		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
Status	Status	picklist		40		
SubscriberId	Account ID	reference		18		
SystemModstamp	System Modstamp	datetime				
VerificationStatus	Verification Status	picklist		40		

MEMBERPLANFEED

Feed tracking for MemberPlan.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

MEMBERPLANHISTORY

History for tracked fields of MemberPlan.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Member Plan History ID	id		18		
IsDeleted	Deleted	boolean				
MemberPlanId	Member Plan ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MEMBERPLANSHARE

Sharing for MemberPlan.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MESSAGINGCHANNEL

Represents a communication channel that an end user can use to send a message to an agent. A communication channel can be an SMS number, a Facebook page, or another supported messaging channel.

For more information, see MessagingChannel in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessHoursId	Business Hours ID	reference		18		
ConsentType	Consent Type	picklist		255		
ConversationEndResponse	End Conversation	textarea		65536		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		65536		
DeveloperName	Developer Name	string		80		
DoubleOptInPrompt	Double Opt-In Unrecognized Keyword Prompt(W-6756368)	textarea		65536		
EngagedResponse	Start Conversation	textarea		65536		
Id	Messaging Channel ID	id		18		
InitialResponse	Conversation Acknowledgement	textarea		65536		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsLinkedRecordOpenedAsSubTab	Open linked record as a subtab within the Messaging Session	boolean				
IsRequireDoubleOptIn	Require Double Opt-In?	boolean				
IsRestrictedToBusinessHours	Is Restricted to Business Hours	boolean				
IsoCountryCode	ISO Country Code	string		2		
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Modified On	datetime				
LinkingPreference	Select record type to link	picklist		255		

MessagingChannel

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MasterLabel	Channel Name	string		80		
MessageType	Type	picklist		255		
MessagingPlatformKey	Messaging Platform Key	string		150		
OfflineAgentsResponse	Offline Agents Response	textarea		65536		
OptInPrompt	Opt-In Unrecognized Keyword Prompt(W-6756368)	textarea		65536		
OutsideBusinessHoursResponse	Outside Business Hours Response	textarea		65536		
RoutingType	Routing Type	picklist		255		
SystemModstamp	System Modstamp	datetime				
TargetQueueId	Queue ID	reference		18		

MESSAGINGCHANNELSKILL

Junction object that represents an association between MessagingChannel and Skill.

For more information, see MessagingChannelSkill in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Messaging Channel Skill ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Modified On	datetime				
MessagingChannelId	Messaging Channel ID	reference		18		
SkillId	Skill ID	reference		18		
SystemModstamp	System Modstamp	datetime				

MESSAGINGCONFIGURATION

Represents the details for a Messaging configuration.

For more information, see MessagingConfiguration in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	MessagingConfiguration ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
MessagingServiceUrl	Messaging Service URL	string		255		
ProvisioningServiceUrl	Provisioning Service URL	string		255		
SystemModstamp	System Modstamp	datetime				

MESSAGINGDELIVERYERROR

Represents a log of triggered outbound failures to verify when a triggered outbound has failed.

For more information, see `MessagingDeliveryError` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CorrelationIdentifier</code>	Correlation Identifier	string		36		
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Date	datetime				
<code>DestinationPhoneNumber</code>	Recipient Phone	string		64		
<code>FailureReason</code>	Error	textarea		65536		
<code>FlowEntity</code>	Source Record ID	string		18		
<code>FullMessage</code>	Message	textarea		65536		
<code>Id</code>	Record ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>MessagingChannelId</code>	Messaging Channel ID	reference		18		
<code>MessagingEndUserId</code>	Messaging User ID	reference		18		
<code>MessagingTemplateId</code>	Messaging Template ID	reference		18		
<code>Name</code>	Messaging Delivery Error Name	string		255		
<code>SystemModstamp</code>	System Modstamp	datetime				
<code>Type</code>	Type	picklist		255		

MESSAGINGENDUSER

Represents a single address—such as a phone number or Facebook page—communicating with a single Messaging channel.

For more information, see `MessagingEndUser` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>Id</code>	Messaging User ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>IsFullyOptedIn</code>	Opted In	boolean				
<code>IsoCountryCode</code>	ISO Country Code	string		2		
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>LastReferencedDate</code>	Last Referenced Date	datetime				
<code>LastViewedDate</code>	Last Viewed Date	datetime				
<code>Locale</code>	Locale	string		20		
<code>MessageType</code>	Message Type	picklist		255		
<code>MessagingChannelId</code>	Messaging Channel ID	reference		18		
<code>MessagingConsentStatus</code>	Messaging Consent Status	picklist		255		
<code>MessagingPlatformKey</code>	Messaging Platform Key	string		255		
<code>Name</code>	Messaging User Name	string		255		
<code>OwnerId</code>	Owner ID	reference		18		
<code>ProfilePictureUrl</code>	Profile Picture URL	url		255		
<code>SystemModstamp</code>	System Modstamp	datetime				

MESSAGINGENDUSERHISTORY

History for tracked fields of MessagingEndUser.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Messaging User History ID	id		18		
IsDeleted	Deleted	boolean				
MessagingEndUserId	Messaging User ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MESSAGINGENDUSERSHARE

Sharing for MessagingEndUser.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MESSAGINGLINK

Represents the link between a Messaging Channel and where it's shared.

For more information, see MessagingLink in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EntityType	Custom Object Definition ID	picklist		255		
Id	Messaging Link ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MessagingChannelId	Messaging Channel ID	reference		18		
RecordTypeId	Record Type ID	reference		18		
ShouldAttemptAutoLink	Attempt to auto-link record	boolean				
ShouldPromptCreate	Prompt to manually create link	boolean				
SystemModstamp	System Modstamp	datetime				

MESSAGINGSESSION

Represents a session on a Messaging channel.

For more information, see `MessagingSession` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AcceptTime	Accept Time	datetime				
AgentMessageCount	Agent Message Count	int	9			
AgentType	Agent Type	picklist		255		
ChannelEndUserFormula	Concatenated Messaging Channel and Messaging User	string		50		
ChannelGroup	Group	string		255		
ChannelIntent	Intent	string		255		
ChannelKey	Channel Key	string		150		
ChannelLocale	Locale	string		255		
ChannelName	Channel Name	string		80		
ChannelType	Channel Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndTime	End Time	datetime				
EndUserAccountId	Account ID	reference		18		
EndUserContactId	Contact ID	reference		18		
EndUserMessageCount	End User Message Count	int	9			
Id	Messaging Session ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				

MessagingSession

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MessagingChannelId	Messaging Channel ID	reference		18		
MessagingEndUserId	Messaging User ID	reference		18		
Name	Messaging Session Name	string		255		
Origin	Origin	picklist		255		
OwnerId	Owner ID	reference		18		
PreviewDetails	Preview Details	string		255		
SessionKey	Session Key	string		36		
StartTime	Start Time	datetime				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TargetUserId	User ID	reference		18		

MESSAGINGSESSIONFEED

Feed tracking for MessagingSession.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

MESSAGINGSESSIONHISTORY

History for tracked fields of MessagingSession.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Messaging Session History ID	id		18		
IsDeleted	Deleted	boolean				
MessagingSessionId	Messaging Session ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MESSAGINGSESSIONSHARE

Sharing for MessagingSession.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MESSAGINGTEMPLATE

Represents a Messaging template used to send pre-formatted messages.

For more information, see MessagingTemplate in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		4000		
DeveloperName	Developer Name	string		80		
Id	Messaging Template ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Template Name	string		80		
Message	Message	textarea		4000		
SystemModstamp	System Modstamp	datetime				

MILESTONETYPE

Represents a milestone (required step in a customer support process).

For more information, see MilestoneType in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Id	Milestone Type ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		80		
RecurrenceType	Recurrence Type	picklist		40		
SystemModstamp	System Modstamp	datetime				

MKTCALCULATEDINSIGHT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CalculatedInsightStatus	Status	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Calculated Insight ID	id		18		
IsDeleted	Deleted	boolean				
LastCalcInsightStatusDateTime	Last Calculated Insight Status Time	datetime				
LastCalcInsightStatusErrorCode	Last Calculated Insight Status Error Code	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastRunDateTime	Last Run Time	datetime				
LastRunStatus	Last Run Status	picklist		255		
LastRunStatusDateTime	Last Run Status Time	datetime				
LastRunStatusErrorCode	Last Run Status Error Code	picklist		255		
LastViewedDate	Last Viewed Date	datetime				
Name	Calculated Insight Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

MKTCALCULATEDINSIGHTFEED

Feed tracking for MktCalculatedInsight.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

MKTCALCULATEDINSIGHTHISTORY

History for tracked fields of MktCalculatedInsight.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Calculated Insight History ID	id		18		
IsDeleted	Deleted	boolean				
MktCalculatedInsightId	Calculated Insight ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MKTCALCULATEDINSIGHTSHARE

Sharing for MktCalculatedInsight.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MKTSGMNTACTVTNAUDATTRIBUTE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataChangeStatus	Data Change Status	picklist		255		
FilterCriteria	__MISSING LABEL__ PropertyFile - val FilterCriteria not found in section udd_MktSgmtActvtnAudAttribute	textarea		10000		
Id	Activation Attribute ID	id		18		
IsDeleted	Deleted	boolean				
LastDataChangeStatusDateTime	Data Change Status Last Updated	datetime				
LastDataChangeStatusErrorCode	Data Change Status Error Code	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MarketSegmentActivationId	Segment Activation ID	reference		18		
Name	Activation Attribute Name	string		255		
PreferredName	Preferred Name	string		128		
QueryPath	Attribute Query Path	textarea		4096		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

MKTSGMNTACTVTNCONTACTPOINT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactPointPath	Contact Point Path	textarea		4096		
ContactPointPreference	Contact Point Preference	picklist		255		
ContactPointPreferencePriority	Contact Point Priority	int	9			
ContactPointType	Contact Point Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataChangeStatus	Data Change Status	picklist		255		
Id	Activation Contact Point ID	id		18		
IsDeleted	Deleted	boolean				
LastDataChangeStatusDateTime	Data Change Status Last Updated	datetime				
LastDataChangeStatusErrorCode	Data Change Status Error Code	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MarketSegmentActivationId	Segment Activation ID	reference		18		
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

MKTSGMTACTVCONTACTPTFIELD

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Activation Contact Point Field ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MktSgmtActvtnContactPointId	Activation Contact Point ID	reference		18		
Name	Name	string		255		
PreferredName	__MISSING LABEL__ PropertyFile - val PreferredName not found in section udd_MktSgmtActvContactPtField	string		128		
SystemModstamp	System Modstamp	datetime				

MKTSGMTACTVCONTACTPTSRC

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataSourcePriority	Activation Contact Point Data Source Priority	int	9			
Id	Activation Contact Point Source ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MktSgmtActvtnContactPointId	Activation Contact Point ID	reference		18		
Name	Name	string		255		
Preference	Activation Contact Point Data Source Preference	picklist		255		
SystemModstamp	System Modstamp	datetime				

MLQUERYOBSERVATION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Hash	Hashcode generated from the query field	string		128		
Id	MLQueryObservation Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Occurrence	The number of times this hash is encountered	int	9			
Query	The query or compact form in dashboard step encoding	textarea		32000		
QuerySource	The location of the query encounter	picklist		255		
SystemModstamp	System Modstamp	datetime				

MOBSECURITYCERTPINCONFIG

Configuration of mobile security certificate pinning on the Salesforce mobile app with Enhanced Mobile Security.

For more information, see MobSecurityCertPinConfig in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CertificateHash	Certificate Hash	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
DomainName	Domain Name	string		255		
EffectiveDate	Effective Date	datetime				
Id	Mobile Security Certificate Pinning Configuration ID	id		18		
IsDeleted	Deleted	boolean				
IsEnabled	Is Enabled	boolean				
IsSubdomainIncluded	Is Subdomain Included	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
MobilePlatform	Mobile Platform	picklist		255		
SeverityLevel	Severity Level	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

MOBILEAPPLICATIONDETAIL

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppInstallUrl	Installation URL	url		255		
ApplicationBinary	Application Binary	base64				
ApplicationBinaryFileName	Application Binary File Name	string		255		
ApplicationBundleIdentifier	Application Bundle Identifier	string		255		
ApplicationFileLength	Application File Length	int	9			
ApplicationIcon	Application Icon	textarea		32768		
ApplicationIconFileName	Application Icon File Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
DevicePlatform	Device Platform	picklist		255		
DeviceType	Device Type	picklist		255		
Id	Mobile Application Detail Id	id		18		
IsDeleted	Deleted	boolean				
IsEnterpriseApp	Enterprise Application	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		80		
MinimumOsVersion	Minimum OS Version	string		255		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				
Version	Version	string		255		

MOBILESECURITYPOLICY

Enables mobile security policies on the Salesforce mobile app with Enhanced Mobile Security.

For more information, see MobileSecurityPolicy in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
EffectiveDate	Effective Date	datetime				
Id	Mobile Security Policy ID	id		18		
IsDeleted	Deleted	boolean				
IsEnabled	Is Enabled	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
MobilePlatform	Mobile Platform	picklist		255		
RuleValue	Rule Value	string		255		
RuleValueType	Rule Value Type	picklist		255		
SeverityLevel	Severity Level	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

MOBILESECURITYUSERMETRIC

Represents the metrics for users who have Enhanced Mobile Security policies enforced.
For more information, see MobileSecurityUserMetric in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	Mobile Security User Metric ID	id		18		
MetricsDate	Metrics Date	date				
SystemModstamp	System Modstamp	datetime				
UserCount	User Count	double			18	0

MOBILESETTINGSASSIGNMENT

Represents the assignment of a particular field service mobile settings configuration to a user profile.

For more information, see MobileSettingsAssignment in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FieldServiceMobileSettingsId	Field Service Mobile Settings ID	reference		18		
Id	Mobile Settings Assignment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ProfileId	Profile ID	reference		18		
SystemModstamp	System Modstamp	datetime				

MSGCHANNELLANGUAGEKEYWORD

Represents the consent configuration for a Messaging channel.

For more information, see `MsgChannelLanguageKeyword` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>CustomKeywords</code>	Custom Keywords	textarea		500		
<code>CustomResponse</code>	Custom Response	textarea		32000		
<code>DoubleOptInKeywords</code>	Double Opt-In Keywords	textarea		500		
<code>HelpKeywords</code>	Help Keywords	textarea		500		
<code>HelpResponse</code>	Help Response	textarea		65536		
<code>Id</code>	Messaging Channel Language Keyword ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Modified On	datetime				
<code>MasterLanguage</code>	Language	textarea		256		
<code>MessagingChannelId</code>	Messaging Channel ID	reference		18		
<code>OptInConfirmation</code>	Opt-In Confirmation	textarea		65536		
<code>OptInKeywords</code>	Opt-In Keywords	textarea		500		
<code>OptOutConfirmation</code>	Opt-Out Confirmation	textarea		65536		
<code>OptOutKeywords</code>	Opt-Out Keywords	textarea		500		
<code>SystemModstamp</code>	System Modstamp	datetime				

MUTINGPERMISSIONSET

Represents a set of disabled permissions and is used in conjunction with PermissionSetGroup.

For more information, see MutingPermissionSet in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Muting Permission Set Name	string		80		
Id	MutingPermissionSet ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Muting Permission Set Label	string		80		
PermissionsAICreateInsightObjects	Create AI Insight Objects	boolean				
PermissionsAIViewInsightObjects	View AI Insight Objects	boolean				
PermissionsAccessCMC	Access Experience Management	boolean				
PermissionsAccessCdpApp	Allows user access Salesforce CDP	boolean				
PermissionsAccessCdpDataExplorer	Access Salesforce CDP Data Explorer	boolean				
PermissionsAccessContentBuilder	Access drag-and-drop content builder	boolean				
PermissionsAccessWalkthroughs	View Walkthroughs	boolean				
PermissionsAccountSwitcherUser	Account Switcher User	boolean				
PermissionsActionPlansUserAccess	Permission to access the Action Plans feature	boolean				
PermissionsActivateContract	Activate Contracts	boolean				
PermissionsActivateOrder	Activate Orders	boolean				

MutingPermissionSet

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsActivitiesAccess	Access Activities	boolean				
PermissionsAddDirectMessageMembers	Add People to Direct Messages	boolean				
PermissionsAllowEmailIC	Email-Based Identity Verification Option	boolean				
PermissionsAllowLightningLogin	Lightning Login User	boolean				
PermissionsAllowObjectDetection	Allow user to use Object Detection for prediction.	boolean				
PermissionsAllowObjectDetectionTraining	Allow user to train and generate models for Object Detection.	boolean				
PermissionsAllowReferralScoring	Allow user to use Referral Scoring.	boolean				
PermissionsAllowUniversalSearch	Knowledge One	boolean				
PermissionsAllowViewEditConvertedLeads	View and Edit Converted Leads	boolean				
PermissionsAllowViewKnowledge	Allow View Knowledge	boolean				
PermissionsAllowVisitRecommendation	Allows a user to use Visit Recommendation for Retail Execution.	boolean				
PermissionsApexRestServices	Apex REST Services	boolean				
PermissionsApiEnabled	API Enabled	boolean				
PermissionsApiUserOnly	Api Only User	boolean				
PermissionsAppointmentBookingUserAccess	Enables the Appointment Booking feature	boolean				
PermissionsAssignPermissionSets	Assign Permission Sets	boolean				
PermissionsAssignTopics	Assign Topics	boolean				
PermissionsAuthorApex	Author Apex	boolean				
PermissionsAutomateEmailContent	Activate Email for Automation	boolean				
PermissionsAutomaticActivityCapture	Use Einstein Activity Capture	boolean				
PermissionsAutonomousAnalyticsPrivacy	Manage Autonomous Insights Data Privacy	boolean				
PermissionsB2BMarketingAnalyticsUser	Create B2B Marketing Analytics Apps	boolean				
PermissionsB2bmaAppUser	Access to the B2BMA App	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsBVCommunityAccess	Use objects in the Benefit Verification data model via Experience Cloud sites	boolean				
PermissionsBotManageBots	Manage Bots	boolean				
PermissionsBotManageBotsTrainingData	Manage Bots Training Data	boolean				
PermissionsBulkApiHardDelete	Bulk API Hard Delete	boolean				
PermissionsCallCoachingUser	Use Conversation Insights for Sales	boolean				
PermissionsCampaignInfluence2	Campaign Influence	boolean				
PermissionsCanAccessCE	Access Conversation Entries	boolean				
PermissionsCanApproveFeedPost	Can Approve Feed Post and Comment	boolean				
PermissionsCanEditPrompts	Manage Prompts	boolean				
PermissionsCanInsertFeedSystemFields	Insert System Field Values for Chatter Feeds	boolean				
PermissionsCanUseNewDashboardBuilder	Drag-and-Drop Dashboard Builder	boolean				
PermissionsCanVerifyComment	Verify Answers to Chatter Questions	boolean				
PermissionsChangeDashboardColors	Change Dashboard Colors	boolean				
PermissionsChatterComposeCodeSnippet	Allow Inclusion of Code Snippets from UI	boolean				
PermissionsChatterEditOwnPost	Edit My Own Posts	boolean				
PermissionsChatterEditOwnRecordPost	Edit Posts on Records I Own	boolean				
PermissionsChatterFileLink	Create Public Links	boolean				
PermissionsChatterInternalUser	Chatter Internal User	boolean				
PermissionsChatterInviteExternalUsers	Invite Customers To Chatter	boolean				
PermissionsChatterOwnGroups	Create and Own New Chatter Groups	boolean				
PermissionsCloseConversations	Close Conversation Threads	boolean				
PermissionsConfigCustomRecs	Configure Custom Recommendations	boolean				
PermissionsConfigureLiveMessage	Configure Messaging	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsConnectOrgToEnvironmentHub	Connect Organization to Environment Hub	boolean				
PermissionsConsentApiUpdate	Update Consent Preferences Using REST API	boolean				
PermissionsContentAdministrator	Manage Salesforce CRM Content	boolean				
PermissionsContentHubUser	Files Connect Cloud	boolean				
PermissionsContentWorkspaces	Access Libraries	boolean				
PermissionsConvertLeads	Convert Leads	boolean				
PermissionsCreateCustomizedDashboards	Create and Customize Dashboards	boolean				
PermissionsCreateCustomizeFilters	Create and Customize List Views	boolean				
PermissionsCreateCustomizeReports	Create and Customize Reports	boolean				
PermissionsCreateDashboardFolders	Create Dashboard Folders	boolean				
PermissionsCreateLtgTempFolder	Create Folders for Lightning Email Templates	boolean				
PermissionsCreateLtgTempInPub	Manage Public Lightning Email Templates	boolean				
PermissionsCreatePackaging	Create AppExchange Packages	boolean				
PermissionsCreateReportFolders	Create Report Folders	boolean				
PermissionsCreateReportInLightning	Report Builder (Lightning Experience)	boolean				
PermissionsCreateTopics	Create Topics	boolean				
PermissionsCreateUpdateEIDDataset	Create and Update Einstein Discovery Datasets	boolean				
PermissionsCreateUpdateEIDStory	Create and Update Einstein Discovery Stories	boolean				
PermissionsCreateWorkBadgeDefinition	Create custom Badge Definitions	boolean				
PermissionsCreateWorkspaces	Create Libraries	boolean				
PermissionsCustomMobileAppsAccess	Access Custom Mobile Apps	boolean				
PermissionsCustomSidebarOnAllPages	Show Custom Sidebar On All Pages	boolean				
PermissionsCustomizeApplication	Customize Application	boolean				
PermissionsDataExport	Weekly Data Export	boolean				
PermissionsDebugApex	Debug Apex	boolean				

MutingPermissionSet

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsDelegatedTwoFactor	Manage Multi-Factor Authentication in User Interface	boolean				
PermissionsDeleteActivatedContract	Delete Activated Contracts	boolean				
PermissionsDeleteTopics	Delete Topics	boolean				
PermissionsDialerBasicInbound	Access Dialer for Essentials Inbound Calls	boolean				
PermissionsDialerBasicOutbound	Access Dialer for Essentials Outbound Calls	boolean				
PermissionsDistributeFromPersWsp	Create Content Deliveries	boolean				
PermissionsDocumentChecklistUserAccess	User license to access the Document Checklist features.	boolean				
PermissionsERMUserAccess	Grant users access to Emergency Response Management features.	boolean				
PermissionsEditActivatedOrders	Edit Activated Orders	boolean				
PermissionsEditBrandTemplates	Manage Letterheads	boolean				
PermissionsEditCaseComments	Edit Case Comments	boolean				
PermissionsEditEvent	Edit Events	boolean				
PermissionsEditHtmlTemplates	Edit HTML Templates	boolean				
PermissionsEditKnowledge	Manage Articles	boolean				
PermissionsEditMyDashboards	Edit My Dashboards	boolean				
PermissionsEditMyReports	Edit My Reports	boolean				
PermissionsEditOpportunityUnitPrice	Edit Opportunity Product Sales Price	boolean				
PermissionsEditPublicDocuments	Manage Public Documents	boolean				
PermissionsEditPublicFilters	Manage Public List Views	boolean				
PermissionsEditPublicTemplates	Manage Public Classic Email Templates	boolean				
PermissionsEditReadOnlyFields	Edit Read Only Fields	boolean				
PermissionsEditTask	Edit Tasks	boolean				
PermissionsEditTopics	Edit Topics	boolean				
PermissionsEinsteinReplyManager	Manage Replies for Einstein Reply Recommendations	boolean				
PermissionsEmailAdministration	Email Administration	boolean				

MutingPermissionSet

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsEmailMass	Mass Email	boolean				
PermissionsEmailSingle	Send Email	boolean				
PermissionsEmailTemplateManagement	Manage Email Templates	boolean				
PermissionsEnableCommunityAppLauncher	Show App Launcher in Experience Cloud Sites	boolean				
PermissionsEnableNotifications	Send Outbound Messages	boolean				
PermissionsExportReport	Export Reports	boolean				
PermissionsFHIRContextAccess	Use objects in the Clinical data model via Experience Cloud sites	boolean				
PermissionsFeedPinning	Pin Posts in Feeds	boolean				
PermissionsFlowUFIRequired	Require Flow User Feature License	boolean				
PermissionsForceTwoFactor	Multi-Factor Authentication for User Interface Logins	boolean				
PermissionsGetSmartDataDiscovery	View Einstein Discovery Recommendations	boolean				
PermissionsGetSmartDataDiscoveryExternal	View Einstein Discovery Recommendations Via Connect API	boolean				
PermissionsGiveRecognitionBadge	Give Recognition Badges in Experience Builder Sites	boolean				
PermissionsGovernNetworks	Manage Experiences	boolean				
PermissionsHasUnlimitedErbModelScoring	User Has Unlimited Erb Model Scoring	boolean				
PermissionsHasUnlimitedNBElections	User Has Unlimited Next Best Action Strategy Executions	boolean				
PermissionsHeadlessCMSAccess	Enable Salesforce CMS Integration	boolean				
PermissionsHealthCloudOnlyAccess	Provides access to Health Cloud data for Community users.	boolean				
PermissionsHealthCloudUtilizationMgmt	Manage Health Cloud Utilization Management	boolean				
PermissionsHideReadByList	Hide the Seen By List	boolean				
PermissionsIdentityConnect	Use Identity Connect	boolean				
PermissionsIdentityEnabled	Use Identity Features	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsImportCustomObjects	Import Custom Objects	boolean				
PermissionsImportLeads	Import Leads	boolean				
PermissionsImportPersonal	Import Personal Contacts	boolean				
PermissionsInstallMigrationTool	Deploy Change Sets	boolean				
PermissionsIndustryMilestonePlatform	Access Life Events or Business Milestones Component	boolean				
PermissionsInstallPackaging	Download AppExchange Packages	boolean				
PermissionsIsSsoEnabled	Is Single Sign-On Enabled	boolean				
PermissionsEndMessagingSession	End Messaging Session	boolean				
PermissionsInitiateOutboundMessaging	Agent Initiated Outbound Messaging	boolean				
PermissionsLeadScoreResultPublisher	Publish Einstein Lead Scoring results	boolean				
PermissionsLeadScoreUser	Use Einstein Lead Scoring	boolean				
PermissionsLearningManager	Manage Learning	boolean				
PermissionsLightningConsoleAllowFooter	Lightning Console User	boolean				
PermissionsLightningExperienceUser	Lightning Experience User	boolean				
PermissionsLightningSchedulerAccess	Let a user be included in appointments in Salesforce Scheduler.	boolean				
PermissionsListEmailSend	Allow sending of List Emails	boolean				
PermissionsLiveMessageAgent	Messaging Agent	boolean				
PermissionsImpProReservedUI	Remain in Salesforce Classic	boolean				
PermissionsManageAnalyticsSnapshots	Manage Reporting Snapshots	boolean				
PermissionsManageAuthProviders	Manage Auth. Providers	boolean				
PermissionsManageBusinessHoursHolidays	Manage Business Hours Holidays	boolean				
PermissionsManageC360Connections	Connect Org to Salesforce CDP	boolean				
PermissionsManageCMS	Create CMS Workspaces and Channels	boolean				
PermissionsManageCallCenters	Manage Call Centers	boolean				
PermissionsManageCases	Manage Cases	boolean				
PermissionsManageCategories	Manage Categories	boolean				

MutingPermissionSet

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageCertificates	Manage Certificates	boolean				
PermissionsManageChatterMessages	Manage Chatter Messages and Direct Messages	boolean				
PermissionsManageContactTracing	Manage Contact Tracing for Employees	boolean				
PermissionsManageContentPermissions	Manage Content Permissions	boolean				
PermissionsManageContentProperties	Manage Content Properties	boolean				
PermissionsManageContentTypes	Manage record types and layouts for Files	boolean				
PermissionsManageCustomPermissions	Manage Custom Permissions	boolean				
PermissionsManageCustomReportTypes	Manage Custom Report Types	boolean				
PermissionsManageDashboardsInPublicFolders	Manage Dashboards in Public Folders	boolean				
PermissionsManageDataCategories	Manage Data Categories	boolean				
PermissionsManageDataIntegrations	Manage Data Integrations	boolean				
PermissionsManageDynamicDashboards	Manage Dynamic Dashboards	boolean				
PermissionsManageEmailClientConfig	Manage Email Client Configurations	boolean				
PermissionsManageEmailContent	Manage Email Content	boolean				
PermissionsManageEncryptionKeys	Manage Encryption Keys	boolean				
PermissionsManageExchangeConfig	Manage Lightning Sync	boolean				
PermissionsManageExternalConnections	Allow user to modify Private Connections	boolean				
PermissionsManageHealthCheck	Manage Health Check	boolean				
PermissionsManageHealthCloud	Manage Health Cloud	boolean				
PermissionsManageHealthCloudFinancialData	Manage Health Cloud Financial Data	boolean				
PermissionsManageHubConnections	Connect Org to Customer 360 Data Manager	boolean				
PermissionsManageIndustriesVisit	Manage Industries Visit	boolean				
PermissionsManageInteraction	Manage Flow	boolean				
PermissionsManageInternalUsers	Manage Internal Users	boolean				
PermissionsManageIPAddresses	Manage IP Addresses	boolean				

MutingPermissionSet

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageKnowledge	Manage Salesforce Knowledge	boolean				
PermissionsManageKnowledgeImportExport	Manage Knowledge Article Import/Export	boolean				
PermissionsManageLeads	Manage Leads	boolean				
PermissionsManageLearningReporting	Manage Learning Reporting	boolean				
PermissionsManageLoginAccessPolicies	Manage Login Access Policies	boolean				
PermissionsManageMobile	Manage Mobile Configurations	boolean				
PermissionsManageMobileAppSecurity	Manage Enhanced Mobile App Security	boolean				
PermissionsManageMyS1App	Manage mySalesforce apps	boolean				
PermissionsManageNetworks	Create and Set Up Experiences	boolean				
PermissionsManagePasswordPolicies	Manage Password Policies	boolean				
PermissionsManageProfilePermissions	Manage Profiles and Permission Sets	boolean				
PermissionsManagePropositions	Manage Next Best Action Recommendations	boolean				
PermissionsManagePrivateReportsAndDashboards	Manage All Private Reports and Dashboards	boolean				
PermissionsManageRecommendationStrategies	Manage Next Best Action Strategies	boolean				
PermissionsManageReleaseUpdates	Manage Release Updates	boolean				
PermissionsManageRemoteAccess	Manage Connected Apps	boolean				
PermissionsManageReportsInPublicFolders	Manage Reports in Public Folders	boolean				
PermissionsManageRoles	Manage Roles	boolean				
PermissionsManageSandboxes	Manage Sandboxes	boolean				
PermissionsManageSearchPromotionRules	Manage Promoted Search Terms	boolean				
PermissionsManageSessionPermissionSets	Manage Session Permission Set Activations	boolean				
PermissionsManageSharing	Manage Sharing	boolean				
PermissionsManageStarDataDiscovery	Manage Einstein Discovery	boolean				
PermissionsManageStarDataDiscoveryModel	Can Deploy and Manage Einstein Discovery predictions	boolean				
PermissionsManageSolutions	Manage Published Solutions	boolean				

MutingPermissionSet

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageSubscriptions	Manage Tableau CRM Subscriptions	boolean				
PermissionsManageSurveys	Manage Surveys	boolean				
PermissionsManageSynonyms	Manage Synonyms	boolean				
PermissionsManageTrustMeasures	Manage Trust Measures	boolean				
PermissionsManageTwoFactor	Manage Multi-Factor Authentication in API	boolean				
PermissionsManageUnlistedGroups	Manage Unlisted Groups	boolean				
PermissionsManageUsers	Manage Users	boolean				
PermissionsMarketingAdmin	Manage marketing setup tasks	boolean				
PermissionsMassInlineEdit	Mass Edits from Lists	boolean				
PermissionsMergeTopics	Merge Topics	boolean				
PermissionsMobileAppSecurity	Enforce Enhanced Mobile App Security	boolean				
PermissionsModerateChatter	Moderate Chatter	boolean				
PermissionsModerateNetworkUsers	Moderate Experience Cloud Site Users	boolean				
PermissionsModifyAllData	Modify All Data	boolean				
PermissionsModifyDataClassification	Modify Data Classification	boolean				
PermissionsModifyMetadata	Modify Metadata Through Metadata API Functions	boolean				
PermissionsMyTrailheadBranding	myTrailhead Branding Management	boolean				
PermissionsMyTrailheadContentAccess	myTrailhead View All Content	boolean				
PermissionsMyTrailheadContentCreation	myTrailhead Content Creation	boolean				
PermissionsMyTrailheadCustomSteps	myTrailhead Custom Steps	boolean				
PermissionsMyTrailheadPreviewMode	myTrailhead Preview Mode	boolean				
PermissionsMyTrailheadReleaseMgt	myTrailhead Release Management	boolean				
PermissionsNativeWebViewScrolling	Salesforce Mobile App: Native scrolling on webviews	boolean				
PermissionsNewReportBuilder	Report Builder	boolean				
PermissionsOutboundMigrationToolUser	Create and Upload Change Sets	boolean				

MutingPermissionSet

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsPackaging2	Create and Update Second-Generation Packages	boolean				
PermissionsPackaging2Delete	Delete Second-Generation Packages	boolean				
PermissionsPardotUser	Allow access to all Pardot features	boolean				
PermissionsPasswordNeverExpires	Password Never Expires	boolean				
PermissionsPaymentsAPIUser	Payments Api User	boolean				
PermissionsPreventClassicExperience	Hide Option to Switch to Salesforce Classic	boolean				
PermissionsPrivacyDataAccess	Allow user to access privacy data	boolean				
PermissionsPublicSectorCityAccess	Provides access to Public Sector data for Community users.	boolean				
PermissionsPublishPackaging	Upload AppExchange Packages	boolean				
PermissionsQueryAllFiles	Query All Files	boolean				
PermissionsQuipMetricsAccess	Quip Metrics	boolean				
PermissionsQuipUserEngagementMetrics	Quip User Engagement Metrics	boolean				
PermissionsRecordVisibilityAPI	Enable RecordVisibility API	boolean				
PermissionsRemoveDirectMessageMembers	Remove People from Direct Messages	boolean				
PermissionsReplyRecommendationUser	View and Act on Einstein Reply Recommendations	boolean				
PermissionsResetPasswords	Reset User Passwords and Unlock Users	boolean				
PermissionsRunCGCloudREPPackage	Use CG Cloud - Retail Execution App	boolean				
PermissionsRunCGCloudSyncPackage	Sync Data	boolean				
PermissionsRunDirectStoreDelivery	Manage and Run Direct Store Delivery	boolean				
PermissionsRunFlow	Run Flows	boolean				
PermissionsRunReports	Run Reports	boolean				
PermissionsRunRetailExecution	Manage and Run Retail Execution CPG	boolean				
PermissionsSalesforceIQInbox	Use Inbox	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsSandboxTestingInCommunityApp	Test Sandboxes in Mobile Publisher for Experience Cloud	boolean				
PermissionsScheduleJob	Schedule Dashboards	boolean				
PermissionsScheduleReports	Schedule Reports	boolean				
PermissionsSchedulingFacilityManager	Facility Manager	boolean				
PermissionsSchedulingLineAmbassador	Queue Manager	boolean				
PermissionsSelectFilesFromSalesforce	Select Files from Salesforce	boolean				
PermissionsSendAnnouncementEmails	Send announcement emails	boolean				
PermissionsSendCustomNotifications	Send Custom Notifications	boolean				
PermissionsSendSitRequests	Send Stay-in-Touch Requests	boolean				
PermissionsShareInternalArticles	Share internal Knowledge articles externally	boolean				
PermissionsShareSmartDataDiscoveryStory	Share Einstein Discovery Stories	boolean				
PermissionsShowCompanyNameAsSiteRole	Show Company Name as Site Role	boolean				
PermissionsSkipIdentityConfirmation	Skip Device Activation at Login	boolean				
PermissionsSmartDataDiscoveryForCommunity	Smart Data Discovery for experience users	boolean				
PermissionsSolutionImport	Import Solutions	boolean				
PermissionsStandardActivityCapture	Use Einstein Activity Capture Standard	boolean				
PermissionsStoryOnDSWithPredicate	Ignore predicate when creating story from dataset	boolean				
PermissionsSubscribeDashboardRolesGps	Subscribe to Dashboards: Send to Groups and Roles	boolean				
PermissionsSubscribeDashboardOtherUsers	Subscribe to Dashboards: Add Recipients	boolean				
PermissionsSubscribeReportRolesGps	Subscribe to Reports: Send to Groups and Roles	boolean				
PermissionsSubscribeReportOtherUsers	Subscribe to Reports: Add Recipients	boolean				
PermissionsSubscribeReportsRunAsUser	Subscribe to Reports: Set Running User	boolean				
PermissionsSubscribeLightningDashboards	Subscribe to Dashboards	boolean				

MutingPermissionSet

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsSubscribeLightningReports	Subscribe to Reports	boolean				
PermissionsTraceXdsQueries	Access Tracer for External Data Sources	boolean				
PermissionsTransactionalEmailSend	Send Non-Commercial Email	boolean				
PermissionsTransferAnyCase	Transfer Cases	boolean				
PermissionsTransferAnyEntity	Transfer Record	boolean				
PermissionsTransferAnyLead	Transfer Leads	boolean				
PermissionsTwoFactorApi	Multi-Factor Authentication for API Logins	boolean				
PermissionsUseAssistantDialog	Instant Actionable Results	boolean				
PermissionsUseMySalesAgreementsCty	Use Manufacturing Sales Agreements via Community	boolean				
PermissionsUseMySearch	Einstein Search	boolean				
PermissionsUseQuerySuggestions	Natural Language Search	boolean				
PermissionsUseReturnOrder	Use Order Management Return Order	boolean				
PermissionsUseReturnOrderAPIs	Use Order Management Return APIs	boolean				
PermissionsUseStartDataDiscovery	Use Einstein Discovery	boolean				
PermissionsUseTeamReassignWizards	Use Team Reassignment Wizards	boolean				
PermissionsUseWebLink	Allow Access to Customized Actions	boolean				
PermissionsVideoConferenceZoomUser	Use Video Conferencing with Zoom	boolean				
PermissionsViewAllActivities	View All Activities	boolean				
PermissionsViewAllCustomSettings	View All Custom Settings	boolean				
PermissionsViewAllData	View All Data	boolean				
PermissionsViewAllForeignKeyNames	View All Lookup Record Names	boolean				
PermissionsViewAllProfiles	View All Profiles	boolean				
PermissionsViewAllUsers	View All Users	boolean				
PermissionsViewAnomalyEvents	View Threat Detection Events	boolean				
PermissionsViewContent	View Content in Portals	boolean				
PermissionsViewDataAssessment	Access to view Data Assessment	boolean				

MutingPermissionSet

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsViewDataCategories	View Data Categories in Setup	boolean				
PermissionsViewDataLeakageEvents	View Real-Time Event Monitoring Data	boolean				
PermissionsViewDeveloperName	View DeveloperName	boolean				
PermissionsViewEncryptedData	View Encrypted Data	boolean				
PermissionsViewEventLogFiles	View Event Log Files	boolean				
PermissionsViewHealthCheck	View Health Check	boolean				
PermissionsViewHelpLink	View Help Link	boolean				
PermissionsViewMyTeamsDashboards	View My Team's Dashboards	boolean				
PermissionsViewOnlyPrivateAppUser	Access to View-Only Licensed Templates and Apps	boolean				
PermissionsViewPlatformEvents	View Login Forensics Events	boolean				
PermissionsViewPrivateStaticResources	View Private Static Resources	boolean				
PermissionsViewPublicDashboards	View Dashboards in Public Folders	boolean				
PermissionsViewPublicReports	View Reports in Public Folders	boolean				
PermissionsViewRoles	View Roles and Role Hierarchy	boolean				
PermissionsViewSetup	View Setup and Configuration	boolean				
PermissionsViewTrustMeasures	View Trust Measures	boolean				
PermissionsViewUserPII	View User Records with PII	boolean				
PermissionsVoiceCoach	Access Dialer Monitoring	boolean				
PermissionsVoiceInbound	Access Dialer Inbound Calls	boolean				
PermissionsVoiceMinutes	Access Dialer Minutes	boolean				
PermissionsVoiceOutbound	Access Dialer Outbound Calls	boolean				
PermissionsVolunteerMgtUserAccess	Grant users access to Volunteer Management features.	boolean				
PermissionsWorkCalibrationUser	Enable WDC Calibration	boolean				
PermissionsWorkDotComUserPerm	Enable WDC	boolean				
PermissionsWorkplaceCommandCenter	Provides access to Workplace Command Center features.	boolean				
SystemModstamp	System Modstamp	datetime				

MYDOMAINDISCOVERABLELOGIN

Represents configuration settings when the My Domain login page type is Discovery. Login Discovery provides an identity-first login experience, where the login page contains the identifier field only. Based on the identifier entered, a handler determines how to authenticate the user.

For more information, see MyDomainDiscoverableLogin in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApexHandlerId	Class ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
ExecuteApexHandlerAsId	User ID	reference		18		
Id	My Domain Discoverable Login ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
SystemModstamp	System Modstamp	datetime				
UsernameLabel	Login Prompt	string		255		

NAME

Non-queryable object that provides information about foreign key traversals when the foreign key has more than one parent.

For more information, see Name in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Alias	Alias	string		8		
Email	Email	email		80		
FirstName	First Name	string		40		
Id	ID	id		18		
IsActive	Active	boolean				
LastName	Last Name	string		80		
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
NameOrAlias	Name or Alias	string		80		
Phone	Phone	phone		40		
ProfileId	Profile ID	reference		18		
RecordTypeId	Record Type ID	reference		18		
Title	Title	string		80		
Type	Type	picklist		40		
UserRoleId	Role ID	reference		18		
Username	Username	string		80		

NAMEDCREDENTIAL

Represents a named credential, which specifies the URL of a callout endpoint and its required authentication parameters in one definition. For more information, see NamedCredential in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthProviderId	Auth. Provider ID	reference		18		
AuthTokenEndpointUrl	Auth Token Endpoint URL	textarea		1000		
CalloutOptionsAllowMergeFieldsInBody	AllowMergeFieldsInBody	boolean				
CalloutOptionsAllowMergeFieldsInHeader	AllowMergeFieldsInHeader	boolean				
CalloutOptionsGenerateAuthorizationHeader	GenerateAuthorizationHeader	boolean				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Endpoint	URL	textarea		1000		
Id	Named Credential ID	id		18		
IsDeleted	Deleted	boolean				
JwtAudience	JWT Audience(s)	textarea		1000		
JwtFormulaSubject	JWT Formula Subject	string		255		
JwtIssuer	JWT Issuer	string		255		
JwtTextSubject	JWT Text Subject	string		255		
JwtValidityPeriodSeconds	JWT Validity Period in Seconds	int	9			
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
PrincipalType	Identity Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

NAVIGATIONLINKSET

Represents the navigation menu in an Experience Cloud site. A navigation menu consists of items that users can click to go to other parts of the site.

For more information, see `NavigationLinkSet` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>DeveloperName</code>	Name	string		80		
<code>Id</code>	Navigation Link Set ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>Language</code>	Master Language	picklist		40		
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>MasterLabel</code>	Label	string		80		
<code>NamespacePrefix</code>	Namespace Prefix	string		15		
<code>NetworkId</code>	Parent ID	reference		18		
<code>SystemModstamp</code>	System Modstamp	datetime				

NAVIGATIONMENUITEM

Represents a single menu item in a NavigationLinkSet. Use this object to create, delete, or update menu items in your Experience Cloud site's navigation menu.

For more information, see NavigationMenuItem in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessRestriction	Access Restriction	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultListViewId	List View ID	reference		18		
DraftRowId	Navigation Menu Item ID	reference		18		
Id	Navigation Menu Item ID	id		18		
IsDeleted	Deleted	boolean				
Label	Label	string		50		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
NavigationLinkSetId	Navigation Link Set ID	reference		18		
ParentId	Navigation Menu Item ID	reference		18		
Position	Position	int	9			
Status	Publish Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Target	Target	string		255		
TargetPrefs	Target Preferences	picklist		255		
Type	Navigation Menu Item Type	picklist		255		

NETWORK

Represents an Experience Cloud site. Salesforce Experience Cloud lets you create branded spaces for your employees, customers, and partners. You can customize and create experiences, whether they're communities, sites, or portals, to meet your business needs, then transition seamlessly between them. Experience Cloud sites let you share information, records, and files with coworkers and stakeholders all in one place.

For more information, see Network in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AllowedExtensions	Allowed Extensions	textarea		1000		
CaseCommentEmailTemplateId	Email Template ID	reference		18		
ChangePasswordEmailTemplateId	Email Template ID	reference		18		
ChgEmailVerNewEmailTemplateId	Email Template ID	reference		18		
ChgEmailVerOldEmailTemplateId	Email Template ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
EmailFooterLogoId	Document ID	reference		18		
EmailFooterText	Email Footer Text	string		1000		
EmailSenderAddress	From Email Address	email		80		
EmailSenderName	From Email Name	string		80		
FirstActivationDate	First Date Active	date				
ForgotPasswordEmailTemplateId	Email Template ID	reference		18		
Id	Network ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LockoutEmailTemplateId	Email Template ID	reference		18		
MaxFileSizeKb	Max File Size KB	int	9			
Name	Name	string		40		
NewSenderAddress	Unverified Sender Email Address	email		80		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OptionsActionOverrideEnabled	ActionOverrideEnabled	boolean				
OptionsAllowInternalUserLogin	Allow Employee Login	boolean				
OptionsAllowMembersToFlag	Allow Members To Flag	boolean				
OptionsCWBannerState	CWBannerState	boolean				
OptionsDirectMessagesEnabled	Direct Messages Enabled	boolean				
OptionsDisableWorkspaceInfo	DisableWorkspaceInfo	boolean				
OptionsEinsteinAnswersEnabled	EinsteinAnswersEnabled	boolean				
OptionsEinsteinAnswersKAEnabled	EinsteinAnswersKAEnabled	boolean				
OptionsEinsteinAnswersQAAEnabled	EinsteinAnswersQAEnabled	boolean				
OptionsEinsteinAnswersSnippetEnabled	EinsteinAnswersSnippetEnabled	boolean				
OptionsEnableTalkingAboutStats	EnableTalkingAboutStats	boolean				
OptionsEnableTopicAssignmentRules	EnableTopicAssignmentRules	boolean				
OptionsExperienceBundleBasedOverrideEnabled	ExperienceBundleBasedOverrideEnabled	boolean				
OptionsGatherCustomerSentimentData	Gather Customer Insights Data	boolean				
OptionsGuestChatterEnabled	Guest Chatter Enabled	boolean				
OptionsGuestFileAccessEnabled	Guest File Access Enabled	boolean				
OptionsGuestMemberVisibility	GuestMemberVisibility	boolean				
OptionsInvitationsEnabled	Invitations Enabled	boolean				
OptionsKnowledgeableEnabled	Knowledgeable Enabled	boolean				
OptionsMemberVisibility	MemberVisibility	boolean				
OptionsMobileImageOptimizationEnabled	MobileImageOptimizationEnabled	boolean				
OptionsNetworkSentimentAnalysis	Sentiment Analysis on Feed Posts and Comments	boolean				
OptionsNicknameDisplayEnabled	NicknameDisplayEnabled	boolean				
OptionsPrivateMessagesEnabled	Private Messages Enabled	boolean				
OptionsProfileLayoutForKnowledgeSearchEnabled	ProfileLayoutForKnowledgeSearchEnabled	boolean				
OptionsRecognitionBadgingEnabled	Recognition badging for Lightning Experiences	boolean				
OptionsReputationEnabled	Reputation Enabled	boolean				
OptionsReputationRecordConversationsDisabled	ReputationRecordConversationsDisabled	boolean				
OptionsSelfRegistrationEnabled	Self Registration Enabled	boolean				

Network

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OptionsSendWelcomeEmail	Send Welcome Email	boolean				
OptionsShowAllNetworkSettings	ShowAllNetworkSettings	boolean				
OptionsSiteAsContainerEnabled	Site.com as Experience Container Enabled	boolean				
OptionsThreadedDiscussionsEnabled	ThreadedDiscussionsEnabled	boolean				
OptionsTopicSuggestionsEnabled	TopicSuggestionsEnabled	boolean				
OptionsUpDownVoteEnabled	UpDownVoteEnabled	boolean				
SelfRegProfileId	Profile ID	reference		18		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
UrlPathPrefix	Experience URL Prefix	string		40		
VerificationEmailTemplateId	Email Template ID	reference		18		
WelcomeEmailTemplateId	Email Template ID	reference		18		

NETWORKACTIVITYAUDIT

Represents an audit trail of moderation actions in Experience Cloud sites.

For more information, see NetworkActivityAudit in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Action	Action	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		250		
EntityCreatedById	User ID	reference		18		
EntityId	Entity ID	reference		18		
EntityType	Audited Object Type	picklist		255		
Id	Network Activity Audit Id	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MayEdit	May Edit	boolean				
Name	Name	string		255		
NetworkId	Network ID	reference		18		
ParentEntityId	Parent Entity ID	reference		18		
ParentEntityType	Parent Type of Audited Object	picklist		255		
SystemModstamp	System Modstamp	datetime				

NETWORKAFFINITY

Represents a junction object that associates a user profile with a Network object, that is, with an Experience Cloud site. Use NetworkAffinity to assign a default Experience Cloud site to a user profile.

For more information, see NetworkAffinity in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Default Community ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
NetworkId	Network ID	reference		18		
ProfileId	Profile ID	reference		18		
SystemModstamp	System Modstamp	datetime				

NETWORKDISCOVERABLELOGIN

Represents the Login Discoverable page from where customers and partners log in to an Experience Cloud site. Customers and partners are users with an External Identity license or any communities license for Experience Cloud.

For more information, see NetworkDiscoverableLogin in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApexHandlerId	Class ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExecuteApexHandlerAsId	User ID	reference		18		
Id	Experience Discoverable Login Id	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MayEdit	May Edit	boolean				
NetworkId	Network ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UsernameLabel	Username Label	string		255		

NETWORKFEEDRESPONSEMETRIC

Represents an object that stores the date and time values of question posts. It captures information for question creation, answer creation, and when an answer is marked as best answer

For more information, see NetworkFeedResponseMetric in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentDateTime	Best Comment DateTime	datetime				
BestCommentId	Feed Comment ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FeedItemCreatedById	Feed Item Created By ID	reference		18		
FeedItemDateTime	Feed Item DateTime	datetime				
FeedItemId	Feed Item ID	reference		18		
FirstCommentDateTime	First Comment DateTime	datetime				
FirstCommentId	Feed Comment ID	reference		18		
Id	Network Feed Response Metric Id	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MarkedAsBestCommentDateTime	Marked As Best Comment DateTime	datetime				
MayEdit	May Edit	boolean				
Name	Name	string		255		
NetworkId	Network ID	reference		18		
ParentRecordId	Parent Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				

NETWORKMEMBER

Represents a member of an Experience Cloud site. Members can be either users in your company or external users with portal profiles. For more information, see NetworkMember in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultGroupNotificationFrequency	Default Notification Frequency when Joining Groups	picklist		40		
DigestFrequency	Chatter Email Highlights Frequency	picklist		40		
Id	Network Member ID	id		18		
LastChatterActivityDate	Last Chatter Activity Date	date				
MemberId	User ID	reference		18		
NetworkId	Network ID	reference		18		
PreferencesDisCommentAfterLikeEmail	DisCommentAfterLikeEmail	boolean				
PreferencesDisMentionsCommentEmail	DisMentionsCommentEmail	boolean				
PreferencesDisProfPostCommentEmail	DisProfPostCommentEmail	boolean				
PreferencesDisableAllFeedsEmail	DisableAllFeedsEmail	boolean				
PreferencesDisableBestAnswerEmail	DisableBestAnswerEmail	boolean				
PreferencesDisableBookmarkEmail	DisableBookmarkEmail	boolean				
PreferencesDisableChangeCommentEmail	DisableChangeCommentEmail	boolean				
PreferencesDisableDirectMessageEmail	DisableDirectMessageEmail	boolean				
PreferencesDisableEndorsementEmail	DisableEndorsementEmail	boolean				
PreferencesDisableFollowersEmail	DisableFollowersEmail	boolean				
PreferencesDisableItemFlaggedEmail	DisableItemFlaggedEmail	boolean				
PreferencesDisableLaterCommentEmail	DisableLaterCommentEmail	boolean				
PreferencesDisableLikeEmail	DisableLikeEmail	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PreferencesDisableMentionsPostEmail	DisableMentionsPostEmail	boolean				
PreferencesDisableMessageEmail	DisableMessageEmail	boolean				
PreferencesDisablePendingReviewEmail	DisablePendingReviewEmail	boolean				
PreferencesDisableProfilePostEmail	DisableProfilePostEmail	boolean				
PreferencesDisableSharePostEmail	DisableSharePostEmail	boolean				
ReputationPoints	Reputation Points	double			15	0
SystemModstamp	System Modstamp	datetime				

NETWORKMEMBERGROUP

Represents a group of members in an Experience Cloud site. Members can be either users in your internal org or external users assigned portal profiles. An administrator adds members to an Experience Cloud site by adding a profile or a permission set, and any user with the profile or permission set becomes a member of the site.

For more information, see NetworkMemberGroup in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssignmentStatus	Assignment Status	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Network Member Group ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
NetworkId	Network ID	reference		18		
ParentId	Parent ID	reference		18		
SystemModstamp	System Modstamp	datetime				

NETWORKMODERATION

Represents a flag on an item in a community.

For more information, see NetworkModeration in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EntityId	Entity ID	reference		18		
Id	Network Moderation ID	id		18		
ModerationType	Moderation Type	picklist		40		
NetworkId	Network ID	reference		18		
Note	Notes	textarea		1000		
Visibility	Visibility	picklist		40		

NETWORKPAGEOVERRIDE

Represents information about custom pages used to override the default pages in Experience Cloud sites. You can create Experience Builder or Visualforce pages and override the default pages in a site. Using custom pages allows you to create a more personalized experience for your users.

For more information, see `NetworkPageOverride` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>Id</code>	Experience Page Override Id	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>NetworkId</code>	Network ID	reference		18		
<code>OverrideSetting</code>	Page Override Setting	picklist		255		
<code>OverrideType</code>	Page Override Type	picklist		255		
<code>SystemModstamp</code>	System Modstamp	datetime				

NETWORKREFERENCEDOBJECT

A junction object that associates the loyalty program with the Experience Cloud site.

For more information, see `NetworkReferencedObject` in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Network Referenced Object ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MayEdit	May Edit	boolean				
Name	Name	string		255		
NetworkId	Network ID	reference		18		
ReferencedObjectId	Referenced Object ID	reference		18		
SystemModstamp	System Modstamp	datetime				

NETWORKSELFREGISTRATION

Represents the account that self-registering Experience Cloud users are associated with by default. Self-registering users in an Experience Cloud site are required to be associated with an account, which the administrator must specify while setting up self-registration for the site. If an account isn't specified, Salesforce creates person accounts (when enabled) for self-registering users.

For more information, see NetworkSelfRegistration in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ApexHandlerId	Class ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExecuteApexHandlerAsId	User ID	reference		18		
Id	Experience Self Registration Id	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MayEdit	May Edit	boolean				
NetworkId	Network ID	reference		18		
OptionsIncludePassword	IncludePassword	boolean				
OptionsShowEmail	Email	boolean				
OptionsShowFirstName	First Name	boolean				
OptionsShowLastName	Last Name	boolean				
OptionsShowMobilePhone	Mobile	boolean				
OptionsShowNickname	ShowNickname	boolean				
OptionsShowUsername	ShowUsername	boolean				
SystemModstamp	System Modstamp	datetime				
VerificationMethod	Verification Method	picklist		255		

NETWORKUSERHISTORYRECENT

Represents an Experience Cloud site user's history of accessed records.

For more information, see NetworkUserHistoryRecent in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessTimestamp	Access Timestamp	datetime				
ActionType	Action Type	picklist		255		
CombinedIdField	Combined ID field	string		45		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DomainName	Domain Name	string		255		
FeedCommentId	Feed Comment ID	reference		18		
FeedItemId	Feed Item ID	reference		18		
Id	Network User History Recent ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MayEdit	May Edit	boolean				
NetworkId	Network ID	reference		18		
NetworkUserId	User ID	reference		18		
RecordId	Record ID	reference		18		
RecordKeyPrefix	Record Key Prefix	string		3		
SystemModstamp	System Modstamp	datetime				
Url	URL	string		255		
UserType	User Type	picklist		255		

NOTE

Represents a note, which is text associated with a custom object or a standard object, such as a Contact, Contract, or Opportunity. For more information, see Note in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Body	Body	textarea		32000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Note Id	id		18		
IsDeleted	Deleted	boolean				
IsPrivate	Private	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OwnerId	Owner ID	reference		18		
ParentId	Parent ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		80		

NOTEANDATTACHMENT

This read-only object contains all notes and attachments associated with an object.

For more information, see NoteAndAttachment in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Note or Attachment Id	id		18		
IsDeleted	Deleted	boolean				
IsNote	Is Note	boolean				
IsPrivate	Private	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OwnerId	Owner ID	reference		18		
ParentId	Parent ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		80		

OAUTHCUSTOMSCOPE

Represents a permission defining the protected data that a connected app can access from an external entity when Salesforce is the OAuth authorization provider.

For more information, see OAuthCustomScope in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	Name	string		80		
Id	OAuth Custom Scope ID	id		18		
IsDeleted	Deleted	boolean				
IsPublic	Include on well known endpoint	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
SystemModstamp	System Modstamp	datetime				

OAUTHCUSTOMSCOPEAPP

Represents the name of the connected app to which the custom scope is assigned.

For more information, see OAuthCustomScopeApp in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	OAuth Custom Scope App ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OAuthCustomScopeId	OAuth Custom Scope ID	reference		18		
SystemModstamp	System Modstamp	datetime				

OAUTHTOKEN

Represents an OAuth access token for connected app authentication. Use this object to create a user interface for token management. For more information, see OAuthToken in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessToken	Access Token	string		255		
AppMenuItemId	AppMenuItem ID	reference		18		
AppName	Application Name	string		255		
CreatedDate	Created Date	datetime				
DeleteToken	Delete Token	string		255		
Id	OAuth Token ID	id		18		
LastUsedDate	Last Used Date	datetime				
RequestToken	Request Token	string		255		
UseCount	Use Count	int	9			
UserId	User ID	reference		18		

OBJECTPERMISSIONS

Represents the enabled object permissions for the parent PermissionSet.

For more information, see ObjectPermissions in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	ObjectPermissions ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
PermissionsCreate	Create Records	boolean				
PermissionsDelete	Delete Records	boolean				
PermissionsEdit	Edit Records	boolean				
PermissionsModifyAllRecords	Edit All Records	boolean				
PermissionsRead	Read Records	boolean				
PermissionsViewAllRecords	Read All Records	boolean				
SObjectType	SObject Type Name	picklist		40		
SystemModstamp	System Modstamp	datetime				

ONBOARDINGMETRICS

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExperienceName	Experience Name	string		255		
Id	Onboarding Metrics ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SeenCount	Seen Count	int	9			
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

OPENACTIVITY

This read-only object is displayed in a related list of open activities—future events and open tasks—related to an object. It includes activities for all contacts related to the object. OpenActivity fields for phone calls are only available if your organization uses Salesforce CRM Call Center.

For more information, see OpenActivity in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActivityDate	Date	date				
ActivityDateTime	Time	datetime				
ActivitySubtype	Activity Subtype	picklist		40		
ActivityType	Type	picklist		40		
AlternateDetailId	Email Message ID	reference		18		
CallDisposition	Call Result	string		255		
CallDurationInSeconds	Call Duration	int	8			
CallObject	Call Object Identifier	string		255		
CallType	Call Type	picklist		40		
CompletedDateTime	Completed Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Comments	textarea		32000		
DurationInMinutes	Duration	int	9			
EndDateTime	End	datetime				
Id	Activity ID	id		18		
IsAllDayEvent	All-Day Event	boolean				
IsClosed	Closed	boolean				
IsDeleted	Deleted	boolean				
IsHighPriority	High Priority	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsReminderSet	Reminder Set	boolean				
IsTask	Task	boolean				
IsVisibleInSelfService	Public	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Location	Location	string		80		
OwnerId	Assigned To ID	reference		18		
Priority	Priority	picklist		20		
ReminderDateTime	Reminder Date/Time	datetime				
StartDateTime	Start	datetime				
Status	Status	picklist		255		
Subject	Subject	combobox		80		
SystemModstamp	System Modstamp	datetime				
WhatId	Related To ID	reference		18		
WhoId	Name ID	reference		18		

OPERATINGHOURS

Represents the hours in which a service territory, service resource, or account is available for field service work in Field Service and Lightning Scheduler.

For more information, see OperatingHours in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Id	Operating Hour ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				
TimeZone	Time Zone	picklist		255		

OPERATINGHOURSFEED

Feed tracking for OperatingHours.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

OPPORTUNITY

Represents an opportunity, which is a sale or pending deal.

For more information, see Opportunity in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Amount	Amount	currency			18	2
CampaignId	Campaign ID	reference		18		
CloseDate	Close Date	date				
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Fiscal	Fiscal Period	string		6		
FiscalQuarter	Fiscal Quarter	int	8			
FiscalYear	Fiscal Year	int	8			
ForecastCategory	Forecast Category	picklist		40		
ForecastCategoryName	Forecast Category	picklist		255		
HasOpenActivity	Has Open Activity	boolean				
HasOpportunityLineItem	Has Line Item	boolean				
HasOverdueTask	Has Overdue Task	boolean				
Id	Opportunity ID	id		18		
IsClosed	Closed	boolean				
IsDeleted	Deleted	boolean				
IsWon	Won	boolean				
LastActivityDate	Last Activity	date				
LastAmountChangedHistoryId	Opportunity History ID	reference		18		
LastCloseDateChangedHistoryId	Opportunity History ID	reference		18		

Opportunity

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastStageChangeDate	Last Stage Change Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LeadSource	Lead Source	picklist		255		
Name	Name	string		120		
NextStep	Next Step	string		255		
OwnerId	Owner ID	reference		18		
Pricebook2Id	Price Book ID	reference		18		
Probability	Probability (%)	percent			3	0
PushCount	Push Count	int	9			
StageName	Stage	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Opportunity Type	picklist		255		

OPPORTUNITYCOMPETITOR

Represents a competitor on an Opportunity.

For more information, see OpportunityCompetitor in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CompetitorName	Competitor Name	combobox		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Opportunity: Competitor ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OpportunityId	Opportunity ID	reference		18		
Strengths	Strengths	string		1000		
SystemModstamp	System Modstamp	datetime				
Weaknesses	Weaknesses	string		1000		

OPPORTUNITYCONTACTROLE

Represents the role that a Contact plays on an Opportunity.

For more information, see OpportunityContactRole in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Contact Role ID	id		18		
IsDeleted	Deleted	boolean				
IsPrimary	Primary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OpportunityId	Opportunity ID	reference		18		
Role	Role	picklist		255		
SystemModstamp	System Modstamp	datetime				

OPPORTUNITYFEED

Feed tracking for Opportunity.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

OPPORTUNITYFIELDHISTORY

Represents the history of changes to the values in the fields of an opportunity.

For more information, see OpportunityFieldHistory in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Opportunity History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
OpportunityId	Opportunity ID	reference		18		

OPPORTUNITYHISTORY

Represents the stage history of an Opportunity.

For more information, see OpportunityHistory in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
CloseDate	Close Date	date				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExpectedRevenue	Expected Revenue	currency			18	2
ForecastCategory	To ForecastCategory	picklist		40		
Id	Opportunity History ID	id		18		
IsDeleted	Deleted	boolean				
OpportunityId	Opportunity ID	reference		18		
PrevAmount	Previous Amount	currency			18	2
PrevCloseDate	Previous Close Date	date				
Probability	Probability	percent			3	0
StageName	Stage Name	picklist		255		
SystemModstamp	System Modstamp	datetime				

OPPORTUNITYLINEITEM

Represents an opportunity line item, which is a member of the list of Product2 products associated with an Opportunity.

For more information, see OpportunityLineItem in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Line Description	string		255		
Id	Line Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ListPrice	List Price	currency			18	2
Name	Opportunity Product Name	string		376		
OpportunityId	Opportunity ID	reference		18		
PricebookEntryId	Price Book Entry ID	reference		18		
Product2Id	Product ID	reference		18		
ProductCode	Product Code	string		255		
Quantity	Quantity	double			12	2
ServiceDate	Date	date				
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				
TotalPrice	Total Price	currency			18	2
UnitPrice	Sales Price	currency			18	2

OPPORTUNITYLINEITEMSCHEDULE

Represents information about the quantity, revenue distribution, and delivery dates for a particular OpportunityLineItem.

For more information, see OpportunityLineItemSchedule in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Comments	string		80		
Id	Schedule ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OpportunityLineItemId	Line Item ID	reference		18		
Quantity	Quantity	double			18	2
Revenue	Revenue	currency			18	2
ScheduleDate	Schedule Date	date				
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

OPPORTUNITYPARTNER

This object represents a partner relationship between an Account and an Opportunity. An OpportunityPartner record is created automatically when a Partner record is created for a partner relationship between an account and an opportunity.

For more information, see OpportunityPartner in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountToId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Opportunity Partner ID	id		18		
IsDeleted	Deleted	boolean				
IsPrimary	Primary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OpportunityId	Opportunity ID	reference		18		
ReversePartnerId	Reverse Partner ID	reference		18		
Role	Role	picklist		255		
SystemModstamp	System Modstamp	datetime				

OPPORTUNITYSHARE

Represents a sharing entry on an Opportunity.

For more information, see OpportunityShare in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	Opportunity Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OpportunityAccessLevel	Opportunity Access	picklist		40		
OpportunityId	Opportunity ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

OPPORTUNITYSTAGE

Represents the stage of an Opportunity in the sales pipeline, such as New Lead, Negotiating, Pending, Closed, and so on.

For more information, see OpportunityStage in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultProbability	Probability (%)	percent			3	0
Description	Description	string		255		
ForecastCategory	Forecast Category	picklist		40		
ForecastCategoryName	Forecast Category Name	picklist		255		
Id	Opportunity Stage ID	id		18		
IsActive	Is Active	boolean				
IsClosed	Closed	boolean				
IsWon	Won	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

ORDER

Represents an order associated with a contract or an account.

For more information, see Order in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActivatedById	Activated By ID	reference		18		
ActivatedDate	Activated Date	datetime				
BillingAddress	Billing Address	address				
BillingCity	Billing City	string		40		
BillingCountry	Billing Country	string		80		
BillingGeocodeAccuracy	Billing Geocode Accuracy	picklist		40		
BillingLatitude	Billing Latitude	double			18	15
BillingLongitude	Billing Longitude	double			18	15
BillingPostalCode	Billing Zip/Postal Code	string		20		
BillingState	Billing State/Province	string		80		
BillingStreet	Billing Street	textarea		255		
CompanyAuthorizedById	Company Authorized By ID	reference		18		
ContractId	Contract ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomerAuthorizedById	Customer Authorized By ID	reference		18		
Description	Description	textarea		32000		
EffectiveDate	Order Start Date	date				
EndDate	Order End Date	date				
Id	Order ID	id		18		
IsDeleted	Deleted	boolean				
IsReductionOrder	Reduction Order	boolean				

Order

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OrderNumber	Order Number	string		30		
OriginalOrderId	Order ID	reference		18		
OwnerId	Owner ID	reference		18		
Pricebook2Id	Price Book ID	reference		18		
ShippingAddress	Shipping Address	address				
ShippingCity	Shipping City	string		40		
ShippingCountry	Shipping Country	string		80		
ShippingGeocodeAccuracy	Shipping Geocode Accuracy	picklist		40		
ShippingLatitude	Shipping Latitude	double			18	15
ShippingLongitude	Shipping Longitude	double			18	15
ShippingPostalCode	Shipping Zip/Postal Code	string		20		
ShippingState	Shipping State/Province	string		80		
ShippingStreet	Shipping Street	textarea		255		
Status	Status	picklist		100		
StatusCode	Status Category	picklist		40		
SystemModstamp	System Modstamp	datetime				
TotalAmount	Order Amount	currency			18	2
Type	Order Type	picklist		255		

ORDERFEED

Feed tracking for Order.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ORDERHISTORY

Represents historical information about changes that have been made to the standard fields of the associated order, or to any custom fields with history tracking enabled.

For more information, see OrderHistory in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Order History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
OrderId	Order ID	reference		18		

ORDERITEM

Represents an order product that your organization sells.

For more information, see OrderItem in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AvailableQuantity	Available Quantity	double			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Line Description	string		255		
EndDate	End Date	date				
Id	Order Product ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ListPrice	List Price	currency			18	2
OrderId	Order ID	reference		18		
OrderItemNumber	Order Product Number	string		30		
OriginalOrderItemId	Original Order Item ID	reference		18		
PricebookEntryId	Price Book Entry ID	reference		18		
Product2Id	Product ID	reference		18		
Quantity	Quantity	double			18	2
ServiceDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				
TotalPrice	Total Price	currency			18	2
UnitPrice	Unit Price	currency			18	2

ORDERITEMFEED

Feed tracking for OrderItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ORDERITEMHISTORY

History for tracked fields of OrderItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Order Product History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
OrderItemId	Order Product ID	reference		18		

ORDERSHARE

Represents a sharing entry on an Order.

For more information, see OrderShare in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	Order Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OrderAccessLevel	Order Access Level	picklist		40		
OrderId	Order ID	reference		18		
RowCause	Apex Sharing Reason ID	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ORDERSTATUS

Represents the status of the order entity.

For more information, see OrderStatus in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Order Status Value ID	id		18		
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
StatusCode	Status Code	picklist		40		
SystemModstamp	System Modstamp	datetime				

ORGDELETEREQUEST

Represents a request to delete a developer edition (DE) org.

For more information, see OrgDeleteRequest in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Org Delete Request ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RequestType	Request Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

ORGDELETEREQUESTSHARE

Sharing for OrgDeleteRequest.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ORGLIFECYCLENOTIFICATION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EventUuid	Event UUID	string		36		
LifecycleRequestId	Lifecycle Request ID	string		18		
LifecycleRequestType	Lifecycle Request Type	string		255		
OrgId	Org ID	string		18		
ReplayId	Replay ID	string		1000		
Status	Status	string		255		
StatusCode	Status Code	string		255		

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FeatureType	Feature Type	picklist		40		
Id	Org Metric ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LatestOrgMetricScanSummaryId	Org Metric Scan ID	reference		18		
Name	Org Metric	string		255		
SystemModstamp	System Modstamp	datetime				

ORGMETRICSCANRESULT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Date	Date	datetime				
Flags	Flags	int	9			
Id	Org Metric Scan Result ID	id		18		
IsDeleted	Deleted	boolean				
ItemStatus	Status	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Org Metric Scan Result	string		255		
Object	Object	string		255		
OrgMetricScanSummaryId	Org Metric Scan ID	reference		18		
Profile	Profile	int	9			
Quantity	Quantity	int	9			
SystemModstamp	System Modstamp	datetime				
Type	Type	string		255		
Url	Url	url		255		
User	User	string		255		

ORGMETRICSCANSUMMARY

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ErrorMessage	Error Message	picklist		40		
FeatureLimit	Limit	int	9			
Id	Org Metric Scan ID	id		18		
ImplementationEffort	Implementation Effort	picklist		40		
IsDeleted	Deleted	boolean				
ItemCount	Count	int	9			
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Org Metric Scan Summary	string		255		
OrgMetricId	Org Metric ID	reference		18		
PercentUsage	Percent Usage	percent			3	0
ScanDate	Scan Date	datetime				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
Unit	Unit	string		64		

ORGWIDEEMAILADDRESS

Represents an organization-wide email address for user profiles.

For more information, see OrgWideEmailAddress in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Address	Email Address	email		270		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DisplayName	Display Name	string		300		
Id	Organization-wide From Email Address ID	id		18		
IsAllowAllProfiles	Allow All Profiles	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Purpose	Purpose	picklist		40		
SystemModstamp	System Modstamp	datetime				

ORGANIZATION

Represents key configuration information for an organization.

For more information, see Organization in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Address	Address	address				
City	City	string		40		
ComplianceBccEmail	Compliance BCC Email	email		80		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultAccountAccess	Default Account Access	picklist		40		
DefaultCalendarAccess	Default Calendar Access	picklist		40		
DefaultCampaignAccess	Default Campaign Access	picklist		40		
DefaultCaseAccess	Default Case Access	picklist		40		
DefaultContactAccess	Default Contact Access	picklist		40		
DefaultLeadAccess	Default Lead Access	picklist		40		
DefaultLocaleSidKey	Locale	picklist		40		
DefaultOpportunityAccess	Default Opportunity Access	picklist		40		
DefaultPricebookAccess	Default Price Book Access	picklist		40		
DelegateAuthenticationServiceUrl	Single Sign-On Gateway URL	url		255		
Division	Division	string		80		
Fax	Fax	phone		40		
FiscalYearStartMonth	Fiscal Year Starts In	int	9			
GeocodeAccuracy	Geocode Accuracy	picklist		40		
Id	Organization ID	id		18		
InstanceName	Instance Name	string		5		
IsReadOnly	Is Read Only	boolean				

Organization

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsSandbox	Is Sandbox	boolean				
LanguageLocaleKey	Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Latitude	Latitude	double			18	15
Longitude	Longitude	double			18	15
MonthlyPageViewsEntitlement	Monthly Page Views Allowed	int	9			
MonthlyPageViewsUsed	Monthly Page Views Used	int	9			
Name	Name	string		80		
NamespacePrefix	Namespace Prefix	string		15		
NumKnowledgeService	Knowledge Licenses	int	9			
OrganizationType	Edition	picklist		40		
Phone	Phone	phone		40		
PostalCode	Zip/Postal Code	string		20		
~~PreferencesAutoSelectIndividualOnMerge~~	AutoSelectIndividualOnMerge	boolean				
~~PreferencesConsentManagementEnabled~~	ConsentManagementEnabled	boolean				
~~PreferencesLightningLoginEnabled~~	LightningLoginEnabled	boolean				
~~PreferencesOnlyLLPermUserAllowed~~	OnlyLLPermUserAllowed	boolean				
~~PreferencesRequireOpportunityProducts~~	RequireOpportunityProducts	boolean				
~~PreferencesTerminateOldestSession~~	TerminateOldestSession	boolean				
~~PreferencesTransactionSecurityPolicy~~	TransactionSecurityPolicy	boolean				
PrimaryContact	Primary Contact	string		80		
ReceivesAdminInfoEmails	Info Emails Admin	boolean				
ReceivesInfoEmails	Info Emails	boolean				
SignupCountryIsoCode	Signup Country	string		2		
State	State/Province	string		80		
Street	Street	textarea		255		
SystemModstamp	System Modstamp	datetime				
TimeZoneSidKey	Time Zone	picklist		40		
TrialExpirationDate	Trial Expiration Date	datetime				

Organization

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UiSkin	UI Skin	picklist		40		
UsesStartDateAsFiscalYearName	Fiscal Year Name by Start	boolean				
WebToCaseDefaultOrigin	Web to Cases Default Origin	string		40		

OTHERCOMPONENTTASK

Represents the details of a component task performed in a visit. A component task allows customers to launch components from the task framework.

For more information, see OtherComponentTask in the *Consumer Goods Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
FullyQualifiedName	Fully Qualified Name	string		255		
Id	Other Component Task ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentTaskId	Assessment Task ID	reference		18		
SystemModstamp	System Modstamp	datetime				

OTHERCOMPONENTTASKFEED

Feed tracking for OtherComponentTask.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

OTHERCOMPONENTTASKHISTORY

History for tracked fields of OtherComponentTask.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Other Component Task History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
OtherComponentTaskId	Other Component Task ID	reference		18		

OTHERCOMPONENTTASKSHARE

Sharing for OtherComponentTask.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

OUTGOINGEMAIL

For internal use only.

For more information, see OutgoingEmail in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BccAddress	BCC	string		4000		
CcAddress	CC	string		4000		
EmailTemplateId	Email Template ID	reference		18		
ExternalId	External ID	string		255		
HtmlBody	HTML Body	textarea		128000		
Id	Outgoing Email ID	id		18		
InReplyTo	In Reply To	string		4000		
MessageId	Message Id	string		4000		
References	References	string		4000		
RelatedToId	Related To ID	reference		18		
Subject	Subject	string		3000		
TextBody	Text Body	textarea		128000		
ToAddress	To	string		4000		
ValidatedFromAddress	From	picklist		255		
WhoId	Name ID	reference		18		

OUTGOINGEMAILRELATION

For internal use only.

For more information, see `OutgoingEmailRelation` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>ExternalId</code>	External ID	string		255		
<code>Id</code>	Outgoing Email Relation ID	id		18		
<code>OutgoingEmailId</code>	Outgoing Email ID	string		255		
<code>RelationAddress</code>	Relation Address	string		255		
<code>RelationId</code>	Relation ID	reference		18		

OWNEDCONTENTDOCUMENT

Represents a file owned by a user.

For more information, see OwnedContentDocument in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentDocumentId	ContentDocument ID	reference		18		
ContentSize	Content Size	int	9			
ContentUrl	Content URL	url		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created	datetime				
ExternalDataSourceName	External Data Source	string		80		
ExternalDataSourceType	Class ID	picklist		80		
FileExtension	File Extension	string		40		
FileType	File Type	string		20		
Id	User Owned Content Document Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Content Modified Date	datetime				
OwnerId	Owner ID	reference		18		
Title	Title	string		255		

OWNERCHANGEOPTIONINFO

Represents default and optional actions that can be performed when a record's owner is changed.

For more information, see `OwnerChangeOptionInfo` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
DefaultValue	Default Value	boolean				
DurableId	Durable ID	string		255		
EntityDefinitionId	Entity Definition ID	string		70		
Id	Change Owner Option ID	id		18		
IsEditable	Is Editable	boolean				
Label	Label	string		150		
Name	Name	string		150		
ParentId	Change Owner Option ID	string		70		

PACKAGELICENSE

Represents a license for an installed managed package.

For more information, see PackageLicense in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AllowedLicenses	Allowed Licenses	int	9			
CreatedDate	Created Date	datetime				
ExpirationDate	Expiration Date	datetime				
Id	Package License ID	id		18		
IsAvailableForIntegrations	Enabled for Integrations	boolean				
IsProvisioned	Is Provisioned	boolean				
LastModifiedDate	Last Modified Date	datetime				
NamespacePrefix	Namespace Prefix	string		40		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
UsedLicenses	Used Licenses	int	9			

PARDOTTENANT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreationStatus	Creation Status	picklist		255		
DeleteOn	Delete On	date				
DeveloperName	Name	string		80		
Id	Business Unit ID	id		18		
InitialPardotAdminId	User ID	reference		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
PardotGdotTenantKey	Business Unit GDOT Tenant Key	string		255		
PardotTenantAccountType	Business Unit Account Type	picklist		255		
PardotTenantEnvironment	Business Unit Environment	picklist		255		
PardotTenantId	Business Unit ID	string		255		
PardotTenantName	Business Unit Name	string		255		
PardotTenantStatusCode	Business Unit Status Code	picklist		255		
SystemModstamp	System Modstamp	datetime				

PARTNER

Represents a partner relationship between two Account records or between an Opportunity record and an Account record.

For more information, see Partner in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountFromId	Account From ID	reference		18		
AccountToId	Account To ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Partner ID	id		18		
IsDeleted	Deleted	boolean				
IsPrimary	Primary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OpportunityId	Opportunity ID	reference		18		
ReversePartnerId	Reverse Partner ID	reference		18		
Role	Role	picklist		255		
SystemModstamp	System Modstamp	datetime				

PARTNERFUNDALLOCATION

Represents allocated funds from a partner marketing budget for channel partners.

For more information, see PartnerFundAllocation in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
BudgetId	Partner Marketing Budget ID	reference		18		
ChannelPartnerId	Channel Partner ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Id	Partner Fund Allocation ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MayEdit	May Edit	boolean				
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Partner Fund Allocation Name	string		255		
TotalApprovedFcs	Total Approved Fund Claims	currency			18	2
TotalApprovedFrs	Total Approved Fund Requests	currency			18	2
TotalReimbursedFcs	Total Reimbursed Fund Claims	currency			18	2

PARTNERFUNDALLOCATIONFEED

Feed tracking for PartnerFundAllocation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTNERFUNDALLOCATIONHISTORY

History for tracked fields of PartnerFundAllocation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Partner Fund Allocation History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartnerFundAllocationId	Partner Fund Allocation ID	reference		18		

PARTNERFUNDALLOCATIONSHARE

Sharing for PartnerFundAllocation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PARTNERFUNDCLAIM

Represents a claim of funds from the partner marketing budget by a channel partner.

For more information, see PartnerFundClaim in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AllocationId	Partner Fund Allocation ID	reference		18		
Amount	Amount	currency			18	2
BudgetId	Partner Marketing Budget ID	reference		18		
ChannelPartnerId	Channel Partner ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Id	Partner Fund Claim ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MayEdit	May Edit	boolean				
OwnerId	Owner ID	reference		18		
RequestId	Partner Fund Request ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Title	Partner Fund Claim Name	string		255		

PARTNERFUNDCLAIMFEED

Feed tracking for PartnerFundClaim.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTNERFUNDCLAIMHISTORY

History for tracked fields of PartnerFundClaim.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Partner Fund Claim History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartnerFundClaimId	Partner Fund Claim ID	reference		18		

PARTNERFUNDCLAIMSHARE

Sharing for PartnerFundClaim.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PARTNERFUNDREQUEST

Represents a request for funds from the partner marketing budget by a channel partner.

For more information, see PartnerFundRequest in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Activity	Activity	picklist		40		
AllocationId	Partner Fund Allocation ID	reference		18		
Amount	Amount	currency			18	2
BudgetId	Partner Marketing Budget ID	reference		18		
ChannelPartnerId	Channel Partner ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
DesiredOutcome	Desired Outcome	textarea		255		
Id	Partner Fund Request ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MayEdit	May Edit	boolean				
OwnerId	Owner ID	reference		18		
RequestedAmount	Requested Amount	currency			18	2
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Title	Partner Fund Request Name	string		255		
TotalApprovedFcs	Total Approved Fund Claims	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalReimbursedFcs	Total Reimbursed Fund Claims	currency			18	2

PARTNERFUNDREQUESTFEED

Feed tracking for PartnerFundRequest.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTNERFUNDREQUESTHISTORY

History for tracked fields of PartnerFundRequest.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Partner Fund Request History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartnerFundRequestId	Partner Fund Request ID	reference		18		

PARTNERFUNDREQUESTSHARE

Sharing for PartnerFundRequest.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PARTNERMARKETINGBUDGET

Represents a budget that provides funds to channel partners for selling and marketing products and services.

For more information, see PartnerMarketingBudget in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
ChannelPartnerId	Channel Partner ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
EndDate	End Date	date				
Id	Partner Marketing Budget ID	id		18		
IsDeleted	Deleted	boolean				
IsIgnoreValidation	Ignore Validation Rules	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MayEdit	May Edit	boolean				
OwnerId	Owner ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				
Title	Partner Marketing Budget Name	string		255		
TotalAllocatedAmount	Total Allocated Amount	currency			18	2
TotalApprovedFcs	Total Approved Fund Claims	currency			18	2
TotalApprovedFrs	Total Approved Fund Requests	currency			18	2
TotalReimbursedFcs	Total Reimbursed Fund Claims	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Type	Budget Type	picklist		255		

PARTNERMARKETINGBUDGETFEED

Feed tracking for PartnerMarketingBudget.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTNERMARKETINGBUDGETHISTORY

History for tracked fields of PartnerMarketingBudget.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Partner Marketing Budget History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartnerMarketingBudgetId	Partner Marketing Budget ID	reference		18		

PARTNERMARKETINGBUDGETSHARE

Sharing for PartnerMarketingBudget.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PARTNERROLE

Represents a role for an account Partner, such as consultant, supplier, and so on.

For more information, see PartnerRole in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Partner Role Value ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
ReverseRole	Reverse Role	picklist		255		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

PARTYCONSENT

Represents consent preferences for an individual.

For more information, see PartyConsent in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Action	Action	picklist		255		
BusinessBrandId	Business Brand ID	reference		18		
CaptureContactPointType	Consent Captured Contact Point Type	picklist		255		
CaptureDate	Consent Captured Date Time	datetime				
CaptureSource	Consent Captured Source	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	PartyConsent ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PartyId	Individual ID	reference		18		
PartyRoleId	Party Role ID	reference		18		
PrivacyConsentStatus	Privacy Consent Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

PARTYCONSENTFEED

Feed tracking for PartyConsent.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PARTYCONSENTHISTORY

History for tracked fields of PartyConsent.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Party Consent History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartyConsentId	PartyConsent ID	reference		18		

PARTYCONSENTSHARE

Sharing for PartyConsent.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PAYMENT

Represents a single event where the customer creates a payment. For credit cards, this is a payment capture or payment sale, which won't show up in the end user's credit card statement.

For more information, see [Payment](#) in the *Object Reference*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Amount	Amount	currency			18	2
Balance	Balance	currency			18	2
CancellationDate	Cancellation Date	datetime				
CancellationEffectiveDate	Cancellation Effective Date	datetime				
CancellationGatewayDate	Cancellation Gateway Date	datetime				
CancellationGatewayRefNumber	Cancellation Gateway Reference Number	string		255		
CancellationGatewayResultCode	Cancellation Gateway ResultCode	string		64		
CancellationSfResultCode	Cancellation Salesforce ResultCode	string		64		
ClientContext	Client Context	textarea		2000		
Comments	Comments	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Date	Date	datetime				
EffectiveDate	Effective Date	datetime				
Email	Audit Email	email		80		
GatewayDate	Gateway Date	datetime				
GatewayRefDetails	Gateway Reference Details	textarea		1000		
GatewayRefNumber	Gateway Reference Number	string		255		
GatewayResultCode	Gateway ResultCode	string		64		

Payment

Field Name	Field Label	Type	Digits	Length	Precision	Scale
GatewayResultCodeDescription	Gateway ResultCode Description	string		255		
Id	Payment ID	id		18		
ImpactAmount	Impact Amount	currency			18	2
IpAddress	IP Address	string		39		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MacAddress	MAC Address	string		32		
NetApplied	Net Applied	currency			18	2
NetRefundApplied	Net Refund Applied	currency			18	2
PaymentAuthorizationId	Payment Authorization ID	reference		18		
PaymentGatewayId	Payment Gateway ID	reference		18		
PaymentGroupId	Payment Group ID	reference		18		
PaymentMethodId	Payment Method ID	reference		18		
PaymentNumber	Payment Number	string		255		
Phone	Phone	phone		40		
ProcessingMode	Processing Mode	picklist		255		
SfResultCode	Salesforce ResultCode	picklist		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalApplied	Total Applied	currency			18	2
TotalRefundApplied	Total Refund Applied	currency			18	2
TotalRefundUnapplied	Total Refund Unapplied	currency			18	2
TotalUnapplied	Total Unapplied	currency			18	2
Type	Type	picklist		255		

PAYMENTAUTHADJUSTMENT

Shows information about an adjustment made to an authorized transaction.

For more information, see PaymentAuthAdjustment in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Amount	Amount	currency			18	2
Comments	Comments	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Date	Date	datetime				
EffectiveDate	Effective Date	datetime				
Email	Audit Email	email		80		
GatewayDate	Gateway Date	datetime				
GatewayRefDetails	Gateway Reference Details	textarea		1000		
GatewayRefNumber	Gateway Reference Number	string		255		
GatewayResultCode	Gateway Result Code	string		64		
GatewayResultCodeDescription	Gateway Result Code Description	string		255		
Id	Payment Authorization Adjustment ID	id		18		
IpAddress	IP Address	string		39		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MacAddress	MAC Address	string		32		

PaymentAuthAdjustment

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PaymentAuthAdjustmentNumber	Payment Authorization Adjustment Number	string		255		
PaymentAuthorizationId	Payment Authorization ID	reference		18		
Phone	Phone	phone		40		
ProcessingMode	Processing Mode	picklist		255		
SfResultCode	Salesforce Result Code	picklist		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Adjustment Type	picklist		255		

PAYMENTAUTHORIZATION

Represents a single payment authorization event where users can capture or reverse a payment against a reserve of funds.

For more information, see [PaymentAuthorization](#) in the *Object Reference*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Amount	Amount	currency			18	2
Balance	Balance	currency			18	2
Comments	Comments	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Date	Date	datetime				
EffectiveDate	Effective Date	datetime				
Email	Audit Email	email		80		
ExpirationDate	Expiration Date	datetime				
GatewayAuthCode	Gateway Auth Code	string		64		
GatewayDate	Gateway Date	datetime				
GatewayRefDetails	Gateway Reference Details	textarea		1000		
GatewayRefNumber	Gateway Reference Number	string		255		
GatewayResultCode	Gateway Result Code	string		64		
GatewayResultCodeDescription	Gateway Result Code Description	string		255		
Id	Payment Authorization ID	id		18		
IpAddress	IP Address	string		39		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				

PaymentAuthorization

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastViewedDate	Last Viewed Date	datetime				
MacAddress	MAC Address	string		32		
PaymentAuthorizationNumber	Payment Authorization Number	string		255		
PaymentGatewayId	Payment Gateway ID	reference		18		
PaymentGroupId	Payment Group ID	reference		18		
PaymentMethodId	Payment Method ID	reference		18		
Phone	Phone	phone		40		
ProcessingMode	Processing Mode	picklist		255		
SfResultCode	Salesforce Result Code	picklist		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalAuthReversalAmount	Total Payment Auth Reversal Amount	currency			18	2
TotalPaymentCaptureAmount	Total Payment Capture Amount	currency			18	2

PAYMENTGATEWAY

Platform entity that represents the connection to the external payment gateway.

For more information, see PaymentGateway in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Comments	Comments	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalReference	External Reference	string		255		
Id	Payment Gateway ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MerchantCredentialId	Named Credential ID	reference		18		
PaymentGatewayName	Payment Gateway Name	string		255		
PaymentGatewayProviderId	Payment Gateway Provider ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

PAYMENTGATEWAYLOG

Stores information exchanged between the Salesforce payments platform and external payment gateways. Gateway logs can also record payloads from external payment entities.

For more information, see PaymentGatewayLog in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
GatewayAuthCode	GatewayAuthCode	string		64		
GatewayAvsCode	GatewayAvsCode	string		64		
GatewayDate	GatewayDate	datetime				
GatewayMessage	Gateway Message	string		255		
GatewayRefNumber	GatewayReferenceNumber	string		255		
GatewayResultCode	GatewayResultCode	string		64		
GatewayResultCodeDescription	GatewayResultCode	string		255		
Id	Payment Gateway Log ID	id		18		
InteractionStatus	Status	picklist		255		
InteractionType	Interaction Type	picklist		255		
IsDeleted	Deleted	boolean				
IsNotification	IsNotification	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PaymentGatewayId	Payment Gateway ID	reference		18		
PaymentGatewayLogNumber	PaymentGatewayLogNumber	string		255		
ReferencedEntityId	ReferencedEntity ID	reference		18		
Request	Request	textarea		131072		
Response	Response	textarea		131072		
SfRefNumber	SalesforceReferenceNumber	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SfResultCode	SalesforceResultCode	picklist		255		
SystemModstamp	System Modstamp	datetime				

PAYMENTGATEWAYPROVIDER

Setup entity for payment gateways. Defines the connection to a payment gateway Apex adapter.

For more information, see `PaymentGatewayProvider` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>ApexAdapterId</code>	Class ID	reference		18		
<code>Comments</code>	Comments	textarea		1000		
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>DeveloperName</code>	Name	string		255		
<code>Id</code>	Payment Gateway Provider ID	id		18		
<code>IdempotencySupported</code>	Idempotency Supported	picklist		255		
<code>IsDeleted</code>	Deleted	boolean				
<code>Language</code>	Master Language	picklist		40		
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>LastViewedDate</code>	Last Viewed Date	datetime				
<code>MasterLabel</code>	Label	string		255		
<code>NamespacePrefix</code>	Namespace Prefix	string		15		
<code>SystemModstamp</code>	System Modstamp	datetime				

PAYMENTGROUP

Top-level object that groups of all the payment transactions that have been processed an order or contract. PaymentGroup is a standalone object, so it isn't required for users to execute payment transactions (authorizations, captures, refunds, and sales).

For more information, see PaymentGroup in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Payment Group ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PaymentGroupNumber	Payment Group Number	string		255		
SourceObjectId	Order ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PAYMENTLINEINVOICE

Represents a payment allocated to or unallocated from an invoice.

For more information, see `PaymentLineInvoice` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
AppliedDate	Applied Date	datetime				
AssociatedAccountId	Account ID	reference		18		
AssociatedPaymentLineId	Payment Line Invoice ID	reference		18		
Comments	Comments	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Date	Date	datetime				
EffectiveDate	Effective Date	datetime				
EffectiveImpactAmount	Effective Impact Amount	currency			18	2
HasBeenUnapplied	Has Been Unapplied	picklist		255		
Id	Payment Line Invoice ID	id		18		
ImpactAmount	Impact Amount	currency			18	2
InvoiceId	Invoice ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PaymentBalance	Payment Balance	currency			18	2
PaymentId	Payment ID	reference		18		
PaymentLineInvoiceNumber	Payment Line Invoice Number	string		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		
UnappliedDate	Unapplied Date	datetime				

PAYMENTMETHOD

The method that a buyer uses to compensate the seller of a good or service. Common payment methods include cash, checks, credit or debit cards, money orders, bank transfers, and online payment services.

For more information, see `PaymentMethod` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>AccountId</code>	Account ID	reference		18		
<code>Comments</code>	Comments	textarea		32000		
<code>CompanyName</code>	Company Name	string		255		
<code>CreatedById</code>	User ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>Id</code>	Payment Method ID	id		18		
<code>ImplementorType</code>	Implementor Type	string		255		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	User ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>Name</code>	Name	string		255		
<code>NickName</code>	Nickname	string		255		
<code>PaymentMethodAddress</code>	Payment Method Address	address				
<code>PaymentMethodCity</code>	City	string		40		
<code>PaymentMethodCountry</code>	Country	string		80		
<code>PaymentMethodGeoCodeAccuracy</code>	GeoCode Accuracy	picklist		255		
<code>PaymentMethodLatitude</code>	Latitude	double			18	15
<code>PaymentMethodLongitude</code>	Longitude	double			18	15
<code>PaymentMethodPostalCode</code>	Postal Code	string		20		
<code>PaymentMethodState</code>	State	string		80		
<code>PaymentMethodStreet</code>	Street	textarea		255		
<code>Status</code>	Status	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

PERIOD

Represents a fiscal period defined in FiscalYearSettings.

For more information, see Period in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
EndDate	End Date	date				
FiscalYearSettingsId	Fiscal Year Settings ID	reference		18		
FullyQualifiedLabel	Fully Qualified Label	string		80		
Id	Period ID	id		18		
IsForecastPeriod	Is Forecast Period	boolean				
Number	Number	int	9			
PeriodLabel	Period Name	picklist		255		
QuarterLabel	Quarter Name	picklist		255		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

PERMISSIONSET

Represents a set of permissions that's used to grant more access to one or more users without changing their profile or reassigning profiles.

For more information, see PermissionSet in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
HasActivationRequired	Session Activation Required	boolean				
Id	PermissionSet ID	id		18		
IsCustom	Is Custom	boolean				
IsOwnedByProfile	Is Owned By Profile	boolean				
Label	Permission Set Label	string		80		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LicenseId	License ID	reference		18		
Name	Permission Set Name	string		80		
NamespacePrefix	Namespace Prefix	string		15		
PermissionSetGroupId	PermissionSetGroup ID	reference		18		
PermissionsAICreateInsightObjects	Create AI Insight Objects	boolean				
PermissionsAIViewInsightObjects	View AI Insight Objects	boolean				
PermissionsAccessCMC	Access Experience Management	boolean				
PermissionsAccessCdpApp	Allows user access Salesforce CDP	boolean				
PermissionsAccessCdpDataExplorer	Access Salesforce CDP Data Explorer	boolean				
PermissionsAccessContentBuilder	Access drag-and-drop content builder	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsAccessWalkthroughs	View Walkthroughs	boolean				
PermissionsAccountSwitcherUser	Account Switcher User	boolean				
PermissionsActionPlansUserAccess	Permission to access the Action Plans feature	boolean				
PermissionsActivateContract	Activate Contracts	boolean				
PermissionsActivateOrder	Activate Orders	boolean				
PermissionsActivitiesAccess	Access Activities	boolean				
PermissionsAddDirectMessageMembers	Add People to Direct Messages	boolean				
PermissionsAllowEmailIC	Email-Based Identity Verification Option	boolean				
PermissionsAllowLightningLogin	Lightning Login User	boolean				
PermissionsAllowObjectDetection	Allow user to use Object Detection for prediction.	boolean				
PermissionsAllowObjectDetectionTraining	Allow user to train and generate models for Object Detection.	boolean				
PermissionsAllowReferralScoring	Allow user to use Referral Scoring.	boolean				
PermissionsAllowUniversalSearch	Knowledge One	boolean				
PermissionsAllowViewEditConvertedLeads	View and Edit Converted Leads	boolean				
PermissionsAllowViewKnowledge	Allow View Knowledge	boolean				
PermissionsAllowVisitRecommendation	Allows a user to use Visit Recommendation for Retail Execution.	boolean				
PermissionsApexRestServices	Apex REST Services	boolean				
PermissionsApiEnabled	API Enabled	boolean				
PermissionsApiUserOnly	Api Only User	boolean				
PermissionsAppointmentBookingUseAccess	Enables the Appointment Booking feature	boolean				
PermissionsAssignPermissionSets	Assign Permission Sets	boolean				
PermissionsAssignTopics	Assign Topics	boolean				
PermissionsAuthorApex	Author Apex	boolean				
PermissionsAutomateEmailContent	Activate Email for Automation	boolean				
PermissionsAutomaticActivityCapture	Use Einstein Activity Capture	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsAutonomousAnalyticsPrivacy	Manage Autonomous Insights Data Privacy	boolean				
PermissionsB2BMarketingAnalyticsUser	Create B2B Marketing Analytics Apps	boolean				
PermissionsB2bmaAppUser	Access to the B2BMA App	boolean				
PermissionsBVCommunityAccess	Use objects in the Benefit Verification data model via Experience Cloud sites	boolean				
PermissionsBotManageBots	Manage Bots	boolean				
PermissionsBotManageBotsTrainingData	Manage Bots Training Data	boolean				
PermissionsBulkApiHardDelete	Bulk API Hard Delete	boolean				
PermissionsCallCoachingUser	Use Conversation Insights for Sales	boolean				
PermissionsCampaignInfluence2	Campaign Influence	boolean				
PermissionsCanAccessCE	Access Conversation Entries	boolean				
PermissionsCanApproveFeedPost	Can Approve Feed Post and Comment	boolean				
PermissionsCanEditPrompts	Manage Prompts	boolean				
PermissionsCanInsertFeedSystemFields	Insert System Field Values for Chatter Feeds	boolean				
PermissionsCanUseDashboardBuilder	Drag-and-Drop Dashboard Builder	boolean				
PermissionsCanVerifyComment	Verify Answers to Chatter Questions	boolean				
PermissionsChangeDashboardColors	Change Dashboard Colors	boolean				
PermissionsChatterComposeUiCodeSnippet	Allow Inclusion of Code Snippets from UI	boolean				
PermissionsChatterEditOwnPost	Edit My Own Posts	boolean				
PermissionsChatterEditOwnRecordPost	Edit Posts on Records I Own	boolean				
PermissionsChatterFileLink	Create Public Links	boolean				
PermissionsChatterInternalUser	Chatter Internal User	boolean				
PermissionsChatterInviteExternalUsers	Invite Customers To Chatter	boolean				
PermissionsChatterOwnGroups	Create and Own New Chatter Groups	boolean				

PermissionSet

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsCloseConversations	Close Conversation Threads	boolean				
PermissionsConfigCustomRecs	Configure Custom Recommendations	boolean				
PermissionsConfigureLiveMessage	Configure Messaging	boolean				
PermissionsConnectOrgToEnvironmentHub	Connect Organization to Environment Hub	boolean				
PermissionsConsentApiUpdate	Update Consent Preferences Using REST API	boolean				
PermissionsContentAdministrator	Manage Salesforce CRM Content	boolean				
PermissionsContentHubUser	Files Connect Cloud	boolean				
PermissionsContentWorkspaces	Access Libraries	boolean				
PermissionsConvertLeads	Convert Leads	boolean				
PermissionsCreateCustomizeDashboards	Create and Customize Dashboards	boolean				
PermissionsCreateCustomizeFilters	Create and Customize List Views	boolean				
PermissionsCreateCustomizeReports	Create and Customize Reports	boolean				
PermissionsCreateDashboardFolders	Create Dashboard Folders	boolean				
PermissionsCreateLtnngTempFolder	Create Folders for Lightning Email Templates	boolean				
PermissionsCreateLtnngTempInPub	Manage Public Lightning Email Templates	boolean				
PermissionsCreatePackaging	Create AppExchange Packages	boolean				
PermissionsCreateReportFolders	Create Report Folders	boolean				
PermissionsCreateReportInLightning	Report Builder (Lightning Experience)	boolean				
PermissionsCreateTopics	Create Topics	boolean				
PermissionsCreateUpdateSDDataset	Create and Update Einstein Discovery Datasets	boolean				
PermissionsCreateUpdateSDStory	Create and Update Einstein Discovery Stories	boolean				
PermissionsCreateVizBadgeDefinition	Create custom Badge Definitions	boolean				
PermissionsCreateWorkspaces	Create Libraries	boolean				
PermissionsCustomMobileAppsAccess	Access Custom Mobile Apps	boolean				

PermissionSet

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsCustomSidebarOnAllPages	Show Custom Sidebar On All Pages	boolean				
PermissionsCustomizeApplication	Customize Application	boolean				
PermissionsDataExport	Weekly Data Export	boolean				
PermissionsDebugApex	Debug Apex	boolean				
PermissionsDelegatedTwoFactor	Manage Multi-Factor Authentication in User Interface	boolean				
PermissionsDeleteActivatedContract	Delete Activated Contracts	boolean				
PermissionsDeleteTopics	Delete Topics	boolean				
PermissionsDialerBasicInbound	Access Dialer for Essentials Inbound Calls	boolean				
PermissionsDialerBasicOutbound	Access Dialer for Essentials Outbound Calls	boolean				
PermissionsDistributeFromPersWsp	Create Content Deliveries	boolean				
PermissionsDocumentChecklistUserAccess	User license to access the Document Checklist features.	boolean				
PermissionsERMUserAccess	Grant users access to Emergency Response Management features.	boolean				
PermissionsEditActivatedOrders	Edit Activated Orders	boolean				
PermissionsEditBrandTemplates	Manage Letterheads	boolean				
PermissionsEditCaseComments	Edit Case Comments	boolean				
PermissionsEditEvent	Edit Events	boolean				
PermissionsEditHtmlTemplates	Edit HTML Templates	boolean				
PermissionsEditKnowledge	Manage Articles	boolean				
PermissionsEditMyDashboards	Edit My Dashboards	boolean				
PermissionsEditMyReports	Edit My Reports	boolean				
PermissionsEditOpportunityUnitPrice	Edit Opportunity Product Sales Price	boolean				
PermissionsEditPublicDocuments	Manage Public Documents	boolean				
PermissionsEditPublicFilters	Manage Public List Views	boolean				
PermissionsEditPublicTemplates	Manage Public Classic Email Templates	boolean				
PermissionsEditReadOnlyFields	Edit Read Only Fields	boolean				

PermissionSet

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsEditTask	Edit Tasks	boolean				
PermissionsEditTopics	Edit Topics	boolean				
PermissionsEinsteinReplyManager	Manage Replies for Einstein Reply Recommendations	boolean				
PermissionsEmailAdministration	Email Administration	boolean				
PermissionsEmailMass	Mass Email	boolean				
PermissionsEmailSingle	Send Email	boolean				
PermissionsEmailTemplateManagement	Manage Email Templates	boolean				
PermissionsEnableCommunityAppLauncher	Show App Launcher in Experience Cloud Sites	boolean				
PermissionsEnableNotifications	Send Outbound Messages	boolean				
PermissionsExportReport	Export Reports	boolean				
PermissionsFHIRQueryAccess	Use objects in the Clinical data model via Experience Cloud sites	boolean				
PermissionsFeedPinning	Pin Posts in Feeds	boolean				
PermissionsFlowUFIRequired	Require Flow User Feature License	boolean				
PermissionsForceTwoFactor	Multi-Factor Authentication for User Interface Logins	boolean				
PermissionsGetStartDataDiscovery	View Einstein Discovery Recommendations	boolean				
PermissionsGetStartDataDiscoveryExternal	View Einstein Discovery Recommendations Via Connect API	boolean				
PermissionsGiveRecognitionBadge	Give Recognition Badges in Experience Builder Sites	boolean				
PermissionsGovernNetworks	Manage Experiences	boolean				
PermissionsHasUnlimitedErbScoringRequests	User Has Unlimited Erb Model Scoring	boolean				
PermissionsHasUnlimitedNBElections	User Has Unlimited Next Best Action Strategy Executions	boolean				
PermissionsHeadlessCMSAccess	Enable Salesforce CMS Integration	boolean				
PermissionsHealthCloudQueryAccess	Provides access to Health Cloud data for Community users.	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsHealthCloudUtilizationMgtUser	Manage Health Cloud Utilization Management	boolean				
PermissionsHideReadByList	Hide the Seen By List	boolean				
PermissionsIdentityConnect	Use Identity Connect	boolean				
PermissionsIdentityEnabled	Use Identity Features	boolean				
PermissionsImportCustomObjects	Import Custom Objects	boolean				
PermissionsImportLeads	Import Leads	boolean				
PermissionsImportPersonal	Import Personal Contacts	boolean				
PermissionsInboundMigrationToolsUser	Deploy Change Sets	boolean				
PermissionsIndustryMilestonePlatformUser	Access Life Events or Business Milestones Component	boolean				
PermissionsInstallPackaging	Download AppExchange Packages	boolean				
PermissionsIsSsoEnabled	Is Single Sign-On Enabled	boolean				
PermissionsEndMessagingSessionUserPerm	End Messaging Session	boolean				
PermissionsOutboundMessagingUserPerm	Agent Initiated Outbound Messaging	boolean				
PermissionsLeadScoreResultPublisher	Publish Einstein Lead Scoring results	boolean				
PermissionsLeadScoreUser	Use Einstein Lead Scoring	boolean				
PermissionsLearningManager	Manage Learning	boolean				
PermissionsLightningConsoleAllowForUser	Lightning Console User	boolean				
PermissionsLightningExperienceUser	Lightning Experience User	boolean				
PermissionsLightningSchedulerUserAccess	Let a user be included in appointments in Salesforce Scheduler.	boolean				
PermissionsListEmailSend	Allow sending of List Emails	boolean				
PermissionsLiveMessageAgent	Messaging Agent	boolean				
PermissionsItrgProcReservedUserPerm	Remain in Salesforce Classic	boolean				
PermissionsManageAnalyticsSnapshots	Manage Reporting Snapshots	boolean				
PermissionsManageAuthProviders	Manage Auth. Providers	boolean				
PermissionsManageBusinessHoursHolidays	Manage Business Hours Holidays	boolean				
PermissionsManageC360Connections	Connect Org to Salesforce CDP	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageCMS	Create CMS Workspaces and Channels	boolean				
PermissionsManageCallCenters	Manage Call Centers	boolean				
PermissionsManageCases	Manage Cases	boolean				
PermissionsManageCategories	Manage Categories	boolean				
PermissionsManageCertificates	Manage Certificates	boolean				
PermissionsManageChatterMessages	Manage Chatter Messages and Direct Messages	boolean				
PermissionsManageContactTracing	Manage Contact Tracing for Employees	boolean				
PermissionsManageContentPermissions	Manage Content Permissions	boolean				
PermissionsManageContentProperties	Manage Content Properties	boolean				
PermissionsManageContentTypes	Manage record types and layouts for Files	boolean				
PermissionsManageCustomPermissions	Manage Custom Permissions	boolean				
PermissionsManageCustomReportTypes	Manage Custom Report Types	boolean				
PermissionsManageDashboardsInPublicFolders	Manage Dashboards in Public Folders	boolean				
PermissionsManageDataCategories	Manage Data Categories	boolean				
PermissionsManageDataIntegrations	Manage Data Integrations	boolean				
PermissionsManageDynamicDashboards	Manage Dynamic Dashboards	boolean				
PermissionsManageEmailClientConfig	Manage Email Client Configurations	boolean				
PermissionsManageEmailContent	Manage Email Content	boolean				
PermissionsManageEncryptionKeys	Manage Encryption Keys	boolean				
PermissionsManageExchangeConfig	Manage Lightning Sync	boolean				
PermissionsManageExternalConnections	Allow user to modify Private Connections	boolean				
PermissionsManageHealthCheck	Manage Health Check	boolean				
PermissionsManageHealthCloud	Manage Health Cloud	boolean				
PermissionsManageHealthCloudFinancialData	Manage Health Cloud Financial Data	boolean				
PermissionsManageHubConnections	Connect Org to Customer 360 Data Manager	boolean				

PermissionSet

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageIndustriesVisit	Manage Industries Visit	boolean				
PermissionsManageInteraction	Manage Flow	boolean				
PermissionsManageInternalUsers	Manage Internal Users	boolean				
PermissionsManageIpAddresses	Manage IP Addresses	boolean				
PermissionsManageKnowledge	Manage Salesforce Knowledge	boolean				
PermissionsManageKnowledgeImportExport	Manage Knowledge Article Import/Export	boolean				
PermissionsManageLeads	Manage Leads	boolean				
PermissionsManageLearningReporting	Manage Learning Reporting	boolean				
PermissionsManageLoginAccessPolicies	Manage Login Access Policies	boolean				
PermissionsManageMobile	Manage Mobile Configurations	boolean				
PermissionsManageMobileAppSecurity	Manage Enhanced Mobile App Security	boolean				
PermissionsManageMyS1App	Manage mySalesforce apps	boolean				
PermissionsManageNetworks	Create and Set Up Experiences	boolean				
PermissionsManagePasswordPolicies	Manage Password Policies	boolean				
PermissionsManageProfilesPermissions	Manage Profiles and Permission Sets	boolean				
PermissionsManagePropositions	Manage Next Best Action Recommendations	boolean				
PermissionsManagePrivateReportsAndDashboards	Manage All Private Reports and Dashboards	boolean				
PermissionsManageRecommendationStrategies	Manage Next Best Action Strategies	boolean				
PermissionsManageReleaseUpdates	Manage Release Updates	boolean				
PermissionsManageRemoteAccess	Manage Connected Apps	boolean				
PermissionsManageReportsInPublicFolders	Manage Reports in Public Folders	boolean				
PermissionsManageRoles	Manage Roles	boolean				
PermissionsManageSandboxes	Manage Sandboxes	boolean				
PermissionsManageSearchPromotionRules	Manage Promoted Search Terms	boolean				
PermissionsManageSessionPermissionSets	Manage Session Permission Set Activations	boolean				

PermissionSet

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageSharing	Manage Sharing	boolean				
PermissionsManageStartDataDiscovery	Manage Einstein Discovery	boolean				
PermissionsManageStartDataDiscoveryModel	Can Deploy and Manage Einstein Discovery predictions	boolean				
PermissionsManageSolutions	Manage Published Solutions	boolean				
PermissionsManageSubscriptions	Manage Tableau CRM Subscriptions	boolean				
PermissionsManageSurveys	Manage Surveys	boolean				
PermissionsManageSynonyms	Manage Synonyms	boolean				
PermissionsManageTrustMeasures	Manage Trust Measures	boolean				
PermissionsManageTwoFactor	Manage Multi-Factor Authentication in API	boolean				
PermissionsManageUnlistedGroups	Manage Unlisted Groups	boolean				
PermissionsManageUsers	Manage Users	boolean				
PermissionsMarketingAdmin	Manage marketing setup tasks	boolean				
PermissionsMassInlineEdit	Mass Edits from Lists	boolean				
PermissionsMergeTopics	Merge Topics	boolean				
PermissionsMobileAppSecurity	Enforce Enhanced Mobile App Security	boolean				
PermissionsModerateChatter	Moderate Chatter	boolean				
PermissionsModerateNetworkUsers	Moderate Experience Cloud Site Users	boolean				
PermissionsModifyAllData	Modify All Data	boolean				
PermissionsModifyDataClassification	Modify Data Classification	boolean				
PermissionsModifyMetadata	Modify Metadata Through Metadata API Functions	boolean				
PermissionsMyTrailheadBranding	myTrailhead Branding Management	boolean				
PermissionsMyTrailheadContentAccess	myTrailhead View All Content	boolean				
PermissionsMyTrailheadContentCreation	myTrailhead Content Creation	boolean				
PermissionsMyTrailheadCustomSteps	myTrailhead Custom Steps	boolean				
PermissionsMyTrailheadPreviewMode	myTrailhead Preview Mode	boolean				

PermissionSet

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsMyTrailheadReleaseMgt	myTrailhead Release Management	boolean				
PermissionsNativeWebViewScrolling	Salesforce Mobile App: Native scrolling on webviews	boolean				
PermissionsNewReportBuilder	Report Builder	boolean				
PermissionsOutboundMigrationToolUser	Create and Upload Change Sets	boolean				
PermissionsPackaging2	Create and Update Second-Generation Packages	boolean				
PermissionsPackaging2Delete	Delete Second-Generation Packages	boolean				
PermissionsPardotUser	Allow access to all Pardot features	boolean				
PermissionsPasswordNeverExpires	Password Never Expires	boolean				
PermissionsPaymentsAPIUser	Payments Api User	boolean				
PermissionsPreventClassicExperience	Hide Option to Switch to Salesforce Classic	boolean				
PermissionsPrivacyDataAccess	Allow user to access privacy data	boolean				
PermissionsPublicSectorCityAccess	Provides access to Public Sector data for Community users.	boolean				
PermissionsPublishPackaging	Upload AppExchange Packages	boolean				
PermissionsQueryAllFiles	Query All Files	boolean				
PermissionsQuipMetricsAccess	Quip Metrics	boolean				
PermissionsQuipUserEngagementMetrics	Quip User Engagement Metrics	boolean				
PermissionsRecordVisibilityAPI	Enable RecordVisibility API	boolean				
PermissionsRemoveDirectMessageMembers	Remove People from Direct Messages	boolean				
PermissionsReplyRecommendationUser	View and Act on Einstein Reply Recommendations	boolean				
PermissionsResetPasswords	Reset User Passwords and Unlock Users	boolean				
PermissionsRunCGCloudRetailPackage	Use CG Cloud - Retail Execution App	boolean				
PermissionsRunCGCloudSyncPackage	Sync Data	boolean				
PermissionsRunDirectStoreDelivery	Manage and Run Direct Store Delivery	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsRunFlow	Run Flows	boolean				
PermissionsRunReports	Run Reports	boolean				
PermissionsRunRetailExecution	Manage and Run Retail Execution CPG	boolean				
PermissionsSalesforceIQInbox	Use Inbox	boolean				
PermissionsSandboxTestingCommunityApp	Test Sandboxes in Mobile Publisher for Experience Cloud	boolean				
PermissionsScheduleJob	Schedule Dashboards	boolean				
PermissionsScheduleReports	Schedule Reports	boolean				
PermissionsSchedulingFacilityManager	Facility Manager	boolean				
PermissionsSchedulingLineAmbassador	Queue Manager	boolean				
PermissionsSelectFilesFromSalesforce	Select Files from Salesforce	boolean				
PermissionsSendAnnouncementEmails	Send announcement emails	boolean				
PermissionsSendCustomNotifications	Send Custom Notifications	boolean				
PermissionsSendSitRequests	Send Stay-in-Touch Requests	boolean				
PermissionsShareInternalArticles	Share internal Knowledge articles externally	boolean				
PermissionsShareSmartDataDiscoveryStory	Share Einstein Discovery Stories	boolean				
PermissionsShowCompanyNameAsSiteRole	Show Company Name as Site Role	boolean				
PermissionsSkipIdentityConfirmation	Skip Device Activation at Login	boolean				
PermissionsSmartDataDiscoveryForCommunity	Smart Data Discovery for experience users	boolean				
PermissionsSolutionImport	Import Solutions	boolean				
PermissionsStartAutomaticActivityCapture	Use Einstein Activity Capture Standard	boolean				
PermissionsStoryOnDSWithPredicate	Ignore predicate when creating story from dataset	boolean				
PermissionsSubscribeDashboardRolesGps	Subscribe to Dashboards: Send to Groups and Roles	boolean				
PermissionsSubscribeDashboardToOthers	Subscribe to Dashboards: Add Recipients	boolean				
PermissionsSubscribeReportRolesGps	Subscribe to Reports: Send to Groups and Roles	boolean				

PermissionSet

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsSubscribeReportToOtherUsers	Subscribe to Reports: Add Recipients	boolean				
PermissionsSubscribeReportRunAsUser	Subscribe to Reports: Set Running User	boolean				
PermissionsSubscribeLightningDashboards	Subscribe to Dashboards	boolean				
PermissionsSubscribeLightningReports	Subscribe to Reports	boolean				
PermissionsTraceXdsQueries	Access Tracer for External Data Sources	boolean				
PermissionsTransactionalEmailSend	Send Non-Commercial Email	boolean				
PermissionsTransferAnyCase	Transfer Cases	boolean				
PermissionsTransferAnyEntity	Transfer Record	boolean				
PermissionsTransferAnyLead	Transfer Leads	boolean				
PermissionsTwoFactorApi	Multi-Factor Authentication for API Logins	boolean				
PermissionsUseAssistantDialog	Instant Actionable Results	boolean				
PermissionsUseMfgSalesAgreementsCty	Use Manufacturing Sales Agreements via Community	boolean				
PermissionsUseMySearch	Einstein Search	boolean				
PermissionsUseQuerySuggestions	Natural Language Search	boolean				
PermissionsUseReturnOrder	Use Order Management Return Order	boolean				
PermissionsUseReturnOrderAPIs	Use Order Management Return APIs	boolean				
PermissionsUseSmartDataDiscovery	Use Einstein Discovery	boolean				
PermissionsUseTeamReassignWizards	Use Team Reassignment Wizards	boolean				
PermissionsUseWebLink	Allow Access to Customized Actions	boolean				
PermissionsVideoConferenceZoomUser	Use Video Conferencing with Zoom	boolean				
PermissionsViewAllActivities	View All Activities	boolean				
PermissionsViewAllCustomSettings	View All Custom Settings	boolean				
PermissionsViewAllData	View All Data	boolean				
PermissionsViewAllForeignKeyNames	View All Lookup Record Names	boolean				
PermissionsViewAllProfiles	View All Profiles	boolean				

PermissionSet

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsViewAllUsers	View All Users	boolean				
PermissionsViewAnomalyEvents	View Threat Detection Events	boolean				
PermissionsViewContent	View Content in Portals	boolean				
PermissionsViewDataAssessment	Access to view Data Assessment	boolean				
PermissionsViewDataCategories	View Data Categories in Setup	boolean				
PermissionsViewDataLeakageEvents	View Real-Time Event Monitoring Data	boolean				
PermissionsViewDeveloperName	View DeveloperName	boolean				
PermissionsViewEncryptedData	View Encrypted Data	boolean				
PermissionsViewEventLogFiles	View Event Log Files	boolean				
PermissionsViewHealthCheck	View Health Check	boolean				
PermissionsViewHelpLink	View Help Link	boolean				
PermissionsViewMyTeamDashboards	View My Team's Dashboards	boolean				
PermissionsViewOnlyPrivateAppUser	Access to View-Only Licensed Templates and Apps	boolean				
PermissionsViewPlatformEvents	View Login Forensics Events	boolean				
PermissionsViewPrivateStaticResources	View Private Static Resources	boolean				
PermissionsViewPublicDashboards	View Dashboards in Public Folders	boolean				
PermissionsViewPublicReports	View Reports in Public Folders	boolean				
PermissionsViewRoles	View Roles and Role Hierarchy	boolean				
PermissionsViewSetup	View Setup and Configuration	boolean				
PermissionsViewTrustMeasures	View Trust Measures	boolean				
PermissionsViewUserPII	View User Records with PII	boolean				
PermissionsVoiceCoach	Access Dialer Monitoring	boolean				
PermissionsVoiceInbound	Access Dialer Inbound Calls	boolean				
PermissionsVoiceMinutes	Access Dialer Minutes	boolean				
PermissionsVoiceOutbound	Access Dialer Outbound Calls	boolean				
PermissionsVolunteerMgtUserAccess	Grant users access to Volunteer Management features.	boolean				
PermissionsWorkCalibrationUser	Enable WDC Calibration	boolean				
PermissionsWorkDotComUserPerm	Enable WDC	boolean				

PermissionSet

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsWorkplaceCommandCenter	Provides access to Workplace Command Center features.	boolean				
ProfileId	Profile ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Permission Set Type	picklist		255		

PERMISSIONSETASSIGNMENT

Represents the association between a User and a PermissionSet.

For more information, see PermissionSetAssignment in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssigneeId	Assignee ID	reference		18		
ExpirationDate	Expires On	datetime				
Id	PermissionSetAssignment ID	id		18		
IsActive	Is Active	boolean				
PermissionSetGroupId	PermissionSetGroup ID	reference		18		
PermissionSetId	PermissionSet ID	reference		18		
SystemModstamp	Date Assigned	datetime				

PERMISSIONSETLICENSE

Represents a license that's used to enable one or more users to receive a specified permission without changing their profile or reassigning profiles. You can use permission set licenses to grant access, but not to deny access.

For more information, see [PermissionSetLicense](#) in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Developer Name	string		80		
ExpirationDate	Expiration Date	date				
Id	Permission Set License ID	id		18		
IsAvailableForIntegrations	Is License Available for Integrations?	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LicenseExpirationPolicy	License Expiration Policy	picklist		255		
MasterLabel	Permission Set License Label	string		80		
MaximumPermissionsAccessAIInsightObjects	Create AI Insight Objects	boolean				
MaximumPermissionsViewAIInsightObjects	View AI Insight Objects	boolean				
MaximumPermissionsAccessCXC	Access Experience Management	boolean				
MaximumPermissionsAccessCDPApp	Allows user access Salesforce CDP	boolean				
MaximumPermissionsAccessCDPExplorer	Access Salesforce CDP Data Explorer	boolean				
MaximumPermissionsAccessContentBuilder	Access drag-and-drop content builder	boolean				
MaximumPermissionsAccessWalkthroughs	View Walkthroughs	boolean				
MaximumPermissionsAccountSwitcherUser	Account Switcher User	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsActionPlanUserAccess	Permission to access the Action Plans feature	boolean				
MaximumPermissionsActivateContract	Activate Contracts	boolean				
MaximumPermissionsActivateOrder	Activate Orders	boolean				
MaximumPermissionsActivitiesAccess	Access Activities	boolean				
MaximumPermissionsAddDirectMessageMembers	Add People to Direct Messages	boolean				
MaximumPermissionsAllowEmailIC	Email-Based Identity Verification Option	boolean				
MaximumPermissionsAllowLightningLogin	Lightning Login User	boolean				
MaximumPermissionsAllowObjectDetection	Allow user to use Object Detection for prediction.	boolean				
MaximumPermissionsAllowObjectDetectionTraining	Allow user to train and generate models for Object Detection.	boolean				
MaximumPermissionsAllowReferralScoring	Allow user to use Referral Scoring.	boolean				
MaximumPermissionsAllowUniversalSearch	Knowledge One	boolean				
MaximumPermissionsAllowViewEditConvertedLeads	View and Edit Converted Leads	boolean				
MaximumPermissionsAllowViewKnowledge	Allow View Knowledge	boolean				
MaximumPermissionsAllowVisitRecommendation	Allows a user to use Visit Recommendation for Retail Execution.	boolean				
MaximumPermissionsApexRestServices	Apex REST Services	boolean				
MaximumPermissionsApiEnabled	API Enabled	boolean				
MaximumPermissionsApiUserOnly	Api Only User	boolean				
MaximumPermissionsAppointmentBookingUserAccess	Enables the Appointment Booking feature	boolean				
MaximumPermissionsAssignPermissionSets	Assign Permission Sets	boolean				
MaximumPermissionsAssignTopics	Assign Topics	boolean				
MaximumPermissionsAuthorApex	Author Apex	boolean				
MaximumPermissionsAutomateEmailContent	Activate Email for Automation	boolean				
MaximumPermissionsAutomateActivityCapture	Use Einstein Activity Capture	boolean				
MaximumPermissionsAutonomousAnalyticsPrivacy	Manage Autonomous Insights Data Privacy	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsB2BMarketingAnalyticsUser	Create B2B Marketing Analytics Apps	boolean				
MaximumPermissionsB2BMAAppUser	Access to the B2BMA App	boolean				
MaximumPermissionsBCommunityAccess	Use objects in the Benefit Verification data model via Experience Cloud sites	boolean				
MaximumPermissionsBotManageBots	Manage Bots	boolean				
MaximumPermissionsBotManageBotsTrainingData	Manage Bots Training Data	boolean				
MaximumPermissionsBulkAPIHardDelete	Bulk API Hard Delete	boolean				
MaximumPermissionsCallCoachingUser	Use Conversation Insights for Sales	boolean				
MaximumPermissionsCampaignInfluence2	Campaign Influence	boolean				
MaximumPermissionsCanAccessCE	Access Conversation Entries	boolean				
MaximumPermissionsCanApproveFeedPost	Can Approve Feed Post and Comment	boolean				
MaximumPermissionsCanEditPrompts	Manage Prompts	boolean				
MaximumPermissionsCanInsertFeedSystemFields	Insert System Field Values for Chatter Feeds	boolean				
MaximumPermissionsCanUseDashboardBuilder	Drag-and-Drop Dashboard Builder	boolean				
MaximumPermissionsCanVerifyComment	Verify Answers to Chatter Questions	boolean				
MaximumPermissionsChangeDashboardColors	Change Dashboard Colors	boolean				
MaximumPermissionsCodeCopyAndPaste	Allow Inclusion of Code Snippets from UI	boolean				
MaximumPermissionsChatterEditOwnPost	Edit My Own Posts	boolean				
MaximumPermissionsChatterEditOwnRecordPost	Edit Posts on Records I Own	boolean				
MaximumPermissionsChatterFileLink	Create Public Links	boolean				
MaximumPermissionsChatterInternalUser	Chatter Internal User	boolean				
MaximumPermissionsChatterInviteExternalUser	Invite Customers To Chatter	boolean				
MaximumPermissionsChatterOwnGroups	Create and Own New Chatter Groups	boolean				
MaximumPermissionsCloseConversations	Close Conversation Threads	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsConfigureCustomRecs	Configure Custom Recommendations	boolean				
MaximumPermissionsConfigureLiveMessage	Configure Messaging	boolean				
MaximumPermissionsConnectOrgEnvironmentHub	Connect Organization to Environment Hub	boolean				
MaximumPermissionsConsentApiUpdate	Update Consent Preferences Using REST API	boolean				
MaximumPermissionsContentAdministrator	Manage Salesforce CRM Content	boolean				
MaximumPermissionsContentHubUser	Files Connect Cloud	boolean				
MaximumPermissionsContentWorkspaces	Access Libraries	boolean				
MaximumPermissionsConvertLeads	Convert Leads	boolean				
MaximumPermissionsCreateCustomizeDashboards	Create and Customize Dashboards	boolean				
MaximumPermissionsCreateCustomizeFilters	Create and Customize List Views	boolean				
MaximumPermissionsCreateCustomizeReports	Create and Customize Reports	boolean				
MaximumPermissionsCreateDashboardFolders	Create Dashboard Folders	boolean				
MaximumPermissionsCreateLightningFolder	Create Folders for Lightning Email Templates	boolean				
MaximumPermissionsCreateLightningTemplatePub	Manage Public Lightning Email Templates	boolean				
MaximumPermissionsCreatePackaging	Create AppExchange Packages	boolean				
MaximumPermissionsCreateReportFolders	Create Report Folders	boolean				
MaximumPermissionsCreateReportLightning	Report Builder (Lightning Experience)	boolean				
MaximumPermissionsCreateTopics	Create Topics	boolean				
MaximumPermissionsCreateUpdateDataset	Create and Update Einstein Discovery Datasets	boolean				
MaximumPermissionsCreateUpdateDStory	Create and Update Einstein Discovery Stories	boolean				
MaximumPermissionsCreateVBadgeDefinition	Create custom Badge Definitions	boolean				
MaximumPermissionsCreateWorkspaces	Create Libraries	boolean				
MaximumPermissionsCustomMobileAppAccess	Access Custom Mobile Apps	boolean				
MaximumPermissionsCustomSidebarOnAllPages	Show Custom Sidebar On All Pages	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsCustomizeApplication	Customize Application	boolean				
MaximumPermissionsDataExport	Weekly Data Export	boolean				
MaximumPermissionsDebugApex	Debug Apex	boolean				
MaximumPermissionsDelegatedTwoFactor	Manage Multi-Factor Authentication in User Interface	boolean				
MaximumPermissionsDeleteActivatedContract	Delete Activated Contracts	boolean				
MaximumPermissionsDeleteTopics	Delete Topics	boolean				
MaximumPermissionsDialerBasicInbound	Access Dialer for Essentials Inbound Calls	boolean				
MaximumPermissionsDialerBasicOutbound	Access Dialer for Essentials Outbound Calls	boolean				
MaximumPermissionsDistributePromoVids	Create Content Deliveries	boolean				
MaximumPermissionsDocumentChecklistUserAccess	User license to access the Document Checklist features.	boolean				
MaximumPermissionsERMUserAccess	Grant users access to Emergency Response Management features.	boolean				
MaximumPermissionsEditActivatedOrders	Edit Activated Orders	boolean				
MaximumPermissionsEditBrandTemplates	Manage Letterheads	boolean				
MaximumPermissionsEditCaseComments	Edit Case Comments	boolean				
MaximumPermissionsEditEvent	Edit Events	boolean				
MaximumPermissionsEditHtmlTemplates	Edit HTML Templates	boolean				
MaximumPermissionsEditKnowledge	Manage Articles	boolean				
MaximumPermissionsEditMyDashboards	Edit My Dashboards	boolean				
MaximumPermissionsEditMyReports	Edit My Reports	boolean				
MaximumPermissionsEditOpportunityUnitPrice	Edit Opportunity Product Sales Price	boolean				
MaximumPermissionsEditPublicDocuments	Manage Public Documents	boolean				
MaximumPermissionsEditPublicFilters	Manage Public List Views	boolean				
MaximumPermissionsEditPublicTemplates	Manage Public Classic Email Templates	boolean				
MaximumPermissionsEditReadOnlyFields	Edit Read Only Fields	boolean				
MaximumPermissionsEditTask	Edit Tasks	boolean				
MaximumPermissionsEditTopics	Edit Topics	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsEinsteinReplyManager	Manage Replies for Einstein Reply Recommendations	boolean				
MaximumPermissionsEmailAdministration	Email Administration	boolean				
MaximumPermissionsEmailMass	Mass Email	boolean				
MaximumPermissionsEmailSingle	Send Email	boolean				
MaximumPermissionsEmailTemplateManager	Manage Email Templates	boolean				
MaximumPermissionsExperienceCloudAppLauncher	Show App Launcher in Experience Cloud Sites	boolean				
MaximumPermissionsEmailNotifications	Send Outbound Messages	boolean				
MaximumPermissionsExportReport	Export Reports	boolean				
MaximumPermissionsFHIRDataAccess	Use objects in the Clinical data model via Experience Cloud sites	boolean				
MaximumPermissionsFeedPinning	Pin Posts in Feeds	boolean				
MaximumPermissionsFlowUIRequired	Require Flow User Feature License	boolean				
MaximumPermissionsForceTwoFactor	Multi-Factor Authentication for User Interface Logins	boolean				
MaximumPermissionsGetStartDataDiscovery	View Einstein Discovery Recommendations	boolean				
MaximumPermissionsGetStartDataDiscoveryExternal	View Einstein Discovery Recommendations Via Connect API	boolean				
MaximumPermissionsGiveRecognitionBadge	Give Recognition Badges in Experience Builder Sites	boolean				
MaximumPermissionsGovernNetworks	Manage Experiences	boolean				
MaximumPermissionsUnlimitedErbScoringRequests	User Has Unlimited Erb Model Scoring	boolean				
MaximumPermissionsUnlimitedNBAActions	User Has Unlimited Next Best Action Strategy Executions	boolean				
MaximumPermissionsHeadlessCMSAccess	Enable Salesforce CMS Integration	boolean				
MaximumPermissionsHealthCloudDataAccess	Provides access to Health Cloud data for Community users.	boolean				
MaximumPermissionsHealthCloudUtilizationMgmtUser	Manage Health Cloud Utilization Management	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsHideSeenByList	Hide the Seen By List	boolean				
MaximumPermissionsIdentityConnect	Use Identity Connect	boolean				
MaximumPermissionsIdentityEnabled	Use Identity Features	boolean				
MaximumPermissionsImportCustomObjects	Import Custom Objects	boolean				
MaximumPermissionsImportLeads	Import Leads	boolean				
MaximumPermissionsImportPersonal	Import Personal Contacts	boolean				
MaximumPermissionsInstallMigrationTool	Deploy Change Sets	boolean				
MaximumPermissionsLifeEventsPlatform	Access Life Events or Business Milestones Component	boolean				
MaximumPermissionsInstallPackaging	Download AppExchange Packages	boolean				
MaximumPermissionsIsSsoEnabled	Is Single Sign-On Enabled	boolean				
MaximumPermissionsEndMessagingSessionUserPerm	End Messaging Session	boolean				
MaximumPermissionsOutboundMessagingUserPerm	Agent Initiated Outbound Messaging	boolean				
MaximumPermissionsLeadScorePublish	Publish Einstein Lead Scoring results	boolean				
MaximumPermissionsLeadScoreUser	Use Einstein Lead Scoring	boolean				
MaximumPermissionsLearningManager	Manage Learning	boolean				
MaximumPermissionsLightningConsoleAdminUser	Lightning Console User	boolean				
MaximumPermissionsLightningExperienceUser	Lightning Experience User	boolean				
MaximumPermissionsLightningSchedulerUserAccess	Let a user be included in appointments in Salesforce Scheduler.	boolean				
MaximumPermissionsListEmailSend	Allow sending of List Emails	boolean				
MaximumPermissionsLiveMessageAgent	Messaging Agent	boolean				
MaximumPermissionsStayInClassicUserPerm	Remain in Salesforce Classic	boolean				
MaximumPermissionsManageAnalyticsSnapshots	Manage Reporting Snapshots	boolean				
MaximumPermissionsManageAuthProviders	Manage Auth. Providers	boolean				
MaximumPermissionsManageBusinessHours	Manage Business Hours Holidays	boolean				
MaximumPermissionsManage360Connections	Connect Org to Salesforce CDP	boolean				
MaximumPermissionsManageCMS	Create CMS Workspaces and Channels	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsManageCallCenters	Manage Call Centers	boolean				
MaximumPermissionsManageCases	Manage Cases	boolean				
MaximumPermissionsManageCategories	Manage Categories	boolean				
MaximumPermissionsManageCertificates	Manage Certificates	boolean				
MaximumPermissionsManageChatterMessages	Manage Chatter Messages and Direct Messages	boolean				
MaximumPermissionsManageContactTracing	Manage Contact Tracing for Employees	boolean				
MaximumPermissionsManageContentPermissions	Manage Content Permissions	boolean				
MaximumPermissionsManageContentProperties	Manage Content Properties	boolean				
MaximumPermissionsManageContentTypes	Manage record types and layouts for Files	boolean				
MaximumPermissionsManageCustomPermissions	Manage Custom Permissions	boolean				
MaximumPermissionsManageCustomReportTypes	Manage Custom Report Types	boolean				
MaximumPermissionsManageDashboardRoles	Manage Dashboards in Public Folders	boolean				
MaximumPermissionsManageDataCategories	Manage Data Categories	boolean				
MaximumPermissionsManageDataIntegrations	Manage Data Integrations	boolean				
MaximumPermissionsManageDynamicDashboards	Manage Dynamic Dashboards	boolean				
MaximumPermissionsManageEmailClientConfig	Manage Email Client Configurations	boolean				
MaximumPermissionsManageEmailContent	Manage Email Content	boolean				
MaximumPermissionsManageEncryptionKeys	Manage Encryption Keys	boolean				
MaximumPermissionsManageExchangeConfig	Manage Lightning Sync	boolean				
MaximumPermissionsManageExternalConnections	Allow user to modify Private Connections	boolean				
MaximumPermissionsManageHealthCheck	Manage Health Check	boolean				
MaximumPermissionsManageHealthCloud	Manage Health Cloud	boolean				
MaximumPermissionsManageHealthCloudFinancialData	Manage Health Cloud Financial Data	boolean				
MaximumPermissionsManageHiCorrections	Connect Org to Customer 360 Data Manager	boolean				
MaximumPermissionsManageIndustriesVisit	Manage Industries Visit	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsManageInteraction	Manage Flow	boolean				
MaximumPermissionsManageInternalUsers	Manage Internal Users	boolean				
MaximumPermissionsManageIPAddresses	Manage IP Addresses	boolean				
MaximumPermissionsManageKnowledge	Manage Salesforce Knowledge	boolean				
MaximumPermissionsManageKnowledgeImportExport	Manage Knowledge Article Import/Export	boolean				
MaximumPermissionsManageLeads	Manage Leads	boolean				
MaximumPermissionsManageLearningReporting	Manage Learning Reporting	boolean				
MaximumPermissionsManageLoginAccessPolicies	Manage Login Access Policies	boolean				
MaximumPermissionsManageMobile	Manage Mobile Configurations	boolean				
MaximumPermissionsManageMobileAppSecurity	Manage Enhanced Mobile App Security	boolean				
MaximumPermissionsManageMySLApp	Manage mySalesforce apps	boolean				
MaximumPermissionsManageNetworks	Create and Set Up Experiences	boolean				
MaximumPermissionsManagePasswordPolicies	Manage Password Policies	boolean				
MaximumPermissionsManageProfilePermissions	Manage Profiles and Permission Sets	boolean				
MaximumPermissionsManagePropositions	Manage Next Best Action Recommendations	boolean				
MaximumPermissionsManagePrivateReportsDashboards	Manage All Private Reports and Dashboards	boolean				
MaximumPermissionsManageRecommendationStrategies	Manage Next Best Action Strategies	boolean				
MaximumPermissionsManageReleaseUpdates	Manage Release Updates	boolean				
MaximumPermissionsManageRemoteAccess	Manage Connected Apps	boolean				
MaximumPermissionsManageReportsInPublicFolders	Manage Reports in Public Folders	boolean				
MaximumPermissionsManageRoles	Manage Roles	boolean				
MaximumPermissionsManageSandboxes	Manage Sandboxes	boolean				
MaximumPermissionsManageSearchPromotedRules	Manage Promoted Search Terms	boolean				
MaximumPermissionsManageSessionPermissionSets	Manage Session Permission Set Activations	boolean				
MaximumPermissionsManageSharing	Manage Sharing	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsManageEinsteinDiscovery	Manage Einstein Discovery	boolean				
MaximumPermissionsManageEinsteinDiscoveryModel	Can Deploy and Manage Einstein Discovery predictions	boolean				
MaximumPermissionsManageSolutions	Manage Published Solutions	boolean				
MaximumPermissionsManageSubscriptions	Manage Tableau CRM Subscriptions	boolean				
MaximumPermissionsManageSurveys	Manage Surveys	boolean				
MaximumPermissionsManageSynonyms	Manage Synonyms	boolean				
MaximumPermissionsManageTrustMeasures	Manage Trust Measures	boolean				
MaximumPermissionsManageTwoFactor	Manage Multi-Factor Authentication in API	boolean				
MaximumPermissionsManageUnlistedGroups	Manage Unlisted Groups	boolean				
MaximumPermissionsManageUsers	Manage Users	boolean				
MaximumPermissionsMarketingAdmin	Manage marketing setup tasks	boolean				
MaximumPermissionsMassInlineEdit	Mass Edits from Lists	boolean				
MaximumPermissionsMergeTopics	Merge Topics	boolean				
MaximumPermissionsMobileAppSecurity	Enforce Enhanced Mobile App Security	boolean				
MaximumPermissionsModerateChatter	Moderate Chatter	boolean				
MaximumPermissionsModerateNetworkUsers	Moderate Experience Cloud Site Users	boolean				
MaximumPermissionsModifyAllData	Modify All Data	boolean				
MaximumPermissionsModifyDataClassification	Modify Data Classification	boolean				
MaximumPermissionsModifyMetadata	Modify Metadata Through Metadata API Functions	boolean				
MaximumPermissionsMyTrailheadBranding	myTrailhead Branding Management	boolean				
MaximumPermissionsMyTrailheadContentAccess	myTrailhead View All Content	boolean				
MaximumPermissionsMyTrailheadContentCreation	myTrailhead Content Creation	boolean				
MaximumPermissionsMyTrailheadCustomSteps	myTrailhead Custom Steps	boolean				
MaximumPermissionsMyTrailheadPreviewMode	myTrailhead Preview Mode	boolean				
MaximumPermissionsMyTrailheadReleaseMgmt	myTrailhead Release Management	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsNativeWebViewScrolling	Salesforce Mobile App: Native scrolling on webviews	boolean				
MaximumPermissionsNewReportBuilder	Report Builder	boolean				
MaximumPermissionsOnlineMigrationToolUser	Create and Upload Change Sets	boolean				
MaximumPermissionsPackaging2	Create and Update Second-Generation Packages	boolean				
MaximumPermissionsPackaging2Delete	Delete Second-Generation Packages	boolean				
MaximumPermissionsPardotUser	Allow access to all Pardot features	boolean				
MaximumPermissionsPasswordNeverExpires	Password Never Expires	boolean				
MaximumPermissionsPaymentsAPIUser	Payments Api User	boolean				
MaximumPermissionsPivotClassicExperience	Hide Option to Switch to Salesforce Classic	boolean				
MaximumPermissionsPrivacyDataAccess	Allow user to access privacy data	boolean				
MaximumPermissionsPublicSectorCityAccess	Provides access to Public Sector data for Community users.	boolean				
MaximumPermissionsPublishPackaging	Upload AppExchange Packages	boolean				
MaximumPermissionsQueryAllFiles	Query All Files	boolean				
MaximumPermissionsQuipMetricsAccess	Quip Metrics	boolean				
MaximumPermissionsQuipUserEngagementMetrics	Quip User Engagement Metrics	boolean				
MaximumPermissionsRecordVisibilityAPI	Enable RecordVisibility API	boolean				
MaximumPermissionsRemoveDirectMessages	Remove People from Direct Messages	boolean				
MaximumPermissionsReplyRecommendationUser	View and Act on Einstein Reply Recommendations	boolean				
MaximumPermissionsResetPasswords	Reset User Passwords and Unlock Users	boolean				
MaximumPermissionsRunCGCloudFPackage	Use CG Cloud - Retail Execution App	boolean				
MaximumPermissionsRunCGCloudSyncPackage	Sync Data	boolean				
MaximumPermissionsRunDirectStoreDelivery	Manage and Run Direct Store Delivery	boolean				
MaximumPermissionsRunFlow	Run Flows	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsRunReports	Run Reports	boolean				
MaximumPermissionsRunRetailExecution	Manage and Run Retail Execution CPG	boolean				
MaximumPermissionsSalesforceInbox	Use Inbox	boolean				
MaximumPermissionsSalesforceMobileApp	Test Sandboxes in Mobile Publisher for Experience Cloud	boolean				
MaximumPermissionsScheduleJob	Schedule Dashboards	boolean				
MaximumPermissionsScheduleReports	Schedule Reports	boolean				
MaximumPermissionsShieldingFacilityManager	Facility Manager	boolean				
MaximumPermissionsShieldingQueueManager	Queue Manager	boolean				
MaximumPermissionsSelectFilesFromSalesforce	Select Files from Salesforce	boolean				
MaximumPermissionsSendAnnouncementEmails	Send announcement emails	boolean				
MaximumPermissionsSendCustomNotifications	Send Custom Notifications	boolean				
MaximumPermissionsSendSitRequests	Send Stay-in-Touch Requests	boolean				
MaximumPermissionsShareInternalArticles	Share internal Knowledge articles externally	boolean				
MaximumPermissionsShareEinsteinDiscoveryStories	Share Einstein Discovery Stories	boolean				
MaximumPermissionsShowCompanyNameAsSiteRole	Show Company Name as Site Role	boolean				
MaximumPermissionsSkipDeviceActivationAtLogin	Skip Device Activation at Login	boolean				
MaximumPermissionsSmartDataDiscoveryForExperienceUsers	Smart Data Discovery for experience users	boolean				
MaximumPermissionsSolutionImport	Import Solutions	boolean				
MaximumPermissionsStandardizeActivityCapture	Use Einstein Activity Capture Standard	boolean				
MaximumPermissionsStoryODSWithPredicate	Ignore predicate when creating story from dataset	boolean				
MaximumPermissionsSubscribeDashboardsToGroupsAndRoles	Subscribe to Dashboards: Send to Groups and Roles	boolean				
MaximumPermissionsSubscribeDashboardsToRecipients	Subscribe to Dashboards: Add Recipients	boolean				
MaximumPermissionsSubscribeReportsToGroupsAndRoles	Subscribe to Reports: Send to Groups and Roles	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsSubscribeReportsToOthers	Subscribe to Reports: Add Recipients	boolean				
MaximumPermissionsSubscribeReportsRunAsUser	Subscribe to Reports: Set Running User	boolean				
MaximumPermissionsSubscribeReportingDashboards	Subscribe to Dashboards	boolean				
MaximumPermissionsSubscribeReportingReports	Subscribe to Reports	boolean				
MaximumPermissionsTraceExternalQueries	Access Tracer for External Data Sources	boolean				
MaximumPermissionsTransactionalEmailSend	Send Non-Commercial Email	boolean				
MaximumPermissionsTransferAnyCase	Transfer Cases	boolean				
MaximumPermissionsTransferAnyEntity	Transfer Record	boolean				
MaximumPermissionsTransferAnyLead	Transfer Leads	boolean				
MaximumPermissionsTwoFactorApi	Multi-Factor Authentication for API Logins	boolean				
MaximumPermissionsUseAssistantDialog	Instant Actionable Results	boolean				
MaximumPermissionsUseMfgSalesAgreementCity	Use Manufacturing Sales Agreements via Community	boolean				
MaximumPermissionsUseMySearch	Einstein Search	boolean				
MaximumPermissionsUseQuerySuggestions	Natural Language Search	boolean				
MaximumPermissionsUseReturnOrder	Use Order Management Return Order	boolean				
MaximumPermissionsUseReturnOrderAPIs	Use Order Management Return APIs	boolean				
MaximumPermissionsUseStartDataDiscovery	Use Einstein Discovery	boolean				
MaximumPermissionsUseTeamReassignWizards	Use Team Reassignment Wizards	boolean				
MaximumPermissionsUseWebLink	Allow Access to Customized Actions	boolean				
MaximumPermissionsUseVideoConferenceZoomUser	Use Video Conferencing with Zoom	boolean				
MaximumPermissionsViewAllActivities	View All Activities	boolean				
MaximumPermissionsViewAllCustomSettings	View All Custom Settings	boolean				
MaximumPermissionsViewAllData	View All Data	boolean				
MaximumPermissionsViewAllForeignNames	View All Lookup Record Names	boolean				
MaximumPermissionsViewAllProfiles	View All Profiles	boolean				

PermissionSetLicense

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsViewAllUsers	View All Users	boolean				
MaximumPermissionsViewAnomalyEvents	View Threat Detection Events	boolean				
MaximumPermissionsViewContent	View Content in Portals	boolean				
MaximumPermissionsViewDataAssessment	Access to view Data Assessment	boolean				
MaximumPermissionsViewDataCategories	View Data Categories in Setup	boolean				
MaximumPermissionsViewDataLeakageEvents	View Real-Time Event Monitoring Data	boolean				
MaximumPermissionsViewDeveloperName	View DeveloperName	boolean				
MaximumPermissionsViewEncryptedData	View Encrypted Data	boolean				
MaximumPermissionsViewEventLogFiles	View Event Log Files	boolean				
MaximumPermissionsViewHealthCheck	View Health Check	boolean				
MaximumPermissionsViewHelpLink	View Help Link	boolean				
MaximumPermissionsViewMyTeamDashboards	View My Team's Dashboards	boolean				
MaximumPermissionsViewOnlyLicensedAppUser	Access to View-Only Licensed Templates and Apps	boolean				
MaximumPermissionsViewPlatformEvents	View Login Forensics Events	boolean				
MaximumPermissionsViewPrivateStaticResources	View Private Static Resources	boolean				
MaximumPermissionsViewPublicDashboards	View Dashboards in Public Folders	boolean				
MaximumPermissionsViewPublicReports	View Reports in Public Folders	boolean				
MaximumPermissionsViewRoles	View Roles and Role Hierarchy	boolean				
MaximumPermissionsViewSetup	View Setup and Configuration	boolean				
MaximumPermissionsViewTrustMeasures	View Trust Measures	boolean				
MaximumPermissionsViewUserPII	View User Records with PII	boolean				
MaximumPermissionsVoicesCoach	Access Dialer Monitoring	boolean				
MaximumPermissionsVoiceInbound	Access Dialer Inbound Calls	boolean				
MaximumPermissionsVoiceMinutes	Access Dialer Minutes	boolean				
MaximumPermissionsVoiceOutbound	Access Dialer Outbound Calls	boolean				
MaximumPermissionsVolunteerMgmtUserAccess	Grant users access to Volunteer Management features.	boolean				
MaximumPermissionsWdcCalibrationUser	Enable WDC Calibration	boolean				
MaximumPermissionsWdcOnUserPerm	Enable WDC	boolean				

PermissionSetLicense

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IncludePermissionsWorkplaceCommandCenter	Provides access to Workplace Command Center features.	boolean				
MigratableLicenses	Licenses to Migrate	int	9			
PermissionSetLicenseKey	Permission Set License Key	string		81		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalLicenses	Total Licenses	int	9			
UsedLicenses	Used Licenses	int	9			

PERMISSIONSETLICENSEASSIGN

Represents the association between a User and a PermissionSetLicense.

For more information, see PermissionSetLicenseAssign in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssigneeId	User ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Permission Set License Assignment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PermissionSetLicenseId	Permission Set License ID	reference		18		
SystemModstamp	Date Assigned	datetime				

PERMISSIONSETTABSETTING

Represents a permission set tab setting. Requires the View Setup permission. Use this object to query all tab settings of the permission set.

For more information, see `PermissionSetTabSetting` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>Id</code>	Permission Set Tab Setting ID	id		18		
<code>Name</code>	Tab Name	string		60		
<code>ParentId</code>	Parent ID	reference		18		
<code>SystemModstamp</code>	System Modstamp	datetime				
<code>Visibility</code>	Visibility	picklist		40		

PERSONEDUCATION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CompletionDate	Completion Date	datetime				
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EducationLevel	Education Level	picklist		40		
GraduationDate	Graduation Date	datetime				
HealthcareProviderId	Healthcare Provider ID	reference		18		
Id	Person Education ID	id		18		
Identifier	Identifier	string		255		
IdentifierIssuer	Institution	string		255		
IndividualId	Individual ID	reference		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Degree	string		255		
OwnerId	Owner ID	reference		18		
StartDate	Start Date	datetime				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		
VerificationStatus	Verification Status	picklist		255		
VerifiedDate	Verified On	datetime				

PERSONEDUCATIONFEED

Feed tracking for PersonEducation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PERSONEDUCATIONHISTORY

History for tracked fields of PersonEducation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Person Education History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PersonEducationId	Person Education ID	reference		18		

PERSONEDUCATIONSHARE

Sharing for PersonEducation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PERSONEXAMINATION

Represents the examinations taken by a person.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveFrom	Effective From	datetime				
EffectiveTo	Effective To	datetime				
ExaminationDate	Examination Date	datetime				
ExaminationId	Examination ID	reference		18		
Id	Person Examination ID	id		18		
InstitutionName	Institution Name	picklist		40		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Person Examination ID	string		255		
OwnerId	Owner ID	reference		18		
Result	Result	picklist		40		
Score	Score	int	9			
SystemModstamp	System Modstamp	datetime				
VerificationDateTime	Verification Date	datetime				
VerificationStatus	Verification Status	picklist		40		

PERSONEXAMINATIONFEED

Feed tracking for PersonExamination.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PERSONEXAMINATIONHISTORY

History for tracked fields of PersonExamination.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Person Examination History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PersonExaminationId	Person Examination ID	reference		18		

PERSONEXAMINATIONSHARE

Sharing for PersonExamination.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PERSONLANGUAGE

Represents the use and preference information about a person's language.

For more information, see PersonLanguage in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Person Language ID	id		18		
IndividualId	Individual ID	reference		18		
IsDeleted	Deleted	boolean				
Language	Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Rank	Rank	int	4			
SystemModstamp	System Modstamp	datetime				

PERSONLANGUAGEFEED

Feed tracking for PersonLanguage.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PERSONLANGUAGEHISTORY

History for tracked fields of PersonLanguage.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Person Language History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PersonLanguageId	Person Language ID	reference		18		

PERSONLIFEEVENT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EventDate	Event Date	datetime				
EventDescription	Event Description	textarea		32000		
EventLocation	Event Location	address				
EventLocationCity	Event Location City	string		40		
EventLocationCountry	Event Location Country	string		80		
EventLocationGeocodeAccuracy	Event Location Geocode Accuracy	picklist		255		
EventLocationLatitude	Event Location Latitude	double			18	15
EventLocationLongitude	Event Location Longitude	double			18	15
EventLocationPostalCode	Event Location Postal Code	string		20		
EventLocationState	Event Location State	string		80		
EventLocationStreet	Event Location Street	textarea		255		
EventType	Event Type	picklist		40		
ExpirationDate	Expiration Date	datetime				
ExpirationDescription	Expiration Description	textarea		32000		
Id	Person Life Event ID	id		18		
IsDeleted	Deleted	boolean				
IsExpired	Expired	boolean				
IsTentative	Tentative	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				

PersonLifeEvent

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Name	Event Name	string		255		
OwnerId	Owner ID	reference		18		
PrimaryPersonId	Contact ID	reference		18		
RelatedPersonId	Contact ID	reference		18		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
SystemModstamp	System Modstamp	datetime				

PERSONLIFEEVENTFEED

Feed tracking for PersonLifeEvent.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PERSONLIFEEVENTHISTORY

History for tracked fields of PersonLifeEvent.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Person Life Event History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PersonLifeEventId	Person Life Event ID	reference		18		

PERSONLIFEEVENTSHARE

Sharing for PersonLifeEvent.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PERSONNAME

Represents detailed information about a person's name.

For more information, see `PersonName` in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>Id</code>	Person Name ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>LastReferencedDate</code>	Last Referenced Date	datetime				
<code>LastViewedDate</code>	Last Viewed Date	datetime				
<code>Name</code>	Name	string		255		
<code>ParentRecordId</code>	ParentRecord ID	reference		18		
<code>SystemModstamp</code>	System Modstamp	datetime				

PERSONNAMEFEED

Feed tracking for PersonName.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PERSONNAMEHISTORY

History for tracked fields of PersonName.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Person Name History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PersonNameId	Person Name ID	reference		18		

PERSONALIZATIONTARGETINFO

Represents a target for an audience.

For more information, see PersonalizationTargetInfo in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContainerId	Container ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DraftRowId	Personalization Target Info ID	reference		18		
GroupName	Group Name	string		255		
Id	Personalization Target Info ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PublishStatus	Publish Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TargetType	Target Type	picklist		255		
TargetValue	Target Value	string		255		

PGMREBATETYPBNFTMAPPING

If benefit table is extended, defines mapping of benefit field to the aggregate object fields.

For more information, see PgmRebateTypBnftMapping in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AggregateField	Aggregate Field	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Program Rebate Type Benefit Mapping ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ProgramRebateTypeId	Program Rebate Type ID	reference		18		
RebateTypeBenefitField	Custom Field Definition ID	picklist		255		
SystemModstamp	System Modstamp	datetime				

PGMREBATETYPBNFTMAPPINGFEED

Feed tracking for PgmRebateTypBnftMapping.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PGMREBATETYPBNFTMAPPINGHISTORY

History for tracked fields of PgmRebateTypBnftMapping.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Program Rebate Type Benefit Mapping History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PgmRebateTypBnftMappingId	Program Rebate Type Benefit Mapping ID	reference		18		

PICKLISTVALUEINFO

Represents the active picklist values for a given picklist field.

For more information, see PicklistValueInfo in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
DurableId	Durable ID	string		255		
EntityParticleId	Entity Particle ID	string		150		
Id	Picklist Value Info ID	id		18		
IsActive	Is Active	boolean				
IsDefaultValue	Is Default Value	boolean				
Label	Label	string		70		
ValidFor	Valid For	string		200		
Value	Value	string		70		

PLANBENEFIT

Represents the standard benefits available under a plan that the purchaser offers to their members.

For more information, see PlanBenefit in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitNotes	Benefit Notes	textarea		32000		
CoinsuranceNotes	Coinsurance Notes	textarea		32000		
CopayNotes	Copay Notes	textarea		32000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeductibleNotes	Deductible Notes	textarea		32000		
DocumentLocation	Document Location	string		255		
EffectiveDate	Effective Date	date				
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
EmergencyDepartmentCopay	Emergency Department Copay	currency			18	2
FamilyInNetworkDeductible	Family In-Network Deductible	currency			18	2
FamilyInNetworkOutofPocket	Family In-Network Out-of-Pocket	currency			18	2
FamilyOutofNetworkDeductible	Family Out-of-Network Deductible	currency			18	2
FamilyOutofNetworkOutofPocket	Family Out-of-Network Out-of-Pocket	currency			18	2
Id	Plan Benefit ID	id		18		
InNetworkCoinsuranceAmount	In-Network Coinsurance (Amount)	double			18	0
InNetworkCoinsurancePercentage	In-Network Coinsurance (Percentage)	double			18	0
InNetworkLifetimeMaximum	In-Network Lifetime Maximum	currency			18	2
IndividualInNetworkDeductible	Individual In-Network Deductible	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IndividualInNetworkOutofPocket	Individual In-Network Out-of-Pocket	currency			18	2
IndividualOutofNetworkDeductible	Individual Out-of-Network Deductible	currency			18	2
IndividualOutofNetworkOutofPocket	Individual Out-of-Network Out-of-Pocket	currency			18	2
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LifetimeMaximumNotes	Lifetime Maximum Notes	textarea		32000		
Name	Name	string		255		
OutofNetworkCoinsuranceAmount	Out-of-Network Coinsurance (Amount)	double			18	0
OutofNetworkCoinsurancePercentage	Out-of-Network Coinsurance (Percentage)	double			18	0
OutofNetworkLifetimeMaximum	Out-of-Network Lifetime Maximum	currency			18	2
OutofPocketNotes	Out-of-Pocket Notes	textarea		32000		
OwnerId	Owner ID	reference		18		
PrimaryCareCopay	Primary Care Copay	currency			18	2
PurchaserPlanId	Purchaser Plan ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
SpecialistCopay	Specialist Copay	currency			18	2
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
UrgentCareCopay	Urgent Care Copay	currency			18	2

PLANBENEFITFEED

Feed tracking for PlanBenefit.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PLANBENEFITHISTORY

History for tracked fields of PlanBenefit.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Plan Benefit History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PlanBenefitId	Plan Benefit ID	reference		18		

PLANBENEFITITEM

Represents the details of a benefit available under a purchaser's plan that is offered to their members.

For more information, see PlanBenefitItem in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitCategory	Benefit Category	string		255		
CoverageLevel	Coverage Level	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Plan Benefit Item ID	id		18		
InNetworkCoverage	In-Network Coverage	currency			18	2
IsDeleted	Deleted	boolean				
IsInPlanNetwork	In-Plan Network	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Notes	Notes	textarea		32000		
OutofNetworkCoverage	Out-of-Network Coverage	currency			18	2
OwnerId	Owner ID	reference		18		
PlanBenefitId	Plan Benefit ID	reference		18		
ServiceType	Service Type	string		64		
ServiceTypeCode	Service Type Code	string		64		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TimePeriod	Time Period	string		32		

PLANBENEFITITEMFEED

Feed tracking for PlanBenefitItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PLANBENEFITITEMHISTORY

History for tracked fields of PlanBenefitItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Plan Benefit Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PlanBenefitItemId	Plan Benefit Item ID	reference		18		

PLANBENEFITITEMSHARE

Sharing for PlanBenefitItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PLANBENEFITSHARE

Sharing for PlanBenefit.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PLATFORMACTION

PlatformAction is a virtual read-only object. It enables you to query for actions displayed in the UI, given a user, a context, device format, and a record ID. Examples include standard and custom buttons, quick actions, and productivity actions.

For more information, see PlatformAction in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionListContext	Action List Context	picklist		255		
ActionTarget	Action Target	textarea		2048		
ActionTargetType	Action Target Type	picklist		255		
ApiName	API Name	string		255		
Category	Category	picklist		255		
ConfirmationMessage	Confirmation Message	string		255		
DeviceFormat	Device Format	picklist		255		
ExternalId	Platform Action ID	string		255		
GroupId	Group ID	reference		18		
IconContentType	Icon Content Type	string		255		
IconHeight	Icon Height	int	9			
IconUrl	Icon URL	url		255		
IconWidth	Icon Width	int	9			
Id	Not used ID	id		18		
InvocationStatus	Invocation Status	picklist		255		
InvokedByUserId	User ID	reference		18		
IsGroupDefault	Is Group Default	boolean				
IsMassAction	Is Mass Action	boolean				
Label	Label	string		255		
LastModifiedDate	Last Modified Date	datetime				
OpenType	Open Type	picklist		255		
PrimaryColor	Primary Color	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RelatedListRecordId	Related List Record ID	string		255		
RelatedSourceEntity	Related Source Entity	string		255		
RetrievalMode	Retrieval Mode	picklist		255		
Section	Section	picklist		255		
SourceEntity	Source Entity	string		255		
Subtype	Subtype	string		255		
TargetObject	Target Object	string		255		
TargetUrl	Target URL	string		2048		
Type	Type	picklist		255		

PLATFORMCACHEPARTITION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		300		
DeveloperName	Name	string		80		
Id	Platform Cache Partition ID	id		18		
IsDefaultPartition	Default Partition	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

PLATFORMCACHEPARTITIONTYPE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AllocatedCapacity	Allocated Capacity	int	9			
AllocatedPartnerCapacity	Allocated Partner Capacity	int	9			
AllocatedPurchasedCapacity	Allocated Namespaced Purchased Capacity	int	9			
AllocatedTrialCapacity	Allocated Trial Capacity	int	9			
CacheType	Cache Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Platform Cache Partition Type ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PlatformCachePartitionId	Platform Cache Partition ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PLATFORMEVENTUSAGEMETRIC

Contains usage data for event publishing and CometD-client delivery. Usage data is available for the last 24 hours, ending at the last hour, and for historical daily usage. PlatformEventUsageMetric contains separate usage metrics for platform events and change data capture events.

For more information, see PlatformEventUsageMetric in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
EndDate	End Date	datetime				
ExternalId	External ID	string		255		
Id	Platform Event Usage Metric ID	id		18		
Name	Metric Name	picklist		255		
StartDate	Start Date	datetime				
Value	Metric Value	long	18			

PLATFORMSTATUSALERTEVENT

An event related to the PlatformStatusAlertEvent object.

For more information, see PlatformStatusAlertEvent in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiErrorCode	Api Error Code	string		200		
ComponentName	Component Name	string		200		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
EventUuid	Platform Event UUID	string		36		
ExtendedErrorCode	Extended Error Code	string		200		
RelatedEventIdentifier	Related Event Identifier	string		80		
ReplayId	Replay ID For Platform Event	string		1000		
RequestId	Jetty Request ID	string		22		
ServiceJobId	Service Job Id	string		100		
ServiceName	Service Name	string		200		
StatusType	Status Type	string		50		
SubComponentName	Sub Component Name	string		200		
Subject	Subject	string		1000		
UserId	User ID	reference		18		
Username	Username	string		80		

POLYGON

Represents a polygon with the polygon mapping data stored as a blob.

For more information, see Polygon in the *Public Sector Solutions Developer Guide for License and Permit Management, and Inspection Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Data	Data	textarea		32000		
DataType	Data Type	picklist		255		
Id	Polygon ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

POLYGONFEED

Feed tracking for Polygon.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

POLYGONHISTORY

History for tracked fields of Polygon.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Polygon History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PolygonId	Polygon ID	reference		18		

POLYGONSHARE

Sharing for Polygon.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PORTALDELEGABLEPERMISSIONSET

PortalDelegablePermissionSet is a base platform object used to store permission sets that can be assigned by a delegated portal/external user admin (DPUA) to portal users.

For more information, see PortalDelegablePermissionSet in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Portal Delegable Permission Set ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
PermissionSetId	PermissionSet ID	reference		18		
ProfileId	Profile ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PRELIMINARYAPPLICATIONREF

Represents the saved applications and pre-screening forms.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationName	Application Name	string		255		
ApplicationType	Application Type	picklist		255		
BusinessAccountNameId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Preliminary Application Reference ID	id		18		
IsDeleted	Deleted	boolean				
IsSubmitted	Is Submitted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SavedApplicationUrl	Saved Application URL	url		255		
SystemModstamp	System Modstamp	datetime				

PRELIMINARYAPPLICATIONREFFEED

Feed tracking for PreliminaryApplicationRef.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PRELIMINARYAPPLICATIONREFHISTORY

History for tracked fields of PreliminaryApplicationRef.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Preliminary Application Reference History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PreliminaryApplicationRefId	Preliminary Application Reference ID	reference		18		

PRELIMINARYAPPLICATIONREFSHARE

Sharing for PreliminaryApplicationRef.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRICEBOOK2

Represents a price book that contains the list of products that your org sells.

For more information, see Pricebook2 in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Price Book ID	id		18		
IsActive	Active	boolean				
IsArchived	Archived	boolean				
IsDeleted	Deleted	boolean				
IsStandard	Is Standard Price Book	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Price Book Name	string		255		
SystemModstamp	System Modstamp	datetime				

PRICEBOOK2HISTORY

Represents historical information about changes that have been made to the standard fields of the associated Pricebook2, or to any custom fields with history tracking enabled.

For more information, see Pricebook2History in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Price Book History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
Pricebook2Id	Price Book ID	reference		18		

PRICEBOOKENTRY

Represents a product entry (an association between a Pricebook2 and Product2) in a price book.

For more information, see PricebookEntry in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Price Book Entry ID	id		18		
IsActive	Active	boolean				
IsArchived	Archived	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Product Name	string		255		
Pricebook2Id	Price Book ID	reference		18		
Product2Id	Product ID	reference		18		
ProductCode	Product Code	string		255		
SystemModstamp	System Modstamp	datetime				
UnitPrice	List Price	currency			18	2
UseStandardPrice	Use Standard Price	boolean				

PRICEBOOKENTRYHISTORY

History for tracked fields of PricebookEntry.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Price Book Entry History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PricebookEntryId	Price Book Entry ID	reference		18		

PRICEBOOKSHARE

Sharing for Pricebook.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Price Book Access	picklist		40		
Id	Price Book Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PricebookId	Price Book ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PROCESSDEFINITION

Represents the definition of a single approval process.

For more information, see ProcessDefinition in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
DeveloperName	Unique Name	string		80		
Id	Approval Process ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LockType	Lock Type	picklist		40		
Name	Name	string		40		
State	State	picklist		40		
SystemModstamp	System Modstamp	datetime				
TableEnumOrId	Custom Object Definition ID	picklist		40		
Type	Process Definition Type	picklist		40		

PROCESSEXCEPTION

Represents a processing failure on an order summary. A separate process is required to resolve the failure that caused the process exception before order summary processing can continue.

For more information, see ProcessException in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttachedToId	Attached To ID	reference		18		
CaseId	Case ID	reference		18		
Category	Category	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		2000		
ExternalReference	External Reference	string		255		
Id	Process Exception ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Message	Message	string		255		
OwnerId	Owner ID	reference		18		
Priority	Priority	picklist		40		
ProcessExceptionNumber	Process Exception Number	string		255		
Severity	Severity	picklist		40		
SeverityCategory	Severity Category	picklist		255		
Status	Status	picklist		40		
StatusCategory	Status Category	picklist		255		
SystemModstamp	System Modstamp	datetime				

PROCESSEXCEPTIONEVENT

Notifies subscribers of errors that occur during payment processing (capture, apply, and refund) on an order summary. Use this event to trigger flows and processes in your order workflow.

For more information, see ProcessExceptionEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttachedToId	Attached To ID	reference		18		
BackgroundOperationId	Background Operation ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		2000		
EventUuid	Process Exception Event Event UUID	string		36		
ExceptionType	Exception Type	picklist		40		
ExternalReference	External Reference	string		255		
Message	Message	string		255		
ReplayId	Process Exception Event Replay ID	string		1000		
Severity	Severity	picklist		40		

PROCESSEXCEPTIONSHARE

Sharing for ProcessException.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PROCESSINSTANCE

Represents an instance of a single, end-to-end approval process. Use this and the node, step, and workitem process instance objects to create approval history reports.

For more information, see ProcessInstance in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CompletedDate	Completed Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ElapsedTimeInDays	Elapsed Time in Days	double			7	3
ElapsedTimeInHours	Elapsed Time in Hours	double			7	2
ElapsedTimeInMinutes	Elapsed Time in Minutes	double			8	0
Id	Process Instance ID	id		18		
IsDeleted	Deleted	boolean				
LastActorId	User ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ProcessDefinitionId	Approval Process ID	reference		18		
Status	Status	picklist		40		
SubmittedById	User ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TargetObjectId	Target Object ID	reference		18		

PROCESSINSTANCEHISTORY

This read-only object shows all steps and pending approval requests associated with an approval process (ProcessInstance).

For more information, see ProcessInstanceHistory in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActorId	Actor ID	reference		18		
Comments	Comments	string		4000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ElapsedTimeInDays	Elapsed Time in Days	double			18	0
ElapsedTimeInHours	Elapsed Time in Hours	double			7	2
ElapsedTimeInMinutes	Elapsed Time in Minutes	double			8	0
Id	Process Instance History ID	id		18		
IsDeleted	Deleted	boolean				
IsPending	Is Pending	boolean				
OriginalActorId	Original Actor ID	reference		18		
ProcessInstanceId	Process Instance ID	reference		18		
ProcessNodeId	Process Node ID	reference		18		
RemindersSent	RemindersSent	int	9			
StepStatus	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TargetObjectId	Target Object ID	reference		18		

PROCESSINSTANCENODE

Represents a step in an instance of an approval process. Compare to `ProcessNode`, which describes the step in a process definition. Use this object to retrieve approval history.

For more information, see `ProcessInstanceNode` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CompletedDate	Completed Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ElapsedTimeInDays	Elapsed Time in Days	double			7	3
ElapsedTimeInHours	Elapsed Time in Hours	double			7	2
ElapsedTimeInMinutes	Elapsed Time in Minutes	double			8	0
Id	Process Instance Node ID	id		18		
IsDeleted	Deleted	boolean				
LastActorId	User ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
NodeStatus	Node Status	picklist		255		
ProcessInstanceId	Process Instance ID	reference		18		
ProcessNodeId	Process Node ID	reference		18		
ProcessNodeName	Name	string		255		
SystemModstamp	System Modstamp	datetime				

PROCESSINSTANCESTEP

Represents one work item in an approval process (ProcessInstance).

For more information, see ProcessInstanceStep in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActorId	Actor ID	reference		18		
Comments	Comments	string		4000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ElapsedTimeInDays	Elapsed Time in Days	double			18	0
ElapsedTimeInHours	Elapsed Time in Hours	double			7	2
ElapsedTimeInMinutes	Elapsed Time in Minutes	double			8	0
Id	Process Instance Step ID	id		18		
OriginalActorId	Original Actor ID	reference		18		
ProcessInstanceId	Process Instance ID	reference		18		
StepNodeId	Process Node ID	reference		18		
StepStatus	Step Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

PROCESSINSTANCEWORKITEM

Represents a user's pending approval request.

For more information, see `ProcessInstanceWorkitem` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActorId	Actor ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ElapsedTimeInDays	Elapsed Time in Days	double			7	3
ElapsedTimeInHours	Elapsed Time in Hours	double			7	2
ElapsedTimeInMinutes	Elapsed Time in Minutes	double			8	0
Id	Process Instance Workitem ID	id		18		
IsDeleted	Deleted	boolean				
OriginalActorId	Original Actor ID	reference		18		
ProcessInstanceId	Process Instance ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PROCESSNODE

Describes a step in a process definition. Compare to `ProcessInstanceNode`, which describes the step in a running process.

For more information, see `ProcessNode` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Description	Description	textarea		1000		
DeveloperName	Unique Name	string		80		
Id	Process Node ID	id		18		
Name	Name	string		255		
ProcessDefinitionId	Approval Process ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PRODUCT2

Represents a product that your org sells.

For more information, see Product2 in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Product Description	textarea		4000		
DisplayUrl	Display URL	url		1000		
ExternalDataSourceId	External Data Source ID	reference		18		
ExternalId	External ID	string		255		
Family	Product Family	picklist		255		
Id	Product ID	id		18		
IsActive	Active	boolean				
IsArchived	Archived	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Product Name	string		255		
ProductCode	Product Code	string		255		
QuantityUnitOfMeasure	Quantity Unit Of Measure	picklist		255		
StockKeepingUnit	Product SKU	string		180		
SystemModstamp	System Modstamp	datetime				

PRODUCT2FEED

Feed tracking for Product2.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PRODUCT2HISTORY

History for tracked fields of Product2.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Stage ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
Product2Id	Product ID	reference		18		

PRODUCTCATALOG

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Catalog ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
NumberOfCategories	Number of Categories	int	9			
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PRODUCTCATALOGFEED

Feed tracking for ProductCatalog.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PRODUCTCATALOGHISTORY

History for tracked fields of ProductCatalog.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Catalog History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductCatalogId	Catalog ID	reference		18		

PRODUCTCATALOGSHARE

Sharing for ProductCatalog.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTCATEGORY

Represents the category that products are organized in.

For more information, see ProductCategory in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CatalogId	Catalog ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Id	Category ID	id		18		
IsDeleted	Deleted	boolean				
IsNavigational	Show In Menu	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		200		
NumberOfProducts	Number of Products	int	9			
ParentCategoryId	Category ID	reference		18		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

PRODUCTCATEGORYFEED

Feed tracking for ProductCategory.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PRODUCTCATEGORYHISTORY

History for tracked fields of ProductCategory.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Category History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductCategoryId	Category ID	reference		18		

PRODUCTCATEGORYPRODUCT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CatalogId	Catalog ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Product Category Product ID	id		18		
IsDeleted	Deleted	boolean				
IsPrimaryCategory	Is Primary Category	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
ProductCategoryId	Category ID	reference		18		
ProductId	Product ID	reference		18		
ProductToCategory	Product/Category Concatenation	string		30		
SystemModstamp	System Modstamp	datetime				

PRODUCTCATEGORYPRODUCTHISTORY

History for tracked fields of ProductCategoryProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Category Product History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductCategoryProductId	Product Category Product ID	reference		18		

PRODUCTCONSUMED

Represents an item from your inventory that was used to complete a work order or work order line item in field service.

For more information, see ProductConsumed in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Discount	Discount	percent			5	2
Id	Product Consumed ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ListPrice	List Price	currency			18	2
PricebookEntryId	Price Book Entry ID	reference		18		
Product2Id	Product ID	reference		18		
ProductConsumedNumber	Product Consumed Number	string		255		
ProductItemId	Product Item ID	reference		18		
ProductName	Product Name	string		255		
QuantityConsumed	Quantity Consumed	double			18	2
QuantityUnitOfMeasure	Quantity Unit Of Measure	picklist		40		
Subtotal	Subtotal	currency			18	2
SystemModstamp	System Modstamp	datetime				
TotalPrice	Total Price	currency			18	2
UnitPrice	Unit Price	currency			18	2
WorkOrderId	Work Order ID	reference		18		

ProductConsumed

Field Name	Field Label	Type	Digits	Length	Precision	Scale
WorkOrderLineItemId	Line Item ID	reference		18		

PRODUCTCONSUMEDFEED

Feed tracking for ProductConsumed.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTCONSUMEDHISTORY

History for tracked fields of ProductConsumed.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Consumed History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductConsumedId	Product Consumed ID	reference		18		

PRODUCTCONSUMPTIONSCHEDULE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConsumptionScheduleId	Consumption Schedule ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Product Consumption Schedule ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ProductId	Product ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PRODUCTENTITLEMENTTEMPLATE

Represents predefined terms of customer support (Entitlement) that users can add to products (Product2).
For more information, see ProductEntitlementTemplate in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EntitlementTemplateId	Entitlement Template ID	reference		18		
Id	Product Entitlement Template ID	id		18		
Product2Id	Product ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PRODUCTFULFILLMENTLOCATION

Associates a business account and a product inventory with the responsible field rep.

For more information, see ProductFulfillmentLocation in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FulfillmentLocationId	Location ID	reference		18		
Id	Product Fulfillment Location ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
Name	Product Fulfillment Location Name	string		255		
OwnerId	Owner ID	reference		18		
ProductId	Product ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

PRODUCTFULFILLMENTLOCATIONFEED

Feed tracking for ProductFulfillmentLocation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PRODUCTFULFILLMENTLOCATIONHISTORY

History for tracked fields of ProductFulfillmentLocation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Fulfillment Location History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductFulfillmentLocationId	Product Fulfillment Location ID	reference		18		

PRODUCTFULFILLMENTLOCATIONSHARE

Sharing for ProductFulfillmentLocation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTITEM

Represents the stock of a particular product at a particular location in field service, such as all bolts stored in your main warehouse. For more information, see ProductItem in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Product Item ID	id		18		
IsDeleted	Deleted	boolean				
IsProduct2Serialized	Serialized	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
OwnerId	Owner ID	reference		18		
Product2Id	Product ID	reference		18		
ProductItemNumber	Product Item Number	string		255		
ProductName	Product Name	string		255		
QuantityOnHand	Quantity On Hand	double			18	2
QuantityUnitOfMeasure	Quantity Unit Of Measure	picklist		40		
SerialNumber	Serial Number	string		80		
SystemModstamp	System Modstamp	datetime				

PRODUCTITEMFEED

Feed tracking for ProductItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PRODUCTITEMHISTORY

History for tracked fields of ProductItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductItemId	Product Item ID	reference		18		

PRODUCTITEMSHARE

Sharing for ProductItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTITEMTRANSACTION

Represents an action taken on a product item in field service. Product item transactions are auto-generated records that help you track when a product item is replenished, consumed, or adjusted.

For more information, see ProductItemTransaction in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Id	Product Item Transaction ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ProductItemId	Product Item ID	reference		18		
ProductItemTransactionNumber	Product Item Transaction Number	string		255		
Quantity	Quantity	double			18	2
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TransactionType	Transaction Type	picklist		255		

PRODUCTITEMTRANSACTIONFEED

Feed tracking for ProductItemTransaction.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PRODUCTITEMTRANSACTIONHISTORY

History for tracked fields of ProductItemTransaction.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Item Transaction History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductItemTransactionId	Product Item Transaction ID	reference		18		

PRODUCTMAP__SHARE

Sharing for ProductMap__.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTMAP__C

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Record ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MayEdit	May Edit	boolean				
Name	ProductMap Name	string		80		
OwnerId	Owner ID	reference		18		
PriceMap__c	PriceMap	double			18	2
SystemModstamp	System Modstamp	datetime				
recordNumberMap__c	recordNumberMap	string		30		
storeMap__c	storeMap	picklist		255		
urlMap__c	urlMap	url		255		

PRODUCTREQUEST

Represents an order for a part or parts in field service.

For more information, see ProductRequest in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CareProgramEnrolleeId	Care Program Enrollee ID	reference		18		
CaseId	Case ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
DestinationLocationId	Destination Location ID	reference		18		
Id	Product Request ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
NeedByDate	Need By Date	datetime				
OwnerId	Owner ID	reference		18		
ProductRequestNumber	Product Request Number	string		255		
ShipToAddress	Ship To Address	address				
ShipToCity	City	string		40		
ShipToCountry	Country	string		80		
ShipToGeocodeAccuracy	Geocode Accuracy	picklist		255		
ShipToLatitude	Latitude	double			18	15
ShipToLongitude	Longitude	double			18	15
ShipToPostalCode	Zip/Postal Code	string		20		

ProductRequest

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ShipToState	State/Province	string		80		
ShipToStreet	Address	textarea		255		
ShipmentType	Shipment Type	picklist		40		
SourceLocationId	Source Location ID	reference		18		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
WorkOrderId	Work Order ID	reference		18		
WorkOrderLineItemId	Line Item ID	reference		18		

PRODUCTREQUESTFEED

Feed tracking for ProductRequest.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PRODUCTREQUESTHISTORY

History for tracked fields of ProductRequest.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Request History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductRequestId	Product Request ID	reference		18		

PRODUCTREQUESTLINEITEM

Represents a request for a part in field service. Product request line items are components of product requests.

For more information, see `ProductRequestLineItem` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CareProgramEnrolleeId	Care Program Enrollee ID	reference		18		
CaseId	Case ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
DestinationLocationId	Destination Location ID	reference		18		
Id	Product Request Line Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
NeedByDate	Need By Date	datetime				
ParentId	Product Request ID	reference		18		
Product2Id	Product ID	reference		18		
ProductRequestLineItemNumber	Product Request Line Item Number	string		255		
QuantityRequested	Quantity Requested	double			18	2
QuantityUnitOfMeasure	Quantity Unit Of Measure	picklist		40		
ShipToAddress	Ship To Address	address				
ShipToCity	City	string		40		
ShipToCountry	Country	string		80		

ProductRequestLineItem

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ShipToGeocodeAccuracy	Geocode Accuracy	picklist		255		
ShipToLatitude	Latitude	double			18	15
ShipToLongitude	Longitude	double			18	15
ShipToPostalCode	Zip/Postal Code	string		20		
ShipToState	State/Province	string		80		
ShipToStreet	Address	textarea		255		
ShipmentType	Shipment Type	picklist		40		
SourceLocationId	Source Location ID	reference		18		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
WorkOrderId	Work Order ID	reference		18		
WorkOrderLineItemId	Line Item ID	reference		18		

PRODUCTREQUESTLINEITEMFEED

Feed tracking for ProductRequestLineItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PRODUCTREQUESTLINEITEMHISTORY

History for tracked fields of ProductRequestLineItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Request Line Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductRequestLineItemId	Product Request Line Item ID	reference		18		

PRODUCTREQUESTSHARE

Sharing for ProductRequest.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTREQUIRED

Represents a product that is needed to complete a work order or work order line item in field service.

For more information, see ProductRequired in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Product Required ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ParentRecordId	Parent Record ID	reference		18		
ParentRecordType	Parent Record Type	string		50		
Product2Id	Product ID	reference		18		
ProductName	Product Name	string		255		
ProductRequiredNumber	Product Required Number	string		255		
QuantityRequired	Quantity Required	double			18	2
QuantityUnitOfMeasure	Quantity Unit Of Measure	picklist		40		
SystemModstamp	System Modstamp	datetime				

PRODUCTREQUIREDFEED

Feed tracking for ProductRequired.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PRODUCTREQUIREDHISTORY

History for tracked fields of ProductRequired.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Required History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductRequiredId	Product Required ID	reference		18		

PRODUCTSERVICECAMPAIGN

Represents a set of activities to be performed on a product service campaign asset, such as a product recall for safety issues or product defects.

For more information, see ProductServiceCampaign in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
EndDate	End Date	date				
Id	Product Service Campaign ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
Priority	Priority	picklist		40		
Product2Id	Product ID	reference		18		
ProductServiceCampaignName	Product Service Campaign Name	string		255		
StartDate	Start Date	date				
Status	Status	picklist		40		
StatusCategory	Status Category	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		
WorkTypeId	Work Type ID	reference		18		

PRODUCTSERVICECAMPAIGNFEED

Feed tracking for ProductServiceCampaign.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTSERVICECAMPAIGNHISTORY

History for tracked fields of ProductServiceCampaign.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Service Campaign History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductServiceCampaignId	Product Service Campaign ID	reference		18		

PRODUCTSERVICECAMPAIGNITEM

Represents a product service campaign's asset.

For more information, see ProductServiceCampaignItem in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Product Service Campaign Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Product2Id	Product ID	reference		18		
ProductServiceCampaignId	Product Service Campaign ID	reference		18		
ProductServiceCampaignItemNumber	Product Service Campaign Item Number	string		255		
Status	Status	picklist		40		
StatusCategory	Status Category	picklist		255		
SystemModstamp	System Modstamp	datetime				

PRODUCTSERVICECAMPAIGNITEMFEED

Feed tracking for ProductServiceCampaignItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTSERVICECAMPAIGNITEMHISTORY

History for tracked fields of ProductServiceCampaignItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Service Campaign Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductServiceCampaignItemId	Product Service Campaign Item ID	reference		18		

PRODUCTSERVICECAMPAIGNITEMSTATUS

Represents a status for a product service campaign item in field service.

For more information, see ProductServiceCampaignItemStatus in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Product Service Campaign Item Status ID	id		18		
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
StatusCode	Status Code	picklist		40		
SystemModstamp	System Modstamp	datetime				

PRODUCTSERVICECAMPAIGNSHARE

Sharing for ProductServiceCampaign.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTSERVICECAMPAIGNSTATUS

Represents a status for a product service campaign in field service.

For more information, see ProductServiceCampaignStatus in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Product Service Campaign Status ID	id		18		
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
StatusCode	Status Code	picklist		40		
SystemModstamp	System Modstamp	datetime				

PRODUCTTRANSFER

Represents the transfer of inventory between locations in field service.

For more information, see ProductTransfer in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
DestinationLocationId	Destination Location ID	reference		18		
ExpectedPickupDate	Expected Pickup Date	datetime				
Id	Product Transfer ID	id		18		
IsDeleted	Deleted	boolean				
IsProduct2Serialized	IsProduct2Serialized	boolean				
IsReceived	Received	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
Product2Id	Product ID	reference		18		
ProductRequestId	Product Request ID	reference		18		
ProductRequestLineItemId	Product Request Line Item ID	reference		18		
ProductTransferNumber	Product Transfer Number	string		255		
QuantityReceived	Quantity Received	double			18	2
QuantitySent	Quantity Sent	double			18	2
QuantityUnitOfMeasure	Quantity Unit Of Measure	picklist		40		
ReceivedById	Received by ID	reference		18		
ReturnOrderId	Return Order ID	reference		18		

ProductTransfer

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ReturnOrderLineItemId	Return Order Line Item ID	reference		18		
ShipmentExpectedDeliveryDate	Shipment Expected Delivery Date	datetime				
ShipmentId	Shipment ID	reference		18		
ShipmentStatus	Shipment Status	picklist		40		
ShipmentTrackingNumber	Shipment Tracking Number	string		255		
ShipmentTrackingUrl	Shipment Tracking URL	url		255		
SourceLocationId	Source Location ID	reference		18		
SourceProductItemId	Product Item ID	reference		18		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

PRODUCTTRANSFERFEED

Feed tracking for ProductTransfer.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PRODUCTTRANSFERHISTORY

History for tracked fields of ProductTransfer.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Transfer History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductTransferId	Product Transfer ID	reference		18		

PRODUCTTRANSFERSHARE

Sharing for ProductTransfer.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTWARRANTYTERM

Defines the relationship between a product or product family and warranty term.

For more information, see ProductWarrantyTerm in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CoveredProductFamily	Covered Product Family	picklist		40		
CoveredProductId	Product ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Product Warranty Term ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ProductWarrantyTermNumber	Product Warranty Term Number	string		255		
SystemModstamp	System Modstamp	datetime				
WarrantyTermId	Warranty Term ID	reference		18		

PRODUCTWARRANTYTERMFEED

Feed tracking for ProductWarrantyTerm.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTWARRANTYTERMHISTORY

History for tracked fields of ProductWarrantyTerm.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Warranty Term History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductWarrantyTermId	Product Warranty Term ID	reference		18		

PROFILE

Represents a profile, which defines a set of permissions to perform different operations. Operations can include creating a custom profile or querying, adding, updating, or deleting information.

For more information, see Profile in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Profile ID	id		18		
IsSsoEnabled	Is Single Sign-On Enabled	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
PermissionsAICreateInsightObjects	Create AI Insight Objects	boolean				
PermissionsAIViewInsightObjects	View AI Insight Objects	boolean				
PermissionsAccessCMC	Access Experience Management	boolean				
PermissionsAccessCdpApp	Allows user access Salesforce CDP	boolean				
PermissionsAccessCdpDataExplorer	Access Salesforce CDP Data Explorer	boolean				
PermissionsAccessContentBuilder	Access drag-and-drop content builder	boolean				
PermissionsAccessWalkthroughs	View Walkthroughs	boolean				
PermissionsAccountSwitcherUser	Account Switcher User	boolean				
PermissionsActionPlansUserAccess	Permission to access the Action Plans feature	boolean				
PermissionsActivateContract	Activate Contracts	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsActivateOrder	Activate Orders	boolean				
PermissionsActivitiesAccess	Access Activities	boolean				
PermissionsAddDirectMessageMembers	Add People to Direct Messages	boolean				
PermissionsAllowEmailIC	Email-Based Identity Verification Option	boolean				
PermissionsAllowLightningLogin	Lightning Login User	boolean				
PermissionsAllowObjectDetection	Allow user to use Object Detection for prediction.	boolean				
PermissionsAllowObjectDetectionTraining	Allow user to train and generate models for Object Detection.	boolean				
PermissionsAllowReferralScoring	Allow user to use Referral Scoring.	boolean				
PermissionsAllowUniversalSearch	Knowledge One	boolean				
PermissionsAllowViewEditConvertedLeads	View and Edit Converted Leads	boolean				
PermissionsAllowViewKnowledge	Allow View Knowledge	boolean				
PermissionsAllowVisitRecommendation	Allows a user to use Visit Recommendation for Retail Execution.	boolean				
PermissionsApexRestServices	Apex REST Services	boolean				
PermissionsApiEnabled	API Enabled	boolean				
PermissionsApiUserOnly	Api Only User	boolean				
PermissionsAppointmentBookingUserAccess	Enables the Appointment Booking feature	boolean				
PermissionsAssignPermissionSets	Assign Permission Sets	boolean				
PermissionsAssignTopics	Assign Topics	boolean				
PermissionsAuthorApex	Author Apex	boolean				
PermissionsAutomateEmailContent	Activate Email for Automation	boolean				
PermissionsAutomaticActivityCapture	Use Einstein Activity Capture	boolean				
PermissionsAutonomousAnalyticsPrivacy	Manage Autonomous Insights Data Privacy	boolean				
PermissionsB2BMarketingAnalyticsUser	Create B2B Marketing Analytics Apps	boolean				
PermissionsB2bmaAppUser	Access to the B2BMA App	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsBVCommunityAccess	Use objects in the Benefit Verification data model via Experience Cloud sites	boolean				
PermissionsBotManageBots	Manage Bots	boolean				
PermissionsBotManageBotsTrainingData	Manage Bots Training Data	boolean				
PermissionsBulkApiHardDelete	Bulk API Hard Delete	boolean				
PermissionsCallCoachingUser	Use Conversation Insights for Sales	boolean				
PermissionsCampaignInfluence2	Campaign Influence	boolean				
PermissionsCanAccessCE	Access Conversation Entries	boolean				
PermissionsCanApproveFeedPost	Can Approve Feed Post and Comment	boolean				
PermissionsCanEditPrompts	Manage Prompts	boolean				
PermissionsCanInsertFeedSystemFields	Insert System Field Values for Chatter Feeds	boolean				
PermissionsCanUseNewDashboardBuilder	Drag-and-Drop Dashboard Builder	boolean				
PermissionsCanVerifyComment	Verify Answers to Chatter Questions	boolean				
PermissionsChangeDashboardColors	Change Dashboard Colors	boolean				
PermissionsChatterComposeCodeSnippet	Allow Inclusion of Code Snippets from UI	boolean				
PermissionsChatterEditOwnPost	Edit My Own Posts	boolean				
PermissionsChatterEditOwnRecordPost	Edit Posts on Records I Own	boolean				
PermissionsChatterFileLink	Create Public Links	boolean				
PermissionsChatterInternalUser	Chatter Internal User	boolean				
PermissionsChatterInviteExternalUsers	Invite Customers To Chatter	boolean				
PermissionsChatterOwnGroups	Create and Own New Chatter Groups	boolean				
PermissionsCloseConversations	Close Conversation Threads	boolean				
PermissionsConfigCustomRecs	Configure Custom Recommendations	boolean				
PermissionsConfigureLiveMessage	Configure Messaging	boolean				

Profile

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsConnectOrgToEnvironmentHub	Connect Organization to Environment Hub	boolean				
PermissionsConsentApiUpdate	Update Consent Preferences Using REST API	boolean				
PermissionsContentAdministrator	Manage Salesforce CRM Content	boolean				
PermissionsContentHubUser	Files Connect Cloud	boolean				
PermissionsContentWorkspaces	Access Libraries	boolean				
PermissionsConvertLeads	Convert Leads	boolean				
PermissionsCreateCustomizedDashboards	Create and Customize Dashboards	boolean				
PermissionsCreateCustomizeFilters	Create and Customize List Views	boolean				
PermissionsCreateCustomizeReports	Create and Customize Reports	boolean				
PermissionsCreateDashboardFolders	Create Dashboard Folders	boolean				
PermissionsCreateLtgTempFolder	Create Folders for Lightning Email Templates	boolean				
PermissionsCreateLtgTempInPub	Manage Public Lightning Email Templates	boolean				
PermissionsCreateMultiforce	Create AppExchange Packages	boolean				
PermissionsCreateReportFolders	Create Report Folders	boolean				
PermissionsCreateReportInLightning	Report Builder (Lightning Experience)	boolean				
PermissionsCreateTopics	Create Topics	boolean				
PermissionsCreateUpdateEIDDataset	Create and Update Einstein Discovery Datasets	boolean				
PermissionsCreateUpdateEIDStory	Create and Update Einstein Discovery Stories	boolean				
PermissionsCreateWorkBadgeDefinition	Create custom Badge Definitions	boolean				
PermissionsCreateWorkspaces	Create Libraries	boolean				
PermissionsCustomMobileAppsAccess	Access Custom Mobile Apps	boolean				
PermissionsCustomSidebarOnAllPages	Show Custom Sidebar On All Pages	boolean				
PermissionsCustomizeApplication	Customize Application	boolean				
PermissionsDataExport	Weekly Data Export	boolean				
PermissionsDebugApex	Debug Apex	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsDelegatedTwoFactor	Manage Multi-Factor Authentication in User Interface	boolean				
PermissionsDeleteActivatedContract	Delete Activated Contracts	boolean				
PermissionsDeleteTopics	Delete Topics	boolean				
PermissionsDialerBasicInbound	Access Dialer for Essentials Inbound Calls	boolean				
PermissionsDialerBasicOutbound	Access Dialer for Essentials Outbound Calls	boolean				
PermissionsDistributeFromPersWsp	Create Content Deliveries	boolean				
PermissionsDocumentChecklistUserAccess	User license to access the Document Checklist features.	boolean				
PermissionsERMUserAccess	Grant users access to Emergency Response Management features.	boolean				
PermissionsEditActivatedOrders	Edit Activated Orders	boolean				
PermissionsEditBrandTemplates	Manage Letterheads	boolean				
PermissionsEditCaseComments	Edit Case Comments	boolean				
PermissionsEditEvent	Edit Events	boolean				
PermissionsEditHtmlTemplates	Edit HTML Templates	boolean				
PermissionsEditKnowledge	Manage Articles	boolean				
PermissionsEditMyDashboards	Edit My Dashboards	boolean				
PermissionsEditMyReports	Edit My Reports	boolean				
PermissionsEditOpportunityUnitPrice	Edit Opportunity Product Sales Price	boolean				
PermissionsEditPublicDocuments	Manage Public Documents	boolean				
PermissionsEditPublicFilters	Manage Public List Views	boolean				
PermissionsEditPublicTemplates	Manage Public Classic Email Templates	boolean				
PermissionsEditReadOnlyFields	Edit Read Only Fields	boolean				
PermissionsEditTask	Edit Tasks	boolean				
PermissionsEditTopics	Edit Topics	boolean				
PermissionsEinsteinReplyManager	Manage Replies for Einstein Reply Recommendations	boolean				
PermissionsEmailAdministration	Email Administration	boolean				

Profile

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsEmailMass	Mass Email	boolean				
PermissionsEmailSingle	Send Email	boolean				
PermissionsEmailTemplateManagement	Manage Email Templates	boolean				
PermissionsEnableCommunityAppLauncher	Show App Launcher in Experience Cloud Sites	boolean				
PermissionsEnableNotifications	Send Outbound Messages	boolean				
PermissionsExportReport	Export Reports	boolean				
PermissionsFHIRContextAccess	Use objects in the Clinical data model via Experience Cloud sites	boolean				
PermissionsFeedPinning	Pin Posts in Feeds	boolean				
PermissionsFlowUFIRequired	Require Flow User Feature License	boolean				
PermissionsForceTwoFactor	Multi-Factor Authentication for User Interface Logins	boolean				
PermissionsGetSmartDataDiscovery	View Einstein Discovery Recommendations	boolean				
PermissionsGetSmartDataDiscoveryExternal	View Einstein Discovery Recommendations Via Connect API	boolean				
PermissionsGiveRecognitionBadge	Give Recognition Badges in Experience Builder Sites	boolean				
PermissionsGovernNetworks	Manage Experiences	boolean				
PermissionsHasUnlimitedErbModelScoring	User Has Unlimited Erb Model Scoring	boolean				
PermissionsHasUnlimitedNBElections	User Has Unlimited Next Best Action Strategy Executions	boolean				
PermissionsHeadlessCMSAccess	Enable Salesforce CMS Integration	boolean				
PermissionsHealthCloudContextAccess	Provides access to Health Cloud data for Community users.	boolean				
PermissionsHealthCloudUtilizationMgmt	Manage Health Cloud Utilization Management	boolean				
PermissionsHideReadByList	Hide the Seen By List	boolean				
PermissionsIdentityConnect	Use Identity Connect	boolean				
PermissionsIdentityEnabled	Use Identity Features	boolean				

Profile

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsImportCustomObjects	Import Custom Objects	boolean				
PermissionsImportLeads	Import Leads	boolean				
PermissionsImportPersonal	Import Personal Contacts	boolean				
PermissionsInstallMigrationTool	Deploy Change Sets	boolean				
PermissionsInstallMilestonePlatform	Access Life Events or Business Milestones Component	boolean				
PermissionsInstallMultiForce	Download AppExchange Packages	boolean				
PermissionsIsSsoEnabled	Is Single Sign-On Enabled	boolean				
PermissionsLiveMessagingSessionUser	End Messaging Session	boolean				
PermissionsLiveOutboundMessagingUser	Agent Initiated Outbound Messaging	boolean				
PermissionsLeadScoreResultPublisher	Publish Einstein Lead Scoring results	boolean				
PermissionsLeadScoreUser	Use Einstein Lead Scoring	boolean				
PermissionsLearningManager	Manage Learning	boolean				
PermissionsLightningConsoleAllowFooter	Lightning Console User	boolean				
PermissionsLightningExperienceUser	Lightning Experience User	boolean				
PermissionsLightningSchedulerUserAccess	Let a user be included in appointments in Salesforce Scheduler.	boolean				
PermissionsListEmailSend	Allow sending of List Emails	boolean				
PermissionsLiveMessageAgent	Messaging Agent	boolean				
PermissionsLivePromReservedUser	Remain in Salesforce Classic	boolean				
PermissionsManageAnalyticsSnapshots	Manage Reporting Snapshots	boolean				
PermissionsManageAuthProviders	Manage Auth. Providers	boolean				
PermissionsManageBusinessHoursHolidays	Manage Business Hours Holidays	boolean				
PermissionsManageC360Connections	Connect Org to Salesforce CDP	boolean				
PermissionsManageCMS	Create CMS Workspaces and Channels	boolean				
PermissionsManageCallCenters	Manage Call Centers	boolean				
PermissionsManageCases	Manage Cases	boolean				
PermissionsManageCategories	Manage Categories	boolean				

Profile

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageCertificates	Manage Certificates	boolean				
PermissionsManageChatterMessages	Manage Chatter Messages and Direct Messages	boolean				
PermissionsManageContactTracing	Manage Contact Tracing for Employees	boolean				
PermissionsManageContentPermissions	Manage Content Permissions	boolean				
PermissionsManageContentProperties	Manage Content Properties	boolean				
PermissionsManageContentTypes	Manage record types and layouts for Files	boolean				
PermissionsManageCustomPermissions	Manage Custom Permissions	boolean				
PermissionsManageCustomReportTypes	Manage Custom Report Types	boolean				
PermissionsManageDashboardsInPublicFolders	Manage Dashboards in Public Folders	boolean				
PermissionsManageDataCategories	Manage Data Categories	boolean				
PermissionsManageDataIntegrations	Manage Data Integrations	boolean				
PermissionsManageDynamicDashboards	Manage Dynamic Dashboards	boolean				
PermissionsManageEmailClientConfig	Manage Email Client Configurations	boolean				
PermissionsManageEmailContent	Manage Email Content	boolean				
PermissionsManageEncryptionKeys	Manage Encryption Keys	boolean				
PermissionsManageExchangeConfig	Manage Lightning Sync	boolean				
PermissionsManageExternalConnections	Allow user to modify Private Connections	boolean				
PermissionsManageHealthCheck	Manage Health Check	boolean				
PermissionsManageHealthCloud	Manage Health Cloud	boolean				
PermissionsManageHealthCloudFinancialData	Manage Health Cloud Financial Data	boolean				
PermissionsManageHubConnections	Connect Org to Customer 360 Data Manager	boolean				
PermissionsManageIndustriesVisit	Manage Industries Visit	boolean				
PermissionsManageInteraction	Manage Flow	boolean				
PermissionsManageInternalUsers	Manage Internal Users	boolean				
PermissionsManageIPAddresses	Manage IP Addresses	boolean				

Profile

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageKnowledge	Manage Salesforce Knowledge	boolean				
PermissionsManageKnowledgeImportExport	Manage Knowledge Article Import/Export	boolean				
PermissionsManageLeads	Manage Leads	boolean				
PermissionsManageLearningReporting	Manage Learning Reporting	boolean				
PermissionsManageLoginAccessPolicies	Manage Login Access Policies	boolean				
PermissionsManageMobile	Manage Mobile Configurations	boolean				
PermissionsManageMobileAppSecurity	Manage Enhanced Mobile App Security	boolean				
PermissionsManageMyS1App	Manage mySalesforce apps	boolean				
PermissionsManageNetworks	Create and Set Up Experiences	boolean				
PermissionsManagePasswordPolicies	Manage Password Policies	boolean				
PermissionsManageProfilePermissions	Manage Profiles and Permission Sets	boolean				
PermissionsManagePropositions	Manage Next Best Action Recommendations	boolean				
PermissionsManagePrivateReportsAndDashboards	Manage All Private Reports and Dashboards	boolean				
PermissionsManageRecommendationStrategies	Manage Next Best Action Strategies	boolean				
PermissionsManageReleaseUpdates	Manage Release Updates	boolean				
PermissionsManageRemoteAccess	Manage Connected Apps	boolean				
PermissionsManageReportsInPublicFolders	Manage Reports in Public Folders	boolean				
PermissionsManageRoles	Manage Roles	boolean				
PermissionsManageSandboxes	Manage Sandboxes	boolean				
PermissionsManageSearchPromotionRules	Manage Promoted Search Terms	boolean				
PermissionsManageSessionPermissionSets	Manage Session Permission Set Activations	boolean				
PermissionsManageSharing	Manage Sharing	boolean				
PermissionsManageStarDataDiscovery	Manage Einstein Discovery	boolean				
PermissionsManageStarDataDiscoveryModel	Can Deploy and Manage Einstein Discovery predictions	boolean				
PermissionsManageSolutions	Manage Published Solutions	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageSubscriptions	Manage Tableau CRM Subscriptions	boolean				
PermissionsManageSurveys	Manage Surveys	boolean				
PermissionsManageSynonyms	Manage Synonyms	boolean				
PermissionsManageTrustMeasures	Manage Trust Measures	boolean				
PermissionsManageTwoFactor	Manage Multi-Factor Authentication in API	boolean				
PermissionsManageUnlistedGroups	Manage Unlisted Groups	boolean				
PermissionsManageUsers	Manage Users	boolean				
PermissionsMarketingAdmin	Manage marketing setup tasks	boolean				
PermissionsMassInlineEdit	Mass Edits from Lists	boolean				
PermissionsMergeTopics	Merge Topics	boolean				
PermissionsMobileAppSecurity	Enforce Enhanced Mobile App Security	boolean				
PermissionsModerateChatter	Moderate Chatter	boolean				
PermissionsModerateNetworkUsers	Moderate Experience Cloud Site Users	boolean				
PermissionsModifyAllData	Modify All Data	boolean				
PermissionsModifyDataClassification	Modify Data Classification	boolean				
PermissionsModifyMetadata	Modify Metadata Through Metadata API Functions	boolean				
PermissionsMyTrailheadBranding	myTrailhead Branding Management	boolean				
PermissionsMyTrailheadContentAccess	myTrailhead View All Content	boolean				
PermissionsMyTrailheadContentCreation	myTrailhead Content Creation	boolean				
PermissionsMyTrailheadCustomSteps	myTrailhead Custom Steps	boolean				
PermissionsMyTrailheadPreviewMode	myTrailhead Preview Mode	boolean				
PermissionsMyTrailheadReleaseMgt	myTrailhead Release Management	boolean				
PermissionsNativeWebViewScrolling	Salesforce Mobile App: Native scrolling on webviews	boolean				
PermissionsNewReportBuilder	Report Builder	boolean				
PermissionsOutboundMigrationToolUser	Create and Upload Change Sets	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsPackaging2	Create and Update Second-Generation Packages	boolean				
PermissionsPackaging2Delete	Delete Second-Generation Packages	boolean				
PermissionsPardotUser	Allow access to all Pardot features	boolean				
PermissionsPasswordNeverExpires	Password Never Expires	boolean				
PermissionsPaymentsAPIUser	Payments Api User	boolean				
PermissionsPreventClassicExperience	Hide Option to Switch to Salesforce Classic	boolean				
PermissionsPrivacyDataAccess	Allow user to access privacy data	boolean				
PermissionsPublicSectorCityAccess	Provides access to Public Sector data for Community users.	boolean				
PermissionsPublishMultiforce	Upload AppExchange Packages	boolean				
PermissionsQueryAllFiles	Query All Files	boolean				
PermissionsQuipMetricsAccess	Quip Metrics	boolean				
PermissionsQuipUserEngagementMetrics	Quip User Engagement Metrics	boolean				
PermissionsRecordVisibilityAPI	Enable RecordVisibility API	boolean				
PermissionsRemoveDirectMessageMembers	Remove People from Direct Messages	boolean				
PermissionsReplyRecommendationUser	View and Act on Einstein Reply Recommendations	boolean				
PermissionsResetPasswords	Reset User Passwords and Unlock Users	boolean				
PermissionsRunCGCloudREPackage	Use CG Cloud - Retail Execution App	boolean				
PermissionsRunCGCloudSyncPackage	Sync Data	boolean				
PermissionsRunDirectStoreDelivery	Manage and Run Direct Store Delivery	boolean				
PermissionsRunFlow	Run Flows	boolean				
PermissionsRunReports	Run Reports	boolean				
PermissionsRunRetailExecution	Manage and Run Retail Execution CPG	boolean				
PermissionsSalesforceIQInbox	Use Inbox	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsSandboxTestingInCommunityApp	Test Sandboxes in Mobile Publisher for Experience Cloud	boolean				
PermissionsScheduleJob	Schedule Dashboards	boolean				
PermissionsScheduleReports	Schedule Reports	boolean				
PermissionsSchedulingFacilityManager	Facility Manager	boolean				
PermissionsSchedulingLineAmbassador	Queue Manager	boolean				
PermissionsSelectFilesFromSalesforce	Select Files from Salesforce	boolean				
PermissionsSendAnnouncementEmails	Send announcement emails	boolean				
PermissionsSendCustomNotifications	Send Custom Notifications	boolean				
PermissionsSendSitRequests	Send Stay-in-Touch Requests	boolean				
PermissionsShareInternalArticles	Share internal Knowledge articles externally	boolean				
PermissionsShareSmartDataDiscoveryStory	Share Einstein Discovery Stories	boolean				
PermissionsShowCompanyNameAsSiteRole	Show Company Name as Site Role	boolean				
PermissionsSkipIdentityConfirmation	Skip Device Activation at Login	boolean				
PermissionsSmartDataDiscoveryForCommunity	Smart Data Discovery for experience users	boolean				
PermissionsSolutionImport	Import Solutions	boolean				
PermissionsStandardActivityCapture	Use Einstein Activity Capture Standard	boolean				
PermissionsStoryOnDSWithPredicate	Ignore predicate when creating story from dataset	boolean				
PermissionsSubscribeDashboardRolesGps	Subscribe to Dashboards: Send to Groups and Roles	boolean				
PermissionsSubscribeDashboardOtherUsers	Subscribe to Dashboards: Add Recipients	boolean				
PermissionsSubscribeReportRolesGps	Subscribe to Reports: Send to Groups and Roles	boolean				
PermissionsSubscribeReportOtherUsers	Subscribe to Reports: Add Recipients	boolean				
PermissionsSubscribeReportsRunAsUser	Subscribe to Reports: Set Running User	boolean				
PermissionsSubscribeLightningDashboards	Subscribe to Dashboards	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsSubscribeLightningReports	Subscribe to Reports	boolean				
PermissionsTraceXdsQueries	Access Tracer for External Data Sources	boolean				
PermissionsTransactionalEmailSend	Send Non-Commercial Email	boolean				
PermissionsTransferAnyCase	Transfer Cases	boolean				
PermissionsTransferAnyEntity	Transfer Record	boolean				
PermissionsTransferAnyLead	Transfer Leads	boolean				
PermissionsTwoFactorApi	Multi-Factor Authentication for API Logins	boolean				
PermissionsUseAssistantDialog	Instant Actionable Results	boolean				
PermissionsUseMySalesAgreementsCty	Use Manufacturing Sales Agreements via Community	boolean				
PermissionsUseMySearch	Einstein Search	boolean				
PermissionsUseQuerySuggestions	Natural Language Search	boolean				
PermissionsUseReturnOrder	Use Order Management Return Order	boolean				
PermissionsUseReturnOrderAPIs	Use Order Management Return APIs	boolean				
PermissionsUseStartDataDiscovery	Use Einstein Discovery	boolean				
PermissionsUseTeamReassignWizards	Use Team Reassignment Wizards	boolean				
PermissionsUseWebLink	Allow Access to Customized Actions	boolean				
PermissionsVideoConferenceZoomUser	Use Video Conferencing with Zoom	boolean				
PermissionsViewAllActivities	View All Activities	boolean				
PermissionsViewAllCustomSettings	View All Custom Settings	boolean				
PermissionsViewAllData	View All Data	boolean				
PermissionsViewAllForeignKeyNames	View All Lookup Record Names	boolean				
PermissionsViewAllProfiles	View All Profiles	boolean				
PermissionsViewAllUsers	View All Users	boolean				
PermissionsViewAnomalyEvents	View Threat Detection Events	boolean				
PermissionsViewContent	View Content in Portals	boolean				
PermissionsViewDataAssessment	Access to view Data Assessment	boolean				

Profile

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsViewDataCategories	View Data Categories in Setup	boolean				
PermissionsViewDataLeakageEvents	View Real-Time Event Monitoring Data	boolean				
PermissionsViewDeveloperName	View DeveloperName	boolean				
PermissionsViewEncryptedData	View Encrypted Data	boolean				
PermissionsViewEventLogFiles	View Event Log Files	boolean				
PermissionsViewHealthCheck	View Health Check	boolean				
PermissionsViewHelpLink	View Help Link	boolean				
PermissionsViewMyTeamsDashboards	View My Team's Dashboards	boolean				
PermissionsViewOnlyPrivateAppUser	Access to View-Only Licensed Templates and Apps	boolean				
PermissionsViewPlatformEvents	View Login Forensics Events	boolean				
PermissionsViewPrivateStaticResources	View Private Static Resources	boolean				
PermissionsViewPublicDashboards	View Dashboards in Public Folders	boolean				
PermissionsViewPublicReports	View Reports in Public Folders	boolean				
PermissionsViewRoles	View Roles and Role Hierarchy	boolean				
PermissionsViewSetup	View Setup and Configuration	boolean				
PermissionsViewTrustMeasures	View Trust Measures	boolean				
PermissionsViewUserPII	View User Records with PII	boolean				
PermissionsVoiceCoach	Access Dialer Monitoring	boolean				
PermissionsVoiceInbound	Access Dialer Inbound Calls	boolean				
PermissionsVoiceMinutes	Access Dialer Minutes	boolean				
PermissionsVoiceOutbound	Access Dialer Outbound Calls	boolean				
PermissionsVolunteerMgtUserAccess	Grant users access to Volunteer Management features.	boolean				
PermissionsWorkCalibrationUser	Enable WDC Calibration	boolean				
PermissionsWorkDotComUserPerm	Enable WDC	boolean				
PermissionsWorkplaceCommandCenter	Provides access to Workplace Command Center features.	boolean				
SystemModstamp	System Modstamp	datetime				
UserLicenseId	User License ID	reference		18		

Profile

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UserType	User Type	picklist		40		

PROFILESKILL

Represents a profile skill, which describes a user's professional knowledge. This is a global record for the organization, and users are associated through the ProfileSkillUser object.

For more information, see ProfileSkill in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Skill Description	textarea		4000		
Id	Skill ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Skill Name	string		99		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UserCount	People With Skill	int	9			

PROFILESKILLENDORSEMENT

Represents a detail relationship of ProfileSkillUser. An endorsement of a profile skill shows approval and support of another user's publicly declared skill.

For more information, see ProfileSkillEndorsement in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Added Date	datetime				
Id	Endorsement ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Endorsement Name	string		255		
ProfileSkillUserId	Skill User ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

PROFILESKILLENDORSEMENTFEED

Feed tracking for ProfileSkillEndorsement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROFILESKILLENDORSEMENTHISTORY

History for tracked fields of ProfileSkillEndorsement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Endorsement History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProfileSkillEndorsementId	Endorsement ID	reference		18		

PROFILESKILLFEED

Feed tracking for ProfileSkill.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROFILESKILLHISTORY

History for tracked fields of ProfileSkill.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Skill History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProfileSkillId	Skill ID	reference		18		

PROFILESKILLSHARE

Represents a sharing entry on a ProfileSkill.

For more information, see ProfileSkillShare in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PROFILESKILLUSER

Represents a detail relationship of User. The object connects profile skills with users.

For more information, see ProfileSkillUser in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Added Date	datetime				
EndorsementCount	Endorsements	int	9			
Id	Skill User ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Skill User Name	string		255		
ProfileSkillId	Skill ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

PROFILESKILLUSERFEED

Feed tracking for ProfileSkillUser.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROFILESKILLUSERHISTORY

History for tracked fields of ProfileSkillUser.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Skill User History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProfileSkillUserId	Skill User ID	reference		18		

PROGRAMREBATETYPYPAYOUTSRC

The rebate amount and the tier applied calculated for each row in the aggregate. There is a 1 to 1 relation between payout source and aggregate.

For more information, see ProgramRebateTypPayoutSrc in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccrualRate	Accrual Rate	double			18	2
AccruedAmount	Accrued Amount	currency			18	2
AggregateIdentifierId	Aggregate Source ID	reference		18		
BenefitQualifierValue	Benefit Qualifier Value	double			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Program Rebate Type Payout Source ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MeasureValue	Measure Value	double			18	2
MemberId	Rebate Program Member ID	reference		18		
Name	Name	string		255		
ProgramRebateTypeBenefitId	Rebate Type Benefit ID	reference		18		
ProgramRebateTypePayoutId	Program Rebate Type Payout ID	reference		18		
RebateAmount	Rebate Amount	currency			18	2
SystemModstamp	System Modstamp	datetime				

PROGRAMREBATETYPYPAYOUTSRCFEED

Feed tracking for ProgramRebateTypPayoutSrc.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROGRAMREBATETYPPAYOUTSRCHISTORY

History for tracked fields of ProgramRebateTypPayoutSrc.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Program Rebate Type Payout Source History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProgramRebateTypPayoutSrcId	Program Rebate Type Payout Source ID	reference		18		

PROGRAMREBATETYPE

Provide the rebate types that are part of this program. For example, volume rebate, revenue rebate, or rebate on every transaction. For more information, see ProgramRebateType in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccrualRate	Accrual Rate	double			18	2
AggregateObjectName	Custom Object Definition ID	picklist		255		
BenefitQualifierField	Custom Field Definition ID	picklist		255		
CalcObjectId	Batch Calculation Job Definition ID	reference		18		
CalculationBasis	Calculation Basis	picklist		255		
CalculationMethod	Calculation Method	picklist		255		
CalculationType	Calculation Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FilterAction	Filter Action	picklist		255		
FilterCriteria	Filter Criteria	textarea		4000		
FilterLogic	Filter Logic	string		255		
Id	Program Rebate Type ID	id		18		
IsDeleted	Deleted	boolean				
IsIntegratable	Integratable	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MeasureField	Custom Field Definition ID	picklist		255		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		

ProgramRebateType

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RebateMeasureType	Measure Type	picklist		255		
RebateProgramId	Rebate Program ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
UnitOfMeasureId	Unit of Measure ID	reference		18		

PROGRAMREBATETYPEBENEFIT

Defines the benefit matrix for the rebate type. For example, 5% or \$200.

For more information, see ProgramRebateTypeBenefit in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitValue	Applied Benefit	double			18	4
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveEndDate	Effective End Date	date				
EffectiveStartDate	Effective Start Date	date				
Id	Rebate Type Benefit ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaximumMeasureFieldValue	Maximum Measure Field Value	double			18	2
MaximumQualifyingValue	Maximum Range Value	double			18	2
MinimumQualifyingValue	Minimum Range Value	double			18	2
Name	Name	string		255		
ProductId	Product ID	reference		18		
ProgramRebateTypeId	Program Rebate Type ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

PROGRAMREBATETYPEBENEFITFEED

Feed tracking for ProgramRebateTypeBenefit.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROGRAMREBATETYPEBENEFITHISTORY

History for tracked fields of ProgramRebateTypeBenefit.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Program Rebate Type Benefit History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProgramRebateTypeBenefitId	Rebate Type Benefit ID	reference		18		

PROGRAMREBATETYPEFEED

Feed tracking for ProgramRebateType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROGRAMREBATETYPEFILTER

The definition that filters the transaction journals eligible for a rebate type. This filter definition is used in the rebates data processing engines.

For more information, see ProgramRebateTypeFilter in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FilterField	Custom Field Definition ID	picklist		255		
Id	Program Rebate Type Filter ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Operator	Operator	picklist		255		
ProgramRebateTypeId	Program Rebate Type ID	reference		18		
Sequence	Sequence	int	9			
SystemModstamp	System Modstamp	datetime				
Value	Value	string		255		

PROGRAMREBATETYPEFILTERFEED

Feed tracking for ProgramRebateTypeFilter.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROGRAMREBATETYPEFILTERHISTORY

History for tracked fields of ProgramRebateTypeFilter.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Program Rebate Type Filter History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProgramRebateTypeFilterId	Program Rebate Type Filter ID	reference		18		

PROGRAMREBATETYPEHISTORY

History for tracked fields of ProgramRebateType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Program Rebate Type History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProgramRebateTypeId	Program Rebate Type ID	reference		18		

PROGRAMREBATETYPEPAYOUT

The payout given to a member for a particular rebate type. For example, volume rebate payout in Jan'19 for ABC enterprises is \$560, petrol engine payout for ABC in Jan'19 is \$440.

For more information, see ProgramRebateTypePayout in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccruedAmount	Accrued Amount	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Program Rebate Type Payout ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ProgramRebateTypeId	Program Rebate Type ID	reference		18		
RebateAmount	Rebate Amount	currency			18	2
RebateProgramMemberPayoutId	Rebate Program Member Payout ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalBenefitQualifierValue	Total Benefit Qualifier Value	double			18	2
TotalMeasureValue	Total Measure Value	double			18	2

PROGRAMREBATETYPEPAYOUTFEED

Feed tracking for ProgramRebateTypePayout.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROGRAMREBATETYPEPAYOUTHISTORY

History for tracked fields of ProgramRebateTypePayout.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Program Rebate Type Payout History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProgramRebateTypePayoutId	Program Rebate Type Payout ID	reference		18		

PROGRAMREBATETYPEPRODUCT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Program Rebate Type Product ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ProductId	Product ID	reference		18		
ProgramRebateTypeId	Program Rebate Type ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PROGRAMREBATETYPEPRODUCTFEED

Feed tracking for ProgramRebateTypeProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROGRAMREBATETYPEPRODUCTHISTORY

History for tracked fields of ProgramRebateTypeProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Program Rebate Type Product History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProgramRebateTypeProductId	Program Rebate Type Product ID	reference		18		

PROGRAMREBATETYPREFERENCE

Represents the association between the contract, opportunity, or any eligible standard or custom object, and rebate type.

For more information, see ProgramRebateTypeReference in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Program Rebate Type Reference ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProgramRebateTypeId	Program Rebate Type ID	reference		18		
ProgramRebateTypeSrcId	Program Rebate Type ID	reference		18		
ReferenceObjectId	Reference Object ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PROGRAMREBATETYPEREERENCEFEED

Feed tracking for ProgramRebateTypeReference.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROGRAMREBATETYPEREERENCEHISTORY

History for tracked fields of ProgramRebateTypeReference.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Program Rebate Type Reference History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProgramRebateTypeReferenceId	Program Rebate Type Reference ID	reference		18		

PROGRAMREBATETYPEREFERENCESHARE

Sharing for ProgramRebateTypeReference.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PROGRAMREBATETYPESHARE

Sharing for ProgramRebateType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PROMOTION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
EndDate	End Date	date				
Id	Promotion ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Level	Level	picklist		40		
Methods	Method	picklist		40		
Name	Name	string		255		
Objective	Objective	textarea		1000		
OwnerId	Owner ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

PROMOTIONCHANNEL

Associate a promotion with a store, store group, or an account.

For more information, see PromotionChannel in the *Consumer Goods Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDate	End Date	date				
Id	Promotion Channel ID	id		18		
InStoreLocationId	In-store Location ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
PromotionId	Promotion ID	reference		18		
RetailLocationGroupId	Retail Store Group ID	reference		18		
RetailStoreId	Retail Store ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

PROMOTIONCHANNELFEED

Feed tracking for PromotionChannel.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROMOTIONCHANNELHISTORY

History for tracked fields of PromotionChannel.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Promotion Channel History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PromotionChannelId	Promotion Channel ID	reference		18		

PROMOTIONFEED

Feed tracking for Promotion.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROMOTIONHISTORY

History for tracked fields of Promotion.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Promotion History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PromotionId	Promotion ID	reference		18		

PROMOTIONLOYALTYPTNRPROD

Represents a relationship between a promotion and a loyalty partner product. It indicates the products or product categories that are applied to a particular promotion.

For more information, see PromotionLoyaltyPtnrProd in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Promotion Loyalty Partner Product ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyPartnerId	Loyalty Program Partner ID	reference		18		
LoyaltyPartnerProductId	Loyalty Partner Product ID	reference		18		
LoyaltyProductId	Product ID	reference		18		
MayEdit	May Edit	boolean				
Name	Name	string		255		
ProductCategoryId	Category ID	reference		18		
PromotionId	Promotion ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PROMOTIONLOYALTYPTNRPRODTEED

Feed tracking for PromotionLoyaltyPtnrProd.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PROMOTIONLOYALTYPTNRPRODTHISTORY

History for tracked fields of PromotionLoyaltyPtnrProd.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Promotion Loyalty Partner Product History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PromotionLoyaltyPtnrProdId	Promotion Loyalty Partner Product ID	reference		18		

PROMOTIONMARKETSEGMENT

Represents a relationship between a promotion and Salesforce CDP segment. It indicates the segments targeted for a particular promotion. For more information, see PromotionMarketSegment in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Promotion Market Segment ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MayEdit	May Edit	boolean				
Name	Name	string		255		
PromotionId	Promotion ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PROMOTIONMARKETSEGMENTFEED

Feed tracking for PromotionMarketSegment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PROMOTIONMARKETSEGMENTHISTORY

History for tracked fields of PromotionMarketSegment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Promotion Market Segment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PromotionMarketSegmentId	Promotion Market Segment ID	reference		18		

PROMOTIONPRODUCT

Associate a promotion with a product.

For more information, see PromotionProduct in the *Consumer Goods Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Promotion Product ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ProductId	Product ID	reference		18		
PromotionId	Promotion ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PROMOTIONPRODUCTCATEGORY

Associate a promotional activity with a product category.

For more information, see PromotionProductCategory in the *Consumer Goods Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Promotion Product Category ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ProductCategoryId	Category ID	reference		18		
PromotionId	Promotion ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PROMOTIONPRODUCTCATEGORYFEED

Feed tracking for PromotionProductCategory.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROMOTIONPRODUCTCATEGORYHISTORY

History for tracked fields of PromotionProductCategory.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Promotion Product Category History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PromotionProductCategoryId	Promotion Product Category ID	reference		18		

PROMOTIONPRODUCTFEED

Feed tracking for PromotionProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROMOTIONPRODUCTHISTORY

History for tracked fields of PromotionProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Promotion Product History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PromotionProductId	Promotion Product ID	reference		18		

PROMOTIONSHARE

Sharing for Promotion.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PROMPT

Represents record details about an in-app guidance prompt or walkthrough.

For more information, see Prompt in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Prompt ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Prompt Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

PROMPTACTION

Represents how the user interacted with the in-app guidance prompt or walkthrough.

For more information, see PromptAction in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Prompt Action ID	id		18		
IsDeleted	Deleted	boolean				
LastDisplayDate	Last Display Date	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastResult	Last Result	picklist		255		
LastResultDate	Last Result Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PromptVersionId	Prompt Version ID	reference		18		
SnoozeUntil	Snooze Until	datetime				
StepCount	Step Count	int	9			
StepNumber	Step Number	int	9			
SystemModstamp	System Modstamp	datetime				
TimesActionTaken	Times Action Taken	int	9			
TimesDismissed	Times Dismissed	int	9			
TimesDisplayed	Times Displayed	int	9			
TimesSnoozed	Times Snoozed	int	9			
UserId	User ID	reference		18		

PROMPTACTIONSHARE

Represents a sharing entry on a prompt action record.

For more information, see PromptActionShare in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PROMPTERROR

Represents the error or warning associated with the PromptAction.

For more information, see PromptError in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Prompt Error ID	id		18		
IsDeleted	Deleted	boolean				
IsError	Is Error	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PromptActionId	Prompt Action ID	reference		18		
StepNumber	Error Step Number	int	9			
SystemModstamp	System Modstamp	datetime				
Type	Error Type	picklist		255		

PROMPTERRORSHARE

Sharing for PromptError.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PROMPTVERSION

Represents an in-app guidance prompt or walkthrough.

For more information, see PromptVersion in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionButtonLabel	Action Button Label	string		25		
ActionButtonLink	Action Button URL	url		1000		
Body	Body	textarea		4000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DelayDays	Days In Between Displays	int	9			
Description	Description	string		255		
DismissButtonLabel	Dismiss Button Label	string		15		
DisplayPosition	Position	picklist		255		
DisplayType	Type	picklist		255		
ElementRelativePosition	Element Relative Position	picklist		255		
EndDate	End Date	date				
Header	Header	string		36		
Id	Prompt Version ID	id		18		
ImageAltText	Image Alt Text	string		255		
ImageId	Asset File ID	reference		18		
ImageLocation	Image Location	picklist		255		
IndexWithIsPublished	Index Formula Field With Is Published Data	string		400		
IndexWithoutIsPublished	Index Formula Field Without Is Published Data	string		400		
IsDeleted	Deleted	boolean				
IsPublished	Is Active	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		80		
ParentId	Prompt ID	reference		18		
PublishedByUserId	User ID	reference		18		
PublishedDate	Active Date	date				
ReferenceElementContext	Reference Element Context	textarea		50000		
ShouldDisplayActionButton	Display Action Button	boolean				
ShouldIgnoreGlobalDelay	Ignore Global Delay	boolean				
StartDate	Start Date	date				
StepNumber	Step Number	int	9			
SystemModstamp	System Modstamp	datetime				
TargetAppDeveloperName	Target Application Developer Name	string		80		
TargetAppNamespacePrefix	Target Application Namespace Prefix	string		15		
TargetPageKey1	Target Page Key 1	string		80		
TargetPageKey1Ref	Target Page Key 1 Reference	picklist		255		
TargetPageKey2	Target Page Key 2	string		80		
TargetPageKey3	Target Page Key 3	string		255		
TargetPageKey4	Target Page Key 4	string		255		
TargetPageType	Target Page Type	string		80		
TargetRecordTypeId	Record Type ID	reference		18		
ThemeColor	Theme Color	picklist		255		
ThemeSaturation	Theme Saturation	picklist		255		
TimesToDisplay	Number Of Times To Repeat	int	9			
Title	Title Label	string		36		
UserAccess	Access Permissions	picklist		255		
UserProfileAccess	Access Profiles	picklist		255		
VersionNumber	Version Number	int	9			
VideoLink	Video URL	url		1000		

PROVIDERSEARCHSYNCLOG

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FacilityId	Account ID	reference		18		
Id	Provider Search Sync Log ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastSync	Last Sync	datetime				
LastViewedDate	Last Viewed Date	datetime				
Message	Message	string		255		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProviderId	Healthcare Provider ID	reference		18		
ProviderName	Provider Name	string		255		
SyncStatus	Sync Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

PROVIDERSEARCHSYNCLOGFEED

Feed tracking for ProviderSearchSyncLog.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROVIDERSEARCHSYNCLOGHISTORY

History for tracked fields of ProviderSearchSyncLog.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Provider Search Sync Log History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProviderSearchSyncLogId	Provider Search Sync Log ID	reference		18		

PROVIDERSEARCHSYNCLOGSHARE

Sharing for ProviderSearchSyncLog.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PUBLICCOMPLAINT

Represents the complaints submitted by public users. This object is available in API version 49.0 and later.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Public Complaint ID	id		18		
IncidentDate	Incident Date	date				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Complaint ID	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PUBLICCOMPLAINTFEED

Feed tracking for PublicComplaint.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PUBLICCOMPLAINTHISTORY

History for tracked fields of PublicComplaint.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Public Complaint History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PublicComplaintId	Public Complaint ID	reference		18		

PUBLICCOMPLAINTSHARE

Sharing for PublicComplaint.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PUBLISHER

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
DurableId	Publisher Durable ID	string		255		
Id	Publisher ID	id		18		
IsSalesforce	Is Salesforce the Publisher?	boolean				
MajorVersion	Publisher Major Version	int	9			
MinorVersion	Publisher Minor Version	int	9			
Name	Publisher Name	string		70		
NamespacePrefix	Publisher Namespace Prefix	string		70		

PURCHASERPLAN

Represents the payer plan that a purchaser makes available to its members and members' dependents.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Affiliation	Affiliation	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
Id	Purchaser Plan ID	id		18		
IsDeleted	Deleted	boolean				
IsVerifiable	Verifiable	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Notes	Notes	textarea		32000		
OwnerId	Owner ID	reference		18		
PayerId	Account ID	reference		18		
PlanNumber	Plan Number	string		64		
PlanStatus	Plan Status	picklist		40		
PlanType	Plan Type	picklist		40		
ServiceType	Service Type	string		32		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
SystemModstamp	System Modstamp	datetime				

PURCHASERPLANASSN

Represents a junction object that associates the purchaser to the plans they offer to members.

For more information, see PurchaserPlanAssn in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Purchaser Plan Association Internal ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Purchaser Plan Association ID	string		255		
OwnerId	Owner ID	reference		18		
PurchaserId	Account ID	reference		18		
PurchaserPlanId	Purchaser Plan ID	reference		18		
Role	Role	picklist		40		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

PURCHASERPLANASSNFEED

Feed tracking for PurchaserPlanAssn.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PURCHASERPLANASSNHISTORY

History for tracked fields of PurchaserPlanAssn.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Purchaser Plan Association History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PurchaserPlanAssnId	Purchaser Plan Association Internal ID	reference		18		

PURCHASERPLANASSNSHARE

Sharing for PurchaserPlanAssn.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PURCHASERPLANFEED

Feed tracking for PurchaserPlan.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PURCHASERPLANHISTORY

History for tracked fields of PurchaserPlan.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Purchaser Plan History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PurchaserPlanId	Purchaser Plan ID	reference		18		

PURCHASERPLANSHARE

Sharing for PurchaserPlan.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PUSHTOPIC

Represents a query that is the basis for notifying Streaming API clients of changes to records in an org.

For more information, see PushTopic in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiVersion	API Version	double			18	1
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		400		
Id	Push Topic ID	id		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Topic Name	string		25		
NotifyForFields	Notify For Fields	picklist		40		
NotifyForOperationCreate	Create	boolean				
NotifyForOperationDelete	Delete	boolean				
NotifyForOperationUndelete	Undelete	boolean				
NotifyForOperationUpdate	Update	boolean				
NotifyForOperations	Notify For Operations	picklist		40		
Query	SOQL Query	string		1300		
SystemModstamp	System Modstamp	datetime				

QUEUESOBJECT

Represents the mapping between a queue Group and the sObject types associated with the queue, including custom objects.

For more information, see QueueSobject in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
Id	Queue sObject ID	id		18		
QueueId	Group ID	reference		18		
SobjectType	sObject Type	picklist		40		
SystemModstamp	System Modstamp	datetime				

QUICKTEXT

This object stores a snippet of text that allows users to send a quick response to a customer. Use quick text to create greetings, answers to common questions, short notes, and more.

For more information, see QuickText in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	picklist		40		
Channel	Channel	multipicklist		4099	0	
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FolderId	Folder ID	reference		18		
FolderName	Folder Name	string		256		
Id	Quick Text ID	id		18		
IsDeleted	Deleted	boolean				
IsInsertable	Include in selected channels	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Message	Message	textarea		4096		
Name	Quick Text Name	string		255		
OwnerId	Owner ID	reference		18		
SourceType	Source Entity Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

QUICKTEXTHISTORY

History for tracked fields of QuickText.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Quick Text History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
QuickTextId	Quick Text ID	reference		18		

QUICKTEXTSHARE

Sharing for QuickText.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

QUICKTEXTUSAGE

Represents the usage of quick text on a record, including which quick text was used, who used it, and how they used it.

For more information, see QuickTextUsage in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppContext	App Context	picklist		255		
Channel	Channel	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FolderId	Folder ID	reference		18		
Id	Quick Text Usage ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LaunchSource	Launch Source	picklist		255		
LoggedTime	Logged Time	datetime				
Name	Quick Text Usage Name	string		255		
OwnerId	Owner ID	reference		18		
QuickTextId	Quick Text ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

QUICKTEXTUSAGESHARE

Sharing for QuickTextUsage.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

QUOTE

The Quote object represents a quote, which is a record showing proposed prices for products and services.

For more information, see Quote in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AdditionalAddress	Additional To	address				
AdditionalCity	Additional To City	string		40		
AdditionalCountry	Additional To Country	string		80		
AdditionalGeocodeAccuracy	Additional To Geocode Accuracy	picklist		255		
AdditionalLatitude	Additional To Latitude	double			18	15
AdditionalLongitude	Additional To Longitude	double			18	15
AdditionalName	Additional To Name	string		255		
AdditionalPostalCode	Additional To Zip/Postal Code	string		20		
AdditionalState	Additional To State/Province	string		80		
AdditionalStreet	Additional To Street	textarea		255		
BillingAddress	Bill To	address				
BillingCity	Bill To City	string		40		
BillingCountry	Bill To Country	string		80		
BillingGeocodeAccuracy	Bill To Geocode Accuracy	picklist		255		
BillingLatitude	Bill To Latitude	double			18	15
BillingLongitude	Bill To Longitude	double			18	15
BillingName	Bill To Name	string		255		
BillingPostalCode	Bill To Zip/Postal Code	string		20		
BillingState	Bill To State/Province	string		80		
BillingStreet	Bill To Street	textarea		255		
CanCreateQuoteLineItems	Can Create Quote Line Items	boolean				
ContactId	Contact ID	reference		18		

Quote

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContractId	Contract ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Discount	Discount	percent			5	2
Email	Email	email		80		
ExpirationDate	Expiration Date	date				
Fax	Fax	phone		40		
GrandTotal	Grand Total	currency			18	2
Id	Quote ID	id		18		
IsDeleted	Deleted	boolean				
IsSyncing	Syncing	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LineItemCount	Line Items	int	9			
Name	Quote Name	string		255		
OpportunityId	Opportunity ID	reference		18		
OwnerId	Owner ID	reference		18		
Phone	Phone	phone		40		
Pricebook2Id	Price Book ID	reference		18		
QuoteNumber	Quote Number	string		30		
QuoteToAddress	Quote To	address				
QuoteToCity	Quote To City	string		40		
QuoteToCountry	Quote To Country	string		80		
QuoteToGeocodeAccuracy	Quote To Geocode Accuracy	picklist		255		
QuoteToLatitude	Quote To Latitude	double			18	15
QuoteToLongitude	Quote To Longitude	double			18	15
QuoteToName	Quote To Name	string		255		

Quote

Field Name	Field Label	Type	Digits	Length	Precision	Scale
QuoteToPostalCode	Quote To Zip/Postal Code	string		20		
QuoteToState	Quote To State/Province	string		80		
QuoteToStreet	Quote To Street	textarea		255		
RecordTypeId	Record Type ID	reference		18		
ShippingAddress	Ship To	address				
ShippingCity	Ship To City	string		40		
ShippingCountry	Ship To Country	string		80		
ShippingGeocodeAccuracy	Ship To Geocode Accuracy	picklist		255		
ShippingHandling	Shipping and Handling	currency			18	2
ShippingLatitude	Ship To Latitude	double			18	15
ShippingLongitude	Ship To Longitude	double			18	15
ShippingName	Ship To Name	string		255		
ShippingPostalCode	Ship To Zip/Postal Code	string		20		
ShippingState	Ship To State/Province	string		80		
ShippingStreet	Ship To Street	textarea		255		
Status	Status	picklist		40		
Subtotal	Subtotal	currency			18	2
SystemModstamp	System Modstamp	datetime				
Tax	Tax	currency			18	2
TotalPrice	Total Price	currency			18	2
vlocity_ins__AgencyBrokerageId__c	Agency/Brokerage	reference		18		
vlocity_ins__CalculatedPriceData__c	Calculated Price Data	textarea		131072		
vlocity_ins__DaysRemaining__c	Days Remaining	double			18	0
vlocity_ins__EffectiveDate__c	Effective Date	date				
vlocity_ins__EndDate__c	End Date	date				
vlocity_ins__FrameContractId__c	Frame Contract	reference		18		
vlocity_ins__IsContractRequired__c	Require Contract	boolean				
vlocity_ins__MarketSegment__c	Market Segment	picklist		255		
vlocity_ins__MonthlyPremium__c	Monthly Premium	currency			18	2
vlocity_ins__OpportunityAccountId__c	Opportunity Account Id	string		1300		

Quote

Field Name	Field Label	Type	Digits	Length	Precision	Scale
vlocity_ins__OriginalFeeForTerm__c	Original Fee for Term	currency			18	2
vlocity_ins__OriginalPremiumForTerm__c	Original Premium for Term	currency			18	2
vlocity_ins__OriginalTaxForTerm__c	Original Tax for Term	currency			18	2
vlocity_ins__ParentQuoteId__c	Parent Quote	reference		18		
vlocity_ins__PrimaryProductId__c	Primary Quoted Product	string		1300		
vlocity_ins__PrimaryRootItemId__c	Primary Root Item	reference		18		
vlocity_ins__ProducerId__c	Producer	reference		18		
vlocity_ins__QuoteGroupId__c	Quote Group	reference		18		
vlocity_ins__RatingType__c	Rating Type	picklist		255		
vlocity_ins__RecordTypeName__c	Record Type Name	string		1300		
vlocity_ins__RenewalSourceContractId__c	Renewal Source Contract	reference		18		
vlocity_ins__RootItemTotal__c	Total Price	currency			18	2
vlocity_ins__SourceAssetId__c	Source Asset	reference		18		
vlocity_ins__StandardPremium__c	Standard Premium	currency			18	2
vlocity_ins__Term__c	Term	picklist		255		
vlocity_ins__TermsOfEligibility__c	Terms of Eligibility	string		255		
vlocity_ins__TotalAdjustmentAmount__c	Total Adjustment Amount	currency			18	2
vlocity_ins__TotalAmountForTermDifference__c	Total Amount for Term Difference	currency			18	2
vlocity_ins__TotalAmount__c	Total Amount	currency			18	2
vlocity_ins__TotalFeeAmount__c	Total Fee Amount	currency			18	2
vlocity_ins__TotalFeeForTerm__c	Total Fee for Term	currency			18	2
vlocity_ins__TotalFeeForTermDifference__c	Total Fee for Term Difference	currency			18	2
vlocity_ins__TotalPremiumForTermDifference__c	Total Premium for Term Difference	currency			18	2
vlocity_ins__TotalPremiumForTerm__c	Total Premium for Term	currency			18	2
vlocity_ins__TotalSumInsured__c	Total Sum Insured	currency			18	2
vlocity_ins__TotalTaxAmount__c	Total Tax Amount	currency			18	2
vlocity_ins__TotalTaxForTerm__c	Total Tax for Term	currency			18	2
vlocity_ins__TotalTaxForTermDifference__c	Total Tax for Term Difference	currency			18	2
vlocity_ins__Type__c	Type	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
vlocity_ins__UnderwriterId_c	Underwriter	reference		18		

QUOTEDOCUMENT

Represents a quote in document format.

For more information, see QuoteDocument in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentVersionDocumentId	ContentVersion ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Discount	Discount	percent			5	2
Document	PDF Document	base64				
GrandTotal	Grand Total	currency			18	2
Id	Quote PDF ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		270		
QuoteId	Quote ID	reference		18		
SystemModstamp	System Modstamp	datetime				

QUOTEFEED

Feed tracking for Quote.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

QUOTELINEITEM

The QuoteLineItem object represents a quote line item, which is a member of the list of Product2 products associated with a Quote, along with other information about those line items on that quote.

For more information, see QuoteLineItem in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Line Item Description	string		255		
Discount	Discount	percent			5	2
HasQuantitySchedule	Has Quantity Schedule	boolean				
HasRevenueSchedule	Has Revenue Schedule	boolean				
HasSchedule	Schedule	boolean				
Id	Quote Line Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LineNumber	Line Item Number	string		255		
ListPrice	List Price	currency			18	2
OpportunityLineItemId	Line Item ID	reference		18		
PricebookEntryId	Price Book Entry ID	reference		18		
Product2Id	Product ID	reference		18		
Quantity	Quantity	double			12	2
QuoteId	Quote ID	reference		18		
ServiceDate	Date	date				
SortOrder	Sort Order	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Subtotal	Subtotal	currency			18	2
SystemModstamp	System Modstamp	datetime				
TotalPrice	Total Price	currency			18	2
UnitPrice	Sales Price	currency			18	2
vlocity_ins__Action__c	Action	picklist		255		
vlocity_ins__AdjustmentComments__c	AdjustmentComments	textarea		131072		
vlocity_ins__AttributeMetadataChanges__c	Attribute Metadata Changes	textarea		32768		
vlocity_ins__AttributeSelectedValues__c	Attribute Selected Values	textarea		131072		
vlocity_ins__AttributesData__c	Attributes Data	textarea		131072		
vlocity_ins__CalculatedPriceJSON__c	CalculatedPriceJSON	textarea		131072		
vlocity_ins__ClassCodes__c	Class Codes	string		255		
vlocity_ins__ContractCode__c	Contract Code	string		80		
vlocity_ins__EnrollmentEndDate__c	Enrollment End Date	date				
vlocity_ins__EnrollmentStartDate__c	Enrollment Start Date	date				
vlocity_ins__EnrollmentWaitingPeriod__c	Enrollment Waiting Period	double			4	0
vlocity_ins__FeeAmount__c	Fee Amount	currency			18	2
vlocity_ins__GroupClassName__c	Group Class Name	string		1300		
vlocity_ins__ImageId__c	Image & Icon	string		1300		
vlocity_ins__Image__c	Image	textarea		32768		
vlocity_ins__InCartQuantityMap__c	InCartQuantityMap	textarea		131072		
vlocity_ins__IsProductTrackAgreement__c	Is Product Track Agreement	boolean				
vlocity_ins__ItemName__c	Name	string		255		
vlocity_ins__JSONAttribute__c	JSONAttribute	textarea		131072		
vlocity_ins__LineNumber__c	Line Number	string		255		
vlocity_ins__NeedReprice__c	Need Reprice	boolean				
vlocity_ins__ParentItemId2__c	Parent Item Id	reference		18		
vlocity_ins__ParentItemId__c	ParentItemId	string		255		
vlocity_ins__PricingLogData__c	Pricing Log	textarea		131072		
vlocity_ins__PricingSource__c	Pricing Source	string		1300		
vlocity_ins__PrimaryChildLineItemId__c	Primary Child Line Item	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
velocity_ins_ProductChildSequence_c	Product Child Item Sequence	double			18	0
velocity_ins_ProductHierarchyPath_c	Product Hierarchy Path	string		255		
velocity_ins__ProductName__c	Name	string		1300		
velocity_ins_ProvisioningStatus_c	Provisioning Status	string		255		
velocity_ins__RatingType__c	Rating Type	picklist		255		
velocity_ins_RecordTypeName_c	Product Record Type Name	string		1300		
velocity_ins_RelationshipType_c	RelationshipType	picklist		255		
velocity_ins__RootItemId__c	RootItemId	string		255		
velocity_ins__SubAction__c	Sub Action	picklist		255		
velocity_ins__SubParentItemId__c	Sub Parent Item Id	reference		18		
velocity_ins__TaxAmount__c	Tax Amount	currency			18	2
velocity_ins__TotalAmount__c	Total Amount	currency			18	2
velocity_ins__TotalSumInsured__c	Total Sum Insured	currency			18	2
velocity_ins__Type__c	Product Type	string		1300		

QUOTESHARE

Sharing for Quote.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

QUOTETEMPLATERICHTEXTDATA

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Data	Data	textarea		32000		
Id	Quote Template Rich Text Data Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Quote Template Rich Text Data	string		255		
SystemModstamp	System Modstamp	datetime				

QUOTE__SHARE

Sharing for Quote__.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

QUOTE__C

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BookedFareClass__c	BookedFareClass	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Record ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MayEdit	May Edit	boolean				
Name	Quote Name	string		80		
OwnerId	Owner ID	reference		18		
Points__c	Points	double			18	0
SystemModstamp	System Modstamp	datetime				

REBATEMEMBERPRODUCTAGGREGATE

Stores the post calculation summary of journal transactions by member, period, and rebate type. For example, ABC enterprises for May 2021 against Vol Rebate on Radius category, did a total quantity of 150 units and transaction amount of \$80,000.

For more information, see `RebateMemberProductAggregate` in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CountrySegmentAggr__c	CountrySegmentAggr	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
GrowthAmount	Growth Amount	currency			18	2
GrowthAmountPercent	Growth Amount Percent	percent			16	2
GrowthQuantity	Growth Quantity	double			18	2
GrowthQuantityPercent	Growth Quantity Percent	percent			16	2
Id	Rebate Aggregate Object ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PriorTotalQuantity	Prior Total Quantity	double			18	2
PriorTotalTransactionAmount	Prior Total Transaction Amount	currency			18	2
ProductId	Product ID	reference		18		
ProgramRebateTypeId	Program Rebate Type ID	reference		18		
RebateProgramMemberId	Rebate Program Member ID	reference		18		
RebateProgramPayoutPeriodId	Rebate Program Payout Period ID	reference		18		

RebateMemberProductAggregate

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RegionAggr__c	RegionAggr	picklist		255		
RollupProgramMemberId	Rollup Program Member ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalQuantity	Total Quantity	double			18	2
TotalTransactionAmount	Total Transaction Amount	currency			18	2
Total_Eligible_Amount__c	Total Eligible Amount	currency			18	0
TransactionJournalId	Transaction Journal ID	reference		18		

REBATEMEMBERPRODUCTAGGREGATEFEED

Feed tracking for RebateMemberProductAggregate.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REBATEMEMBERPRODUCTAGGREGATEHISTORY

History for tracked fields of RebateMemberProductAggregate.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Rebate Member Product Aggregate History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RebateMemberProductAggregateId	Rebate Aggregate Object ID	reference		18		

REBATEMEMBERPRODUCTAGGREGATESHARE

Sharing for RebateMemberProductAggregate.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

REBATEPAYMENT

Tracks if the payment has been generated for this member for back end processing.
For more information, see RebatePayment in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Rebate Payment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PaymentDate	Payment Date	date				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

REBATEPAYMENTFEED

Feed tracking for RebatePayment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REBATEPAYMENTHISTORY

History for tracked fields of RebatePayment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Rebate Payment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RebatePaymentId	Rebate Payment ID	reference		18		

REBATEPAYMENTSHARE

Sharing for RebatePayment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

REBATEPAYOUTADJUSTMENT

Rebate amount adjustment that needs to be given manually. An adjustment is an amount added or subtracted to the calculated rebate amount.

For more information, see `RebatePayoutAdjustment` in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentAmount	Adjustment Amount	currency			18	2
ApprovedDate	Approval Date	date				
Comments	Comments	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Rebate Payout Adjustment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
RebateProgramMemberPayoutId	Rebate Program Member Payout ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

REBATEPAYOUTADJUSTMENTFEED

Feed tracking for RebatePayoutAdjustment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REBATEPAYOUTADJUSTMENTHISTORY

History for tracked fields of RebatePayoutAdjustment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Rebate Payout Adjustment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RebatePayoutAdjustmentId	Rebate Payout Adjustment ID	reference		18		

REBATEPROGRAM

The rebate program your organization runs with a single account, all accounts, or specific list of accounts.

For more information, see RebateProgram in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
EndDate	End Date	date				
Frequency	Frequency	picklist		255		
GracePeriodDayCount	Transaction Grace Days	int	9			
Id	Rebate Program ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PayoutCalculationDayCount	Payout Calculation Days	int	9			
ProgramReferenceNumber	Program Reference Number	string		30		
RebateProgramUrl	Link to Program Details	url		255		
StartDate	Start Date	date				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

REBATEPROGRAMFEED

Feed tracking for RebateProgram.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REBATEPROGRAMHISTORY

History for tracked fields of RebateProgram.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Rebate Program History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RebateProgramId	Rebate Program ID	reference		18		

REBATEPROGRAMMEMBER

The member of a rebate program. By virtue of being a member, the partner or business account is eligible to get rebate payments. For example, ABC Enterprises and HVAC Corp are members of GoldStone Volume Rebate Program.

For more information, see RebateProgramMember in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CumulativePayoutAmount	Cumulative Payout Amount	currency			18	2
Id	Rebate Program Member ID	id		18		
IsDeleted	Deleted	boolean				
IsPayoutCalcSkipped	Skip Payout Calculation	boolean				
LastActivationDate	Last Activation Date	date				
LastDeactivationDate	Last Deactivation Date	date				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MemberStatus	Status	picklist		255		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RebateProgramId	Rebate Program ID	reference		18		
ShipToAccountId	Account ID	reference		18		
SystemModstamp	System Modstamp	datetime				

REBATEPROGRAMMEMBERFEED

Feed tracking for RebateProgramMember.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REBATEPROGRAMMEMBERHISTORY

History for tracked fields of RebateProgramMember.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Rebate Program Member History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RebateProgramMemberId	Rebate Program Member ID	reference		18		

REBATEPROGRAMMEMBERPAYOUT

The payout calculated for a member for the period. For example, \$1000 Jan'21 payout for ABC enterprises.

For more information, see `RebateProgramMemberPayout` in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccruedAmount	Accrued Amount	currency			18	2
CalculatedRebateAmount	Calculated Rebate Amount	currency			18	2
CalculationDate	Calculation Date	date				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Rebate Program Member Payout ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MemberId	Rebate Program Member ID	reference		18		
Name	Name	string		255		
PaymentId	Rebate Payment ID	reference		18		
PeriodId	Rebate Program Payout Period ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalApprovedAdjustmentAmount	Total Approved Adjustment Amount	currency			18	2
TotalRebateAmount	Total Rebate Amount	currency			18	2

REBATEPROGRAMMEMBERPAYOUTFEED

Feed tracking for RebateProgramMemberPayout.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REBATEPROGRAMMEMBERPAYOUTHISTORY

History for tracked fields of RebateProgramMemberPayout.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Rebate Program Member Payout History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RebateProgramMemberPayoutId	Rebate Program Member Payout ID	reference		18		

REBATEPROGRAMMEMBERSHARE

Sharing for RebateProgramMember.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

REBATEPROGRAMPAYOUTPERIOD

The period of the payout calculation. For example, 1st to 31st Jan, or 1st Dec to 14th Dec.

For more information, see `RebateProgramPayoutPeriod` in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDate	End Date	date				
Id	Rebate Program Payout Period ID	id		18		
IsDeleted	Deleted	boolean				
LastCalculationDate	Last Calculation Date	date				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MemberPayoutCount	Number of Member Payouts	int	9			
Name	Name	string		255		
PayoutCalculationDate	Payout Calculation Date	date				
RebateProgramId	Rebate Program ID	reference		18		
StartDate	Start Date	date				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalApprovedAmount	Total Approved Amount	currency			18	2
TotalRejectedAmount	Total Rejected Amount	currency			18	2
TransactionGracePeriodDate	Transaction Grace Date	date				

REBATEPROGRAMPAYOUTPERIODFEED

Feed tracking for RebateProgramPayoutPeriod.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REBATEPROGRAMPAYOUTPERIODHISTORY

History for tracked fields of RebateProgramPayoutPeriod.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Rebate Program Payout Period History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RebateProgramPayoutPeriodId	Rebate Program Payout Period ID	reference		18		

REBATEPROGRAMSHARE

Sharing for RebateProgram.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

RECEIVEDDOCUMENT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Direction	Direction	picklist		255		
DocumentNumber	Document Number	string		225		
Id	Received Document ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Priority	Priority	picklist		255		
Source	Source	string		225		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

RECEIVEDDOCUMENTFEED

Feed tracking for ReceivedDocument.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

RECEIVEDDOCUMENTHISTORY

History for tracked fields of ReceivedDocument.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Received Document History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ReceivedDocumentId	Received Document ID	reference		18		

RECEIVEDDOCUMENTSHARE

Sharing for ReceivedDocument.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

RECENTLYVIEWED

Represents records or list views that the current user has recently viewed or referenced (by viewing a related record). List views are available in API version 29.0 and later.

For more information, see RecentlyViewed in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Alias	Alias	string		8		
Email	Email	email		80		
FirstName	First Name	string		40		
Id	Recently Viewed ID	id		18		
IsActive	Active	boolean				
Language	Language	picklist		40		
LastName	Last Name	string		80		
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
NameOrAlias	Name or Alias	string		80		
Phone	Phone	phone		40		
ProfileId	Profile ID	reference		18		
RecordTypeId	Record Type ID	reference		18		
Title	Title	string		80		
Type	Type	picklist		40		
UserRoleId	Role ID	reference		18		

RECOMMENDATION

Represents the recommendations surfaced as offers and actions for Einstein Next Best Action.

For more information, see Recommendation in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AcceptanceLabel	Acceptance Label	string		80		
ActionReference	Action	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
ExternalId	External Id	string		255		
Id	Recommendation ID	id		18		
ImageId	Asset File ID	reference		18		
IsActionActive	Is Action Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		80		
RecommendationMode	Recommendation Mode	picklist		255		
RecommendationScore	Recommendation Score	double			5	2
RejectionLabel	Rejection Label	string		80		
SystemModstamp	System Modstamp	datetime				

RECORDACTION

Represents a relationship between a record and an action, such as a flow. Create a RecordAction for every action that you want to associate with a particular record.

For more information, see RecordAction in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionDefinition	Action Definition	picklist		255		
ActionType	Action Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FlowDefinition	Interaction Definition ID	picklist		255		
FlowInterviewId	FlowInterview ID	reference		18		
Id	RecordAction ID	id		18		
IsDeleted	Deleted	boolean				
IsMandatory	Is Mandatory	boolean				
IsUiRemoveHidden	Hide Remove Action in UI	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Order	Order	int	9			
Pinned	Pinned	picklist		255		
RecordId	Parent Record ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

RECORDACTIONHISTORY

Represents the lifecycle of a RecordAction as it goes through different states.

For more information, see RecordActionHistory in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionDefinitionApiName	Action Definition API Name	string		255		
ActionDefinitionLabel	Action Definition Label	string		255		
ActionType	Action Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	RecordActionHistory ID	id		18		
IsMandatory	Is Mandatory	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LoggedTime	Logged Time	datetime				
ParentRecordId	Parent Record ID	reference		18		
Pinned	Pinned	picklist		255		
RecordActionId	RecordAction Id	string		18		
State	State	picklist		255		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

RECORDDISPLAYLOOKUP

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DimensionId	Dimension ID	reference		18		
Id	Dimension Record Display Lookup Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RecordDisplayField	Record Display Field	string		255		
SortIndex	Sort Index	int	9			
SystemModstamp	System Modstamp	datetime				

RECORDTYPE

Represents a record type.

For more information, see RecordType in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessProcessId	Business Process ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	Record Type Name	string		80		
Id	Record Type ID	id		18		
IsActive	Active	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		80		
NamespacePrefix	Namespace Prefix	string		15		
ObjectType	SObject Type Name	picklist		40		
SystemModstamp	System Modstamp	datetime				

RECORDSETFILTERCRITERIA

Represents a set of filters that can be used to match service appointments or assets based on your criteria fields.

For more information, see RecordsetFilterCriteria in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
FilteredObject	Filtered Object	picklist		255		
Id	Recordset Filter Criteria ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Recordset Filter Criteria Name	string		255		
OwnerId	Owner ID	reference		18		
SourceObject	Source Object	picklist		255		
SystemModstamp	System Modstamp	datetime				

RECORDSETFILTERCRITERIAFEED

Feed tracking for RecordsetFilterCriteria.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RECORDSETFILTERCRITERIAHISTORY

History for tracked fields of RecordsetFilterCriteria.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Recordset Filter Criteria History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RecordsetFilterCriteriaId	Recordset Filter Criteria ID	reference		18		

RECORDSETFILTERCRITERIARULE

Represents a rule using fields from the designated source object to create filters on the filtered, or target, object.

For more information, see RecordsetFilterCriteriaRule in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CriteriaField	Criteria Field	picklist		255		
Id	Recordset Filter Criteria Rule ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Operator	Operator	picklist		255		
RecordsetFilterCriteriaId	Recordset Filter Criteria ID	reference		18		
RecordsetFilterCriteriaRuleNumber	Recordset Filter Criteria Rule Number	string		255		
SystemModstamp	System Modstamp	datetime				
Value	Value	textarea		256		

RECORDSETFILTERCRITERIASHARE

Sharing for RecordsetFilterCriteria.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

REDIRECTWHITELISTURL

Represents a trusted URL that users can navigate to without being shown a warning message.

For more information, see RedirectWhitelistUrl in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Trusted URL for Redirects ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				
Url	URL	string		255		

REFUND

Represents a refund made against a payment.

For more information, see Refund in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Amount	Amount	currency			18	2
Balance	Balance	currency			18	2
CancellationDate	Cancellation Date	datetime				
CancellationEffectiveDate	Cancellation Effective Date	datetime				
CancellationGatewayDate	Cancellation Gateway Date	datetime				
CancellationGatewayRefNumber	Cancellation Gateway Reference Number	string		255		
CancellationGatewayResultCode	Cancellation Gateway ResultCode	string		64		
CancellationSfResultCode	Cancellation Salesforce ResultCode	string		64		
ClientContext	Client Context	textarea		2000		
Comments	Comments	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Date	Date	datetime				
EffectiveDate	Effective Date	datetime				
Email	Audit Email	email		80		
GatewayDate	Gateway Date	datetime				
GatewayRefNumber	Gateway Reference Number	string		255		
GatewayResultCode	Gateway ResultCode	string		64		
GatewayResultCodeDescription	Gateway ResultCode Description	string		255		
Id	Refund ID	id		18		

Refund

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ImpactAmount	Impact Amount	currency			18	2
IpAddress	IP Address	string		39		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MacAddress	MAC Address	string		32		
NetApplied	Net Applied	currency			18	2
PaymentGatewayId	Payment Gateway ID	reference		18		
PaymentGroupId	Payment Group ID	reference		18		
PaymentMethodId	Payment Method ID	reference		18		
Phone	Phone	phone		40		
ProcessingMode	Processing Mode	picklist		255		
RefundNumber	Refund Number	string		255		
SfResultCode	Salesforce ResultCode	picklist		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalApplied	Total Applied	currency			18	2
TotalUnapplied	Total Unapplied	currency			18	2
Type	Type	picklist		255		

REFUNDLINEPAYMENT

A refund line that has been applied to a payment.

For more information, see RefundLinePayment in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
AppliedDate	Applied Date	datetime				
AssociatedAccountId	Account ID	reference		18		
AssociatedRefundLinePaymentId	Refund Line Payment ID	reference		18		
Comments	Comments	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Date	Date	datetime				
EffectiveDate	Effective Date	datetime				
EffectiveImpactAmount	Effective Impact Amount	currency			18	2
HasBeenUnapplied	Has Been Unapplied	picklist		255		
Id	Refund Line Payment ID	id		18		
ImpactAmount	Impact Amount	currency			18	2
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PaymentBalance	Payment Balance	currency			18	2
PaymentId	Payment ID	reference		18		
RefundBalance	Refund Balance	currency			18	2
RefundId	Refund ID	reference		18		
RefundLinePaymentNumber	Refund Line Payment Number	string		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

RefundLinePayment

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UnappliedDate	Unapplied Date	datetime				

REGAUTHORIZATIONTYPEPRODUCT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Regulatory Authorization Type Product ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RegulatoryAuthorizationTypeId	Regulatory Authorization Type ID	reference		18		
SystemModstamp	System Modstamp	datetime				

REGAUTHORIZATIONTYPEPRODUCTFEED

Feed tracking for RegAuthorizationTypeProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REGAUTHORIZATIONTYPEPRODUCTHISTORY

History for tracked fields of RegAuthorizationTypeProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Regulatory Authorization Type Product History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RegAuthorizationTypeProductId	Regulatory Authorization Type Product ID	reference		18		

REGAUTHORIZATIONTYPEPRODUCTSHARE

Sharing for RegAuthorizationTypeProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

REGULATORYAUTHAPPLICATION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AmountPaid	Amount Paid	currency			18	0
ApplicationCategory	Application Category	picklist		40		
ApplicationType	Application Type	picklist		40		
AppliedDate	Applied Date	datetime				
ApprovedDate	Approved Date	datetime				
CreatedById	User ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Regulatory Authorization Application ID	id		18		
ImplementorType	Implementor Type	string		255		
IsDeleted	Deleted	boolean				
LastModifiedById	User ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PaymentDate	Payment Date	datetime				
RequirementsCompleteDate	Requirements Complete Date	datetime				
SystemModstamp	System Modstamp	datetime				

REGULATORYAUTHORITY

Represents an organization or government agency that provides authorization. This object is available in API version 49.0 and later.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Regulatory Authority ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

REGULATORYAUTHORITYFEED

Feed tracking for RegulatoryAuthority.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REGULATORYAUTHORITYHISTORY

History for tracked fields of RegulatoryAuthority.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Regulatory Authority History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RegulatoryAuthorityId	Regulatory Authority ID	reference		18		

REGULATORYAUTHORITYSHARE

Sharing for RegulatoryAuthority.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

REGULATORYAUTHORIZATIONTYPE

Represents the authorization issued by the regulatory body.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DurationType	Duration Type	picklist		255		
Id	Regulatory Authorization Type ID	id		18		
IsDeleted	Deleted	boolean				
IssuingDepartmentId	Regulatory Authority ID	reference		18		
Jurisdiction	Jurisdiction	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProcessingDuration	Processing Duration	string		255		
RegulatoryAuthCategory	Regulatory Authorization Category	picklist		40		
RegulatoryAuthCode	Regulatory Authorization Code	string		255		
SystemModstamp	System Modstamp	datetime				

REGULATORYAUTHORIZATIONTYPEFEED

Feed tracking for RegulatoryAuthorizationType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REGULATORYAUTHORIZATIONTYPEHISTORY

History for tracked fields of RegulatoryAuthorizationType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Regulatory Authorization Type History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RegulatoryAuthorizationTypeId	Regulatory Authorization Type ID	reference		18		

REGULATORYAUTHORIZATIONTYPE SHARE

Sharing for RegulatoryAuthorizationType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

REGULATORYCODE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
EffectiveFrom	Effective From	datetime				
EffectiveTo	Effective To	datetime				
Id	Regulatory Code ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParentCodeId	Regulatory Code ID	reference		18		
RegulatoryAuthorityId	Regulatory Authority ID	reference		18		
Subject	Subject	string		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

REGULATORYCODEASSESSMENTIND

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentIndDefinitionId	Assessment Indicator Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Regulatory Code Assessment Indicator ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Regulatory Code Assessment Indicator ID	string		255		
RegulatoryCodeId	Regulatory Code ID	reference		18		
SystemModstamp	System Modstamp	datetime				

REGULATORYCODEASSESSMENTINDFEED

Feed tracking for RegulatoryCodeAssessmentInd.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REGULATORYCODEASSESSMENTINDHISTORY

History for tracked fields of RegulatoryCodeAssessmentInd.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Regulatory Code Assessment Indicator History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RegulatoryCodeAssessmentIndId	Regulatory Code Assessment Indicator ID	reference		18		

REGULATORYCODEFEED

Feed tracking for RegulatoryCode.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REGULATORYCODEHISTORY

History for tracked fields of RegulatoryCode.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Regulatory Code History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RegulatoryCodeId	Regulatory Code ID	reference		18		

REGULATORYCODEVIOLATION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ComplianceDueDate	Compliance Due Date	datetime				
CorrectiveActionDescription	Corrective Action Description	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DateCreated	Date Created	datetime				
DateResolved	Date Resolved	datetime				
DaysOpen	Days Open	int	9			
Description	Description	string		255		
Id	Regulatory Code Violation ID	id		18		
InspectionAssmntIndId	Inspection Assessment Indicator ID	reference		18		
InspectionId	Visit ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Violation ID	string		255		
OwnerId	Owner ID	reference		18		
Priority	Priority	picklist		40		
RecurrenceCount	Recurrence	int	9			
RegulatoryCodeId	Regulatory Code ID	reference		18		
ResolutionNotes	Resolution Notes	textarea		1000		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ViolationTypeId	Violation Type ID	reference		18		

REGULATORYCODEVIOLATIONFEED

Feed tracking for RegulatoryCodeViolation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REGULATORYCODEVIOLATIONHISTORY

History for tracked fields of RegulatoryCodeViolation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Regulatory Code Violation History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RegulatoryCodeViolationId	Regulatory Code Violation ID	reference		18		

REGULATORYCODEVIOLATIONSHARE

Sharing for RegulatoryCodeViolation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

REGULATORYTRXNFEE

Represents the association of regulatory transaction fees with your applications, inspections, or violations.

For more information, see RegulatoryTrxnFee in the *Public Sector Solutions Developer Guide for License and Permit Management, and Inspection Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CalculationDate	Calculation Date	datetime				
Comments	Comments	textarea		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DueDate	Due Date	datetime				
Id	Regulatory Transaction Fee ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Regulatory Transaction Fee Id	string		255		
OwnerId	Owner ID	reference		18		
ParentRecordId	Parent Record ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

REGULATORYTRXNFEEFEED

Feed tracking for RegulatoryTrxnFee.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REGULATORYTRXNFEEHISTORY

History for tracked fields of RegulatoryTrxnFee.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Regulatory Transaction Fee History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RegulatoryTrxnFeeId	Regulatory Transaction Fee ID	reference		18		

REGULATORYTRXNFEEITEM

Represents the storage of specific fee items associated with your regulatory transaction fees.

For more information, see RegulatoryTrxnFeeItem in the *Public Sector Solutions Developer Guide for License and Permit Management, and Inspection Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CalculationInfo	Calculation Information	string		255		
Comments	Comments	textarea		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FeeAmount	Fee Amount	currency			18	2
Id	Regulatory Transaction Fee Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
RegulatoryTrxnFeeId	Regulatory Transaction Fee ID	reference		18		
SystemModstamp	System Modstamp	datetime				

REGULATORYTRXNFEEITEMFEED

Feed tracking for RegulatoryTrxnFeeItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REGULATORYTRXNFEEITEMHISTORY

History for tracked fields of RegulatoryTrxnFeeItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Regulatory Transaction Fee Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RegulatoryTrxnFeeItemId	Regulatory Transaction Fee Item ID	reference		18		

REGULATORYTRXNFEE SHARE

Sharing for RegulatoryTrxnFee.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

RELATIONSHIPDOMAIN

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChildSubjectId	Entity Definition ID	string		70		
DurableId	Relationship Domain Durable ID	string		255		
FieldId	Field Definition ID	string		70		
Id	Relationship Domain ID	id		18		
IsCascadeDelete	Is Cascade Delete?	boolean				
IsDeprecatedAndHidden	Is Deprecated And Hidden?	boolean				
IsRestrictedDelete	Is Restricted Delete?	boolean				
JunctionIdListNames	Names of the Junction Id Lists	complexvalue				
ParentSubjectId	Entity Definition ID	string		70		
RelationshipInfoId	Relationship Info ID	string		70		
RelationshipName	Relationship Name	string		80		

RELATIONSHIPINFO

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChildSubjectId	Entity Definition ID	string		70		
DurableId	Relationship Info Durable ID	string		255		
FieldId	Field Definition ID	string		70		
Id	Relationship Info ID	id		18		
IsCascadeDelete	Is Cascade Delete?	boolean				
IsDeprecatedAndHidden	Is Deprecated And Hidden?	boolean				
IsRestrictedDelete	Is Restricted Delete?	boolean				
JunctionIdListNames	Names of the Junction Id Lists	complexvalue				

REMOTEKEYCALLOUTEVENT

An event related to the RemoteKeyCalloutEvent object.

For more information, see RemoteKeyCalloutEvent in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Details	Details	textarea		32000		
EventUuid	Event UUID	string		36		
ReplayId	Replay ID	string		1000		
RequestIdIdentifier	Request Identifier	string		255		
StatusCode	Status Code	picklist		255		

REPORT

Represents a report, a set of data that meets certain criteria, displayed in an organized way. Access is read-only.

For more information, see Report in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	Report Unique Name	string		80		
FolderName	Folder Name	string		256		
Format	Format	picklist		40		
Id	Report ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastRunDate	Last Run	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Report Name	string		40		
NamespacePrefix	Namespace Prefix	string		15		
OwnerId	Owner ID	reference		18		
ReportTypeApiName	Report Type API Name	string		50		
SystemModstamp	System Modstamp	datetime				

REPORTANOMALYEVENT

Tracks anomalies in how users run or export reports, including unsaved reports.

For more information, see ReportAnomalyEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event ID	string		80		
EventUuid	Event UUID	string		36		
LoginKey	Login Key	string		24		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
ReplayId	Replay ID	string		1000		
Report	Report ID	string		18		
Score	Score	double			12	6
SecurityEventData	Event Data	textarea		10000		
SessionKey	Session Key	string		24		
SourceIp	Source IP Address	string		255		
Summary	Summary	textarea		1000		
UserId	User ID	reference		18		
Username	Username	string		255		

REPORTANOMALYEVENTSTORE

Tracks anomalies in how users run or export reports, including unsaved reports.

For more information, see ReportAnomalyEventStore in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event ID	string		80		
Id	Report Anomaly Event Store ID	id		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoginKey	Login Key	string		24		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
Report	Report ID	string		18		
ReportAnomalyEventNumber	Event Name	string		255		
Score	Score	double			12	6
SecurityEventData	Event Data	textarea		10000		
SessionKey	Session Key	string		24		
SourceIp	Source IP Address	string		255		
Summary	Summary	textarea		1000		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		
Username	Username	string		255		

REPORTANOMALYEVENTSTOREFEED

Feed tracking for ReportAnomalyEventStore.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REPORTEVENT

Tracks when reports are run in your org.

For more information, see ReportEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ColumnHeaders	Name of Columns	string		10000		
CreatedDate	Created Date	datetime				
DashboardId	Dashboard ID	reference		18		
DashboardName	Dashboard Name	string		80		
Description	Description	string		255		
DisplayedFieldEntities	Displayed Field Entities	string		10000		
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
EventSource	Event Source	picklist		255		
ExecutionIdentifier	Execution Identifier	string		80		
ExportFileFormat	Export File Format	string		80		
Format	Format	picklist		255		
GroupedColumnHeaders	Name of Grouped Columns	string		10000		
Id	Report Event ID	id		18		
IsScheduled	Is Scheduled	boolean				
LoginHistoryId	Login History ID	reference		18		
LoginKey	Login Key	string		24		
Name	Name	string		80		
NumberOfColumns	Number of Columns	int	9			
Operation	Operation	picklist		255		
OwnerId	Owner ID	reference		18		
PolicyId	Transaction Security Policy ID	reference		18		

ReportEvent

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PolicyOutcome	Policy Outcome	picklist		255		
QueriedEntities	Queried Entities	string		1000		
Records	Records	json		250000		
RelatedEventIdentifier	Related Event Identifier	string		80		
ReportId	Report ID	reference		18		
RowsProcessed	Rows Processed	double			18	0
Scope	Scope	string		80		
Sequence	Sequence	int	9			
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
UserId	User ID	reference		18		
Username	Username	string		255		

REPORTEVENTSTREAM

Tracks report-related actions, such as when a user runs or exports a report.

For more information, see ReportEventStream in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ColumnHeaders	Name of Columns	string		10000		
CreatedDate	Created Date	datetime				
DashboardId	Dashboard ID	string		18		
DashboardName	Dashboard Name	string		80		
Description	Description	string		255		
DisplayedFieldEntities	Displayed Field Entities	string		10000		
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
EventSource	Event Source	picklist		255		
EventUuid	Event UUID	string		36		
ExecutionIdentifier	Execution Identifier	string		80		
ExportFileFormat	Export File Format	string		80		
Format	Format	picklist		255		
GroupedColumnHeaders	Name of Grouped Columns	string		10000		
IsScheduled	Is Scheduled	boolean				
LoginHistoryId	Login History ID	reference		18		
LoginKey	Login Key	string		24		
Name	Name	string		80		
NumberOfColumns	Number of Columns	int	9			
Operation	Operation	picklist		255		
OwnerId	Owner ID	string		18		
PolicyId	Transaction Security Policy ID	reference		18		

ReportEventStream

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PolicyOutcome	Policy Outcome	picklist		255		
QueriedEntities	Queried Entities	string		1000		
Records	Records	json		250000		
RelatedEventIdentifier	Related Event Identifier	string		80		
ReplayId	Replay ID	string		1000		
ReportId	Report ID	string		18		
RowsProcessed	Rows Processed	double			18	0
Scope	Scope	string		80		
Sequence	Sequence	int	9			
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
UserId	User ID	reference		18		
Username	Username	string		255		

REPORTFEED

Feed tracking for Report.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REPUTATIONLEVEL

Represents a reputation level defined for an Experience Cloud site.

For more information, see ReputationLevel in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Reputation Level ID	id		18		
IsDeleted	Deleted	boolean				
Label	Level Name	string		50		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LevelNumber	Level Number	int	9			
ParentId	Parent ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Threshold	Point Threshold	double			15	0

REPUTATIONPOINTSRULE

Represents the reputation point rules for an Experience Cloud site. Each rule specifies an action that members can earn points from and the points associated with those actions in a particular site.

For more information, see ReputationPointsRule in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Reputation Points Rule ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
Points	Points	int	6			
SystemModstamp	System Modstamp	datetime				
Type	Event Type	picklist		255		

RESOURCEABSENCE

Represents a time period in which a service resource is unavailable to work in Field Service and Lightning Scheduler.

For more information, see ResourceAbsence in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AbsenceNumber	Absence Number	string		255		
Address	Address	address				
City	City	string		40		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
End	End Time	datetime				
GeocodeAccuracy	Geocode Accuracy	picklist		255		
Id	Absence ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
Longitude	Longitude	double			18	15
PostalCode	Zip/Postal Code	string		20		
ResourceId	Resource ID	reference		18		
Start	Start Time	datetime				
State	State/Province	string		80		
Street	Address	textarea		255		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Type	Type	picklist		40		

RESOURCEABSENCEFEED

Feed tracking for ResourceAbsence.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

RESOURCEABSENCEHISTORY

History for tracked fields of ResourceAbsence.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Resource Absence History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ResourceAbsenceId	Absence ID	reference		18		

RESOURCEPREFERENCE

Represents an account's preference for a specified service resource on field service work.

For more information, see ResourcePreference in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Resource Preference ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
PreferenceType	Preference Type	picklist		255		
RelatedRecordId	Related Record ID	reference		18		
ResourcePreferenceNumber	Resource Preference Number	string		255		
ServiceResourceId	Resource ID	reference		18		
SystemModstamp	System Modstamp	datetime				

RESOURCEPREFERENCEFEED

Feed tracking for ResourcePreference.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

RESOURCEPREFERENCEHISTORY

History for tracked fields of ResourcePreference.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Resource Preference History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ResourcePreferenceId	Resource Preference ID	reference		18		

RETAILLOCATIONGROUP

Group retail stores based on shared features, such as size, location, part of a retail chain.

For more information, see RetailLocationGroup in the *Consumer Goods Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created	datetime				
Description	Description	textarea		1000		
Id	Retail Store Group ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

RETAILLOCATIONGROUPFEED

Feed tracking for RetailLocationGroup.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

RETAILLOCATIONGROUPHISTORY

History for tracked fields of RetailLocationGroup.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Retail Location Group History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RetailLocationGroupId	Retail Store Group ID	reference		18		

RETAILLOCATIONGROUPSHARE

Sharing for RetailLocationGroup.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

RETAILSTORE

Create records for physical retail stores associated to business accounts.

For more information, see RetailStore in the *Consumer Goods Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Address	Address	address				
City	City	string		40		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeliveryFrequency	Delivery Frequency	int	9			
DeliveryFrequencyType	Delivery Frequency Type	picklist		255		
DeliveryMethod	Delivery Method	picklist		40		
Description	Description	textarea		1000		
GeocodeAccuracy	Geocode Accuracy	picklist		255		
Id	Retail Store ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
LocationId	Location ID	reference		18		
Longitude	Longitude	double			18	15
Name	Name	string		255		
OperatingHoursId	Operating Hour ID	reference		18		
OwnerId	Owner ID	reference		18		

RetailStore

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PaymentMethod	Payment Method	picklist		40		
PostalCode	Postal Code	string		20		
PreferredVisitHoursId	Operating Hour ID	reference		18		
PrimaryContactId	Contact ID	reference		18		
Priority	Priority	picklist		255		
RecommendedVisitFrequency	Recommended Visit Frequency	int	9			
RecommendedVisitFrequencyType	Recommended Visit Frequency Type	picklist		255		
RetailLocationGroupId	Retail Store Group ID	reference		18		
State	State	string		80		
StoreType	Store Type	picklist		40		
Street	Street	textarea		255		
SystemModstamp	System Modstamp	datetime				

RETAILSTOREFEED

Feed tracking for RetailStore.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

RETAILSTOREGROUPASSIGNMENT

Represents a junction between a retail store and a retail store group.

For more information, see RetailStoreGroupAssignment in the *Consumer Goods Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Retail Store Group Assignment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
PriorityOrder	Priority Order	int	9			
RetailLocationGroupId	Retail Store Group ID	reference		18		
RetailStoreId	Retail Store ID	reference		18		
SystemModstamp	System Modstamp	datetime				

RETAILSTOREGROUPASSIGNMENTFEED

Feed tracking for RetailStoreGroupAssignment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

RETAILSTOREGROUPASSIGNMENTHISTORY

History for tracked fields of RetailStoreGroupAssignment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Retail Store Group Assignment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RetailStoreGroupAssignmentId	Retail Store Group Assignment ID	reference		18		

RETAILSTOREHISTORY

History for tracked fields of RetailStore.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Retail Store History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RetailStoreId	Retail Store ID	reference		18		

RETAILSTOREKPI

Map store groups to assessment indicator definition, products, and in-store location categories and define targets. Targets are the expected compliance values for each assessment indicator definition, which is a parameter based on which markers of compliance are decided for a task.

For more information, see `RetailStoreKpi` in the *Consumer Goods Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentIndDefinitionId	Assessment Indicator Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomContextId	Custom Context ID	reference		18		
EndDate	Effective To	date				
Id	Retail Store KPI ID	id		18		
InStoreLocationCategory	In-store Location Category	picklist		40		
IsDeleted	Deleted	boolean				
KpiType	KPI Type	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PlanogramId	Image ID	reference		18		
ProductCategoryId	Category ID	reference		18		
ProductId	Product ID	reference		18		
PromotionId	Promotion ID	reference		18		
RetailStoreGroupId	Retail Store Group ID	reference		18		
StartDate	Effective From	date				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
TargetBooleanValue	Boolean	picklist		255		
TargetDateTimeValue	Date Time	datetime				
TargetDecimalValue	Decimal	double			18	5
TargetIntegerValue	Number	int	9			
TargetStringValue	Text	textarea		1000		
UnitOfMeasure	Unit of Measure	picklist		40		

RETAILSTOREKPIFEED

Feed tracking for RetailStoreKpi.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

RETAILSTOREKPIHISTORY

History for tracked fields of RetailStoreKpi.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Retail Store Kpi History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RetailStoreKpiId	Retail Store KPI ID	reference		18		

RETAILSTOREKPISHARE

Sharing for RetailStoreKpi.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

RETAILSTORESHARE

Sharing for RetailStore.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

RETAILVISITKPI

Capture the actual information during a visit against the defined assessment indicator definition and target values.

For more information, see RetailVisitKpi in the *Consumer Goods Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualBooleanValue	Actual Boolean	picklist		255		
ActualDateTimeValue	Actual Date Time	datetime				
ActualDecimalValue	Actual Decimal	double			18	5
ActualIntegerValue	Actual Integer	int	9			
ActualStringValue	Actual String	textarea		1000		
AssessmentIndDefinitionId	Assessment Indicator Definition ID	reference		18		
AssessmentTaskId	Assessment Task ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomContextId	Custom Context ID	reference		18		
CustomContextRecordName	Custom Context Record Name	string		255		
DisplayOrder	Secondary Display Order	int	9			
Id	Retail Visit KPI ID	id		18		
InStoreLocationId	In-store Location ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
PlanogramId	Image ID	reference		18		
PrimaryDisplayOrder	Primary Display Order	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ProductCategoryId	Category ID	reference		18		
ProductId	Product ID	reference		18		
PromotionId	Promotion ID	reference		18		
RetailStoreKpiId	Retail Store KPI ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TargetBooleanValue	Target Boolean	picklist		255		
TargetDateTimeValue	Target Date Time	datetime				
TargetDecimalValue	Target Decimal	double			18	5
TargetIntegerValue	Target Number	int	9			
TargetStringValue	Target String	textarea		1000		
Type	Type	picklist		255		
UnitOfMeasure	Unit of Measure	picklist		40		
VisitId	Visit ID	reference		18		

RETAILVISITKPIFEED

Feed tracking for RetailVisitKpi.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

RETAILVISITKPIHISTORY

History for tracked fields of RetailVisitKpi.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Retail Visit Kpi History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RetailVisitKpiId	Retail Visit KPI ID	reference		18		

RETURNORDER

Represents the return or repair of inventory or products in Field Service, or the return of order products in Order Management.

For more information, see ReturnOrder in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CaseId	Case ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
DestinationLocationId	Destination Location ID	reference		18		
ExpectedArrivalDate	Expected Arrival Date	datetime				
ExpirationDate	Expiration Date	datetime				
GrandTotalAmount	Total with Tax	currency			18	2
Id	Return Order ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LifeCycleType	Life Cycle Type	picklist		255		
OrderId	Order ID	reference		18		
OwnerId	Owner ID	reference		18		
ProductRequestId	Product Request ID	reference		18		
ReturnOrderNumber	Return Order Number	string		255		
ReturnedById	Returned By ID	reference		18		
ShipFromAddress	Ship From Address	address				

ReturnOrder

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ShipFromCity	City	string		40		
ShipFromCountry	Country	string		80		
ShipFromGeocodeAccuracy	Geocode Accuracy	picklist		255		
ShipFromLatitude	Latitude	double			18	15
ShipFromLongitude	Longitude	double			18	15
ShipFromPostalCode	Zip/Postal Code	string		20		
ShipFromState	State/Province	string		80		
ShipFromStreet	Address	textarea		255		
ShipmentType	Shipment Type	picklist		40		
SourceLocationId	Source Location ID	reference		18		
Status	Status	picklist		40		
StatusCategory	Status Category	picklist		255		
SystemModstamp	System Modstamp	datetime				
TaxLocaleType	Tax Locale Type	picklist		255		
TotalAmount	Pretax Total	currency			18	2
TotalDeliveryAdjustAmount	Shipping Adjustments	currency			18	2
TotalDeliveryAdjustAmtWithTax	Shipping Adjustments with Tax	currency			18	2
TotalDeliveryAdjustTaxAmount	Shipping Adjustments Tax	currency			18	2
TotalDeliveryAmount	Shipping Subtotal	currency			18	2
TotalDeliveryAmtWithTax	Shipping Subtotal with Tax	currency			18	2
TotalDeliveryTaxAmount	Shipping Subtotal Tax	currency			18	2
TotalProductAdjustAmount	Product Adjustments	currency			18	2
TotalProductAdjustAmtWithTax	Product Adjustments with Tax	currency			18	2
TotalProductAdjustTaxAmount	Product Adjustments Tax	currency			18	2
TotalProductAmount	Product Subtotal	currency			18	2
TotalProductAmtWithTax	Product Subtotal with Tax	currency			18	2
TotalProductTaxAmount	Product Subtotal Tax	currency			18	2
TotalTaxAmount	Tax	currency			18	2

RETURNORDERFEED

Feed tracking for ReturnOrder.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

RETURNORDERHISTORY

History for tracked fields of ReturnOrder.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Return Order History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ReturnOrderId	Return Order ID	reference		18		

RETURNORDERITEMADJUSTMENT

Represents a price adjustment on a return order line item.

For more information, see ReturnOrderItemAdjustment in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Adjustment	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1175		
Id	Return Order Item Adjustment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ReturnOrderId	Return Order ID	reference		18		
ReturnOrderItemAdjustmentNumber	Return Order Item Adjustment Number	string		255		
ReturnOrderLineItemId	Return Order Line Item ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalAmtWithTax	Adjustment with Tax	currency			18	2
TotalTaxAmount	Tax	currency			18	2

RETURNORDERITEMTAX

Represents the tax on a return order line item or return order item adjustment.

For more information, see ReturnOrderItemTax in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		2000		
Id	Return Order Item Tax ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Rate	Rate	percent			5	2
ReturnOrderId	Return Order ID	reference		18		
ReturnOrderItemAdjustmentId	Return Order Item Adjustment ID	reference		18		
ReturnOrderItemTaxNumber	Return Order Item Tax Number	string		255		
ReturnOrderLineItemId	Return Order Line Item ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TaxEffectiveDate	Tax Effective Date	date				
Type	Type	picklist		255		

RETURNORDERLINEITEM

Represents a specific product that is returned or repaired as part of a return order in Field service, or a specific order item that is returned as part of a return order in Order Management.

For more information, see ReturnOrderLineItem in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
ChangeOrderItemId	Order Product ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
DestinationLocationId	Destination Location ID	reference		18		
GrossUnitPrice	Gross Unit Price	currency			18	2
Id	Return Order Line Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OrderItemId	Order Product ID	reference		18		
ProcessingPlan	Processing Plan	picklist		40		
Product2Id	Product ID	reference		18		
ProductItemId	Product Item ID	reference		18		
ProductRequestLineItemId	Product Request Line Item ID	reference		18		
QuantityExpected	Quantity Expected	double			18	0
QuantityReceived	Quantity Received	double			18	0
QuantityRejected	Quantity Rejected	double			18	0
QuantityReturned	Quantity Returned	double			18	2

ReturnOrderLineItem

Field Name	Field Label	Type	Digits	Length	Precision	Scale
QuantityUnitOfMeasure	Quantity Unit Of Measure	picklist		40		
ReasonForRejection	Reason for Rejection	picklist		40		
ReasonForReturn	Reason For Return	picklist		40		
RepaymentMethod	Repayment Method	picklist		40		
ReturnOrderId	Return Order ID	reference		18		
ReturnOrderLineItemNumber	Return Order Line Item Number	string		255		
SourceLocationId	Source Location ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalAdjustmentAmount	Adjustments	currency			18	2
TotalAdjustmentAmountWithTax	Adjustments with Tax	currency			18	2
TotalAdjustmentTaxAmount	Adjustments Tax	currency			18	2
TotalAmount	Total with Tax	currency			18	2
TotalLineAmount	Line Subtotal	currency			18	2
TotalLineAmountWithTax	Line Subtotal with Tax	currency			18	2
TotalLineTaxAmount	Line Subtotal Tax	currency			18	2
TotalPrice	Pretax Total	currency			18	2
TotalTaxAmount	Tax	currency			18	2
Type	Type	picklist		40		
TypeCode	Type Code	picklist		255		
UnitPrice	Unit Price	currency			18	2

RETURNORDERLINEITEMFEED

Feed tracking for ReturnOrderLineItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

RETURNORDERLINEITEMHISTORY

History for tracked fields of ReturnOrderLineItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Return Order Line Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ReturnOrderLineItemId	Return Order Line Item ID	reference		18		

RETURNORDERSHARE

Sharing for ReturnOrder.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SPSAMLATTRIBUTES

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConnectivityId	Connected App ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	SAML Attribute ID	id		18		
IsDeleted	Deleted	boolean				
Key	Attribute key	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				
Value	Attribute value	string		255		

SALESAGREEMENT

Represents a long-term agreement between a buyer and a seller to negotiate price and volume of products.

For more information, see SalesAgreement in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActivatedDate	Activated Date	datetime				
ActualsCalculationMode	Actuals Calculation Mode	picklist		255		
AgreementType	Agreement Type	picklist		255		
ApprovedById	User ID	reference		18		
ApprovedDate	Approved Date	datetime				
CancellationDate	Cancellation Date	datetime				
CancellationReason	Cancellation Reason	picklist		40		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		2000		
EndDate	End Date	date				
Id	SalesAgreement ID	id		18		
IsDeleted	Deleted	boolean				
LastActualsCalculatedDate	Last Actuals Calculated Date	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PricebookId	Price Book ID	reference		18		

SalesAgreement

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ProductLevel	Product Level	picklist		255		
RenewedFromAgreementId	SalesAgreement ID	reference		18		
RenewedToAgreementId	SalesAgreement ID	reference		18		
ScheduleCount	Schedule Count	int	9			
ScheduleFrequency	Schedule Frequency	picklist		255		
StartDate	Start Date	date				
Status	Status	picklist		40		
StatusCode	Status Code	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalAgreementAmount	Total Agreement Amount	currency			18	2
TotalProposedAgreementAmount	Total Proposed Agreement Amount	currency			18	2

SALESAGREEMENTFEED

Feed tracking for SalesAgreement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SALESAGREEMENTHISTORY

History for tracked fields of SalesAgreement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Sales Agreement History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SalesAgreementId	SalesAgreement ID	reference		18		

SALESAGREEMENTPRODUCT

Represents the total quantity or amount and the default pricing information of a product across the total time period of the sales agreement.

For more information, see SalesAgreementProduct in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DiscountPercentage	Discount Percentage	percent			5	2
Id	SalesAgreementProduct ID	id		18		
InitialPlannedAmount	Initial Planned Amount	currency			18	2
InitialPlannedQuantity	Initial Total Quantity	int	9			
IsAddedAfterActivation	Added After Activation	boolean				
IsDeleted	Deleted	boolean				
IsUnderRevision	Under Revision	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ListPrice	List Price	currency			18	2
Name	Name	string		255		
PricebookEntryId	Price Book Entry ID	reference		18		
ProductCategoryId	Category ID	reference		18		
ProductId	Product ID	reference		18		
SalesAgreementId	SalesAgreement ID	reference		18		
SalesPrice	Sales Price	currency			18	2
SystemModstamp	System Modstamp	datetime				
TotalActualAmount	Total Actual Amount	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalActualQuantity	Total Actual Quantity	int	9			
TotalForecastedAmount	Total Forecasted Amount	currency			18	2
TotalForecastedQuantity	Total Forecasted Quantity	int	9			
TotalPlannedAmount	Total Planned Amount	currency			18	2
TotalPlannedQuantity	Total Planned Quantity	int	9			
TotalProposedPlannedAmount	Total Proposed Planned Amount	currency			18	2
TotalProposedPlannedQuantity	Total Proposed Planned Quantity	int	9			
Total_Available_Quantity_c	Total Available Quantity	double			18	0

SALESAGREEMENTPRODUCTFEED

Feed tracking for SalesAgreementProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SALESAGREEMENTPRODUCTHISTORY

History for tracked fields of SalesAgreementProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Sales Agreement Product History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SalesAgreementProductId	SalesAgreementProduct ID	reference		18		

SALESAGREEMENTPRODUCTSCHEDULE

Represents the quantity or amount and the pricing information of a product for a particular schedule of the sales agreement. For more information, see SalesAgreementProductSchedule in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualAmount	Actual Amount	currency			18	0
ActualQuantity	Actual Quantity	int	9			
Available_Quantity__c	Available Quantity	double			18	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DerivedPlannedAmount	Planned Amount	currency			18	2
DiscountPercentage	Discount Percentage	percent			5	2
EndDate	End Date	date				
ForecastedAmount	Forecasted Amount	currency			18	0
ForecastedQuantity	Forecasted Quantity	int	9			
Id	SalesAgreementProductSchedule ID	id		18		
IsDeleted	Deleted	boolean				
IsUnderRevision	Under Revision	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
PlannedQuantity	Planned Quantity	int	9			
ProposedDerivedPlannedAmount	Proposed Derived Planned Amount	currency			18	2
ProposedDiscountPercentage	Proposed Discount Percentage	percent			5	2

SalesAgreementProductSchedule

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ProposedPlannedQuantity	Proposed Planned Quantity	int	9			
ProposedSalesPrice	Proposed Sales Price	currency			18	2
SalesAgreementProductId	SalesAgreementProduct ID	reference		18		
SalesPrice	Sales Price	currency			18	2
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

SALESAGREEMENTPRODUCTSCHEDULEFEED

Feed tracking for SalesAgreementProductSchedule.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SALESAGREEMENTPRODUCTSCHEDULEHISTORY

History for tracked fields of SalesAgreementProductSchedule.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Sales Agreement Product Schedule History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SalesAgreementProductScheduleId	SalesAgreementProductSchedule ID	reference		18		

SALESAGREEMENTSHARE

Sharing for SalesAgreement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SALESAGREEMENTSTATUS

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Sales Agreement Status Value ID	id		18		
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
StatusCode	Status Code	picklist		40		
SystemModstamp	System Modstamp	datetime				

SALESSTORE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Description	Description	textarea		1000		
Id	Sales Store ID	id		18		
ImplementorType	Implementor Type	string		255		
LocationId	Location ID	reference		18		
Name	Name	string		255		

SAMLSSOCONFIG

Represents a SAML Single Sign-On configuration.

For more information, see SamlSsoConfig in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttributeFormat	Name ID Format	string		255		
AttributeName	Attribute Name	string		255		
Audience	Entity ID	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
ErrorUrl	Custom Error URL	string		500		
ExecutionUserId	User ID	reference		18		
Id	SAML Single Sign-On Setting ID	id		18		
IdentityLocation	SAML Identity Location	picklist		255		
IdentityMapping	SAML Identity Type	picklist		255		
IsDeleted	Deleted	boolean				
Issuer	Issuer	string		255		
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LoginUrl	Identity Provider Login URL	string		1500		
LogoutUrl	Identity Provider Logout URL	string		1500		
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
OptionsSpInitBinding	SpInitBinding	boolean				
OptionsUseConfigRequestMethod	UseConfigRequestMethod	boolean				
OptionsUserProvisioning	UserProvisioning	boolean				

SamlSsoConfig

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RequestSignatureMethod	Request Signature Method	picklist		255		
SamlJitHandlerId	Class ID	reference		18		
SingleLogoutBinding	Single Logout Request Binding	picklist		255		
SingleLogoutUrl	Identity Provider Single Logout URL	string		255		
SystemModstamp	System Modstamp	datetime				
ValidationCert	Identity Provider Certificate	string		4000		
Version	SAML Version	picklist		255		

SCONTROL

A custom s-control, which is custom content that is hosted by the system but executed by the client application.

For more information, see Scontrol in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Binary	Binary	base64				
BodyLength	Binary Length	int	8			
ContentSource	Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	S-Control Name	string		80		
EncodingKey	Encoding	picklist		40		
Filename	Filename	string		255		
HtmlWrapper	HTML Body	textarea		1048576		
Id	Custom S-Control ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SupportsCaching	Prebuild In Page	boolean				
SystemModstamp	System Modstamp	datetime				

SCORECARD

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Id	Scorecard Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TargetEntity	Target Entity	picklist		255		

SCORECARDASSOCIATION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Scorecard Association Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ScorecardId	Scorecard ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TargetEntityId	Target Entity ID	reference		18		

SCORECARDMETRIC

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Id	Scorecard Metric Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
ReportId	Report ID	reference		18		
ScorecardId	Scorecard ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SCORECARDSHARE

Sharing for Scorecard.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SEARCHLAYOUT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ButtonsDisplayed	Buttons Displayed	complexvalue				
DurableId	Durable ID	string		255		
EntityDefinitionId	Entity Definition ID	string		70		
FieldsDisplayed	Fields Displayed	complexvalue				
Id	Search Layout ID	id		18		
Label	Label	string		255		
LastModifiedById	User ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LayoutType	Layout Type	string		30		
ListLayout	List Layout	string		15		
Profile	Profile ID	string		15		
ProfileName	Profile Name	string		255		

SEARCHPROMOTIONRULE

Represents a promoted search term, which is one or more keywords that you associate with a Salesforce Knowledge article. When a user's search query includes these keywords, the associated article is returned first in search results.

For more information, see SearchPromotionRule in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Promoted Term Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Query	Term	string		100		
SystemModstamp	System Modstamp	datetime				

SECURITYCUSTOMBASELINE

Provides the ability to read, create, and delete user-defined custom security baselines, which define an org's security standards.

For more information, see SecurityCustomBaseline in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Baseline	Baseline	textarea		32000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Security Custom Baseline ID	id		18		
IsDefault	Is Default Baseline	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

SELLER

Represents the seller role of an individual with respect to a particular company or organization.

For more information, see Seller in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActiveFromDate	Active From Date	date				
ActiveToDate	Active To Date	date				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Seller ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PartyId	Individual ID	reference		18		
SalesAmount	Sales Amount	int	9			
SellerTier	Seller Tier	picklist		255		
SellerType	Seller Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

SELLERSHARE

Sharing for Seller.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SERVICEAPPOINTMENT

Represents an appointment to complete work for a customer in Field Service and Lightning Scheduler.

For more information, see ServiceAppointment in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActualDuration	Actual Duration (Minutes)	double			18	2
ActualEndTime	Actual End	datetime				
ActualStartTime	Actual Start	datetime				
AdditionalInformation	Additional Information	string		255		
Address	Address	address				
AppointmentNumber	Appointment Number	string		255		
AppointmentType	Appointment Type	picklist		40		
ArrivalWindowEndTime	Arrival Window End	datetime				
ArrivalWindowStartTime	Arrival Window Start	datetime				
CancellationReason	Cancellation Reason	string		255		
City	City	string		40		
Comments	Comment	string		255		
ContactId	Contact ID	reference		18		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
DueDate	Due Date	datetime				
Duration	Duration	double			18	2
DurationInMinutes	Duration in Minutes	double			18	2
DurationType	Duration Type	picklist		255		
EarliestStartTime	Earliest Start Permitted	datetime				

ServiceAppointment

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Email	Email	email		80		
GeocodeAccuracy	Geocode Accuracy	picklist		255		
Id	Service Appointment ID	id		18		
IsAnonymousBooking	Anonymous Booking	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
Longitude	Longitude	double			18	15
OwnerId	Owner ID	reference		18		
ParentRecordId	Parent Record ID	reference		18		
ParentRecordStatusCategory	Parent Record Status Category	picklist		255		
ParentRecordType	Parent Record Type	string		50		
Phone	Phone	phone		40		
PostalCode	Zip/Postal Code	string		20		
SchedEndTime	Scheduled End	datetime				
SchedStartTime	Scheduled Start	datetime				
ServiceNote	Service Note	textarea		32000		
ServiceTerritoryId	Territory ID	reference		18		
State	State/Province	string		80		
Status	Status	picklist		40		
StatusCategory	Status Category	picklist		255		
Street	Street	textarea		255		
Subject	Subject	string		255		
SystemModstamp	System Modstamp	datetime				
WorkTypeId	Work Type ID	reference		18		

SERVICEAPPOINTMENTFEED

Feed tracking for ServiceAppointment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SERVICEAPPOINTMENTHISTORY

History for tracked fields of ServiceAppointment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Service Appointment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceAppointmentId	Service Appointment ID	reference		18		

SERVICEAPPOINTMENTSHARE

Sharing for ServiceAppointment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SERVICEAPPOINTMENTSTATUS

Represents a possible status of a service appointment in field service.

For more information, see ServiceAppointmentStatus in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Service Appointment Status Value ID	id		18		
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
StatusCode	Status Code	picklist		40		
SystemModstamp	System Modstamp	datetime				

SERVICECONTRACT

Represents a customer support contract (business agreement).

For more information, see ServiceContract in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActivationDate	Activation Date	datetime				
ApprovalStatus	Approval Status	picklist		40		
BillingAddress	Billing Address	address				
BillingCity	Billing City	string		40		
BillingCountry	Billing Country	string		80		
BillingGeocodeAccuracy	Billing Geocode Accuracy	picklist		255		
BillingLatitude	Billing Latitude	double			18	15
BillingLongitude	Billing Longitude	double			18	15
BillingPostalCode	Billing Zip	string		20		
BillingState	Billing State	string		80		
BillingStreet	Billing Street	textarea		255		
ContactId	Contact ID	reference		18		
ContractNumber	Contract Number	string		30		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Discount	Discount	percent			5	2
EndDate	End Date	date				
GrandTotal	Grand Total	currency			18	2
Id	Service Contract ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				

ServiceContract

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LineItemCount	Line Items	int	9			
MayEdit	May Edit	boolean				
Name	Contract Name	string		255		
OwnerId	Owner ID	reference		18		
ParentServiceContractId	Parent Service Contract ID	reference		18		
Pricebook2Id	Price Book ID	reference		18		
RootServiceContractId	Root Service Contract ID	reference		18		
ShippingAddress	Shipping Address	address				
ShippingCity	Shipping City	string		40		
ShippingCountry	Shipping Country	string		80		
ShippingGeocodeAccuracy	Shipping Geocode Accuracy	picklist		255		
ShippingHandling	Shipping and Handling	currency			18	2
ShippingLatitude	Shipping Latitude	double			18	15
ShippingLongitude	Shipping Longitude	double			18	15
ShippingPostalCode	Shipping Zip	string		20		
ShippingState	Shipping State	string		80		
ShippingStreet	Shipping Street	textarea		255		
SpecialTerms	Special Terms	textarea		32000		
StartDate	Start Date	date				
Status	Status	picklist		255		
Subtotal	Subtotal	currency			18	2
SystemModstamp	System Modstamp	datetime				
Tax	Tax	currency			18	2
Term	Term (months)	int	9			
TotalPrice	Total Price	currency			18	2

SERVICECONTRACTFEED

Feed tracking for ServiceContract.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SERVICECONTRACTHISTORY

History for tracked fields of ServiceContract.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Service Contract History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceContractId	Service Contract ID	reference		18		

SERVICECONTRACTSHARE

Sharing for ServiceContract.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SERVICECREW

Represents a group of service resources who can be assigned to service appointments as a unit.

For more information, see ServiceCrew in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CrewSize	Crew Size	int	9			
Id	Service Crew ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SERVICECREWFEED

Feed tracking for ServiceCrew.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SERVICECREWHISTORY

History for tracked fields of ServiceCrew.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Service Crew History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceCrewId	Service Crew ID	reference		18		

SERVICECREWMEMBER

Represents a technician service resource that belongs to a service crew.

For more information, see ServiceCrewMember in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDate	End Date	datetime				
Id	Service Crew Member ID	id		18		
IsDeleted	Deleted	boolean				
IsLeader	Leader	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ServiceCrewId	Service Crew ID	reference		18		
ServiceCrewMemberNumber	Name	string		255		
ServiceResourceId	Resource ID	reference		18		
StartDate	Start Date	datetime				
SystemModstamp	System Modstamp	datetime				

SERVICECREWMEMBERFEED

Feed tracking for ServiceCrewMember.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SERVICECREWMEMBERHISTORY

History for tracked fields of ServiceCrewMember.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Service Crew Member History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceCrewMemberId	Service Crew Member ID	reference		18		

SERVICECREWSHARE

Sharing for ServiceCrew.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SERVICEREPORT

Represents a report that summarizes a work order, work order line item, or service appointment.

For more information, see `ServiceReport` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentVersionDocumentId	ContentVersion ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DocumentBody	Document Body	base64				
DocumentContentType	Document Content Type	picklist		255		
DocumentLength	Document Length	int	9			
DocumentName	Document Name	string		40		
Id	Service Report ID	id		18		
IsDeleted	Deleted	boolean				
IsSigned	Signed	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
ServiceReportLanguage	Service Report Language	picklist		255		
ServiceReportNumber	Service Report Name	string		255		
SystemModstamp	System Modstamp	datetime				
Template	Service Report Template	string		255		

SERVICEREPORTHISTORY

History for tracked fields of ServiceReport.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Service Report History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceReportId	Service Report ID	reference		18		

SERVICEREPORTLAYOUT

Represents a service report template in field service.

For more information, see ServiceReportLayout in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Service Report Layout ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MasterLabel	Label	string		80		
SystemModstamp	System Modstamp	datetime				
TemplateType	Template Type	picklist		255		

SERVICERESOURCE

Represents a service technician or service crew in field service in Field Service and Lightning Scheduler.

For more information, see `ServiceResource` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AssetId	Asset ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Id	Resource ID	id		18		
IsActive	Active	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RelatedRecordId	User ID	reference		18		
ResourceType	Resource Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

SERVICERESOURCECAPACITY

Represents the maximum number of scheduled hours or number of service appointments that a capacity-based service resource can complete within a specific time period.

For more information, see `ServiceResourceCapacity` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CapacityInHours	Hours per Time Period	double			18	2
CapacityInWorkItems	Work Items per Time Period	int	9			
CapacityNumber	Resource Capacity Number	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDate	End Date	date				
Id	Resource Capacity ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ServiceResourceId	Resource ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				
TimePeriod	Time Period	picklist		255		

SERVICERESOURCECAPACITYFEED

Feed tracking for ServiceResourceCapacity.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SERVICERESOURCECAPACITYHISTORY

Represents the history of changes made to tracked fields on a service resource capacity record.

For more information, see `ServiceResourceCapacityHistory` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Resource Capacity History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceResourceCapacityId	Resource Capacity ID	reference		18		

SERVICERESOURCEFEED

Feed tracking for ServiceResource.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SERVICERESOURCEHISTORY

History for tracked fields of ServiceResource.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Service Resource History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceResourceId	Resource ID	reference		18		

SERVICERESOURCESHARE

Sharing for ServiceResource.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SERVICERESOURCESKILL

Represents a skill that a service resource possesses in Field Service and Lightning Scheduler.

For more information, see `ServiceResourceSkill` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveEndDate	End Date	datetime				
EffectiveStartDate	Start Date	datetime				
Id	Resource Skill ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ServiceResourceId	Resource ID	reference		18		
SkillId	Skill ID	reference		18		
SkillLevel	Skill Level	double			4	2
SkillNumber	Resource Skill Number	string		255		
SystemModstamp	System Modstamp	datetime				

SERVICERESOURCESKILLFEED

Feed tracking for ServiceResourceSkill.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SERVICERESOURCESKILLHISTORY

History for tracked fields of ServiceResourceSkill.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Service Resource Skill History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceResourceSkillId	Resource Skill ID	reference		18		

SERVICESETUPPROVISIONING

Represents a task completed by the Service Setup Assistant.

For more information, see `ServiceSetupProvisioning` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>Id</code>	Service Setup Provisioning Id	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>JobName</code>	Job Name	picklist		255		
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>Name</code>	Name	string		255		
<code>Status</code>	Status	picklist		255		
<code>SystemModstamp</code>	System Modstamp	datetime				
<code>TaskContext</code>	Task Context	textarea		32000		
<code>TaskName</code>	Task Name	picklist		255		

SERVICETERRITORY

Represents a geographic or functional region in which field service work can be performed in Field Service and Lightning Scheduler. For more information, see ServiceTerritory in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Address	Address	address				
City	City	string		40		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
GeocodeAccuracy	Geocode Accuracy	picklist		255		
Id	Territory ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
Longitude	Longitude	double			18	15
Name	Name	string		255		
OperatingHoursId	Operating Hour ID	reference		18		
OwnerId	Owner ID	reference		18		
ParentTerritoryId	Parent Territory ID	reference		18		
PostalCode	Zip/Postal Code	string		20		
State	State/Province	string		80		
Street	Address	textarea		255		

ServiceTerritory

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
TopLevelTerritoryId	Top-Level Territory ID	reference		18		
TypicalInTerritoryTravelTime	Typical In-Territory Travel Time (Minutes)	double			18	2

SERVICETERRITORYFEED

Feed tracking for ServiceTerritory.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SERVICETERRITORYHISTORY

History for tracked fields of ServiceTerritory.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Service Territory History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceTerritoryId	Territory ID	reference		18		

SERVICETERRITORYLOCATION

Represents a location associated with a particular service territory in field service.

For more information, see ServiceTerritoryLocation in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Service Territory Location ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LocationId	Location ID	reference		18		
ServiceTerritoryId	Territory ID	reference		18		
ServiceTerritoryLocationNumber	Service Territory Location Number	string		255		
SystemModstamp	System Modstamp	datetime				

SERVICETERRITORYLOCATIONFEED

Feed tracking for ServiceTerritoryLocation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SERVICETERRITORYLOCATIONHISTORY

History for tracked fields of ServiceTerritoryLocation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Territory Location History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceTerritoryLocationId	Service Territory Location ID	reference		18		

SERVICETERRITORYMEMBER

Represents a service resource who can be assigned to service appointments in a service territory in Field Service and Lightning Scheduler. For more information, see ServiceTerritoryMember in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Address	Address	address				
City	City	string		40		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveEndDate	End Date	datetime				
EffectiveStartDate	Start Date	datetime				
GeocodeAccuracy	Geocode Accuracy	picklist		255		
Id	Resource Territory ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
Longitude	Longitude	double			18	15
MemberNumber	Member Number	string		255		
OperatingHoursId	Operating Hour ID	reference		18		
PostalCode	Zip/Postal Code	string		20		
Role	Role	picklist		40		
ServiceResourceId	Resource ID	reference		18		
ServiceTerritoryId	Territory ID	reference		18		
State	State/Province	string		80		

ServiceTerritoryMember

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Street	Address	textarea		255		
SystemModstamp	System Modstamp	datetime				
TerritoryType	Territory Type	picklist		255		

SERVICETERRITORYMEMBERFEED

Feed tracking for ServiceTerritoryMember.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SERVICETERRITORYMEMBERHISTORY

History for tracked fields of ServiceTerritoryMember.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Service Territory Member History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceTerritoryMemberId	Resource Territory ID	reference		18		

SERVICETERRITORYSHARE

Sharing for ServiceTerritory.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SERVICETERRITORYWORKTYPE

Represents the relationship between a ServiceTerritory object and a WorkType object for Lightning Scheduler appointments. For more information, see ServiceTerritoryWorkType in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Service Territory Work Type ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Service Territory Work Type Name	string		255		
ServiceTerritoryId	Territory ID	reference		18		
SystemModstamp	System Modstamp	datetime				
WorkTypeId	Work Type ID	reference		18		

SERVICETERRITORYWORKTYPEFEED

Feed tracking for ServiceTerritoryWorkType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SERVICETERRITORYWORKTYPEHISTORY

History for tracked fields of ServiceTerritoryWorkType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Service Territory Work Type History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceTerritoryWorkTypeId	Service Territory Work Type ID	reference		18		

SESSIONHIJACKINGEVENT

Tracks when unauthorized users gain ownership of a Salesforce user's session with a stolen session identifier. To detect such an event, Salesforce evaluates how significantly a user's current browser fingerprint diverges from the previously known fingerprint using a probabilistically inferred significance of change.

For more information, see `SessionHijackingEvent` in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
CurrentIp	Current IP Address	string		39		
CurrentPlatform	Current Platform	string		255		
CurrentScreen	Current Screen	string		255		
CurrentUserAgent	Current User Agent	textarea		1000		
CurrentWindow	Current Window	string		255		
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event ID	string		80		
EventUuid	Event UUID	string		36		
LoginKey	Login Key	string		24		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
PreviousIp	Previous IP Address	string		39		
PreviousPlatform	Previous Platform	string		255		
PreviousScreen	Previous Screen	string		255		
PreviousUserAgent	Previous User Agent	textarea		1000		
PreviousWindow	Previous Window	string		255		
ReplayId	Replay ID	string		1000		
Score	Score	double			12	6
SecurityEventData	Event Data	textarea		10000		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SessionKey	Session Key	string		24		
SourceIp	Source IP Address	string		255		
Summary	Summary	textarea		1000		
UserId	User ID	reference		18		
Username	Username	string		255		

SESSIONHIJACKINGEVENTSTORE

Tracks when unauthorized users gain ownership of a Salesforce user's session with a stolen session identifier. To detect such an event, Salesforce evaluates how significantly a user's current browser fingerprint diverges from the previously known fingerprint using a probabilistically inferred significance of change.

For more information, see SessionHijackingEventStore in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
CurrentIp	Current IP Address	string		39		
CurrentPlatform	Current Platform	string		255		
CurrentScreen	Current Screen	string		255		
CurrentUserAgent	Current User Agent	textarea		1000		
CurrentWindow	Current Window	string		255		
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event ID	string		80		
Id	Session Hijacking Event Store ID	id		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoginKey	Login Key	string		24		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
PreviousIp	Previous IP Address	string		39		
PreviousPlatform	Previous Platform	string		255		
PreviousScreen	Previous Screen	string		255		
PreviousUserAgent	Previous User Agent	textarea		1000		
PreviousWindow	Previous Window	string		255		

SessionHijackingEventStore

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Score	Score	double			12	6
SecurityEventData	Event Data	textarea		10000		
SessionHijackingEventNumber	Event Name	string		255		
SessionKey	Session Key	string		24		
SourceIp	Source IP Address	string		255		
Summary	Summary	textarea		1000		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		
Username	Username	string		255		

SESSIONHIJACKINGEVENTSTOREFEED

Feed tracking for SessionHijackingEventStore.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SESSIONPERMSETACTIVATION

The SessionPermSetActivation object represents a permission set assignment activated during an individual user session. When a SessionPermSetActivation object is inserted into a permission set, an activation event fires, allowing the permission settings to apply to the user's specific session.

For more information, see SessionPermSetActivation in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthSessionId	Auth Session ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Id	SessionPermSetActivation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PermissionSetGroupId	PermissionSetGroup ID	reference		18		
PermissionSetId	PermissionSet ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

SETUPASSISTANTSTEP

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssistantType	Assistant Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Setup Assistant Step ID	id		18		
IsComplete	Is Complete	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

SETUPAUDITTRAIL

Represents changes you or other admins made in your org's Setup area for at least the last 180 days.

For more information, see SetupAuditTrail in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Action	Action	string		120		
CreatedByContext	Created By Context	string		80		
CreatedById	Created By ID	reference		18		
CreatedByIssuer	Created By Issuer	string		80		
CreatedDate	Created Date	datetime				
DelegateUser	Delegate User	string		80		
Display	Display	string		1000		
Id	Setup Audit Trail ID	id		18		
ResponsibleNamespacePrefix	Source Namespace Prefix	string		15		
Section	Section	string		40		

SETUPENTITYACCESS

Represents the enabled setup entity access settings (such as for Apex classes) for the parent PermissionSet.

For more information, see SetupEntityAccess in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	SetupEntityAccess ID	id		18		
ParentId	Parent ID	reference		18		
SetupEntityId	Setup Entity ID	reference		18		
SetupEntityType	Setup Entity Type	picklist		40		
SystemModstamp	System Modstamp	datetime				

SHARINGCOVERAGEJOB

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Sharing Coverage Job ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
Message	Warning/Error message returned by the async job	textarea		131072		
Object	Salesforce Object	string		255		
Status	Job Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

SHARINGRECORDCOLLECTION

Represents a collection of records.

For more information, see SharingRecordCollection in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		250		
GroupId	Group ID	reference		18		
Id	Record Collection ID	id		18		
IsDeleted	Deleted	boolean				
LastAdded	Last Added	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
NumberOfRecords	Number of records	int	9			
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SHARINGRECORDCOLLECTIONITEM

Represents a single record in a collection of records.

For more information, see SharingRecordCollectionItem in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CollectionId	Record Collection ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		250		
Id	Record Collection Item ID	id		18		
IsDeleted	Deleted	boolean				
ItemId	Item ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Record Collection Item Name	string		255		
SystemModstamp	System Modstamp	datetime				

SHARINGRECORDCOLLECTIONMEMBER

Represents a user with access to a collection of records.

For more information, see SharingRecordCollectionMember in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CollectionId	Record Collection ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Record Collection Member ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				
UserOrGroupId	User Or Group ID	reference		18		

SHARINGRECORDCOLLECTIONSHARE

Sharing for SharingRecordCollection.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SHARINGUSERCOVERAGE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CoverageJobId	Sharing Coverage Job ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	User Coverage Id	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
Object	Salesforce Object	string		255		
SystemModstamp	System Modstamp	datetime				
UserCountCoverageUnknown	Number of users whose coverage could not be calculated	int	9			
UserCountCovered	Number of users covered	int	9			
UserCountNotCovered	Number of users not covered	int	9			
UserListNotCovered	List of user ids not covered	textarea		131072		

SHIFT

Represents a shift for service resource scheduling.

For more information, see Shift in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualEndTime	Actual End Time	datetime				
ActualStartTime	Actual Start Time	datetime				
CompletedHours	Completed Hours	double			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndTime	End Time	datetime				
Id	Shift ID	id		18		
IsDeleted	Deleted	boolean				
Label	Label	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
RelatedLocationId	Location ID	reference		18		
RelatedToId	Related To ID	reference		18		
ServiceResourceId	Service Resource ID	reference		18		
ShiftNumber	Shift Number	string		255		
StartTime	Start Time	datetime				
Status	Status	picklist		40		
StatusCategory	Status Category	picklist		255		
SystemModstamp	System Modstamp	datetime				

SHIFTFEED

Feed tracking for Shift.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SHIFTHISTORY

Represents the history of changes made to tracked fields on a time sheet.

For more information, see ShiftHistory in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Shift History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ShiftId	Shift ID	reference		18		

SHIFTPATTERN

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Id	Shift Pattern ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Shift Pattern Name	string		255		
OwnerId	Owner ID	reference		18		
PatternLength	Pattern Length	int	9			
SystemModstamp	System Modstamp	datetime				

SHIFTPATTERNENTRY

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DayOrder	Day Position	int	9			
Id	Shift Pattern Entry ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ShiftPatternId	Shift Pattern ID	reference		18		
ShiftTemplateId	Shift Template ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SHIFTPATTERNENTRYFEED

Feed tracking for ShiftPatternEntry.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SHIFTPATTERNENTRYHISTORY

History for tracked fields of ShiftPatternEntry.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Shift Pattern Entry History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ShiftPatternEntryId	Shift Pattern Entry ID	reference		18		

SHIFTPATTERNFEED

Feed tracking for ShiftPattern.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SHIFTPATTERNHISTORY

History for tracked fields of ShiftPattern.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Shift Pattern History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ShiftPatternId	Shift Pattern ID	reference		18		

SHIFTPATTERNSHARE

Sharing for ShiftPattern.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SHIFTSHARE

Represents a sharing entry on a field service shift.

For more information, see ShiftShare in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SHIFTSTATUS

Represents a shift, such as Tentative, Published, or Confirmed.

For more information, see ShiftStatus in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Shift Status Value ID	id		18		
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
StatusCode	Status Code	picklist		40		
SystemModstamp	System Modstamp	datetime				

SHIFTTEMPLATESHARE

Sharing for ShiftTemplate.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SHIPMENT

Represents the transport of inventory in field service or a shipment of order items in Order Management.

For more information, see Shipment in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualDeliveryDate	Actual Delivery Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeliveredToId	Delivered To ID	reference		18		
Description	Description	textarea		32000		
DestinationLocationId	Destination Location ID	reference		18		
ExpectedDeliveryDate	Expected Delivery Date	datetime				
Id	Shipment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
Provider	Shipping Provider	picklist		40		
ShipFromAddress	Ship From Address	address				
ShipFromCity	Ship From City	string		40		
ShipFromCountry	Ship From Country	string		80		
ShipFromGeocodeAccuracy	Ship From Geocode Accuracy	picklist		255		
ShipFromLatitude	Ship From Latitude	double			18	15
ShipFromLongitude	Ship From Longitude	double			18	15
ShipFromPostalCode	Ship From Zip/Postal Code	string		20		
ShipFromState	Ship From State/Province	string		80		

Shipment

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ShipFromStreet	Ship From Street	textarea		255		
ShipToAddress	Ship To Address	address				
ShipToCity	Ship To City	string		40		
ShipToCountry	Ship To Country	string		80		
ShipToGeocodeAccuracy	Ship To Geocode Accuracy	picklist		255		
ShipToLatitude	Ship To Latitude	double			18	15
ShipToLongitude	Ship To Longitude	double			18	15
ShipToName	Ship To Name	string		255		
ShipToPostalCode	Ship To Zip/Postal Code	string		20		
ShipToState	Ship To State/Province	string		80		
ShipToStreet	Ship To Street	textarea		255		
ShipmentNumber	Shipment Number	string		255		
SourceLocationId	Source Location ID	reference		18		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TotalItemsQuantity	Total Items Quantity	double			18	2
TrackingNumber	Tracking Number	string		255		
TrackingUrl	Tracking URL	url		255		

SHIPMENTFEED

Feed tracking for Shipment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SHIPMENTHISTORY

History for tracked fields of Shipment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Shipment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ShipmentId	Shipment ID	reference		18		

SHIPMENTITEM

Represents an order item included in a shipment.

For more information, see ShipmentItem in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
ExpectedDeliveryDate	Expected Delivery Date	datetime				
Id	Shipment Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Product2Id	Product ID	reference		18		
Quantity	Quantity	double			18	2
ShipmentId	Shipment ID	reference		18		
ShipmentItemNumber	Shipment Item Number	string		255		
SystemModstamp	System Modstamp	datetime				
TrackingNumber	Tracking Number	string		255		
TrackingUrl	Tracking URL	url		255		

SHIPMENTITEMFEED

Feed tracking for ShipmentItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SHIPMENTITEMHISTORY

History for tracked fields of ShipmentItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Shipment Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ShipmentItemId	Shipment Item ID	reference		18		

SHIPMENTSHARE

Sharing for Shipment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SIGNATURETASK

Represents the signature-related information that a visitor captures as part of a visit.

For more information, see SignatureTask in the *Public Sector Solutions Developer Guide for License and Permit Management, and Inspection Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Signature Task ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParentTaskId	Assessment Task ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SIGNATURETASKFEED

Feed tracking for SignatureTask.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SIGNATURETASKHISTORY

History for tracked fields of SignatureTask.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Signature Task History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SignatureTaskId	Signature Task ID	reference		18		

SIGNATURETASKLINEITEM

Represents a junction between a signature task and a digital signature captured in a visit.

For more information, see `SignatureTaskLineItem` in the *Public Sector Solutions Developer Guide for License and Permit Management, and Inspection Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DigitalSignatureId	Digital Signature ID	reference		18		
Id	Signature Task Line Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParentId	Parent ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SIGNATURETASKLINEITEMFEED

Feed tracking for SignatureTaskLineItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SIGNATURETASKLINEITEMHISTORY

History for tracked fields of SignatureTaskLineItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Signature Task Line Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SignatureTaskLineItemId	Signature Task Line Item ID	reference		18		

SITE

Represents a public website that is integrated with an org.

For more information, see Site in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdminId	User ID	reference		18		
AnalyticsTrackingCode	Analytics Tracking Code	string		40		
ClickjackProtectionLevel	Clickjack Protection Level	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DailyBandwidthLimit	Daily Bandwidth Limit (MB)	int	9			
DailyBandwidthUsed	Daily Bandwidth Used	int	9			
DailyRequestTimeLimit	Daily Request Time Limit (min)	int	9			
DailyRequestTimeUsed	Daily Request Time Used	int	9			
Description	Site Description	textarea		1000		
GuestRecordDefaultOwnerId	User ID	reference		18		
GuestUserId	User ID	reference		18		
Id	Site ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Site Label	string		255		
MonthlyPageViewsEntitlement	Monthly Page Views Allowed	int	9			
Name	Site Name	string		80		
OptionsAllowGuestPaymentsApi	Guest Access to the Payments API	boolean				
OptionsAllowGuestSupportApi	Guest Access to the Support API	boolean				
OptionsAllowHomePage	Enable Standard Home Page	boolean				
OptionsAllowStandardAnswersPages	Enable Standard Answers Pages	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OptionsAllowStandardIdeasPages	Enable Standard Ideas Pages	boolean				
OptionsAllowStandardLookups	Enable Standard Search Pages	boolean				
OptionsAllowStandardPortalPages	Allow Access to Standard Salesforce Pages	boolean				
OptionsAllowStandardSearch	Enable Standard Lookup Pages	boolean				
OptionsBrowserXssProtection	Enable Browser Cross Site Scripting Protection	boolean				
OptionsCachePublicPagesInProxies	Cache public Visualforce pages	boolean				
OptionsContentSniffingProtection	Enable Content Sniffing Protection	boolean				
OptionsCookieConsent	Enforce Cookie Consent	boolean				
OptionsEnableFeeds	Enable Feeds	boolean				
OptionsHasStoredPathPrefix	HasStoredPathPrefix	boolean				
OptionsRedirectToCustomDomain	Redirect to custom domain	boolean				
OptionsRefererPolicyEnforceCrossOrigin	Referrer URL Protection	boolean				
SiteType	Site Type	picklist		40		
Status	Site Status	picklist		40		
Subdomain	Site Subdomain Prefix	string		80		
SystemModstamp	System Modstamp	datetime				
UrlPathPrefix	Default Web Address	string		40		

SITEDetail

Represents the details of a Salesforce site or Experience Cloud site.

For more information, see SiteDetail in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
DurableId	Site ID	string		255		
Id	Site Detail ID	id		18		
IsRegistrationEnabled	Self-Registration Enabled	boolean				
SecureUrl	Secure Url	url		255		

SITEFEED

Feed tracking for Site.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SITEHISTORY

Represents the history of changes to the values in the fields of a site.

For more information, see SiteHistory in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Custom Site ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SiteId	Site ID	reference		18		

SITEIFRAMEWHITELISTURL

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Site Iframe Trusted Url ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SiteId	Site ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Url	Domain	string		255		

SITEREDIRECTMAPPING

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Action	Redirect Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Site Redirect Mapping ID	id		18		
IsActive	Active	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SiteId	Site ID	reference		18		
Source	Source URL	url		2048		
SystemModstamp	System Modstamp	datetime				
Target	Target URL	url		2048		

SKILL

Represents a category or group that Chat users or field service resources can be assigned to.

For more information, see Skill in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
DeveloperName	Developer Name	string		80		
Id	Skill ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MasterLabel	Name	string		80		
SystemModstamp	System Modstamp	datetime				

SKILLREQUIREMENT

Represents a skill that is required to complete a particular task in Field Service and Lightning Scheduler. Skill requirements can be added to work types, work orders, and work order line items in Field Service and Lightning Scheduler.

For more information, see SkillRequirement in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Skill Requirement ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
RelatedRecordId	Required For ID	reference		18		
SkillId	Skill ID	reference		18		
SkillLevel	Skill Level	double			4	2
SkillNumber	Skill Requirement Number	string		255		
SystemModstamp	System Modstamp	datetime				

SKILLREQUIREMENTFEED

Feed tracking for SkillRequirement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SKILLREQUIREMENTHISTORY

History for tracked fields of SkillRequirement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Skill Requirement History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SkillRequirementId	Skill Requirement ID	reference		18		

SLAPROCESS

Represents an entitlement process associated with an Entitlement.

For more information, see SlaProcess in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessHoursId	Business Hours ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Id	Entitlement Process ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Entitlement Process Name	string		120		
NameNorm	Name	string		240		
SobjectType	Entitlement Process Type	picklist		40		
StartDateField	Custom Field Definition ID	picklist		40		
SystemModstamp	System Modstamp	datetime				

SOCIALPERSONA

Represents a snapshot of a contact's profile on a social network such as Facebook or Twitter.

For more information, see SocialPersona in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AreWeFollowing	Are we following	boolean				
AuthorLabels	Author Labels	string		255		
AvatarUrl	Avatar URL	string		1024		
Bio	Bio	textarea		32000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalId	Social Persona Provider External Id	string		255		
ExternalPictureURL	Provider External Picture URL	url		255		
Followers	Followers	int	9			
Following	Following	int	9			
Id	Social Persona ID	id		18		
InfluencerScore	Influencer Score	int	9			
IsBlacklisted	Blocklisted	boolean				
IsDefault	Default	boolean				
IsDeleted	Deleted	boolean				
IsFollowingUs	Is following us	boolean				
IsVerified	Verified	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ListedCount	Listed Count	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MediaProvider	Social Studio Media Provider	string		255		
MediaType	Social Studio Media Type	string		255		
Name	Social Handle	string		255		
NumberOfFriends	Number Of Friends	int	9			
NumberOfTweets	Number Of Tweets	int	9			
ParentId	Parent ID	reference		18		
ProfileType	Profile Type	picklist		255		
ProfileUrl	Profile URL	url		255		
Provider	Social Network	picklist		255		
R6SourceId	Social Studio Source Id	string		255		
RealName	Real Name	string		255		
SourceApp	Source App	string		255		
SystemModstamp	System Modstamp	datetime				
TopicType	Topic Type	string		255		

SOCIALPERSONAHISTORY

History for tracked fields of SocialPersona.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Social Persona History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SocialPersonaId	Social Persona ID	reference		18		

SOCIALPOST

Represents a snapshot of a post on a social network such as a Facebook or Twitter.

For more information, see SocialPost in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AnalyzerScore	Analyzer Score	double			18	3
AssignedTo	Assigned To	string		255		
AttachmentType	Attachment Type	picklist		255		
AttachmentUrl	Attachment URL	url		255		
Classification	Classification	picklist		40		
CommentCount	Comment Count	int	9			
Content	Message	textarea		32000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeletedById	Deleted By ID	reference		18		
EngagementLevel	Engagement Level	picklist		40		
ExternalPostId	External Post Id	string		255		
Handle	Social Handle	string		255		
HarvestDate	Harvest Date	datetime				
Headline	Headline	string		255		
HiddenById	Hidden By ID	reference		18		
Id	Social Post ID	id		18		
InboundLinkCount	Inbound Link Count	int	9			
IsDeleted	Deleted	boolean				
IsOutbound	Is Outbound	boolean				
KeywordGroupName	Keyword Group Name	string		255		
Language	Language	string		255		
LastModifiedById	Last Modified By ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LikedBy	Liked By	string		255		
LikesAndVotes	Likes and Votes	int	9			
MediaProvider	Social Studio Media Provider	string		255		
MediaType	Social Studio Media Type	string		255		
MessageType	Message Type	picklist		255		
Name	Name	string		255		
Notes	Notes	textarea		32000		
OutboundSocialAccountId	Managed Social Account ID	reference		18		
OwnerId	Owner ID	reference		18		
ParentId	Parent ID	reference		18		
PersonaId	Social Persona ID	reference		18		
PostPriority	Post Priority	string		255		
PostTags	Post Tags	textarea		32000		
PostUrl	Post URL	url		255		
Posted	Posted Date	datetime				
Provider	Social Network	picklist		255		
R6PostId	Social Studio Post Id	string		255		
R6SourceId	Social Studio Source Id	string		255		
R6TopicId	Social Studio Topic Id	string		255		
Recipient	Recipient	string		255		
RecipientType	Recipient Type	string		255		
ReplyToId	In Reply To ID	reference		18		
ResponseContextExternalId	Response Context	string		255		
ReviewScale	Review Scale	double			18	2
ReviewScore	Review Score	double			18	2
ReviewedStatus	Reviewed Status	picklist		40		
Sentiment	Sentiment	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Shares	Shares	int	9			
SourceTags	Source Tags	textarea		32000		
SpamRating	Spam Rating	picklist		255		
Status	Status	picklist		255		
StatusMessage	Status Message	textarea		255		
SystemModstamp	System Modstamp	datetime				
ThreadSize	Thread Size	int	9			
TopicProfileName	Topic Profile Name	string		255		
TopicType	Topic Type	picklist		255		
TruncatedContent	Message Clipping	string		255		
UniqueCommentors	Unique Commentors	int	9			
ViewCount	View Count	int	9			
WhoId	Who ID	reference		18		

SOCIALPOSTFEED

Feed tracking for SocialPost.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SOCIALPOSTHISTORY

History for tracked fields of SocialPost.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Social Post History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SocialPostId	Social Post ID	reference		18		

SOCIALPOSTSHARE

Sharing for SocialPost.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SOLUTION

Represents a detailed description of a customer issue and the resolution of that issue.

For more information, see Solution in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Solution ID	id		18		
IsDeleted	Deleted	boolean				
IsHtml	Is Html	boolean				
IsPublished	Public	boolean				
IsPublishedInPublicKb	Visible in Public Knowledge Base	boolean				
IsReviewed	Reviewed	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
SolutionName	Title	string		255		
SolutionNote	Description	textarea		32000		
SolutionNumber	Solution Number	string		30		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TimesUsed	Num Related Cases	int	9			

SOLUTIONFEED

Feed tracking for Solution.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SOLUTIONHISTORY

History for tracked fields of Solution.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Solution History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SolutionId	Solution ID	reference		18		

SOLUTIONSTATUS

Represents the status of a Solution, such as Draft, Reviewed, and so on.

For more information, see SolutionStatus in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Solution Status Value ID	id		18		
IsDefault	Is Default	boolean				
IsReviewed	Is Reviewed	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

STAMP

Represents a User Specialty.

For more information, see Stamp in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Stamp ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		50		
ParentId	Parent ID	reference		18		
SystemModstamp	System Modstamp	datetime				

STAMPASSIGNMENT

Represents assignment of a User Specialty to a user.

For more information, see StampAssignment in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	StampAssignment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
StampId	Stamp ID	reference		18		
SubjectId	User ID	reference		18		
SystemModstamp	System Modstamp	datetime				

STATICRESOURCE

Represents a static resource that can be used in Visualforce markup.

For more information, see `StaticResource` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Body	Body	base64				
BodyLength	Size	int	8			
CacheControl	Cache Control	picklist		40		
ContentType	MIME Type	string		120		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Id	Static Resource ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

STOREACTIONPLANTEMPLATE

Associate an action plan template with a store.

For more information, see StoreActionPlanTemplate in the *Consumer Goods Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionPlanTemplateId	Action Plan Template ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDate	Effective To	date				
Id	Store Action Plan Template ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
StartDate	Effective From	date				
StoreId	Store ID	reference		18		
SystemModstamp	System Modstamp	datetime				

STOREACTIONPLANTEMPLATEFEED

Feed tracking for StoreActionPlanTemplate.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

STOREACTIONPLANTEMPLATEHISTORY

History for tracked fields of StoreActionPlanTemplate.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Store Action Plan Template History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
StoreActionPlanTemplateId	Store Action Plan Template ID	reference		18		

STOREASSORTMENT

Associate an assortment to either a store, a store group, or an account.

For more information, see StoreAssortment in the *Consumer Goods Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AssortmentId	Assortment ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created	datetime				
EndDate	End Date	date				
Id	Store Assortment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
RetailLocationGroupId	Retail Store Group ID	reference		18		
RetailStoreId	Retail Store ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

STOREASSORTMENTFEED

Feed tracking for StoreAssortment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

STOREASSORTMENTHISTORY

History for tracked fields of StoreAssortment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Store Assortment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
StoreAssortmentId	Store Assortment ID	reference		18		

STOREPRODUCT

Associate a product to a retail store or to a specific in-store location.

For more information, see StoreProduct in the *Consumer Goods Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultOrderQuantity	Default Order Quantity	int	9			
DisplayOrder	Display Order	int	9			
EndDate	End Date	date				
Id	Store Product ID	id		18		
InStoreLocationId	In-store Location ID	reference		18		
IsDeleted	Deleted	boolean				
IsFavorite	Favorite	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProductId	Product ID	reference		18		
RetailStoreId	Retail Store ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

STOREPRODUCTFEED

Feed tracking for StoreProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

STOREPRODUCTHISTORY

History for tracked fields of StoreProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Store Product History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
StoreProductId	Store Product ID	reference		18		

STOREPRODUCTSHARE

Sharing for StoreProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

STREAMINGCHANNEL

Represents a channel that is the basis for notifying listeners of generic Streaming API events.

For more information, see StreamingChannel in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Streaming Channel Id	id		18		
IsDeleted	Is Deleted	boolean				
IsDynamic	Is Dynamically Created	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Streaming Channel Name	string		80		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

STREAMINGCHANNELSHARE

Sharing for StreamingChannel.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

STUDENT__SHARE

Sharing for Student__.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

STUDENT__C

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Record ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MayEdit	May Edit	boolean				
Name	Student Name	string		80		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
age__c	age	double			18	0
dob__c	dob	date				
fullname__c	fullname	string		255		
marks__c	marks	percent			18	2
pincode__c	pincode	double			18	0

SURVEY

Represents a survey.

For more information, see Survey in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActiveVersionId	Survey Version ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		65535		
DeveloperName	Developer Name	string		80		
Id	Survey ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LatestVersionId	Survey Version ID	reference		18		
Name	Name	string		255		
NamespacePrefix	Namespace Prefix	string		255		
OwnerId	Owner ID	reference		18		
SurveyType	Type	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalVersionsCount	Number of Versions	int	9			

SURVEYEMAILBRANDING

Represents the configuration settings for invitation emails sent to survey participants for a particular survey.

For more information, see SurveyEmailBranding in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Body	Email Body	textarea		4000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
FooterImageId	Asset File ID	reference		18		
FromEmailAddress	Email From Address	email		80		
HeaderImageId	Asset File ID	reference		18		
Id	Survey Email Branding ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
Subject	Email Subject	string		255		
SystemModstamp	System Modstamp	datetime				

SURVEYENGAGEMENTCONTEXT

Represents the context based on which a survey invitation was sent or a survey response was received.

For more information, see SurveyEngagementContext in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContextType	Context Type	string		250		
ContextValue	Context Value	string		250		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Survey Engagement Context ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SurveyInvitationId	Survey Invitation ID	reference		18		
SurveyResponseId	Survey Response ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SURVEYENGAGEMENTCONTEXTSHARE

Sharing for SurveyEngagementContext.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SURVEYFEED

Feed tracking for Survey.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SURVEYINVITATION

Represents the invitation sent to a participant to complete the survey.

For more information, see SurveyInvitation in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CommunityId	Network ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmailBrandingId	Survey Email Branding ID	reference		18		
Id	Survey Invitation ID	id		18		
InvitationLink	Invitation Link	url		255		
InviteExpiryDateTime	Invitation Expires On	datetime				
IsDefault	Is Default	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LeadId	Lead ID	reference		18		
Name	Name	string		255		
OptionsAllowGuestUserResponse	Let Guests Respond	boolean				
OptionsAllowParticipantAccessTheirResponse	Can See Their Response	boolean				
OptionsCollectAnonymousResponse	Can Respond Anonymously	boolean				
OwnerId	Owner ID	reference		18		
ParticipantId	Participant ID	reference		18		
ResponseStatus	Response Status	picklist		255		
SurveyId	Survey ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
UUID	UUID	string		36		
UserId	User ID	reference		18		

SURVEYINVITATIONSHARE

Sharing for SurveyInvitation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SURVEYPAGE

Represents a page, such as the title page or a question page, in a survey.

For more information, see SurveyPage in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Developer Name	string		80		
Id	Survey Page ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
SurveyVersionId	Survey Version ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SURVEYQUESTION

Represents a question in a survey.

For more information, see SurveyQuestion in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Developer Name	string		80		
Id	Survey Question ID	id		18		
IsDeleted	Deleted	boolean				
IsDeprecated	Is Deprecated	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
QuestionName	Question Name	textarea		4000		
QuestionType	Question Type	picklist		255		
SurveyPageId	Survey Page ID	reference		18		
SurveyVersionId	Survey Version ID	reference		18		
SystemModstamp	System Modstamp	datetime				
ValidationType	Validation Type	picklist		255		

SURVEYQUESTIONCHOICE

Represents an answer choice that a participant can select for a survey question.

For more information, see SurveyQuestionChoice in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Developer Name	string		80		
Id	Survey Question Choice ID	id		18		
IsDeleted	Deleted	boolean				
IsDeprecated	Is Deprecated	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
QuestionId	Survey Question ID	reference		18		
SurveyVersionId	Survey Version ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SURVEYQUESTIONRESPONSE

Represents a participant's answer to a specific question.

For more information, see SurveyQuestionResponse in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChoiceValue	Choice Value	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Datatype	Data Type	picklist		255		
DateTimeValue	Date Time Value	datetime				
DateValue	Date Value	date				
Id	Survey Question Response ID	id		18		
InvitationId	Survey Invitation ID	reference		18		
IsDeleted	Deleted	boolean				
IsTrueOrFalse	True or False	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
NumberValue	Number Value	int	9			
QuestionChoiceId	Survey Question Choice ID	reference		18		
QuestionId	Survey Question ID	reference		18		
Rank	Rank	int	9			
ResponseId	Survey Response ID	reference		18		
ResponseShortText	Name	string		255		
ResponseValue	Response Value	textarea		32000		
SurveyVersionId	Survey Version ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SURVEYQUESTIONSCORE

Represents the aggregate of responses for the following question types: date, multiple choice, picklist, radio, ranking, rating, scoring, slider, and [Net Promoter Score® \(NPS®\)](#).

For more information, see SurveyQuestionScore in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CumulativeScore	Cumulative Score	double			18	0
DateResponse	Date Response	date				
Id	Question Score ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
QuestionChoiceId	Survey Question Choice ID	reference		18		
QuestionDeveloperName	Question Developer Name	string		255		
QuestionId	Survey Question ID	reference		18		
QuestionName	Question Name	textarea		4000		
QuestionSkippedCount	Question Skipped Count	int	9			
ResponseCount	Response Count	int	9			
ResponseValue	Response Value	double			18	0
Score	Score	double			18	0
ScoreType	Question Score Type	picklist		255		
SurveyId	Survey ID	reference		18		
SurveyInvitationId	Survey Invitation ID	reference		18		
SurveyVersionId	Survey Version ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SURVEYRESPONSE

Represents information about a participant's response to a survey, such as the status of the response, the participant's location, and when the survey was completed.

For more information, see SurveyResponse in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CompletionDateTime	Response Completion Date and Time	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataMapperExecutionStatus	Data Mapper Execution Status	picklist		255		
Id	Survey Response ID	id		18		
InterviewGuid	Interview GUID	string		255		
InterviewId	Interview ID	reference		18		
InvitationId	Survey Invitation ID	reference		18		
IpAddress	Response IP Address	string		39		
IsDeleted	Deleted	boolean				
Language	Response Language	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Response Latitude	double			18	15
Location	Response Location	location	0	0	0	0
Longitude	Response Longitude	double			18	15
Name	Response Name	string		255		
Status	Response Status	picklist		255		
SubmitterId	Response Submitter ID	reference		18		

SurveyResponse

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SurveyId	Survey ID	reference		18		
SurveyVersionId	Survey Version ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SURVEYSHARE

Sharing for Survey.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SURVEYSUBJECT

Represents a relationship between a survey and another object, such as an account or a case.

For more information, see SurveySubject in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Object Relationship ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Record Name	string		255		
ParentId	Parent ID	reference		18		
SubjectEntityType	Related Object	picklist		255		
SubjectId	Subject ID	reference		18		
SurveyId	Survey ID	reference		18		
SurveyInvitationId	Survey Invitation ID	reference		18		
SurveyResponseId	Survey Response ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SURVEYVERSION

Represents a version of a survey.

For more information, see SurveyVersion in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BrandingSetId	Branding Set ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		65535		
Id	Survey Version ID	id		18		
IsDeleted	Deleted	boolean				
IsTemplate	Template	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SurveyId	Survey ID	reference		18		
SurveyStatus	Survey Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
VersionNumber	Version Number	int	9			

SURVEYVERSIONADDLINFO

Represents additional information about a survey version. This information defines the default settings of a survey version.

For more information, see SurveyVersionAddlInfo in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmailSender	Email Sender	textarea		400		
EmailTemplateId	Email Template ID	reference		18		
EngagementContextMetadata	Engagement Context Metadata	string		255		
Id	Survey Version Additional Info ID	id		18		
InvitationSharingRole	Invitation Sharing Role	picklist		255		
IsDeleted	Deleted	boolean				
Language	Language	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
SurveyQuestionId	Survey Question ID	reference		18		
SurveyVersionId	Survey Version ID	reference		18		
SystemModstamp	System Modstamp	datetime				

TABDEFINITION

Represents a custom tab. Returns only the tabs that the current user has access to.

For more information, see `TabDefinition` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
DurableId	Tab Definition Durable ID	string		255		
Id	Tab Definition ID	id		18		
IsAvailableInAloha	Is Available In Aloha	boolean				
IsAvailableInDesktop	Is Available In Desktop	boolean				
IsAvailableInLightning	Is Available In Lightning	boolean				
IsAvailableInMobile	Is Available In Mobile	boolean				
IsCustom	Is Custom	boolean				
Label	Label	string		255		
MobileUrl	Mobile URL	string		255		
Name	Name	string		255		
SubjectName	sObject Name	string		255		
Url	URL	string		255		

TASK

Represents a business activity such as making a phone call or other to-do items. In the user interface, Task and Event records are collectively referred to as activities.

For more information, see Task in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActivityDate	Due Date Only	date				
CallDisposition	Call Result	string		255		
CallDurationInSeconds	Call Duration	int	8			
CallObject	Call Object Identifier	string		255		
CallType	Call Type	picklist		40		
CompletedDateTime	Completed Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Id	Activity ID	id		18		
IsArchived	Archived	boolean				
IsClosed	Closed	boolean				
IsDeleted	Deleted	boolean				
IsHighPriority	High Priority	boolean				
IsRecurrence	Create Recurring Series of Tasks	boolean				
IsReminderSet	Reminder Set	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OwnerId	Assigned To ID	reference		18		
Priority	Priority	picklist		20		
RecurrenceActivityId	Recurrence Activity ID	reference		18		

Task

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RecurrenceDayOfMonth	Recurrence Day of Month	int	9			
RecurrenceDayOfWeekMask	Recurrence Day of Week Mask	int	9			
RecurrenceEndDateOnly	Recurrence End	date				
RecurrenceInstance	Recurrence Instance	picklist		40		
RecurrenceInterval	Recurrence Interval	int	9			
RecurrenceMonthOfYear	Recurrence Month of Year	picklist		40		
RecurrenceRegeneratedType	Repeat This Task	picklist		40		
RecurrenceStartDateOnly	Recurrence Start	date				
RecurrenceTimeZoneSidKey	Recurrence Time Zone	picklist		40		
RecurrenceType	Recurrence Type	picklist		40		
ReminderDateTime	Reminder Date/Time	datetime				
Status	Status	picklist		255		
Subject	Subject	combobox		255		
SystemModstamp	System Modstamp	datetime				
TaskSubtype	Task Subtype	picklist		40		
WhatId	Related To ID	reference		18		
WhoId	Name ID	reference		18		

TASKFEED

Feed tracking for Task.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

TASKGROUP

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Task Group ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
SystemModstamp	System Modstamp	datetime				

TASKPRIORITY

Represents the importance or urgency of a Task, such as High, Normal, or Low.

For more information, see TaskPriority in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Task Priority Value ID	id		18		
IsDefault	Is Default	boolean				
IsHighPriority	Is High Priority	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

TASKRELATION

Represents the relationship between a task and a lead, contacts, and other objects related to the task. If Shared Activities is enabled, this object doesn't support triggers, workflow, or data validation rules.

For more information, see TaskRelation in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Task Relation ID	id		18		
IsDeleted	Deleted	boolean				
IsWhat	Is What	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RelationId	Relation ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TaskId	Task ID	reference		18		

TASKSTATUS

Represents the status of a Task, such as Not Started, Completed, or Closed.

For more information, see TaskStatus in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Task Status Value ID	id		18		
IsClosed	Is Closed	boolean				
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

TASKWHORELATION

Represents the relationship between a task and a lead or contacts.

For more information, see TaskWhoRelation in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Task Relation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RelationId	Relation ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TaskId	Task ID	reference		18		
Type	Type	string		50		

TENANTUSAGEENTITLEMENT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AmountUsed	Amount Used	double			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrentAmountAllowed	Current Amount Allowed	double			18	0
EndDate	End Date	date				
Frequency	Frequency	picklist		255		
HasRollover	Has Rollover	boolean				
Id	Tenant Usage Entitlement ID	id		18		
IsDeleted	Deleted	boolean				
IsPersistentResource	Is Persistent Resource	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Setting Label	string		255		
OverageGrace	Overage Grace	percent			5	2
ResourceGroupKey	Resource Group Key	string		120		
Setting	Setting	string		120		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				
UsageDate	Usage Date	datetime				

TESTSUITEMEMBERSHIP

Associates an Apex class with an ApexTestSuite.

For more information, see TestSuiteMembership in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApexClassId	Class ID	reference		18		
ApexTestSuiteId	Test Suite ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Test Suite Membership ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				

THIRDPARTYACCOUNTLINK

Represents the list of external users who authenticated using an Auth. Provider.

For more information, see ThirdPartyAccountLink in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Handle	External User Handle	string		375		
Id	Third Party Account Link ID	id		18		
IsNotSsoUsable	Is Not SSO Usable	boolean				
Provider	Provider	string		128		
RemoteIdentifier	External User Id	string		128		
SsoProviderId	Auth. Provider ID	reference		18		
SsoProviderName	Single Sign-On Provider Name	string		255		
ThirdPartyAccountLinkKey	Third Party Account Link Unique Key	string		255		
UserId	User ID	reference		18		

THREATDETECTIONFEEDBACK

Represents feedback provided by a user about a Threat Detection event that occurred in your org. The feedback specifies whether the event was malicious, suspicious, not a threat, or unknown. Each ThreatDetectionFeedback object is associated with one of these Threat Detection storage events: CredentialStuffingEventStore, ReportAnomalyEventStore, or SessionHijackingEventStore.

For more information, see ThreatDetectionFeedback in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Threat Detection Feedback ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Updated Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Response	Response	picklist		255		
SystemModstamp	System Modstamp	datetime				
ThreatDetectionEventId	Associated Threat Detection Event ID	reference		18		
ThreatDetectionFeedbackName	Threat Detection Feedback Name	string		255		
UserId	User ID	reference		18		
Username	Username	string		255		

THREATDETECTIONFEEDBACKFEED

Feed tracking for ThreatDetectionFeedback.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

TIMESHEET

Represents a schedule of a service resource's time in field service.

For more information, see TimeSheet in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDate	Time Sheet End Date	date				
Id	Time Sheet ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
ServiceResourceId	Resource ID	reference		18		
StartDate	Time Sheet Start Date	date				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TimeSheetEntryCount	Time Sheet Entry Count	int	9			
TimeSheetNumber	Name	string		255		
TotalDurationInHours	Total Duration (In Hours)	double			18	2
TotalDurationInMinutes	Total Duration (In Minutes)	int	9			

TIMESHEETENTRY

Represents a span of time that a service resource spends on a field service task.

For more information, see TimeSheetEntry in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
DurationInMinutes	Duration (In Minutes)	int	9			
EndTime	End Time	datetime				
Id	Time Sheet Entry ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationTimeZone	Location Time Zone	picklist		255		
StartTime	Start Time	datetime				
Status	Status	picklist		40		
Subject	Subject	string		255		
SystemModstamp	System Modstamp	datetime				
TimeSheetEntryNumber	Name	string		255		
TimeSheetId	Time Sheet ID	reference		18		
Type	Type	picklist		40		
WorkOrderId	Work Order ID	reference		18		
WorkOrderLineItemId	Line Item ID	reference		18		

TIMESHEETENTRYFEED

Feed tracking for TimeSheetEntry.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

TIMESHEETENTRYHISTORY

History for tracked fields of TimeSheetEntry.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Time Sheet Entry History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
TimeSheetEntryId	Time Sheet Entry ID	reference		18		

TIMESHEETFEED

Feed tracking for TimeSheet.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

TIMESHEETHISTORY

History for tracked fields of TimeSheet.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Time Sheet History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
TimeSheetId	Time Sheet ID	reference		18		

TIMESHEETSHARE

Sharing for TimeSheet.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

TIMESLOT

Represents a period of time on a specified day of the week during which field service work can be performed in Field Service and Lightning Scheduler. Operating hours consist of one or more time slots.

For more information, see TimeSlot in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DayOfWeek	Day of Week	picklist		255		
EndTime	End Time	time				
Id	Time Slot ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaxAppointments	Maximum Appointments	int	9			
OperatingHoursId	Operating Hour ID	reference		18		
StartTime	Start Time	time				
SystemModstamp	System Modstamp	datetime				
TimeSlotNumber	Name	string		255		
Type	Type	picklist		255		
WorkTypeGroupId	Work Type Group ID	reference		18		

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Goal ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		
Value	Value	currency			18	0

TODAYGOALSHARE

Sharing for TodayGoal.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

TOPIC

Represents a topic on a Chatter post or record.

For more information, see Topic in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		1000		
Id	Topic ID	id		18		
ManagedTopicType	Enabled For	string		99		
Name	Name	string		99		
SystemModstamp	System Modstamp	datetime				
TalkingAbout	Talking About	int	9			

TOPICASSIGNMENT

Represents the assignment of a topic to a specific feed item, record, or file.

For more information, see TopicAssignment in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EntityId	Entity ID	reference		18		
EntityKeyPrefix	Record Key Prefix	string		3		
EntityType	Object Type	string		80		
Id	Topic Assignment ID	id		18		
IsDeleted	Deleted	boolean				
SystemModstamp	System Modstamp	datetime				
TopicId	Topic ID	reference		18		

TOPICFEED

Feed tracking for Topic.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

TOPICUSEREVENT

Represents an action (such as comment, post, like, or share) made by a user on a topic.

For more information, see `TopicUserEvent` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionEnum	Action	picklist		40		
CreatedDate	Create Date	datetime				
Id	Event ID	id		18		
TopicId	Topic ID	reference		18		
UserId	User ID	reference		18		

TRAININGCOURSEPARTICIPANT

Represents the trainings completed by a person.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactId	Contact ID	reference		18		
CourseOfferingId	Course Offering ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Training Course Participant ID	id		18		
InstitutionName	Institution Name	picklist		40		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Participant ID	string		255		
OwnerId	Owner ID	reference		18		
Result	Result	picklist		40		
SystemModstamp	System Modstamp	datetime				
VerificationDateTime	Verification Date	datetime				
VerificationStatus	Verification Status	picklist		40		

TRAININGCOURSEPARTICIPANTFEED

Feed tracking for TrainingCourseParticipant.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

TRAININGCOURSEPARTICIPANTHISTORY

History for tracked fields of TrainingCourseParticipant.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Training Course Participant History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
TrainingCourseParticipantId	Training Course Participant ID	reference		18		

TRAININGCOURSEPARTICIPANTSHARE

Sharing for TrainingCourseParticipant.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

TRANSACTIONJOURNAL

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActivityDate	Activity Date	datetime				
CountrySegmentJournal__c	CountrySegmentJournal	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ErrorDescription	Error Message	string		255		
ExternalTransactionNumber	External Transaction ID	string		40		
Id	Transaction Journal ID	id		18		
IsDeleted	Deleted	boolean				
JournalDate	Journal Date	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MemberId	Program Member ID	reference		18		
OrderId	Order ID	reference		18		
OrderItemId	Order Product ID	reference		18		
ProductCategoryId	Category ID	reference		18		
ProductId	Product ID	reference		18		
Quantity	Quantity	double			18	2
QuantityUnitOfMeasureId	Quantity Unit ID	reference		18		
RebatePgmReferenceNumber	Program Reference Number	string		30		
RegionJournal__c	RegionJournal	picklist		255		
ShipToAccountId	Account ID	reference		18		
SystemModstamp	System Modstamp	datetime				

TransactionJournal

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TransactionAmount	Transaction Amount	currency			18	2
UsageType	Usage Type	picklist		40		

TRANSACTIONSECURITYPOLICY

Represents a transaction security policy definition.

For more information, see TransactionSecurityPolicy in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionConfig	Action Configuration	textarea		4000		
ApexPolicyId	Class ID	reference		18		
BlockMessage	Block Message	string		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		1000		
DeveloperName	Name	string		80		
EventName	EventName	picklist		255		
EventType	Event Type	picklist		255		
ExecutionUserId	User ID	reference		18		
Id	Transaction Security Policy ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
ResourceName	Resource Name	string		100		
State	State	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Policy type	picklist		255		

TRANSLATION

The Translation object represents the languages enabled for translation in your Salesforce org.
For more information, see Translation in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CanManage	Can Manage	boolean				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Translation ID	id		18		
IsActive	Active	boolean				
Language	Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				

TRIALTEMPLATE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		128		
Id	Trialforce Template ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		30		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

TRNCOURSE

Represents trainings authorized by a government authority that qualify a license/permit.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Id	Training Course ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TotalCredits	Total Credits	double			18	2
TotalHours	Total Hours	double			18	2

TRNCOURSEFEED

Feed tracking for TrnCourse.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

TRNCOURSEHISTORY

History for tracked fields of TrnCourse.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Training Course History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
TrnCourseId	Training Course ID	reference		18		

TRNCOURSESHARE

Sharing for TrnCourse.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

UIFORMULACRITERION

Represents a filter that helps define component visibility on a Lightning page.

For more information, see UiFormulaCriterion in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Ui Formula Criterion ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LeftHandSide	Left Value	string		255		
OperatorId	Formula Operator ID	string		40		
ParentKeyPrefix	Parent Key Prefix	string		3		
RightHandSide	Right Value	string		255		
RuleId	Ui Formula Rule ID	reference		18		
SystemModstamp	System Modstamp	datetime				

UIFORMULARULE

Represents a set of one or more filters that define the conditions under which a component displays on a Lightning page.

For more information, see UiFormulaRule in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssociatedElementId	Associated Element ID	reference		18		
BooleanFilter	Boolean Filter	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Formula	Formula	textarea		4000		
Id	Ui Formula Rule ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
ParentKeyPrefix	Parent Key Prefix	string		3		
SystemModstamp	System Modstamp	datetime				

UNDECIDEVENTRELATION

Represents event participants (invitees or attendees) with the status `Not Responded` for a given event.

For more information, see `UndecidedEventRelation` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>EventId</code>	Event ID	reference		18		
<code>Id</code>	Event Relation ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>RelationId</code>	Relation ID	reference		18		
<code>RespondedDate</code>	Response Date	datetime				
<code>Response</code>	Response	string		255		
<code>SystemModstamp</code>	System Modstamp	datetime				
<code>Type</code>	Type	string		50		

UNITOFMEASURE

Represents the unit of measures for care metrics and care observations

For more information, see `UnitOfMeasure` in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Unit of Measure ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		
UnitCode	Unit Code	string		255		

UNITOFMEASURECONVERSION

Represents the information used to convert a measurement value from a unit of measure to another.

For more information, see `UnitOfMeasureConversion` in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConversionFactor	Conversion Factor	double			18	6
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FromUnitOfMeasureId	Unit of Measure ID	reference		18		
Id	Unit of Measure ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
ToUnitOfMeasureId	Unit of Measure ID	reference		18		

UNITOFMEASURECONVERSIONFEED

Feed tracking for UnitOfMeasureConversion.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

UNITOFMEASURECONVERSIONHISTORY

History for tracked fields of UnitOfMeasureConversion.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Unit of Measure Conversion History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
UnitOfMeasureConversionId	Unit of Measure ID	reference		18		

UNITOFMEASURECONVERSIONSHARE

Sharing for UnitOfMeasureConversion.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

UNITOFMEASURESHARE

Sharing for UnitOfMeasure.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

URIEVENT

Detects when a user creates, accesses, updates, or deletes a record in Salesforce Classic only. Doesn't detect record operations done through a Visualforce page or Visualforce page views.

For more information, see UriEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
Id	URI Event ID	id		18		
LoginKey	Login Key	string		24		
Message	Message	string		10000		
Name	Name	string		255		
Operation	Operation	picklist		255		
OperationStatus	Operation Status	picklist		255		
QueriedEntities	Queried Entities	string		1000		
RecordId	Record ID	reference		18		
RelatedEventIdentifier	Related Event Identifier	string		80		
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
UserId	User ID	reference		18		
UserType	User Type	picklist		255		
Username	Username	string		255		

URIEVENTSTREAM

Detects when a user creates, accesses, updates, or deletes a record in Salesforce Classic only. Doesn't detect record operations done through a Visualforce page or Visualforce page views.

For more information, see UriEventStream in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
EventUuid	Event UUID	string		36		
LoginKey	Login Key	string		24		
Message	Message	string		10000		
Name	Name	string		255		
Operation	Operation	picklist		255		
OperationStatus	Operation Status	picklist		255		
QueriedEntities	Queried Entities	string		1000		
RecordId	Record ID	string		18		
RelatedEventIdentifier	Related Event Identifier	string		80		
ReplayId	Replay ID	string		1000		
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
UserId	User ID	reference		18		
UserType	User Type	picklist		255		
Username	Username	string		255		

USER

Represents a user in your organization.

For more information, see User in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AboutMe	About Me	textarea		1000		
AccountId	Account ID	reference		18		
Address	Address	address				
Alias	Alias	string		8		
BadgeText	User Photo badge text overlay	string		80		
BannerPhotoUrl	Url for banner photo	url		1024		
CallCenterId	Call Center ID	reference		18		
City	City	string		40		
CommunityNickname	Nickname	string		40		
CompanyName	Company Name	string		80		
ContactId	Contact ID	reference		18		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultGroupNotificationFrequency	Default Notification Frequency when Joining Groups	picklist		40		
DelegatedApproverId	Delegated Approver ID	reference		18		
Department	Department	string		80		
DigestFrequency	Chatter Email Highlights Frequency	picklist		40		
Division	Division	string		80		
Email	Email	email		128		
EmailEncodingKey	Email Encoding	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
EmailPreferencesAutoBcc	AutoBcc	boolean				
EmailPreferencesAutoBccStayInTouch	AutoBccStayInTouch	boolean				
EmailPreferencesStayInTouchReminder	StayInTouchReminder	boolean				
EmployeeNumber	Employee Number	string		20		
Extension	Extension	phone		40		
Fax	Fax	phone		40		
FederationIdentifier	SAML Federation ID	string		512		
FirstName	First Name	string		40		
ForecastEnabled	Allow Forecasting	boolean				
FullPhotoUrl	Url for full-sized Photo	url		1024		
GeocodeAccuracy	Geocode Accuracy	picklist		40		
Id	User ID	id		18		
IndividualId	Individual ID	reference		18		
IsActive	Active	boolean				
IsExtIndicatorVisible	Show external indicator	boolean				
IsProfilePhotoActive	Has Profile Photo	boolean				
LanguageLocaleKey	Language	picklist		40		
LastLoginDate	Last Login	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastName	Last Name	string		80		
LastPasswordChangeDate	Last Password Change or Reset	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
LocaleSidKey	Locale	picklist		40		
Longitude	Longitude	double			18	15
ManagerId	Manager ID	reference		18		
MediumBannerPhotoUrl	Url for Android banner photo	url		1024		
MediumPhotoUrl	Url for medium profile photo	url		1024		

User

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MobilePhone	Mobile	phone		40		
Name	Full Name	string		121		
NumberOfFailedLogins	Failed Login Attempts	int	9			
OfflinePatTrialExpirationDate	Sales Anywhere Trial Expiration Date	datetime				
OfflineTrialExpirationDate	Offline Edition Trial Expiration Date	datetime				
OutOfOfficeMessage	Out of office message	string		40		
Phone	Phone	phone		40		
PostalCode	Zip/Postal Code	string		20		
ProfileId	Profile ID	reference		18		
ReceivesAdminInfoEmails	Admin Info Emails	boolean				
ReceivesInfoEmails	Info Emails	boolean				
SenderEmail	Email Sender Address	email		80		
SenderName	Email Sender Name	string		80		
Signature	Email Signature	textarea		1333		
SmallBannerPhotoUrl	Url for IOS banner photo	url		1024		
SmallPhotoUrl	Photo	url		1024		
State	State/Province	string		80		
StayInTouchNote	Stay-in-Touch Email Note	string		512		
StayInTouchSignature	Stay-in-Touch Email Signature	textarea		512		
StayInTouchSubject	Stay-in-Touch Email Subject	string		80		
Street	Street	textarea		255		
SystemModstamp	System Modstamp	datetime				
TimeZoneSidKey	Time Zone	picklist		40		
Title	Title	string		80		
UserPermissionsAvantgoUser	AvantGo User	boolean				
UserPermissionsCallCenterAutoLogin	Auto-login To Call Center	boolean				
UserPermissionsInteractionUser	Flow User	boolean				
UserPermissionsKnowledgeUser	Knowledge User	boolean				
UserPermissionsMarketingUser	Marketing User	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UserPermissionsOfflineUser	Offline User	boolean				
UserPermissionsSFContentUser	Salesforce CRM Content User	boolean				
UserPermissionsWorkDotComUserReturn	WDC User	boolean				
UserPreferencesActivityRemindersPop	ActivityRemindersPopup	boolean				
UserPreferencesApexPagesDeveloperMode	ApexPagesDeveloperMode	boolean				
UserPreferencesCacheDiagnostics	CacheDiagnostics	boolean				
UserPreferencesContentEmailAsAndWhen	ContentEmailAsAndWhen	boolean				
UserPreferencesContentNoEmail	ContentNoEmail	boolean				
UserPreferencesCreateLEXAppsWTShown	CreateLEXAppsWTShown	boolean				
UserPreferencesDisCommentAfterLikeEmail	DisCommentAfterLikeEmail	boolean				
UserPreferencesDisMentionsCommentEmail	DisMentionsCommentEmail	boolean				
UserPreferencesDisProfPostCommentEmail	DisProfPostCommentEmail	boolean				
UserPreferencesDisableAllFeedsEmail	DisableAllFeedsEmail	boolean				
UserPreferencesDisableBookmarkEmail	DisableBookmarkEmail	boolean				
UserPreferencesDisableChangeCommentEmail	DisableChangeCommentEmail	boolean				
UserPreferencesDisableEndorsementEmail	DisableEndorsementEmail	boolean				
UserPreferencesDisableFeedbackEmail	DisableFeedbackEmail	boolean				
UserPreferencesDisableFileShareNotificationsForApi	DisableFileShareNotificationsForApi	boolean				
UserPreferencesDisableFollowersEmail	DisableFollowersEmail	boolean				
UserPreferencesDisableLaterCommentEmail	DisableLaterCommentEmail	boolean				
UserPreferencesDisableLikeEmail	DisableLikeEmail	boolean				
UserPreferencesDisableMentionsPostEmail	DisableMentionsPostEmail	boolean				
UserPreferencesDisableMessageEmail	DisableMessageEmail	boolean				
UserPreferencesDisableProfilePostEmail	DisableProfilePostEmail	boolean				
UserPreferencesDisableSharePostEmail	DisableSharePostEmail	boolean				
UserPreferencesDisableWorkEmail	DisableWorkEmail	boolean				
UserPreferencesEnableAutoSubForFeeds	EnableAutoSubForFeeds	boolean				
UserPreferencesEventRemindersCheckboxDefault	EventRemindersCheckboxDefault	boolean				
UserPreferencesExcludeMailAppAttachments	ExcludeMailAppAttachments	boolean				
UserPreferencesFavoritesShowTopFavorites	FavoritesShowTopFavorites	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UserPreferencesFavoritesWTShown	FavoritesWTShown	boolean				
UserPreferencesGlobalNavBarWTShown	GlobalNavBarWTShown	boolean				
UserPreferencesGlobalNavGridMenuWTShown	GlobalNavGridMenuWTShown	boolean				
UserPreferencesHasCelebrationBadge	HasCelebrationBadge	boolean				
UserPreferencesHideBiggerPhotoCallout	HideBiggerPhotoCallout	boolean				
UserPreferencesHideBrowseProductRedirectConfirmation	HideBrowseProductRedirectConfirmation	boolean				
UserPreferencesHideCSNDesktopTask	HideCSNDesktopTask	boolean				
UserPreferencesHideCSNGetChatterMobileTask	HideCSNGetChatterMobileTask	boolean				
UserPreferencesHideChatterOnboardingSplash	HideChatterOnboardingSplash	boolean				
UserPreferencesHideEndUserOnboardingAssistantModal	HideEndUserOnboardingAssistantModal	boolean				
UserPreferencesHideInvoicesRedirectConfirmation	HideInvoicesRedirectConfirmation	boolean				
UserPreferencesHideLegacyRetirementModal	HideLegacyRetirementModal	boolean				
UserPreferencesHideLightningMigrationModal	HideLightningMigrationModal	boolean				
UserPreferencesHideOnlineSalesAppWelcomeMat	HideOnlineSalesAppWelcomeMat	boolean				
UserPreferencesHideS1BrowserUI	HideS1BrowserUI	boolean				
UserPreferencesHideSecondChatterOnboardingSplash	HideSecondChatterOnboardingSplash	boolean				
UserPreferencesHideSfxWelcomeMat	HideSfxWelcomeMat	boolean				
UserPreferencesHideStatementsRedirectConfirmation	HideStatementsRedirectConfirmation	boolean				
UserPreferencesLightningExperiencePreferred	LightningExperiencePreferred	boolean				
UserPreferencesMyS1WelcomeSplashShown	MyS1WelcomeSplashShown	boolean				
UserPreferencesNativeEmailClient	NativeEmailClient	boolean				
UserPreferencesNewLightningReportRunPageEnabled	NewLightningReportRunPageEnabled	boolean				
UserPreferencesPathAssistantCollapsed	PathAssistantCollapsed	boolean				
UserPreferencesPreviewCustomTheme	PreviewCustomTheme	boolean				
UserPreferencesPreviewLightning	PreviewLightning	boolean				
UserPreferencesReceiveNotificationsAsApprover	ReceiveNoNotificationsAsApprover	boolean				
UserPreferencesReceiveNotificationsAsDelegatedApprover	ReceiveNotificationsAsDelegatedApprover	boolean				
UserPreferencesRecordHomeReservedWTShown	RecordHomeReservedWTShown	boolean				
UserPreferencesRecordHomeSectionCollapseWTShown	RecordHomeSectionCollapseWTShown	boolean				
UserPreferencesReminderSoundOff	ReminderSoundOff	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UserPreferencesReverseOpenActivitiesView	ReverseOpenActivitiesView	boolean				
UserPreferencesSRHOverrideActivities	SRHOverrideActivities	boolean				
UserPreferencesShowCityToExternalUsers	ShowCityToExternalUsers	boolean				
UserPreferencesShowCityToGuestUsers	ShowCityToGuestUsers	boolean				
UserPreferencesShowCountryToExternalUsers	ShowCountryToExternalUsers	boolean				
UserPreferencesShowCountryToGuestUsers	ShowCountryToGuestUsers	boolean				
UserPreferencesShowEmailToExternalUsers	ShowEmailToExternalUsers	boolean				
UserPreferencesShowEmailToGuestUsers	ShowEmailToGuestUsers	boolean				
UserPreferencesShowFaxToExternalUsers	ShowFaxToExternalUsers	boolean				
UserPreferencesShowFaxToGuestUsers	ShowFaxToGuestUsers	boolean				
UserPreferencesShowManagerToExternalUsers	ShowManagerToExternalUsers	boolean				
UserPreferencesShowManagerToGuestUsers	ShowManagerToGuestUsers	boolean				
UserPreferencesShowMobilePhoneToExternalUsers	ShowMobilePhoneToExternalUsers	boolean				
UserPreferencesShowMobilePhoneToGuestUsers	ShowMobilePhoneToGuestUsers	boolean				
UserPreferencesShowPostalCodeToExternalUsers	ShowPostalCodeToExternalUsers	boolean				
UserPreferencesShowPostalCodeToGuestUsers	ShowPostalCodeToGuestUsers	boolean				
UserPreferencesShowProfilePicToGuestUsers	ShowProfilePicToGuestUsers	boolean				
UserPreferencesShowStateToExternalUsers	ShowStateToExternalUsers	boolean				
UserPreferencesShowStateToGuestUsers	ShowStateToGuestUsers	boolean				
UserPreferencesShowStreetAddressToExternalUsers	ShowStreetAddressToExternalUsers	boolean				
UserPreferencesShowStreetAddressToGuestUsers	ShowStreetAddressToGuestUsers	boolean				
UserPreferencesShowTitleToExternalUsers	ShowTitleToExternalUsers	boolean				
UserPreferencesShowTitleToGuestUsers	ShowTitleToGuestUsers	boolean				
UserPreferencesShowWorkPhoneToExternalUsers	ShowWorkPhoneToExternalUsers	boolean				
UserPreferencesShowWorkPhoneToGuestUsers	ShowWorkPhoneToGuestUsers	boolean				
UserPreferencesSortFeedByComment	SortFeedByComment	boolean				
UserPreferencesSuppressEventSFXReminders	SuppressEventSFXReminders	boolean				
UserPreferencesSuppressTaskSFXReminders	SuppressTaskSFXReminders	boolean				
UserPreferencesTaskRemindersCheckboxDefault	TaskRemindersCheckboxDefault	boolean				
UserPreferencesUserDebugModePref	UserDebugModePref	boolean				

User

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UserRoleId	Role ID	reference		18		
UserType	User Type	picklist		40		
Username	Username	string		80		

USERAPPINFO

Stores the last Lightning app logged in to.

For more information, see UserAppInfo in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppDefinitionId	App Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FormFactor	Form Factor	picklist		255		
Id	Last Used App ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

USERAPPMENUCUSTOMIZATION

Represents an individual user's settings for items in the app menu or App Launcher.

For more information, see UserAppMenuCustomization in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationId	Application ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	UserAppMenuCustomization ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OwnerId	Owner ID	reference		18		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

USERAPPMENUCUSTOMIZATIONSHARE

Sharing for UserAppMenuCustomization.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

USERAPPMENUITEM

Represents the organization-wide settings for items in the app menu or App Launcher that the requesting user has access to in Setup. For more information, see `UserAppMenuItem` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>AppMenuItemId</code>	AppMenuItem ID	string		255		
<code>ApplicationId</code>	Application ID	reference		18		
<code>Description</code>	Description	string		250		
<code>IconUrl</code>	Icon Url	url		255		
<code>Id</code>	Application ID	id		18		
<code>InfoUrl</code>	Info URL	url		255		
<code>IsUsingAdminAuthorization</code>	IsUsingAdminAuthorization	boolean				
<code>IsVisible</code>	Is Visible	boolean				
<code>Label</code>	Name	string		80		
<code>LogoUrl</code>	Logo Image URL	url		255		
<code>MobileStartUrl</code>	Mobile Start Url	url		255		
<code>Name</code>	Developer Name	string		250		
<code>SortOrder</code>	Sort Order	int	9			
<code>StartUrl</code>	Start Url	url		255		
<code>Type</code>	App Type	picklist		255		
<code>UserSortOrder</code>	User Sort Order	int	9			

USERCUSTOMBADGE

Represents a custom badge for a user.

For more information, see UserCustomBadge in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BadgeType	Badge Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomText	Custom Text	string		50		
Id	User Custom Badge ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
SystemModstamp	System Modstamp	datetime				

USEREMAILPREFERREDPERSON

Represents a mapping for a user's preferred record for an email address when multiple records match an email field.

For more information, see `UserEmailPreferredPerson` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>Email</code>	Email	email		80		
<code>Id</code>	User Email Preferred Person ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>Name</code>	User Email Preferred Person Name	string		255		
<code>OwnerId</code>	Owner ID	reference		18		
<code>PersonRecordId</code>	Person Record ID	reference		18		
<code>SystemModstamp</code>	System Modstamp	datetime				

USEREMAILPREFERREDPERSONSHARE

Represents a sharing entry on a UserEmailPreferredPerson object. Sharing is not customizable for UserEmailPreferredPerson records. For more information, see UserEmailPreferredPersonShare in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

USERENTITYACCESS

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
DurableId	Durable ID	string		255		
EntityDefinitionId	Entity Definition ID	string		150		
Id	User Entity Access ID	id		18		
IsActiveable	Is Activateable	boolean				
IsCreatable	Is Creatable	boolean				
IsDeletable	Is Deletable	boolean				
IsEditable	Is Editable	boolean				
IsFlsUpdatable	Is Field-level Security Updatable?	boolean				
IsMergeable	Is Mergeable	boolean				
IsReadable	Is Readable	boolean				
IsUndeletable	Is Undeletable	boolean				
IsUpdatable	Is Updatable	boolean				
UserId	User ID	reference		18		

USERFEED

Feed tracking for User.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

USERFIELDACCESS

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
DurableId	Durable ID	string		255		
EntityDefinitionId	Entity Definition ID	string		150		
FieldDefinitionId	Field Definition ID	string		150		
Id	User Field Access ID	id		18		
IsAccessible	Is Accessible	boolean				
IsCreatable	Is Creatable	boolean				
IsUpdatable	Is Updatable	boolean				
UserId	User ID	reference		18		

USERLICENSE

Represents a user license in your organization. A user license entitles a user to specific functionality and determines the profiles and permission sets available to the user.

For more information, see `UserLicense` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
Id	User License ID	id		18		
LastModifiedDate	Last Modified Date	datetime				
LicenseDefinitionKey	License Def. ID	string		40		
MasterLabel	Master Label	string		80		
Name	Name	string		40		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TotalLicenses	Total Licenses	int	9			
UsedLicenses	Used Licenses	int	9			
UsedLicensesLastUpdated	Used Licenses Last Updated	datetime				

USERLISTVIEW

Represents the customizations a user made to a list view.

For more information, see `ListView` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>Id</code>	User List View Id	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>LastViewedChart</code>	List View Chart ID	picklist		255		
<code>ListViewId</code>	List View ID	reference		18		
<code>SobjectType</code>	Custom Object Definition ID	picklist		255		
<code>SystemModstamp</code>	System Modstamp	datetime				
<code>UserId</code>	User ID	reference		18		

USERLISTVIEWCRITERION

Represents the criterion for a user's customized list view. The criterion consists of the filters or sort order a user added to a list view for the Salesforce Mobile app.

For more information, see `UserListViewCriterion` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ColumnName	Column Name	string		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	User List View Criteria Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Operation	Operation	picklist		255		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				
UserListViewId	User List View ID	reference		18		
Value	Value	string		85		

USERLOGIN

Represents the settings that affect a user's ability to log into an organization. To access this object, you need the `UserPermissions.ManageUsers` permission.

For more information, see UserLogin in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	User Login ID	id		18		
IsFrozen	Is Frozen	boolean				
IsPasswordLocked	Is Password Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
UserId	User ID	reference		18		

USERPACKAGELICENSE

Represents a license for an installed managed package, assigned to a specific user.

For more information, see `UserPackageLicense` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>Id</code>	User Package License ID	id		18		
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>PackageLicenseId</code>	Package License ID	reference		18		
<code>SystemModstamp</code>	System Modstamp	datetime				
<code>UserId</code>	Assigned User ID	reference		18		

USERPERMISSIONACCESS

Represents the permissions accessibility for a current user.

For more information, see UserPermissionAccess in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	UserPermissionAccess ID	id		18		
LastCacheUpdate	Last Cache Update	datetime				
PermissionsAICreateInsightObjects	Create AI Insight Objects	boolean				
PermissionsAIViewInsightObjects	View AI Insight Objects	boolean				
PermissionsAccessCMC	Access Experience Management	boolean				
PermissionsAccessCdpApp	Allows user access Salesforce CDP	boolean				
PermissionsAccessCdpDataExplorer	Access Salesforce CDP Data Explorer	boolean				
PermissionsAccessContentBuilder	Access drag-and-drop content builder	boolean				
PermissionsAccessWalkthroughs	View Walkthroughs	boolean				
PermissionsAccountSwitcherUser	Account Switcher User	boolean				
PermissionsActionPlansUserAccess	Permission to access the Action Plans feature	boolean				
PermissionsActivateContract	Activate Contracts	boolean				
PermissionsActivateOrder	Activate Orders	boolean				
PermissionsActivitiesAccess	Access Activities	boolean				
PermissionsAddDirectMessageMembers	Add People to Direct Messages	boolean				
PermissionsAllowEmailIC	Email-Based Identity Verification Option	boolean				
PermissionsAllowLightningLogin	Lightning Login User	boolean				
PermissionsAllowObjectDetection	Allow user to use Object Detection for prediction.	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsAllowObjectDetectionTraining	Allow user to train and generate models for Object Detection.	boolean				
PermissionsAllowReferralScoring	Allow user to use Referral Scoring.	boolean				
PermissionsAllowUniversalSearch	Knowledge One	boolean				
PermissionsAllowViewEditConvertedLeads	View and Edit Converted Leads	boolean				
PermissionsAllowViewKnowledge	Allow View Knowledge	boolean				
PermissionsAllowVisitRecommendation	Allows a user to use Visit Recommendation for Retail Execution.	boolean				
PermissionsApexRestServices	Apex REST Services	boolean				
PermissionsApiEnabled	API Enabled	boolean				
PermissionsApiUserOnly	Api Only User	boolean				
PermissionsAppointmentBookingUserAccess	Enables the Appointment Booking feature	boolean				
PermissionsAssignPermissionSets	Assign Permission Sets	boolean				
PermissionsAssignTopics	Assign Topics	boolean				
PermissionsAuthorApex	Author Apex	boolean				
PermissionsAutomateEmailContent	Activate Email for Automation	boolean				
PermissionsAutomaticActivityCapture	Use Einstein Activity Capture	boolean				
PermissionsAutonomousAnalyticsPrivacy	Manage Autonomous Insights Data Privacy	boolean				
PermissionsB2BMarketingAnalyticsUser	Create B2B Marketing Analytics Apps	boolean				
PermissionsB2bmaAppUser	Access to the B2BMA App	boolean				
PermissionsBVCommunityAccess	Use objects in the Benefit Verification data model via Experience Cloud sites	boolean				
PermissionsBotManageBots	Manage Bots	boolean				
PermissionsBotManageBotsTrainingData	Manage Bots Training Data	boolean				
PermissionsBulkApiHardDelete	Bulk API Hard Delete	boolean				
PermissionsCallCoachingUser	Use Conversation Insights for Sales	boolean				
PermissionsCampaignInfluence2	Campaign Influence	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsCanAccessCE	Access Conversation Entries	boolean				
PermissionsCanApproveFeedPost	Can Approve Feed Post and Comment	boolean				
PermissionsCanEditPrompts	Manage Prompts	boolean				
PermissionsCanInsertFeedSystemFields	Insert System Field Values for Chatter Feeds	boolean				
PermissionsCanUseNewDashboardBuilder	Drag-and-Drop Dashboard Builder	boolean				
PermissionsCanVerifyComment	Verify Answers to Chatter Questions	boolean				
PermissionsChangeDashboardColors	Change Dashboard Colors	boolean				
PermissionsChatterComposeCodeSnippet	Allow Inclusion of Code Snippets from UI	boolean				
PermissionsChatterEditOwnPost	Edit My Own Posts	boolean				
PermissionsChatterEditOwnRecordPost	Edit Posts on Records I Own	boolean				
PermissionsChatterFileLink	Create Public Links	boolean				
PermissionsChatterInternalUser	Chatter Internal User	boolean				
PermissionsChatterInviteExternalUsers	Invite Customers To Chatter	boolean				
PermissionsChatterOwnGroups	Create and Own New Chatter Groups	boolean				
PermissionsCloseConversations	Close Conversation Threads	boolean				
PermissionsConfigCustomRecs	Configure Custom Recommendations	boolean				
PermissionsConfigureLiveMessage	Configure Messaging	boolean				
PermissionsConnectOrgEnvironmentHub	Connect Organization to Environment Hub	boolean				
PermissionsConsentApiUpdate	Update Consent Preferences Using REST API	boolean				
PermissionsContentAdministrator	Manage Salesforce CRM Content	boolean				
PermissionsContentHubUser	Files Connect Cloud	boolean				
PermissionsContentWorkspaces	Access Libraries	boolean				
PermissionsConvertLeads	Convert Leads	boolean				
PermissionsCreateCustomizedDashboards	Create and Customize Dashboards	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsCreateCustomizeFilters	Create and Customize List Views	boolean				
PermissionsCreateCustomizeReports	Create and Customize Reports	boolean				
PermissionsCreateDashboardFolders	Create Dashboard Folders	boolean				
PermissionsCreateLtnlmpFolder	Create Folders for Lightning Email Templates	boolean				
PermissionsCreateLtnlmpInPub	Manage Public Lightning Email Templates	boolean				
PermissionsCreatePackaging	Create AppExchange Packages	boolean				
PermissionsCreateReportFolders	Create Report Folders	boolean				
PermissionsCreateReportInLightning	Report Builder (Lightning Experience)	boolean				
PermissionsCreateTopics	Create Topics	boolean				
PermissionsCreateUpdateSDDataset	Create and Update Einstein Discovery Datasets	boolean				
PermissionsCreateUpdateSDStory	Create and Update Einstein Discovery Stories	boolean				
PermissionsCreateVnBadgeDefinition	Create custom Badge Definitions	boolean				
PermissionsCreateWorkspaces	Create Libraries	boolean				
PermissionsCustomMobileAppsAccess	Access Custom Mobile Apps	boolean				
PermissionsCustomSidebarOnAllPages	Show Custom Sidebar On All Pages	boolean				
PermissionsCustomizeApplication	Customize Application	boolean				
PermissionsDataExport	Weekly Data Export	boolean				
PermissionsDebugApex	Debug Apex	boolean				
PermissionsDelegatedTwoFactor	Manage Multi-Factor Authentication in User Interface	boolean				
PermissionsDeleteActivatedContract	Delete Activated Contracts	boolean				
PermissionsDeleteTopics	Delete Topics	boolean				
PermissionsDialerBasicInbound	Access Dialer for Essentials Inbound Calls	boolean				
PermissionsDialerBasicOutbound	Access Dialer for Essentials Outbound Calls	boolean				
PermissionsDistributeFromPersWsp	Create Content Deliveries	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsDocumentChecklistUserAccess	User license to access the Document Checklist features.	boolean				
PermissionsERMUserAccess	Grant users access to Emergency Response Management features.	boolean				
PermissionsEditActivatedOrders	Edit Activated Orders	boolean				
PermissionsEditBrandTemplates	Manage Letterheads	boolean				
PermissionsEditCaseComments	Edit Case Comments	boolean				
PermissionsEditEvent	Edit Events	boolean				
PermissionsEditHtmlTemplates	Edit HTML Templates	boolean				
PermissionsEditKnowledge	Manage Articles	boolean				
PermissionsEditMyDashboards	Edit My Dashboards	boolean				
PermissionsEditMyReports	Edit My Reports	boolean				
PermissionsEditOpportunityUnitPrice	Edit Opportunity Product Sales Price	boolean				
PermissionsEditPublicDocuments	Manage Public Documents	boolean				
PermissionsEditPublicFilters	Manage Public List Views	boolean				
PermissionsEditPublicTemplates	Manage Public Classic Email Templates	boolean				
PermissionsEditReadOnlyFields	Edit Read Only Fields	boolean				
PermissionsEditTask	Edit Tasks	boolean				
PermissionsEditTopics	Edit Topics	boolean				
PermissionsEinsteinReplyManager	Manage Replies for Einstein Reply Recommendations	boolean				
PermissionsEmailAdministration	Email Administration	boolean				
PermissionsEmailMass	Mass Email	boolean				
PermissionsEmailSingle	Send Email	boolean				
PermissionsEmailTemplateManagement	Manage Email Templates	boolean				
PermissionsEnableCommunityAppLauncher	Show App Launcher in Experience Cloud Sites	boolean				
PermissionsEnableNotifications	Send Outbound Messages	boolean				
PermissionsExportReport	Export Reports	boolean				
PermissionsFHIRQueryAccess	Use objects in the Clinical data model via Experience Cloud sites	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsFeedPinning	Pin Posts in Feeds	boolean				
PermissionsFlowUFIRequired	Require Flow User Feature License	boolean				
PermissionsForceTwoFactor	Multi-Factor Authentication for User Interface Logins	boolean				
PermissionsGetStartDataDiscovery	View Einstein Discovery Recommendations	boolean				
PermissionsGetStartDataDiscoveryExternal	View Einstein Discovery Recommendations Via Connect API	boolean				
PermissionsGiveRecognitionBadge	Give Recognition Badges in Experience Builder Sites	boolean				
PermissionsGovernNetworks	Manage Experiences	boolean				
PermissionsHasUnlimitedErbScoringRequests	User Has Unlimited Erb Model Scoring	boolean				
PermissionsHasUnlimitedNBElections	User Has Unlimited Next Best Action Strategy Executions	boolean				
PermissionsHeadlessCMSAccess	Enable Salesforce CMS Integration	boolean				
PermissionsHealthCloudOnyAccess	Provides access to Health Cloud data for Community users.	boolean				
PermissionsHealthCloudUtilizationMgtUser	Manage Health Cloud Utilization Management	boolean				
PermissionsHideReadByList	Hide the Seen By List	boolean				
PermissionsIdentityConnect	Use Identity Connect	boolean				
PermissionsIdentityEnabled	Use Identity Features	boolean				
PermissionsImportCustomObjects	Import Custom Objects	boolean				
PermissionsImportLeads	Import Leads	boolean				
PermissionsImportPersonal	Import Personal Contacts	boolean				
PermissionsInstallMigrationToolsUser	Deploy Change Sets	boolean				
PermissionsIndustryMilestonePlatformUser	Access Life Events or Business Milestones Component	boolean				
PermissionsInstallPackaging	Download AppExchange Packages	boolean				
PermissionsIsSsoEnabled	Is Single Sign-On Enabled	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsEndMessagingSessionUserPerm	End Messaging Session	boolean				
PermissionsInitOutboundMessagingUserPerm	Agent Initiated Outbound Messaging	boolean				
PermissionsLeadScoreResultPublisher	Publish Einstein Lead Scoring results	boolean				
PermissionsLeadScoreUser	Use Einstein Lead Scoring	boolean				
PermissionsLearningManager	Manage Learning	boolean				
PermissionsLightningConsoleAllowRouter	Lightning Console User	boolean				
PermissionsLightningExperienceUser	Lightning Experience User	boolean				
PermissionsLightningSchedulerUserAccess	Let a user be included in appointments in Salesforce Scheduler.	boolean				
PermissionsListEmailSend	Allow sending of List Emails	boolean				
PermissionsLiveMessageAgent	Messaging Agent	boolean				
PermissionsLoginPreservedUserPerm	Remain in Salesforce Classic	boolean				
PermissionsManageAnalyticsSnapshots	Manage Reporting Snapshots	boolean				
PermissionsManageAuthProviders	Manage Auth. Providers	boolean				
PermissionsManageBusinessHoursHolidays	Manage Business Hours Holidays	boolean				
PermissionsManageC360Connections	Connect Org to Salesforce CDP	boolean				
PermissionsManageCMS	Create CMS Workspaces and Channels	boolean				
PermissionsManageCallCenters	Manage Call Centers	boolean				
PermissionsManageCases	Manage Cases	boolean				
PermissionsManageCategories	Manage Categories	boolean				
PermissionsManageCertificates	Manage Certificates	boolean				
PermissionsManageChatterMessages	Manage Chatter Messages and Direct Messages	boolean				
PermissionsManageContactTracing	Manage Contact Tracing for Employees	boolean				
PermissionsManageContentPermissions	Manage Content Permissions	boolean				
PermissionsManageContentProperties	Manage Content Properties	boolean				
PermissionsManageContentTypes	Manage record types and layouts for Files	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageCustomPermissions	Manage Custom Permissions	boolean				
PermissionsManageCustomReportTypes	Manage Custom Report Types	boolean				
PermissionsManageDashboardsInPublicFolders	Manage Dashboards in Public Folders	boolean				
PermissionsManageDataCategories	Manage Data Categories	boolean				
PermissionsManageDataIntegrations	Manage Data Integrations	boolean				
PermissionsManageDynamicDashboards	Manage Dynamic Dashboards	boolean				
PermissionsManageEmailClientConfig	Manage Email Client Configurations	boolean				
PermissionsManageEmailContent	Manage Email Content	boolean				
PermissionsManageEncryptionKeys	Manage Encryption Keys	boolean				
PermissionsManageExchangeConfig	Manage Lightning Sync	boolean				
PermissionsManageExternalConnections	Allow user to modify Private Connections	boolean				
PermissionsManageHealthCheck	Manage Health Check	boolean				
PermissionsManageHealthCloud	Manage Health Cloud	boolean				
PermissionsManageHealthCloudFinancialData	Manage Health Cloud Financial Data	boolean				
PermissionsManageHubConnections	Connect Org to Customer 360 Data Manager	boolean				
PermissionsManageIndustriesVisit	Manage Industries Visit	boolean				
PermissionsManageInteraction	Manage Flow	boolean				
PermissionsManageInternalUsers	Manage Internal Users	boolean				
PermissionsManageIpAddresses	Manage IP Addresses	boolean				
PermissionsManageKnowledge	Manage Salesforce Knowledge	boolean				
PermissionsManageKnowledgeImportExport	Manage Knowledge Article Import/Export	boolean				
PermissionsManageLeads	Manage Leads	boolean				
PermissionsManageLearningReporting	Manage Learning Reporting	boolean				
PermissionsManageLoginAccessPolicies	Manage Login Access Policies	boolean				
PermissionsManageMobile	Manage Mobile Configurations	boolean				
PermissionsManageMobileAppSecurity	Manage Enhanced Mobile App Security	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageMyS1App	Manage mySalesforce apps	boolean				
PermissionsManageNetworks	Create and Set Up Experiences	boolean				
PermissionsManagePasswordPolicies	Manage Password Policies	boolean				
PermissionsManageProfilesPermissionsets	Manage Profiles and Permission Sets	boolean				
PermissionsManagePropositions	Manage Next Best Action Recommendations	boolean				
PermissionsManagePrivateReportsAndDashboards	Manage All Private Reports and Dashboards	boolean				
PermissionsManageRecommendationStrategies	Manage Next Best Action Strategies	boolean				
PermissionsManageReleaseUpdates	Manage Release Updates	boolean				
PermissionsManageRemoteAccess	Manage Connected Apps	boolean				
PermissionsManageReportsInPublicFolders	Manage Reports in Public Folders	boolean				
PermissionsManageRoles	Manage Roles	boolean				
PermissionsManageSandboxes	Manage Sandboxes	boolean				
PermissionsManageSearchPromotionRules	Manage Promoted Search Terms	boolean				
PermissionsManageSessionPermissionSets	Manage Session Permission Set Activations	boolean				
PermissionsManageSharing	Manage Sharing	boolean				
PermissionsManageStarDataDiscovery	Manage Einstein Discovery	boolean				
PermissionsManageStarDataDiscoveryModel	Can Deploy and Manage Einstein Discovery predictions	boolean				
PermissionsManageSolutions	Manage Published Solutions	boolean				
PermissionsManageSubscriptions	Manage Tableau CRM Subscriptions	boolean				
PermissionsManageSurveys	Manage Surveys	boolean				
PermissionsManageSynonyms	Manage Synonyms	boolean				
PermissionsManageTrustMeasures	Manage Trust Measures	boolean				
PermissionsManageTwoFactor	Manage Multi-Factor Authentication in API	boolean				
PermissionsManageUnlistedGroups	Manage Unlisted Groups	boolean				
PermissionsManageUsers	Manage Users	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsMarketingAdmin	Manage marketing setup tasks	boolean				
PermissionsMassInlineEdit	Mass Edits from Lists	boolean				
PermissionsMergeTopics	Merge Topics	boolean				
PermissionsMobileAppSecurity	Enforce Enhanced Mobile App Security	boolean				
PermissionsModerateChatter	Moderate Chatter	boolean				
PermissionsModerateNetworkUsers	Moderate Experience Cloud Site Users	boolean				
PermissionsModifyAllData	Modify All Data	boolean				
PermissionsModifyDataClassification	Modify Data Classification	boolean				
PermissionsModifyMetadata	Modify Metadata Through Metadata API Functions	boolean				
PermissionsMyTrailheadBranding	myTrailhead Branding Management	boolean				
PermissionsMyTrailheadContentAccess	myTrailhead View All Content	boolean				
PermissionsMyTrailheadContentCreation	myTrailhead Content Creation	boolean				
PermissionsMyTrailheadCustomSteps	myTrailhead Custom Steps	boolean				
PermissionsMyTrailheadPreviewMode	myTrailhead Preview Mode	boolean				
PermissionsMyTrailheadReleaseMgmt	myTrailhead Release Management	boolean				
PermissionsNativeWebviewScrolling	Salesforce Mobile App: Native scrolling on webviews	boolean				
PermissionsNewReportBuilder	Report Builder	boolean				
PermissionsOutboundMigrationToolUser	Create and Upload Change Sets	boolean				
PermissionsPackaging2	Create and Update Second-Generation Packages	boolean				
PermissionsPackaging2Delete	Delete Second-Generation Packages	boolean				
PermissionsPardotUser	Allow access to all Pardot features	boolean				
PermissionsPasswordNeverExpires	Password Never Expires	boolean				
PermissionsPaymentsAPIUser	Payments Api User	boolean				
PermissionsPreventClassicExperience	Hide Option to Switch to Salesforce Classic	boolean				

UserPermissionAccess

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsPrivacyDataAccess	Allow user to access privacy data	boolean				
PermissionsPublicSectorCityAccess	Provides access to Public Sector data for Community users.	boolean				
PermissionsPublishPackaging	Upload AppExchange Packages	boolean				
PermissionsQueryAllFiles	Query All Files	boolean				
PermissionsQuipMetricsAccess	Quip Metrics	boolean				
PermissionsQuipUserEngagementMetrics	Quip User Engagement Metrics	boolean				
PermissionsRecordVisibilityAPI	Enable RecordVisibility API	boolean				
PermissionsRemoveDirectMessageMembers	Remove People from Direct Messages	boolean				
PermissionsReplyRecommendationUser	View and Act on Einstein Reply Recommendations	boolean				
PermissionsResetPasswords	Reset User Passwords and Unlock Users	boolean				
PermissionsRunCGCloudFEPackage	Use CG Cloud - Retail Execution App	boolean				
PermissionsRunCGCloudSyncPackage	Sync Data	boolean				
PermissionsRunDirectStoreDelivery	Manage and Run Direct Store Delivery	boolean				
PermissionsRunFlow	Run Flows	boolean				
PermissionsRunReports	Run Reports	boolean				
PermissionsRunRetailExecution	Manage and Run Retail Execution CPG	boolean				
PermissionsSalesforceIQInbox	Use Inbox	boolean				
PermissionsSandboxTestingCommunityApp	Test Sandboxes in Mobile Publisher for Experience Cloud	boolean				
PermissionsScheduleJob	Schedule Dashboards	boolean				
PermissionsScheduleReports	Schedule Reports	boolean				
PermissionsSchedulingFacilityManager	Facility Manager	boolean				
PermissionsSchedulingLineAmbassador	Queue Manager	boolean				
PermissionsSelectFilesFromSalesforce	Select Files from Salesforce	boolean				
PermissionsSendAnnouncementEmails	Send announcement emails	boolean				
PermissionsSendCustomNotifications	Send Custom Notifications	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsSendSitRequests	Send Stay-in-Touch Requests	boolean				
PermissionsShareInternalArticles	Share internal Knowledge articles externally	boolean				
PermissionsShareSmartDataDiscoveryStory	Share Einstein Discovery Stories	boolean				
PermissionsShowCompanyNameAsUserPage	Show Company Name as Site Role	boolean				
PermissionsSkipIdentityConfirmation	Skip Device Activation at Login	boolean				
PermissionsSmartDataDiscoveryForCommunity	Smart Data Discovery for experience users	boolean				
PermissionsSolutionImport	Import Solutions	boolean				
PermissionsUseAutomaticActivityCapture	Use Einstein Activity Capture Standard	boolean				
PermissionsStoryOnDSWithPredicate	Ignore predicate when creating story from dataset	boolean				
PermissionsSubscribeDashboardRolesGps	Subscribe to Dashboards: Send to Groups and Roles	boolean				
PermissionsSubscribeDashboardToOtherUsers	Subscribe to Dashboards: Add Recipients	boolean				
PermissionsSubscribeReportRolesGps	Subscribe to Reports: Send to Groups and Roles	boolean				
PermissionsSubscribeReportToOtherUsers	Subscribe to Reports: Add Recipients	boolean				
PermissionsSubscribeReportsRunAsUser	Subscribe to Reports: Set Running User	boolean				
PermissionsSubscribeLightningDashboards	Subscribe to Dashboards	boolean				
PermissionsSubscribeLightningReports	Subscribe to Reports	boolean				
PermissionsTraceXdsQueries	Access Tracer for External Data Sources	boolean				
PermissionsTransactionalEmailSend	Send Non-Commercial Email	boolean				
PermissionsTransferAnyCase	Transfer Cases	boolean				
PermissionsTransferAnyEntity	Transfer Record	boolean				
PermissionsTransferAnyLead	Transfer Leads	boolean				
PermissionsTwoFactorApi	Multi-Factor Authentication for API Logins	boolean				
PermissionsUseAssistantDialog	Instant Actionable Results	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsUseMySalesAgreementsOnly	Use Manufacturing Sales Agreements via Community	boolean				
PermissionsUseMySearch	Einstein Search	boolean				
PermissionsUseQuerySuggestions	Natural Language Search	boolean				
PermissionsUseReturnOrder	Use Order Management Return Order	boolean				
PermissionsUseReturnOrderAPIs	Use Order Management Return APIs	boolean				
PermissionsUseStartDataDiscovery	Use Einstein Discovery	boolean				
PermissionsUseTeamReassignWizards	Use Team Reassignment Wizards	boolean				
PermissionsUseWebLink	Allow Access to Customized Actions	boolean				
PermissionsVideoConferenceZoomUser	Use Video Conferencing with Zoom	boolean				
PermissionsViewAllActivities	View All Activities	boolean				
PermissionsViewAllCustomSettings	View All Custom Settings	boolean				
PermissionsViewAllData	View All Data	boolean				
PermissionsViewAllForeignKeyNames	View All Lookup Record Names	boolean				
PermissionsViewAllProfiles	View All Profiles	boolean				
PermissionsViewAllUsers	View All Users	boolean				
PermissionsViewAnomalyEvents	View Threat Detection Events	boolean				
PermissionsViewContent	View Content in Portals	boolean				
PermissionsViewDataAssessment	Access to view Data Assessment	boolean				
PermissionsViewDataCategories	View Data Categories in Setup	boolean				
PermissionsViewDataLeakageEvents	View Real-Time Event Monitoring Data	boolean				
PermissionsViewDeveloperName	View DeveloperName	boolean				
PermissionsViewEncryptedData	View Encrypted Data	boolean				
PermissionsViewEventLogFiles	View Event Log Files	boolean				
PermissionsViewHealthCheck	View Health Check	boolean				
PermissionsViewHelpLink	View Help Link	boolean				
PermissionsViewMyTeamsDashboards	View My Team's Dashboards	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsViewOnlyLicensedAppUser	Access to View-Only Licensed Templates and Apps	boolean				
PermissionsViewPlatformEvents	View Login Forensics Events	boolean				
PermissionsViewPrivateStaticResources	View Private Static Resources	boolean				
PermissionsViewPublicDashboards	View Dashboards in Public Folders	boolean				
PermissionsViewPublicReports	View Reports in Public Folders	boolean				
PermissionsViewRoles	View Roles and Role Hierarchy	boolean				
PermissionsViewSetup	View Setup and Configuration	boolean				
PermissionsViewTrustMeasures	View Trust Measures	boolean				
PermissionsViewUserPII	View User Records with PII	boolean				
PermissionsVoiceCoach	Access Dialer Monitoring	boolean				
PermissionsVoiceInbound	Access Dialer Inbound Calls	boolean				
PermissionsVoiceMinutes	Access Dialer Minutes	boolean				
PermissionsVoiceOutbound	Access Dialer Outbound Calls	boolean				
PermissionsVolunteerMgtUserAccess	Grant users access to Volunteer Management features.	boolean				
PermissionsWorkCalibrationUser	Enable WDC Calibration	boolean				
PermissionsWorkDotComUserPerm	Enable WDC	boolean				
PermissionsWorkplaceCommandCenter	Provides access to Workplace Command Center features.	boolean				

USERPREFERENCE

Represents a functional preference for a specific user in your organization.

For more information, see UserPreference in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	User Preference ID	id		18		
Preference	Preference	picklist		40		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		
Value	Value	textarea		10000		

USERPROVACCOUNT

Represents information that links a Salesforce user account with an account in a third-party (target) system, such as Google, for users of connected apps with Salesforce user provisioning enabled.

For more information, see UserProvAccount in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConnectedAppId	Connected App ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeletedDate	Deleted Date	datetime				
ExternalEmail	External Email	string		150		
ExternalFirstName	External First Name	string		150		
ExternalLastName	External Last Name	string		150		
ExternalUserId	External User Id	string		150		
ExternalUsername	External Username	string		150		
Id	User Provisioning Account ID	id		18		
IsDeleted	Deleted	boolean				
IsKnownLink	Manual Override	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LinkState	Link State	picklist		255		
Name	Name	string		255		
SalesforceUserId	User ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

USERPROVACCOUNTSTAGING

Temporarily stores user account information while a user completes the User Provisioning Wizard. This information that is stored in the UserProvAccount object when you click the button to collect and analyze accounts on the target system.

For more information, see UserProvAccountStaging in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConnectedAppId	Connected App ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalEmail	External Email	string		150		
ExternalFirstName	External First Name	string		150		
ExternalLastName	External Last Name	string		150		
ExternalUserId	External User Id	string		150		
ExternalUsername	External Username	string		150		
Id	User Provisioning Account Staging Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LinkState	Link State	picklist		255		
Name	Name	string		255		
SalesforceUserId	User ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

USERPROVMOCKTARGET

Represents an entity for testing user data before committing the data to a third-party system for user provisioning.

For more information, see UserProvMockTarget in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalEmail	External Email	string		150		
ExternalFirstName	External First Name	string		150		
ExternalLastName	External Last Name	string		150		
ExternalUserId	External User Id	string		150		
ExternalUsername	External Username	string		150		
Id	UserProvMockTarget ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

USERPROVISIONINGCONFIG

Represents information for a flow to use during a user provisioning request process, such as the attributes for an update.

For more information, see `UserProvisioningConfig` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApprovalRequired	Approval Required	textarea		4000		
ConnectedAppId	Connected App ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Enabled	Enabled	boolean				
EnabledOperations	Enabled Operations	textarea		4000		
Id	UserProvisioningConfig ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReconDateTime	Last Recon Date	datetime				
MasterLabel	Label	string		80		
NamedCredentialId	Named Credential ID	reference		18		
NamespacePrefix	Namespace Prefix	string		15		
Notes	Notes	textarea		65536		
OnUpdateAttributes	On Update Attributes	textarea		4000		
ReconFilter	Recon Filter	string		255		
SystemModstamp	System Modstamp	datetime				
UserAccountMapping	User Account Mapping	textarea		4000		

USERPROVISIONINGLOG

Represents messages generated during the process of provisioning users for third-party applications.

For more information, see UserProvisioningLog in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Details	Details	textarea		4000		
ExternalUserId	External User Id	string		150		
ExternalUsername	External Username	string		150		
Id	UserProvisioningLog ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
Status	Status	string		150		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		
UserProvisioningRequestId	UserProvisioningRequest ID	reference		18		

USERPROVISIONINGREQUEST

Represents an individual provisioning request to create, update, or delete a single user account in a third-party service system (or another Salesforce organization).

For more information, see `UserProvisioningRequest` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>AppName</code>	App Name	string		150		
<code>ApprovalStatus</code>	Approval Status	picklist		255		
<code>ConnectedAppId</code>	Connected App ID	reference		18		
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>ExternalUserId</code>	External User Id	string		150		
<code>Id</code>	UserProvisioningRequest ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>ManagerId</code>	User ID	reference		18		
<code>Name</code>	Name	string		255		
<code>Operation</code>	Operation	picklist		255		
<code>OwnerId</code>	Owner ID	reference		18		
<code>ParentId</code>	UserProvisioningRequest ID	reference		18		
<code>RetryCount</code>	Retry Count	int	9			
<code>SalesforceUserId</code>	User ID	reference		18		
<code>ScheduleDate</code>	Scheduled Provisioning Time	datetime				
<code>State</code>	State	picklist		255		
<code>SystemModstamp</code>	System Modstamp	datetime				
<code>UserProvAccountId</code>	User Provisioning Account ID	reference		18		
<code>UserProvConfigId</code>	UserProvisioningConfig ID	reference		18		

USERPROVISIONINGREQUESTSHARE

Sharing for UserProvisioningRequest.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

USERRECORDACCESS

Represents a user's access to a set of records.

For more information, see `UserRecordAccess` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>HasAllAccess</code>	Has All Access	boolean				
<code>HasDeleteAccess</code>	Has Delete Access	boolean				
<code>HasEditAccess</code>	Has Edit Access	boolean				
<code>HasReadAccess</code>	Has Read Access	boolean				
<code>HasTransferAccess</code>	Has Transfer Access	boolean				
<code>Id</code>	User Record Access ID	id		18		
<code>MaxAccessLevel</code>	Maximum Access Level	picklist		40		
<code>RecordId</code>	Record ID	picklist		40		
<code>UserId</code>	User ID	reference		18		

USERROLE

Represents a user role in your organization.

For more information, see UserRole in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CaseAccessForAccountOwner	Case Access Level for Account Owner	picklist		40		
ContactAccessForAccountOwner	Contact Access Level for Account Owner	picklist		40		
DeveloperName	Developer Name	string		80		
ForecastUserId	User ID	reference		18		
Id	Role ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MayForecastManagerShare	May Forecast Manager Share	boolean				
Name	Name	string		80		
OpportunityAccessForAccountOwner	Opportunity Access Level for Account Owner	picklist		40		
ParentRoleId	Parent Role ID	reference		18		
PortalAccountId	Account ID	reference		18		
PortalAccountOwnerId	User ID	reference		18		
PortalType	Portal Type	picklist		40		
RollupDescription	Description	string		80		
SystemModstamp	System Modstamp	datetime				

USERSETUPENTITYACCESS

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
DeveloperName	Developer Name	string		80		
DurableId	User Setup Entity Access Key	string		255		
Id	UserSetupEntityAccess ID	id		18		
KeyPrefix	Key Prefix	string		15		
LastCacheUpdate	Last Cache Update	datetime				
NamespacePrefix	Namespace Prefix	string		15		
SetupEntityId	Setup Entity Id	string		18		

USERSHARE

Represents a sharing entry on a user record.

For more information, see UserShare in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	User Share ID	id		18		
IsActive	Active	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RowCause	Row Cause	picklist		40		
UserAccessLevel	User Access Level	picklist		40		
UserId	User ID	reference		18		
UserOrGroupId	User/Group ID	reference		18		

VERIFICATIONHISTORY

Represents the past six months of your org users' attempts to verify their identity.

For more information, see VerificationHistory in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Activity	User Activity	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EventGroup	Verification Attempt	int	9			
Id	Identity Verification ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LoginGeoId	Login Geo Data ID	reference		18		
LoginHistoryId	Login History ID	reference		18		
Policy	Triggered By	picklist		255		
Remarks	Activity Message	string		255		
ResourceId	Connected App ID	reference		18		
SourceIp	Source IP	string		200		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		
VerificationMethod	Method	picklist		255		
VerificationTime	Time	datetime				

VIDEOCALL

Represents a video call.

For more information, see VideoCall in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
DurationInSeconds	Call Duration	int	8			
EndDateTime	Call Ended	datetime				
EventId	Activity ID	reference		18		
ExternalId	External Id	string		255		
HostId	User ID	reference		18		
Id	Video Call ID	id		18		
IntelligenceScore	Intelligence Score	int	8			
IsCallCoachingIncluded	Is Call Coaching Included	boolean				
IsDeleted	Deleted	boolean				
IsRecorded	Is Recorded	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
StartDateTime	Call Started	datetime				
SystemModstamp	System Modstamp	datetime				
VendorMeetingKey	Vendor Meeting Key	string		255		

VideoCall

Field Name	Field Label	Type	Digits	Length	Precision	Scale
VendorMeetingUuid	Vendor Meeting Uuid	string		255		
VendorName	Provider	picklist		255		

VIDEOCALLFEED

Feed tracking for VideoCall.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

VIDEOCALLPARTICIPANT

Represents a participant in a video call.

For more information, see VideoCallParticipant in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Email	Email	string		255		
Id	Video Call Participant ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
RelatedPersonId	Related Person ID	reference		18		
SystemModstamp	System Modstamp	datetime				
VideoCallId	Video Call ID	reference		18		

VIDEOCALLRECORDING

Represents a recording from a video call, such as a video recording, a voice recording, or a transcript.

For more information, see [VideoCallRecording](#) in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DurationInSeconds	Recording Duration	int	8			
EndDateTime	Video Call Recording Ended	datetime				
ExternalRecordingKey	External Recording Key	string		255		
FileSizeInByte	File Size In Bytes	long	18			
FileType	File Type	string		255		
Id	Video Call Recording ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
StartDateTime	Video Call Recording Started	datetime				
SystemModstamp	System Modstamp	datetime				
VideoCallRecordId	Video Call ID	reference		18		

VIDEOCALLSHARE

Sharing for VideoCall.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

VIOLATIONENFORCEMENTACTION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ComplianceDueDate	Compliance Due Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DateCreated	Date Created	datetime				
DateResolved	Date Resolved	datetime				
DaysOpen	Days Open	int	9			
Description	Description	string		255		
Id	Violation Enforcement Action ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Violation Enforcement Action Name	string		255		
Priority	Priority	picklist		40		
ResolutionNotes	Resolution Notes	textarea		1000		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		
ViolationId	Regulatory Code Violation ID	reference		18		

VIOLATIONENFORCEMENTACTIONFEED

Feed tracking for ViolationEnforcementAction.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

VIOLATIONENFORCEMENTACTIONHISTORY

History for tracked fields of ViolationEnforcementAction.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Violation Enforcement Action History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ViolationEnforcementActionId	Violation Enforcement Action ID	reference		18		

VIOLATIONTYPE

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Violation Type ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Severity	Severity	picklist		40		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

VIOLATIONTYPEASSESSMENTIND

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentIndDefinitionId	Assessment Indicator Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Violation Type Assessment Indicator ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Violation Type Assessment Indicator ID	string		255		
SystemModstamp	System Modstamp	datetime				
ViolationTypeId	Violation Type ID	reference		18		

VIOLATIONTYPEASSESSMENTINDFEED

Feed tracking for ViolationTypeAssessmentInd.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

VIOLATIONTYPEASSESSMENTINDHISTORY

History for tracked fields of ViolationTypeAssessmentInd.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Violation Type Assessment Indicator History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ViolationTypeAssessmentIndId	Violation Type Assessment Indicator ID	reference		18		

VIOLATIONTYPEFEED

Feed tracking for ViolationType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

VIOLATIONTYPEHISTORY

History for tracked fields of ViolationType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Violation Type History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ViolationTypeId	Violation Type ID	reference		18		

VIOLATIONTYPE SHARE

Sharing for ViolationType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

VISIT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActualVisitEndTime	Actual End Time	datetime				
ActualVisitStartTime	Actual Start Time	datetime				
AddressId	Address ID	reference		18		
ContactId	Contact ID	reference		18		
ContextId	Context ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Visit ID	id		18		
InstructionDescription	Special Instructions	textarea		1000		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PlaceId	Place ID	reference		18		
PlannedVisitEndTime	Planned End Time	datetime				
PlannedVisitStartTime	Planned Start Time	datetime				
ServiceResourceId	Resource ID	reference		18		
Status	Status	picklist		255		
StatusRemarks	Status Remarks	textarea		1000		
SystemModstamp	System Modstamp	datetime				

Visit

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UserId	User ID	reference		18		
VisitPriority	Visit Priority	picklist		40		
VisitTypeId	Visit Type ID	reference		18		
VisitorId	Visitor ID	reference		18		

VISITFEED

Feed tracking for Visit.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

VISITHISTORY

History for tracked fields of Visit.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Visit History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
VisitId	Visit ID	reference		18		

VISITSHARE

Sharing for Visit.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

VISITTASK

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	User ID	reference		18		
CreatedDate	Created Date	datetime				
DefinitionReferenceId	Visit Task ID	reference		18		
Description	Description	textarea		1000		
EndDateTime	End Date Time	datetime				
Id	Visit Task ID	id		18		
ImplementorType	Implementor Type	string		255		
IsDefinition	Is Definition	boolean				
IsRequired	Required	boolean				
LastModifiedById	User ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
Sequence	Sequence	int	9			
StartDateTime	Start Date Time	datetime				
Status	Status	picklist		40		
StatusCode	Status Code	picklist		255		
SystemModstamp	System Modstamp	datetime				
VisitId	Visit ID	reference		18		

VISITTASKCONTEXT

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContextId	Context RE	reference		18		
CreatedById	User ID	reference		18		
CreatedDate	Created Date	datetime				
DefinitionReferenceId	Visit Task Context - RE ID	reference		18		
Description	Description RE	textarea		1000		
EndDateTime	End Date Time RE	datetime				
Id	Visit Task Context - RE ID	id		18		
ImplementorType	Implementor Type	string		255		
IsDefinition	Is Definition	boolean				
IsRequired	Required	boolean				
LastModifiedById	User ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
StartDateTime	Start Date Time	datetime				
Status	Status RE	picklist		40		
StatusCode	Status Code	picklist		255		
SystemModstamp	System Modstamp	datetime				
VisitId	Visit ID	reference		18		

VISITTASKCONTEXTRELATION

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	User ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Visit Task Context Relation ID	id		18		
ImplementorType	Implementor Type	string		255		
LastModifiedById	User ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				
VisitTaskContextId	Visit Task Context - RE ID	reference		18		
VisitTaskContextSequence	Sequence	int	9			
VisitTaskId	Visit Task ID	reference		18		

VISITEDPARTY

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Visited Party ID	id		18		
IsDeleted	Deleted	boolean				
IsPrimaryContact	Is Primary Contact	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				
VisitId	Visit ID	reference		18		

VISITEDPARTYFEED

This object represents the posts and feed-tracked changes of the `VisitedParty` object.

For more information, see `VisitedPartyFeed` in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>BestCommentId</code>	Best Comment ID	reference		18		
<code>Body</code>	Body	textarea		10000		
<code>CommentCount</code>	Comment Count	int	9			
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>Id</code>	Feed Item ID	id		18		
<code>InsertedById</code>	InsertedBy ID	reference		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>IsRichText</code>	Is Rich Text	boolean				
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>LikeCount</code>	Like Count	int	9			
<code>LinkUrl</code>	Link Url	url		1000		
<code>ParentId</code>	Parent ID	reference		18		
<code>RelatedRecordId</code>	Related Record ID	reference		18		
<code>SystemModstamp</code>	System Modstamp	datetime				
<code>Title</code>	Title	string		255		
<code>Type</code>	Feed Item Type	picklist		40		

VISITEDPARTYHISTORY

History for tracked fields of VisitedParty.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Visited Party History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
VisitedPartyId	Visited Party ID	reference		18		

VISITOR

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssigneeId	Assignee ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Visitor ID	id		18		
IsDeleted	Deleted	boolean				
IsPrimaryResource	Primary Resource	boolean				
IsRequired	Required	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Visitor	string		255		
SystemModstamp	System Modstamp	datetime				
VisitId	Visit ID	reference		18		

VISITORFEED

This object represents the posts and feed-tracked changes of the `Visitor` object.

For more information, see `VisitorFeed` in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>BestCommentId</code>	Best Comment ID	reference		18		
<code>Body</code>	Body	textarea		10000		
<code>CommentCount</code>	Comment Count	int	9			
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>Id</code>	Feed Item ID	id		18		
<code>InsertedById</code>	InsertedBy ID	reference		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>IsRichText</code>	Is Rich Text	boolean				
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>LikeCount</code>	Like Count	int	9			
<code>LinkUrl</code>	Link Url	url		1000		
<code>ParentId</code>	Parent ID	reference		18		
<code>RelatedRecordId</code>	Related Record ID	reference		18		
<code>SystemModstamp</code>	System Modstamp	datetime				
<code>Title</code>	Title	string		255		
<code>Type</code>	Feed Item Type	picklist		40		

VISITORHISTORY

History for tracked fields of Visitor.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Visitor History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
VisitorId	Visitor ID	reference		18		

VISUALFORCEACCESSMETRICS

Represents summary statistics for Visualforce pages.

For more information, see VisualforceAccessMetrics in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApexPageId	Page ID	reference		18		
DailyPageViewCount	Daily Page View Count	int	9			
Id	Visualforce Access Metric Id	id		18		
LogDate	Log Date	date				
MetricsDate	Metrics Date	date				
ProfileId	Profile ID	reference		18		
SystemModstamp	System Modstamp	datetime				

VOICECALL

Represents a call in Service Cloud Voice and Sales Dialer.

For more information, see VoiceCall in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivityId	Activity ID	reference		18		
CallConnectDateTime	Call Connected	datetime				
CallDisposition	Call Status	string		255		
CallDurationInSeconds	Call Duration in Seconds	int	8			
CallEndDateTime	Call Ended	datetime				
CallRecordingId	VoiceCallRecording ID	reference		18		
CallStartDateTime	Call Started	datetime				
CallType	Call Type	picklist		40		
CallerIdType	Caller Id	picklist		40		
ConferenceKey	Conference Key	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyCode	Currency Code	picklist		3		
FromPhoneNumber	Caller Number	phone		40		
Id	Voice Call ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MediaProviderId	CallCoachingMediaProvider ID	reference		18		
OwnerId	Owner ID	reference		18		
Price	Price	double			18	2

VoiceCall

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RelatedRecordId	RelatedRecord ID	reference		18		
SourceType	Source Type	picklist		40		
SystemModstamp	System Modstamp	datetime				
ToPhoneNumber	Recipient Number	phone		40		
UserId	User ID	reference		18		
VendorCallKey	Vendor Call Key	string		255		
VendorParentCallKey	Vendor Parent Call Key	string		255		
VendorType	Vendor Type	picklist		40		
VoiceVendorLineId	Voice Vendor Line ID	reference		18		

VOICECALLFEED

Feed tracking for VoiceCall.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

VOICECALLRECORDING

Represents a call recording in Service Cloud Voice and Sales Dialer.

For more information, see VoiceCallRecording in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DurationInSeconds	Duration in Seconds	int	8			
Id	VoiceCallRecording ID	id		18		
IsConsented	Is Consented	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MediaContentId	ContentDocument ID	reference		18		
Name	VoiceCallRecording Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
VoiceCallId	Voice Call ID	reference		18		

VOICECALLSHARE

Sharing for VoiceCall.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

VOICEORGSETTING

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConsentMessage	Consent Message	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomDisposition	Custom Disposition	picklist		255		
DefaultDisposition	Default Disposition	picklist		255		
DeveloperName	Name	string		80		
Id	Voice Org Setting ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
SystemModstamp	System Modstamp	datetime				

VOICEVENDORINFO

Represents information about the Service Cloud Voice or Sales Dialer provider's vendor.

For more information, see `VoiceVendorInfo` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CorporateNumber	Corporate Number	phone		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Voice Vendor Info ID	id		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LocalPresenceDefaultNumber	LocalPresence Default Number	phone		40		
SystemModstamp	System Modstamp	datetime				
TenantConfigVersion	Tenant Configuration Version	string		10		
VendorAccountKey	Vendor Account Key	string		255		
VendorProviderName	Vendor Provider Name	string		255		
VendorType	Vendor Type	picklist		255		

VOICEVENDORLINE

Represents a user's phone number reserved with the vendor.

For more information, see `VoiceVendorLine` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CallUsageInSecondsLastMonth</code>	Call Usage in Seconds Last Month	int	8			
<code>ConversationChannelId</code>	Messaging Channel ID	reference		18		
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>Id</code>	Voice Vendor Line ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>OwnerId</code>	Owner ID	reference		18		
<code>PhoneNumber</code>	PhoneNumber	phone		40		
<code>ShouldRecord</code>	ShouldRecord	boolean				
<code>Status</code>	Status	picklist		255		
<code>SystemModstamp</code>	System Modstamp	datetime				
<code>UserId</code>	User ID	reference		18		
<code>VoiceVendorInfoId</code>	Voice Vendor Info ID	reference		18		

VOICEVENDORLINESHARE

Sharing for VoiceVendorLine.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

VOLUNTEERPROJECT

Represents information about activities that must be carried out within a certain time frame, at a specified location, by one or more volunteers.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CancelationReason	Cancelation Reason	textarea		1000		
CanceledById	Canceled By ID	reference		18		
CanceledTime	Cancelation Time	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
EndTime	End Time	datetime				
ExternalDescription	External Description	textarea		1000		
Id	Volunteer Project ID	id		18		
IsDeleted	Deleted	boolean				
IsPublishedOnWeb	Publish to site	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
StartDateTime	Start Time	datetime				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
VolunteersRequired	Volunteers Requested	int	9			

VOLUNTEERPROJECTFEED

Feed tracking for VolunteerProject.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

VOLUNTEERPROJECTHISTORY

History for tracked fields of VolunteerProject.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Volunteer Project History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
VolunteerProjectId	Volunteer Project ID	reference		18		

VOLUNTEERPROJECTSHARE

Sharing for VolunteerProject.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

VOTE

Represents a vote that a user has made on an Idea or a Reply.

For more information, see [Vote](#) in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Vote ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Vote Type	picklist		40		

VOUCHER

Represents details about a voucher that's issued to a loyalty program member.

For more information, see [Voucher](#) in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitId	Benefit ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DiscountPercent	Discount Percentage	int	9			
EffectiveDate	Effective Date	date				
ExpirationDate	Expiration Date	date				
FaceValue	Face Value	currency			18	0
Id	Voucher ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramMemberId	Loyalty Program Member ID	reference		18		
MayEdit	May Edit	boolean				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PromotionId	Promotion ID	reference		18		
Reason	Reason	string		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

Voucher

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TransactionJournalId	Transaction Journal ID	reference		18		
UseDate	Use Date	date				
VoucherCode	Voucher Code	string		255		
VoucherDefinitionId	Voucher Definition ID	reference		18		

VOUCHERDEFINITION

Represents details about a voucher definition that's associated with a loyalty program.

For more information, see `VoucherDefinition` in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CostPerVoucher	Cost Per Voucher	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
DiscountPercent	Discount Percentage	int	9			
EffectiveDate	Effective Date	date				
ExpirationDate	Expiration Date	date				
ExpirationPeriod	Expiration Period	int	9			
ExpirationPeriodUnit	Expiration Period Unit	picklist		255		
ExpirationType	Expiration Type	picklist		255		
FaceValue	Face Value	currency			18	0
Id	Voucher Definition ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramId	Loyalty Program ID	reference		18		
MayEdit	May Edit	boolean				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		

VoucherDefinition

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PartnerAccountId	Account ID	reference		18		
ProductCategoryDerivedFieldId	Category ID	reference		18		
ProductDerivedFieldId	Product ID	reference		18		
ProductId	Product ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

VOUCHERDEFINITIONHISTORY

History for tracked fields of VoucherDefinition.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Voucher Definition History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
VoucherDefinitionId	Voucher Definition ID	reference		18		

VOUCHERDEFINITIONSHARE

Sharing for VoucherDefinition.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

VOUCHERHISTORY

History for tracked fields of Voucher.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Voucher History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
VoucherId	Voucher ID	reference		18		

VOUCHERSHARE

Sharing for Voucher.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WARRANTYTERM

Represents warranty terms defining the labor, parts, and expenses covered, along with any exchange options, provided to rectify issues with products.

For more information, see `WarrantyTerm` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Code	Code	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
EffectiveStartDate	Effective Start Date	picklist		40		
ExchangeType	Exchange Type	picklist		40		
Exclusions	Exclusions	textarea		32000		
ExpensesCovered	Expenses Covered	percent			5	2
ExpensesCoveredDuration	Expenses Covered Duration	int	4			
ExpensesCoveredUnitOfTime	Expenses Covered Unit of Time	picklist		255		
Id	Warranty Term ID	id		18		
IsActive		boolean				
IsDeleted	Deleted	boolean				
IsTransferable		boolean				
LaborCovered	Labor Covered	percent			5	2
LaborCoveredDuration	Labor Covered Duration	int	4			
LaborCoveredUnitOfTime	Labor Covered Unit of Time	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		

WarrantyTerm

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PartsCovered	Parts Covered	percent			5	2
PartsCoveredDuration	Parts Covered Duration	int	4			
PartsCoveredUnitOfTime	Parts Covered Unit of Time	picklist		255		
Pricebook2Id	Price Book ID	reference		18		
SystemModstamp	System Modstamp	datetime				
WarrantyDuration	Warranty Duration	int	4			
WarrantyTermName	Warranty Term Name	string		255		
WarrantyType	Warranty Type	picklist		40		
WarrantyUnitOfTime	Warranty Unit Of Time	picklist		255		

WARRANTYTERMFEED

Feed tracking for WarrantyTerm.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WARRANTYTERMHISTORY

History for tracked fields of WarrantyTerm.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Warranty Term History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WarrantyTermId	Warranty Term ID	reference		18		

WARRANTYTERMSHARE

Sharing for WarrantyTerm.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WAVEAUTOINSTALLREQUEST

Provides access the concrete object that represents a Tableau CRM auto install request. The auto install request tracks the progress of Tableau CRM applications created from Tableau CRM templates by the automated process user.

For more information, see WaveAutoInstallRequest in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Configuration	Configuration	textarea		100000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FailedReason	Failed Reason	picklist		255		
FolderId	Folder ID	reference		18		
Id	Request Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Request Name	string		255		
RequestLog	Request Log	textarea		100000		
RequestStatus	Request Status	picklist		255		
RequestType	Request Type	picklist		255		
SystemModstamp	System Modstamp	datetime				
TemplateApiName	Wave Template Api Name	string		255		
TemplateVersion	Wave Template Version	string		50		

WAVECOMPATIBILITYCHECKITEM

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Checklist Item Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Checklist Item Name	string		255		
Payload	Checklist Task Payload	textarea		100000		
SystemModstamp	System Modstamp	datetime				
TaskName	Checklist Item Task Name	string		255		
TaskResult	Checklist Item Result	picklist		255		
TemplateApiName	Wave Template Api Name	picklist		255		
TemplateVersion	Wave Template Version	string		50		
WaveAutoInstallRequestId	Auto Install Request ID	reference		18		

WEBLINK

Represents a custom link to a URL or Scontrol.

For more information, see `WebLink` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
DisplayType	Display Type	picklist		40		
EncodingKey	Link Encoding	picklist		40		
HasMenubar	Show Menu Bar	boolean				
HasScrollbars	Show Scrollbars	boolean				
HasToolbar	Show Toolbars	boolean				
Height	Height (in pixels)	int	9			
Id	Custom Link ID	id		18		
IsProtected	Protected Component	boolean				
IsResizable	Resizable	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LinkType	Content Source	picklist		40		
MasterLabel	Label	string		240		
Name	Name	string		240		
NamespacePrefix	Namespace Prefix	string		15		
OpenType	Behavior	picklist		40		
PageOrSObjectType	Page or sObject Type Name	picklist		40		
Position	Window Position	picklist		40		
RequireRowSelection	Require Row Selection	boolean				
ScontrolId	Custom S-Control ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ShowsLocation	Show Address Bar	boolean				
ShowsStatus	Show Status Bar	boolean				
SystemModstamp	System Modstamp	datetime				
Url	URL	textarea		1048576		
Width	Width (in pixels)	int	9			

WORKACCESS

Used to grant or restrict user access to give badge definitions. Each badge definition record must have one WorkAccess record.

For more information, see WorkAccess in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessType	Work Access type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Work Access ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OwnerId	Owner ID	reference		18		
ParentId	Badge ID	reference		18		
SystemModstamp	System Modstamp	datetime				

WORKACCESSSHARE

Used to control Givers of WorkBadgeDefinition records.

For more information, see WorkAccessShare in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKBADGE

Represents information about who the badge was given to and which badge was given. A WorkBadge record is created for each recipient of a WorkBadgeDefinition.

For more information, see WorkBadge in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefinitionId	Badge ID	reference		18		
Description	Description	textarea		4000		
GiverId	User ID	reference		18		
Id	Badge Received ID	id		18		
ImageUrl	Image	url		255		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Message	Message	textarea		4000		
RecipientId	User ID	reference		18		
SourceId	Thanks ID	reference		18		
SystemModstamp	System Modstamp	datetime				

WORKBADGEDEFINITION

Represents the attributes of a badge including the badge name, description, and image. Each WorkBadge record must have a lookup to a WorkBadgeDefinition since badge attributes (like badge name) are derived from the WorkBadgeDefinition object.

For more information, see WorkBadgeDefinition in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		4000		
GivenBadgeCount	Given Badge Count	int	9			
Id	Badge ID	id		18		
ImageUrl	Image URL	url		255		
IsActive	Active	boolean				
IsCompanyWide	Company Badge	boolean				
IsDeleted	Deleted	boolean				
IsLimitPerUser	Limit Per User	boolean				
IsRewardBadge	Reward Badge	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LimitNumber	Limit Number	int	9			
LimitStartDate	Limit Start Date	date				
Name	Badge Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

WORKBADGEDEFINITIONFEED

Feed tracking for WorkBadgeDefinition.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

WORKBADGEDEFINITIONHISTORY

History for tracked fields of WorkBadgeDefinition.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Badge ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkBadgeDefinitionId	Badge ID	reference		18		

WORKBADGEDEFINITIONSHARE

Sharing for WorkBadgeDefinition.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKORDER

Represents field service work to be performed for a customer.

For more information, see WorkOrder in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Address	Address	address				
AssetId	Asset ID	reference		18		
BusinessHoursId	Business Hours ID	reference		18		
CaseId	Case ID	reference		18		
City	City	string		40		
ContactId	Contact ID	reference		18		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Discount	Discount	percent			5	2
Duration	Duration	double			18	2
DurationInMinutes	Duration in Minutes	double			18	2
DurationType	Duration Type	picklist		255		
EndDate	End Date	datetime				
GeocodeAccuracy	Geocode Accuracy	picklist		255		
GrandTotal	Grand Total	currency			18	2
Id	Work Order ID	id		18		
IsClosed	Is Closed	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				

WorkOrder

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
LineItemCount	Line Items	int	9			
LocationId	Location ID	reference		18		
Longitude	Longitude	double			18	15
OwnerId	Owner ID	reference		18		
ParentWorkOrderId	Parent Work Order ID	reference		18		
PostalCode	Zip/Postal Code	string		20		
Pricebook2Id	Price Book ID	reference		18		
Priority	Priority	picklist		40		
RootWorkOrderId	Root Work Order ID	reference		18		
ServiceAppointmentCount	Service Appointment Count	int	9			
ServiceTerritoryId	Territory ID	reference		18		
StartDate	Start Date	datetime				
State	State/Province	string		80		
Status	Status	picklist		40		
StatusCategory	Status Category	picklist		255		
Street	Street	textarea		255		
Subject	Subject	string		255		
Subtotal	Subtotal	currency			18	2
SystemModstamp	System Modstamp	datetime				
Tax	Tax	currency			18	2
TotalPrice	Total Price	currency			18	2
WorkOrderNumber	Work Order Number	string		255		
WorkTypeId	Work Type ID	reference		18		

WORKORDERFEED

Feed tracking for WorkOrder.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

WORKORDERHISTORY

Represents the history of changes made to tracked fields on a work order.

For more information, see WorkOrderHistory in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Order History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkOrderId	Work Order ID	reference		18		

WORKORDERLINEITEM

Represents a subtask on a work order in field service.

For more information, see `WorkOrderLineItem` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Address	Address	address				
AssetId	Asset ID	reference		18		
City	City	string		40		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Discount	Discount	percent			5	2
Duration	Duration	double			18	2
DurationInMinutes	Duration in Minutes	double			18	2
DurationType	Duration Type	picklist		255		
EndDate	End Date	datetime				
GeocodeAccuracy	Geocode Accuracy	picklist		255		
Id	Line Item ID	id		18		
IsClosed	Is Closed	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
LineItemNumber	Work Order Line Item Number	string		255		
ListPrice	List Price	currency			18	2

WorkOrderLineItem

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LocationId	Location ID	reference		18		
Longitude	Longitude	double			18	15
OrderId	Order ID	reference		18		
ParentWorkOrderLineItemId	Parent Work Order Line Item ID	reference		18		
PostalCode	Zip/Postal Code	string		20		
PricebookEntryId	Product ID	reference		18		
Priority	Priority	picklist		40		
Product2Id	Product ID	reference		18		
Quantity	Quantity	double			12	2
RootWorkOrderLineItemId	Root Work Order Line Item ID	reference		18		
ServiceAppointmentCount	Service Appointment Count	int	9			
ServiceTerritoryId	Territory ID	reference		18		
StartDate	Start Date	datetime				
State	State/Province	string		80		
Status	Status	picklist		40		
StatusCategory	Status Category	picklist		255		
Street	Street	textarea		255		
Subject	Subject	string		255		
Subtotal	Subtotal	currency			18	2
SystemModstamp	System Modstamp	datetime				
TotalPrice	Total Price	currency			18	2
UnitPrice	Unit Price	currency			18	2
WorkOrderId	Work Order ID	reference		18		
WorkTypeId	Work Type ID	reference		18		

WORKORDERLINEITEMFEED

Feed tracking for WorkOrderLineItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

WORKORDERLINEITEMHISTORY

Represents the history of changes made to tracked fields on a work order line item.

For more information, see `WorkOrderLineItemHistory` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Line Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkOrderLineItemId	Line Item ID	reference		18		

WORKORDERLINEITEMSTATUS

Represents a possible status of a work order line item in field service.

For more information, see `WorkOrderLineItemStatus` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Work Order Line Item Status Value ID	id		18		
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
StatusCode	Status Code	picklist		40		
SystemModstamp	System Modstamp	datetime				

WORKORDERSHARE

Represents a sharing entry on a work order.

For more information, see WorkOrderShare in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKORDERSTATUS

Represents a possible status of a work order in field service.

For more information, see WorkOrderStatus in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Work Order Status Value ID	id		18		
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
StatusCode	Status Code	picklist		40		
SystemModstamp	System Modstamp	datetime				

WORKPLAN

Represents a work plan for a work order or work order line item.

For more information, see WorkPlan in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExecutionOrder	Execution Order	int	9			
Id	Work Plan ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
WorkOrderId	Work Order ID	reference		18		

WORKPLANFEED

Feed tracking for WorkPlan.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WORKPLANHISTORY

History for tracked fields of WorkPlan.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Plan History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkPlanId	Work Plan ID	reference		18		

WORKPLANSELECTIONRULE

Represents a rule that selects a work plan for a work order or work order line item.

For more information, see `WorkPlanSelectionRule` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Work Plan Selection Rule ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
WorkPlanSelectionRuleNumber	Name	string		255		
WorkPlanTemplateId	Work Plan Template ID	reference		18		

WORKPLANSELECTIONRULEFEED

Feed tracking for WorkPlanSelectionRule.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WORKPLANSELECTIONRULEHISTORY

History for tracked fields of WorkPlanSelectionRule.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Plan Selection Rule History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkPlanSelectionRuleId	Work Plan Selection Rule ID	reference		18		

WORKPLANSELECTIONRULESHARE

Sharing for WorkPlanSelectionRule.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKPLANSHARE

Sharing for WorkPlan.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKPLANTEMPLATE

Represents a template for a work plan.

For more information, see WorkPlanTemplate in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Work Plan Template ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

WORKPLANTEMPLATEENTRY

Represents an object that associates a work step template with a work plan template.

For more information, see WorkPlanTemplateEntry in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Work Plan Template Entry ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
SystemModstamp	System Modstamp	datetime				
WorkPlanTemplateEntryNumber	Name	string		255		
WorkPlanTemplateId	Work Plan Template ID	reference		18		
WorkStepTemplateId	Work Step Template ID	reference		18		

WORKPLANTEMPLATEENTRYFEED

Feed tracking for WorkPlanTemplateEntry.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WORKPLANTEMPLATEENTRYHISTORY

History for tracked fields of WorkPlanTemplateEntry.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Plan Template Entry History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkPlanTemplateEntryId	Work Plan Template Entry ID	reference		18		

WORKPLANTEMPLATEFEED

Feed tracking for WorkPlanTemplate.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WORKPLANTEMPLATEHISTORY

History for tracked fields of WorkPlanTemplate.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Plan Template History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkPlanTemplateId	Work Plan Template ID	reference		18		

WORKPLANTEMPLATESHARE

Sharing for WorkPlanTemplate.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKSTEP

Represents a work step in a work plan.

For more information, see WorkStep in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExecutionOrder	Execution Order	int	9			
Id	Work Step ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Status	Status	picklist		40		
StatusCategory	Status Category	picklist		255		
SystemModstamp	System Modstamp	datetime				
WorkOrderId	Work Order ID	reference		18		
WorkPlanId	Work Plan ID	reference		18		

WORKSTEPFEED

Feed tracking for WorkStep.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WORKSTEPHISTORY

History for tracked fields of WorkStep.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Step History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkStepId	Work Step ID	reference		18		

WORKSTEPSTATUS

Represents a picklist for a status category on a work step.

For more information, see WorkStepStatus in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Work Step Status Value ID	id		18		
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
StatusCode	Status Code	picklist		40		
SystemModstamp	System Modstamp	datetime				

WORKSTEPTEMPLATE

Represents a template for a work step.

For more information, see WorkStepTemplate in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Work Step Template ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

WORKSTEPTEMPLATEFEED

Feed tracking for WorkStepTemplate.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WORKSTEPTEMPLATEHISTORY

History for tracked fields of WorkStepTemplate.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Step Template History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkStepTemplateId	Work Step Template ID	reference		18		

WORKSTEPTEMPLATESHARE

Sharing for WorkStepTemplate.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKTHANKS

Represents the source and message of a thanks post.

For more information, see WorkThanks in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FeedItemId	Feed Item ID	reference		18		
GiverId	User ID	reference		18		
Id	Thanks ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Message	Message	textarea		4000		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

WORKTHANKSSHARE

Sharing for WorkThanks.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKTYPE

Represents a type of work to be performed in Field Service and Lightning Scheduler. Work types are templates that can be applied to work order or work order line items.

For more information, see [WorkType](#) in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BlockTimeAfterAppointment	Block Time After Appointment	int	9			
BlockTimeAfterUnit	Block Time After Unit	picklist		255		
BlockTimeBeforeAppointment	Block Time Before Appointment	int	9			
BlockTimeBeforeUnit	Block Time Before Unit	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultAppointmentType	Default Appointment Type	picklist		40		
Description	Description	textarea		32000		
DurationInMinutes	Duration in Minutes	double			18	2
DurationType	Duration Type	picklist		255		
EstimatedDuration	Estimated Duration	double			18	2
Id	Work Type ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Work Type Name	string		255		
OperatingHoursId	Operating Hour ID	reference		18		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TimeFrameEndUnit	Time Frame End Unit	picklist		255		

WorkType

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TimeFrameStartUnit	Time Frame Start Unit	picklist		255		
TimeframeEnd	Timeframe End	int	9			
TimeframeStart	Timeframe Start	int	9			

WORKTYPEFEED

Feed tracking for WorkType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

WORKTYPEGROUP

Represents a grouping of work types used to categorize types of appointments available in Lightning Scheduler, or to define scheduling limits in Field Service.

For more information, see WorkTypeGroup in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdditionalInformation	Additional Information	multipicklist		4099	0	
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
GroupType	Group Type	picklist		255		
Id	Work Type Group ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Work Type Group Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

WORKTYPEGROUPFEED

Feed tracking for WorkTypeGroup.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

WORKTYPEGROUPHISTORY

History for tracked fields of WorkTypeGroup.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Type Group History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkTypeGroupId	Work Type Group ID	reference		18		

WORKTYPEGROUPMEMBER

Represents the relationship between a work type and the work type group it belongs to.

For more information, see `WorkTypeGroupMember` in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
<code>CreatedById</code>	Created By ID	reference		18		
<code>CreatedDate</code>	Created Date	datetime				
<code>Id</code>	Work Type Group Member ID	id		18		
<code>IsDeleted</code>	Deleted	boolean				
<code>LastModifiedById</code>	Last Modified By ID	reference		18		
<code>LastModifiedDate</code>	Last Modified Date	datetime				
<code>LastReferencedDate</code>	Last Referenced Date	datetime				
<code>LastViewedDate</code>	Last Viewed Date	datetime				
<code>Name</code>	Work Type Group Member Name	string		255		
<code>SystemModstamp</code>	System Modstamp	datetime				
<code>WorkTypeGroupId</code>	Work Type Group ID	reference		18		
<code>WorkTypeId</code>	Work Type ID	reference		18		

WORKTYPEGROUPMEMBERFEED

Feed tracking for WorkTypeGroupMember.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

WORKTYPEGROUPMEMBERHISTORY

History for tracked fields of WorkTypeGroupMember.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Type Group Member History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkTypeGroupMemberId	Work Type Group Member ID	reference		18		

WORKTYPEGROUPSHARE

Sharing for WorkTypeGroup.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKTYPEHISTORY

History for tracked fields of WorkType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Type History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkTypeId	Work Type ID	reference		18		

WORKTYPESHARE

Sharing for WorkType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACTIONPLANTEMPLATE

For more information, see ActionPlanTemplate in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionPlanType	Action Plan Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Id	Action Plan Template ID	id		18		
IsAdHocItemCreationEnabled	Let users add items to action plans	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TargetEntityType	Target Object	picklist		255		
UniqueName	Unique Name	string		80		

MAPS__MAPSETTING__C

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Record ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		38		
SetupOwnerId	Location	reference		18		
SystemModstamp	System Modstamp	datetime				
maps__Date__c	Date	date				
maps__Value2__c	Value2	string		255		
maps__Value__c	Value	string		255		