Salesforce Field Reference Guide

Salesforce, Winter '26

Last updated: September 19, 2025

© Copyright 2000–2025 Salesforce, Inc. All rights reserved. Salesforce is a registered trademark of Salesforce, Inc., as are other names and marks. Other marks appearing herein may be trademarks of their respective owners.

CONTENTS

Introduction 1
AIApplication 3
AIApplicationConfig 4
AIFeatureExtractor 5
AIInsightAction 6
AIInsightFeedback 7
AIInsightReason 8
AIInsightValue 9
AINaturalLangProcessRsltShare 10
AIPredictionEvent 11
AIRecordInsight 12
AIScoringStatusEvent 13
AISentimentResult 14
AISentimentResultShare 16
AIUsecaseDefinition 17
AIUsecaseFieldMapping 19
AIUsecaseModel 20
AcceptedEventRelation 21
Account 22
AccountAccountRelation 27
AccountAccountRelationFeed 28
AccountAccountRelationHistory 29
AccountAccountRelationShare 30
AccountBillingAccount 31
AccountBillingAccountFeed 32

AccountBillingAccountHistory 33
AccountBrand 34
AccountBrandShare 36
AccountCleanInfo 37
AccountContactRelation 42
AccountContactRole 43
AccountFeed 44
AccountForecast 45
AccountForecastAdjustment 46
AccountForecastFeed 47
AccountForecastHistory 48
AccountForecastPeriodMetric 49
AccountForecastShare 50
AccountHistory 51
AccountParticipant 52
AccountParticipantFeed 53
AccountParticipantHistory 54
AccountPartner 55
AccountProductForecast 56
AccountProductPeriodForecast 58
AccountRelationship 60
AccountRelationshipFeed 61
AccountRelationshipHistory 62
AccountRelationshipShare 63
AccountRelationshipShareRule 64
AccountShare 65
AccountingFieldMapping 66
AccountingModelConfig 67

AccountingPeriod 69
AccountingPeriodFeed 70
AccountingPeriodHistory 71
AccountingPeriodShare 72
Accreditation 73
AccreditationFeed 75
AccreditationHistory 76
AccreditationShare 77
ActionCadence 78
ActionCadenceRule 80
ActionCadenceRuleCondition 81
ActionCadenceShare 82
ActionCadenceStep 83
ActionCadenceStepTracker 86
ActionCadenceTracker 88
ActionCadenceTrackerShare 90
ActionCdncStpMonthlyMetric 91
ActionLinkGroupTemplate 94
ActionLinkTemplate 95
ActionPlan 96
ActionPlanFeed 98
ActionPlanItem 99
ActionPlanShare 100
ActionPlanTemplate 101
ActionPlanTemplateAssignment 103
ActionPlanTemplateAssignmentFeed 104
ActionPlanTemplateAssignmentHistory 105
ActionPlanTemplateItem 106

ActionPlanTemplateItemValue 107
ActionPlanTemplateShare 108
ActionPlanTemplateVersion 109
ActionPlanTmplItmAssessmentInd 110
ActionVisibility 111
ActionVisibilityFeed 112
ActionVisibilityHistory 113
ActionVisibilityShare 114
ActivationTargetFeed 115
ActivationTargetHistory 116
ActivationTargetPlatformHistory 117
ActivationTargetPlatformShare 118
ActivationTargetShare 119
ActivationTrgtIntOrgAccessFeed 120
ActivationTrgtIntOrgAccessHistory 121
ActivationTrgtIntOrgAccessShare 122
ActiveFeatureLicenseMetric 123
ActivePermSetLicenseMetric 124
ActiveProfileMetric 125
ActiveScratchOrg 126
ActiveScratchOrgFeed 128
ActiveScratchOrgHistory 129
ActiveScratchOrgShare 130
ActivityFieldHistory 131
ActivityHistory 132
ActivityMetric 134
ActivityTiming 136
ActivityTimingFeed 138

ActivityTimingHistory 139
ActivityTimingShare 140
ActivityUsrConnectionStatus 141
ActvTgtPlatformFieldValueHistory 142
ActvTgtPlatformFieldValueShare 143
AdAvailabilityViewConfig 144
AdAvailabilityViewConfigFeed 145
AdAvailabilityViewConfigHistory 146
AdAvailabilityViewConfigShare 147
AdditionalNumber 148
Address 149
AddressHistory 151
AdvAccountForecastFact 152
AdvAccountForecastFactFeed 154
AdvAccountForecastFactHistory 155
AdvAccountForecastFactShare 156
AdvAccountForecastPeriod 157
AdvAccountForecastSet 158
AdvAcctForecastAdjPeriod 160
AdvAcctForecastDimSource 161
AdvAcctForecastDimension 162
AdvAcctForecastFactAdj 163
AdvAcctForecastFactAdjShare 164
AdvAcctForecastMeasureDef 165
AdvAcctForecastPeriodGroup 166
AdvAcctForecastSetPartner 167
AdvAcctForecastSetPartnerFeed 168
AdvAcctForecastSetPartnerHistory 169

AdvAcctForecastSetPartnerShare 170
AdvAcctForecastSetUse 171
AdvAcctForecastSetUseFeed 172
AdvAcctForecastSetUseHistory 173
AdvAcctForecastSetUseShare 174
AdvAcctFrcstDisplayGroup 175
AdvAcctFrcstDplyGroupItem 176
AdvTherapyFieldOptOverride 177
AdvTherapyFieldOptOverrideFeed 178
AdvTherapyFieldOptOverrideHistory 179
AdvTherapyFieldOptOverrideShare 180
AdverseEventAction 181
AdverseEventActionFeed 182
AdverseEventActionHistory 183
AdverseEventCause 184
AdverseEventCauseFeed 185
AdverseEventCauseHistory 186
AdverseEventContribFactor 187
AdverseEventContribFactorFeed 188
AdverseEventContribFactorHistory 189
AdverseEventEntry 190
AdverseEventEntryFeed 192
AdverseEventEntryHistory 193
AdverseEventEntryShare 194
AdverseEventOutcome 195
AdverseEventOutcomeFeed 196
AdverseEventOutcomeHistory 197
AdverseEventParty 198

AdverseEventPartyFeed 199
AdverseEventPartyHistory 200
AdverseEventSupportInfo 201
AdverseEventSupportInfoFeed 202
AdverseEventSupportInfoHistory 203
AdverseEvntResultingEffect 204
AdverseEvntResultingEffectFeed 205
AdverseEvntResultingEffectHistory 206
AgeBandHlthRskAdjFctr 207
AgeBandHlthRskAdjFctrFeed 209
AgeBandHlthRskAdjFctrHistory 210
AgeBandHlthRskAdjFctrShare 211
AgentWork 212
AgentWorkShare 215
AgentWorkSkill 216
AiEvaluationShare 217
AiPromptBuilderGenResultShare 218
AiResearchPromptResultShare 219
AirTravelEmssnFctr 220
AirTravelEmssnFctrFeed 222
AirTravelEmssnFctrHistory 223
AirTravelEmssnFctrShare 224
AirTravelEnrgyUse 225
AirTravelEnrgyUseFeed 227
AirTravelEnrgyUseHistory 228
AirTravelEnrgyUseShare 229
AllergyIntolerance 230
AllergyIntoleranceFeed 232

AllergyIntoleranceHistory 233
AllergyIntoleranceShare 234
AlternativePaymentMethod 235
AlternativePaymentMethodShare 237
AnalyticsLicensedAsset 238
AnalyticsUserAttrFuncTknShare 239
Announcement 240
AnnualEmssnInventory 241
AnnualEmssnInventoryFeed 248
AnnualEmssnInventoryHistory 249
AnnualEmssnInventoryShare 250
AnnualEmssnRdctnTarget 251
AnnualEmssnRdctnTargetFeed 253
AnnualEmssnRdctnTargetHistory 254
AntiCorruptionInitSum 255
AntiCorruptionInitSumFeed 256
AntiCorruptionInitSumHistory 257
AntiCorruptionInitSumShare 258
ApexClass 259
ApexComponent 260
ApexEmailNotification 261
ApexLog 262
ApexPage 263
ApexPageInfo 264
ApexTestQueueItem 265
ApexTestResult 266
ApexTestResultLimits 267
ApexTestRunResult 269

ApexTestSuite 271
ApexTrigger 272
ApexTypeImplementor 274
ApiAnomalyEvent 275
ApiAnomalyEventStore 276
ApiAnomalyEventStoreFeed 278
ApiEvent 279
ApiEventStream 281
AppAnalyticsQueryRequest 283
AppDefinition 285
AppExtension 287
AppFormProdtPrpsAttribute 288
AppFormProductCollateralFeed 289
AppFormProductCollateralHistory 290
AppMenuItem 291
AppTabMember 293
AppUsageAssignment 294
Applicant 295
ApplicantFeed 297
ApplicantHistory 298
ApplicationActionItem 299
ApplicationActionItemFeed 300
ApplicationActionItemHistory 301
ApplicationActionItemShare 302
ApplicationCase 303
ApplicationCaseFeed 304
ApplicationCaseHistory 305
ApplicationDecision 306

ApplicationDecisionFeed 307
ApplicationDecisionHistory 308
ApplicationDecisionShare 309
ApplicationForm 310
ApplicationFormFeed 312
ApplicationFormHistory 313
ApplicationFormProduct 314
ApplicationFormProductFee 316
ApplicationFormProductFeeFeed 317
ApplicationFormProductFeeHistory 318
ApplicationFormProductFeed 319
ApplicationFormProductHistory 320
ApplicationFormProductProposal 321
ApplicationFormProductProposalFeed 323
ApplicationFormProductProposalHistory 324
ApplicationFormProductShare 325
ApplicationFormSellerItem 326
ApplicationFormSellerItemFeed 328
ApplicationFormSellerItemHistory 329
ApplicationFormShare 330
ApplicationFormTemplate 331
ApplicationFormTemplateFeed 332
ApplicationFormTemplateHistory 333
ApplicationFormTemplateShare 334
ApplicationFormTerm 335
ApplicationFormTermFeed 336
ApplicationFormTermHistory 337
ApplicationRenderMethod 338

ApplicationRenderMethodFeed 339
ApplicationRenderMethodHistory 340
ApplicationRenderMethodShare 341
ApplicationReview 342
ApplicationReviewFeed 343
ApplicationReviewHistory 344
ApplicationReviewShare 345
ApplicationStageDefinition 346
ApplicationStageDefinitionFeed 347
ApplicationStageDefinitionHistory 348
ApplicationStageDefinitionShare 349
ApplicationTimeline 350
ApplicationTimelineFeed 351
ApplicationTimelineHistory 352
ApplicationTimelineShare 353
AppointmentAssignmentPolicy 354
AppointmentCategory 355
AppointmentCategoryFeed 356
AppointmentCategoryHistory 357
AppointmentInvitation 358
AppointmentInvitationFeed 360
AppointmentInvitationHistory 361
AppointmentInvitationShare 362
AppointmentInvitee 363
AppointmentScheduleAggr 364
AppointmentScheduleLog 365
AppointmentSchedulingPolicy 366
AppointmentTopicTimeSlot 368

AppointmentTopicTimeSlotFeed 369
AppointmentTopicTimeSlotHistory 370
ApprovalSubmission 371
ApprovalSubmissionDetail 372
ApprovalSubmissionShare 373
ApprovalWorkItem 374
ApprovalWorkItemCondition 375
ApprovalWorkItemCriteria 376
ApptBookingConfig 377
ApptBookingUrlConfig 378
ApptBundleAggrDurDnscale 379
ApptBundleAggrDurDnscaleFeed 380
ApptBundleAggrPolicy 381
ApptBundleAggrPolicyFeed 382
ApptBundleConfig 383
ApptBundleConfigFeed 385
ApptBundleConfigHistory 386
ApptBundleConfigShare 387
ApptBundlePolicy 388
ApptBundlePolicyFeed 390
ApptBundlePolicyShare 391
ApptBundlePolicySvcTerr 392
ApptBundlePolicySvcTerrFeed 393
ApptBundlePropagatePolicy 394
ApptBundlePropagatePolicyFeed 395
ApptBundleRestrictPolicy 396
ApptBundleRestrictPolicyFeed 397
ApptBundleSortPolicy 398

ApptBundleSortPolicyFeed 399
AsgnRsrcApptSchdEvent 400
AsmtQstnRespRecommendation 401
AsmtQstnRespRecommendationFeed 402
AsmtQstnRespRecommendationHistory 403
Assessment 404
AssessmentDefinition 406
AssessmentDefinitionFeed 407
AssessmentDefinitionHistory 408
AssessmentDefinitionShare 409
AssessmentEnvelope 410
AssessmentEnvelopeFeed 411
AssessmentEnvelopeHistory 412
AssessmentEnvelopeItem 413
AssessmentEnvelopeItemFeed 414
AssessmentEnvelopeItemHistory 415
AssessmentEnvelopeShare 416
AssessmentFeed 417
AssessmentHistory 418
AssessmentIndDefinedValue 419
AssessmentIndDefinedValueHistory 420
AssessmentIndValue 421
AssessmentIndValueHistory 422
AssessmentIndValueShare 423
AssessmentIndicatorDefinition 424
AssessmentIndicatorDefinitionFeed 425
AssessmentIndicatorDefinitionHistory 426
AssessmentIndicatorDefinitionShare 427

AssessmentQuestion 428
AssessmentQuestionAssignment 430
AssessmentQuestionAssignmentFeed 431
AssessmentQuestionAssignmentHistory 432
AssessmentQuestionAssignmentShare 433
AssessmentQuestionFeed 434
AssessmentQuestionHistory 435
AssessmentQuestionResponse 436
AssessmentQuestionResponseFeed 438
AssessmentQuestionResponseHistory 439
AssessmentQuestionResponseShare 440
AssessmentQuestionSet 441
AssessmentQuestionSetFeed 442
AssessmentQuestionSetHistory 443
AssessmentQuestionSetShare 444
AssessmentQuestionShare 445
AssessmentQuestionSourceDocFeed 446
AssessmentQuestionSourceDocHistory 447
AssessmentQuestionSourceDocShare 448
AssessmentQuestionVerChoice 449
AssessmentQuestionVerChoiceFeed 450
AssessmentQuestionVerChoiceHistory 451
AssessmentQuestionVersion 452
AssessmentQuestionVersionFeed 454
AssessmentQuestionVersionHistory 455
AssessmentSavedSession 456
AssessmentSavedSessionFeed 457
AssessmentSavedSessionHistory 458

AssessmentShare 459
AssessmentSignature 460
AssessmentSignatureFeed 461
AssessmentSignatureHistory 462
AssessmentTask 463
AssessmentTaskContentDocument 465
AssessmentTaskContentDocumentFeed 466
AssessmentTaskContentDocumentHistory 467
AssessmentTaskDefinition 468
AssessmentTaskDefinitionFeed 469
AssessmentTaskDefinitionHistory 470
AssessmentTaskDefinitionShare 471
AssessmentTaskFeed 472
AssessmentTaskHistory 473
AssessmentTaskIndDefinition 474
AssessmentTaskIndDefinitionFeed 475
AssessmentTaskIndDefinitionHistory 476
AssessmentTaskOrder 477
AssessmentTaskOrderFeed 478
AssessmentTaskOrderHistory 479
AssessmentTaskShare 480
Asset 481
AssetAccountParticipant 484
AssetAccountParticipantFeed 485
AssetAccountParticipantHistory 486
AssetAction 487
AssetActionSource 489
AssetAttribute 491

AssetContactParticipant 492
AssetContactParticipantFeed 493
AssetContactParticipantHistory 494
AssetContractRelationship 495
AssetContractRelationshipFeed 496
AssetContractRelationshipHistory 497
AssetDowntimePeriod 498
AssetDowntimePeriodFeed 499
AssetDowntimePeriodHistory 500
AssetFeed 501
AssetHistory 502
AssetRateAdjustment 503
AssetRateCardEntry 504
AssetRelationship 505
AssetRelationshipFeed 506
AssetRelationshipHistory 507
AssetShare 508
AssetStatePeriod 509
AssetStatePeriodAttribute 510
AssetTokenEvent 511
AssetWarranty 512
AssetWarrantyFeed 514
AssetWarrantyHistory 515
AssignedResource 516
AssignedResourceFeed 517
AssignedResourceHistory 518
AssignmentRule 519
AssociatedLocation 520

AssociatedLocationHistory 521
AsyncApexJob 522
AsyncOperationLog 523
AsyncOperationTracker 525
AsyncOperationTrackerShare 527
AttachedContentDocument 528
AttachedContentNote 529
Attachment 530
AttrPicklistExcludedValue 531
AttrPicklistExcludedValueFeed 532
AttrPicklistExcludedValueHistory 533
AttrPicklistExcludedValueShare 534
AttributeAdjustmentCondition 535
AttributeAdjustmentConditionFeed 537
AttributeAdjustmentConditionHistory 538
AttributeBasedAdjRule 539
AttributeBasedAdjRuleFeed 540
AttributeBasedAdjRuleHistory 541
AttributeBasedAdjRuleShare 542
AttributeBasedAdjustment 543
AttributeBasedAdjustmentFeed 545
AttributeBasedAdjustmentHistory 546
AttributeCategory 547
AttributeCategoryAttribute 548
AttributeCategoryAttributeFeed 549
AttributeCategoryAttributeHistory 550
AttributeCategoryAttributeShare 551
AttributeCategoryFeed 552

AttributeCategoryHistory 553
AttributeCategoryShare 554
AttributeDefinition 555
AttributeDefinitionFeed 557
AttributeDefinitionHistory 558
AttributeDefinitionShare 559
AttributePicklist 560
AttributePicklistFeed 561
AttributePicklistHistory 562
AttributePicklistShare 563
AttributePicklistValue 564
AttributePicklistValueFeed 565
AttributePicklistValueHistory 566
Audience 567
AuditTrailFileExportShare 568
AuraDefinition 569
AuraDefinitionBundle 570
AuraDefinitionBundleInfo 571
AuraDefinitionInfo 572
AuthApplicationAsset 573
AuthApplicationAssetFeed 574
AuthApplicationAssetHistory 575
AuthApplicationAssetShare 576
AuthApplicationPlace 577
AuthApplicationPlaceFeed 578
AuthApplicationPlaceHistory 579
AuthApplicationPlaceShare 580
AuthConfig 581

AuthConfigProviders 582
AuthFormRequestRecord 583
AuthFormRequestRecordFeed 584
AuthFormRequestRecordHistory 585
AuthLocationAccessSchedule 586
AuthLocationAccessScheduleFeed 587
AuthLocationAccessScheduleHistory 588
AuthLocationAccessScheduleShare 589
AuthProvParamFwdAllowlist 590
AuthProvider 591
AuthSession 593
AuthorNote 594
AuthorNoteFeed 595
AuthorNoteHistory 596
AuthorNoteShare 597
AuthorizationForm 598
AuthorizationFormConsent 599
AuthorizationFormConsentHistory 601
AuthorizationFormConsentShare 602
AuthorizationFormDataUse 603
AuthorizationFormDataUseHistory 604
AuthorizationFormDataUseShare 605
AuthorizationFormHistory 606
AuthorizationFormShare 607
AuthorizationFormText 608
AuthorizationFormTextFeed 609
AuthorizationFormTextHistory 610
AuthorizedInsuranceLine 611

AuthorizedInsuranceLineFeed 612
AuthorizedInsuranceLineHistory 613
AuthorizedInsuranceLineShare 614
Award 615
AwardFeed 617
AwardHistory 618
AwardShare 619
BackgroundOperation 620
BalanceAdjustmentRequest 622
BalanceAdjustmentRequestFeed 623
BalanceAdjustmentRequestHistory 624
BalanceAdjustmentRequestShare 625
Banker 626
BankerFeed 627
BankerHistory 628
BankerShare 629
BatchApexErrorEvent 630
BatchCalcJobDefinitionView 631
BatchJob 632
BatchJobFeed 634
BatchJobHistory 635
BatchJobPart 636
BatchJobPartFailedRecord 638
BatchJobPartFailedRecordFeed 639
BatchJobPartFailedRecordHistory 640
BatchJobPartFeed 641
BatchJobPartHistory 642
BatchJobShare 643

BatchJobStatusChangedEvent 644
BatchProcessJobDefView 645
Benefit 646
BenefitAction 648
BenefitActionParameter 649
BenefitActionParameterValue 650
BenefitAssignment 651
BenefitAssignmentAdjustment 653
BenefitAssignmentAdjustmentFeed 654
BenefitAssignmentAdjustmentHistory 655
BenefitAssignmentAssetFeed 656
BenefitAssignmentAssetHistory 657
BenefitAssignmentFeed 658
BenefitAssignmentHistory 659
BenefitAssignmentShare 660
BenefitDisbursement 661
BenefitDisbursementAdj 663
BenefitDisbursementAdjFeed 664
BenefitDisbursementAdjHistory 665
BenefitDisbursementFeed 666
BenefitDisbursementHistory 667
BenefitFeed 668
BenefitHistory 669
BenefitParameterValue 670
BenefitSchedule 671
BenefitScheduleAssignmentFeed 672
BenefitScheduleAssignmentHistory 673
BenefitScheduleFeed 674

BenefitScheduleHistory 675
BenefitScheduleShare 676
BenefitSession 677
BenefitSessionFeed 678
BenefitSessionHistory 679
BenefitSessionShare 680
BenefitType 681
BenefitTypeShare 682
BillSchdCreatedEventDetail 683
BillingAccount 684
BillingAccountContact 687
BillingAccountContactFeed 688
BillingAccountContactHistory 689
BillingAccountContactShare 690
BillingAccountFeed 691
BillingAccountHistory 692
BillingAccountShare 693
BillingBatchFilterCriteria 694
BillingBatchFilterCriteriaHistory 695
BillingBatchFilterCriteriaShare 696
BillingBatchScheduler 697
BillingBatchSchedulerShare 699
BillingMilestonePlan 700
BillingMilestonePlanFeed 701
BillingMilestonePlanHistory 702
BillingMilestonePlanItem 703
BillingMilestonePlanItemFeed 705
BillingMilestonePlanItemHistory 706

BillingMilestonePlanShare 707
BillingPeriodItem 708
BillingPolicy 709
BillingPolicyHistory 710
BillingSchedule 711
BillingScheduleCreatedEvent 713
BillingScheduleGroup 714
BillingScheduleGroupHistory 717
BillingScheduleGroupShare 718
BillingScheduleRelationshipFeed 719
BillingScheduleRelationshipHistory 720
BillingTreatment 721
BillingTreatmentHistory 722
BillingTreatmentItem 723
BillingTreatmentItemHistory 724
BindingObjectCustomExt 725
BindingObjectCustomExtFeed 726
BindingObjectCustomExtHistory 727
BindingObjectCustomExtShare 728
BindingObjectRateAdjustment 729
BindingObjectRateAdjustmentFeed 730
BindingObjectRateAdjustmentHistory 731
BindingObjectRateCardEntry 732
BindingObjectRateCardEntryFeed 733
BindingObjectRateCardEntryHistory 734
BindingObjectRateCardEntryShare 735
BldgEnrgyIntensity 736
BldgEnrgyIntensityFeed 738

BldgEnrgyIntensityHistory 739
BldgEnrgyIntensityShare 740
BldgEnrgyIntensityVal 741
BldgEnrgyIntensityValFeed 742
BldgEnrgyIntensityValHistory 743
BldgSizeCategory 744
BldgSizeCategoryFeed 745
BldgSizeCategoryHistory 746
BldgSizeCategoryShare 747
BoardCertification 748
BoardCertificationFeed 750
BoardCertificationHistory 751
BoardCertificationShare 752
BotDefinition 753
BranchUnit 754
BranchUnitBusinessMember 756
BranchUnitBusinessMemberFeed 757
BranchUnitBusinessMemberHistory 758
BranchUnitCustomer 759
BranchUnitCustomerFeed 760
BranchUnitCustomerHistory 761
BranchUnitFeed 762
BranchUnitHistory 763
BranchUnitRelatedRecord 764
BranchUnitShare 765
BrandTemplate 766
BrandingSet 767
Brief 768

BriefcaseAssignment 769
BriefcaseDefinition 770
BriefcaseRule 771
BriefcaseRuleFilter 772
BrowserPolicyViolation 773
BsgRelationship 774
BsgRelationshipFeed 775
BsgRelationshipHistory 776
Budget 777
BudgetAllocation 779
BudgetAllocationFeed 780
BudgetAllocationHistory 781
BudgetCategory 782
BudgetCategoryFeed 783
BudgetCategoryHistory 784
BudgetCategoryValue 785
BudgetCategoryValueFeed 786
BudgetCategoryValueHistory 787
BudgetFeed 788
BudgetHistory 789
BudgetParticipant 790
BudgetParticipantFeed 791
BudgetParticipantHistory 792
BudgetPeriod 793
BudgetPeriodFeed 794
BudgetPeriodHistory 795
BudgetShare 796
BulkApiResultEvent 797

BulkApiResultEventStore 798
BundleBasedAdjustment 799
BundleBasedAdjustmentFeed 801
BundleBasedAdjustmentHistory 802
BundledCareFeeAgreement 803
BundledCareFeeAgreementFeed 804
BundledCareFeeAgreementHistory 805
BusRegAuthTypeDependency 806
BusRegAuthTypeDependencyFeed 807
BusRegAuthTypeDependencyHistory 808
BusRegAuthTypeDependencyShare 809
BusRegAuthorizationType 810
BusRegAuthorizationTypeFeed 811
BusRegAuthorizationTypeHistory 812
BusinessBrand 813
BusinessBrandShare 814
BusinessHours 815
BusinessLicense 817
BusinessLicenseApplication 819
BusinessLicenseApplicationFeed 821
BusinessLicenseApplicationHistory 822
BusinessLicenseApplicationShare 823
BusinessLicenseFeed 824
BusinessLicenseHistory 825
BusinessLicenseShare 826
BusinessMilestone 827
BusinessMilestoneFeed 829
BusinessMilestoneHistory 830

BusinessMilestoneShare 831
BusinessProcess 832
BusinessProcessDefinition 833
BusinessProcessFeedback 834
BusinessProcessGroup 835
BusinessProfile 836
BusinessProfileFeed 838
BusinessProfileHistory 839
BusinessType 840
BusinessTypeFeed 841
BusinessTypeHistory 842
BusinessTypeShare 843
BuyerAccount 844
BuyerAccountFeed 845
BuyerAccountHistory 846
BuyerAccountShare 847
BuyerGroup 848
BuyerGroupFeed 849
BuyerGroupHistory 850
BuyerGroupMember 851
BuyerGroupMemberShare 852
BuyerGroupPricebook 853
BuyerGroupPricebookFeed 854
BuyerGroupShare 855
CalcMatrixColumnRange 856
CalcMatrixColumnRangeFeed 857
CalcMatrixColumnRangeHistory 858
CalcProcStepRelationship 859

CalcProcStepRelationshipFeed 860
CalcProcStepRelationshipHistory 861
CalculatedInsightRangeBound 862
CalculatedInsightRangeBoundShare 863
CalculationMatrix 864
CalculationMatrixColumn 866
CalculationMatrixColumnFeed 867
CalculationMatrixColumnHistory 868
CalculationMatrixFeed 869
CalculationMatrixHistory 870
CalculationMatrixRow 871
CalculationMatrixRowFeed 872
CalculationMatrixRowHistory 873
CalculationMatrixShare 874
CalculationMatrixVersion 875
CalculationMatrixVersionFeed 877
CalculationMatrixVersionHistory 878
CalculationProcedure 879
CalculationProcedureFeed 880
CalculationProcedureHistory 881
CalculationProcedureShare 882
CalculationProcedureStep 883
CalculationProcedureStepFeed 885
CalculationProcedureStepHistory 886
CalculationProcedureVariable 887
CalculationProcedureVariableFeed 888
CalculationProcedureVariableHistory 889
CalculationProcedureVersion 890

CalculationProcedureVersionFeed 892
CalculationProcedureVersionHistory 893
Calendar 894
CalendarView 895
CalendarViewShare 896
CallCenter 897
CallCoachConfigModifyEvent 898
CallCoachingMediaProvider 899
CallDisposition 900
CallDispositionCategory 901
CallTemplate 902
CallTemplateShare 903
Campaign 904
CampaignFeed 906
CampaignHistory 907
CampaignInfluenceModel 908
CampaignMember 909
CampaignMemberStatus 911
CampaignShare 912
CapitationCareFeeAgreement 913
CapitationCareFeeAgreementFeed 914
CapitationCareFeeAgreementHistory 915
CardPaymentMethod 916
CareBarrier 919
CareBarrierDeterminant 921
CareBarrierDeterminantFeed 922
CareBarrierDeterminantHistory 923
CareBarrierDeterminantShare 924

CareBarrierFeed 925
CareBarrierHistory 926
CareBarrierShare 927
CareBarrierType 928
CareBarrierTypeFeed 929
CareBarrierTypeHistory 930
CareBarrierTypeShare 931
CareBenefitVerifyRequest 932
CareBenefitVerifyRequestFeed 934
CareBenefitVerifyRequestHistory 935
CareBenefitVerifySettings 936
CareDeterminant 937
CareDeterminantFeed 938
CareDeterminantHistory 939
CareDeterminantShare 940
CareDeterminantType 941
CareDeterminantTypeFeed 942
CareDeterminantTypeHistory 943
CareDeterminantTypeShare 944
CareDiagnosis 945
CareDiagnosisFeed 947
CareDiagnosisHistory 948
CareFeeScheduleItem 949
CareFeeScheduleItemFeed 950
CareFeeScheduleItemHistory 951
CareInterventionType 952
CareInterventionTypeFeed 953
CareInterventionTypeHistory 954

CareInterventionTypeShare 955
CareLimitType 956
CareMetricTarget 957
CareMetricTargetFeed 959
CareMetricTargetHistory 960
CareMetricTargetShare 961
CareObservation 962
CareObservationComponent 965
CareObservationComponentFeed 967
CareObservationComponentHistory 968
CareObservationFeed 969
CareObservationHistory 970
CareObservationShare 971
CarePerformer 972
CarePerformerFeed 973
CarePerformerHistory 974
CarePgmEnrleeStatusPeriod 975
CarePgmEnrleeStatusPeriodFeed 976
CarePgmEnrleeStatusPeriodHistory 977
CarePgmEnrolleeWkOrdStep 978
CarePgmEnrolleeWkOrdStepFeed 979
CarePgmEnrolleeWkOrdStepHistory 980
CarePgmEnrolleeWorkOrder 981
CarePgmEnrolleeWorkOrderFeed 982
CarePgmEnrolleeWorkOrderHistory 983
CarePgmProvHealthcareProvider 984
CarePgmProvHealthcareProviderFeed 985
CarePgmProvHealthcareProviderHistory 986

CarePgmTeamMbrRolePeriod 987
CarePgmTeamMbrRolePeriodFeed 988
CarePgmTeamMbrRolePeriodHistory 989
CarePlan 990
CarePlanDetail 991
CarePlanDetailFeed 992
CarePlanDetailHistory 993
CarePlanDetailShare 994
CarePlanFeed 995
CarePlanHistory 996
CarePlanTemplate 997
CarePlanTemplateBenefit 998
CarePlanTemplateBenefitHistory 999
CarePlanTemplateFeed 1000
CarePlanTemplateGoal 1001
CarePlanTemplateGoalHistory 1002
CarePlanTemplateHistory 1003
CarePlanTemplateShare 1004
CarePreauth 1005
CarePreauthFeed 1006
CarePreauthHistory 1007
CarePreauthItem 1008
CarePreauthItemFeed 1009
CarePreauthItemHistory 1010
CarePreauthItemShare 1011
CarePreauthShare 1012
CareProcessingError 1013
CareProcessingErrorFeed 1014

CareProcessingErrorHistory 1015
CareProcessingErrorShare 1016
CareProgram 1017
CareProgramCampaign 1019
CareProgramCampaignFeed 1020
CareProgramCampaignHistory 1021
CareProgramDetail 1022
CareProgramDetailFeed 1023
CareProgramDetailHistory 1024
CareProgramEligibilityRule 1025
CareProgramEligibilityRuleFeed 1026
CareProgramEligibilityRuleHistory 1027
CareProgramEligibilityRuleShare 1028
CareProgramEnrollee 1029
CareProgramEnrolleeFeed 1031
CareProgramEnrolleeHistory 1032
CareProgramEnrolleeProduct 1033
CareProgramEnrolleeProductFeed 1034
CareProgramEnrolleeProductHistory 1035
CareProgramEnrolleeProductShare 1036
CareProgramEnrolleeShare 1037
CareProgramEnrollmentCard 1038
CareProgramEnrollmentCardFeed 1039
CareProgramEnrollmentCardHistory 1040
CareProgramEnrollmentCardShare 1041
CareProgramFeed 1042
CareProgramGoal 1043
CareProgramGoalFeed 1045

CareProgramGoalHistory 1046
CareProgramGoalShare 1047
CareProgramHistory 1048
CareProgramProduct 1049
CareProgramProductFeed 1050
CareProgramProductHistory 1051
CareProgramProductShare 1052
CareProgramProvider 1053
CareProgramProviderFeed 1054
CareProgramProviderHistory 1055
CareProgramProviderShare 1056
CareProgramShare 1057
CareProgramSite 1058
CareProgramSiteFeed 1059
CareProgramSiteHistory 1060
CareProgramSiteShare 1061
CareProgramStatusPeriod 1062
CareProgramStatusPeriodFeed 1063
CareProgramStatusPeriodHistory 1064
CareProgramTeamMember 1065
CareProgramTeamMemberFeed 1066
CareProgramTeamMemberHistory 1067
CareProviderAdverseAction 1068
CareProviderAdverseActionFeed 1070
CareProviderAdverseActionHistory 1071
CareProviderAdverseActionShare 1072
CareProviderFacilitySpecialty 1073
CareProviderFacilitySpecialtyFeed 1075

CareProviderFacilitySpecialtyHistory 1076
CareProviderFacilitySpecialtyShare 1077
CareProviderSearchConfig 1078
CareProviderSearchableField 1079
CareProviderSearchableFieldFeed 1081
CareProviderSearchableFieldHistory 1082
CareProviderSearchableFieldShare 1083
CareRegisteredDevice 1084
CareRegisteredDeviceFeed 1086
CareRegisteredDeviceHistory 1087
CareRequest 1088
CareRequestConfiguration 1093
CareRequestDrug 1094
CareRequestDrugFeed 1097
CareRequestDrugHistory 1098
CareRequestExtension 1099
CareRequestExtensionFeed 1102
CareRequestExtensionHistory 1103
CareRequestFeed 1104
CareRequestHistory 1105
CareRequestItem 1106
CareRequestItemFeed 1109
CareRequestItemHistory 1110
CareRequestReviewer 1111
CareRequestReviewerFeed 1112
CareRequestReviewerHistory 1113
CareService 1114
CareServiceFeed 1115

CareServiceHistory 1116
CareServiceShare 1117
CareSpecialty 1118
CareSpecialtyFeed 1119
CareSpecialtyHistory 1120
CareSpecialtyShare 1121
CareSpecialtyTaxonomy 1122
CareSpecialtyTaxonomyFeed 1123
CareSpecialtyTaxonomyHistory 1124
CareSystemFieldMapping 1125
CareTask 1126
CareTaskDetail 1128
CareTaskDetailFeed 1129
CareTaskDetailHistory 1130
CareTaskFeed 1131
CareTaskHistory 1132
CareTaskShare 1133
CareTaxonomy 1134
CareTaxonomyFeed 1135
CareTaxonomyHistory 1136
CareTaxonomyShare 1137
CartCheckoutSession 1138
CartDeliveryGroup 1139
CartDeliveryGroupMethod 1141
CartDeliveryGroupMethodAdj 1143
CartItem 1144
CartItemPriceAdjustment 1147
CartTax 1149

CartValidationOutput 1150
Case 1151
CaseArticle 1153
CaseComment 1154
CaseContactRole 1155
CaseFeed 1156
CaseGatewayRequest 1157
CaseHistory 1158
CaseHistory2 1159
CaseMilestone 1160
CaseParticipant 1162
CaseParticipantFeed 1163
CaseParticipantHistory 1164
CaseProgram 1165
CaseProgramFeed 1166
CaseProgramHistory 1167
CaseRelatedIssue 1168
CaseRelatedIssueFeed 1169
CaseRelatedIssueHistory 1170
CaseRelatedSubject 1171
CaseRelatedSubjectFeed 1172
CaseRelatedSubjectHistory 1173
CaseRelatedSubjectShare 1174
CaseShare 1175
CaseSolution 1176
CaseStatus 1177
CaseSubjectParticle 1178
CaseTeamMember 1179

CaseTeamRole 1180
CaseTeamTemplate 1181
CaseTeamTemplateMember 1182
CaseTeamTemplateRecord 1183
CategorizedCareFeeAgreement 1184
CategorizedCareFeeAgreementFeed 1185
CategorizedCareFeeAgreementHistory 1186
CategoryData 1187
CategoryNode 1188
CategoryNodeLocalization 1189
ChangeRequest 1190
ChangeRequestFeed 1192
ChangeRequestHistory 1193
ChangeRequestRelatedIssue 1194
ChangeRequestRelatedIssueFeed 1195
ChangeRequestRelatedIssueHistory 1196
ChangeRequestRelatedItem 1197
ChangeRequestRelatedItemFeed 1198
ChangeRequestRelatedItemHistory 1199
ChangeRequestShare 1200
ChannelObjectLinkingRule 1201
ChannelProgram 1202
ChannelProgramFeed 1203
ChannelProgramHistory 1204
ChannelProgramLevel 1205
ChannelProgramLevelFeed 1206
ChannelProgramLevelHistory 1207
ChannelProgramLevelShare 1208

ChannelProgramMember 1209
ChannelProgramMemberFeed 1210
ChannelProgramMemberHistory 1211
ChannelProgramMemberShare 1212
ChannelProgramShare 1213
ChatterActivity 1214
ChatterExtension 1215
ChatterExtensionConfig 1216
Claim 1217
ClaimAttribute 1220
ClaimCoverage 1221
ClaimCoverageFeed 1223
ClaimCoverageHistory 1224
ClaimCoverageShare 1225
ClaimFeed 1226
ClaimHistory 1227
ClaimItem 1228
ClaimItemAttribute 1230
ClaimItemFeed 1231
ClaimItemHistory 1232
ClaimItemRelatedObject 1233
ClaimItemRelatedObjectFeed 1234
ClaimItemRelatedObjectHistory 1235
ClaimParticipant 1236
ClaimParticipantFeed 1237
ClaimParticipantHistory 1238
ClaimPaymentSummary 1239
ClaimPaymentSummaryFeed 1240

ClaimPaymentSummaryHistory 1241
ClaimShare 1242
ClaimTeamMember 1243
ClaimTeamMemberFeed 1244
ClaimTeamMemberHistory 1245
ClauseCatgConfiguration 1246
CleanEnergyProject 1247
CleanEnergyProjectFeed 1248
CleanEnergyProjectHistory 1249
CleanEnergyProjectShare 1250
ClientBrowser 1251
ClinicalAlert 1252
ClinicalAlertFeed 1254
ClinicalAlertHistory 1255
ClinicalAlertShare 1256
ClinicalDetectedIssue 1257
ClinicalDetectedIssueDetail 1259
ClinicalDetectedIssueDetailFeed 1260
ClinicalDetectedIssueDetailHistory 1261
ClinicalDetectedIssueFeed 1262
ClinicalDetectedIssueHistory 1263
ClinicalDetectedIssueShare 1264
ClinicalEncounter 1265
ClinicalEncounterDiagnosis 1267
ClinicalEncounterDiagnosisFeed 1268
ClinicalEncounterDiagnosisHistory 1269
ClinicalEncounterFacility 1270
ClinicalEncounterFacilityFeed 1271

ClinicalEncounterFacilityHistory 1272
ClinicalEncounterFeed 1273
ClinicalEncounterHistory 1274
ClinicalEncounterIdentifier 1275
ClinicalEncounterIdentifierFeed 1276
ClinicalEncounterIdentifierHistory 1277
ClinicalEncounterProvider 1278
ClinicalEncounterProviderFeed 1279
ClinicalEncounterProviderHistory 1280
ClinicalEncounterReason 1281
ClinicalEncounterReasonFeed 1282
ClinicalEncounterReasonHistory 1283
ClinicalEncounterShare 1284
ClinicalEncounterSvcRequest 1285
ClinicalEncounterSvcRequestFeed 1286
ClinicalEncounterSvcRequestHistory 1287
ClinicalServiceRequest 1288
ClinicalServiceRequestDetail 1290
ClinicalServiceRequestDetailFeed 1291
ClinicalServiceRequestDetailHistory 1292
ClinicalServiceRequestFeed 1293
ClinicalServiceRequestHistory 1294
ClinicalServiceRequestShare 1295
CodeSet 1296
CodeSetBundle 1298
CodeSetBundleHistory 1300
CodeSetBundleShare 1301
CodeSetFeed 1302

CodeSetHistory 1303
CodeSetShare 1304
CollaborationGroup 1305
CollaborationGroupFeed 1307
CollaborationGroupMember 1308
CollaborationGroupMemberRequest 1309
CollaborationGroupRecord 1310
CollaborationInvitation 1311
CollaborationRoom 1312
ColorDefinition 1313
CombinedAttachment 1314
CommSubscription 1315
CommSubscriptionChannelType 1316
CommSubscriptionChannelTypeFeed 1317
CommSubscriptionChannelTypeHistory 1318
CommSubscriptionChannelTypeShare 1319
CommSubscriptionConsent 1320
CommSubscriptionConsentFeed 1322
CommSubscriptionConsentHistory 1323
CommSubscriptionConsentShare 1324
CommSubscriptionFeed 1325
CommSubscriptionHistory 1326
CommSubscriptionShare 1327
CommSubscriptionTiming 1328
CommSubscriptionTimingFeed 1329
CommSubscriptionTimingHistory 1330
CommerceDiagnosticEvent 1331
CommerceEntitlementBuyerGroup 1333

CommerceEntitlementPolicy 1334
CommerceEntitlementPolicyFeed 1335
CommerceEntitlementPolicyHistory 1336
CommerceEntitlementPolicyShare 1337
CommerceEntitlementProduct 1338
Community 1339
ComplaintCase 1340
ComplaintCaseFeed 1341
ComplaintCaseHistory 1342
ComplaintCaseShare 1343
ComplaintParticipant 1344
ComplaintParticipantFeed 1345
ComplaintParticipantHistory 1346
ConcurLongRunApexErrEvent 1347
CondIntrctnHlthRskAdjFctr 1348
CondIntrctnHlthRskAdjFctrFeed 1350
CondIntrctnHlthRskAdjFctrHistory 1351
CondIntrctnHlthRskAdjFctrShare 1352
ConferenceNumber 1353
ConnectedApplication 1354
ConsentUnsubscribeAllEvent 1355
ConsumptionRateHistory 1356
ConsumptionScheduleFeed 1357
ConsumptionScheduleHistory 1358
ConsumptionScheduleShare 1359
Contact 1360
ContactCleanInfo 1363
ContactContactRelation 1366

ContactContactRelationFeed 1367
ContactContactRelationHistory 1368
ContactContactRelationShare 1369
ContactDailyMetric 1370
ContactEncounter 1372
ContactEncounterFeed 1373
ContactEncounterHistory 1374
ContactEncounterParticipant 1375
ContactEncounterParticipantFeed 1376
ContactEncounterParticipantHistory 1377
ContactEncounterShare 1378
ContactFeed 1379
ContactHistory 1380
ContactMonthlyMetric 1381
ContactPointAddress 1383
ContactPointAddressHistory 1385
ContactPointAddressShare 1386
ContactPointConsent 1387
ContactPointConsentHistory 1389
ContactPointConsentShare 1390
ContactPointEmail 1391
ContactPointEmailHistory 1393
ContactPointEmailShare 1394
ContactPointPhone 1395
ContactPointPhoneHistory 1397
ContactPointPhoneShare 1398
ContactPointTypeConsent 1399
ContactPointTypeConsentHistory 1401

ContactPointTypeConsentShare 1402
ContactProfile 1403
ContactProfileFeed 1404
ContactProfileHistory 1405
ContactRequest 1406
ContactRequestShare 1407
ContactShare 1408
ContentAsset 1409
ContentBody 1410
ContentDistribution 1411
ContentDistributionView 1413
ContentDocument 1414
ContentDocumentFeed 1416
ContentDocumentHistory 1417
ContentDocumentLink 1418
ContentDocumentSubscription 1419
ContentFolder 1420
ContentFolderItem 1421
ContentFolderLink 1422
ContentFolderMember 1423
ContentLink 1424
ContentLinkFeed 1425
ContentLinkHistory 1426
ContentLinkShare 1427
ContentNote 1428
ContentNotification 1429
ContentSource 1430
ContentSourceFeed 1431

ContentSourceHistory 1432
ContentSourceShare 1433
ContentTagSubscription 1434
ContentTaxonomy 1435
ContentTaxonomyRelatedTerm 1436
ContentTaxonomyTerm 1437
ContentTaxonomyTermRelatedTerm 1438
ContentTaxonomyTermRelationshipType 1439
ContentUserSubscription 1440
ContentVersion 1441
ContentVersionComment 1443
ContentVersionHistory 1444
ContentVersionRating 1445
ContentWorkspace 1446
ContentWorkspaceDoc 1447
ContentWorkspaceMember 1448
ContentWorkspacePermission 1449
ContentWorkspaceSubscription 1450
ContextDefinitionSyncShare 1451
ContextParamMap 1452
ContextPersistenceEvent 1453
Contract 1454
ContractContactRole 1456
ContractFeed 1457
ContractGroupPlan 1458
ContractGroupPlanFeed 1460
ContractGroupPlanGroupClass 1461
ContractGroupPlanGroupClassFeed 1462

ContractGroupPlanGroupClassHistory 1463
ContractGroupPlanGroupClassShare 1464
ContractGroupPlanHistory 1465
ContractHistory 1466
ContractItemPrice 1467
ContractItemPriceAdjTier 1468
ContractItemPriceAdjTierFeed 1469
ContractItemPriceAdjTierHistory 1470
ContractItemPriceFeed 1471
ContractItemPriceHistory 1472
ContractLineItem 1473
ContractLineItemFeed 1475
ContractLineItemHistory 1476
ContractLineOutcome 1477
ContractLineOutcomeData 1479
ContractLineOutcomeFeed 1480
ContractLineOutcomeHistory 1481
ContractLineOutcomeShare 1482
ContractPaymentAgreement 1483
ContractPaymentAgreementFeed 1484
ContractPaymentAgreementHistory 1485
ContractStatus 1486
ConvCoachingRecommendationShare 1487
ConvIntelligenceSignalRule 1488
ConvIntelligenceSignalSubRule 1489
ConvMessageSendRequest 1490
Conversation 1492
ConversationApiLog 1493

ConversationApiLogShare 1494
ConversationContextEntry 1495
ConversationEntry 1496
ConversationInsightEvent 1498
ConversationParticipant 1499
CorsWhitelistEntry 1500
CostBook 1501
CostBookEntry 1502
CostBookEntryFeed 1503
CostBookEntryHistory 1504
CostBookFeed 1505
CostBookHistory 1506
CostBookShare 1507
Coupon 1508
CouponCodeRedemption 1509
CouponCodeRedemptionShare 1510
CouponFeed 1511
CouponHistory 1512
CouponShare 1513
CourseOffering 1514
CourseOfferingFeed 1515
CourseOfferingHistory 1516
CourseOfferingShare 1517
CoverageBenefit 1518
CoverageBenefitFeed 1522
CoverageBenefitHistory 1523
CoverageBenefitItem 1524
CoverageBenefitItemFeed 1526

CoverageBenefitItemHistory 1527
CoverageBenefitItemLimit 1528
CoverageBenefitItemLimitFeed 1530
CoverageBenefitItemLimitHistory 1531
CoverageBenefitItemShare 1532
CoverageBenefitShare 1533
CrMemoProcessErrDtlEvent 1534
CrbnCreditAlloc 1535
CrbnCreditAllocFeed 1537
CrbnCreditAllocHistory 1538
CrbnCreditAllocItem 1539
CrbnCreditAllocItemFeed 1540
CrbnCreditAllocItemHistory 1541
CrbnCreditAllocShare 1542
CrbnCreditDistribution 1543
CrbnCreditDistributionFeed 1544
CrbnCreditDistributionHistory 1545
CrbnCreditDistributionShare 1546
CrbnCreditProject 1547
CrbnCreditProjectFeed 1549
CrbnCreditProjectHistory 1550
CrbnCreditProjectShare 1551
CrbnEmssnScopeAlloc 1552
CrbnEmssnScopeAllocFeed 1553
CrbnEmssnScopeAllocHistory 1554
CrbnEmssnScopeAllocShare 1555
CrbnEmssnScopeAllocVal 1556
CrbnEmssnScopeAllocValFeed 1557

CrbnEmssnScopeAllocValHistory 1558
CreateAssetOrderDtlEvent 1559
CreateAssetOrderEvent 1560
CredentialStuffingEvent 1561
CredentialStuffingEventStore 1562
CredentialStuffingEventStoreFeed 1564
CreditInvoiceProcessedEvent 1565
CreditMemo 1566
CreditMemoAddressGroup 1568
CreditMemoAddressGroupHistory 1569
CreditMemoFeed 1570
CreditMemoHistory 1571
CreditMemoInvApplication 1572
CreditMemoInvApplicationFeed 1573
CreditMemoInvApplicationHistory 1574
CreditMemoLine 1575
CreditMemoLineFeed 1577
CreditMemoLineHistory 1578
CreditMemoLineInvoiceLine 1579
CreditMemoLineTax 1581
CreditMemoLineTaxFeed 1583
CreditMemoLineTaxHistory 1584
CreditMemoProcessedEvent 1585
CreditMemoShare 1586
CronJobDetail 1587
CronTrigger 1588
CspTrustedSite 1589
CspViolation 1591

CurrencyType 1592
CurrencyUsecaseMeasure__Share 1593
CurrencyUsecase__Share 1594
CustodyChainEntry 1595
CustodyChainEntryFeed 1597
CustodyChainEntryHistory 1598
CustodyItem 1599
CustodyItemFeed 1600
CustodyItemHistory 1601
CustodyItemShare 1602
CustodyVerfcTypeOverride 1603
CustodyVerfcTypeOverrideFeed 1604
CustodyVerfcTypeOverrideHistory 1605
CustodyVerfcTypeOverrideShare 1606
CustomBrand 1607
CustomBrandAsset 1608
CustomHelpMenuItem 1609
CustomHelpMenuSection 1610
CustomHttpHeader 1611
CustomNotificationType 1612
CustomPermission 1613
CustomPermissionDependency 1614
Customer 1615
CustomerProperty 1616
CustomerPropertyFeed 1619
CustomerPropertyHistory 1620
CustomerPropertyShare 1621
CustomerShare 1622

DTRecordsetReplicaShare 1623
DandBCompany 1624
Dashboard 1629
DashboardComponent 1631
DashboardComponentFeed 1632
DashboardFeed 1633
DataActionFeed 1634
DataActionHistory 1635
DataActionJobSummaryFeed 1636
DataActionJobSummaryHistory 1637
DataActionJobSummaryShare 1638
DataActionTargetFeed 1639
DataActionTargetHistory 1640
DataActionTargetShare 1641
DataAssessmentFieldMetric 1642
DataAssessmentMetric 1643
DataAssessmentValueMetric 1644
DataCommunicationCapFeed 1645
DataCommunicationCapHistory 1646
DataCommunicationCapShare 1647
DataContentLensSourceFeed 1648
DataContentLensSourceHistory 1649
DataEncryptionKey 1650
DataHarmonizedModelObjRefShare 1651
DataIntegrationRecordPurchasePermission 1652
DataKitDeployEvent 1653
DataKitDeploymentLog 1654
DataKitDeploymentLogShare 1656

DataKnowledgeSpaceFeed 1657
DataKnowledgeSpaceHistory 1658
DataKnowledgeSpaceSessionFeed 1659
DataKnowledgeSpaceSessionHistory 1660
DataKnowledgeSrcFileRefFeed 1661
DataKnowledgeSrcFileRefHistory 1662
DataLakeObjectInstanceFeed 1663
DataLakeObjectInstanceHistory 1664
DataLakeObjectInstanceShare 1665
DataLineageNodeDefSyncLogFeed 1666
DataLineageNodeDefSyncLogHistory 1667
DataLineageNodeDefSyncLogShare 1668
DataMaskCustomValueLibrary 1669
DataMaskCustomValueLibraryShare 1670
DataObjSecondaryIndexFeed 1671
DataObjSecondaryIndexHistory 1672
DataObjectDataChgEvent 1673
DataObjectDependencyShare 1674
DataObjectMetadataChgEvent 1675
DataQueryWorkspaceFeed 1676
DataQueryWorkspaceHistory 1677
DataQueryWorkspaceShare 1678
DataSemanticSearchFeed 1679
DataSemanticSearchHistory 1680
DataSourceBundleShare 1681
DataSpaceFeed 1682
DataSpaceHistory 1683
DataStreamFeed 1684

DataStreamHistory 1685
DataStreamShare 1686
DataUseLegalBasis 1687
DataUseLegalBasisHistory 1688
DataUseLegalBasisShare 1689
DataUsePurpose 1690
DataUsePurposeHistory 1691
DataUsePurposeShare 1692
DataWeaveResource 1693
DatacloudCompany 1694
DatacloudContact 1696
DatacloudDandBCompany 1697
DatacloudOwnedEntity 1702
DatacloudPurchaseUsage 1703
DatasetExport 1704
DatasetExportEvent 1705
DatasetExportPart 1706
DatedConversionRate 1707
DecisionTable 1708
DecisionTableDatasetLink 1709
DecisionTableParameter 1710
DecisionTblDatasetParameter 1711
DecisionTblFileImportDataShare 1712
DeclinedEventRelation 1713
DelegatedAccount 1714
DelegatedAccountFeed 1715
DelegatedAccountHistory 1716
DelegatedAccountShare 1717

DeleteEvent 1718
DeliveryEstimationSetup 1719
DeliveryEstimationSetupFeed 1721
DeliveryEstimationSetupHistory 1722
DeliveryEstimationSetupShare 1723
DiagnosticSummary 1724
DiagnosticSummaryDetail 1726
DiagnosticSummaryDetailFeed 1727
DiagnosticSummaryDetailHistory 1728
DiagnosticSummaryFeed 1729
DiagnosticSummaryHistory 1730
DiagnosticSummaryShare 1731
DialerCallUsageShare 1732
DigitalSignature 1733
DigitalVerfSetupDetail 1734
DigitalVerfSetupDetailFeed 1735
DigitalVerfSetupDetailHistory 1736
DigitalVerification 1737
DigitalVerificationFeed 1739
DigitalVerificationHistory 1740
DigitalVerificationSetup 1741
DigitalVerificationSetupFeed 1742
DigitalVerificationSetupHistory 1743
DigitalVerificationSetupShare 1744
DigitalVerificationShare 1745
DigitalWallet 1746
Disclosure 1748
DisclosureDefinition 1749

DisclosureDefinitionVersion 1750
DisclosureFeed 1751
DisclosureHistory 1752
DisclosureShare 1753
DisclosureType 1754
DisclsReportingPeriod 1755
DisclsReportingPeriodFeed 1756
DisclsReportingPeriodHistory 1757
DisclsReportingPeriodShare 1758
DistributorAuthorization 1759
DistributorAuthorizationFeed 1760
DistributorAuthorizationHistory 1761
DistributorAuthorizationShare 1762
DivrsEquityInclSum 1763
DivrsEquityInclSumFeed 1765
DivrsEquityInclSumHistory 1766
DivrsEquityInclSumShare 1767
DocGenProcStsChgEvent 1768
DocGenerationQueryResultFeed 1769
DocGenerationQueryResultHistory 1770
DocGenerationQueryResultShare 1771
DocTemplateSectionConditionFeed 1772
DocTemplateSectionConditionHistory 1773
Document 1774
DocumentAttachmentMap 1776
DocumentCategory 1777
DocumentCategoryDocumentType 1778
DocumentChecklistItem 1779

DocumentChecklistItemFeed 1781
DocumentChecklistItemHistory 1782
DocumentChecklistItemShare 1783
DocumentClause 1784
DocumentClauseFeed 1785
DocumentClauseHistory 1786
DocumentClauseShare 1787
DocumentDecisionRequirement 1788
DocumentDecisionRequirementFeed 1789
DocumentDecisionRequirementHistory 1790
DocumentDecisionRequirementShare 1791
DocumentEnvelope 1792
DocumentEnvelopeFeed 1794
DocumentEnvelopeHistory 1795
DocumentEnvelopeShare 1796
DocumentGenerationProcess 1797
DocumentGenerationProcessShare 1799
DocumentGenerationSetting 1800
DocumentRecipient 1802
DocumentRecipientFeed 1804
DocumentRecipientShare 1805
DocumentTemplate 1806
DocumentTemplateContentDocFeed 1808
DocumentTemplateContentDocHistory 1809
DocumentTemplateFeed 1810
DocumentTemplateHistory 1811
DocumentTemplateSection 1812
DocumentTemplateSectionFeed 1814

DocumentTemplateSectionHistory 1815
DocumentTemplateShare 1816
DocumentTemplateTokenFeed 1817
DocumentTemplateTokenHistory 1818
DocumentType 1819
Domain 1820
DomainSite 1821
DonorGiftSummaryFeed 1822
DonorGiftSummaryHistory 1823
DuplicateRecordItem 1824
DuplicateRecordSet 1825
DuplicateRule 1826
DynamicDataCapture 1827
DynamicDataCaptureFeed 1829
DynamicDataCaptureHistory 1830
DynamicDataCaptureShare 1831
ESignatureConfig 1832
ESignatureEnvelopeConfig 1833
EconomicPerformanceSum 1834
EconomicPerformanceSumFeed 1835
EconomicPerformanceSumHistory 1836
EconomicPerformanceSumShare 1837
ElectricityEmssnFctrSet 1838
ElectricityEmssnFctrSetFeed 1842
ElectricityEmssnFctrSetHistory 1843
ElectricityEmssnFctrSetShare 1844
ElectronicMediaGroup 1845
ElectronicMediaGroupHistory 1846

ElectronicMediaGroupShare 1847
ElectronicMediaUse 1848
EmailContent 1849
EmailContentFeed 1851
EmailDomainFilter 1852
EmailDomainKey 1853
EmailMessage 1855
EmailMessageRelation 1857
EmailRelay 1858
EmailRoutingAddress 1859
EmailServicesAddress 1860
EmailServicesFunction 1861
EmailStatus 1863
EmailTemplate 1864
EmailTemplateMonthlyMetric 1866
EmbeddedServiceDetail 1869
EmbeddedServiceLabel 1871
EmissionsActivity 1872
EmissionsActivityFeed 1873
EmissionsActivityHistory 1874
EmissionsActivityShare 1875
EmissionsAllocation 1876
EmissionsAllocationFeed 1877
EmissionsAllocationHistory 1878
EmissionsAllocationShare 1879
EmissionsForecastFact 1880
EmissionsForecastFactFeed 1883
EmissionsForecastFactHistory 1884

EmissionsForecastFactShare 1885
EmpBenefitSummary 1886
EmpBenefitSummaryFeed 1888
EmpBenefitSummaryHistory 1889
EmpBenefitSummaryShare 1890
EmpUserProvisionProcessErr 1891
EmpUserProvisioningProcess 1892
EmployeeDemographicSum 1893
EmployeeDemographicSumFeed 1895
EmployeeDemographicSumHistory 1896
EmployeeDemographicSumShare 1897
EmployeeDevelopmentSum 1898
EmployeeDevelopmentSumFeed 1899
EmployeeDevelopmentSumHistory 1900
EmployeeDevelopmentSumShare 1901
EmploymentCompensationSummary 1902
EmploymentCompensationSummaryFeed 1903
EmploymentCompensationSummaryHistory 1904
EmploymentCompensationSummaryShare 1905
EmssnRdctnCommitment 1906
EmssnRdctnCommitmentFeed 1908
EmssnRdctnCommitmentHistory 1909
EmssnRdctnCommitmentShare 1910
EmssnReductionTarget 1911
EmssnReductionTargetFeed 1913
EmssnReductionTargetHistory 1914
EmssnReductionTargetShare 1915
EnergyAttrCertCredit 1916

EnergyAttrCertCreditFeed 1917
EnergyAttrCertCreditHistory 1918
EnergyAttrCertCreditShare 1919
EnergyAttrCertPurchase 1920
EnergyAttrCertPurchaseFeed 1921
EnergyAttrCertPurchaseHistory 1922
EnergyAttrCertPurchaseShare 1923
EnergyAttrCreditDstr 1924
EnergyAttrCreditDstrFeed 1925
EnergyAttrCreditDstrHistory 1926
EnergyAttrCreditDstrShare 1927
EnergyServiceAgreement 1928
EnergyServiceAgreementFeed 1930
EnergyServiceAgreementHistory 1931
EnergyServiceAgreementItem 1932
EnergyServiceAgreementItemFeed 1934
EnergyServiceAgreementItemHistory 1935
EnergyServiceAgreementShare 1936
EngagementAttendee 1937
EngagementAttendeeFeed 1938
EngagementAttendeeHistory 1939
EngagementChannelType 1940
EngagementChannelTypeFeed 1941
EngagementChannelTypeHistory 1942
EngagementChannelTypeShare 1943
EngagementChannelWorkType 1944
EngagementChannelWorkTypeFeed 1945
EngagementChannelWorkTypeHistory 1946

EngagementInteraction 1947
EngagementInteractionFeed 1949
EngagementInteractionHistory 1950
EngagementInteractionShare 1951
EngagementTopic 1952
EngagementTopicFeed 1953
EngagementTopicHistory 1954
EnhancedLetterhead 1955
EnhancedLetterheadFeed 1956
EnrollmentEligibilityCriteria 1957
EnrollmentEligibilityCriteriaFeed 1958
EnrollmentEligibilityCriteriaHistory 1959
EnrollmentEligibilityCriteriaShare 1960
Entitlement 1961
EntitlementContact 1963
EntitlementFeed 1964
EntitlementHistory 1965
EntitlementTemplate 1966
EntityMilestone 1967
EntityMilestoneFeed 1969
EntityMilestoneHistory 1970
EntitySubscription 1971
EnvironmentalRisk 1972
EnvironmentalRiskFeed 1973
EnvironmentalRiskHistory 1974
EnvironmentalRiskShare 1975
Event 1976
EventBusSubscriber 1978

EventFeed 1979
EventLogFile 1980
EventRelation 1981
EventRelayConfig 1982
EventRelayFeedback 1983
EventWhoRelation 1984
Examination 1985
ExaminationFeed 1986
ExaminationHistory 1987
ExaminationShare 1988
Expense 1989
ExpenseFeed 1991
ExpenseHistory 1992
ExpenseReport 1993
ExpenseReportEntry 1994
ExpenseReportEntryFeed 1995
ExpenseReportEntryHistory 1996
ExpenseReportFeed 1997
ExpenseReportHistory 1998
ExpenseReportShare 1999
ExpenseShare 2000
ExpressionFilter 2001
ExpressionFilterCriteria 2002
ExpressionSet 2003
ExpressionSetDefinitionContextDefinition 2004
ExpressionSetFeed 2005
ExpressionSetHistory 2006
ExpressionSetShare 2007

Contents

ExpressionSetVersion 2008
ExpressionSetVersionFeed 2010
ExpressionSetVersionHistory 2011
ExpressionSetView 2012
ExpsSetObjectAliasFieldVw 2013
ExtDataShare 2014
ExtDataShareFeed 2015
ExtDataShareHistory 2016
ExtDataShareTargetFeed 2017
ExtDataShareTargetHistory 2018
ExtDataShareTargetShare 2019
ExternalAccountHierarchy 2020
ExternalAccountHierarchyFeed 2021
ExternalAccountHierarchyHistory 2022
ExternalAccountHierarchyShare 2023
ExternalAssessmentDefinition 2024
ExternalAssessmentDefinitionFeed 2025
ExternalAssessmentDefinitionHistory 2026
ExternalAssessmentDefinitionShare 2027
ExternalDataSource 2028
ExternalDataUserAuth 2030
ExternalEncryptionRootKey 2031
ExternalEvent 2032
ExternalEventMapping 2033
ExternalEventMappingShare 2034
ExternalSocialAccount 2035
FOStatusChangedEvent 2037
FeeScheduleDefinition 2038

FeeScheduleDefinitionFeed 2039
FeeScheduleDefinitionHistory 2040
FeeScheduleDefinitionShare 2041
FeedAttachment 2042
FeedComment 2043
FeedItem 2044
FeedLike 2046
FeedPollChoice 2047
FeedPollVote 2048
FeedRevision 2049
FeedTrackedChange 2050
FieldChangeSnapshot 2051
FieldPermissions 2052
FieldSecurityClassification 2053
FieldServiceMobileSettings 2054
FieldServiceOrgSettings 2057
FileEvent 2059
FileEventStore 2061
FileSearchActivity 2063
FinanceBalanceSnapshotShare 2064
FinanceTransactionShare 2065
FinancialDeal 2066
FinancialDealAsset 2068
FinancialDealAssetFeed 2070
FinancialDealAssetHistory 2071
FinancialDealBid 2072
FinancialDealBidFeed 2073
FinancialDealBidHistory 2074

FinancialDealFeed 2075
FinancialDealHistory 2076
FinancialDealParty 2077
FinancialDealPartyFeed 2078
FinancialDealPartyHistory 2079
FinancialDealPartyShare 2080
FinancialDealProduct 2081
FinancialDealProductFeed 2082
FinancialDealProductHistory 2083
FinancialDealProductShare 2084
FinancialDealShare 2085
FinancialGoal 2086
FinancialGoalFunding 2088
FinancialGoalHistory 2089
FinancialGoalParty 2090
FinancialGoalShare 2091
FinancialPlan 2092
FinancialPlanHistory 2093
FinancialPlanShare 2094
FiscalYearSettings 2095
FldSvcObjChg 2096
FldSvcObjChgDtl 2097
FlexQueueItem 2098
FlowDefinitionView 2099
FlowExecutionErrorEvent 2101
FlowInterview 2103
FlowInterviewLog 2104
FlowInterviewLogEntry 2105

FlowInterviewLogShare 2106
FlowInterviewShare 2107
FlowOrchestration 2108
FlowOrchestrationEvent 2110
FlowOrchestrationInstance 2111
FlowOrchestrationInstanceShare 2113
FlowOrchestrationLog 2114
FlowOrchestrationStageInstance 2115
FlowOrchestrationStageInstanceShare 2116
FlowOrchestrationStepInstance 2117
FlowOrchestrationStepInstanceShare 2118
FlowOrchestrationVersion 2119
FlowOrchestrationWorkItem 2121
FlowOrchestrationWorkItemShare 2123
FlowRecord 2124
FlowRecordElement 2126
FlowRecordElementOccurrence 2127
FlowRecordRelation 2129
FlowRecordShare 2130
FlowRecordVersion 2131
FlowRecordVersionOccurrence 2133
FlowStageRelation 2135
FlowTestResult 2136
FlowTestResultShare 2137
FlowTestView 2138
FlowVariableView 2139
FlowVersionView 2140
Folder 2141

FolderedContentDocument 2142
ForecastingAdjustment 2143
ForecastingColumnDefinition 2144
ForecastingColumnDefinitionLocalization 2145
ForecastingCustomCategory 2146
ForecastingCustomData 2148
ForecastingDisplayedFamily 2149
ForecastingFact 2150
ForecastingFilter 2151
ForecastingFilterCondition 2152
ForecastingGroup 2153
ForecastingGroupItem 2154
ForecastingItem 2155
ForecastingOwnerAdjustment 2157
ForecastingQuota 2159
ForecastingShare 2160
ForecastingSourceDefinition 2161
ForecastingSrcRecJudgment 2162
ForecastingSubmission 2163
ForecastingSubmissionItem 2164
ForecastingType 2165
ForecastingTypeSource 2167
ForecastingUserPreference 2168
FormulaFunction 2169
FormulaFunctionAllowedType 2170
FormulaFunctionCategory 2171
FrcstCustmCatgRampRateSrc 2172
FrcstCustmzAdjustment 2173

FrcstCustmzAdjustmentShare 2174
FrcstCustmzOwnerAdjustment 2175
FrcstCustmzOwnerAdjustmentShare 2176
FrgtHaulingEmssnFctr 2177
FrgtHaulingEmssnFctrFeed 2179
FrgtHaulingEmssnFctrHistory 2180
FrgtHaulingEmssnFctrShare 2181
FrgtHaulingEnrgyUse 2182
FrgtHaulingEnrgyUseFeed 2184
FrgtHaulingEnrgyUseHistory 2185
FrgtHaulingEnrgyUseShare 2186
FuelType 2187
FuelTypeSustnUom 2188
FulfillOrdItemQtyChgEvent 2189
FulfillmentLineRel 2190
FulfillmentOrder 2191
FulfillmentOrderFeed 2194
FulfillmentOrderItemAdjustment 2195
FulfillmentOrderItemAdjustmentFeed 2196
FulfillmentOrderItemTax 2197
FulfillmentOrderItemTaxFeed 2198
FulfillmentOrderLineItem 2199
FulfillmentOrderLineItemFeed 2201
FulfillmentOrderShare 2202
FulfillmentPlan 2203
FulfillmentPlanHistory 2204
FulfillmentPlanShare 2205
FulfillmentStep 2206

FulfillmentStepDefinition 2208
FulfillmentStepDefinitionGroup 2210
FulfillmentStepDefinitionGroupHistory 2211
FulfillmentStepDefinitionGroupShare 2212
FulfillmentStepDefinitionHistory 2213
FulfillmentStepDependency 2214
FulfillmentStepDependencyDef 2215
FulfillmentStepDependencyDefHistory 2216
FulfillmentStepHistory 2217
FulfillmentStepShare 2218
FulfillmentStepSource 2219
FulfillmentTaskAssignmentRule 2220
FulfillmentTaskAssignmentRuleFeed 2221
FulfillmentTaskAssignmentRuleHistory 2222
FulfillmentTaskAssignmentRuleShare 2223
FundingAward 2224
FundingAwardAmendment 2226
FundingAwardAmendmentFeed 2228
FundingAwardAmendmentHistory 2229
FundingAwardFeed 2230
FundingAwardHistory 2231
FundingAwardParticipant 2232
FundingAwardParticipantFeed 2233
FundingAwardParticipantHistory 2234
FundingAwardRequirement 2235
FundingAwardRequirementFeed 2237
FundingAwardRequirementHistory 2238
FundingAwardRequirementShare 2239

FundingAwardRqmtSection 2240
FundingAwardRqmtSectionFeed 2242
FundingAwardRqmtSectionHistory 2243
FundingAwardRqmtSectionShare 2244
FundingAwardShare 2245
FundingDisbursement 2246
FundingDisbursementFeed 2247
FundingDisbursementHistory 2248
FundingDisbursementShare 2249
FundingOppParticipant 2250
FundingOppParticipantFeed 2251
FundingOppParticipantHistory 2252
FundingOpportunity 2253
FundingOpportunityFeed 2255
FundingOpportunityHistory 2256
FundingOpportunityShare 2257
GameDefinition 2258
GameDefinitionFeed 2259
GameDefinitionHistory 2260
GameDefinitionShare 2261
GameParticipant 2262
GameParticipantFeed 2263
GameParticipantHistory 2264
GameParticipantReward 2265
GameParticipantRewardFeed 2266
GameParticipantRewardHistory 2267
GameParticipantShare 2268
GameReward 2269

GameRewardFeed 2270
GameRewardHistory 2271
GenOpPlanParamShare 2272
GeneralLedgerAccount 2273
GeneralLedgerAccountHistory 2274
GeneralLedgerAccountShare 2275
GeneralLedgerAcctAsgntRule 2276
GeneralLedgerAcctAsgntRuleHistory 2277
GeneralLedgerAcctAsgntRuleShare 2278
GeneratedDocumentFeed 2279
GeneratedDocumentHistory 2280
GeneratedDocumentSection 2281
GeneratedDocumentSectionFeed 2283
GeneratedDocumentSectionHistory 2284
GeneratedDocumentShare 2285
GeneratedWaste 2286
GeneratedWasteFeed 2288
GeneratedWasteHistory 2289
GeneratedWasteShare 2290
GenericVisitTask 2291
GenericVisitTaskContext 2292
GenericVisitTaskContextFeed 2293
GenericVisitTaskContextHistory 2294
GenericVisitTaskContextShare 2295
GenericVisitTaskFeed 2296
GenericVisitTaskHistory 2297
GenericVisitTaskShare 2298
GeoCountry 2299

GeoCountryShare 2300
GeolocationBasedAction 2301
GeolocationBasedActionFeed 2302
GeolocationBasedActionHistory 2303
GeolocationBasedActionShare 2304
GiftBatchFeed 2305
GiftBatchHistory 2306
GiftBatchShare 2307
GiftCmtChangeAttrLogFeed 2308
GiftCmtChangeAttrLogHistory 2309
GiftCommitmentFeed 2310
GiftCommitmentHistory 2311
GiftCommitmentScheduleFeed 2312
GiftCommitmentScheduleHistory 2313
GiftCommitmentShare 2314
GiftDefaultDesignationFeed 2315
GiftDefaultDesignationHistory 2316
GiftDefaultDesignationShare 2317
GiftDefaultSoftCreditFeed 2318
GiftDefaultSoftCreditHistory 2319
GiftDefaultSoftCreditShare 2320
GiftDesignationFeed 2321
GiftDesignationHistory 2322
GiftDesignationShare 2323
GiftEntryFeed 2324
GiftEntryHistory 2325
GiftEntryShare 2326
GiftRefundFeed 2327

GiftRefundHistory 2328
GiftSoftCreditFeed 2329
GiftSoftCreditHistory 2330
GiftTransactionDesignationFeed 2331
GiftTransactionDesignationHistory 2332
GiftTransactionDesignationShare 2333
GiftTransactionFeed 2334
GiftTransactionHistory 2335
GiftTransactionShare 2336
GiftTributeFeed 2337
GiftTributeHistory 2338
GiftTributeShare 2339
GnrcVstKeyPerformanceInd 2340
GnrcVstKeyPerformanceIndFeed 2342
GnrcVstKeyPerformanceIndHistory 2343
GnrcVstTaskContextRelation 2344
GnrcVstTaskContextRelationFeed 2345
GnrcVstTaskContextRelationHistory 2346
GoalAssignment 2347
GoalAssignmentDetail 2349
GoalAssignmentDetailFeed 2350
GoalAssignmentDetailHistory 2351
GoalAssignmentDetailShare 2352
GoalAssignmentFeed 2353
GoalAssignmentHistory 2354
GoalAssignmentRecommendationShare 2355
GoalAssignmentShare 2356
GoalDefinition 2357

GoalDefinitionFeed 2358
GoalDefinitionHistory 2359
GoalDefinitionShare 2360
GovtFinancialAsstSum 2361
GovtFinancialAsstSumFeed 2362
GovtFinancialAsstSumHistory 2363
GovtFinancialAsstSumShare 2364
GroundTravelEmssnFctr 2365
GroundTravelEmssnFctrFeed 2367
GroundTravelEmssnFctrHistory 2368
GroundTravelEmssnFctrShare 2369
GroundTravelEnrgyUse 2370
GroundTravelEnrgyUseFeed 2372
GroundTravelEnrgyUseHistory 2373
GroundTravelEnrgyUseShare 2374
Group 2375
GroupCensus 2376
GroupCensusFeed 2378
GroupCensusHistory 2379
GroupCensusMember 2380
GroupCensusMemberFeed 2382
GroupCensusMemberHistory 2383
GroupCensusMemberPlan 2384
GroupCensusMemberPlanFeed 2385
GroupCensusMemberPlanHistory 2386
GroupCensusMemberPlanShare 2387
GroupCensusMemberShare 2388
GroupCensusShare 2389

GroupClass 2390
GroupClassContribution 2391
GroupClassContributionHistory 2393
GroupClassHistory 2394
GroupMember 2395
GrpCensusGrpClassSummary 2396
GrpCensusGrpClassSummaryFeed 2397
GrpCensusGrpClassSummaryHistory 2398
GtwyProvPaymentMethodType 2399
GuestBuyerProfile 2400
GuestUserAnomalyEvent 2401
GuestUserAnomalyEventStore 2402
GuestUserAnomalyEventStoreFeed 2404
HealthCareDiagnosis 2405
HealthCareDiagnosisHistory 2407
HealthCareDiagnosisShare 2408
HealthCareProcedure 2409
HealthCareProcedureHistory 2410
HealthCareProcedureShare 2411
HealthCondition 2412
HealthConditionDetail 2414
HealthConditionDetailFeed 2415
HealthConditionDetailHistory 2416
HealthConditionFeed 2417
HealthConditionHistory 2418
HealthConditionShare 2419
HealthRiskEvalDetail 2420
HealthRiskEvalDetailFeed 2421

HealthRiskEvalDetailHistory 2422
HealthRiskEvalOutcome 2423
HealthRiskEvalOutcomeFeed 2425
HealthRiskEvalOutcomeHistory 2426
HealthRiskEvaluation 2427
HealthRiskEvaluationFeed 2428
HealthRiskEvaluationHistory 2429
HealthRiskEvaluationShare 2430
HealthScore 2431
HealthScoreActionLog 2433
HealthScoreActionLogFeed 2435
HealthScoreActionLogHistory 2436
HealthScoreFeed 2437
HealthScoreHistory 2438
HealthcareFacility 2439
HealthcareFacilityFeed 2441
HealthcareFacilityHistory 2442
HealthcareFacilityNetwork 2443
HealthcareFacilityNetworkFeed 2445
HealthcareFacilityNetworkHistory 2446
HealthcareFacilityNetworkShare 2447
HealthcarePayerNetwork 2448
HealthcarePayerNetworkFeed 2449
HealthcarePayerNetworkHistory 2450
HealthcarePayerNetworkShare 2451
HealthcarePractitionerFacility 2452
HealthcarePractitionerFacilityFeed 2454
HealthcarePractitionerFacilityHistory 2455

HealthcarePractitionerFacilityShare 2456
HealthcareProvider 2457
HealthcareProviderFeed 2459
HealthcareProviderHistory 2460
HealthcareProviderNpi 2461
HealthcareProviderNpiFeed 2462
HealthcareProviderNpiHistory 2463
HealthcareProviderNpiShare 2464
HealthcareProviderService 2465
HealthcareProviderServiceFeed 2466
HealthcareProviderServiceHistory 2467
HealthcareProviderServiceShare 2468
HealthcareProviderShare 2469
HealthcareProviderSpecialty 2470
HealthcareProviderSpecialtyFeed 2472
HealthcareProviderSpecialtyHistory 2473
HealthcareProviderSpecialtyShare 2474
HealthcareProviderTaxonomy 2475
HealthcareProviderTaxonomyFeed 2476
HealthcareProviderTaxonomyHistory 2477
HealthcareProviderTaxonomyShare 2478
HealthcareServiceDetail 2479
HealthcareServiceDetailFeed 2480
HealthcareServiceDetailHistory 2481
HealthcareServiceDetailShare 2482
HierCondHlthCodeMapping 2483
HierCondHlthCodeMappingFeed 2484
HierCondHlthCodeMappingHistory 2485

HierCondHlthCodeMappingShare 2486
HierCondHlthRskAdjFctr 2487
HierCondHlthRskAdjFctrFeed 2489
HierCondHlthRskAdjFctrHistory 2490
HierCondHlthRskAdjFctrShare 2491
HlthCareProvTreatedCondition 2492
HlthCareProvTreatedConditionFeed 2493
HlthCareProvTreatedConditionHistory 2494
HlthCareProvTreatedConditionShare 2495
Holiday 2496
HotelStayEmssnFctr 2498
HotelStayEmssnFctrFeed 2499
HotelStayEmssnFctrHistory 2500
HotelStayEmssnFctrShare 2501
HotelStayEnrgyUse 2502
HotelStayEnrgyUseFeed 2504
HotelStayEnrgyUseHistory 2505
HotelStayEnrgyUseShare 2506
IconDefinition 2507
Idea 2508
IdeaComment 2510
Identifier 2511
IdentifierFeed 2512
IdentifierHistory 2513
IdentityDocument 2514
IdentityDocumentHistory 2515
IdentityDocumentShare 2516
IdentityProviderEventStore 2517

IdentityResolutionFeed 2518
IdentityResolutionHistory 2519
IdentityVerificationEvent 2520
IdentityVerificationProcDef 2522
IdentityVerificationProcDtl 2523
IdentityVerificationProcFld 2525
IdpEventLog 2526
IframeWhiteListUrl 2527
Image 2528
ImageFeed 2529
ImageHistory 2530
ImageShare 2531
ImpactStrategyAssignmentFeed 2532
ImpactStrategyAssignmentHistory 2533
ImpactStrategyFeed 2534
ImpactStrategyHistory 2535
ImpactStrategyShare 2536
Incident 2537
IncidentFeed 2539
IncidentHistory 2540
IncidentRelatedItem 2541
IncidentRelatedItemFeed 2542
IncidentRelatedItemHistory 2543
IncidentShare 2544
IndexRate 2545
IndexRateFeed 2546
IndexRateHistory 2547
IndexRateShare 2548

IndicatorAssignment 2549
IndicatorAssignmentFeed 2550
IndicatorAssignmentHistory 2551
IndicatorAssignmentShare 2552
IndicatorDefinition 2553
IndicatorDefinitionFeed 2554
IndicatorDefinitionHistory 2555
IndicatorDefinitionShare 2556
IndicatorPerformancePeriod 2557
IndicatorPerformancePeriodFeed 2558
IndicatorPerformancePeriodHistory 2559
IndicatorResult 2560
IndicatorResultFeed 2561
IndicatorResultHistory 2562
Individual 2563
IndividualApplication 2565
IndividualApplicationFeed 2567
IndividualApplicationHistory 2568
IndividualApplicationItem 2569
IndividualApplicationItemFeed 2570
IndividualApplicationItemHistory 2571
IndividualApplicationShare 2572
IndividualApplicationTask 2573
IndividualApplicationTaskFeed 2575
IndividualApplicationTaskHistory 2576
IndividualApplicationTaskShare 2577
IndividualAppInParticipant 2578
IndividualAppInParticipantFeed 2579

IndividualApplnParticipantHistory 2580
IndividualHistory 2581
IndividualShare 2582
IndvApplicationTaskParticipantFeed 2583
IndvApplicationTaskParticipantHistory 2584
InflationRate 2585
InflationRateFeed 2586
InflationRateHistory 2587
InflationRateShare 2588
InfoAuthRequestForm 2589
InfoAuthRequestFormFeed 2590
InfoAuthRequestFormHistory 2591
InfoAuthorizationRequest 2592
InfoAuthorizationRequestFeed 2594
InfoAuthorizationRequestHistory 2595
InfoAuthorizationRequestShare 2596
InsPlcyLimit 2597
InsPlcyLimitFeed 2598
InsPlcyLimitHistory 2599
InsPlcyLimitShare 2600
InsPolicyAssetAttribute 2601
InsPolicyAssetRelatedObj 2602
InsPolicyAssetRelatedObjFeed 2603
InsPolicyAssetRelatedObjHistory 2604
InsPolicyCoverageAttribute 2605
InsPolicyCvrRelatedObj 2606
InsPolicyCvrRelatedObjFeed 2607
InsPolicyCvrRelatedObjHistory 2608

InsPolicyParticipantAttr 2609
InsPolicyPtcpRelatedObj 2610
InsPolicyPtcpRelatedObjFeed 2611
InsPolicyPtcpRelatedObjHistory 2612
InsPolicyRelatedObject 2613
InsPolicyRelatedObjectFeed 2614
InsPolicyRelatedObjectHistory 2615
InsPolicyTransactionDetail 2616
InsPolicyTransactionDetailFeed 2617
InsPolicyTransactionDetailHistory 2618
InspectionAssessmentInd 2619
InspectionAssessmentIndFeed 2620
InspectionAssessmentIndHistory 2621
InspectionType 2622
InspectionTypeFeed 2623
InspectionTypeHistory 2624
InspectionTypeShare 2625
InsuranceAsyncBulkRecordDetailHistory 2626
InsuranceAsyncBulkRequestHistory 2627
InsuranceAsyncBulkRequestItemHistory 2628
InsuranceAsyncBulkRequestShare 2629
InsuranceContract 2630
InsuranceContractFeed 2631
InsuranceContractHistory 2632
InsuranceContractShare 2633
InsurancePolicy 2634
InsurancePolicyAsset 2638
InsurancePolicyAssetFeed 2640

InsurancePolicyAssetHistory 2641
InsurancePolicyAssetShare 2642
InsurancePolicyAttribute 2643
InsurancePolicyCoverage 2644
InsurancePolicyCoverageFeed 2646
InsurancePolicyCoverageHistory 2647
InsurancePolicyFeed 2648
InsurancePolicyHistory 2649
InsurancePolicyParticipant 2650
InsurancePolicyParticipantFeed 2652
InsurancePolicyParticipantHistory 2653
InsurancePolicyProductClauseFeed 2654
InsurancePolicyProductClauseHistory 2655
InsurancePolicyShare 2656
InsurancePolicySurcharge 2657
InsurancePolicySurchargeFeed 2658
InsurancePolicySurchargeHistory 2659
InsurancePolicyTransaction 2660
InsurancePolicyTransactionFeed 2662
InsurancePolicyTransactionHistory 2663
InsuranceProfile 2664
InsuranceProfileFeed 2666
InsuranceProfileHistory 2667
InsuranceRatingRequestHistory 2668
InsuranceRatingRequestShare 2669
IntakeFormSection 2670
IntakeFormSectionFeed 2671
IntakeFormSectionHistory 2672

IntakeFormSectionShare 2673
IntegrationJobRun 2674
IntegrationJobRunFeed 2676
IntegrationJobRunHistory 2677
IntegrationJobRunShare 2678
IntegrationProviderAttr 2679
IntegrationProviderDcsnRqmt 2680
IntegrationProviderDcsnRqmtFeed 2681
IntegrationProviderDcsnRqmtHistory 2682
IntegrationProviderDcsnRqmtShare 2683
IntegrationProviderDef 2684
IntegrationProviderExecution 2686
IntegrationProviderExecutionFeed 2687
IntegrationProviderExecutionHistory 2688
IntegrationProviderExecutionShare 2689
InternalOrganizationUnit 2690
InternalOrganizationUnitHistory 2691
InternalOrganizationUnitShare 2692
InvBatchDraftToPostedRun 2693
InventoryItemReservation 2694
InventoryReservation 2695
InventoryReservationShare 2696
Invoice 2697
InvoiceAddressGroup 2699
InvoiceBatchRun 2700
InvoiceBatchRunCriteria 2702
InvoiceBatchRunCriteriaShare 2703
InvoiceBatchRunRecovery 2704

InvoiceBatchRunShare 2705
InvoiceDocument 2706
InvoiceDocumentFeed 2707
InvoiceDocumentHistory 2708
InvoiceErrorDetailEvent 2709
InvoiceFeed 2710
InvoiceHistory 2711
InvoiceLine 2712
InvoiceLineFeed 2714
InvoiceLineHistory 2715
InvoiceLineRelationship 2716
InvoiceLineRelationshipFeed 2717
InvoiceLineRelationshipHistory 2718
InvoiceLineTax 2719
InvoiceLineTaxFeed 2721
InvoiceLineTaxHistory 2722
InvoiceProcPymtExclEvent 2723
InvoiceProcessedDetailEvent 2724
InvoiceProcessedEvent 2725
InvoiceShare 2726
JobProfile 2727
JobProfileFeed 2728
JobProfileHistory 2729
JobProfileShare 2730
JournalReason 2731
JournalSubType 2732
JournalSubTypeHistory 2733
JournalType 2734

JournalTypeHistory 2735
JournalTypeShare 2736
KnowledgeArticle 2737
KnowledgeArticleVersion 2738
KnowledgeArticleVersionHistory 2740
KnowledgeArticleViewStat 2741
KnowledgeArticleVoteStat 2742
Knowledge__DataCategorySelection 2743
Knowledge__Feed 2744
Knowledge__ka 2745
Knowledge__kav 2746
KnowledgeableUser 2748
Lead 2749
LeadCleanInfo 2752
LeadDailyMetric 2756
LeadFeed 2758
LeadHistory 2759
LeadMonthlyMetric 2760
LeadShare 2762
LeadStatus 2763
LearningItem 2764
LearningItemShare 2765
LegalEntity 2766
LegalEntityFeed 2768
LegalEntityHistory 2769
LegalEntityShare 2770
LegalEntyAccountingPeriod 2771
LegalEntyAccountingPeriodFeed 2772

LegalEntyAccountingPeriodHistory 2773
LegalEntyAccountingPeriodShare 2774
LightningExitByPageMetrics 2775
LightningExperienceTheme 2776
LightningOnboardingConfig 2777
LightningToggleMetrics 2778
LightningUriEvent 2779
LightningUriEventStream 2781
LightningUsageByAppTypeMetrics 2783
LightningUsageByBrowserMetrics 2784
LightningUsageByFlexiPageMetrics 2785
LightningUsageByPageMetrics 2787
LinkedArticle 2789
LinkedArticleFeed 2790
LinkedArticleHistory 2791
ListEmail 2792
ListEmailIndividualRecipient 2794
ListEmailRecipientSource 2795
ListEmailShare 2796
ListView 2797
ListViewChart 2798
ListViewChartInstance 2799
ListViewEvent 2800
ListViewEventStream 2802
LiveAgentSession 2804
LiveAgentSessionHistory 2806
LiveAgentSessionShare 2807
LiveChatBlockingRule 2808

LiveChatButton 2809
LiveChatButtonDeployment 2811
LiveChatButtonSkill 2812
LiveChatDeployment 2813
LiveChatObjectAccessConfig 2814
LiveChatObjectAccessDefinition 2815
LiveChatSensitiveDataRule 2816
LiveChatTranscript 2817
LiveChatTranscriptEvent 2819
LiveChatTranscriptFeed 2820
LiveChatTranscriptHistory 2821
LiveChatTranscriptShare 2822
LiveChatTranscriptSkill 2823
LiveChatUserConfig 2824
LiveChatUserConfigProfile 2826
LiveChatUserConfigUser 2827
LiveChatVisitor 2828
LoanApplicant 2829
LoanApplicantAddress 2831
LoanApplicantAddressFeed 2833
LoanApplicantAddressHistory 2834
LoanApplicantAsset 2835
LoanApplicantAssetHistory 2836
LoanApplicantDeclaration 2837
LoanApplicantDeclarationFeed 2839
LoanApplicantDeclarationHistory 2840
LoanApplicantDeclarationShare 2841
LoanApplicantEmployment 2842

LoanApplicantEmploymentFeed 2844
LoanApplicantEmploymentHistory 2845
LoanApplicantEmploymentShare 2846
LoanApplicantFeed 2847
LoanApplicantHistory 2848
LoanApplicantIncome 2849
LoanApplicantIncomeFeed 2850
LoanApplicantIncomeHistory 2851
LoanApplicantIncomeShare 2852
LoanApplicantLiability 2853
LoanApplicantLiabilityHistory 2854
LoanApplicantShare 2855
LoanApplicationAsset 2856
LoanApplicationAssetFeed 2858
LoanApplicationAssetHistory 2859
LoanApplicationAssetShare 2860
LoanApplicationFinancial 2861
LoanApplicationFinancialFeed 2864
LoanApplicationFinancialHistory 2865
LoanApplicationLiability 2866
LoanApplicationLiabilityFeed 2868
LoanApplicationLiabilityHistory 2869
LoanApplicationLiabilityShare 2870
LoanApplicationProperty 2871
LoanApplicationPropertyFeed 2873
LoanApplicationPropertyHistory 2874
LoanApplicationTitleHolder 2875
LoanApplicationTitleHolderFeed 2876

LoanApplicationTitleHolderHistory 2877
Location 2878
LocationFeed 2881
LocationGroup 2882
LocationGroupAssignment 2883
LocationGroupFeed 2884
LocationGroupHistory 2885
LocationGroupShare 2886
LocationHistory 2887
LocationShare 2888
LocationShippingCarrierMethod 2889
LocationShippingCarrierMethodFeed 2890
LocationShippingCarrierMethodHistory 2891
LocationShippingCarrierMethodShare 2892
LocationTrustMeasure 2893
LocationTrustMeasureShare 2894
LoginAnomalyEvent 2895
LoginAnomalyEventStore 2896
LoginAnomalyEventStoreFeed 2898
LoginAsEvent 2899
LoginAsEventStream 2900
LoginEvent 2901
LoginEventStream 2903
LoginGeo 2905
LoginHistory 2906
LoginIp 2908
LogoutEvent 2909
LookedUpFromActivity 2910

LoyaltyAggrPointExprLedger 2912
LoyaltyLedger 2913
LoyaltyMemberCurrency 2914
LoyaltyMemberCurrencyFeed 2916
LoyaltyMemberCurrencyHistory 2917
LoyaltyMemberTier 2918
LoyaltyMemberTierHistory 2919
LoyaltyMembershipLifecycle 2920
LoyaltyMembershipLifecycleHistory 2921
LoyaltyPartnerProduct 2922
LoyaltyPartnerProductHistory 2923
LoyaltyPgmEngmtAttrProm 2924
LoyaltyPgmEngmtAttrPromHistory 2925
LoyaltyPgmEngmtAttribute 2926
LoyaltyPgmEngmtAttributeHistory 2928
LoyaltyPgmGroupMbrRlnsp 2929
LoyaltyPgmGroupMbrRlnspHistory 2930
LoyaltyPgmMbrAttributeVal 2931
LoyaltyPgmMbrAttributeValHistory 2932
LoyaltyPgmMbrPromEligView 2933
LoyaltyPgmPartnerCurrency 2935
LoyaltyPgmPartnerCurrencyHistory 2936
LoyaltyPgmPartnerPromotion 2937
LoyaltyPgmPartnerPromotionHistory 2938
LoyaltyPgmPtnrLdgrSummary 2939
LoyaltyPgmPtnrPrepaidPack 2940
LoyaltyPgmPtnrPrepaidPackHistory 2941
LoyaltyProgram 2942

LoyaltyProgramBadge 2943
LoyaltyProgramBadgeHistory 2944
LoyaltyProgramCurrency 2945
LoyaltyProgramFeed 2947
LoyaltyProgramHistory 2948
LoyaltyProgramMbrPromotion 2949
LoyaltyProgramMbrPromotionHistory 2950
LoyaltyProgramMember 2951
LoyaltyProgramMemberBadge 2953
LoyaltyProgramMemberBadgeHistory 2954
LoyaltyProgramMemberCase 2955
LoyaltyProgramMemberCaseHistory 2956
LoyaltyProgramMemberCaseShare 2957
LoyaltyProgramMemberHistory 2958
LoyaltyProgramMemberMerge 2959
LoyaltyProgramMemberMergeShare 2960
LoyaltyProgramMemberShare 2961
LoyaltyProgramPartner 2962
LoyaltyProgramPartnerHistory 2964
LoyaltyProgramPartnerLedger 2965
LoyaltyProgramPartnerShare 2966
LoyaltyProgramProcess 2967
LoyaltyProgramProcessHistory 2968
LoyaltyProgramProcessParameterHistory 2969
LoyaltyProgramProcessRule 2970
LoyaltyProgramProcessRuleHistory 2971
LoyaltyProgramProcessShare 2972
LoyaltyProgramShare 2973

LoyaltyProgramWidget 2974
LoyaltyProgramWidgetShare 2975
LoyaltyTier 2976
LoyaltyTierBenefit 2977
LoyaltyTierGroup 2978
LoyaltyTierHistory 2980
MLField 2981
MLModel 2982
MLModelFactor 2983
MLModelFactorComponent 2984
MLModelMetric 2985
MLPredictionDefinition 2986
MLRecommendationDefinition 2987
Macro 2988
MacroHistory 2989
MacroInstruction 2990
MacroShare 2991
MacroUsage 2992
MacroUsageShare 2994
MailmergeTemplate 2995
MaintenanceAsset 2996
MaintenanceAssetFeed 2997
MaintenanceAssetHistory 2998
MaintenancePlan 2999
MaintenancePlanFeed 3001
MaintenancePlanHistory 3002
MaintenancePlanShare 3003
MaintenanceWorkRule 3004

MaintenanceWorkRuleFeed 3005
MaintenanceWorkRuleHistory 3006
MaintenanceWorkRuleShare 3007
ManagedCareProgramPrfm 3008
ManagedCareProgramPrfmFeed 3009
ManagedCareProgramPrfmHistory 3010
ManagedCareProgramPrfmShare 3011
ManagedContent 3012
ManagedContentChannel 3013
ManagedContentInfo 3014
ManagedContentSpace 3015
ManagedContentVariant 3016
ManufacturingProgram 3017
ManufacturingProgramFeed 3018
ManufacturingProgramHistory 3019
ManufacturingProgramShare 3020
MarketSegmentActivationFeed 3021
MarketSegmentActivationHistory 3022
MarketSegmentFeed 3023
MarketSegmentHistory 3024
MatchingRule 3025
MatchingRuleItem 3026
MaterialLineFeed 3027
MaterialLineGroupFeed 3028
MaterialLineGroupHistory 3029
MaterialLineGroupShare 3030
MaterialLineHistory 3031
MedReconRecommendation 3032

MedReconRecommendationFeed 3034
MedReconRecommendationHistory 3035
MedReconStmtRecommendation 3036
MedReconStmtRecommendationFeed 3037
MedReconStmtRecommendationHistory 3038
MedTherapyStmtReviewIssue 3039
MedTherapyStmtReviewIssueFeed 3040
MedTherapyStmtReviewIssueHistory 3041
Medication 3042
MedicationAdministration 3044
MedicationAdministrationDtl 3046
MedicationAdministrationDtlFeed 3047
MedicationAdministrationDtlHistory 3048
MedicationAdministrationFeed 3049
MedicationAdministrationHistory 3050
MedicationAdministrationShare 3051
MedicationDispense 3052
MedicationDispenseFeed 3054
MedicationDispenseHistory 3055
MedicationDispenseShare 3056
MedicationFeed 3057
MedicationHistory 3058
MedicationReconciliation 3059
MedicationReconciliationFeed 3060
MedicationReconciliationHistory 3061
MedicationReconciliationShare 3062
MedicationRequest 3063
MedicationRequestFeed 3066

MedicationRequestHistory 3067
MedicationRequestShare 3068
MedicationShare 3069
MedicationStatement 3070
MedicationStatementDetail 3072
MedicationStatementDetailFeed 3073
MedicationStatementDetailHistory 3074
MedicationStatementFeed 3075
MedicationStatementHistory 3076
MedicationStatementShare 3077
MedicationTherapyReview 3078
MedicationTherapyReviewFeed 3080
MedicationTherapyReviewHistory 3081
MedicationTherapyReviewShare 3082
MedicationTherapyStmtReview 3083
MedicationTherapyStmtReviewFeed 3084
MedicationTherapyStmtReviewHistory 3085
MedicinalIngredient 3086
MedicinalIngredientFeed 3087
MedicinalIngredientHistory 3088
MedicinalIngredientShare 3089
MemberBenefit 3090
MemberBenefitHistory 3092
MemberPlan 3093
MemberPlanFeed 3095
MemberPlanHistory 3096
MemberPlanShare 3097
MerchAccPaymentMethodSet 3098

MerchAccPaymentMethodSetHistory 3099
MerchAccPaymentMethodType 3100
MerchAccPaymentMethodTypeHistory 3101
MerchantAccount 3102
MerchantAccountEvent 3103
MerchantAccountFeed 3104
MerchantAccountHistory 3105
MerchantAccountShare 3106
MessagingChannel 3107
MessagingChannelSkill 3109
MessagingChannelUsage 3110
MessagingConfiguration 3111
MessagingDeliveryError 3112
MessagingEndUser 3113
MessagingEndUserHistory 3115
MessagingEndUserShare 3116
MessagingLink 3117
MessagingSession 3118
MessagingSessionFeed 3120
MessagingSessionHistory 3121
MessagingSessionMetrics 3122
MessagingSessionShare 3123
MessagingTemplate 3124
MfgProgramCpntFrcstFact 3125
MfgProgramCpntFrcstFactFeed 3127
MfgProgramCpntFrcstFactHistory 3128
MfgProgramCpntFrcstFactShare 3129
MfgProgramForecastFact 3130

MfgProgramForecastFactFeed 3132
MfgProgramForecastFactHistory 3133
MfgProgramForecastFactShare 3134
MfgProgramTemplate 3135
MfgProgramTemplateItem 3136
MfgProgramVariantFrcstFact 3137
MfgProgramVariantFrcstFactFeed 3139
MfgProgramVariantFrcstFactHistory 3140
MfgProgramVariantFrcstFactShare 3141
MilestoneType 3142
MktCalculatedInsightFeed 3143
MktCalculatedInsightHistory 3144
MktDataTransformFeed 3145
MktDataTransformHistory 3146
MktDataTransformShare 3147
MktMLModelFeed 3148
MktMLModelHistory 3149
MktMLModelShare 3150
MktMLPredictionJobFeed 3151
MktMLPredictionJobHistory 3152
MlIntentUtteranceSuggestion 3153
MobSecurityCertPinConfig 3154
MobileSecurityAssignment 3155
MobileSecurityPolicy 3156
MobileSecurityUserMetric 3157
MobileSettingsAssignment 3158
MsgChannelLanguageKeyword 3159
MsgChannelUsageExternalOrg 3160

MultipartyInfoAuthRequest 3161
MultipartyInfoAuthRequestFeed 3162
MultipartyInfoAuthRequestHistory 3163
MultipartyInfoAuthRequestShare 3164
MutingPermissionSet 3165
MyDomainDiscoverableLogin 3202
Name 3203
NamedCredential 3204
NamespaceRegistry 3206
NamespaceRegistryFeed 3207
NamespaceRegistryHistory 3208
NavigationLinkSet 3209
NavigationMenuItem 3210
NavigationMenuItemLocalization 3211
NegInvcLineProcessedEvent 3212
Network 3213
NetworkActivityAudit 3216
NetworkAffinity 3217
NetworkAuthApiSettings 3218
NetworkDataCategory 3220
NetworkDiscoverableLogin 3221
NetworkEmailTmplAllowlist 3222
NetworkFeedResponseMetric 3223
NetworkHeadlessFgtPwd 3224
NetworkMember 3225
NetworkMemberGroup 3227
NetworkModeration 3228
NetworkPageOverride 3229

NetworkReferencedObject 3230
NetworkSelfRegistration 3231
NetworkUserHistoryRecent 3233
Note 3234
NoteAndAttachment 3235
OauthCustomScope 3236
OauthCustomScopeApp 3237
OauthToken 3238
OauthTokenExchHandlerApp 3239
OauthTokenExchangeHandler 3240
ObjectDataImport 3242
ObjectDataImportReference 3243
ObjectDataImportShare 3244
ObjectMetadataTag 3245
ObjectPermissions 3246
ObjectRelatedUrl 3247
ObjectStateDefinitionFeed 3248
ObjectStateDefinitionHistory 3249
ObjectStateDefinitionShare 3250
ObjectStateTransitionFeed 3251
ObjectStateTransitionHistory 3252
ObjectStateValueFeed 3253
ObjectStateValueHistory 3254
Obligation 3255
ObligationFeed 3257
ObligationHistory 3258
ObligationShare 3259
OcrDocumentScanResult 3260

OcrDocumentScanResultFeed 3262
OcrDocumentScanResultHistory 3263
OcrSampleDocument 3264
OcrSampleDocumentField 3265
OcrSampleDocumentPage 3266
OcrTargetObjFieldMapping 3267
OcrTargetObject 3268
OcrTemplate 3269
OcrTemplateSampleDocument 3270
OmniAssessmentTask 3271
OmniAssessmentTaskFeed 3272
OmniAssessmentTaskHistory 3273
OmniAssessmentTaskShare 3274
OmniComponentErrorLogFeed 3275
OmniComponentErrorLogShare 3276
OmniDataPack 3277
OmniDataPackFeed 3278
OmniDataPackShare 3279
OmniDataTransform 3280
OmniDataTransformItem 3282
OmniDataTransformShare 3284
OmniESignatureTemplateShare 3285
OmniExtTrackingDef 3286
OmniExtTrackingEventDef 3287
OmniGlobalAutoNumberFeed 3288
OmniGlobalAutoNumberShare 3289
OmniInteractionAccessConfig 3290
OmniInteractionConfig 3292

Contents

OmniProcess 3293
OmniProcessAsmtQuestionVer 3295
OmniProcessAsmtQuestionVerFeed 3296
OmniProcessAsmtQuestionVerHistory 3297
OmniProcessAsmtQuestionVerShare 3298
OmniProcessCompilation 3299
OmniProcessElement 3300
OmniProcessFeed 3302
OmniProcessShare 3303
OmniProcessTransientData 3304
OmniProcessTransientDataFeed 3305
OmniProcessTransientDataShare 3306
OmniScriptSavedSession 3307
OmniScriptSavedSessionFeed 3309
OmniScriptSavedSessionShare 3310
OmniSupervisorConfig 3311
OmniSupervisorConfigAction 3312
OmniSupervisorConfigGroup 3313
OmniSupervisorConfigProfile 3314
OmniSupervisorConfigQueue 3315
OmniSupervisorConfigSkill 3316
OmniSupervisorConfigTab 3317
OmniSupervisorConfigUser 3318
OmniTrackingComponentDef 3319
OmniTrackingEvent 3320
OmniTrackingGroup 3321
OmniUiCard 3322
OmniUiCardFeed 3324

OmniUiCardShare 3325
OpenActivity 3326
OperatingHours 3328
OperatingHoursFeed 3329
OperatingHoursHistory 3330
OperatingHoursHoliday 3331
OperatingHoursHolidayFeed 3332
OperatingHoursHolidayHistory 3333
OperatingHoursShare 3334
Opportunity 3335
OpportunityCompetitor 3337
OpportunityContactRole 3338
OpportunityFeed 3339
OpportunityFieldHistory 3340
OpportunityHistory 3341
OpportunityLineItem 3342
OpportunityLineItemSchedule 3344
OpportunityPartner 3345
OpportunityRelatedDeleteLog 3346
OpportunityShare 3347
OpportunityStage 3348
OpportunityTeamMember 3349
OpptStageDescriptionShare 3350
Order 3351
OrderAction 3354
OrderActionFeed 3355
OrderActionHistory 3356
OrderAdjustmentGroup 3357

OrderAdjustmentGroupFeed 3358
OrderAdjustmentGroupHistory 3359
OrderAdjustmentGroupSummary 3360
OrderAdjustmentGroupSummaryFeed 3361
OrderChangeLog 3362
OrderChangeLogFeed 3363
OrderChangeLogHistory 3364
OrderDeliveryGroup 3365
OrderDeliveryGroupFeed 3367
OrderDeliveryGroupHistory 3368
OrderDeliveryGroupSummary 3369
OrderDeliveryGroupSummaryFeed 3371
OrderDeliveryMethod 3372
OrderDeliveryMethodFeed 3373
OrderDeliveryMethodHistory 3374
OrderDeliveryMethodShare 3375
OrderFeed 3376
OrderHistory 3377
OrderItem 3378
OrderItemAdjustmentLineItem 3380
OrderItemAdjustmentLineItemFeed 3381
OrderItemAdjustmentLineItemHistory 3382
OrderItemAdjustmentLineSummary 3383
OrderItemAdjustmentLineSummaryFeed 3384
OrderItemAttribute 3385
OrderItemDetail 3386
OrderItemDetailFeed 3387
OrderItemDetailHistory 3388

OrderItemFeed 3389
OrderItemGroup 3390
OrderItemHistory 3391
OrderItemMaterialLineGroupFeed 3392
OrderItemMaterialLineGroupHistory 3393
OrderItemRateAdjustment 3394
OrderItemRateAdjustmentFeed 3395
OrderItemRateAdjustmentHistory 3396
OrderItemRateCardEntry 3397
OrderItemRateCardEntryFeed 3398
OrderItemRateCardEntryHistory 3399
OrderItemRecipient 3400
OrderItemRecipientHistory 3402
OrderItemRelationship 3403
OrderItemRelationshipFeed 3404
OrderItemRelationshipHistory 3405
OrderItemSummary 3406
OrderItemSummaryChange 3409
OrderItemSummaryFeed 3410
OrderItemTaxLineItem 3411
OrderItemTaxLineItemFeed 3412
OrderItemTaxLineItemHistory 3413
OrderItemTaxLineItemSummary 3414
OrderItemTaxLineItemSummaryFeed 3415
OrderItemType 3416
OrderPaymentSummary 3417
OrderPaymentSummaryFeed 3419
OrderPaymentSummaryReference 3420

OrderPaymentSummaryShare 3421
OrderShare 3422
OrderStatus 3423
OrderStatusChangedEvent 3424
OrderSumStatusChangedEvent 3425
OrderSummary 3426
OrderSummaryAdditionalInfo 3429
OrderSummaryAdditionalInfoFeed 3430
OrderSummaryAdditionalInfoShare 3431
OrderSummaryCreatedEvent 3432
OrderSummaryFeed 3433
OrderSummaryRelationship 3434
OrderSummaryRoutingSchedule 3435
OrderSummaryRoutingScheduleShare 3436
OrderSummaryShare 3437
OrgDeleteRequest 3438
OrgDeleteRequestShare 3439
OrgEmailAddressSecurity 3440
OrgIncidentSummary 3441
OrgIncidentSummaryFeed 3443
OrgIncidentSummaryHistory 3444
OrgIncidentSummaryShare 3445
OrgMetric 3446
OrgMetricScanResult 3447
OrgMetricScanSummary 3448
OrgWideEmailAddress 3449
Organization 3450
OtherComponentTask 3453

OtherComponentTaskFeed 3454
OtherComponentTaskHistory 3455
OtherComponentTaskShare 3456
OtherEmssnFctrSet 3457
OtherEmssnFctrSetFeed 3458
OtherEmssnFctrSetHistory 3459
OtherEmssnFctrSetItem 3460
OtherEmssnFctrSetItemFeed 3462
OtherEmssnFctrSetItemHistory 3463
OtherEmssnFctrSetShare 3464
OutOfOffice 3465
Outcome 3466
OutcomeActivity 3467
OutcomeActivityFeed 3468
OutcomeActivityHistory 3469
OutcomeActivityShare 3470
OutcomeFeed 3471
OutcomeHistory 3472
OutcomeShare 3473
OutgoingEmail 3474
OutgoingEmailRelation 3475
OutreachSourceCodeFeed 3476
OutreachSourceCodeHistory 3477
OutreachSourceCodeShare 3478
OutreachSummaryFeed 3479
OutreachSummaryHistory 3480
OutreachSummaryShare 3481
OwnedContentDocument 3482

OwnerChangeOptionInfo 3483
PackageLicense 3484
Participant 3485
ParticipantRole 3486
Partner 3487
PartnerFundAllocation 3488
PartnerFundAllocationFeed 3489
PartnerFundAllocationHistory 3490
PartnerFundAllocationShare 3491
PartnerFundClaim 3492
PartnerFundClaimFeed 3493
PartnerFundClaimHistory 3494
PartnerFundClaimShare 3495
PartnerFundRequest 3496
PartnerFundRequestFeed 3498
PartnerFundRequestHistory 3499
PartnerFundRequestShare 3500
PartnerMarketingBudget 3501
PartnerMarketingBudgetFeed 3503
PartnerMarketingBudgetHistory 3504
PartnerMarketingBudgetShare 3505
PartnerRole 3506
PartyCertifiedCapacity 3507
PartyCertifiedCapacityFeed 3508
PartyCertifiedCapacityHistory 3509
PartyCertifiedCapacityShare 3510
PartyConsent 3511
PartyConsentFeed 3512

PartyConsentHistory 3513
PartyConsentShare 3514
PartyCreditPrflFinclAcctFeed 3515
PartyCreditPrflFinclAcctHistory 3516
PartyCreditPrflFinclAcctShare 3517
PartyCreditProfile 3518
PartyCreditProfileAlertFeed 3519
PartyCreditProfileAlertHistory 3520
PartyCreditProfileAlertShare 3521
PartyCreditProfileFeed 3522
PartyCreditProfileHistory 3523
PartyCreditProfileInquiryFeed 3524
PartyCreditProfileInquiryHistory 3525
PartyCreditProfileInquiryShare 3526
PartyCreditProfileShare 3527
PartyExpense 3528
PartyExpenseFeed 3530
PartyExpenseHistory 3531
PartyExpenseShare 3532
PartyFinancialAsset 3533
PartyFinancialAssetFeed 3535
PartyFinancialAssetHistory 3536
PartyFinancialAssetLien 3537
PartyFinancialAssetLienFeed 3538
PartyFinancialAssetLienHistory 3539
PartyFinancialAssetRelaFeed 3540
PartyFinancialAssetRelaHistory 3541
PartyFinancialAssetShare 3542

PartyFinancialAssetTermFeed 3543
PartyFinancialAssetTermHistory 3544
PartyFinancialLiability 3545
PartyFinancialLiabilityFeed 3547
PartyFinancialLiabilityHistory 3548
PartyFinancialLiabilityShare 3549
PartyFinclAssetAddlOwner 3550
PartyFinclAssetAddlOwnerFeed 3551
PartyFinclAssetAddlOwnerHistory 3552
PartyFinclLiabAddlBrwr 3553
PartyFinclLiabAddlBrwrFeed 3554
PartyFinclLiabAddlBrwrHistory 3555
PartyIncome 3556
PartyIncomeFeed 3558
PartyIncomeHistory 3559
PartyIncomeShare 3560
PartyPhilanthropicAssessment 3561
PartyPhilanthropicAssessmentFeed 3563
PartyPhilanthropicAssessmentHistory 3564
PartyPhilanthropicAssessmentShare 3565
PartyPhilanthropicIndicator 3566
PartyPhilanthropicIndicatorFeed 3568
PartyPhilanthropicIndicatorHistory 3569
PartyPhilanthropicIndicatorShare 3570
PartyPhilanthropicMilestone 3571
PartyPhilanthropicMilestoneFeed 3573
PartyPhilanthropicMilestoneHistory 3574
PartyPhilanthropicMilestoneShare 3575

PartyPhilanthropicOccurrence 3576
PartyPhilanthropicOccurrenceFeed 3578
PartyPhilanthropicOccurrenceHistory 3579
PartyPhilanthropicOccurrenceShare 3580
PartyProfile 3581
PartyProfileFeed 3584
PartyProfileHistory 3585
PartyProfileShare 3586
PartyRelationshipGroup 3587
PartyRelationshipGroupFeed 3589
PartyRelationshipGroupHistory 3590
PartyRoleRelation 3591
PartyRoleRelationFeed 3592
PartyRoleRelationHistory 3593
PartyRoleRelationShare 3594
PatientHealthReaction 3595
PatientHealthReactionFeed 3596
PatientHealthReactionHistory 3597
PatientImmunization 3598
PatientImmunizationFeed 3600
PatientImmunizationHistory 3601
PatientImmunizationProtocol 3602
PatientImmunizationProtocolFeed 3604
PatientImmunizationProtocolHistory 3605
PatientImmunizationProtocolShare 3606
PatientImmunizationShare 3607
PatientMedicalProcedure 3608
PatientMedicalProcedureDetail 3610

PatientMedicalProcedureDetailFeed 3611
PatientMedicalProcedureDetailHistory 3612
PatientMedicalProcedureFeed 3613
PatientMedicalProcedureHistory 3614
PatientMedicalProcedureShare 3615
PatientMedicationDosage 3616
PatientMedicationDosageFeed 3618
PatientMedicationDosageHistory 3619
Payment 3620
PaymentAuthAdjustment 3623
PaymentAuthorization 3625
PaymentBatchRun 3627
PaymentBatchRunCriteriaShare 3629
PaymentBatchRunShare 3630
PaymentCredit 3631
PaymentCreditLinePayment 3633
PaymentCreditTransaction 3634
PaymentFeed 3635
PaymentGateway 3636
PaymentGatewayLog 3637
PaymentGatewayProvider 3639
PaymentGroup 3640
PaymentInstrumentFeed 3641
PaymentInstrumentHistory 3642
PaymentInstrumentShare 3643
PaymentIntentEvent 3644
PaymentIntentHistory 3645
PaymentLineInvoice 3646

PaymentLineInvoiceLine 3648
PaymentLink 3650
PaymentLinkEvent 3652
PaymentLinkShare 3653
PaymentMandate 3654
PaymentMandateFeed 3657
PaymentMandateHistory 3658
PaymentMandateShare 3659
PaymentMethod 3660
PaymentRequest 3662
PaymentRequestFeed 3664
PaymentRequestHistory 3665
PaymentRequestLine 3666
PaymentRequestLineFeed 3668
PaymentRequestLineHistory 3669
PaymentRequestShare 3670
PaymentSchedule 3671
PaymentScheduleItem 3673
PaymentSchedulePolicy 3675
PaymentSchedulePolicyShare 3676
PaymentScheduleShare 3677
PaymentScheduleTreatment 3678
PaymentScheduleTreatmentDtl 3679
PaymentScheduleTreatmentShare 3680
PaymentTerm 3681
PaymentTermItem 3682
PcmtEmssnFctrSet 3683
PcmtEmssnFctrSetFeed 3684

PcmtEmssnFctrSetHistory 3685
PcmtEmssnFctrSetItem 3686
PcmtEmssnFctrSetItemFeed 3687
PcmtEmssnFctrSetItemHistory 3688
PcmtEmssnFctrSetShare 3689
PendingOrdSumProcEvent 3690
PendingOrderSummary 3691
PendingServiceRouting 3692
PendingServiceRoutingInteractionInfo 3694
PendingServiceRoutingShare 3695
PercentileBsdCareFeeAgreement 3696
PercentileBsdCareFeeAgreementFeed 3697
PercentileBsdCareFeeAgreementHistory 3698
Period 3699
PermissionSet 3700
PermissionSetAssignment 3737
PermissionSetLicense 3738
PermissionSetLicenseAssign 3775
PermissionSetTabSetting 3776
PersonAccountOwnerPowerUser 3777
PersonDisability 3778
PersonDisabilityFeed 3779
PersonDisabilityHistory 3780
PersonDisabilityShare 3781
PersonEducation 3782
PersonEducationFeed 3784
PersonEducationHistory 3785
PersonEducationShare 3786

PersonEmployment 3787
PersonEmploymentFeed 3789
PersonEmploymentHistory 3790
PersonEmploymentShare 3791
PersonExamination 3792
PersonExaminationFeed 3793
PersonExaminationHistory 3794
PersonExaminationShare 3795
PersonLanguage 3796
PersonLanguageFeed 3797
PersonLanguageHistory 3798
PersonLanguageShare 3799
PersonLifeEvent 3800
PersonLifeEventFeed 3802
PersonLifeEventHistory 3803
PersonLifeEventShare 3804
PersonName 3805
PersonNameFeed 3807
PersonNameHistory 3808
PersonNameShare 3809
PersonalizationTargetInfo 3810
PgmBasedHlthRskAdjFctr 3811
PgmBasedHlthRskAdjFctrFeed 3813
PgmBasedHlthRskAdjFctrHistory 3814
PgmBasedHlthRskAdjFctrShare 3815
PgmRebateTypBnftMapping 3816
PgmRebateTypBnftMappingFeed 3817
PgmRebateTypBnftMappingHistory 3818

PickTicket 3819
PickTicketAssignment 3820
PickTicketFeed 3821
PickTicketProduct 3822
PickTicketProductFeed 3823
PickTicketShare 3824
PicklistValueInfo 3825
PipelineInspMetricConfig 3826
PipelineInspectionListView 3827
PipelineInspectionSumField 3828
PlaceOrderCompletedEvent 3829
PlanBenefit 3830
PlanBenefitFeed 3832
PlanBenefitHistory 3833
PlanBenefitItem 3834
PlanBenefitItemFeed 3836
PlanBenefitItemHistory 3837
PlanBenefitItemShare 3838
PlanBenefitShare 3839
PlatformAction 3840
PlatformEventUsageMetric 3842
PlatformStatusAlertEvent 3843
Polygon 3844
PolygonFeed 3845
PolygonHistory 3846
PolygonShare 3847
PortalDelegablePermissionSet 3848
PreliminaryApplicationRef 3849

PreliminaryApplicationRefFeed 3851
PreliminaryApplicationRefHistory 3852
PreliminaryApplicationRefShare 3853
PresenceConfigDeclineReason 3854
PresenceDeclineReason 3855
PresenceUserConfig 3856
PresenceUserConfigProfile 3858
PresenceUserConfigUser 3859
PreventiveCareAgreement 3860
PreventiveCareAgreementFeed 3861
PreventiveCareAgreementHistory 3862
PriceAdjustmentSchedule 3863
PriceAdjustmentScheduleFeed 3864
PriceAdjustmentScheduleHistory 3865
PriceAdjustmentScheduleShare 3866
PriceAdjustmentTier 3867
PriceAdjustmentTierFeed 3869
PriceAdjustmentTierHistory 3870
PriceBookEntryDerivedPrice 3871
PriceBookEntryDerivedPriceFeed 3873
PriceBookEntryDerivedPriceHistory 3874
PriceBookEntryDerivedPriceShare 3875
PriceBookRateCard 3876
PriceBookRateCardFeed 3877
PriceBookRateCardHistory 3878
Pricebook2 3879
Pricebook2History 3880
PricebookEntry 3881

PricebookEntryAdjustment 3882
PricebookEntryHistory 3883
PricingActionParameters 3884
PricingAdjBatchJob 3885
PricingAdjBatchJobFeed 3887
PricingAdjBatchJobHistory 3888
PricingAdjBatchJobLog 3889
PricingAdjBatchJobLogFeed 3890
PricingAdjBatchJobLogHistory 3891
PricingAdjBatchJobShare 3892
PricingApiExecutionFeed 3893
PricingApiExecutionHistory 3894
PricingApiExecutionShare 3895
PricingProcedureOutputMap 3896
PricingProcessExecution 3897
PricingProcessExecutionFeed 3898
PricingProcessExecutionHistory 3899
PricingProcessExecutionShare 3900
PricingRecipe 3901
PricingRecipeTableMapping 3902
PrivacyJobSession 3903
PrivacyJobSessionShare 3905
PrivacyObjectSession 3906
PrivacyObjectSessionShare 3908
PrivacyRTBFRequest 3909
PrivacyRTBFRequestFeed 3910
PrivacyRTBFRequestHistory 3911
PrivacyRTBFRequestShare 3912

PrivacySessionRecordFailure 3913
PrivacySessionRecordFailureShare 3914
Problem 3915
ProblemDefRelationship 3917
ProblemDefRelationshipFeed 3918
ProblemDefRelationshipHistory 3919
ProblemDefinition 3920
ProblemDefinitionFeed 3921
ProblemDefinitionHistory 3922
ProblemDefinitionShare 3923
ProblemFeed 3924
ProblemHistory 3925
ProblemIncident 3926
ProblemIncidentFeed 3927
ProblemIncidentHistory 3928
ProblemRelatedItem 3929
ProblemRelatedItemFeed 3930
ProblemRelatedItemHistory 3931
ProblemShare 3932
ProcedureOutputResolution 3933
ProcessDefinition 3934
ProcessException 3935
ProcessExceptionEvent 3937
ProcessExceptionShare 3938
ProcessFlowMigration 3939
ProcessInstance 3940
ProcessInstanceHistory 3941
ProcessInstanceNode 3942

ProcessInstanceStep 3943
ProcessInstanceWorkitem 3944
ProcessNode 3945
ProdtAttrMappedScope 3946
ProdtAttrMappedScopeFeed 3947
ProdtAttrMappedScopeHistory 3948
ProdtAttrMappedScopeShare 3949
ProdtAttrScope 3950
ProdtAttrScopeFeed 3951
ProdtAttrScopeHistory 3952
ProdtAttrScopeShare 3953
Producer 3954
ProducerCommission 3955
ProducerCommissionFeed 3957
ProducerCommissionHistory 3958
ProducerCommissionShare 3959
ProducerFeed 3960
ProducerHistory 3961
ProducerShare 3962
Product2 3963
Product2Feed 3965
Product2History 3966
ProductAttribute 3967
ProductAttributeDefinitionFeed 3968
ProductAttributeDefinitionHistory 3969
ProductAttributeDefinitionShare 3970
ProductAttributeSet 3971
ProductAttributeSetItem 3972

ProductAttributeSetProduct 3973
ProductAvailabilityProjection 3974
ProductAvailabilityProjectionFeed 3975
ProductAvailabilityProjectionHistory 3976
ProductAvailabilityProjectionShare 3977
ProductCatalog 3978
ProductCatalogFeed 3979
ProductCatalogHistory 3980
ProductCatalogShare 3981
ProductCategory 3982
ProductCategoryDisqual 3983
ProductCategoryDisqualFeed 3984
ProductCategoryDisqualHistory 3985
ProductCategoryDisqualShare 3986
ProductCategoryFeed 3987
ProductCategoryHistory 3988
ProductCategoryMediaHistory 3989
ProductCategoryProduct 3990
ProductCategoryProductHistory 3991
ProductCategoryQualification 3992
ProductCategoryQualificationFeed 3993
ProductCategoryQualificationHistory 3994
ProductCategoryQualificationShare 3995
ProductClassification 3996
ProductClassificationAttr 3997
ProductClassificationAttrFeed 3999
ProductClassificationAttrHistory 4000
ProductClassificationAttrShare 4001

ProductClassificationFeed 4002
ProductClassificationHistory 4003
ProductClassificationShare 4004
ProductComponentGroup 4005
ProductComponentGroupFeed 4006
ProductComponentGroupHistory 4007
ProductComponentGroupShare 4008
ProductComponentGrpOverride 4009
ProductComponentGrpOverrideFeed 4010
ProductComponentGrpOverrideHistory 4011
ProductComponentGrpOverrideShare 4012
ProductConfigurationFlowFeed 4013
ProductConfigurationFlowHistory 4014
ProductConfigurationFlowShare 4015
ProductConfigurationRuleFeed 4016
ProductConfigurationRuleHistory 4017
ProductConfigurationRuleShare 4018
ProductConsumed 4019
ProductConsumedFeed 4021
ProductConsumedHistory 4022
ProductConsumedState 4023
ProductConsumedStateHistory 4024
ProductDisqualification 4025
ProductDisqualificationFeed 4026
ProductDisqualificationHistory 4027
ProductDisqualificationShare 4028
ProductEmissionsFactor 4029
ProductEmissionsFactorFeed 4030

ProductEmissionsFactorHistory 4031
ProductEmissionsFactorShare 4032
ProductEntitlementTemplate 4033
ProductFee 4034
ProductFeeFeed 4035
ProductFeeHistory 4036
ProductFeeShare 4037
ProductFulfillmentLocation 4038
ProductFulfillmentLocationFeed 4039
ProductFulfillmentLocationHistory 4040
ProductFulfillmentLocationShare 4041
ProductItem 4042
ProductItemFeed 4043
ProductItemHistory 4044
ProductItemShare 4045
ProductItemTransaction 4046
ProductItemTransactionFeed 4047
ProductItemTransactionHistory 4048
ProductListRate 4049
ProductListRateFeed 4050
ProductListRateHistory 4051
ProductListRateShare 4052
ProductMedia 4053
ProductMediaHistory 4054
ProductQualification 4055
ProductQualificationFeed 4056
ProductQualificationHistory 4057
ProductQualificationShare 4058

ProductRampSegment 4059
ProductRampSegmentFeed 4060
ProductRampSegmentHistory 4061
ProductRampSegmentShare 4062
ProductRelComponentOverride 4063
ProductRelComponentOverrideFeed 4065
ProductRelComponentOverrideHistory 4066
ProductRelComponentOverrideShare 4067
ProductRelatedComponent 4068
ProductRelatedMaterial 4070
ProductRelatedMaterialFeed 4072
ProductRelatedMaterialHistory 4073
ProductRelatedMaterialShare 4074
ProductRelatedServiceProcessFeed 4075
ProductRelatedServiceProcessHistory 4076
ProductRelatedServiceProcessShare 4077
ProductRelationshipType 4078
ProductRequest 4079
ProductRequestFeed 4081
ProductRequestHistory 4082
ProductRequestLineItem 4083
ProductRequestLineItemFeed 4085
ProductRequestLineItemHistory 4086
ProductRequestShare 4087
ProductRequired 4088
ProductRequiredFeed 4089
ProductRequiredHistory 4090
ProductSellingModel 4091

ProductSellingModelFeed 4092
ProductSellingModelHistory 4093
ProductSellingModelOption 4094
ProductServiceCampaign 4095
ProductServiceCampaignFeed 4096
ProductServiceCampaignHistory 4097
ProductServiceCampaignItem 4098
ProductServiceCampaignItemFeed 4099
ProductServiceCampaignItemHistory 4100
ProductServiceCampaignItemStatus 4101
ProductServiceCampaignShare 4102
ProductServiceCampaignStatus 4103
ProductSpecificationRecType 4104
ProductSpecificationType 4105
ProductTransfer 4106
ProductTransferFeed 4108
ProductTransferHistory 4109
ProductTransferShare 4110
ProductTransferState 4111
ProductTransferStateHistory 4112
ProductUsageGrant 4113
ProductUsageGrantFeed 4115
ProductUsageGrantHistory 4116
ProductUsageGrantShare 4117
ProductUsageResource 4118
ProductUsageResourceFeed 4119
ProductUsageResourceHistory 4120
ProductUsageResourceShare 4121

ProductWarrantyTerm 4122
ProductWarrantyTermFeed 4123
ProductWarrantyTermHistory 4124
Profile 4125
ProfileSkill 4162
ProfileSkillEndorsement 4163
ProfileSkillEndorsementFeed 4164
ProfileSkillEndorsementHistory 4165
ProfileSkillFeed 4166
ProfileSkillHistory 4167
ProfileSkillShare 4168
ProfileSkillUser 4169
ProfileSkillUserFeed 4170
ProfileSkillUserHistory 4171
Program 4172
ProgramApplnFormTemplate 4174
ProgramApplnFormTemplateFeed 4175
ProgramApplnFormTemplateHistory 4176
ProgramApplnFormTemplateShare 4177
ProgramCohortFeed 4178
ProgramCohortHistory 4179
ProgramCohortMemberFeed 4180
ProgramCohortMemberHistory 4181
ProgramCohortMemberShare 4182
ProgramEnrollment 4183
ProgramEnrollmentFeed 4185
ProgramEnrollmentHistory 4186
ProgramEnrollmentShare 4187

ProgramFeed 4188
ProgramHistory 4189
ProgramProduct 4190
ProgramProductFeed 4191
ProgramProductHistory 4192
ProgramProductShare 4193
ProgramRebateTypPayoutSrc 4194
ProgramRebateTypPayoutSrcFeed 4195
ProgramRebateTypPayoutSrcHistory 4196
ProgramRebateType 4197
ProgramRebateTypeBenefit 4199
ProgramRebateTypeBenefitFeed 4200
ProgramRebateTypeBenefitHistory 4201
ProgramRebateTypeFeed 4202
ProgramRebateTypeFilter 4203
ProgramRebateTypeFilterFeed 4204
ProgramRebateTypeFilterHistory 4205
ProgramRebateTypeHistory 4206
ProgramRebateTypePayout 4207
ProgramRebateTypePayoutFeed 4208
ProgramRebateTypePayoutHistory 4209
ProgramRebateTypeProduct 4210
ProgramRebateTypeProductFeed 4211
ProgramRebateTypeProductHistory 4212
ProgramRebateTypeReference 4213
ProgramRebateTypeReferenceFeed 4214
ProgramRebateTypeReferenceHistory 4215
ProgramRebateTypeReferenceShare 4216

ProgramRebateTypeShare 4217
ProgramShare 4218
Promotion 4219
PromotionFeed 4221
PromotionHistory 4222
PromotionLineItemRule 4223
PromotionLineItemRuleShare 4224
PromotionLoyaltyPtnrProdt 4225
PromotionLoyaltyPtnrProdtFeed 4226
PromotionLoyaltyPtnrProdtHistory 4227
PromotionMarketSegment 4228
PromotionMarketSegmentFeed 4229
PromotionMarketSegmentHistory 4230
PromotionQualifier 4231
PromotionQualifierFeed 4233
PromotionQualifierHistory 4234
PromotionRuleTemplate 4235
PromotionSegment 4236
PromotionSegmentBuyerGroup 4237
PromotionSegmentBuyerGroupFeed 4238
PromotionSegmentBuyerGroupHistory 4239
PromotionSegmentFeed 4240
PromotionSegmentHistory 4241
PromotionSegmentSalesStore 4242
PromotionSegmentSalesStoreFeed 4243
PromotionSegmentSalesStoreHistory 4244
PromotionSegmentShare 4245
PromotionShare 4246

PromotionTarget 4247
PromotionTargetFeed 4249
PromotionTargetHistory 4250
PromotionTier 4251
PromotionTierFeed 4252
PromotionTierHistory 4253
Prompt 4254
PromptAction 4255
PromptActionShare 4256
PromptError 4257
PromptErrorShare 4258
PromptLocalization 4259
PromptVersion 4260
PromptVersionLocalization 4263
ProrationPolicy 4264
ProviderNetworkContract 4265
ProviderNetworkContractFeed 4266
ProviderNetworkContractHistory 4267
ProviderNetworkTier 4268
ProviderNetworkTierFeed 4269
ProviderNetworkTierHistory 4270
ProviderSearchSyncLog 4271
ProviderSearchSyncLogFeed 4272
ProviderSearchSyncLogHistory 4273
ProviderSearchSyncLogShare 4274
PtyCrPrflFinclAcctActvtyFeed 4275
PtyCrPrflFinclAcctActvtyHistory 4276
PublicApplicationParticipant 4277

PublicApplicationParticipantFeed 4278
PublicApplicationParticipantHistory 4279
PublicComplaint 4280
PublicComplaintFeed 4282
PublicComplaintHistory 4283
PublicComplaintShare 4284
PurchaseQuantityRuleFeed 4285
PurchaseQuantityRuleHistory 4286
PurchaseQuantityRuleShare 4287
PurchaserPlan 4288
PurchaserPlanAssn 4290
PurchaserPlanAssnFeed 4291
PurchaserPlanAssnHistory 4292
PurchaserPlanAssnShare 4293
PurchaserPlanFeed 4294
PurchaserPlanHistory 4295
PurchaserPlanShare 4296
PushTopic 4297
PymtSchdDistributionMethod 4298
PymtSchdDistributionMethodShare 4299
Question 4300
QuestionDataCategorySelection 4302
QuestionReportAbuse 4303
QuestionSubscription 4304
QueueRoutingConfig 4305
QueueSobject 4306
QuickText 4307
QuickTextHistory 4308

QuickTextShare 4309
QuickTextUsage 4310
QuickTextUsageShare 4311
Quote 4312
QuoteAction 4315
QuoteActionFeed 4316
QuoteActionHistory 4317
QuoteDocument 4318
QuoteFeed 4319
QuoteHistory 4320
QuoteItemTaxItem 4321
QuoteLineDetail 4322
QuoteLineDetailFeed 4323
QuoteLineDetailHistory 4324
QuoteLineGroup 4325
QuoteLineItem 4326
QuoteLineItemGroupClass 4328
QuoteLineItemGroupClassFeed 4329
QuoteLineItemGroupClassHistory 4330
QuoteLineItemHistory 4331
QuoteLineItemRecipient 4332
QuoteLineItemRecipientHistory 4334
QuoteLineMaterialLineGroupFeed 4335
QuoteLineMaterialLineGroupHistory 4336
QuoteLineRateAdjustment 4337
QuoteLineRateAdjustmentFeed 4338
QuoteLineRateAdjustmentHistory 4339
QuoteLineRateCardEntry 4340

QuoteLineRateCardEntryFeed 4341
QuoteLineRateCardEntryHistory 4342
QuoteLineRelationship 4343
QuoteLineRelationshipFeed 4344
QuoteLineRelationshipHistory 4345
QuoteRecipientGroup 4346
QuoteRecipientGroupHistory 4347
QuoteRecipientGroupMember 4348
QuoteRecipientGroupMemberHistory 4349
QuoteRecipientGroupMemberShare 4350
QuoteSaveEvent 4351
QuoteShare 4352
QuoteToOrderCompletedEvent 4353
QuoteToOrderErrDtlEvent 4354
RateAdjustmentByAttribute 4355
RateAdjustmentByAttributeFeed 4357
RateAdjustmentByAttributeHistory 4358
RateAdjustmentByTier 4359
RateAdjustmentByTierFeed 4361
RateAdjustmentByTierHistory 4362
RateCard 4363
RateCardEntry 4364
RateCardEntryFeed 4366
RateCardEntryHistory 4367
RateCardFeed 4368
RateCardHistory 4369
RateCardShare 4370
RatingFrequencyPolicy 4371

RatingFrequencyPolicyFeed 4372
RatingFrequencyPolicyHistory 4373
RatingFrequencyPolicyShare 4374
RatingRequest 4375
RatingRequestBatchJob 4376
RatingRequestBatchJobFeed 4377
RatingRequestBatchJobHistory 4378
RatingRequestFeed 4379
RatingRequestHistory 4380
RatingRequestShare 4381
RebateClaim 4382
RebateClaimFeed 4384
RebateClaimHistory 4385
RebateClaimShare 4386
RebateMemberAggregateItem 4387
RebateMemberAggregateItemFeed 4388
RebateMemberAggregateItemHistory 4389
RebateMemberAggregateItemShare 4390
RebateMemberProductAggregate 4391
RebateMemberProductAggregateFeed 4393
RebateMemberProductAggregateHistory 4394
RebateMemberProductAggregateShare 4395
RebatePayment 4396
RebatePaymentFeed 4397
RebatePaymentHistory 4398
RebatePaymentShare 4399
RebatePayoutAdjustment 4400
RebatePayoutAdjustmentFeed 4401

RebatePayoutAdjustmentHistory 4402
RebateProgram 4403
RebateProgramFeed 4404
RebateProgramHistory 4405
RebateProgramMember 4406
RebateProgramMemberFeed 4407
RebateProgramMemberHistory 4408
RebateProgramMemberPayout 4409
RebateProgramMemberPayoutFeed 4410
RebateProgramMemberPayoutHistory 4411
RebateProgramMemberShare 4412
RebateProgramPayoutPeriod 4413
RebateProgramPayoutPeriodFeed 4414
RebateProgramPayoutPeriodHistory 4415
RebateProgramShare 4416
RecAlrtDataSrcExpSetDef 4417
ReceivedDocument 4418
ReceivedDocumentFeed 4419
ReceivedDocumentHistory 4420
ReceivedDocumentShare 4421
ReceivedDocumentType 4422
ReceivedDocumentTypeFeed 4423
ReceivedDocumentTypeHistory 4424
RecentFieldChange 4425
RecentlyViewed 4426
Recommendation 4427
RecommendationResponse 4428
RecordAction 4430

RecordActionHistory 4431
RecordActnSelItemExtrcShare 4432
RecordAggregationResult 4433
RecordAggregationResultShare 4434
RecordAlert 4435
RecordAlertActionableTarget 4437
RecordAlertActionableTargetFeed 4438
RecordAlertActionableTargetHistory 4439
RecordAlertCategory 4440
RecordAlertDataSource 4441
RecordAlertFeed 4442
RecordAlertHistory 4443
RecordAlertShare 4444
RecordAlertTemplate 4445
RecordType 4446
RecordTypeLocalization 4447
RecordsetFilterCriteria 4448
RecordsetFilterCriteriaFeed 4449
RecordsetFilterCriteriaHistory 4450
RecordsetFilterCriteriaRule 4451
RecordsetFilterCriteriaShare 4453
RecordsetFltrCritMonitor 4454
RecordsetFltrCritMonitorFeed 4455
RecordsetFltrCritMonitorHistory 4456
RecurrenceSchedule 4457
RecurrenceScheduleShare 4458
RedirectWhitelistUrl 4459
ReferenceDataLoadLogFeed 4460

ReferenceDataLoadLogHistory 4461
ReferenceDataLoadLogShare 4462
Referral 4463
ReferralFeed 4465
ReferralHistory 4466
ReferralShare 4467
RefrigerantEmssnFctr 4468
RefrigerantEmssnFctrFeed 4469
RefrigerantEmssnFctrHistory 4470
RefrigerantEmssnFctrShare 4471
Refund 4472
RefundLinePayment 4474
RegAuthorizationTypeProduct 4476
RegAuthorizationTypeProductFeed 4477
RegAuthorizationTypeProductHistory 4478
RegAuthorizationTypeProductShare 4479
RegisteredExternalService 4480
RegulatoryAuthority 4481
RegulatoryAuthorityFeed 4482
RegulatoryAuthorityHistory 4483
RegulatoryAuthorityShare 4484
RegulatoryAuthorizationType 4485
RegulatoryAuthorizationTypeFeed 4486
RegulatoryAuthorizationTypeHistory 4487
RegulatoryAuthorizationTypeShare 4488
RegulatoryCode 4489
RegulatoryCodeAssessmentIndFeed 4490
RegulatoryCodeAssessmentIndHistory 4491

RegulatoryCodeFeed 4492
RegulatoryCodeHistory 4493
RegulatoryCodeViolation 4494
RegulatoryCodeViolationFeed 4496
RegulatoryCodeViolationHistory 4497
RegulatoryCodeViolationShare 4498
RegulatoryTrxnFee 4499
RegulatoryTrxnFeeFeed 4500
RegulatoryTrxnFeeHistory 4501
RegulatoryTrxnFeeItem 4502
RegulatoryTrxnFeeItemFeed 4503
RegulatoryTrxnFeeItemHistory 4504
RegulatoryTrxnFeeShare 4505
RelatedListColumnDefinition 4506
RelatedListDefinition 4507
RelatedRecordAssocCriteria 4508
RemoteKeyCalloutEvent 4509
RentalCarEmssnFctr 4510
RentalCarEmssnFctrFeed 4511
RentalCarEmssnFctrHistory 4512
RentalCarEmssnFctrShare 4513
RentalCarEnrgyUse 4514
RentalCarEnrgyUseFeed 4516
RentalCarEnrgyUseHistory 4517
RentalCarEnrgyUseShare 4518
Reply 4519
ReplyEmailSettings 4520
ReplyReportAbuse 4521

Report 4522
ReportAnomalyEvent 4523
ReportAnomalyEventStore 4524
ReportAnomalyEventStoreFeed 4525
ReportEvent 4526
ReportEventStream 4528
ReportFeed 4530
ReputationLevel 4531
ReputationLevelLocalization 4532
ReputationPointsRule 4533
ResearchStdyCmprGroupCndt 4534
ResearchStdyCmprGroupCndtFeed 4535
ResearchStdyCmprGroupCndtHistory 4536
ResearchStdyCmprGroupCndtShare 4537
ResearchStdyCndtStatusPrd 4538
ResearchStdyCndtStatusPrdFeed 4539
ResearchStdyCndtStatusPrdHistory 4540
ResearchStdyRandomization 4541
ResearchStdyRandomizationFeed 4542
ResearchStdyRandomizationHistory 4543
ResearchStdyRandomizationShare 4544
ResearchStdySearchableField 4545
ResearchStdySearchableFieldFeed 4547
ResearchStdySearchableFieldHistory 4548
ResearchStdySearchableFieldShare 4549
ResearchStudy 4550
ResearchStudyCandidate 4552
ResearchStudyCandidateFeed 4554

ResearchStudyCandidateHistory 4555
ResearchStudyCandidateShare 4556
ResearchStudyCmprGroup 4557
ResearchStudyCmprGroupFeed 4558
ResearchStudyCmprGroupHistory 4559
ResearchStudyCmprGroupShare 4560
ResearchStudyFeed 4561
ResearchStudyHistory 4562
ResearchStudyProtocolInfo 4563
ResearchStudyProtocolInfoFeed 4564
ResearchStudyProtocolInfoHistory 4565
ResearchStudyRelation 4566
ResearchStudyRelationFeed 4567
ResearchStudyRelationHistory 4568
ResearchStudyRndmBlockSlot 4569
ResearchStudyRndmBlockSlotFeed 4570
ResearchStudyRndmBlockSlotHistory 4571
ResearchStudyShare 4572
ResidentialLoanApplication 4573
ResidentialLoanApplicationFeed 4576
ResidentialLoanApplicationHistory 4577
ResidentialLoanApplicationShare 4578
ResourceAbsence 4579
ResourceAbsenceFeed 4581
ResourceAbsenceHistory 4582
ResourcePreference 4583
ResourcePreferenceFeed 4584
ResourcePreferenceHistory 4585

RetrievalSummaryDefField 4586
RetrievalSummaryDefObject 4587
RetrievalSummaryDefinition 4588
ReturnOrder 4589
ReturnOrderFeed 4592
ReturnOrderHistory 4593
ReturnOrderItemAdjustment 4594
ReturnOrderItemTax 4595
ReturnOrderLineItem 4596
ReturnOrderLineItemFeed 4598
ReturnOrderLineItemHistory 4599
ReturnOrderShare 4600
RevenueAsyncOperation 4601
RevenueTransactionErrorLog 4603
RevenueTransactionErrorLogShare 4604
RsrchStdyRandomizationBlock 4605
RsrchStdyRandomizationBlockFeed 4606
RsrchStdyRandomizationBlockHistory 4607
RsrchStdyRandomizationBlockShare 4608
RsrchStdyRandomizationCrit 4609
RsrchStdyRandomizationCritFeed 4610
RsrchStdyRandomizationCritHistory 4611
RsrchStdyRandomizationCritShare 4612
RuleLibraryFeed 4613
RuleLibraryHistory 4614
RuleLibraryShare 4615
RuleLibraryVersionFeed 4616
RuleLibraryVersionHistory 4617

SalesAgreement 4618
SalesAgreementFeed 4620
SalesAgreementHistory 4621
SalesAgreementProduct 4622
SalesAgreementProductFeed 4624
SalesAgreementProductHistory 4625
SalesAgreementProductSchedule 4626
SalesAgreementProductScheduleFeed 4628
SalesAgreementProductScheduleHistory 4629
SalesAgreementShare 4630
SalesChannel 4631
SalesChannelFeed 4632
SalesChannelShare 4633
SalesStoreCatalog 4634
SalesTransactionType 4635
SalesTransactionTypeShare 4636
SalesTrxnDeleteEvent 4637
SalesWorkQueueSettings 4638
SamlSsoConfig 4639
SavedPaymentMethod 4641
SavedPaymentMethodEvent 4643
SchedulingConstraint 4644
SchedulingConstraintShare 4645
SchedulingObjective 4646
SchedulingRule 4647
SchedulingRuleParameter 4648
SchedulingWorkspaceFeed 4649
SchedulingWorkspaceShare 4650

SchedulingWorkspaceTerritoryFeed 4651
Scontrol 4652
ScontrolLocalization 4653
Scope3CrbnFtprnt 4654
Scope3CrbnFtprntFeed 4658
Scope3CrbnFtprntHistory 4659
Scope3CrbnFtprntShare 4660
Scope3EmssnSrc 4661
Scope3EmssnSrcFeed 4663
Scope3EmssnSrcHistory 4664
Scope3EmssnSrcShare 4665
Scope3PcmtItem 4666
Scope3PcmtItemFeed 4668
Scope3PcmtItemHistory 4669
Scope3PcmtSummary 4670
Scope3PcmtSummaryFeed 4673
Scope3PcmtSummaryHistory 4674
Scope3PcmtSummaryShare 4675
Scorecard 4676
ScorecardAssociation 4677
ScorecardMetric 4678
ScorecardShare 4679
ScratchOrgInfo 4680
ScratchOrgInfoFeed 4682
ScratchOrgInfoHistory 4683
ScratchOrgInfoShare 4684
SearchActivity 4685
SearchIndexJobStatusEvent 4686

SearchLayout 4687
SearchPromotionRule 4688
SecuritiesHolding 4689
SecuritiesHoldingFeed 4691
SecuritiesHoldingHistory 4692
SecuritiesHoldingShare 4693
SecurityCustomBaseline 4694
Seller 4695
SellerHistory 4696
SellerShare 4697
SenderEmailAddress 4698
SenderEmailAddressShare 4699
SerializedProduct 4700
SerializedProductFeed 4701
SerializedProductHistory 4702
SerializedProductShare 4703
SerializedProductTransaction 4704
SerializedProductTransactionFeed 4705
SerializedProductTransactionHistory 4706
ServiceAppointment 4707
ServiceAppointmentAttendee 4710
ServiceAppointmentAttendeeFeed 4711
ServiceAppointmentAttendeeHistory 4712
ServiceAppointmentAttendeeShare 4713
ServiceAppointmentCapacityUsageFeed 4714
ServiceAppointmentCapacityUsageHistory 4715
ServiceAppointmentEvent 4716
ServiceAppointmentFeed 4717

ServiceAppointmentGroup 4718
ServiceAppointmentGroupFeed 4719
ServiceAppointmentGroupHistory 4720
ServiceAppointmentGroupShare 4721
ServiceAppointmentHistory 4722
ServiceAppointmentShare 4723
ServiceAppointmentStatus 4724
ServiceChannel 4725
ServiceChannelStatus 4727
ServiceChannelStatusField 4728
ServiceContract 4729
ServiceContractFeed 4731
ServiceContractHistory 4732
ServiceContractShare 4733
ServiceCrew 4734
ServiceCrewFeed 4735
ServiceCrewHistory 4736
ServiceCrewMember 4737
ServiceCrewMemberFeed 4738
ServiceCrewMemberHistory 4739
ServiceCrewShare 4740
ServicePoint 4741
ServicePointFeed 4743
ServicePointHistory 4744
ServicePointShare 4745
ServicePresenceStatus 4746
ServiceReport 4747
ServiceReportHistory 4748

ServiceReportLayout 4749
ServiceResource 4750
ServiceResourceCapacity 4752
ServiceResourceCapacityFeed 4753
ServiceResourceCapacityHistory 4754
ServiceResourceFeed 4755
ServiceResourceHistory 4756
ServiceResourcePreference 4757
ServiceResourcePreferenceFeed 4758
ServiceResourcePreferenceHistory 4759
ServiceResourcePreferenceShare 4760
ServiceResourceShare 4761
ServiceResourceSkill 4762
ServiceResourceSkillFeed 4763
ServiceResourceSkillHistory 4764
ServiceSetupProvisioning 4765
ServiceTerritory 4766
ServiceTerritoryFeed 4768
ServiceTerritoryHistory 4769
ServiceTerritoryLocation 4770
ServiceTerritoryLocationFeed 4771
ServiceTerritoryLocationHistory 4772
ServiceTerritoryMember 4773
ServiceTerritoryMemberFeed 4775
ServiceTerritoryMemberHistory 4776
ServiceTerritoryRelationship 4777
ServiceTerritoryRelationshipFeed 4778
ServiceTerritoryRelationshipHistory 4779

ServiceTerritoryRelationshipShare 4780
ServiceTerritoryShare 4781
ServiceTerritoryWorkType 4782
ServiceTerritoryWorkTypeFeed 4783
ServiceTerritoryWorkTypeHistory 4784
SessionHijackingEvent 4785
SessionHijackingEventStore 4787
SessionHijackingEventStoreFeed 4789
SessionPermSetActivation 4790
SetupAuditTrail 4791
SetupDataSynchronizationShare 4792
SetupEntityAccess 4793
SharedSavingPaymentAgreement 4794
SharedSavingPaymentAgreementFeed 4795
SharedSavingPaymentAgreementHistory 4796
SharingRecordCollection 4797
SharingRecordCollectionItem 4798
SharingRecordCollectionMember 4799
SharingRecordCollectionShare 4800
Shift 4801
ShiftEngagementChannel 4803
ShiftEngagementChannelFeed 4804
ShiftEngagementChannelHistory 4805
ShiftFeed 4806
ShiftHistory 4807
ShiftPattern 4808
ShiftPatternEntry 4809
ShiftPatternEntryFeed 4810

ShiftPatternEntryHistory 4811
ShiftPatternFeed 4812
ShiftPatternHistory 4813
ShiftPatternShare 4814
ShiftShare 4815
ShiftStatus 4816
ShiftTemplate 4817
ShiftTemplateShare 4818
ShiftWorkTopic 4819
ShiftWorkTopicFeed 4820
ShiftWorkTopicHistory 4821
Shipment 4822
ShipmentFeed 4824
ShipmentHistory 4825
ShipmentItem 4826
ShipmentItemFeed 4827
ShipmentItemHistory 4828
ShipmentShare 4829
ShippingCarrier 4830
ShippingCarrierFeed 4831
ShippingCarrierHistory 4832
ShippingCarrierMethod 4833
ShippingCarrierMethodFeed 4834
ShippingCarrierMethodHistory 4835
ShippingCarrierMethodShare 4836
ShippingCarrierShare 4837
ShippingConfigurationSet 4838
ShippingConfigurationSetShare 4839

ShippingRateArea 4840
ShippingRateGroup 4841
SignatureTask 4842
SignatureTaskFeed 4843
SignatureTaskHistory 4844
SignatureTaskLineItem 4845
SignatureTaskLineItemFeed 4846
SignatureTaskLineItemHistory 4847
SignupRequest 4848
SignupRequestFeed 4850
SignupRequestHistory 4851
SignupRequestShare 4852
Site 4853
SiteDetail 4856
SiteFeed 4857
SiteHistory 4858
SiteRedirectMapping 4859
Skill 4860
SkillProfile 4861
SkillRequirement 4862
SkillRequirementFeed 4863
SkillRequirementHistory 4864
SkillType 4865
SkillUser 4866
SlaProcess 4867
SocialContributionSum 4868
SocialContributionSumFeed 4870
SocialContributionSumHistory 4871

SocialContributionSumShare 4872
SocialPersona 4873
SocialPersonaHistory 4875
SocialPost 4876
SocialPostFeed 4879
SocialPostHistory 4880
SocialPostShare 4881
Solution 4882
SolutionFeed 4883
SolutionHistory 4884
SolutionStatus 4885
Specimen 4886
SpecimenFeed 4888
SpecimenHistory 4889
SpecimenShare 4890
SrcPredJobStatusChgEvent 4891
StageTransitionEntry 4892
StageTransitionEntryFeed 4893
StageTransitionEntryHistory 4894
StageTransitionEntryShare 4895
Stamp 4896
StampAssignment 4897
StandardCareFeeAgreement 4898
StandardCareFeeAgreementFeed 4899
StandardCareFeeAgreementHistory 4900
StandardInvocableActionType 4901
StandardShippingRate 4902
StaticResource 4903

StgDefinitionAssignedRecordFeed 4904
StgDefinitionAssignedRecordHistory 4905
StgDefinitionAssignedRecordShare 4906
StnryAssetAnnualFact 4907
StnryAssetAnnualFactFeed 4908
StnryAssetAnnualFactHistory 4909
StnryAssetCrbnFtprnt 4910
StnryAssetCrbnFtprntFeed 4916
StnryAssetCrbnFtprntHistory 4917
StnryAssetCrbnFtprntItm 4918
StnryAssetCrbnFtprntItmFeed 4920
StnryAssetCrbnFtprntItmHistory 4921
StnryAssetCrbnFtprntShare 4922
StnryAssetEnrgyUse 4923
StnryAssetEnrgyUseFeed 4927
StnryAssetEnrgyUseHistory 4928
StnryAssetEnrgyUseShare 4929
StnryAssetEnvrSrc 4930
StnryAssetEnvrSrcFeed 4932
StnryAssetEnvrSrcHistory 4933
StnryAssetEnvrSrcShare 4934
StnryAssetWaterActvty 4935
StnryAssetWaterActvtyFeed 4937
StnryAssetWaterActvtyHistory 4938
StnryAssetWaterActvtyShare 4939
StnryAssetWaterFtprnt 4940
StnryAssetWaterFtprntFeed 4943
StnryAssetWaterFtprntHistory 4944

StnryAssetWaterFtprntShare 4945
StnryAssetWtrFtprntItm 4946
StnryAssetWtrFtprntItmFeed 4947
StnryAssetWtrFtprntItmHistory 4948
StoreIntegratedService 4949
StreamingChannel 4950
StreamingChannelShare 4951
SuggestedAssessmentDef 4952
SuggestedAssessmentDefFeed 4953
SuggestedAssessmentDefHistory 4954
SuggestedAssessmentDefShare 4955
SuggestedAssessmentReason 4956
SuggestedAssessmentReasonFeed 4957
SuggestedAssessmentReasonHistory 4958
Supplier 4959
SupplierFeed 4960
SupplierHistory 4961
SupplierProduct 4962
SupplierProductFeed 4963
SupplierProductHistory 4964
SupplierProductShare 4965
Survey 4966
SurveyEmailBranding 4967
SurveyEngagementContext 4968
SurveyEngagementContextShare 4969
SurveyFeed 4970
SurveyInvitation 4971
SurveyInvitationShare 4973

SurveyPage 4974
SurveyQuestion 4975
SurveyQuestionChoice 4976
SurveyQuestionResponse 4977
SurveyQuestionScore 4978
SurveyResponse 4979
SurveyShare 4981
SurveySubject 4982
SurveyVersion 4983
SurveyVersionAddlInfo 4984
SustainabilityCredit 4985
SustainabilityCreditFeed 4987
SustainabilityCreditHistory 4988
SustainabilityCreditShare 4989
SustainabilityPurchase 4990
SustainabilityPurchaseFeed 4992
SustainabilityPurchaseHistory 4993
SustainabilityPurchaseShare 4994
SustainabilityScorecard 4995
SustainabilityScorecardFeed 4997
SustainabilityScorecardHistory 4998
SustainabilityScorecardShare 4999
SustainabilityUom 5000
SustnUomConversion 5001
SvcApptSchdEvent 5002
SvcCatalogItemAttribute 5004
SvcCatalogItemDef 5006
SvcCatalogItemDependency 5007

SvcCatalogReqRelatedItem 5008
SvcCatalogRequest 5009
SvcCatalogRequestHistory 5011
SvcCatalogRequestShare 5012
SvcProcProdCatgProdExtrcShare 5013
Swarm 5014
SwarmFeed 5016
SwarmHistory 5017
SwarmMember 5018
SwarmMemberFeed 5019
SwarmMemberHistory 5020
SwarmMemberShare 5021
SwarmShare 5022
TabDefinition 5023
TableauHostMappingShare 5024
TagCategory 5025
TagCategoryFeed 5026
TagCategoryHistory 5027
TagCategoryShare 5028
Task 5029
TaskFeed 5031
TaskPriority 5032
TaskRelation 5033
TaskStatus 5034
TaskWhoRelation 5035
TaxDisclosureSummary 5036
TaxDisclosureSummaryFeed 5038
TaxDisclosureSummaryHistory 5039

TaxDisclosureSummaryShare 5040
TaxEngine 5041
TaxEngineInteractionLog 5043
TaxEngineProvider 5045
TaxPolicy 5046
TaxTreatment 5047
Team 5048
TeamFeed 5049
TeamHistory 5050
TeamMember 5051
TeamMemberFeed 5052
TeamMemberHistory 5053
TeamShare 5054
TenantUsageEntitlement 5055
Term 5056
TermFeed 5057
TermHistory 5058
TermShare 5059
TestSuiteMembership 5060
ThirdPartyAccountLink 5061
ThreatDetectionFeedback 5062
ThreatDetectionFeedbackFeed 5063
TimePeriod 5064
TimePeriodFeed 5065
TimePeriodHistory 5066
TimePeriodShare 5067
TimeSheet 5068
TimeSheetEntry 5069

TimeSheetEntryFeed 5070
TimeSheetEntryHistory 5071
TimeSheetFeed 5072
TimeSheetHistory 5073
TimeSheetShare 5074
TimeSlot 5075
TimeSlotHistory 5076
TimelineObjectDefinition 5077
TodayGoal 5078
TodayGoalShare 5079
Topic 5080
TopicAssignment 5081
TopicFeed 5082
TopicLocalization 5083
TopicUserEvent 5084
TrackedCommunication 5085
TrackedCommunicationDetail 5086
TrackedCommunicationDetailFeed 5087
TrackedCommunicationDetailHistory 5088
TrackedCommunicationFeed 5089
TrackedCommunicationHistory 5090
TrackedCommunicationShare 5091
TrainingCourseParticipant 5092
TrainingCourseParticipantFeed 5093
TrainingCourseParticipantHistory 5094
TrainingCourseParticipantShare 5095
TransactionJournal 5096
TransactionSecurityPolicy 5098

Translation 5099
TravelMode 5100
TravelModeFeed 5101
TravelModeShare 5102
TrnCourse 5103
TrnCourseFeed 5104
TrnCourseHistory 5105
TrnCourseShare 5106
UiFormulaCriterion 5107
UiFormulaRule 5108
UndecidedEventRelation 5109
UnifiedActivity 5110
UnifiedActivityInsight 5111
UnifiedActivityParticipant 5112
UnifiedActivityRelation 5113
UnifiedActvtyInsightKeyword 5114
UnifiedVideoCall 5115
UnifiedVideoCallParticipant 5116
UnifiedVoiceCall 5117
UnifiedVoiceCallParticipant 5118
UnitOfMeasure 5119
UnitOfMeasureClass 5120
UnitOfMeasureClassFeed 5121
UnitOfMeasureClassHistory 5122
UnitOfMeasureConversion 5123
UnitOfMeasureConversionFeed 5124
UnitOfMeasureConversionHistory 5125
UnitOfMeasureConversionShare 5126

UnitOfMeasureShare 5127
UriEvent 5128
UriEventStream 5129
UsageCmtAssetRelatedObj 5130
UsageCmtAssetRelatedObjFeed 5131
UsageCmtAssetRelatedObjHistory 5132
UsageGrantRenewalPolicy 5133
UsageGrantRenewalPolicyFeed 5134
UsageGrantRenewalPolicyHistory 5135
UsageGrantRolloverPolicy 5136
UsageGrantRolloverPolicyFeed 5137
UsageGrantRolloverPolicyHistory 5138
UsageImpactFactor 5139
UsageImpactFactorFeed 5140
UsageImpactFactorHistory 5141
UsageImpactFactorShare 5142
UsageImpactGroup 5143
UsageImpactGroupFactor 5144
UsageImpactGroupFactorFeed 5145
UsageImpactGroupFactorHistory 5146
UsageImpactGroupFeed 5147
UsageImpactGroupHistory 5148
UsageImpactGroupPgmMeasure 5149
UsageImpactGroupPgmMeasureFeed 5150
UsageImpactGroupPgmMeasureHistory 5151
UsageImpactGroupShare 5152
UsageImpactGroupVersion 5153
UsageImpactGroupVersionFeed 5154

UsageImpactGroupVersionHistory 5155
UsageImpactGroupVersionShare 5156
UsagePrdGrantBindingPolicy 5157
UsagePrdGrantBindingPolicyFeed 5158
UsagePrdGrantBindingPolicyHistory 5159
UsageResource 5160
UsageResourceBillingPolicy 5161
UsageResourceBillingPolicyFeed 5162
UsageResourceBillingPolicyHistory 5163
UsageResourceFeed 5164
UsageResourceHistory 5165
UsageResourceShare 5166
UsecaseMeter__Share 5167
Usecase__Share 5168
User 5169
UserAppInfo 5177
UserAppMenuCustomization 5178
UserAppMenuCustomizationShare 5179
UserAppMenuItem 5180
UserConfigTransferButton 5181
UserConfigTransferSkill 5182
UserCustomBadge 5183
UserCustomBadgeLocalization 5184
UserDailyMetric 5185
UserDailyMetricShare 5187
UserDefinedLabel 5188
UserDefinedLabelAssignment 5189
UserDefinedLabelAssignmentShare 5190

UserDefinedLabelShare 5191
UserEmailCalendarSync 5192
UserEmailPreferredPerson 5193
UserEmailPreferredPersonShare 5194
UserEsignVendorIdentifier 5195
UserEsignVendorIdentifierFeed 5196
UserEsignVendorIdentifierHistory 5197
UserEsignVendorIdentifierShare 5198
UserFeed 5199
UserHistory 5200
UserLicense 5201
UserListView 5202
UserListViewCriterion 5203
UserLocalWebServerIdentityShare 5204
UserLocationAssignment 5205
UserLogin 5206
UserMonthlyMetric 5207
UserMonthlyMetricShare 5210
UserPackageLicense 5211
UserPermissionAccess 5212
UserPreference 5248
UserPrioritizedRecord 5249
UserPrioritizedRecordShare 5250
UserProvAccount 5251
UserProvAccountStaging 5252
UserProvMockTarget 5253
UserProvisioningConfig 5254
UserProvisioningLog 5255

UserProvisioningRequest 5256
UserProvisioningRequestShare 5258
UserRecordAccess 5259
UserRole 5260
UserServicePresence 5261
UserServicePresenceShare 5263
UserSetupEntityAccess 5264
UserShare 5265
UserTeamMember 5266
UserUIPreference 5267
UserWorkList 5268
UserWorkListItem 5269
UserWorkListShare 5270
VehicleAssetCrbnFtprnt 5271
VehicleAssetCrbnFtprntFeed 5274
VehicleAssetCrbnFtprntHistory 5275
VehicleAssetCrbnFtprntShare 5276
VehicleAssetEmssnSrc 5277
VehicleAssetEmssnSrcFeed 5279
VehicleAssetEmssnSrcHistory 5280
VehicleAssetEmssnSrcShare 5281
VehicleAssetEnrgyUse 5282
VehicleAssetEnrgyUseFeed 5285
VehicleAssetEnrgyUseHistory 5286
VehicleAssetEnrgyUseShare 5287
VendorCallCenterStatusMap 5288
VerificationHistory 5289
VideoCall 5290

VideoCallFeed 5292
VideoCallParticipant 5293
VideoCallRecording 5294
VideoCallShare 5295
ViolationEnforcementAction 5296
ViolationEnforcementActionFeed 5297
ViolationEnforcementActionHistory 5298
ViolationType 5299
ViolationTypeAssessmentInd 5300
ViolationTypeAssessmentIndFeed 5301
ViolationTypeAssessmentIndHistory 5302
ViolationTypeFeed 5303
ViolationTypeHistory 5304
ViolationTypeShare 5305
VirtualVisitConfig 5306
Visit 5308
VisitFeed 5310
VisitHistory 5311
VisitShare 5312
VisitedParty 5313
VisitedPartyFeed 5314
VisitedPartyHistory 5315
Visitor 5316
VisitorFeed 5317
VisitorHistory 5318
VisualforceAccessMetrics 5319
VoiceCall 5320
VoiceCallFeed 5322

VoiceCallQualityFeedback 5323
VoiceCallQualityFeedbackShare 5324
VoiceCallRecording 5325
VoiceCallShare 5326
VoiceCoaching 5327
VoiceCoachingShare 5328
VoiceLocalPresenceNumber 5329
VoiceMailContent 5330
VoiceMailContentShare 5331
VoiceMailGreeting 5332
VoiceMailGreetingShare 5333
VoiceMailMessage 5334
VoiceMailMessageShare 5335
VoiceUserLine 5336
VoiceUserLineShare 5337
VoiceUserPreferences 5338
VoiceUserPreferencesShare 5339
VoiceVendorInfo 5340
VoiceVendorLine 5341
VoiceVendorLineShare 5342
VoidInvoiceProcessedEvent 5343
Vote 5344
Voucher 5345
VoucherDefinition 5347
VoucherDefinitionHistory 5349
VoucherDefinitionShare 5350
VoucherHistory 5351
VoucherShare 5352

Contents

Waitlist 5353
WaitlistFeed 5354
WaitlistHistory 5355
WaitlistParticipant 5356
WaitlistParticipantFeed 5357
WaitlistParticipantHistory 5358
WaitlistServiceResource 5359
WaitlistServiceResourceFeed 5360
WaitlistServiceResourceHistory 5361
WaitlistShare 5362
WaitlistWorkType 5363
WaitlistWorkTypeFeed 5364
WaitlistWorkTypeHistory 5365
WarrantyTerm 5366
WarrantyTermFeed 5368
WarrantyTermHistory 5369
WarrantyTermShare 5370
WasteFootprint 5371
WasteFootprintFeed 5373
WasteFootprintHistory 5374
WasteFootprintItem 5375
WasteFootprintItemFeed 5376
WasteFootprintItemHistory 5377
WasteFootprintShare 5378
WaveAutoInstallRequest 5379
WebCart 5380
WebCartAdjustmentBasis 5383
WebCartAdjustmentGroup 5384

WebCartHistory 5385
WebCartShare 5386
WebLink 5387
WebLinkLocalization 5389
WebStore 5390
WebStoreCatalog 5391
WebStoreCatalogHistory 5392
WebStoreInventorySource 5393
WebStoreNetwork 5395
WebStorePricebook 5396
WebStorePricebookFeed 5397
WebStoreShare 5398
Wishlist 5399
WishlistItem 5400
WishlistShare 5401
WorkAccess 5402
WorkAccessShare 5403
WorkBadge 5404
WorkBadgeDefinition 5405
WorkBadgeDefinitionFeed 5407
WorkBadgeDefinitionHistory 5408
WorkBadgeDefinitionShare 5409
WorkCapacityAvailability 5410
WorkCapacityAvailabilityFeed 5411
WorkCapacityAvailabilityShare 5412
WorkCapacityLimit 5413
WorkCapacityLimitFeed 5415
WorkCapacityLimitHistory 5416

WorkCapacityLimitShare 5417
WorkCapacityUsage 5418
WorkCapacityUsageFeed 5420
WorkCapacityUsageShare 5421
WorkOrder 5422
WorkOrderFeed 5425
WorkOrderHistory 5426
WorkOrderLineItem 5427
WorkOrderLineItemFeed 5430
WorkOrderLineItemHistory 5431
WorkOrderLineItemStatus 5432
WorkOrderShare 5433
WorkOrderStatus 5434
WorkPlan 5435
WorkPlanFeed 5436
WorkPlanHistory 5437
WorkPlanSelectionRule 5438
WorkPlanSelectionRuleFeed 5439
WorkPlanSelectionRuleHistory 5440
WorkPlanSelectionRuleShare 5441
WorkPlanShare 5442
WorkPlanTemplate 5443
WorkPlanTemplateEntry 5444
WorkPlanTemplateEntryFeed 5445
WorkPlanTemplateEntryHistory 5446
WorkPlanTemplateFeed 5447
WorkPlanTemplateHistory 5448
WorkPlanTemplateShare 5449

WorkProcedure 5450
WorkProcedureFeed 5451
WorkProcedureHistory 5452
WorkProcedureShare 5453
WorkProcedureStep 5454
WorkProcedureStepFeed 5455
WorkProcedureStepHistory 5456
WorkReport 5457
WorkReportError 5458
WorkReportErrorFeed 5459
WorkReportErrorHistory 5460
WorkReportFeed 5461
WorkReportHistory 5462
WorkReportLineItem 5463
WorkReportLineItemFeed 5465
WorkReportLineItemHistory 5466
WorkReportLineItemShare 5467
WorkReportShare 5468
WorkStep 5469
WorkStepFeed 5471
WorkStepHistory 5472
WorkStepStatus 5473
WorkStepTemplate 5474
WorkStepTemplateFeed 5475
WorkStepTemplateHistory 5476
WorkStepTemplateShare 5477
WorkThanks 5478
WorkThanksShare 5479

WorkType 5480
WorkTypeCareSpecialty 5482
WorkTypeCareSpecialtyFeed 5483
WorkTypeCareSpecialtyHistory 5484
WorkTypeCodeSetBundle 5485
WorkTypeCodeSetBundleFeed 5486
WorkTypeCodeSetBundleHistory 5487
WorkTypeExtension 5488
WorkTypeExtensionFeed 5489
WorkTypeExtensionHistory 5490
WorkTypeFeed 5491
WorkTypeGroup 5492
WorkTypeGroupFeed 5493
WorkTypeGroupHistory 5494
WorkTypeGroupMember 5495
WorkTypeGroupMemberFeed 5496
WorkTypeGroupMemberHistory 5497
WorkTypeGroupShare 5498
WorkTypeHistory 5499
WorkTypeShare 5500
WorkTypeStep 5501
WorkTypeStepFeed 5502
WorkTypeStepHistory 5503
WorkTypeStepLdTimeOvride 5504
WorkTypeStepLdTimeOvrideFeed 5505
WorkTypeStepLdTimeOvrideHistory 5506
WorkTypeStepLdTimeOvrideShare 5507
WorkTypeSvcTerrSchdPrio 5508

WorkTypeSvcTerrSchdPrioFeed 5509
WorkTypeSvcTerrSchdPrioHistory 5510
WorkTypeSvcTerrSchdPrioShare 5511
WorkerCompCoverageClass 5512
WorkerCompCoverageClassFeed 5513
WorkerCompCoverageClassHistory 5514
WorkerCompCoverageClassShare 5515
WstDispoEmssnFctrSet 5516
WstDispoEmssnFctrSetFeed 5517
WstDispoEmssnFctrSetHistory 5518
WstDispoEmssnFctrSetItm 5519
WstDispoEmssnFctrSetItmFeed 5520
WstDispoEmssnFctrSetItmHistory 5521
WstDispoEmssnFctrSetShare 5522

INTRODUCTION

This guide lists important details for standard objects in Salesforce.

- All the fields (except the standard System fields such `Id`, `IsDeleted`, `LastModifedDate`, etc., which are described in System Fields in the *Object Reference*).
- The data type for each field.
- Any applicable size restrictions for each field.

Use this guide along with these other resources:

- The Object Reference for Salesforce and Lightning Platform, which provides the primary information about the objects and how they are used in the Salesforce APIs.
- Salesforce Help, which describes how the objects are used in the Salesforce user interface.

Depending on your org settings and Salesforce Edition, some of these objects and fields might not be available.

The columns in this guide are:

`Field Label`	How the field is displayed in the user interface in areas such as record detail pages, search results, and list views.
`API Field Name`	The name of the field, as represented in the Salesforce APIs.
`Type`	The data type of a field. For more information, see Primitive Data Types and Field Types in the *Object Reference*.
`Digits`	The maximum number of digits in the field.
`Length`	The maximum number of characters in the field. For example, the Shipping Zip/Postal Code field on the Account object has a length of 20. You can't set it to a value longer than 20 characters.
`Precision`	The maximum total number of digits in the number, including digits both to the left and right of the decimal point. For example, 12345.67 has a precision of seven, five for the numbers to the left of the decimal place and two for the numbers to the right.
`Scale`	The number of digits to the right of the decimal place. A scale of two means that two digits to the right of the decimal place are displayed.

Note: Not all fields have information in every column. For example, a picklist field does not have a precision or scale.

Terminology in the API versus the User Interface

Some places in the user interface, such as the New Custom Field screen, use different terminology. On that screen, **length** refers to the number of digits to the left of the decimal place and **decimal places** refers to the number of digits to the right.



AIAPPLICATION

Represents an AI application such as Einstein Prediction Builder. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AIApplication in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	AI Application ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	App Type	picklist		255		

AIAPPLICATIONCONFIG

Additional prediction information related to an AI application. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AIApplicationConfig in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	AI Application config Id	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

AIFEATUREEXTRACTOR

Represents information about the feature extractor that's used to extract the input data required for making predictions.

For more information, see AIFeatureExtractor in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AiUsecaseModelId	AI Usecase Model ID	reference		18		
BatchInputSourceIdentifier	Batch Input Source Identifier	string		255		
ClassName	Class Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
FeatureInputType	Feature Input Type	picklist		255		
Id	AI Feature Extractor ID	id		18		
InputContext	Input Context	textarea		131072		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

AIINSIGHTACTION

Represents an Einstein prediction insight action. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AIInsightAction in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionId	Action ID	reference		18		
ActionName	Action Name	picklist		255		
AiRecordInsightId	AI Record Insight ID	reference		18		
Confidence	Confidence	double			4	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	AI Insight Action ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				
Type	Action Type	picklist		255		

AIINSIGHTFEEDBACK

Represents an Einstein prediction insight feedback. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AIInsightFeedback in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualValue	Actual Value	string		255		
AiFeedback	AI Insight Feedback	picklist		255		
AiInsightFeedbackType	AI Insight Feedback Type	picklist		255		
AiRecordInsightId	AI Record Insight ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	AI Insight Feedback ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
Rank	Rank	int	9			
SystemModstamp	System Modstamp	datetime				
ValueId	AI Insight Value ID or AI Insight Action ID	reference		18		

AIINSIGHTREASON

Represents an Einstein prediction insight reason. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AIInsightReason in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AiInsightValueId	AI Insight Value ID	reference		18		
Contribution	Contribution	double			4	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FeatureType	Feature Type	picklist		255		
FeatureValue	Feature Value	string		255		
FieldName	Field Name	string		255		
FieldValue	Field Value	string		255		
Id	AI Insight Reason ID	id		18		
Intensity	Intensity	double			4	2
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
Operator	Operator	picklist		255		
ReasonLabelKey	Reason Label Key	string		255		
RelatedInsightReasonId	AI Insight Reason ID	reference		18		
SortOrder	Sort Order	int	8			
SystemModstamp	System Modstamp	datetime				
Variance	Variance	double			4	2

AIINSIGHTVALUE

Represents an Einstein prediction insight value. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AIInsightValue in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AiInsightActionId	AI Insight Action ID	reference		18		
AiRecordInsightId	AI Record Insight ID	reference		18		
Confidence	Confidence	double			5	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Field	Field	picklist		255		
FieldValueLowerBound	Field Value Lower Bound	textarea		131072		
FieldValueUpperBound	Field Value Upper Bound	textarea		131072		
Id	AI Insight Value ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
SobjectLookupValueId	sObject Lookup Value ID	reference		18		
SobjectType	sObject Type	picklist		255		
SystemModstamp	System Modstamp	datetime				
Value	Value	textarea		131072		
ValueType	Value Type	picklist		255		

AINATURALLANGPROCESSRSLTSHARE

Sharing for AINaturalLangProcessRslt.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

AIPREDICTIONEVENT

Notifies subscribers when an Einstein feature, such as Prediction Builder or Case Classification, has written prediction results back to a target object and AI prediction field. This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AIPredictionEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Confidence`	AI Insight Value Confidence	double			5	2
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EventUuid`	Event UUID	string		36		
`FieldName`	AI Predicted Field API Name	string		255		
`HasError`	AI Has Error	boolean				
`InsightId`	AI Record Insight ID	string		18		
`PredictionEntityId`	AI Insight Value ID	string		80		
`ReplayId`	Replay ID	string		1000		
`TargetId`	AI Predicted Object ID	string		18		

AIRECORDINSIGHT

Represents an Einstein prediction insight. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AIRecordInsight in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AiApplicationId	AI Application ID	reference		18		
Confidence	Confidence	double			4	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	AI Record Insight ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MlPredictionDefinitionId	ML Prediction Definition ID	reference		18		
ModelId	AI Model ID	reference		18		
Name	Name	string		255		
PredictionField	Prediction Field	string		250		
RunGuid	Run GUID	string		250		
RunStartTime	Run Start Time	datetime				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TargetField	Target Field	picklist		255		
TargetId	Target ID	reference		18		
TargetSobjectType	Target sObject Type	picklist		255		
Type	Type	picklist		255		
ValidUntil	Valid Until	datetime				

AISCORINGSTATUSEVENT

Notifies subscribers when the scoring job started by the /services/data/{release version}/connect/aiaccelerator/predictions REST request, executed in asynchronous mode, is complete.

For more information, see AIScoringStatusEvent in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AiScoringRequestResponse	AI Scoring Request Response	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EventUuid	Event Uuid	string		36		
PrimaryResponseRecordList	Primary Response Record List	textarea		32000		
ReplayId	Replay Id	string		1000		
SecondaryResponseRecordList	Secondary Response Record List	textarea		32000		
Status	Status	picklist		255		
StatusDescription	Status Description	string		255		

AISENTIMENTRESULT

Represents the outcome of the sentiment analysis performed on a text field of a Salesforce object by a third-party service provider.

For more information, see AISentimentResult in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Sentiment Analysis Result ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MixedConfidenceScore	Mixed Confidence Score	double			18	5
Name	Name	string		255		
NegativeConfidenceScore	Negative Confidence Score	double			18	5
NeutralConfidenceScore	Neutral Confidence Score	double			18	5
OverallSentimentScore	Overall Sentiment Score	double			18	5
OverallSentimentType	Overall Sentiment Type	picklist		255		
OwnerId	Owner ID	reference		18		
PositiveConfidenceScore	Positive Confidence Score	double			18	5
Response	Response	textarea		131072		
ServiceType	Service Type	picklist		255		
SourceObjectId	Source Object ID	reference		18		
SourceObjectType	Source Object Type	picklist		255		
SourceTextField	Source Text Field	picklist		255		
SourceTextLanguage	Source Text Language	picklist		255		
Status	Status	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

AISENTIMENTRESULTSHARE

Sharing for AISentimentResult.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

AIUSECASEDEFINITION

Represents a collection of fields to set up the use case for which real-time predictions are to be made.

For more information, see AIUsecaseDefinition in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreatorType	Creator Type	picklist		255		
DeveloperName	Name	string		80		
Id	AI Usecase Definition ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
MaximumInsightCount	Maximum Insight Count	int	9			
MaximumRecommendationCount	Maximum Recommendation Count	int	9			
MaximumSuggestionCount	Maximum Recommendation Count	int	9			
NamespacePrefix	Namespace Prefix	string		15		
PrimaryResponseObject	Primary Response Object	picklist		255		
RecommendationResponseObject	Recommendation Response Object	picklist		255		
RecommendationSource	Recommendation Source	picklist		255		
SecondaryResponseObject	Secondary Response Object	picklist		255		
ShouldSaveFeatures	Save Features	boolean				
ShouldSaveInsights	Save Insights	boolean				
ShouldSaveRecommendation	Save Recommendation	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ShouldSaveRequestResponse	Save Request Response	boolean				
ShouldSaveScore	Save Score	boolean				
ShouldSaveSuggestions	Save Suggestions	boolean				
SuggestionImpactMinimumPct	Suggestion Impact Minimum Pct	int	9			
SystemModstamp	System Modstamp	datetime				
UsecaseName	Use Case Name	string		255		

AIUSECASEFIELDMAPPING

Represents information about the field mapping that's used to save extracted features, prediction scores, insights about the predictions, and suggestions to improve the prediction scores.

For more information, see AIUsecaseFieldMapping in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`AiUsecaseDefinitionId`	AI Usecase Definition ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Name	string		80		
`Id`	AI Usecase Field Mapping ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MappedFieldName`	Mapped Field Name	string		255		
`MappedFieldType`	Mapped Field Type	picklist		255		
`MasterLabel`	Label	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`ResponseFieldName`	Response Field Name	string		255		
`ResponseObject`	Response Object	string		255		
`SequenceNumber`	Sequence Number	int	9			
`SystemModstamp`	System Modstamp	datetime				

AIUSECASEMODEL

Represents information about the machine learning models that generate predictions for your use case.

For more information, see AIUsecaseModel in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`AiFeatureExtractorId`	AI Feature Extractor ID	reference		18		
`AiUsecaseDefinitionId`	AI Usecase Definition ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Name	string		80		
`Id`	AI Usecase Model ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Label	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`PredictionDefinition`	Prediction Definition	string		255		
`PredictionPlatform`	Prediction Platform	picklist		255		
`SystemModstamp`	System Modstamp	datetime				

ACCEPTEDEVENTRELATION

Represents event participants (invitees or attendees) with the status Accepted for a given event.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AcceptedEventRelation in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EventId	Event ID	reference		18		
Id	Event Relation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RelationId	Relation ID	reference		18		
RespondedDate	Response Date	datetime				
Response	Response	string		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	string		50		

ACCOUNT

Represents an individual account, which is an organization or person involved with your business (such as customers, competitors, and partners).

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Account in the *Consumer Goods Cloud Developer Guide*, *Design Registration Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountNumber	Account Number	string		40		
AccountSource	Account Source	picklist		255		
Active__c	Active	picklist		255		
AnnualRevenue	Annual Revenue	currency			18	0
BillingAddress	Billing Address	address				
BillingCity	Billing City	string		40		
BillingCountry	Billing Country	string		80		
BillingGeocodeAccuracy	Billing Geocode Accuracy	picklist		40		
BillingLatitude	Billing Latitude	double			18	15
BillingLongitude	Billing Longitude	double			18	15
BillingPostalCode	Billing Zip/Postal Code	string		20		
BillingState	Billing State/Province	string		80		
BillingStreet	Billing Street	textarea		255		
CleanStatus	Clean Status	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Account Currency	picklist		3		
CustomerPriority__c	Customer Priority	picklist		255		
DandbCompanyId	D&B Company ID	reference		18		
Description	Account Description	textarea		32000		
DunsNumber	D-U-N-S Number	string		9		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
EffectiveDate	Effective Date	datetime				
EndDate	End Date	datetime				
Fax	Account Fax	phone		40		
FirstName	First Name	string		40		
Id	Account ID	id		18		
Industry	Industry	picklist		255		
IsActive	Active	boolean				
IsCustomerPortal	Customer Portal Account	boolean				
IsDeleted	Deleted	boolean				
IsPartner	Partner Account	boolean				
IsPersonAccount	Is Person Account	boolean				
Jigsaw	Data.com Key	string		20		
JigsawCompanyId	Jigsaw Company ID	string		20		
LastActivityDate	Last Activity	date				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastName	Last Name	string		80		
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MasterRecordId	Master Record ID	reference		18		
NaicsCode	NAICS Code	string		8		
NaicsDesc	NAICS Description	string		120		
Name	Account Name	string		255		
NumberOfEmployees	Employees	int	8			
NumberofLocations__c	Number of Locations	double			3	0
OperatingHoursId	Operating Hour ID	reference		18		
OwnerId	Owner ID	reference		18		
Ownership	Ownership	picklist		255		
ParentId	Parent Account ID	reference		18		
PersonAssistantName	Assistant	string		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PersonAssistantPhone	Asst. Phone	phone		40		
PersonBirthdate	Birthdate	date				
PersonContactId	Contact ID	reference		18		
PersonDeceasedDate	Deceased Date	datetime				
PersonDepartment	Department	string		80		
PersonEmail	Email	email		80		
PersonEmailBouncedDate	Email Bounced Date	datetime				
PersonEmailBouncedReason	Email Bounced Reason	string		255		
PersonGender	Gender	picklist		255		
PersonGenderIdentity	Gender Identity	picklist		255		
PersonHomePhone	Home Phone	phone		40		
PersonIndividualId	Individual ID	reference		18		
PersonLastCURequestDate	Last Stay-in-Touch Request Date	datetime				
PersonLastCUUpdateDate	Last Stay-in-Touch Save Date	datetime				
PersonLeadSource	Lead Source	picklist		255		
PersonMailingAddress	Mailing Address	address				
PersonMailingCity	Mailing City	string		40		
PersonMailingCountry	Mailing Country	string		80		
PersonMailingGeocodeAccuracy	Mailing Geocode Accuracy	picklist		40		
PersonMailingLatitude	Mailing Latitude	double			18	15
PersonMailingLongitude	Mailing Longitude	double			18	15
PersonMailingPostalCode	Mailing Zip/Postal Code	string		20		
PersonMailingState	Mailing State/Province	string		80		
PersonMailingStreet	Mailing Street	textarea		255		
PersonMaritalStatus	Marital Status	picklist		255		
PersonMobilePhone	Mobile	phone		40		
PersonOtherAddress	Other Address	address				
PersonOtherCity	Other City	string		40		
PersonOtherCountry	Other Country	string		80		
PersonOtherGeocodeAccuracy	Other Geocode Accuracy	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PersonOtherLatitude	Other Latitude	double			18	15
PersonOtherLongitude	Other Longitude	double			18	15
PersonOtherPhone	Other Phone	phone		40		
PersonOtherPostalCode	Other Zip/Postal Code	string		20		
PersonOtherState	Other State/Province	string		80		
PersonOtherStreet	Other Street	textarea		255		
PersonPronouns	Pronouns	picklist		255		
PersonSequenceInMultipleBirth	Multiple Birth Sequence	int	1			
PersonTitle	Title	string		80		
Phone	Account Phone	phone		40		
PhotoUrl	Photo URL	url		255		
Rating	Account Rating	picklist		255		
RecordTypeId	Record Type ID	reference		18		
SLAExpirationDate__c	SLA Expiration Date	date				
SLASerialNumber__c	SLA Serial Number	string		10		
SLA__c	SLA	picklist		255		
Salutation	Salutation	picklist		40		
ShippingAddress	Shipping Address	address				
ShippingCity	Shipping City	string		40		
ShippingCountry	Shipping Country	string		80		
ShippingGeocodeAccuracy	Shipping Geocode Accuracy	picklist		40		
ShippingLatitude	Shipping Latitude	double			18	15
ShippingLongitude	Shipping Longitude	double			18	15
ShippingPostalCode	Shipping Zip/Postal Code	string		20		
ShippingState	Shipping State/Province	string		80		
ShippingStreet	Shipping Street	textarea		255		
Sic	SIC Code	string		20		
SicDesc	SIC Description	string		80		
Site	Account Site	string		80		
SourceSystemIdentifier	Source System ID	string		85		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SourceSystemModifiedDate	Source System Modified	datetime				
SystemModstamp	System Modstamp	datetime				
TickerSymbol	Ticker Symbol	string		20		
Tradestyle	Tradestyle	string		255		
Type	Account Type	picklist		255		
UpsellOpportunity__c	Upsell Opportunity	picklist		255		
Website	Website	url		255		
YearStarted	Year Started	string		4		

ACCOUNTACCOUNTRELATION

Represents a relationship between accounts, such as a relationship between a distributor account and a ship-to account. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AccountAccountRelation in the *Automotive Cloud Developer Guide*, *Channel Revenue Management Guide*, *Financial Services Cloud Developer Guide*, *Industries Common Resources Developer Guide*, *Nonprofit Cloud Developer Guide*, and *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDate	End Date	date				
HierarchyType	Hierarchy Type	picklist		255		
Id	Account Account Relationship ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Account Relationship Id	string		255		
OwnerId	Owner ID	reference		18		
PartyRoleRelationId	Party Role Relationship ID	reference		18		
RelatedAccountId	Related Account ID	reference		18		
RelatedInverseRecordId	Related Inverse Record ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

ACCOUNTACCOUNTRELATIONFEED

Feed tracking for AccountAccountRelation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ACCOUNTACCOUNTRELATIONHISTORY

History for tracked fields of AccountAccountRelation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountAccountRelationId	Account Account Relationship ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Account Account Relationship History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ACCOUNTACCOUNTRELATIONSHARE

Sharing for AccountAccountRelation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACCOUNTBILLINGACCOUNT

Represents a junction between Account objects and Billing Account objects. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AccountBillingAccount in the *Energy and Utilities Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
BillingAccountId	Billing Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDate	End Date	date				
Id	Account Billing Account ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
RelationshipType	Relationship Type	picklist		255		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

ACCOUNTBILLINGACCOUNTFEED

Feed tracking for AccountBillingAccount.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ACCOUNTBILLINGACCOUNTHISTORY

History for tracked fields of AccountBillingAccount.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountBillingAccountId	Account Billing Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Account Billing Account History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ACCOUNTBRAND

Represents the brand details of a Partner Account. This object is available in API version 43.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AccountBrand in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Address	Address	address				
City	City	string		40		
CompanyName	Company Name	string		255		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Email	Email	email		80		
GeocodeAccuracy	Geocode Accuracy	picklist		40		
Id	Account Brand Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
LogoId	Asset File ID	reference		18		
LogoUrl	Logo URL	url		1000		
Longitude	Longitude	double			18	15
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Phone	Phone	phone		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PostalCode	Zip/Postal Code	string		20		
State	State/Province	string		80		
Street	Street	textarea		255		
SystemModstamp	System Modstamp	datetime				
Website	Website	url		255		

ACCOUNTBRANDSHARE

Sharing for AccountBrand.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACCOUNTCLEANINFO

Stores the metadata Data.com Clean uses to determine an account record's clean status. AccountCleanInfo helps you automate the cleaning or related processing of account records.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AccountCleanInfo in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AccountSite	Account Site	string		80		
Address	Address	address				
AnnualRevenue	Annual Revenue	currency			18	0
City	City	string		40		
CleanedByJob	Cleaned by Job	boolean				
CleanedByUser	Cleaned by User	boolean				
CompanyName	Company Name	string		255		
CompanyStatusDataDotCom	Company Status per Data.com	picklist		255		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DandBCompanyDunsNumber	D&B Company D-U-N-S Number	string		9		
DataDotComId	Data.com ID	string		20		
Description	Description	textarea		32000		
DunsNumber	D-U-N-S Number	string		9		
DunsRightMatchConfidence	DUNSRight™ Match Confidence	int	9			
DunsRightMatchGrade	DUNSRight™ Match Grade	string		255		
Fax	Fax	phone		40		
GeocodeAccuracy	Geocode Accuracy	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	Account Clean Info ID	id		18		
Industry	Industry	picklist		40		
IsDeleted	Deleted	boolean				
IsDifferentAccountSite	Account Site is Different	boolean				
IsDifferentAnnualRevenue	Annual Revenue is Different	boolean				
IsDifferentCity	City is Different	boolean				
IsDifferentCompanyName	Company Name is Different	boolean				
IsDifferentCountry	Country is Different	boolean				
IsDifferentCountryCode	Country Code is Different	boolean				
IsDifferentDandBCompanyDunsNumber	D&B Company D-U-N-S Number is Different	boolean				
IsDifferentDescription	Description is Different	boolean				
IsDifferentDunsNumber	D-U-N-S Number is Different	boolean				
IsDifferentFax	Fax is Different	boolean				
IsDifferentIndustry	Industry is Different	boolean				
IsDifferentNaicsCode	NAICS Code is Different	boolean				
IsDifferentNaicsDescription	NAICS Description is Different	boolean				
IsDifferentNumberOfEmployees	Number of Employees is Different	boolean				
IsDifferentOwnership	Ownership is Different	boolean				
IsDifferentPhone	Phone is Different	boolean				
IsDifferentPostalCode	ZIP is Different	boolean				
IsDifferentSic	SIC Code is Different	boolean				
IsDifferentSicDescription	SIC Description is Different	boolean				
IsDifferentState	State is Different	boolean				
IsDifferentStateCode	State Code is Different	boolean				
IsDifferentStreet	Street is Different	boolean				
IsDifferentTickerSymbol	Ticker Symbol is Different	boolean				
IsDifferentTradestyle	Tradestyle is Different	boolean				
IsDifferentWebsite	Website is Different	boolean				
IsDifferentYearStarted	Year Started is Different	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsFlaggedWrongAccountSite	Account Site is Flagged Wrong	boolean				
IsFlaggedWrongAddress	Address is Flagged Wrong	boolean				
IsFlaggedWrongAnnualRevenue	Annual Revenue is Flagged Wrong	boolean				
IsFlaggedWrongCompanyName	Company Name is Flagged Wrong	boolean				
IsFlaggedWrongDescription	Description is Flagged Wrong	boolean				
IsFlaggedWrongDunsNumber	D-U-N-S Number is Flagged Wrong	boolean				
IsFlaggedWrongFax	Fax is Flagged Wrong	boolean				
IsFlaggedWrongIndustry	Industry is Flagged Wrong	boolean				
IsFlaggedWrongNaicsCode	NAICS Code is Flagged Wrong	boolean				
IsFlaggedWrongNaicsDescription	NAICS Description is Flagged Wrong	boolean				
IsFlaggedWrongNumberOfEmployees	Number of Employees is Flagged Wrong	boolean				
IsFlaggedWrongOwnership	Ownership is Flagged Wrong	boolean				
IsFlaggedWrongPhone	Phone is Flagged Wrong	boolean				
IsFlaggedWrongSic	SIC Code is Flagged Wrong	boolean				
IsFlaggedWrongSicDescription	SIC Description is Flagged Wrong	boolean				
IsFlaggedWrongTickerSymbol	Ticker Symbol is Flagged Wrong	boolean				
IsFlaggedWrongTradestyle	Tradestyle is Flagged Wrong	boolean				
IsFlaggedWrongWebsite	Website is Flagged Wrong	boolean				
IsFlaggedWrongYearStarted	Year Started is Flagged Wrong	boolean				
IsInactive	Company Status in Salesforce	boolean				
IsReviewedAccountSite	Account Site is Reviewed	boolean				
IsReviewedAddress	Address is Reviewed	boolean				
IsReviewedAnnualRevenue	Annual Revenue is Reviewed	boolean				
IsReviewedCompanyName	Company Name is Reviewed	boolean				
IsReviewedDandBCompanyDunsNumber	D&B Company D-U-N-S Number is Reviewed	boolean				
IsReviewedDescription	Description is Reviewed	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsReviewedDunsNumber	D-U-N-S Number is Reviewed	boolean				
IsReviewedFax	Fax is Reviewed	boolean				
IsReviewedIndustry	Industry is Reviewed	boolean				
IsReviewedNaicsCode	NAICS Code is Reviewed	boolean				
IsReviewedNaicsDescription	NAICS Description is Reviewed	boolean				
IsReviewedNumberOfEmployees	Number of Employees is Reviewed	boolean				
IsReviewedOwnership	Ownership is Reviewed	boolean				
IsReviewedPhone	Phone is Reviewed	boolean				
IsReviewedSic	SIC Code is Reviewed	boolean				
IsReviewedSicDescription	SIC Description is Reviewed	boolean				
IsReviewedTickerSymbol	Ticker Symbol is Reviewed	boolean				
IsReviewedTradestyle	Tradestyle is Reviewed	boolean				
IsReviewedWebsite	Website is Reviewed	boolean				
IsReviewedYearStarted	Year Started is Reviewed	boolean				
LastMatchedDate	Last Matched Date	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastStatusChangedById	User ID	reference		18		
LastStatusChangedDate	Last Status Changed Date	datetime				
Latitude	Latitude	double			18	15
Longitude	Longitude	double			18	15
NaicsCode	NAICS Code	string		8		
NaicsDescription	NAICS Description	string		120		
Name	Account Clean Info Name	string		255		
NumberOfEmployees	Number of Employees	int	8			
Ownership	Ownership	picklist		40		
Phone	Phone	phone		40		
PostalCode	Zip	string		20		
Sic	SIC Code	string		20		
SicDescription	SIC Description	string		80		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
State	State	string		80		
Street	Street	textarea		255		
SystemModstamp	System Modstamp	datetime				
TickerSymbol	Ticker Symbol	string		20		
Tradestyle	Tradestyle	string		255		
Website	Website	url		255		
YearStarted	Year Started	string		12		

ACCOUNTCONTACTRELATION

Represents a relationship between a contact and one or more accounts.

For more information, see AccountContactRelation in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDate	End Date	date				
Id	Account Contact Relationship ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsDirect	Direct	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Roles	Roles	multipicklist		4099	0	
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

ACCOUNTCONTACTROLE

Represents the role that a Contact plays on an Account.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AccountContactRole in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Contact Role ID	id		18		
IsDeleted	Deleted	boolean				
IsPrimary	Primary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Role	Role	picklist		40		
SystemModstamp	System Modstamp	datetime				

ACCOUNTFEED

Feed tracking for Account.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ACCOUNTFORECAST

Represents the rolling forecast record of a particular account. The forecast is prepared using data directly from sales agreements, orders, and opportunities.

For more information, see AccountForecast in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultAccountGrowthPercentage	Default Account Growth Percentage	percent			5	2
DefaultMarketGrowthPercentage	Default Market Growth Percentage	percent			5	2
EndDate	End Date	date				
Id	Account Forecast ID	id		18		
IsCalculationInProgress	Calculation In Progress	boolean				
IsDeleted	Deleted	boolean				
LastCalculatedDate	Recalculation Date	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
StartDate	Start Date	date				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalAdjustedRevenue	Total Adjusted Revenue	currency			18	0
TotalRevenue	Total Revenue	currency			18	0

ACCOUNTFORECASTADJUSTMENT

Represents the manual adjustments made to forecast values for a particular account.

For more information, see AccountForecastAdjustment in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountProdPeriodForecastId	Account Product Period Forecast ID	reference		18		
AdjustedById	User ID	reference		18		
AdjustedByName	Adjusted By Name	string		80		
AdjustmentComments	Adjustment Comments	textarea		2000		
AdjustmentType	Adjustment Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FromValue	From Value	double			18	0
Id	AccountForecastAdjustment ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				
ToValue	To Value	double			18	0

ACCOUNTFORECASTFEED

Feed tracking for AccountForecast.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ACCOUNTFORECASTHISTORY

History for tracked fields of AccountForecast.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountForecastId	Account Forecast ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Account Forecast History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ACCOUNTFORECASTPERIODMETRIC

Represents records of account metrics which vary by period but are not specific for a product.

For more information, see AccountForecastPeriodMetric in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountForecastId	Account Forecast ID	reference		18		
AccountGrowthPercentage	Account Growth Percentage	percent			5	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Account Forecast Period Metric ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MarketGrowthPercentage	Market Growth Percentage	percent			5	2
Name	Name	string		255		
PeriodId	Period ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ACCOUNTFORECASTSHARE

Sharing for AccountForecast.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACCOUNTHISTORY

History for tracked fields of Account.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Account History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ACCOUNTPARTICIPANT

Represents information about a participant in the context of an account record. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AccountParticipant in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Comments	Comments	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Account Participant ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParticipantId	Participant ID	reference		18		
ParticipantRoleId	Participant Role ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ACCOUNTPARTICIPANTFEED

Feed tracking for AccountParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ACCOUNTPARTICIPANTHISTORY

History for tracked fields of AccountParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountParticipantId	Account Participant ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Account Participant History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ACCOUNTPARTNER

This object represents a partner relationship between two Account records. An AccountPartner record is created automatically when a Partner record is created for a partner relationship between two accounts. An AccountPartner record is also created automatically between an account and an opportunity's account when a Partner record is created between an account and an opportunity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AccountPartner in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountFromId	Account ID	reference		18		
AccountToId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Account Partner ID	id		18		
IsDeleted	Deleted	boolean				
IsPrimary	Primary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OpportunityId	Opportunity ID	reference		18		
ReversePartnerId	Reverse Partner ID	reference		18		
Role	Role	picklist		255		
SystemModstamp	System Modstamp	datetime				

ACCOUNTPRODUCTFORECAST

Represents the cumulative values for planned quantities, opportunities, and orders of a sales agreement for a given product across all periods in that rolling time period.

For more information, see AccountProductForecast in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountForecastId	Account Forecast ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Account Product Forecast ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsProductInvalidForAccountForecast	Product Not Valid For Account Forecasting	boolean				
IsSystemGenerated	System Generated	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ProductId	Product ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalAdjustedForecastedQuantity	Total Adjusted Forecasted Quantity	double			18	0
TotalAdjustedForecastedRevenue	Total Adjusted Forecasted Revenue	currency			18	0
TotalCurrentOrdersQuantity	Total Current Orders Quantity	double			18	0
TotalCurrentOrdersRevenue	Total Current Orders Revenue	currency			18	0
TotalForecastedQuantity	Total Forecasted Quantity	double			18	0

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalForecastedRevenue	Total Forecasted Revenue	currency			18	0
TotalOpportunityQuantity	Total Opportunity Quantity	double			18	0
TotalOpportunityRevenue	Total Opportunity Revenue	currency			18	0
TotalPastOrdersQuantity	Total Last Year's Orders Quantity	double			18	0
TotalPastOrdersRevenue	Total Last Year's Orders Revenue	currency			18	0
TotalSalesAgreementPlannedQuantity	Total Sales Agreement Planned Quantity	double			18	0
TotalSalesAgreementPlannedRevenue	Total Sales Agreement Planned Revenue	currency			18	0

ACCOUNTPRODUCTPERIODFORECAST

Represents the quantity and revenue information of opportunities, sales agreements, orders, and resultant forecasted quantities for a product in a particular time period of the forecast rolling period. Other than the fields AdjustedForecastQuantity and AdjustedForecastRevenue, no other fields of this object can be updated.

For more information, see AccountProductPeriodForecast in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccForecastPeriodMetricId	Account Forecast Period Metric ID	reference		18		
AccountProductForecastId	Account Product Forecast ID	reference		18		
AdjustedForecastedQuantity	Adjusted Forecasted Quantity	double			18	0
AdjustedForecastedRevenue	Adjusted Forecasted Revenue	currency			18	0
AdjustmentComments	Adjustment Comments	textarea		2000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrentOrdersQuantity	Current Orders Quantity	double			18	0
CurrentOrdersRevenue	Current Orders Revenue	currency			18	0
ForecastedQuantity	Forecasted Quantity	double			18	0
ForecastedRevenue	Forecasted Revenue	currency			18	0
Id	Account Product Period Forecast ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastCalculatedDate	Last Calculated Date	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OpportunityQuantity	Opportunity Quantity	double			18	0
OpportunityRevenue	Opportunity Revenue	currency			18	0
PastOrdersQuantity	Last Year's Orders Quantity	double			18	0
PastOrdersRevenue	Last Year's Orders Revenue	currency			18	0
PeriodId	Period ID	reference		18		
SalesAgreementPlannedQuantity	Sales Agreement Planned Quantity	double			18	0
SalesAgreementPlannedRevenue	Sales Agreement Planned Revenue	currency			18	0
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

ACCOUNTRELATIONSHIP

Represents a relationship of a given type between two accounts. This object is available in API version 45.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AccountRelationship in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountFromId	Account From ID	reference		18		
AccountToId	Account To ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Account Relationship ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Account Relationship Type	picklist		40		

ACCOUNTRELATIONSHIPFEED

Feed tracking for AccountRelationship.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ACCOUNTRELATIONSHIPHISTORY

History for tracked fields of AccountRelationship.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountRelationshipId	Account Relationship ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Account Relationship History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ACCOUNTRELATIONSHIPSHARE

Sharing for AccountRelationship.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACCOUNTRELATIONSHIPSHARERULE

Represents the rule that determines which object records are shared, how they are shared, the account relationship type that shares the records, and the level of access granted to the records. This object is available in API version 45.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AccountRelationshipShareRule in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Access Level	picklist		255		
AccountToCriteriaField	Account To Criteria Field	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
DeveloperName	Developer Name	string		80		
EntityType	Object Type	picklist		255		
Id	Account Relationship Data Sharing Rule ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
StaticFormulaCriteria	Static Formula Criteria	string		1333		
SystemModstamp	System Modstamp	datetime				
Type	Account Relationship Type	picklist		40		

ACCOUNTSHARE

Represents a sharing entry on an account.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AccountShare in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountAccessLevel	Account Access	picklist		40		
AccountId	Account ID	reference		18		
CaseAccessLevel	Case Access	picklist		40		
ContactAccessLevel	Contact Access	picklist		40		
Id	Account Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OpportunityAccessLevel	Opportunity Access	picklist		40		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACCOUNTINGFIELDMAPPING

Represents the custom field mappings used to populate transaction journal records with other Salesforce data. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AccountingFieldMapping in the *Accounting Subledger Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountingModelConfigId	ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Accounting Field Mapping ID	id		18		
IsDeleted	Deleted	boolean				
IsForAllocationType	Is for Allocation Type	boolean				
IsForPaymentType	Is for Payment Type	boolean				
IsForTransactionType	Is for Transaction Type	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MappingBehavior	Mapping Behavior	picklist		255		
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SourceField	Custom Field Definition ID	picklist		255		
SystemModstamp	System Modstamp	datetime				
TargetField	Custom Field Definition ID	picklist		255		

ACCOUNTINGMODELCONFIG

Represents settings for the accounting models used with Accounting Subledger. Accounting models are based on accounting sets, which include details about what accounting data is used and how. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AccountingModelConfig in the *Accounting Subledger Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountingType	Accounting Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultAccrualAccountCode	Default Accrual Account Code	string		255		
DefaultWriteOffAccountCode	Default Write Off Account Code	string		255		
DeveloperName	Name	string		80		
EarliestCreatedDate	Earliest Created Date	datetime				
ExpectedCashFlowGrouping	Expected Cash Flow Grouping	picklist		255		
FinanceBook	Finance Book	string		255		
FullName	Full Name	string		80		
Id	Accounting Model Config ID	id		18		
InternalMappingDetails	Internal Mapping Details	textarea		32000		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
IsGroupedByFundAccount	Is Grouped by Fund Account	boolean				
IsUsed	Is Used	boolean				
JobFilterCriteria	Job Filter Criteria	textarea		32000		
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
NamespacePrefix	Namespace Prefix	string		15		
PaidCashFlowGrouping	Paid Cash Flow Grouping	picklist		255		
RecordTypeFilter	Record Type Filter	textarea		32000		
RunOrder	Run Order	int	9			
SystemModstamp	System Modstamp	datetime				

ACCOUNTINGPERIOD

Represents information about a time period for which businesses prepare reports and analyze performance. Each billing transaction is associated with an accounting period. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AccountingPeriod in the *Billing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDate	End Date	date				
FinancialYear	Financial Year	string		40		
Id	Accounting Period ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
StartDate	Start Date	date				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

ACCOUNTINGPERIODFEED

Feed tracking for AccountingPeriod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ACCOUNTINGPERIODHISTORY

History for tracked fields of AccountingPeriod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountingPeriodId	Accounting Period ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Accounting Period History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ACCOUNTINGPERIODSHARE

Sharing for AccountingPeriod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACCREDITATION

Represents the professional accreditations of a facility. For example, a joint commission accredits a facility as a general acute care hospital.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Accreditation in the *Life Sciences Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AccreditationRating	Accreditation Rating	picklist		40		
AccreditingBody	Accrediting Body	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
HealthcareFacilityId	Healthcare Facility ID	reference		18		
HealthcareProviderId	Healthcare Provider ID	reference		18		
Id	Accreditation ID	id		18		
IsDeleted	Deleted	boolean				
LastFullSurveyDate	Last Full Survey Date	date				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastOnsiteSurveyDate	Last On-site Survey Date	date				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Accreditation Name	string		255		
OwnerId	Owner ID	reference		18		
PractitionerId	Contact ID	reference		18		
SourceSystem	Source System	string		64		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SourceSystemIdentifier	Source System Identifier	string		255		
Status	Status	picklist		40		
SubType	Sub-Type	picklist		40		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

ACCREDITATIONFEED

Feed tracking for Accreditation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ACCREDITATIONHISTORY

History for tracked fields of Accreditation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccreditationId	Accreditation ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Accreditation History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ACCREDITATIONSHARE

Sharing for Accreditation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACTIONCADENCE

Represents the definition of a 1 cadence.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ActionCadence in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivatedDate	Activated Date	date				
ActiveTargets	Active Targets	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		4000		
ErrorMessage	Error Message	string		255		
FolderId	Folder ID	reference		18		
FolderName	Folder Name	string		256		
Id	Cadence ID	id		18		
IsDeleted	Deleted	boolean				
IsWaitAllowedBeforeDaisyChain	Is Wait Allowed Before Daisy Chain	boolean				
LastEditedDateTime	Last Edited Date Time	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
State	State	picklist		255		
SuccessfulCompletions	Successful Completions	int	9			
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalSteps	Total Steps	int	9			
TotalTargets	Total Targets	int	9			
Type	Type	picklist		255		

ACTIONCADENCERULE

Represents the logic that a branch step uses to determine which branch an action cadence tracker follows in an action cadence. Use ActionCadenceRule to learn about a branch step, including its logic and what the next step is.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ActionCadenceRule in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionCadenceStepId	Cadence Step ID	reference		18		
ConditionLogic	Condition Logic	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
GlobalEventType	Global Event Type	string		25		
GraphState	Graph State	picklist		255		
Id	Cadence Rule ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OutcomeNextStepName	Outcome Next Step Name	string		255		
ParentRuleName	Parent Rule Name	string		255		
RuleName	Cadence Rule Name	string		255		
RuleType	Rule Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

ACTIONCADENCERULECONDITION

Represents the logic for a branch step.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ActionCadenceRuleCondition in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ActionCadenceRuleId`	Cadence Rule ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Cadence Rule Condition ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`Operator`	Operator	picklist		255		
`Resource`	Resource	string		255		
`RuleConditionName`	Cadence Rule Condition Name	string		255		
`SystemModstamp`	System Modstamp	datetime				
`Value`	Value	string		255		

ACTIONCADENCESHARE

Sharing for ActionCadence.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACTIONCADENCESTEP

Represents a step in a cadence. Use ActionCadenceStep to learn which steps belong to a cadence, and how the steps are connected to each other.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ActionCadenceStep in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionCadenceId	Cadence ID	reference		18		
AllCallsCallBackLater	All Calls Call Back Later Count	int	9			
AllCallsLeftVoicemail	All Calls Left Voicemail Count	int	9			
AllCallsMeaningfulConnect	All Calls Meaningful Connect Count	int	9			
AllCallsNotInterested	All Calls Not Interested Count	int	9			
AllCallsUncategorized	All Calls Uncategorized Count	int	9			
AllCallsUnqualified	All Calls Unqualified Count	int	9			
AllEmailsBouncedCount	All Emails Bounced Count	int	9			
AllEmailsDeliveredCount	All Emails Delivered Count	int	9			
AllEmailsHardBouncedCount	All Emails Hard Bounced Count	int	9			
AllEmailsLinkClickedCount	All Emails Link Clicked Count	int	9			
AllEmailsOpenedCount	All Emails Opened Count	int	9			
AllEmailsOutOfOfficeCount	All Emails Out Of Office Count	int	9			
AllEmailsRepliedCount	All Emails Replied Count	int	9			
AllEmailsSentCount	All Emails Sent Count	int	9			
AllEmailsSoftBouncedCount	All Emails Soft Bounced Count	int	9			
AllEmailsTrackedSentCount	All Emails Tracked Sent Count	int	9			
AllEmailsUntrackedSentCount	All Emails Untracked Sent Count	int	9			
AllManuallyCompletedCount	All Manually Completed	int	9			
AllOnTimeCompletedCount	All On Time Completed	int	9			
AllOverdueCompletedCount	All Overdue Completed	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AllSkippedCount	All Skipped	int	9			
AllTotalCallsCount	Total Calls	int	9			
BranchDefaultStepName	Branch Default Step Name	string		255		
ChainedCadenceId	Cadence ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DayGroup	Day Group	int	9			
GoToStepIntervalInMinutes	Go To Step Interval In Minutes	int	9			
GoToStepIterationLimit	Go To Step Iteration Limit	int	9			
GoToStepName	Go To StepName	string		255		
GraphState	State	picklist		255		
Id	Cadence Step ID	id		18		
IsDeleted	Deleted	boolean				
IsImmediateWakeUp	Immediate Wake Up	boolean				
IsOrphan	Orphan	boolean				
IsScheduledDueDateLocked	Is Scheduled Due Date Locked	boolean				
IsScreenFlowActive	Is Screen Flow Active	boolean				
IsStepAutomationActive	Is Step Automation Active	boolean				
IsThreaded	Send Email as Reply All	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MinuteGroup	Minute Group	int	9			
ParentStepName	Parent Step Name	string		255		
RootStepId	Cadence Step ID	reference		18		
ScheduledDaysUntilDue	Scheduled Days Until Due	int	9			
ScheduledDaysUntilStart	Scheduled Days Until Start	int	9			
ScheduledStartDelayInMinutes	Scheduled Start Delay In Minutes	int	9			
ScheduledStartTimeInMinutes	Scheduled Start Time In Minutes	int	9			
ScreenFlowReference	Screen Flow Reference	string		255		
StepAutomationReference	Step Automation Reference	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
StepComments	Step Comments	textarea		4000		
StepName	Step Name	string		255		
StepTitle	Step Title	string		255		
SubCadenceName	SubCadence Name	string		255		
SystemModstamp	System Modstamp	datetime				
TemplateId	Template ID	reference		18		
Type	Type	picklist		255		
TypeDetail	Type Detail	string		255		
UniqueEmailsLinkClickedCount	Unique Emails Link Clicked Count	int	9			
UniqueEmailsOpenedCount	Unique Emails Opened Count	int	9			
UniqueEmailsRepliedCount	Unique Emails Replied Count	int	9			
WaitTimeInSeconds	Wait Time In Seconds	int	9			

ACTIONCADENCESTEPTRACKER

Represents a step in an active cadence for a specific cadence target.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ActionCadenceStepTracker in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionCadenceId	Cadence ID	reference		18		
ActionCadenceName	Cadence Name	string		255		
ActionCadenceStepId	Cadence Step ID	reference		18		
ActionCadenceTrackerId	Cadence Tracker ID	reference		18		
ActionTakenDateTime	Action Taken Date Time	datetime				
CompletedById	User ID	reference		18		
CompletionDate	Completion Date	datetime				
CompletionReason	Completion Reason	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DueDateTime	Due Date Time	datetime				
ErrorCode	Error Code	picklist		255		
GoToStepIterationCount	Step Iteration Count	int	9			
Id	Cadence Step Tracker ID	id		18		
IsActionTaken	Is Action Taken	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ScheduledStartDateTime	Scheduled Start Date Time	datetime				
SecondsOverdue	Seconds Overdue	int	9			
State	State	picklist		255		
StepTitle	Cadence Step Title	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
StepType	Cadence Step Type	picklist		255		
SystemModstamp	System Modstamp	datetime				
TargetId	Target ID	reference		18		
WasEverPaused	Was Ever Paused	boolean				

ACTIONCADENCETRACKER

Represents an active cadence target.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ActionCadenceTracker in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionCadenceId	Cadence ID	reference		18		
CompletionDisposition	Target Disposition	picklist		40		
CompletionReason	Completion Reason	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrentStepId	Cadence Step Tracker ID	reference		18		
DaisyChainIteration	DaisyChain IterationCadence Tracker	int	9			
ErrorMessage	Error message	string		255		
ExitGlobalRuleId	Cadence Rule ID	reference		18		
Id	Cadence Tracker ID	id		18		
IsDeleted	Deleted	boolean				
IsTrackerActive	Is Cadence Tracker Active	boolean				
LastCompletedStepId	Cadence Step Tracker ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OwnerId	Owner ID	reference		18		
RelatedToAttributionType	Opportunity Attribution Type	picklist		255		
RelatedToId	Related Opportunity ID	reference		18		
ScheduledResumeDateTime	Scheduled Resume Date Time	datetime				
State	State	picklist		255		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TargetId	Target ID	reference		18		

ACTIONCADENCETRACKERSHARE

Sharing for ActionCadenceTracker.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACTIONCDNCSTPMONTHLYMETRIC

Represents the monthly engagement metrics for an action cadence step.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ActionCdncStpMonthlyMetric in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionCadenceStepId	Action Cadence Step ID	reference		18		
AllCallsCallBackLater	All Calls Call Back Later Count	int	9			
AllCallsLeftVoicemail	All Calls Left Voicemail Count	int	9			
AllCallsMeaningfulConnect	All Calls Meaningful Connect Count	int	9			
AllCallsNotInterested	All Calls Not Interested Count	int	9			
AllCallsUncategorized	All Calls Uncategorized Count	int	9			
AllCallsUnqualified	All Calls Unqualified Count	int	9			
AllEmailsBouncedCount	All Emails Bounced Count	int	9			
AllEmailsDeliveredCount	All Emails Delivered Count	int	9			
AllEmailsHardBouncedCount	All Emails Hard Bounced Count	int	9			
AllEmailsLinkClickedCount	All Emails Link Clicked Count	int	9			
AllEmailsNotDeliveredCount	All Emails Not Delivered Count	int	9			
AllEmailsOpenedCount	All Emails Opened Count	int	9			
AllEmailsOutOfOfficeCount	All Emails Out of Office Count	int	9			
AllEmailsRepliedCount	All Emails Replied Count	int	9			
AllEmailsSentCount	All Emails Sent Count	int	9			
AllEmailsSoftBouncedCount	All Emails Soft Bounced Count	int	9			
AllEmailsTrackedSentCount	All Emails Tracked Sent Count	int	9			
AllEmailsUntrackedSentCount	All Emails Untracked Sent Count	int	9			
AllTotalCallsCount	All Calls per Month	int	9			
CreatedById	Created By ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
DeliveredRecipientCount	Delivered Recipient Count	int	9			
DeliveredRecipientRate	Delivered Recipient Rate	percent			5	2
HardBounceTrackableSends	Hard Bounce Trackable Sends	int	9			
HasTemplateAssigned	Template Assigned	boolean				
HrdBncTrackableRecipientSends	Hard Bounce Trackable Recipient Sends	int	9			
Id	Cadence Step Monthly Metric ID	id		18		
IsCompoundMetric	Is Compound Metric	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LinkClickTrackableSends	Link Click Trackable Sends	int	9			
LinkClkTrackableRecipientSends	Link Click Trackable Recipient Sends	int	9			
Month	Month	date				
MonthInt	Month Int	int	9			
OooTrackableRecipientSends	Out Of Office Trackable Recipient Sends	int	9			
OpenTrackableRecipientSends	Open Trackable Recipient Sends	int	9			
OpenTrackableSends	Open Trackable Sends	int	9			
OutOfOfficeTrackableSends	Out Of Office Trackable Sends	int	9			
RecipientReplies	Recipient Replies	int	9			
RecipientSends	Recipient Sends	int	9			
RecipientsHardBounced	Recipients Hard Bounced	int	9			
RecipientsOutOfOffice	Recipients Out Of Office	int	9			
RecipientsSoftBounced	Recipients Soft Bounced	int	9			
ReplyTrackableRecipientSends	Reply Trackable Recipient Sends	int	9			
ReplyTrackableSends	Reply Trackable Sends	int	9			
SftBncTrackableRecipientSends	Soft Bounce Trackable Recipient Sends	int	9			
SoftBounceTrackableSends	Soft Bounce Trackable Sends	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SomeEmailsDeliveredCount	Some Emails Delivered Count	int	9			
SomeEmailsDeliveredRate	Some Emails Delivered Rate	percent			5	2
SystemModstamp	System Modstamp	datetime				
TemplateId	Template ID	reference		18		
TrackableRecipientSendHrdBncRt	Trackable Recipient Send Hard Bounce Rate	percent			5	2
TrackableRecipientSendOooRate	Trackable Recipient Send Out of Office Rate	percent			5	2
TrackableRecipientSendReplyRt	Trackable Recipient Send Reply Rate	percent			5	2
TrackableRecipientSendSftBncRt	Trackable Recipient Send Soft Bounce Rate	percent			5	2
TrackableSendHardBounceRate	Trackable Send Hard Bounce Rate	percent			5	2
TrackableSendLinkClickRate	Trackable Send Link Click Rate	percent			5	2
TrackableSendOpenRate	Trackable Send Open Rate	percent			5	2
TrackableSendOutOfOfficeRate	Trackable Send Out Of Office Rate	percent			5	2
TrackableSendReplyRate	Trackable Send Reply Rate	percent			5	2
TrackableSendSoftBounceRate	Trackable Send Soft Bounce Rate	percent			5	2
UniqueEmailsLinkClickedCount	Unique Emails Link Clicked per Month	int	9			
UniqueEmailsOpenedCount	Unique Emails Opened per Month	int	9			
UniqueEmailsRepliedCount	Unique Emails Replied per Month	int	9			

ACTIONLINKGROUPTEMPLATE

Action link templates let you reuse action link definitions and package and distribute action links. An action link is a button on a feed element. Clicking on an action link can take a user to another Web page, initiate a file download, or invoke an API call to an external server or Salesforce. Use action links to integrate Salesforce and third-party services into the feed. Every action link belongs to an action link group and action links within the group are mutually exclusive. This object is available in API version 33.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ActionLinkGroupTemplate in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Category`	Category	picklist		255		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Developer Name	string		80		
`ExecutionsAllowed`	Executions Allowed	picklist		255		
`HoursUntilExpiration`	Hours until Expiration	int	9			
`Id`	Action Link Group Template ID	id		18		
`IsDeleted`	Deleted	boolean				
`IsPublished`	Published	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Name	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`SystemModstamp`	System Modstamp	datetime				

ACTIONLINKTEMPLATE

Action link templates let you reuse action link definitions and package and distribute action links. An action link is a button on a feed element. Clicking an action link can take a user to another Web page, initiate a file download, or invoke an API call to an external server or Salesforce. Use action links to integrate Salesforce and third-party services into the feed. This object is available in API version 33.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ActionLinkTemplate in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionLinkGroupTemplateId	Action Link Group Template ID	reference		18		
ActionUrl	Action URL	textarea		32000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Headers	HTTP Headers	textarea		32000		
Id	Action Link Template ID	id		18		
IsConfirmationRequired	Confirmation Required	boolean				
IsDeleted	Deleted	boolean				
IsGroupDefault	Default Link in Group	boolean				
Label	Label	string		255		
LabelKey	Label Key	string		128		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LinkType	Action Type	picklist		255		
Method	HTTP Method	picklist		255		
Position	Position	int	9			
RequestBody	HTTP Request Body	textarea		32000		
SystemModstamp	System Modstamp	datetime				
UserAlias	Custom User Alias	string		128		
UserVisibility	User Visibility	picklist		255		

ACTIONPLAN

Represents the instance of an action plan, a set of tasks created from an action plan template. This object is available in API version 44.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ActionPlan in the *Emergency Response Management Object Reference*, *Life Sciences Cloud Developer Guide*, *Object Reference for the Salesforce Platform*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionPlanState	Status	picklist		40		
ActionPlanTemplateVersionId	Action Plan Template Version ID	reference		18		
ActionPlanType	Action Plan Type	picklist		255		
ActualEndDate	Actual End Date	date				
ActualStartDate	Actual Start Date	date				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDate	End Date	date				
Id	Action Plan ID	id		18		
IsDeleted	Deleted	boolean				
IsUsingHolidayHours	Skip Nonwork Days	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RecordCreationType	Record Creation Type	picklist		255		
RecurringScheduleId	Recurrence Schedule ID	reference		18		
ScheduleFrequency	Schedule Frequency	string		50		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ShouldAllowOverride	Should Allow Override	boolean				
StartDate	Start Date	date				
StatusCode	Status Code	picklist		255		
SystemModstamp	System Modstamp	datetime				
TargetId	Target Record ID	reference		18		

ACTIONPLANFEED

Feed tracking for ActionPlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ACTIONPLANITEM

Represents the instance of an action plan item.This object is available in API version 44.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ActionPlanItem in the *Life Sciences Cloud Developer Guide*, *Object Reference for the Salesforce Platform*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionPlanId	Action Plan ID	reference		18		
ActionPlanTemplateItemId	Action Plan Template Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DependencyStatus	Dependency Status	picklist		255		
DisplayOrder	Display Order	int	9			
Id	Action Plan Item ID	id		18		
IsDeleted	Deleted	boolean				
IsRequired	Required	boolean				
ItemEntityType	Item Entity Type	picklist		255		
ItemId	Action Plan Item ID	reference		18		
ItemState	Action Plan Item State	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Action Plan Item Name	string		255		
SystemModstamp	System Modstamp	datetime				

ACTIONPLANSHARE

Sharing for ActionPlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACTIONPLANTEMPLATE

Represents the instance of an action plan template. This object is available in API version 44.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ActionPlanTemplate in the *Education Cloud Developer Guide*, *Emergency Response Management Object Reference*, *Life Sciences Cloud Developer Guide*, *Object Reference for the Salesforce Platform*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionPlanType	Action Plan Type	picklist		255		
Category	Category	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		255		
EstimatedCompletionDays	Estimated Completion Days	int	9			
FileBasedTemplatePath	File Based Template Path	string		255		
Id	Action Plan Template ID	id		18		
IsAdHocItemCreationEnabled	Let users add items to action plans	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SourceType	Source Type	picklist		40		
Status	Status	picklist		255		
Subcategory	Subcategory	picklist		40		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TargetEntityType	Target Object	picklist		255		
UniqueName	Unique Name	string		80		

ACTIONPLANTEMPLATEASSIGNMENT

Represents a junction between an action plant template's version and the target object associated with them. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ActionPlanTemplateAssignment in the *Education Cloud Developer Guide*, *Life Sciences Cloud Developer Guide*, *Public Sector Solutions Developer Guide*, and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionPlanTemplateVersionId	Action Plan Template Version ID	reference		18		
AssociatedObjectId	Associated Object ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Action Plan Template Assignment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

ACTIONPLANTEMPLATEASSIGNMENTFEED

Feed tracking for ActionPlanTemplateAssignment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ACTIONPLANTEMPLATEASSIGNMENTHISTORY

History for tracked fields of ActionPlanTemplateAssignment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionPlanTemplateAssignmentId	Action Plan Template Assignment ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Action Plan Template Assignment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ACTIONPLANTEMPLATEITEM

Represents the instance of an item on an action plan template version. This object is available in API version 44.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ActionPlanTemplateItem in the *Life Sciences Cloud Developer Guide*, *Object Reference for the Salesforce Platform*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionPlanTemplateVersionId	Action Plan Template Version ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DisplayOrder	Display Order	int	9			
Id	Action Plan Template Item ID	id		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
IsRequired	Required	boolean				
ItemEntityType	Item Entity Type	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Item Name	string		255		
SystemModstamp	System Modstamp	datetime				
UniqueName	Unique Name	string		80		

ACTIONPLANTEMPLATEITEMVALUE

Represents the value associated with an action plan template item. This object is available in API version 44.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ActionPlanTemplateItemValue in the *Life Sciences Cloud Developer Guide*, *Object Reference for the Salesforce Platform*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionPlanTemplateItemId	Action Plan Template Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Action Plan Template Item Value ID	id		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
ItemEntityFieldName	Field Name	picklist		255		
ItemEntityType	Item Entity Type	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Item Value Name	string		255		
SystemModstamp	System Modstamp	datetime				
ValueFormula	Field Value - Dynamic	string		255		
ValueLiteral	Field Value - Static	textarea		32000		

ACTIONPLANTEMPLATESHARE

Sharing for ActionPlanTemplate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACTIONPLANTEMPLATEVERSION

Represents the version of an action plan template. This object is available in API version 44.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ActionPlanTemplateVersion in the *Life Sciences Cloud Developer Guide*, *Object Reference for the Salesforce Platform*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionPlanTemplateId	Action Plan Template ID	reference		18		
ActivationDateTime	Activation Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Action Plan Template Version ID	id		18		
InactivationDateTime	Inactivation Date	datetime				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Version Name	string		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Version	Version Number	int	2			

ACTIONPLANTMPLITMASSESSMENTIND

Represents the action plan template items and the assessment indicator definitions associated with them.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ActionPlanTmpltItmAssessmentInd in the *Consumer Goods Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionPlanTemplateItemId	Action Plan Template Item ID	reference		18		
AssessmentIndDefinitionId	Assessment Indicator Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Action Plan Template Item Assessment Indicator ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

ACTIONVISIBILITY

This object serves as a junction to connect Account or Contact to other objects so that information in those other object can be used to define visibility rules for actions in the Dynamic Actions for Unified Health Scoring component.

For more information, see ActionVisibility in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
HealthScoreId	Health Score ID	reference		18		
Id	Action Visibility ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Action Visibility Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ACTIONVISIBILITYFEED

Feed tracking for ActionVisibility.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ACTIONVISIBILITYHISTORY

History for tracked fields of ActionVisibility.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionVisibilityId	Action Visibility ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Action Visibility History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ACTIONVISIBILITYSHARE

Sharing for ActionVisibility.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACTIVATIONTARGETFEED

Feed tracking for ActivationTarget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ACTIVATIONTARGETHISTORY

History for tracked fields of ActivationTarget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivationTargetId	Partner Profile ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Activation Target History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ACTIVATIONTARGETPLATFORMHISTORY

History for tracked fields of ActivationTargetPlatform.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivationTargetPlatformId	Activation Target Platform ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Activation Target Platform History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ACTIVATIONTARGETPLATFORMSHARE

Sharing for ActivationTargetPlatform.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACTIVATIONTARGETSHARE

Sharing for ActivationTarget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACTIVATIONTRGTINTORGACCESSFEED

Feed tracking for ActivationTrgtIntOrgAccess.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ACTIVATIONTRGTINTORGACCESSHISTORY

History for tracked fields of ActivationTrgtIntOrgAccess.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivationTrgtIntOrgAccessId	Activation Target Internal Organization Access ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Activation Target Internal Organization Access History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ACTIVATIONTRGTINTORGACCESSSHARE

Sharing for ActivationTrgtIntOrgAccess.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACTIVEFEATURELICENSEMETRIC

Represents the number of active, assigned, and purchased feature licenses in the org. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ActiveFeatureLicenseMetric in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ActiveUserCount`	Active User Count	int	9			
`AssignedUserCount`	Assigned User Count	int	9			
`FeatureType`	Primary Grain	picklist		40		
`Id`	Active Feature License Metric ID	id		18		
`MetricsDate`	Metrics Date	date				
`SystemModstamp`	System Modstamp	datetime				
`TotalLicenseCount`	Total License Count	int	9			

ACTIVEPERMSETLICENSEMETRIC

Represents the number of active, assigned, and purchased permission set licenses in the org. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ActivePermSetLicenseMetric in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ActiveUserCount`	Active User Count	int	9			
`AssignedUserCount`	Assigned User Count	int	9			
`DeveloperName`	Permission Set License Developer Name	string		255		
`Id`	Active Permission Set License Metric ID	id		18		
`MasterLabel`	Permission Set License Master Label	string		255		
`MetricsDate`	Metrics Date	date				
`PermissionSetLicenseId`	Permission Set License ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`TotalLicenses`	Total License Count	int	9			

ACTIVEPROFILEMETRIC

Represents the profile associated with the active, assigned, and purchased user licenses. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ActiveProfileMetric in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ActiveUserCount`	Active User Count	int	9			
`AssignedUserCount`	Assigned User Count	int	9			
`Id`	Active Profile Metric ID	id		18		
`MetricsDate`	Metrics Date	date				
`ProfileId`	Profile ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`UserLicenseId`	User License ID	reference		18		

ACTIVESCRATCHORG

Represents an active scratch org. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ActiveScratchOrg in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		2000		
Edition	Edition	picklist		255		
ExpirationDate	Expiration Date	date				
Features	Features	textarea		10000		
HasSampleData	Has Sample Data	boolean				
Id	Active Scratch Org ID	id		18		
IsDeleted	Deleted	boolean				
LastLoginDate	Last Login Date	date				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Number	string		255		
Namespace	Namespace	string		9		
OrgName	Org Name	string		80		
OwnerId	Owner ID	reference		18		
ScratchOrg	Scratch Org ID	string		15		
ScratchOrgInfoId	Scratch Org Info ID	reference		18		
SignupEmail	Email	email		80		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SignupInstance	Instance	string		8		
SignupTrialDays	Active Days	int	9			
SignupUsername	Username	string		80		
Snapshot	Snapshot	string		80		
SystemModstamp	System Modstamp	datetime				

ACTIVESCRATCHORGFEED

Feed tracking for ActiveScratchOrg.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ACTIVESCRATCHORGHISTORY

History for tracked fields of ActiveScratchOrg.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActiveScratchOrgId	Active Scratch Org ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Active Scratch Org History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ACTIVESCRATCHORGSHARE

Sharing for ActiveScratchOrg.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACTIVITYFIELDHISTORY

Represents a change in a field value for a tracked object or field. This object is a big object. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ActivityFieldHistory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivityId	Task or Event ID	reference		18		
ChangedById	User ID	reference		18		
ChangedDate	Changed Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Data Type	picklist		255		
FieldName	Field	string		120		
Id	Entity History ID	id		18		
IsDataAvailable	Data Available	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
NewValueDateTime	New Date	datetime				
NewValueNumber	New Number Val	double			18	0
NewValueText	New String Val	string		4000		
OldValueDateTime	Old Date	datetime				
OldValueNumber	Old Number Val	double			18	0
OldValueText	Old String Val	string		4000		
Operation	Change Operation	picklist		255		
SystemModstamp	System Modstamp	datetime				

ACTIVITYHISTORY

This read-only object is displayed in a related list of closed activities—past events and closed tasks—related to an object. It includes activities for all contacts related to the object. ActivityHistory fields for phone calls are only available if your organization uses Salesforce CRM Call Center.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ActivityHistory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActivityDate	Date	date				
ActivityDateTime	Time	datetime				
ActivitySubtype	Activity Subtype	picklist		40		
ActivityType	Type	picklist		40		
AlternateDetailId	Email Message ID	reference		18		
CallDisposition	Call Result	string		255		
CallDurationInSeconds	Call Duration	int	8			
CallObject	Call Object Identifier	string		255		
CallType	Call Type	picklist		40		
CompletedDateTime	Completed Date/Time	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Comments	textarea		32000		
DurationInMinutes	Duration	int	9			
EndDateTime	End	datetime				
Id	Activity ID	id		18		
IsAllDayEvent	All-Day Event	boolean				
IsClosed	Closed	boolean				
IsDeleted	Deleted	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsHighPriority	High Priority	boolean				
IsReminderSet	Reminder Set	boolean				
IsTask	Task	boolean				
IsVisibleInSelfService	Public	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Location	Location	string		80		
OwnerId	Assigned To ID	reference		18		
Priority	Priority	picklist		20		
ReminderDateTime	Reminder Date/Time	datetime				
StartDateTime	Start	datetime				
Status	Status	picklist		255		
Subject	Subject	combobox		80		
SystemModstamp	System Modstamp	datetime				
WhatId	Related To ID	reference		18		
WhoId	Name ID	reference		18		

ACTIVITYMETRIC

Represents activities that were added to Salesforce automatically by Einstein Activity Capture and manually by users.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ActivityMetric in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BaseId	Parent ID	reference		18		
BaseType	Parent Type	string		80		
FirstCallDateTime	First Call Date	datetime				
FirstEmailDateTime	First Email Date	datetime				
Id	Activity Metric ID	id		18		
InactiveDays	Inactive Days	int	9			
IsDeleted	Deleted	boolean				
LastActivityDateLastModDate	Update Date for Last Activity Date	datetime				
LastActivityDateTime	Last Activity Date	datetime				
LastCallDateLastModDate	Update Date for Last Call Date	datetime				
LastCallDateTime	Last Call Date	datetime				
LastEmailDateLastModDate	Update Date for Last Email Date	datetime				
LastEmailDateTime	Last Email Date	datetime				
LastEmailReceivedDateLastModDate	Update Date for Last Email Received Date	datetime				
LastEmailReceivedDateTime	Last Email Received Date	datetime				
LastEmailSentDateLastModDate	Update Date for Last Email Sent Date	datetime				
LastEmailSentDateTime	Last Email Sent Date	datetime				
LastEventDateLastModDate	Update Date for Last Event Date	datetime				
LastEventDateTime	Last Event Date	datetime				
LastModifiedDate	Last Modified Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastTaskDateLastModDate	Update Date for Last Task Date	datetime				
LastTaskDateTime	Last Task Date	datetime				
NextActivityDateLastModDate	Update Date for Next Activity Date	datetime				
NextActivityDateTime	Next Activity Date	datetime				
SystemModstamp	System Modstamp	datetime				

ACTIVITYTIMING

Represents detailed information about an activity that's repeated in regular intervals over a period of time. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ActivityTiming in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivityCountPerRepetition	Activity Count in Repetition Cycle	double			18	2
ActivityDuration	Activity Duration	double			18	2
ActivityDurationUnitId	Unit of Measure ID	reference		18		
ActivityTime	Activity Time	multipicklist		4099	0	
ActivityTimeOffset	Activity Time Offset	int	9			
CountInPeriod	Activity Count in Period	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Activity Timing ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaxActivityCountPerRepetition	Maximum Activity Count in Repetition Cycle	int	9			
MaxActivityDuration	Maximum Activity Duration	double			18	2
MaxCountInPeriod	Maximum Activity Count in Period	int	9			
MaxRepetitionCycleLength	Maximum Repetition Cycle Length	double			18	2
Name	Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OwnerId	Owner ID	reference		18		
PeriodEndDateTime	Period End Date	datetime				
PeriodLength	Period Length	int	9			
PeriodLengthLowerLimit	Period Length Lower Limit	double			18	2
PeriodLengthUnitId	Unit of Measure ID	reference		18		
PeriodLengthUpperLimit	Period Length Upper Limit	double			18	2
PeriodStartDateTime	Period Start Date	datetime				
RepetitionCycleLength	Repetition Cycle Length	double			18	2
RepetitionCycleUnitId	Unit of Measure ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System ID	string		255		
SourceSystemModified	Source System Modified	datetime				
SystemModstamp	System Modstamp	datetime				
TimingCodeId	Code Set ID	reference		18		
UsageType	Usage Type	picklist		255		
WeeklyActivityTimeId	Operating Hour ID	reference		18		

ACTIVITYTIMINGFEED

Feed tracking for ActivityTiming.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ACTIVITYTIMINGHISTORY

History for tracked fields of ActivityTiming.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivityTimingId	Activity Timing ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Activity Timing History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ACTIVITYTIMINGSHARE

Sharing for ActivityTiming.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ACTIVITYUSRCONNECTIONSTATUS

Represents the status of the email connections for Einstein Activity Capture users. You can also see whether users accepted the required terms of service to capture emails.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ActivityUsrConnectionStatus in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConfigurationName	Configuration Name	string		18		
ConnectivityStatus	Connection Status	picklist		255		
ContactsSynced	Number of contacts synced	int	9			
EmailAddress	Email Address	string		18		
EventsSynced	Number of events synced	int	9			
ExternalId	External Id	string		255		
GlobalOauthTermsState	GlobalOauth Terms State	picklist		255		
Id	ActivityUsrConnectionStatus Id	id		18		
IsTermsOfServiceAccepted	Is Terms Of Service Accepted	boolean				
RecommendedActionDescription	Recommended Action Description	string		755		
RecommendedActionTitle	Recommended Action Title	string		255		
UserId	User Id	string		18		
UserName	User Name	string		18		
UserOnboardingStatus	User Onboarding Status	string		18		

ACTVTGTPLATFORMFIELDVALUEHISTORY

History for tracked fields of ActvTgtPlatformFieldValue.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActvTgtPlatformFieldValueId	Activation Target Platform Field Value ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Activation Target Platform Field Value History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ACTVTGTPLATFORMFIELDVALUESHARE

Sharing for ActvTgtPlatformFieldValue.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ADAVAILABILITYVIEWCONFIG

Represents configuration table for storing configurations, filters, and legend colors active in the calender view for corresponding pivots and media types. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AdAvailabilityViewConfig in the *Media Cloud Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConfigurationKey	Configuration Key	string		255		
ConfigurationType	Configuration Type	picklist		40		
ConfigurationValue	Configuration Value	textarea		32000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Ad Availability View Configuration ID	id		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MediaType	Media Type	picklist		40		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PivotOn	Pivot On	picklist		40		
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		255		

ADAVAILABILITYVIEWCONFIGFEED

Feed tracking for AdAvailabilityViewConfig.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ADAVAILABILITYVIEWCONFIGHISTORY

History for tracked fields of AdAvailabilityViewConfig.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdAvailabilityViewConfigId	Ad Availability View Configuration ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Ad Availability View Configuration History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ADAVAILABILITYVIEWCONFIGSHARE

Sharing for AdAvailabilityViewConfig.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ADDITIONALNUMBER

Represents an optional additional number for a call center. This additional number is visible in the call center's phone directory.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AdditionalNumber in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CallCenterId	Call Center ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Additional Directory Number ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		80		
Phone	Phone	phone		40		
SystemModstamp	System Modstamp	datetime				

ADDRESS

Represents a mailing, billing, or home address.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Address in the *Energy and Utilities Cloud Developer Guide*, *Field Service Developer Guide*, *Life Sciences Cloud Developer Guide*, *Object Reference for the Salesforce Platform*, and *Work.com Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Address	Address	address				
AddressType	Address Type	picklist		40		
City	City	string		40		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
DrivingDirections	Driving Directions	string		1000		
Floor	Floor	string		50		
GeocodeAccuracy	Geocode Accuracy	picklist		40		
HouseNumberSupplement	House Number Supplement	string		255		
Id	Address ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
LocationType	Location Type	picklist		40		
Longitude	Longitude	double			18	15

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Name	Name	string		255		
ParentId	Parent ID	reference		18		
PostalCode	Zip/Postal Code	string		20		
State	State/Province	string		80		
Street	Address	textarea		255		
StreetSupplement1	Street Supplement 1	string		255		
StreetSupplement2	Street Supplement 2	string		255		
SystemModstamp	System Modstamp	datetime				
TimeZone	Time Zone	picklist		255		
UnitNumber	Unit Number	string		50		

ADDRESSHISTORY

History for tracked fields of Address.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AddressId	Address ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Address History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ADVACCOUNTFORECASTFACT

Represents information about the generated advanced account forecast records. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AdvAccountForecastFact in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AdvAcctForecastSetPartnerId	Advanced Account Forecast Set Partner ID	reference		18		
AdvAcctForecastSetUseId	Advanced Account Forecast Set Use ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ForecastedQuantity	Forecasted Quantity	double			18	6
ForecastedRevenue	Forecasted Revenue	currency			14	2
Id	Advanced Account Forecast Fact ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LastYearOrderQuantity	Last Year Order Quantity	double			18	6
LastYearOrderRevenue	Last Year Order Revenue	currency			14	2
Name	Name	string		255		
OpportunityQuantity	Opportunity Quantity	double			18	6
OpportunityRevenue	Opportunity Revenue	currency			14	2
OrderQuantity	Order Quantity	double			18	6
OrderRevenue	Order Revenue	currency			14	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OwnerId	Owner ID	reference		18		
PeriodId	Period ID	reference		18		
PeriodStartDate	Period Start Date	date				
ProductId	Product ID	reference		18		
SalesAgreementQuantity	Sales Agreement Quantity	double			18	6
SalesAgreementRevenue	Sales Agreement Revenue	currency			14	2
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

ADVACCOUNTFORECASTFACTFEED

Feed tracking for AdvAccountForecastFact.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ADVACCOUNTFORECASTFACTHISTORY

History for tracked fields of AdvAccountForecastFact.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdvAccountForecastFactId	Advanced Account Forecast Fact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Advanced Account Forecast Fact History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ADVACCOUNTFORECASTFACTSHARE

Sharing for AdvAccountForecastFact.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ADVACCOUNTFORECASTPERIOD

Represents information about the periods for which advanced account forecasting is applied.

For more information, see AdvAccountForecastPeriod in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DisplayDuration`	Display Duration	int	9			
`ForecastPeriodGroupId`	Advanced Account Forecast Period Group ID	reference		18		
`Id`	Advanced Account Forecast Period ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`SequenceNumber`	Sequence Number	int	9			
`SystemModstamp`	System Modstamp	datetime				
`Type`	Type	picklist		255		

ADVACCOUNTFORECASTSET

Represents a collection of fields to set up an advanced account forecast set.

For more information, see AdvAccountForecastSet in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountFieldName	Custom Field Definition ID	picklist		255		
CalculationFrequency	Calculation Frequency	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
DeveloperName	Name	string		80		
ForecastFactObjectName	Custom Object Definition ID	picklist		255		
ForecastPeriodGroupId	Advanced Account Forecast Period Group ID	reference		18		
ForecastQuantityFieldName	Custom Field Definition ID	picklist		255		
ForecastRevenueFieldName	Custom Field Definition ID	picklist		255		
ForecastSetFieldName	Custom Field Definition ID	picklist		255		
ForecastSetName	Forecast Set Name	string		80		
ForecastStatusFieldName	Custom Field Definition ID	picklist		255		
GenerationDpeDefNameId	Batch Calculation Job Definition ID	reference		18		
Id	Advanced Account Forecast Set ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
PeriodFieldName	Custom Field Definition ID	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RecalculateDpeDefNameId	Batch Calculation Job Definition ID	reference		18		
RegenerationDpeDefNameId	Batch Calculation Job Definition ID	reference		18		
RolloverDpeDefNameId	Batch Calculation Job Definition ID	reference		18		
RolloverFrequency	Rollover Frequency	picklist		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

ADVACCTFORECASTADJPERIOD

Represents details about the adjustment period of the advanced account forecast values.

For more information, see AdvAcctForecastAdjPeriod in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`AdjustmentDayCount`	Adjustment Day Count	int	9			
`AdvAccountForecastSetId`	Advanced Account Forecast Set ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Frequency`	Frequency	picklist		255		
`Id`	Advanced Account Forecast Adjustment Period ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`ProfileId`	Profile ID	reference		18		
`StartDay`	Start Day	int	9			
`SystemModstamp`	System Modstamp	datetime				

ADVACCTFORECASTDIMSOURCE

Represents information about the dimensions that can be used by advanced account forecast sets to generate advanced account forecast records.

For more information, see AdvAcctForecastDimSource in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdvAcctForecastDimSrcName	Name	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Advanced Account Forecast Dimension Source ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
SourceObjectName	Custom Object Definition ID	picklist		255		
SystemModstamp	System Modstamp	datetime				

ADVACCTFORECASTDIMENSION

Represents information about the dimensions selected for an advanced account forecast set.

For more information, see AdvAcctForecastDimension in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdvAcctForecastDimName	Name	string		80		
AdvAcctForecastDimSourceId	Advanced Account Forecast Dimension Source ID	reference		18		
AdvAcctForecastSetId	Advanced Account Forecast Set ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DimensionFieldName	Custom Field Definition ID	picklist		255		
HierarchySequenceNumber	Hierarchy Sequence Number	int	9			
Id	Advanced Account Forecast Dimension ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				

ADVACCTFORECASTFACTADJ

Represents information about adjustments made to advanced account forecast fact records. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AdvAcctForecastFactAdj in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustedById	User ID	reference		18		
AdvAcctForecastFactId	Advanced Account Forecast Fact ID	reference		18		
Comment	Comment	textarea		2000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Advanced Account Forecast Fact Adjustment ID	id		18		
InitialValue	Initial Value	double			18	6
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UpdatedValue	Updated Value	double			18	6

ADVACCTFORECASTFACTADJSHARE

Sharing for AdvAcctForecastFactAdj.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ADVACCTFORECASTMEASUREDEF

Represents information about the measures to be displayed in the advanced account forecasts grid for the forecast set.

For more information, see AdvAcctForecastMeasureDef in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdvAccountForecastSetId	Advanced Account Forecast Set ID	reference		18		
AdvAcctForecastMeasureDefName	Name	string		80		
AggregationType	Aggregation Type	picklist		255		
ComputationMethod	Computation Method	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ForecastDataMeasureName	Forecast Data Measure Name	string		80		
ForecastMeasureName	Forecast Measure Name	string		80		
ForecastMeasureType	Forecast Measure Type	picklist		255		
Id	Advanced Account Forecast Measure Definition ID	id		18		
IsAdjustmentTracked	Track Adjustments	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				

ADVACCTFORECASTPERIODGROUP

Represents information about advanced account forecast period records. This is the parent object of all the related advanced account forecast period records.

For more information, see AdvAcctForecastPeriodGroup in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Name	string		80		
`ForecastPeriodGroupName`	Name	string		80		
`Id`	Advanced Account Forecast Period Group ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Label	string		80		
`StartPeriod`	Start Period	int	9			
`Status`	Status	picklist		255		
`SystemModstamp`	System Modstamp	datetime				

ADVACCTFORECASTSETPARTNER

Represents a junction between an advanced account forecast set and an account. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AdvAcctForecastSetPartner in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalReferenceNumber	External Reference Number	string		80		
Id	Advanced Account Forecast Set Partner ID	id		18		
IsDeleted	Deleted	boolean				
LastCalculationDate	Last Calculation Date	date				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

ADVACCTFORECASTSETPARTNERFEED

Feed tracking for AdvAcctForecastSetPartner.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ADVACCTFORECASTSETPARTNERHISTORY

History for tracked fields of AdvAcctForecastSetPartner.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdvAcctForecastSetPartnerId	Advanced Account Forecast Set Partner ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Advanced Account Forecast Set Partner History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ADVACCTFORECASTSETPARTNERSHARE

Sharing for AdvAcctForecastSetPartner.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ADVACCTFORECASTSETUSE

Represents a junction between an advanced account forecast set and another object whose record serves as the context for generating forecasts. For example, a manufacturing program or a Sustainability Cloud object's record can be the context for generating forecasts. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AdvAcctForecastSetUse in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`ExternalReferenceNumber`	External Reference Number	string		80		
`ForecastContextId`	Forecast Context ID	reference		18		
`Id`	Advanced Account Forecast Set Use ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastCalculationDate`	Last Calculation Date	date				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`OwnerId`	Owner ID	reference		18		
`Status`	Status	picklist		255		
`SystemModstamp`	System Modstamp	datetime				

ADVACCTFORECASTSETUSEFEED

Feed tracking for AdvAcctForecastSetUse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ADVACCTFORECASTSETUSEHISTORY

History for tracked fields of AdvAcctForecastSetUse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdvAcctForecastSetUseId	Advanced Account Forecast Set Use ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Advanced Account Forecast Set Use History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ADVACCTFORECASTSETUSESHARE

Sharing for AdvAcctForecastSetUse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ADVACCTFRCSTDISPLAYGROUP

Represents information about the groups for the advanced account forecast set measures or dimensions.

For more information, see AdvAcctFrcstDisplayGroup in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdvAccountForecastSetId	Advanced Account Forecast Set ID	reference		18		
AdvAcctFrcstDisplayGroupName	Group Name	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
GroupType	Group Type	picklist		255		
Id	Advanced Account Forecast Display Group ID	id		18		
IsDefault	Default	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				
UserProfileId	Profile ID	reference		18		

ADVACCTFRCSTDPLYGROUPITEM

Represents information about the items associated with a display group for an advanced account forecast set.

For more information, see AdvAcctFrcstDplyGroupItem in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdvAcctFrcstDisplayGroupId	Advanced Account Forecast Display Group ID	reference		18		
AdvAcctFrcstDplyGroupItemName	Item Name	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DisplayOrder	Display Order	int	9			
Id	Advanced Account Forecast Display Group Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MeasureReferenceId	Advanced Account Forecast Measure Definition ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ADVTHERAPYFIELDOPTOVERRIDE

Represents a list of fields with changed optionality, based on certain parameters. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AdvTherapyFieldOptOverride in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CountryId	Geo Country ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FieldList	Field List	textarea		131000		
Id	Advanced Therapy Field Optionality Override ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Priority	Priority	int	8			
ServiceTerritoryId	Territory ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TaskName	Task Name	string		255		
WorkProcedureId	Work Procedure ID	reference		18		
WorkTypeId	Work Type ID	reference		18		
WorkTypeStepId	Work Type Step ID	reference		18		

ADVTHERAPYFIELDOPTOVERRIDEFEED

Feed tracking for AdvTherapyFieldOptOverride.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ADVTHERAPYFIELDOPTOVERRIDEHISTORY

History for tracked fields of AdvTherapyFieldOptOverride.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdvTherapyFieldOptOverrideId	Advanced Therapy Field Optionality Override ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Advanced Therapy Field Optionality Override History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ADVTHERAPYFIELDOPTOVERRIDESHARE

Sharing for AdvTherapyFieldOptOverride.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ADVERSEEVENTACTION

Preventive actions that contributed to avoiding the adverse event or Ameliorating actions taken after the adverse event occured in order to reduce the extent of harm. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AdverseEventAction in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionCodeId	Action CodeAction Code ID	reference		18		
ActionReferenceId	Action ReferenceAction Reference ID	reference		18		
ActionType	Action Type	picklist		255		
AdverseEventEntryId	Adverse Event Entry ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Adverse Event Action ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

ADVERSEEVENTACTIONFEED

Feed tracking for AdverseEventAction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ADVERSEEVENTACTIONHISTORY

History for tracked fields of AdverseEventAction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdverseEventActionId	Adverse Event Action ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Adverse Event Action History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ADVERSEEVENTCAUSE

Describes the entity that is suspected to have caused the adverse event. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AdverseEventCause in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdverseEventEntryId	Adverse Event Entry ID	reference		18		
AssessmentMethodCodeId	Assessment Method Code ID	reference		18		
AuthoredById	Authored By ID	reference		18		
CauseCodeId	Cause Code ID	reference		18		
CauseId	Cause ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Adverse Event Cause ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Probability	Probability	picklist		40		
SystemModstamp	System Modstamp	datetime				

ADVERSEEVENTCAUSEFEED

Feed tracking for AdverseEventCause.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ADVERSEEVENTCAUSEHISTORY

History for tracked fields of AdverseEventCause.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdverseEventCauseId	Adverse Event Cause ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Adverse Event Cause History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ADVERSEEVENTCONTRIBFACTOR

The contributing factors suspected to have increased the probability or severity of the adverse event. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AdverseEventContribFactor in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdverseEventEntryId	Adverse Event Entry ID	reference		18		
ContributingFactorCodeId	Contributing Factor Code ID	reference		18		
ContributingFactorId	Contributing Factor ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Adverse Event Contributing Factor ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

ADVERSEEVENTCONTRIBFACTORFEED

Feed tracking for AdverseEventContribFactor.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ADVERSEEVENTCONTRIBFACTORHISTORY

History for tracked fields of AdverseEventContribFactor.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdverseEventContribFactorId	Adverse Event Contributing Factor ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Adverse Event Contributing Factor History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ADVERSEEVENTENTRY

Represents the event related to unintended/anticipated effects on research participants. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AdverseEventEntry in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	multipicklist		4099	0	
CauseEndDateTime	Cause End Date	datetime				
CauseStartDateTime	Cause Start Date	datetime				
ClinicalEncounterId	Clinical Encounter ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DetectedDateTime	Detected Date	datetime				
EventCodeId	Event Code ID	reference		18		
EventEndDateTime	Event End Date	datetime				
EventStartDateTime	Event Start Date	datetime				
HasSubjectDiscontinuedStudy	Subject Discountinued Study	boolean				
Id	Adverse Event Entry ID	id		18		
IsDeleted	Deleted	boolean				
IsExpected	Expected	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RecordedById	Recorded By ID	reference		18		
RecordedDateTime	Recorded Date	datetime				
RelatedAdverseEventEntryId	Adverse Event Entry ID	reference		18		
ReportingContextId	Reporting Context ID	reference		18		
Severity	Severity	picklist		40		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
Status	Status	picklist		40		
SubjectId	Subject ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

ADVERSEEVENTENTRYFEED

Feed tracking for AdverseEventEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ADVERSEEVENTENTRYHISTORY

History for tracked fields of AdverseEventEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdverseEventEntryId	Adverse Event Entry ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Adverse Event Entry History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ADVERSEEVENTENTRYSHARE

Sharing for AdverseEventEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ADVERSEEVENTOUTCOME

Type of outcome from the adverse event. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AdverseEventOutcome in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdverseEventEntryId	Adverse Event Entry ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Adverse Event Outcome ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OutcomeCodeId	Outcome Code ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ADVERSEEVENTOUTCOMEFEED

Feed tracking for AdverseEventOutcome.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ADVERSEEVENTOUTCOMEHISTORY

History for tracked fields of AdverseEventOutcome.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdverseEventOutcomeId	Adverse Event Outcome ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Adverse Event Outcome History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ADVERSEEVENTPARTY

Indicates who or what participated in the adverse event and how they were involved. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AdverseEventParty in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdverseEventEntryId	Adverse Event Entry ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Adverse Event Party ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
PartyId	PartyParty ID	reference		18		
Role	Role	picklist		40		
SystemModstamp	System Modstamp	datetime				

ADVERSEEVENTPARTYFEED

Feed tracking for AdverseEventParty.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ADVERSEEVENTPARTYHISTORY

History for tracked fields of AdverseEventParty.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdverseEventPartyId	Adverse Event Party ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Adverse Event Party History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ADVERSEEVENTSUPPORTINFO

Supporting information relevant to the event. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AdverseEventSupportInfo in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdverseEventEntryId	Adverse Event Entry ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Adverse Event Supporting Information ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SupportingInfoCodeId	Supporting Information CodeSupporting Information Code ID	reference		18		
SupportingInformationId	Supporting InformationSupporting Information ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ADVERSEEVENTSUPPORTINFOFEED

Feed tracking for AdverseEventSupportInfo.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ADVERSEEVENTSUPPORTINFOHISTORY

History for tracked fields of AdverseEventSupportInfo.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdverseEventSupportInfoId	Adverse Event Supporting Information ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Adverse Event Supporting Information History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ADVERSEEVNTRESULTINGEFFECT

Effect on the subject due to this event. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AdverseEvntResultingEffect in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdverseEventEntryId	Adverse Event Entry ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectId	Effect ID	reference		18		
Id	Adverse Event Resulting Effect ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

ADVERSEEVNTRESULTINGEFFECTFEED

Feed tracking for AdverseEvntResultingEffect.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ADVERSEEVNTRESULTINGEFFECTHISTORY

History for tracked fields of AdverseEvntResultingEffect.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdverseEvntResultingEffectId	Adverse Event Resulting Effect ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Adverse Event Resulting Effect History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

AGEBANDHLTHRSKADJFCTR

Stores the risk adjustment factor for patients and members based on the age band that they're a part of and the status of their benefits eligibility. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AgeBandHlthRskAdjFctr in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AgeBandEnd	Age Band End	double			10	4
AgeBandStart	Age Band Start	double			10	4
CmnyFullBnftDualDisabled	Community Full-Benefit-Dual Disabled	double			10	4
CmnyPartialBenefitDualAged	Community Partial-Benefit-Dual Aged	double			10	4
CmnyPartialBnftDualDsbl	Community Partial-Benefit-Dual Disabled	double			10	4
Community	Community	double			10	4
CommunityFullBnftDualAged	Community Full-Benefit-Dual Aged	double			10	4
CommunityNonDualAged	Community Non-Dual Aged	double			10	4
CommunityNonDualDisabled	Community Non-Dual Disabled	double			10	4
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EnrolleeType	Enrollee Type	picklist		255		
Gender	Gender	picklist		40		
Id	Age Band Risk Assessment Factor ID	id		18		
Institutional	Institutional	double			10	4
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PublishedYear	Published Year	int	8			
SystemModstamp	System Modstamp	datetime				

AGEBANDHLTHRSKADJFCTRFEED

Feed tracking for AgeBandHlthRskAdjFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

AGEBANDHLTHRSKADJFCTRHISTORY

History for tracked fields of AgeBandHlthRskAdjFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AgeBandHlthRskAdjFctrId	Age Band Risk Assessment Factor ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Age Band Health Risk Adjustment Factor History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

AGEBANDHLTHRSKADJFCTRSHARE

Sharing for AgeBandHlthRskAdjFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

AGENTWORK

Represents a work assignment that's been routed to an agent. If the work is transferred to another agent, a new AgentWork record is created. This object is available in API version 32.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AgentWork in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AbandonedDateTime	Abandoned Date Time	datetime				
AcceptDateTime	Accept Date	datetime				
ActiveTime	Active Time	int	9			
AcwExtensionCount	After Conversation Work Extension Count	int	9			
AcwExtensionDuration	After Conversation Work Extension Duration	int	9			
AfterConversationActualTime	After Conversation Work Actual Time	int	9			
AgentCapacityWhenDeclined	Agent Capacity when Declined	double			10	2
AgentIntCapacityWhenDeclined	Agent Interruptible Capacity when Declined	double			10	2
AssignedDateTime	Assign Date	datetime				
BotId	Bot ID	reference		18		
BotType	Bot Type	picklist		255		
CancelDateTime	Cancel Date	datetime				
CapacityPercentage	Percentage of Capacity	percent			5	2
CapacityWeight	Units of Capacity	double			10	2
CloseDateTime	Close Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DeclineDateTime	Decline Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
DeclineReason	Decline Reason	string		200		
HandleTime	Handle Time	int	9			
Id	Agent Work ID	id		18		
IsDeleted	Deleted	boolean				
IsInterruptible	Is Interruptible	boolean				
IsPreferredUserRequired	Is Preferred User Required	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OriginalGroupId	Group ID	reference		18		
OriginalQueueId	Queue ID	reference		18		
OwnerId	Owner ID	reference		18		
PausedCapacityPercentage	Percentage of Capacity for Paused Work Items	percent			5	2
PausedCapacityWeight	Units of Capacity for Paused Work Items	double			10	2
PendingServiceRoutingId	Pending Service Routing ID	reference		18		
PreferredUserId	User ID	reference		18		
PushTimeout	Push Time-Out	int	9			
PushTimeoutDateTime	Push Time-Out Date	datetime				
RequestDateTime	Request Date	datetime				
RoutingModel	Routing Model	picklist		255		
RoutingPriority	Routing Priority	int	9			
RoutingType	Routing Type	picklist		255		
ServiceChannelId	Service Channel ID	reference		18		
ShouldSkipCapacityCheck	Should Skip Capacity Check	boolean				
SpeedToAnswer	Speed To Answer	int	9			
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TransferRequesterId	User ID	reference		18		
UserId	User ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
WorkItemId	WorkItem ID	reference		18		

AGENTWORKSHARE

Sharing for AgentWork.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

AGENTWORKSKILL

Represents a skill used to route a work assignment to an agent. AgentWorkSkill is used for reporting and represents the result of a routing decision. This object is available in API version 42.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AgentWorkSkill in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AgentWorkId	Agent Work ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Agent Work Skill ID	id		18		
IsAdditionalSkill	Is Additional Skill	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
SkillId	Skill ID	reference		18		
SkillLevel	SkillLevel	double			4	2
SkillPriority	Skill Priority	int	9			
SystemModstamp	System Modstamp	datetime				
WasDropped	Was Dropped	boolean				

AIEVALUATIONSHARE

Sharing for AiEvaluation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

AIPROMPTBUILDERGENRESULTSHARE

Sharing for AiPromptBuilderGenResult.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

AIRESEARCHPROMPTRESULTSHARE

Sharing for AiResearchPromptResult.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

AIRTRAVELEMSSNFCTR

Represents the emissions factors for scope 3 commercial air travel.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AirTravelEmssnFctr in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Ch4PsgrKmLongHaulInKgCo2e	CH4/Passenger-km for Long-Haul (kg CO2e)	double			18	7
Ch4PsgrKmMediumHaulInKgCo2e	CH4/Passenger-km for Medium-Haul (kg CO2e)	double			18	7
Ch4PsgrKmShortHaulInKgCo2e	CH4/Passenger-km for Short-Haul (kg CO2e)	double			18	7
Ch4PsgrMileLongHaulInKgCo2e	CH4/Passenger-mile for Long-Haul (kg CO2e)	double			18	7
Ch4PsgrMileMediumHaulInKgCo2e	CH4/Passenger-mile for Medium-Haul (kg CO2e)	double			18	7
Ch4PsgrMileShortHaulInKgCo2e	CH4/Passenger-mile for Short-Haul (kg CO2e)	double			18	7
Co2PsgrKmLongHaulInKg	CO2/Passenger-km for Long-Haul (kg)	double			18	7
Co2PsgrKmMediumHaulInKg	CO2/Passenger-km for Medium-Haul (kg)	double			18	7
Co2PsgrKmShortHaulInKg	CO2/Passenger-km for Short-Haul (kg)	double			18	7
Co2PsgrMileLongHaulInKg	CO2/Passenger-mile for Long-Haul (kg)	double			18	7
Co2PsgrMileMediumHaulInKg	CO2/Passenger-mile for Medium-Haul (kg)	double			18	7
Co2PsgrMileShortHaulInKg	CO2/Passenger-mile for Short-Haul (kg)	double			18	7
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DistanceUnit	Distance Unit	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
EmissionFactorDataSource	Emissions Factor Data Source	textarea		32000		
EmissionFactorUpdateYear	Emissions Factor Update Year	picklist		255		
ExternalIdentifier	External Identifier	string		255		
Id	Air Travel Emissions Factor ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LongHaulMinimumDistance	Long-Haul Minimum Distance	double			18	1
MediumHaulMaximumDistance	Medium-Haul Maximum Distance	double			18	1
N2oPsgrKmLongHaulInKgCo2e	N2O/Passenger-km for Long-Haul (kg CO2e)	double			18	7
N2oPsgrKmMediumHaulInKgCo2e	N2O/Passenger-km for Medium-Haul (kg CO2e)	double			18	7
N2oPsgrKmShortHaulInKgCo2e	N2O/Passenger-km for Short-Haul (kg CO2e)	double			18	7
N2oPsgrMileLongHaulInKgCo2e	N2O/Passenger-mile for Long-Haul (kg CO2e)	double			18	7
N2oPsgrMileMediumHaulInKgCo2e	N2O/Passenger-mile for Medium-Haul (kg CO2e)	double			18	7
N2oPsgrMileShortHaulInKgCo2e	N2O/Passenger-mile for Short-Haul (kg CO2e)	double			18	7
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ReferenceDataLoadLogId	Reference Data Load Log ID	reference		18		
ShortHaulMaximumDistance	Short-Haul Maximum Distance	double			18	1
SystemModstamp	System Modstamp	datetime				

AIRTRAVELEMSSNFCTRFEED

Feed tracking for AirTravelEmssnFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

AIRTRAVELEMSSNFCTRHISTORY

History for tracked fields of AirTravelEmssnFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AirTravelEmssnFctrId	Air Travel Emissions Factor ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Air Travel Emissions Factor History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

AIRTRAVELEMSSNFCTRSHARE

Sharing for AirTravelEmssnFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

AIRTRAVELENRGYUSE

Represents the energy consumption related to air travel.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AirTravelEnrgyUse in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AirTravelEmssnFctrId	Air Travel Emissions Factor ID	reference		18		
CarbonFootprintReportDate	Carbon Footprint Report Date	date				
Ch4PassengerKmInKgCo2e	CH4/Passenger-km (kg CO2e)	double			18	7
Ch4PassengerMileInKgCo2e	CH4/Passenger-mile (kg CO2e)	double			18	7
Co2PassengerKmInKg	CO2/Passenger-km (kg)	double			18	7
Co2PassengerMileInKg	CO2/Passenger-mile (kg)	double			18	7
CostCenter	Cost Center	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DestinationCity	Destination City	string		255		
DestinationCountry	Destination Country	picklist		255		
EndDate	End Date	date				
HaulLength	Haul Length	string		24		
Id	Air Travel Energy Use ID	id		18		
IsDeleted	Deleted	boolean				
IsRecordLocked	Record Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
N2oPassengerKmInKgCo2e	N2O/Passenger-km (kg CO2e)	double			18	7
N2oPassengerMileInKgCo2e	N2O/Passenger-mile (kg CO2e)	double			18	7

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Scope3CrbnFtprntId	Scope 3 Carbon Footprint ID	reference		18		
Scope3EmissionsInTco2e	Scope 3 Emissions (tCO2e)	double			18	4
Scope3EmssnSrcId	Scope 3 Emissions Source ID	reference		18		
SegmentDistance	Segment Distance	double			18	1
SegmentDistanceInMiles	Segment Distance (Miles)	double			18	1
SegmentDistanceUnit	Segment Distance Unit	picklist		255		
SourceCity	Source City	string		255		
SourceCountry	Source Country	picklist		255		
StartDate	Start Date	date				
SuplScope3Emissions	Supplemental Scope 3 Emissions	double			18	5
SupplierId	Supplier ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TravelerBaseCity	Traveler Base City	string		255		
TravelerBaseCountry	Traveler Base Country	picklist		255		
TravelerName	Traveler Name	string		255		
VendorProvidedEmissionsInTco2e	Vendor-Provided Emissions (tCO2e)	double			16	6

AIRTRAVELENRGYUSEFEED

Feed tracking for AirTravelEnrgyUse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

AIRTRAVELENRGYUSEHISTORY

History for tracked fields of AirTravelEnrgyUse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AirTravelEnrgyUseId	Air Travel Energy Use ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Air Travel Energy Use History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

AIRTRAVELENRGYUSESHARE

Sharing for AirTravelEnrgyUse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ALLERGYINTOLERANCE

Represents a clinical assessment of a patient's allergy or intolerance. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AllergyIntolerance in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssertionSourceId	Assertion Source ID	reference		18		
Category	Category	multipicklist		4099	0	
ClinicalEncounterId	Clinical Encounter ID	reference		18		
CodeId	Code Set Bundle ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Allergy Intolerance ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastOccurrenceDateTime	Last Occurrence Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OnsetEndDateTime	Onset End Date	datetime				
OnsetStartDateTime	Onset Start Date	datetime				
OwnerId	Owner ID	reference		18		
PatientId	Account ID	reference		18		
RecordCreationDateTime	Record Creation Date	datetime				
RecordCreatorId	Record Creator ID	reference		18		
Severity	Severity	picklist		40		
SourceSystem	Source System	string		64		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SourceSystemIdentifier	Source System ID	string		255		
SourceSystemModified	Source System Modified	datetime				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		
VerificationStatus	Verification Status	picklist		40		

ALLERGYINTOLERANCEFEED

Feed tracking for AllergyIntolerance.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ALLERGYINTOLERANCEHISTORY

History for tracked fields of AllergyIntolerance.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AllergyIntoleranceId	Allergy Intolerance ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Allergy Intolerance History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ALLERGYINTOLERANCESHARE

Sharing for AllergyIntolerance.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ALTERNATIVEPAYMENTMETHOD

Represents a payment method that isn't cash, a debit card, or a credit card. This object defines methods that aren't defined by the CardPaymentMethod or DigitalWallet objects. Examples of alternative payment methods include CashOnDeliver, Klarna, and Direct Debit. AlternativePaymentMethod functions the same as any other type of payment method for processing transactions through a payment gateway. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AlternativePaymentMethod in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AlternativePaymentMethodNumber	Alternative Payment Method Number	string		255		
AuditEmail	Audit Email	email		80		
BankAccountHolderType	Account Ownership Type	picklist		255		
BankAccountType	Bank Account Type	string		25		
BankCode	Bank Code	string		25		
BillingFirstName	First name of the person tied to billing address	string		255		
BillingLastName	Last name of the person tied to billing address	string		255		
BillingName	Name of the person tied to billing address	string		255		
Comments	Comments	textarea		1000		
CompanyName	Company Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Email	Registered Email	email		80		
GatewayToken	Gateway Token	encryptedstring		1000		
GatewayTokenDetails	Gateway Token Details	textarea		1000		
Id	Alternative Payment Method ID	id		18		
IpAddress	IP Address	string		39		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsAutoPayEnabled	Auto Pay	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MacAddress	MAC Address	string		32		
Mandate	Mandate Text	string		255		
NickName	Nickname	string		255		
OwnerId	Owner ID	reference		18		
PaymentGatewayId	Payment Gateway ID	reference		18		
PaymentMethodAddress	Payment Method Address	address				
PaymentMethodCity	City	string		40		
PaymentMethodCountry	Country	string		80		
PaymentMethodDetails	Payment Method Details	string		255		
PaymentMethodGeocodeAccuracy	Geo Code Accuracy	picklist		40		
PaymentMethodLatitude	Latitude	double			18	15
PaymentMethodLongitude	Longitude	double			18	15
PaymentMethodPostalCode	Postal Code	string		20		
PaymentMethodState	State	string		80		
PaymentMethodStreet	Street	textarea		255		
PaymentMethodSubType	Payment Method Sub Type	string		255		
PaymentMethodType	Payment Method Type	picklist		255		
Phone	Phone	phone		40		
ProcessingMode	Processing Mode	picklist		255		
StandardEntryClassCode	Standard Entry Class Code (ACH)	picklist		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

ALTERNATIVEPAYMENTMETHODSHARE

Sharing for AlternativePaymentMethod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ANALYTICSLICENSEDASSET

Represents a licensed Analytics asset. In this context, Analytics is CRM Analytics, Sonic, or Mulesoft Data Path. Available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AnalyticsLicensedAsset in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConsumerNamespace	Consumer Namespace	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Analytics Licensed Asset ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LicenseType	License Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

ANALYTICSUSERATTRFUNCTKNSHARE

Sharing for AnalyticsUserAttrFuncTkn.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ANNOUNCEMENT

Represents a Chatter group announcement. This object is available in API version 30.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Announcement in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExpirationDate	Expiration Date	datetime				
FeedItemId	Feed Item ID	reference		18		
Id	Announcement ID	id		18		
IsArchived	Is Announcement Archived	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
SendEmails	Send Emails on Announcement	boolean				
SystemModstamp	System Modstamp	datetime				

ANNUALEMSSNINVENTORY

Represents information about a company's total carbon emissions for a particular year in metric tonnes of CO2e (tCO2e). These emissions are the sum of all the emissions in scope 1, scope 2, and scope 3 greenhouse gas categories.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AnnualEmssnInventory in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EnergyUsageCmclBldOverride	Energy Usage in Commercial Buildings Override (Kwh)	double			18	2
EnergyUsageCommercialBld	Energy Usage in Commercial Buildings (Kwh)	double			18	2
EnergyUsageDataCenters	Energy Usage in Data Centers (Kwh)	double			18	2
EnergyUsageDataCtrOverride	Energy Usage in Data Centers Override (Kwh)	double			18	2
Id	Annual Emissions Inventory ID	id		18		
IsDeleted	Deleted	boolean				
IsRecordLocked	Record Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RenewableEnergyUsagePctCmclBld	Renewable Energy Usage Percentage in Commercial Buildings	percent			18	2
RenewableEnergyUsagePctDataCtr	Renewable Energy Usage Percentage in Data Centers	percent			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RenewableEnrgyPctCmclBldOvride	Renewable Energy Usage Percentage in Commercial Buildings Override	percent			18	2
RenewableEnrgyPctDataCtrOvride	Renewable Energy Usage Percentage in Data Centers Override	percent			18	2
Scope1EmissionsDataCenters	Scope 1 Emissions from Data Centers (tCO2e)	double			18	2
Scope1EmissionsFleetVehicles	Scope 1 Emissions from Fleet Vehicles (tCO2e)	double			18	2
Scope1EmissionsPrivateJets	Scope 1 Emissions from Private Jets (tCO2e)	double			18	2
Scope1EmssnCmclBldOverride	Scope 1 Emissions from Commercial Buildings Override (tCO2e)	double			18	2
Scope1EmssnCommercialBuildings	Scope 1 Emissions from Commercial Buildings (tCO2e)	double			18	2
Scope1EmssnDataCentersOverride	Scope 1 Emissions from Data Centers Override (tCO2e)	double			18	2
Scope1EmssnPrivateJetsOverride	Scope 1 Emissions from Private Jets Override (tCO2e)	double			18	2
Scope2EmissionsFleetVehicles	Scope 2 Emissions from Fleet Vehicles (tCO2e)	double			18	2
Scope2EmissionsPrivateJets	Scope 2 Emissions from Private Jets (tCO2e)	double			18	2
Scope2EmissionsType	Scope 2 Emissions Type	picklist		255		
Scope2LocBasedEmssnCmclBld	Scope 2 Location-Based Emissions from Commercial Buildings (tCO2e)	double			18	2
Scope2LocBasedEmssnDataCtr	Scope 2 Location-Based Emissions from Data Centers (tCO2e)	double			18	2
Scope2MarketBasedEmssnCmclBld	Scope 2 Market-Based Emissions from Commercial Buildings (tCO2e)	double			18	2
Scope2MarketBasedEmssnDataCtr	Scope 2 Market-Based Emissions from Data Centers (tCO2e)	double			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Scope3EmissionsBusinessTravel	Scope 3 Emissions from Business Travel (tCO2e)	double			18	2
Scope3EmissionsCapitalGoods	Scope 3 Emissions from Capital Goods (tCO2e)	double			18	2
Scope3EmissionsDataCenters	Scope 3 Emissions from Data Centers (tCO2e)	double			18	2
Scope3EmissionsFleetVehicles	Scope 3 Emissions from Fleet Vehicles (tCO2e)	double			18	2
Scope3EmissionsFranchises	Scope 3 Emissions from Franchises (tCO2e)	double			18	2
Scope3EmissionsInvestments	Scope 3 Emissions from Investments (tCO2e)	double			18	2
Scope3EmissionsPctCapitalGoods	Scope 3 Emissions Percentage from Capital Goods	percent			18	2
Scope3EmissionsPctFranchises	Scope 3 Emissions Percentage from Franchises	percent			18	2
Scope3EmissionsPctInvestments	Scope 3 Emissions Percentage from Investments	percent			18	2
Scope3EmissionsPercentage	Scope 3 Emissions Percentage	percent			18	2
Scope3EmissionsPrivateJets	Scope 3 Emissions from Private Jets (tCO2e)	double			18	2
Scope3EmissionsWasteGenInOper	Scope 3 Emissions from Waste Generated in Operations (tCO2e)	double			18	2
Scope3EmssnCapitalGoodsOvride	Scope 3 Emissions from Capital Goods Override (tCO2e)	double			18	2
Scope3EmssnCmclBldOverride	Scope 3 Emissions from Commercial Buildings Override (tCO2e)	double			18	2
Scope3EmssnCommercialBuildings	Scope 3 Emissions from Commercial Buildings (tCO2e)	double			18	2
Scope3EmssnDataCentersOverride	Scope 3 Emissions from Data Centers Override (tCO2e)	double			18	2
Scope3EmssnEmpCommutingOvride	Scope 3 Emissions from Employee Commuting Override (tCO2e)	double			18	2
Scope3EmssnEmployeeCommuting	Scope 3 Emissions from Employee Commuting (tCO2e)	double			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Scope3EmssnFranchisesOverride	Scope 3 Emissions from Franchises Override (tCO2e)	double			18	2
Scope3EmssnInvestmentsOverride	Scope 3 Emissions from Investments Override (tCO2e)	double			18	2
Scope3EmssnPctBusinessTravel	Scope 3 Emissions Percentage from Business Travel	percent			18	2
Scope3EmssnPctDnstrmTrnspDstr	Scope 3 Emissions Percentage from Downstream Transportation and Distribution	percent			18	2
Scope3EmssnPctEmpCommuting	Scope 3 Emissions Percentage from Employee Commuting	percent			18	2
Scope3EmssnPctUpstrmLeasedAsst	Scope 3 Emissions Percentage from Upstream Leased Assets	percent			18	2
Scope3EmssnPctUseOfSoldPrdct	Scope 3 Emissions Percentage from Use of Sold Products	percent			18	2
Scope3EmssnUseOfSoldProducts	Scope 3 Emissions from Use of Sold Products (tCO2e)	double			18	2
Scope3UncategorizedEmissions	Scope 3 Uncategorized Emissions (tCO2e)	double			18	2
Scp1EmssnFleetVehiclesOverride	Scope 1 Emissions from Fleet Vehicles Override (tCO2e)	double			18	2
Scp1EmssnWstGenInTco2e	Scope 1 Emissions from Waste Generated (tCO2e)	double			18	2
Scp1EmssnWstGenOvrideInTco2e	Scope 1 Emissions from Waste Generated Override (tCO2e)	double			18	2
Scp2EmssnFleetVehiclesOverride	Scope 2 Emissions from Fleet Vehicles Override (tCO2e)	double			18	2
Scp2EmssnPrivateJetsOverride	Scope 2 Emissions from Private Jets Override (tCO2e)	double			18	2
Scp2LocBsdEmssnCmclBldOverride	Scope 2 Location-Based Emissions from Commercial Buildings Override (tCO2e)	double			18	2
Scp2LocBsdEmssnDataCtrOvride	Scope 2 Location-Based Emissions from Data Centers Override (tCO2e)	double			18	2
Scp2MktBsdEmssnCmclBldOverride	Scope 2 Market-Based Emissions from Commercial Buildings Override (tCO2e)	double			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Scp2MktBsdEmssnDataCtrOverride	Scope 2 Market-Based Emissions from Data Centers Override (tCO2e)	double			18	2
Scp3EmssnBusinessTravelOvride	Scope 3 Emissions from Business Travel Override (tCO2e)	double			18	2
Scp3EmssnDnstrmLeasedAssets	Scope 3 Emissions from Downstream Leased Assets (tCO2e)	double			18	2
Scp3EmssnDnstrmLeasedAstOvride	Scope 3 Emissions from Downstream Leased Assets Override (tCO2e)	double			18	2
Scp3EmssnDnstrmTrnspDstrOvride	Scope 3 Emissions from Downstream Transportation and Distribution Override (tCO2e)	double			18	2
Scp3EmssnDownstreamTrnspDstr	Scope 3 Emissions from Downstream Transportation and Distribution (tCO2e)	double			18	2
Scp3EmssnEolSoldPrdctOvride	Scope 3 Emissions from End-of-Life Treatment of Sold Products Override (tCO2e)	double			18	2
Scp3EmssnEolTreatOfSoldPrdct	Scope 3 Emissions from End-of-Life Treatment of Sold Products (tCO2e)	double			18	2
Scp3EmssnFleetVehiclesOverride	Scope 3 Emissions from Fleet Vehicles Override (tCO2e)	double			18	2
Scp3EmssnFuelEnergyActivity	Scope 3 Emissions from Fuel and Energy-Related Activity (tCO2e)	double			18	2
Scp3EmssnFuelEnrgyActvtyOvride	Scope 3 Emissions from Fuel and Energy-Related Activity Override (tCO2e)	double			18	2
Scp3EmssnPctDnstrmLeasedAssets	Scope 3 Emissions Percentage from Downstream Leased Assets	percent			18	2
Scp3EmssnPctEolTreatSoldPrdct	Scope 3 Emissions Percentage from End-of-Life Treatment of Sold Products	percent			18	2
Scp3EmssnPctFuelEnrgyActivity	Scope 3 Emissions Percentage from Fuel and Energy-Related Activity	percent			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Scp3EmssnPctProcSoldProducts	Scope 3 Emissions Percentage from Processing of Sold Products	percent			18	2
Scp3EmssnPctPurchGoodsAndSrvcs	Scope 3 Emissions Percentage from Purchased Goods and Services	percent			18	2
Scp3EmssnPctUpstrmTrnspDstr	Scope 3 Emissions Percentage from Upstream Transportation and Distribution	percent			18	2
Scp3EmssnPctWasteGenInOper	Scope 3 Emissions Percentage from Waste Generated in Operations	percent			18	2
Scp3EmssnPrivateJetsOverride	Scope 3 Emissions from Private Jets Override (tCO2e)	double			18	2
Scp3EmssnProcSoldPrdctOverride	Scope 3 Emissions from Processing of Sold Products Override (tCO2e)	double			18	2
Scp3EmssnProcSoldProducts	Scope 3 Emissions from Processing of Sold Products (tCO2e)	double			18	2
Scp3EmssnPurchGoodsAndServices	Scope 3 Emissions from Purchased Goods and Services (tCO2e)	double			18	2
Scp3EmssnPurchGoodsSrvcsOvride	Scope 3 Emissions from Purchased Goods and Services Override (tCO2e)	double			18	2
Scp3EmssnUpstreamLeasedAssets	Scope 3 Emissions from Upstream Leased Assets (tCO2e)	double			18	2
Scp3EmssnUpstreamTrnspDstr	Scope 3 Emissions from Upstream Transportation and Distribution (tCO2e)	double			18	2
Scp3EmssnUpstrmLeasedAstOvride	Scope 3 Emissions from Upstream Leased Assets Override (tCO2e)	double			18	2
Scp3EmssnUpstrmTrnspDstrOvride	Scope 3 Emissions from Upstream Transportation and Distribution Override (tCO2e)	double			18	2
Scp3EmssnUseOfSoldPrdctOvride	Scope 3 Emissions from Use of Sold Products Override (tCO2e)	double			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Scp3EmssnWasteGenInOperOvride	Scope 3 Emissions from Waste Generated in Operations Override (tCO2e)	double			18	2
Scp3UncategorizedEmssnOverride	Scope 3 Uncategorized Emissions Override (tCO2e)	double			18	2
Scp3UncatgEmssnPct	Scope 3 Uncategorized Emissions Percentage	percent			18	2
SupplementalScope3EmissionsPct	Supplemental Scope 3 Emissions Percentage	percent			18	2
SystemModstamp	System Modstamp	datetime				
TotScope2LocBasedEmssn	Total Scope 2 Location Based Emissions	double			18	2
TotScope2MarketBsdEmssn	Total Scope 2 Market Based Emissions	double			18	2
TotalEmissions	Total Emissions (tCO2e)	double			18	2
TotalScope1And2Emissions	Total Scope 1 and 2 Emissions (tCO2e)	double			18	2
TotalScope1Emissions	Total Scope 1 Emissions (tCO2e)	double			18	2
TotalScope1EmissionsOverride	Total Scope 1 Emissions Override (tCO2e)	double			18	2
TotalScope2Emissions	Total Scope 2 Emissions (tCO2e)	double			18	2
TotalScope2EmissionsOverride	Total Scope 2 Emissions Override (tCO2e)	double			18	2
TotalScope3Emissions	Total Scope 3 Emissions (tCO2e)	double			18	2
TotalScope3EmissionsOverride	Total Scope 3 Emissions Override (tCO2e)	double			18	2
TotalSuplScope3EmssnOverride	Total Supplemental Scope 3 Emissions Override (tCO2e)	double			18	2
TotalSuplScp3Emissions	Total Supplemental Scope 3 Emissions (tCO2e)	double			18	2
UniqueIdx	Unique Index	string		255		
Year	Year	picklist		255		

ANNUALEMSSNINVENTORYFEED

Feed tracking for AnnualEmssnInventory.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ANNUALEMSSNINVENTORYHISTORY

History for tracked fields of AnnualEmssnInventory.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AnnualEmssnInventoryId	Annual Emissions Inventory ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Annual Emissions Inventory History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ANNUALEMSSNINVENTORYSHARE

Sharing for AnnualEmssnInventory.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ANNUALEMSSNRDCTNTARGET

Represents information about the emissions reduction target set by a company for a particular year.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AnnualEmssnRdctnTarget in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmissionsReductionPercentage	Emissions Reduction Percentage	percent			18	2
EmssnIntensityReductionPct	Emissions Intensity Reduction Percentage	percent			18	2
Id	Annual Emissions Reduction Target ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Annual Emissions Reduction Target Name	string		255		
OtherTargetKpiChangePercentage	Other Target KPI Change Percentage	percent			18	2
OtherTargetKpiInTargetYear	Other Target KPI in Target Year	double			18	2
ParentTargetId	Emissions Reduction Target ID	reference		18		
Scope3GhgCatgTgtEmssnRdctn	Scope 3 GHG Category Target Emissions Reduction	double			18	2
Scope3GhgCatgTgtEmssnRdctnPct	Scope 3 GHG Category Target Emissions Reduction Percentage	percent			18	2
SystemModstamp	System Modstamp	datetime				
TargetEmissions	Target Emissions (tC02e)	double			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TargetEmissionsIntensity	Target Emissions Intensity	double			13	3
TargetYear	Target Year	picklist		255		

ANNUALEMSSNRDCTNTARGETFEED

Feed tracking for AnnualEmssnRdctnTarget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ANNUALEMSSNRDCTNTARGETHISTORY

History for tracked fields of AnnualEmssnRdctnTarget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AnnualEmssnRdctnTargetId	Annual Emissions Reduction Target ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Annual Emissions Reduction Target History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ANTICORRUPTIONINITSUM

Represents information about the initiatives taken by an organization to communicate and train the employee on anti-corruption policies and procedures.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AntiCorruptionInitSum in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Country	Country	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
DisclsReportingPeriodId	Disclosure Reporting Period ID	reference		18		
EmployeeType	Employee Type	picklist		40		
Id	Anti-Corruption Initiative Summary ID	id		18		
InitiativeType	Initiative Type	picklist		40		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RecipientCategory	Recipient Category	picklist		40		
RecipientCount	Recipient Count	double			10	0
RecipientPercentage	Recipient Percentage	percent			13	3
Region	Region	picklist		40		
SubsidiaryAccountId	Account ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ANTICORRUPTIONINITSUMFEED

Feed tracking for AntiCorruptionInitSum.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ANTICORRUPTIONINITSUMHISTORY

History for tracked fields of AntiCorruptionInitSum.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AntiCorruptionInitSumId	Anti-Corruption Initiative Summary ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Anti-Corruption Initiative Summary History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ANTICORRUPTIONINITSUMSHARE

Sharing for AntiCorruptionInitSum.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

APEXCLASS

Represents an Apex class.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApexClass in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiVersion	Api Version	double			18	1
Body	Body	textarea		1000000		
BodyCrc	Body CRC	double			18	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Class ID	id		18		
IsValid	Is Valid	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LengthWithoutComments	Size Without Comments	int	9			
Name	Name	string		255		
NamespacePrefix	Namespace Prefix	string		15		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

APEXCOMPONENT

Represents a definition for a custom component that can be used in a Visualforce page alongside standard components such as <apex:relatedList> and <apex:dataTable>.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApexComponent in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiVersion	Api Version	double			18	1
ControllerKey	Controller Key	string		255		
ControllerType	Controller Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		4000		
Id	Component ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Markup	Markup	textarea		1048576		
MasterLabel	Label	string		80		
Name	Name	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

APEXEMAILNOTIFICATION

Stores a Salesforce user ID or external email address to be notified when unhandled Apex exceptions occur. This object is available in API version 35.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApexEmailNotification in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Email`	email	string		255		
`Id`	ApexEmailNotification ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`SystemModstamp`	System Modstamp	datetime				
`UserId`	User ID	reference		18		

APEXLOG

Represents a debug log containing information about a transaction, including information about Apex, Visualforce, and workflow and validation rules. This object is available in API version 19.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApexLog in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Application	Application	string		64		
DurationMilliseconds	Duration (ms)	int	9			
Id	Log ID	id		18		
LastModifiedDate	Date	datetime				
Location	Location	picklist		40		
LogLength	Log Size (bytes)	int	9			
LogUserId	Log User ID	reference		18		
Operation	Operation	string		128		
Request	Request Type	string		16		
RequestIdentifier	Request ID	string		84		
StartTime	Start Time	datetime				
Status	Status	string		255		
SystemModstamp	System Modstamp	datetime				

APEXPAGE

Represents a single Visualforce page.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApexPage in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiVersion	Api Version	double			18	1
ControllerKey	Controller Key	string		255		
ControllerType	Controller Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		4000		
Id	Page ID	id		18		
IsAvailableInTouch	Available for Lightning Experience, Experience Builder sites, and the mobile app	boolean				
IsConfirmationTokenRequired	Require CSRF protection on GET requests	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Markup	Markup	textarea		1048576		
MasterLabel	Label	string		80		
Name	Name	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

APEXPAGEINFO

Represents metadata about a single Visualforce page. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApexPageInfo in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ApexPageId`	Apex Page ID	string		18		
`ApiVersion`	API Version	double			18	1
`Description`	Description	textarea		1333		
`DurableId`	Durable ID	string		255		
`Id`	Entity Id	id		18		
`IsAvailableInTouch`	Is Available In Touch	boolean				
`IsShowHeader`	Show Header	string		80		
`MasterLabel`	Master Label	string		80		
`Name`	Name	string		80		
`NameSpacePrefix`	Name Space Prefix	string		512		

APEXTESTQUEUEITEM

Represents a single Apex class in the Apex job queue. This object is available in API version 23.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApexTestQueueItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApexClassId	Class ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExtendedStatus	Status Detail	string		1000		
Id	Apex Test Queue Item ID	id		18		
ParentJobId	Apex Job ID	reference		18		
ShouldSkipCodeCoverage	Should Skip Code Coverage	boolean				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TestRunResultId	ApexTestRunResult ID	reference		18		

APEXTESTRESULT

Represents the result of an Apex test method execution. This object is available in API version 23.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApexTestResult in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApexClassId	Class ID	reference		18		
ApexLogId	Log ID	reference		18		
ApexTestRunResultId	ApexTestRunResult ID	reference		18		
AsyncApexJobId	Apex Job ID	reference		18		
Id	Apex Test Result ID	id		18		
IsTestSetup	Is Test Setup	boolean				
Message	Error Message	string		4000		
MethodName	Method Name	string		255		
Outcome	Pass/Fail	picklist		40		
QueueItemId	Apex Test Queue Item ID	reference		18		
RunTime	Run Time	int	9			
StackTrace	Stack Trace	string		4000		
SystemModstamp	System Modstamp	datetime				
TestName	Dynamic test class name	string		255		
TestNamespace	Dynamic test class namespace	string		81		
TestTimestamp	Time Started	datetime				

APEXTESTRESULTLIMITS

Captures the Apex test limits used for a particular test method execution. An instance of this object is associated with each ApexTestResult record. This object is available in API version 37.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApexTestResultLimits in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApexTestResultId	Apex Test Result ID	reference		18		
AsyncCalls	Total number of async calls	int	9			
Callouts	Total number of callouts	int	9			
Cpu	Maximum CPU time on the Salesforce servers	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Dml	Total number of DML statements issued	int	9			
DmlRows	Total number of records processed as a result of DML statements	int	9			
Email	Total number of sendEmail methods allowed	int	9			
Id	ApexTestResultLimits ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LimitContext	Limit Context	string		255		
LimitExceptions	Limit Exceptions	string		255		
MobilePush	Maximum number of push notification method calls allowed per Apex transaction	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`QueryRows`	Total number of records retrieved by SOQL queries	int	9			
`Soql`	Total number of SOQL queries issued	int	9			
`Sosl`	Total number of SOSL queries issued	int	9			
`SystemModstamp`	System Modstamp	datetime				

APEXTESTRUNRESULT

Contains summary information about all the test methods that were run in a particular Apex job. This object is available in API version 37.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApexTestRunResult in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AsyncApexJobId	Apex Job ID	reference		18		
ClassesCompleted	Number of classes completed in this test run	int	9			
ClassesEnqueued	Number of classes enqueued in this test run	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndTime	End time of the test run	datetime				
Id	ApexTestRunResult ID	id		18		
IsAllTests	allTests	boolean				
IsDeleted	Deleted	boolean				
JobName	Name of the job	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MethodsCompleted	Number of methods completed in this test run	int	9			
MethodsEnqueued	Number of methods enqueued in this test run	int	9			
MethodsFailed	Number of methods failed in this test run	int	9			
Source	Client that kicked off the test run	string		255		
StartTime	Start time of the test run	datetime				
Status	Status of the test run	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
TestSetupTime	Time(ms) spent running test setup	int	9			
TestTime	Time(ms) actually spent running tests	int	9			
UserId	User ID	reference		18		

APEXTESTSUITE

Represents a suite of Apex classes to include in a test run. A TestSuiteMembership object associates each class with the suite. This object is available in API version 36.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApexTestSuite in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Test Suite ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				
TestSuiteName	Test Suite Name	string		255		

APEXTRIGGER

Represents an Apex trigger.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApexTrigger in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiVersion	Api Version	double			18	1
Body	Body	textarea		1000000		
BodyCrc	Body CRC	double			18	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Trigger ID	id		18		
IsValid	Is Valid	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LengthWithoutComments	Size Without Comments	int	9			
Name	Name	string		255		
NamespacePrefix	Namespace Prefix	string		15		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TableEnumOrId	Custom Object Definition ID	picklist		40		
UsageAfterDelete	AfterDelete	boolean				
UsageAfterInsert	AfterInsert	boolean				
UsageAfterUndelete	AfterUndelete	boolean				
UsageAfterUpdate	AfterUpdate	boolean				
UsageBeforeDelete	BeforeDelete	boolean				
UsageBeforeInsert	BeforeInsert	boolean				
UsageBeforeUpdate	BeforeUpdate	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UsageIsBulk	IsBulk	boolean				

APEXTYPEIMPLEMENTOR

Represents Apex classes that directly or indirectly implement an interface. Using a SOQL query this object gets information about public or global classes and only global classes for installed managed packages. This object is available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApexTypeImplementor in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ApexClassId`	Class ID	reference		18		
`ClassName`	Class Name	string		81		
`ClassNamespacePrefix`	Class Namespace Prefix	string		15		
`DurableId`	Durable ID	string		255		
`Id`	Apex Type Implementor ID	id		18		
`InterfaceApexClassId`	Class ID	reference		18		
`InterfaceName`	Interface Name	string		81		
`InterfaceNamespacePrefix`	Interface Namespace Prefix	string		15		
`IsConcrete`	Is Concrete	boolean				

APIANOMALYEVENT

Track anomalies in how users make API calls. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApiAnomalyEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event ID	string		80		
EventUuid	Event UUID	string		36		
LoginKey	Login Key	string		24		
Operation	Operation	string		255		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
QueriedEntities	Queried Entities	string		1000		
ReplayId	Replay ID	string		1000		
RequestIdentifier	Request Identifier	string		255		
RowsProcessed	Rows Processed	double			18	0
Score	Score	double			12	6
SecurityEventData	Event Data	textarea		10000		
SessionKey	Session Key	string		24		
SourceIp	Source IP Address	string		255		
Summary	Summary	textarea		1000		
Uri	Uri	string		255		
UserAgent	User Agent	string		1000		
UserId	User ID	reference		18		
Username	Username	string		255		

APIANOMALYEVENTSTORE

Tracks anomalies in how users make API calls. ApiAnomalyEventStore is an object that stores the event data of ApiAnomalyEvent. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApiAnomalyEventStore in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ApiAnomalyEventNumber`	Event Name	string		255		
`CreatedDate`	Created Date	datetime				
`EvaluationTime`	Evaluation Time	double			18	0
`EventDate`	Event Date	datetime				
`EventIdentifier`	Event ID	string		80		
`Id`	API Anomaly Event Store ID	id		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`LoginKey`	Login Key	string		24		
`Operation`	Operation	string		255		
`PolicyId`	Transaction Security Policy ID	reference		18		
`PolicyOutcome`	Policy Outcome	picklist		255		
`QueriedEntities`	Queried Entities	textarea		1000		
`RequestIdentifier`	Request Identifier	string		255		
`RowsProcessed`	Rows Processed	double			18	0
`Score`	Score	double			12	6
`SecurityEventData`	Event Data	textarea		10000		
`SessionKey`	Session Key	string		24		
`SourceIp`	Source IP Address	string		255		
`Summary`	Summary	textarea		1000		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
Uri	Uri	string		255		
UserAgent	User Agent	textarea		1000		
UserId	User ID	reference		18		
Username	Username	string		255		

APIANOMALYEVENTSTOREFEED

Feed tracking for ApiAnomalyEventStore.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

APIEVENT

Tracks these user-initiated read-only API calls: query(), queryMore(), and count(). Captures API requests through SOAP API and Bulk API for the Enterprise and Partner WSDLs. Tooling API calls and API calls originating from a Salesforce mobile app aren't captured. You can use ApiEvent in a transaction security policy. ApiEvent is a big object that stores the event data of ApiEventStream. This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApiEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionName	Action Name	string		255		
AdditionalInfo	Additional Information	string		10000		
ApiType	API Type	string		80		
ApiVersion	API Version	double			18	0
Application	Application	string		255		
BotSessionIdentifier	Bot Session Identifier	string		255		
Client	Client	string		512		
ConnectedAppId	Connected App ID	reference		18		
CreatedDate	Created Date	datetime				
ElapsedTime	Elapsed Time	int	9			
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
Id	API Event ID	id		18		
LoginHistoryId	Login History ID	reference		18		
LoginKey	Login Key	string		24		
Operation	Operation	picklist		255		
Platform	Platform	string		255		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
QueriedEntities	Queried Entities	string		1000		
Query	Query	string		10000		
Records	Records	json		250000		
RelatedEventIdentifier	Related Event Identifier	string		80		
RequestIdentifier	Request Identifier	string		80		
RowsProcessed	Rows Processed	double			18	0
RowsReturned	Rows Returned	double			18	0
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
UserAgent	User Agent	string		1000		
UserId	User ID	reference		18		
Username	Username	string		255		

APIEVENTSTREAM

Tracks these user-initiated read-only API calls: query(), queryMore(), and count(). Captures API requests through SOAP API and Bulk API for the Enterprise and Partner WSDLs. Tooling API calls and API calls originating from a Salesforce mobile app aren't captured. This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApiEventStream in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionName	Action Name	string		255		
AdditionalInfo	Additional Information	string		10000		
ApiType	API Type	string		80		
ApiVersion	API Version	double			18	0
Application	Application	string		255		
BotId	Bot ID	string		18		
BotSessionIdentifier	Bot Session Identifier	string		255		
Client	Client	string		512		
ConnectedAppId	Connected Application ID	string		18		
CreatedDate	Created Date	datetime				
ElapsedTime	Elapsed Time	int	9			
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
EventUuid	Event UUID	string		36		
LoginHistoryId	Login History ID	reference		18		
LoginKey	Login Key	string		24		
Operation	Operation	picklist		255		
PlannerId	Planner ID	string		18		
Platform	Platform	string		255		
PolicyId	Transaction Security Policy ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PolicyOutcome	Policy Outcome	picklist		255		
QueriedEntities	Queried Entities	string		1000		
Query	Query	textarea		20000		
Records	Records	json		250000		
RelatedEventIdentifier	Related Event Identifier	string		80		
ReplayId	Replay ID	string		1000		
RequestIdentifier	Request Identifier	string		80		
RowsProcessed	Rows Processed	double			18	0
RowsReturned	Rows Returned	double			18	0
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
UserAgent	User Agent	string		1000		
UserId	User ID	reference		18		
Username	Username	string		255		

APPANALYTICSQUERYREQUEST

Represents a request for AppExchange App Analytics data.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AppAnalyticsQueryRequest in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AvailableSince	Available Since	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Data Type	picklist		255		
DownloadExpirationTime	Download Expiration Time	datetime				
DownloadSize	Download File Size	long	18			
DownloadUrl	Download URL	textarea		8096		
EndTime	End Time	datetime				
ErrorMessage	Error Message	string		255		
FileCompression	File Compression	picklist		255		
FileType	File Type	picklist		255		
Id	App Analytics Query Request ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Number	string		255		
OrganizationIds	Organization IDs	string		255		
PackageIds	Package IDs	string		255		
QuerySubmittedTime	Query Submitted Time	datetime				
RequestState	Request State	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
StartTime	Start Time	datetime				
SystemModstamp	System Modstamp	datetime				

APPDEFINITION

Represents the metadata of an app and its navigation items. Metadata is returned only for apps that the current user can access. This object is available in API version 43.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AppDefinition in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Description	Description	string		255		
DeveloperName	Developer Name	string		80		
DurableId	Durable ID	string		255		
HeaderColor	Header Color	string		20		
Id	App Definition ID	id		18		
IsLargeFormFactorSupported	Is Large Form Factor Supported	boolean				
IsMediumFormFactorSupported	Is Medium Form Factor Supported	boolean				
IsNavAutoTempTabsDisabled	Is Navigation Menu Automatically Create Temporary Tabs Disabled	boolean				
IsNavPersonalizationDisabled	Is Navigation Menu Personalization Disabled	boolean				
IsNavTabPersistenceDisabled	Is Clearing Workspace Tabs Enabled	boolean				
IsOmniPinnedViewEnabled	Is Omni-Channel Sidebar Enabled	boolean				
IsOverrideOrgTheme	Is Org Theme Overridden	boolean				
IsSmallFormFactorSupported	Is Small Form Factor Supported	boolean				
Label	Label	string		1000		
LogoUrl	Logo URL	url		255		
MasterLabel	Master Label	string		40		
NamespacePrefix	Namespace Prefix	string		15		
NavType	Navigation Type	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`UiType`	UI Type	picklist		255		
`UtilityBar`	Utility Bar Name	string		80		

APPEXTENSION

Represents a connection between the Field Service mobile app and another app, typically for passing record data to the Salesforce mobile app or other apps. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AppExtension in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppExtensionLabel	Label	string		255		
AppExtensionName	Name	string		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FieldServiceMobileSettingsId	Field Service Mobile Settings ID	reference		18		
Id	App Extension ID	id		18		
InstallationUrl	Installation URL	string		255		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LaunchValue	Launch Value	string		255		
ScopedToObjectTypes	Scoped To Object Types	string		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

APPFORMPRODTPRPSATTRIBUTE

Represents the attributes and values of an Application Form Product Proposal record. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AppFormProdtPrpsAttribute in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppFormProductProposalId	Application Form Product Proposal ID	reference		18		
AttributeDefinitionId	Attribute Definition ID	reference		18		
AttributeName	Name	string		255		
AttributePicklistValueId	Attribute Picklist Value ID	reference		18		
AttributeValue	Value	string		255		
CreatedById	User ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalId	External ID	string		255		
Id	Application Form Product Proposal Attribute ID	id		18		
LastModifiedById	User ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				

APPFORMPRODUCTCOLLATERALFEED

Feed tracking for AppFormProductCollateral.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

APPFORMPRODUCTCOLLATERALHISTORY

History for tracked fields of AppFormProductCollateral.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppFormProductCollateralId	Application Form Product Collateral ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Application Form Product Collateral History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

APPMENUITEM

Represents the organization's default settings for items in the app menu or App Launcher.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AppMenuItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationId	Application ID	reference		18		
CanvasAccessMethod	The configured access method for the canvas application	picklist		255		
CanvasEnabled	Is this a canvas-enabled application	boolean				
CanvasOptions	The options to hide publisher header or publisher share button	string		255		
CanvasReferenceId	The identifier used to render the canvas application.	string		18		
CanvasSelectedLocations	The selected/supported locations of the canvas application	string		255		
CanvasUrl	The canvas url for the canvas application	url		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		250		
IconUrl	Icon Url	url		255		
Id	AppMenuItem ID	id		18		
InfoUrl	Info URL	url		255		
IsAccessible	Is Accessible	boolean				
IsDeleted	Deleted	boolean				
IsRegisteredDeviceOnly	App requires a registered mobile device	boolean				
IsUsingAdminAuthorization	IsUsingAdminAuthorization	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsVisible	Is Visible	boolean				
Label	Label	string		250		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LogoUrl	Logo Image URL	url		255		
MobileAppBinaryId	ID for the related mobile app binary	string		255		
MobileAppInstallUrl	URL to install the mobile app	url		255		
MobileAppInstalledDate	Date the mobile app was most recently installed	datetime				
MobileAppInstalledVersion	Most recently installed version of the mobile app	string		255		
MobileAppVer	Version of the mobile app	string		255		
MobileDeviceType	Type of mobile device	string		255		
MobileMinOsVer	Minimum required mobile device OS version	string		255		
MobilePlatform	Mobile device OS platform	picklist		255		
MobileStartUrl	Mobile Start Url	url		255		
Name	Developer Name	string		80		
NamespacePrefix	Namespace Prefix	string		80		
SortOrder	Sort Order	int	9			
StartUrl	Start Url	url		255		
SystemModstamp	System Modstamp	datetime				
Type	App Type	picklist		255		
UserSortOrder	User Sort Order	int	9			

APPTABMEMBER

Represents the list of tabs for each of the available apps. This object is available in API version 43.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AppTabMember in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppDefinitionId	App Definition ID	string		512		
DurableId	Durable ID	string		255		
Id	App Tab Member ID	id		18		
SortOrder	Sort Order	int	9			
TabDefinitionId	Tab Definition ID	string		512		
WorkspaceDriverField	Workspace Driver Field	string		30		

APPUSAGEASSIGNMENT

Provides application context for a record. A record can have different allowed actions or different related objects when it's created for different applications. For example, a Revenue Lifecycle Management order has a related RevenueLifecycleManagement AppUsageAssignment, so Salesforce knows it can create assets for that order. Available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AppUsageAssignment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppUsageType	Application Usage Type	string		100		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Application Usage Assignment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
RecordId	Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				

APPLICANT

Specify the care program enrollee represented as an applicant. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Applicant in the *Financial Services Cloud Developer Guide* and *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ApplicationFormId	Application Form ID	reference		18		
BirthDate	Birth Date	date				
BusinessEntityName	Business Entity Name	string		255		
BusinessEntityPrimCtctId	Business Entity Primary Contact ID	reference		18		
BusinessEntityType	Business Entity Type	picklist		40		
CareProgramEnrolleeId	Care Program Enrollee ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DebtToIncomeRatio	Debt To Income Ratio	int	9			
Email	Email	email		80		
ExpenseToIncomeRatio	Expense To Income Ratio	int	9			
FirstName	First Name	string		255		
GroupExposure	Group Exposure	currency			18	2
Id	Applicant ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastName	Last Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MiddleName	Middle Name	string		255		
Name	Name	string		255		
PartyProfileId	Party Profile ID	reference		18		
Phone	Phone	phone		40		
PhoneType	Phone Type	picklist		40		
Role	Role	picklist		40		
Salutation	Salutation	picklist		40		
Stage	Stage	picklist		40		
Suffix	Suffix	string		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		
UniqueReferenceNumber	Unique Reference Number	string		255		

APPLICANTFEED

Feed tracking for Applicant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

APPLICANTHISTORY

History for tracked fields of Applicant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicantId	Applicant ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Applicant History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

APPLICATIONACTIONITEM

Stores the action items assigned to a user on an application. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApplicationActionItem in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssignedToId	Assigned To ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		255		
DueDate	Due Date	date				
Id	Application Action Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
Status	Status	picklist		40		
Subject	Subject	string		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

APPLICATIONACTIONITEMFEED

Feed tracking for ApplicationActionItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

APPLICATIONACTIONITEMHISTORY

History for tracked fields of ApplicationActionItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationActionItemId	Application Action Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Application Action Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

APPLICATIONACTIONITEMSHARE

Sharing for ApplicationActionItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

APPLICATIONCASE

This junction object stores a relationship between Case and IndividualApplication.

For more information, see ApplicationCase in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationId	Individual Application ID	reference		18		
CaseId	Case ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Application Case ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Application Case Name	string		255		
SystemModstamp	System Modstamp	datetime				

APPLICATIONCASEFEED

Feed tracking for ApplicationCase.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

APPLICATIONCASEHISTORY

History for tracked fields of ApplicationCase.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationCaseId	Application Case ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Application Case History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

APPLICATIONDECISION

Represents a final decision performed for the specified Application. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApplicationDecision in the *Education Cloud Developer Guide*, *Grantmaking Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationDecision	Application Decision	picklist		40		
ApplicationId	Application ID	reference		18		
Comment	Comment	textarea		32000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DecisionAuthorityId	User ID	reference		18		
Id	Application Decision ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PreliminaryApplicationRefId	Preliminary Application Reference ID	reference		18		
SystemModstamp	System Modstamp	datetime				

APPLICATIONDECISIONFEED

Feed tracking for ApplicationDecision.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

APPLICATIONDECISIONHISTORY

History for tracked fields of ApplicationDecision.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationDecisionId	Application Decision ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Application Decision History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

APPLICATIONDECISIONSHARE

Sharing for ApplicationDecision.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

APPLICATIONFORM

Represents the high level information of a submitted application. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApplicationForm in the *Financial Services Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
BranchUnitId	Branch Unit ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Application Form ID	id		18		
IntakeChannelType	Intake Channel Type	picklist		40		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LeadId	Lead ID	reference		18		
Name	Name	string		255		
OpportunityId	Opportunity ID	reference		18		
OwnerId	Owner ID	reference		18		
Stage	Stage	picklist		40		
SubmissionDate	Submission Date	date				
SystemModstamp	System Modstamp	datetime				
ThirdPartyLoanProviderAccountId	Account ID	reference		18		
TierType	Tier Type	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalDebtToIncomePercent	Total Debt To Income Percentage	percent			3	0
TotalIncomeToExpenseRatio	Total Income To Expense Ratio	double			18	2
TotalLoanToValuePercent	Total Loan To Value Percentage	percent			3	0
UsageType	Usage Type	picklist		255		

APPLICATIONFORMFEED

Feed tracking for ApplicationForm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

APPLICATIONFORMHISTORY

History for tracked fields of ApplicationForm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ApplicationFormId`	Application Form ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Application Form History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

APPLICATIONFORMPRODUCT

Represents a junction between an application form product and a deviation. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApplicationFormProduct in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicantVisibleStatus	Applicant Visible Status	picklist		40		
ApplicationFormId	Application Form ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DownPayment	Down Payment	currency			18	2
HasElectronicStatement	Electronic Statement	boolean				
Id	Application Form Product ID	id		18		
IsAtmCardRequired	ATM Card Required	boolean				
IsCheckbookRequired	Checkbook Required	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoanPurpose	Loan Purpose	picklist		40		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
OwnershipType	Ownership Type	picklist		40		
ProductId	Product ID	reference		18		
RequestedAmount	Requested Amount	currency			18	2
RequestedMonthlyPayment	Requested Monthly Payment	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RequestedTerm	Requested Term	int	4			
Stage	Stage	picklist		40		
SystemModstamp	System Modstamp	datetime				
TotalBrandOwnedItemAmt	Total Brand Owned Item Amount	currency			18	2
TotalVendorOwnedItemAmt	Total Vendor Owned Item Amount	currency			18	2

APPLICATIONFORMPRODUCTFEE

Represents the fees associated with an application form. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApplicationFormProductFee in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationFormProductId	Application Form Product ID	reference		18		
ApplicationFormProductProposalId	Application Form Product Proposal ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FeeAmount	Fee Amount	currency			18	2
FeeType	Fee Type	picklist		40		
Id	Application Form Product Fee ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ProductFeeId	Product Fee ID	reference		18		
SystemModstamp	System Modstamp	datetime				

APPLICATIONFORMPRODUCTFEEFEED

Feed tracking for ApplicationFormProductFee.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

APPLICATIONFORMPRODUCTFEEHISTORY

History for tracked fields of ApplicationFormProductFee.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationFormProductFeeId	Application Form Product Fee ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Application Form Product Fee History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

APPLICATIONFORMPRODUCTFEED

Feed tracking for ApplicationFormProduct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

APPLICATIONFORMPRODUCTHISTORY

History for tracked fields of ApplicationFormProduct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationFormProductId	Application Form Product ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Application Form Product History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

APPLICATIONFORMPRODUCTPROPOSAL

Represents the terms attached to a scheme to sanction the loan. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApplicationFormProductProposal in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdditionalDetails	Additional Details	textarea		131072		
Amount	Amount	currency			18	2
ApplicationFormId	Application Form ID	reference		18		
ApplicationFormProductId	Application Form Product ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Application Form Product Proposal ID	id		18		
InterestRate	Interest Rate	percent			5	2
InterestRateType	Interest Rate Type	picklist		40		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsManualReviewRequired	Manual Review Required	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MonthlyPayment	Monthly Payment	currency			18	2
Name	Name	string		255		
ProposalGenerationMethod	Proposal Generation Method	picklist		255		
SelectedBy	Selected By	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Stage	Stage	picklist		40		
SystemModstamp	System Modstamp	datetime				
Term	Term	int	9			
TotalInterest	Total Interest	currency			18	2
ValidEndDate	Valid End Date	date				
ValidStartDate	Valid Start Date	date				

APPLICATIONFORMPRODUCTPROPOSALFEED

Feed tracking for ApplicationFormProductProposal.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

APPLICATIONFORMPRODUCTPROPOSALHISTORY

History for tracked fields of ApplicationFormProductProposal.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationFormProductProposalId	Application Form Product Proposal ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Application Form Product Proposal History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

APPLICATIONFORMPRODUCTSHARE

Sharing for ApplicationFormProduct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

APPLICATIONFORMSELLERITEM

Represents a junction between an application form and a seller product. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApplicationFormSellerItem in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationFormProductId	Application Form Product ID	reference		18		
BuiltUpArea	Built Up Area	int	9			
BuiltUpAreaUnit	Built Up Area Unit	picklist		40		
ConstructionStage	Construction Stage	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EngineNumber	Engine Number	string		255		
Id	Application Form Seller Item ID	id		18		
IntendedUse	Intended Use	picklist		40		
IsDeleted	Deleted	boolean				
ItemCondition	Item Condition	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Make	Make	string		255		
Mileage	Mileage	int	9			
Model	Model	string		255		
Name	Name	string		255		
PartyFinancialAssetId	Party Financial Asset ID	reference		18		
Price	Price	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PropertyAddress	Property Address	address				
PropertyAge	Property Age	double			18	2
PropertyCity	Property City	string		40		
PropertyCountry	Property Country	string		80		
PropertyGeocodeAccuracy	Property Geocode Accuracy	picklist		40		
PropertyLatitude	Property Latitude	double			18	15
PropertyLongitude	Property Longitude	double			18	15
PropertyPostalCode	Property Postal Code	string		20		
PropertyState	Property State	string		80		
PropertyStreet	Property Street	textarea		255		
PropertyUnitIdentifier	Property Unit Identifier	string		255		
ReferenceObjectId	Reference Object ID	reference		18		
ScheduledDeliveryDate	Scheduled Delivery Date	date				
SellerId	Account ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Trim	Trim	string		255		
Type	Type	picklist		40		
VehicleIdentificationNumber	Vehicle Identification Number	string		255		
VehicleRegistrationNumber	Vehicle Registration Number	string		255		
Year	Year	int	9			

APPLICATIONFORMSELLERITEMFEED

Feed tracking for ApplicationFormSellerItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

APPLICATIONFORMSELLERITEMHISTORY

History for tracked fields of ApplicationFormSellerItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationFormSellerItemId	Application Form Seller Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Application Form Seller Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

APPLICATIONFORMSHARE

Sharing for ApplicationForm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

APPLICATIONFORMTEMPLATE

Represents the fields to capture application metadata as a template which is used in application tracking and processing. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApplicationFormTemplate in the *Energy and Utilities Cloud Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationType	Application Type	picklist		255		
ApprovalFlowName	Approval Flow Name	string		255		
ApprovalLimitAmount	Approval Limit Amount	currency			18	2
ApproverId	User ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
Id	Application Form Template ID	id		18		
IsDefault	Default	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OmniProcessId	Omni Process ID	reference		18		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

APPLICATIONFORMTEMPLATEFEED

Feed tracking for ApplicationFormTemplate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

APPLICATIONFORMTEMPLATEHISTORY

History for tracked fields of ApplicationFormTemplate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationFormTemplateId	Application Form Template ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Application Form Template History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

APPLICATIONFORMTEMPLATESHARE

Sharing for ApplicationFormTemplate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

APPLICATIONFORMTERM

Represents the terms associated with an application form for a loan or a lease. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApplicationFormTerm in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationFormId	Application Form ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveEndDate	Effective End Date	date				
EffectiveStartDate	Effective Start Date	date				
Id	Application Form Term ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ReferenceRecordId	Reference Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TermDetail	Term Detail	textarea		255		
TermId	Term ID	reference		18		

APPLICATIONFORMTERMFEED

Feed tracking for ApplicationFormTerm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

APPLICATIONFORMTERMHISTORY

History for tracked fields of ApplicationFormTerm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationFormTermId	Application Form Term ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Application Form Term History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

APPLICATIONRENDERMETHOD

Represents how a part of an application can be rendered. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApplicationRenderMethod in the *Education Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		1000		
Id	Application Render Method ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MethodName	Method Name	textarea		1000		
MethodRecordId	Method Record ID	reference		18		
MethodType	Method Type	picklist		255		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		255		

APPLICATIONRENDERMETHODFEED

Feed tracking for ApplicationRenderMethod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

APPLICATIONRENDERMETHODHISTORY

History for tracked fields of ApplicationRenderMethod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationRenderMethodId	Application Render Method ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Application Render Method History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

APPLICATIONRENDERMETHODSHARE

Sharing for ApplicationRenderMethod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

APPLICATIONREVIEW

Represents a review performed against a specified Application. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApplicationReview in the *Education Cloud Developer Guide*, *Grantmaking Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationId	Application ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Application Review ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

APPLICATIONREVIEWFEED

Feed tracking for ApplicationReview.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

APPLICATIONREVIEWHISTORY

History for tracked fields of ApplicationReview.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ApplicationReviewId`	Application Review ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Application Review History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

APPLICATIONREVIEWSHARE

Sharing for ApplicationReview.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

APPLICATIONSTAGEDEFINITION

Represents a stage of an application. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApplicationStageDefinition in the *Education Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
EditTypeAppRenderMethodId	Application Render Method ID	reference		18		
Id	Application Stage Definition ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		
ViewTypeAppRenderMethodId	Application Render Method ID	reference		18		

APPLICATIONSTAGEDEFINITIONFEED

Feed tracking for ApplicationStageDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

APPLICATIONSTAGEDEFINITIONHISTORY

History for tracked fields of ApplicationStageDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationStageDefinitionId	Application Stage Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Application Stage Definition History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

APPLICATIONSTAGEDEFINITIONSHARE

Sharing for ApplicationStageDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

APPLICATIONTIMELINE

Represents the milestone dates in the application process. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApplicationTimeline in the *Education Cloud Developer Guide*, *Grantmaking Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ApplicationCloseDate`	Application Close Date	date				
`ApplicationOpenDate`	Application Open Date	date				
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CurrencyIsoCode`	Currency ISO Code	picklist		3		
`DecisionReleaseDate`	Decision Release Date	date				
`Id`	Application Timeline ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`OwnerId`	Owner ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`Type`	Type	picklist		255		

APPLICATIONTIMELINEFEED

Feed tracking for ApplicationTimeline.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

APPLICATIONTIMELINEHISTORY

History for tracked fields of ApplicationTimeline.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationTimelineId	Application Timeline ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Application Timeline History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

APPLICATIONTIMELINESHARE

Sharing for ApplicationTimeline.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

APPOINTMENTASSIGNMENTPOLICY

Stores information about resource assignment rules. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AppointmentAssignmentPolicy in the *Object Reference for the Salesforce Platform* and *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Developer Name	string		80		
Id	Appointment Assignment Policy ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Name	string		80		
PolicyApplicableDuration	Utilization Calculation Frequency	picklist		255		
PolicyType	Policy Type	picklist		255		
SystemModstamp	System Modstamp	datetime				
UtilizationFactor	Utilization Count Type	picklist		255		

APPOINTMENTCATEGORY

Represents the category of work types and shifts. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AppointmentCategory in the *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Appointment Category ID	id		18		
IsDeleted	Deleted	boolean				
IsDropIn	Drop In	boolean				
IsGroup	Group	boolean				
IsScheduled	Regular	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

APPOINTMENTCATEGORYFEED

Feed tracking for AppointmentCategory.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

APPOINTMENTCATEGORYHISTORY

History for tracked fields of AppointmentCategory.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppointmentCategoryId	Appointment Category ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Appointment Category History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

APPOINTMENTINVITATION

Represents information about an appointment invitation that's created for customers who can use it for booking appointments. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AppointmentInvitation in the *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppointmentTopicId	Appointment Topic ID	reference		18		
AppointmentTopicType	Appointment Topic Type	string		50		
AppointmentType	Appointment Type	picklist		40		
BookingEndDate	Booking End Date	date				
BookingStartDate	Booking Start Date	date				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EngagementChannelTypeId	Engagement Channel Type ID	reference		18		
Id	Appointment Invitation ID	id		18		
InvitationIdentifier	Invitation Identifier	string		36		
InvitationNumber	Invitation Number	string		255		
InvitationUrl	Invitation URL	url		255		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
ServiceTerritoryId	Territory ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
UrlExpiryDate	URL Expiration Date	date				

APPOINTMENTINVITATIONFEED

Feed tracking for AppointmentInvitation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

APPOINTMENTINVITATIONHISTORY

History for tracked fields of AppointmentInvitation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppointmentInvitationId	Appointment Invitation ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Appointment Invitation History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

APPOINTMENTINVITATIONSHARE

Sharing for AppointmentInvitation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

APPOINTMENTINVITEE

Represents information about the participant and resources required for creating an appointment invitation URL. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AppointmentInvitee in the *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppointmentInvitationId	Appointment Invitation ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Appointment Invitee ID	id		18		
IsDeleted	Deleted	boolean				
IsRequiredResource	Required Resource	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Appointment Invitee Number	string		255		
ParticipantServiceResourceId	Resource ID	reference		18		
SystemModstamp	System Modstamp	datetime				

APPOINTMENTSCHEDULEAGGR

Records the utilization of a service resource, by date, for the Load Balancing appointment assignment policy. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AppointmentScheduleAggr in the *Object Reference for the Salesforce Platform* and *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppointmentDate	Appointment Date	date				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Appointment Schedule Aggregate ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
ResourceUtilizationCount	Resource Utilization Count	int	9			
ServiceResourceId	Resource ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalResourceUtilization	Total Resource Utilization	double			18	2
UsageType	Usage Type	picklist		255		

APPOINTMENTSCHEDULELOG

Stores service appointments of each service Resource. This object is used to calculate the utilization of a service resource for the AppointmentScheduleAggr object. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AppointmentScheduleLog in the *Object Reference for the Salesforce Platform* and *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppointmentDate	Appointment Date	date				
AppointmentScheduleAggrId	Appointment Schedule Aggregate ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Appointment Schedule Log ID	id		18		
IsDeleted	Deleted	boolean				
IsUsedForResourceUtilization	Used for Resource Utilization	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
RelatedRecordId	Related Record ID	reference		18		
ResourceUtilization	Resource Utilization	double			18	2
ServiceResourceId	Resource ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		255		

APPOINTMENTSCHEDULINGPOLICY

Represents a set of rules for scheduling appointments using Salesforce Scheduler. This object is available in API version 45.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AppointmentSchedulingPolicy in the *Object Reference for the Salesforce Platform* and *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppointmentStartTimeInterval	Appointment Start Time Interval	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Developer Name	string		80		
ExtCalEventHandlerId	Class ID	reference		18		
Id	Appointment Scheduling Policy ID	id		18		
IsDeleted	Deleted	boolean				
IsOrgDefault	Is Default	boolean				
IsSvcTerrOpHoursWithShiftsUsed	Use service territory's operating hours with shifts	boolean				
IsSvcTerritoryMemberShiftUsed	Use service territory member's shift	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Name	string		80		
ShouldConsiderCalendarEvents	Check Salesforce Calendar for Resource Availability	boolean				
ShouldEnforceExcludedResource	Ignore Excluded Service Resources	boolean				
ShouldEnforceRequiredResource	Include Only Required Service Resources	boolean				
ShouldMatchSkill	Match Skills	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ShouldMatchSkillLevel	Match Skill Levels	boolean				
ShouldRespectVisitingHours	Enforce Account's Visiting Hours	boolean				
ShouldUsePrimaryMembers	Include Primary Service Territory Members	boolean				
ShouldUseSecondaryMembers	Include Secondary Service Territory Members	boolean				
SystemModstamp	System Modstamp	datetime				

APPOINTMENTTOPICTIMESLOT

Represents a lookup to a work type or a work type group for a time slot This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AppointmentTopicTimeSlot in the *Object Reference for the Salesforce Platform* and *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppointmentTopicTimeSlotKey	Appointment Topic Time Slot Key	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Appointment Topic Time Slot ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OperatingHoursId	Operating Hour ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TimeSlotId	Time Slot ID	reference		18		
WorkTypeGroupId	Work Type Group ID	reference		18		
WorkTypeId	Work Type ID	reference		18		

APPOINTMENTTOPICTIMESLOTFEED

Feed tracking for AppointmentTopicTimeSlot.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

APPOINTMENTTOPICTIMESLOTHISTORY

History for tracked fields of AppointmentTopicTimeSlot.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppointmentTopicTimeSlotId	Appointment Topic Time Slot ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Appointment Topic Time Slot History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

APPROVALSUBMISSION

Represents the instance of an approval request that's submitted for a record of the related object. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApprovalSubmission in the *Object Reference for the Salesforce Platform* and *Quote and Order Capture Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Comments	Comments	textarea		32000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DoesSendApprovalEmail	Send Approval Email	boolean				
FlowOrchestrationInstanceId	Orchestration Run ID	reference		18		
Id	Approval Submission ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Approval Submission Name	string		255		
OwnerId	Owner ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
RelatedRecordObjectName	Related Record Object Name	string		255		
Status	Status	picklist		255		
SubmittedById	User ID	reference		18		
SystemModstamp	System Modstamp	datetime				

APPROVALSUBMISSIONDETAIL

ApprovalSubmissionDetail contains additional information about operations happening during the approval lifecycle. It will not hold any information that's already captured in the existing ApprovalSubmission and ApprovalWorkItem entities. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApprovalSubmissionDetail in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionChannelName	Action Channel Name	picklist		255		
ActionContext	Action Context	string		255		
ActionName	Action Name	picklist		255		
ActionPerformedById	User ID	reference		18		
ActionPerformerRole	Action Performer Role	picklist		255		
ApprovalSubmissionId	Approval Submission ID	reference		18		
ApprovalWorkItemId	Approval Work Item ID	reference		18		
Comments	Comments	textarea		32000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Approval Submission Detail ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Approval Submission Detail Name	string		255		
SystemModstamp	System Modstamp	datetime				

APPROVALSUBMISSIONSHARE

Sharing for ApprovalSubmission.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

APPROVALWORKITEM

Contains run-time information about each step in an approval workflow, such as assignees and their decisions regarding the object's approval. Has a master-detail relationship with ApprovalSubmission. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApprovalWorkItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApprovalConditionName	Approval Condition Name	string		255		
ApprovalSubmissionId	Approval Submission ID	reference		18		
AssignedToId	Assigned To ID	reference		18		
Comments	Comments	textarea		32000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FlowOrchestrationWorkItemId	Orchestration Work Item ID	reference		18		
Id	Approval Work Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Approval Work Item Name	string		255		
RelatedRecordId	Related Record ID	reference		18		
RelatedRecordObjectName	Related Record Object Name	string		255		
ReviewedById	User ID	reference		18		
ReviewedDate	Reviewed Date	datetime				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

APPROVALWORKITEMCONDITION

Represents a condition for starting and concluding an approval step that's evaluated as part of the smart approval process. This object is available in API version 64.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApprovalWorkItemCondition in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApprovalWorkItemCriteriaId	Approval Work Item Criteria ID	reference		18		
ConditionSequencePosition	Condition Sequence Position	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
HasEvaluationSucceeded	Evaluation Succeeded	boolean				
Id	Approval Work Item Condition ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LeftValue	Left Value	textarea		131072		
LeftValueDataType	Left Value Data Type	picklist		255		
Name	Approval Work Item Condition Name	string		255		
OperatorType	Operator Type	picklist		255		
RightValue	Right Value	textarea		131072		
RightValueDataType	Right Value Data Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

APPROVALWORKITEMCRITERIA

Represents the logic by which a smart approval request is evaluated. This object is available in API version 64.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApprovalWorkItemCriteria in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApprovalStepApiName	Approval Step Api Name	string		255		
ApprovalWorkItemId	Approval Work Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CriteriaType	Criteria Type	picklist		255		
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Approval Work Item Criteria ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Approval Work Item Criteria Name	string		255		
RequirementLogic	Requirement Logic	string		255		
SystemModstamp	System Modstamp	datetime				

APPTBOOKINGCONFIG

Represents a collection of fields to set up appointment scheduling.

For more information, see ApptBookingConfig in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApexClassId	Class ID	reference		18		
AssignedProviderRole	Assigned Provider Role	string		80		
AttendanceThresholdPct	Attendance Threshold Percent	double			18	1
BestTimeSlotsDefinition	Best Time Slots Definition	string		18		
CanCreateDuplicateRecord	Create Duplicate Patient Record	boolean				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Intelligent Appointment Management Configuration ID	id		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
IsSingleSourceSystem	Use Single Source System	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamedCredentialId	Named Credential ID	reference		18		
ServiceApptRecordTypeName	Service Appointment Record Type Name	string		255		
SystemModstamp	System Modstamp	datetime				

APPTBOOKINGURLCONFIG

Represents a collection of fields to set up the URL paths for appointment scheduling endpoints.

For more information, see ApptBookingUrlConfig in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`AdditionalHeaders`	Additional Headers	textarea		131072		
`ApptBookingConfigId`	Intelligent Appointment Management Configuration ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Name	string		80		
`EndpointName`	Endpoint Name	picklist		255		
`Id`	Intelligent Appointment Management URL Configuration ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Label	string		80		
`SystemModstamp`	System Modstamp	datetime				
`UrlPath`	URL Path	string		80		

APPTBUNDLEAGGRDURDNSCALE

Sums the duration of the bundle members, reduced by a predefined percentage. This object is available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApptBundleAggrDurDnscale in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BundleAggregationPolicyId	Appointment Bundle Aggregation Policy ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FromBundleMemberNumber	From Bundle Member Number	int	9			
Id	Appointment Bundle Aggregation Duration Downscale ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
PercentageOfReduction	Percentage of Reduction	int	9			
SystemModstamp	System Modstamp	datetime				

APPTBUNDLEAGGRDURDNSCALEFEED

Feed tracking for ApptBundleAggrDurDnscale.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

APPTBUNDLEAGGRPOLICY

Policy that defines how the property values of the bundle members are aggregated and assigned to the bundle. This object is available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApptBundleAggrPolicy in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AggregationAction	Aggregation Action	picklist		255		
AggregationFieldType	Aggregation Field Type	picklist		255		
BundleFieldName	Bundle's Target Field	picklist		255		
BundlePolicyId	Appointment Bundle Policy ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FilterCriteriaId	Recordset Filter Criteria ID	reference		18		
Id	Appointment Bundle Aggregation Policy ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

APPTBUNDLEAGGRPOLICYFEED

Feed tracking for ApptBundleAggrPolicy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

APPTBUNDLECONFIG

Represents the general parameters that define the behavior of the bundle. This object is available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApptBundleConfig in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AddToBundleStatuses	Add to Bundle Statuses	multipicklist		4099	0	
BundleStatusesToPropagate	Bundle Statuses to Propagate	multipicklist		4099	0	
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CriteriaForAutoUnbundlingId	Recordset Filter Criteria ID	reference		18		
CurrencyIsoCode	Currency ISO Code	picklist		3		
DoesAddTravelTime	Add travel time to bundle duration	boolean				
DoesDeleteEmptyBundles	Delete empty bundles	boolean				
EmptyBundleStatus	Empty Bundle Status	picklist		40		
Id	Appointment Bundle Config ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MemberStatusesNotToPropagate	Bundle Member Statuses not to be Propagated	multipicklist		4099	0	
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RemoveFromBundleStatuses	Remove from Bundle Statuses	multipicklist		4099	0	
StatusOnRemovalFromBundle	Status on Removal from Bundle	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
StatusesNotToUpdateOnUnbundle	Statuses not to Update on Unbundling	multipicklist		4099	0	
SystemModstamp	System Modstamp	datetime				

APPTBUNDLECONFIGFEED

Feed tracking for ApptBundleConfig.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

APPTBUNDLECONFIGHISTORY

History for tracked fields of ApptBundleConfig.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApptBundleConfigId	Appointment Bundle Config ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Appointment Bundle Config History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

APPTBUNDLECONFIGSHARE

Sharing for ApptBundleConfig.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

APPTBUNDLEPOLICY

Policy that defines how the bundling of service appointments should be handled. This object is available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApptBundlePolicy in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BundleEndTimeFieldName	Bundle End Time Field Name	picklist		255		
BundleStartTimeFieldName	Bundle Start Time Field Name	picklist		255		
CanAllowSchleDepndInBundle	Allow Scheduling Dependencies in Bundle	boolean				
ConstantTimeValue	Constant Time Value	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FilterCriteriaId	Recordset Filter Criteria ID	reference		18		
Id	Appointment Bundle Policy ID	id		18		
IsAutomaticBundling	Automatic Bundling	boolean				
IsDeleted	Deleted	boolean				
IsManualBundling	Manual Bundling	boolean				
IsTimeCalcByBundleDurationFld	Time Calculation by Bundle Duration Field	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LimitAmountOfBundleMembers	Limit Amount of Bundle Members	int	3			
LimitDurationOfBundle	Limit Duration of Bundle	int	9			
Name	Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OwnerId	Owner ID	reference		18		
Priority	Priority	int	9			
SystemModstamp	System Modstamp	datetime				

APPTBUNDLEPOLICYFEED

Feed tracking for ApptBundlePolicy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

APPTBUNDLEPOLICYSHARE

Sharing for ApptBundlePolicy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

APPTBUNDLEPOLICYSVCTERR

Represents a link between the BundlePolicy and the ServiceTerritory. This object is available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApptBundlePolicySvcTerr in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BundlePolicyId	Appointment Bundle Policy ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Appointment Bundle Policy Service Territory ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ServiceTerritoryId	Territory ID	reference		18		
SystemModstamp	System Modstamp	datetime				

APPTBUNDLEPOLICYSVCTERRFEED

Feed tracking for ApptBundlePolicySvcTerr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

APPTBUNDLEPROPAGATEPOLICY

Policy that defines which property values are inherited from the bundle to the bundle members or are assigned as constant values in the bundle members. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApptBundlePropagatePolicy in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BundlePolicyId	Appointment Bundle Policy ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Appointment Bundle Propagation Policy ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

APPTBUNDLEPROPAGATEPOLICYFEED

Feed tracking for ApptBundlePropagatePolicy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

APPTBUNDLERESTRICTPOLICY

Policy that defines the restrictions that are considered while forming a bundle. This object is available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApptBundleRestrictPolicy in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BundlePolicyId	Appointment Bundle Policy ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Appointment Bundle Restriction Policy ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

APPTBUNDLERESTRICTPOLICYFEED

Feed tracking for ApptBundleRestrictPolicy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

APPTBUNDLESORTPOLICY

Policy that defines the properties by which the bundle members are sorted within the bundle. Can also be used in the automatic mode for determining the order of the automatic selection of bundle members. This object is available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ApptBundleSortPolicy in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BundlePolicyId	Appointment Bundle Policy ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Appointment Bundle Sort Policy ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SortDirection	Sort Direction	picklist		255		
SortOrder	Sort Order	int	9			
SortType	Sort Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

APPTBUNDLESORTPOLICYFEED

Feed tracking for ApptBundleSortPolicy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ASGNRSRCAPPTSCHDEVENT

Represents the assigned resources that are part of various platform events. This object is included in a streamed notification received on the channels for the parent platform events. You can't subscribe to the AsgnRsrcApptSchdEvent channel directly. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AsgnRsrcApptSchdEvent in the *Platform Events Developer Guide* and *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`AssignedResourceId`	Assigned Resource ID	string		30		
`ChangedFields`	Changed Fields	complexvalue				
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EventUuid`	Event UUID	string		36		
`IsPrimaryResource`	Primary Resource	boolean				
`IsRequiredResource`	Required Resource	boolean				
`ServiceResourceId`	Service Resource ID	string		30		
`ServiceResourceUserEmail`	Service Resource User Email	string		80		
`ServiceResourceUserId`	Service Resource User ID	string		30		
`ServiceResourceUserName`	Service Resource User Name	string		80		

ASMTQSTNRESPRECOMMENDATION

Maps an assessment question's response to the recommendation it has to provide for a care plan. Recommendations can be problems, goals, interventions, or other assessments. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AsmtQstnRespRecommendation in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentQuestionVersionId	Assessment Question Version ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Assessment Question Response Recommendation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OmniProcessId	Omni Process ID	reference		18		
RecommendationReferenceId	Recommendation Reference ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ASMTQSTNRESPRECOMMENDATIONFEED

Feed tracking for AsmtQstnRespRecommendation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ASMTQSTNRESPRECOMMENDATIONHISTORY

History for tracked fields of AsmtQstnRespRecommendation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AsmtQstnRespRecommendationId	Assessment Question Response Recommendation ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Question Response Recommendation History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENT

Stores the header data for an assessment. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Assessment in the *Education Cloud Developer Guide* and *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ApplicantId	Applicant ID	reference		18		
AssessmentRating	Assessment Rating	picklist		40		
AssessmentStatus	Assessment Status	picklist		40		
AssessorId	Assessor ID	reference		18		
CaseId	Case ID	reference		18		
CompletedDateTime	Completed Date	datetime				
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveDateTime	Effective Date	datetime				
ExpirationDateTime	Expiration Date	datetime				
ExternalAssessmentDefId	External Assessment Definition ID	reference		18		
Id	Assessment ID	id		18		
Identifier	Identifier	string		255		
IsDeleted	Deleted	boolean				
IsSavedForLater	Saved For Later	boolean				
IsSuggestedAssessment	Suggested Assessment	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OmniProcessId	Omni Process ID	reference		18		
OwnerId	Owner ID	reference		18		
ParentId	Assessment ID	reference		18		
ResponseContextId	Response Context ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

ASSESSMENTDEFINITION

Represents the definition of an assessment including details such as the last revised date and purpose. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssessmentDefinition in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApprovalDateTime	Approval Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DisplayType	Display Type	picklist		40		
EffectiveFromDate	Effective From	datetime				
EffectiveToDate	Effective To	datetime				
Id	Assessment Definition ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastRevisedDateTime	Last Revised Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OmniProcessId	Omni Process ID	reference		18		
OwnerId	Owner ID	reference		18		
PerformerType	Performer Type	multipicklist		4099	0	
PublisherId	Publisher ID	reference		18		
Purpose	Purpose	string		255		
SystemModstamp	System Modstamp	datetime				

ASSESSMENTDEFINITIONFEED

Feed tracking for AssessmentDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ASSESSMENTDEFINITIONHISTORY

History for tracked fields of AssessmentDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentDefinitionId	Assessment Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Definition History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTDEFINITIONSHARE

Sharing for AssessmentDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ASSESSMENTENVELOPE

Represents information about an envelope that contains the assessments related to a user. For example, you can create an envelope that contains assessments for a patient or a caregiver related to depression or anxiety. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssessmentEnvelope in the *Education Cloud Developer Guide*, *Life Sciences Cloud Developer Guide*, and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExpirationDateTime	Envelope Expiration Date	datetime				
Id	Assessment Envelope ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Envelope Name	string		255		
NotificationStatus	Notification Status	picklist		255		
OwnerId	Owner ID	reference		18		
RequestReferenceId	Request Reference ID	reference		18		
Status	Envelope Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		255		

ASSESSMENTENVELOPEFEED

Feed tracking for AssessmentEnvelope.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ASSESSMENTENVELOPEHISTORY

History for tracked fields of AssessmentEnvelope.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentEnvelopeId	Assessment Envelope ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Envelope History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTENVELOPEITEM

Represents information about an item in an envelope that contains the assessments related to a user. For example, you can create an item that contains an assessment for depression or anxiety. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssessmentEnvelopeItem in the *Education Cloud Developer Guide*, *Life Sciences Cloud Developer Guide*, and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`AssessmentEnvelopeId`	Assessment Envelope ID	reference		18		
`AssessmentId`	Assessment ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Assessment Envelope Item ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Assessment Envelope Item Name	string		255		
`OmniProcessId`	Omni Process ID	reference		18		
`Status`	Status	picklist		255		
`SystemModstamp`	System Modstamp	datetime				

ASSESSMENTENVELOPEITEMFEED

Feed tracking for AssessmentEnvelopeItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ASSESSMENTENVELOPEITEMHISTORY

History for tracked fields of AssessmentEnvelopeItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentEnvelopeItemId	Assessment Envelope Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Envelope Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTENVELOPESHARE

Sharing for AssessmentEnvelope.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ASSESSMENTFEED

Feed tracking for Assessment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ASSESSMENTHISTORY

History for tracked fields of Assessment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentId	Assessment ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTINDDEFINEDVALUE

Stores the list of acceptable values which are defined as part of assessment indicator definition for a single and multi select question. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssessmentIndDefinedValue in the *Consumer Goods Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentIndicatorDefinitionId	Assessment Indicator Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Assessment Indicator Defined Value ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SequenceNumber	Sequence Number	int	9			
SystemModstamp	System Modstamp	datetime				
Value	Value	string		255		

ASSESSMENTINDDEFINEDVALUEHISTORY

History for tracked fields of AssessmentIndDefinedValue.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentIndDefinedValueId	Assessment Indicator Defined Value ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Indicator Defined Value History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTINDVALUE

Stores the list of target or captured values which are defined as part of assessment indicator definition for a single and multi select question. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssessmentIndValue in the *Consumer Goods Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentIndDefinedValueId	Assessment Indicator Defined Value ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Assessment Indicator Value ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SourceObjectId	SourceObject ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ASSESSMENTINDVALUEHISTORY

History for tracked fields of AssessmentIndValue.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`AssessmentIndValueId`	Assessment Indicator Value ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Assessment Indicator Value History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

ASSESSMENTINDVALUESHARE

Sharing for AssessmentIndValue.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ASSESSMENTINDICATORDEFINITION

Define parameters that act as markers of compliance for inspections. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssessmentIndicatorDefinition in the *Automotive Cloud Developer Guide*, *Consumer Goods Cloud Developer Guide*, *Emergency Response Management Object Reference*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DataType	Indicator Field Type	picklist		255		
Description	Description	textarea		1000		
Id	Assessment Indicator Definition ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ASSESSMENTINDICATORDEFINITIONFEED

Feed tracking for AssessmentIndicatorDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ASSESSMENTINDICATORDEFINITIONHISTORY

History for tracked fields of AssessmentIndicatorDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentIndicatorDefinitionId	Assessment Indicator Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Indicator Definition History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTINDICATORDEFINITIONSHARE

Sharing for AssessmentIndicatorDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ASSESSMENTQUESTION

Stores the questions required for an assessment. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssessmentQuestion in the *Education Cloud Developer Guide*, *Industries Common Resources Developer Guide*, and *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActiveVersionId	Assessment Question Version ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Data Type	picklist		255		
Description	Description	textarea		1000		
DeveloperName	Developer Name	string		80		
FormulaResponseDataType	Formula Response Data Type	picklist		255		
Id	Assessment Question ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Namespace	Namespace	string		15		
OwnerId	Owner ID	reference		18		
QuestionCategory	Category	picklist		40		
QuestionText	Question Text	textarea		1000		
RelatedQuestionId	Assessment Question ID	reference		18		
ShouldExcludeFromMetadata	Exclude From Metadata	boolean				
ShouldHideInDesigner	Hide In Designer	boolean				
SourceSystemName	Source System Name	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
UniqueIndex	Unique Index	string		100		

ASSESSMENTQUESTIONASSIGNMENT

Represents a junction between an assessment question set and an assessment question. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssessmentQuestionAssignment in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentQuestionId	Assessment Question ID	reference		18		
AssessmentQuestionSetId	Assessment Question Set ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Assessment Question Assignment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ASSESSMENTQUESTIONASSIGNMENTFEED

Feed tracking for AssessmentQuestionAssignment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ASSESSMENTQUESTIONASSIGNMENTHISTORY

History for tracked fields of AssessmentQuestionAssignment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentQuestionAssignmentId	Assessment Question Assignment ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Question Assignment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTQUESTIONASSIGNMENTSHARE

Sharing for AssessmentQuestionAssignment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ASSESSMENTQUESTIONFEED

Feed tracking for AssessmentQuestion.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ASSESSMENTQUESTIONHISTORY

History for tracked fields of AssessmentQuestion.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentQuestionId	Assessment Question ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Question History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTQUESTIONRESPONSE

Stores the responses submitted to an assessment. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssessmentQuestionResponse in the *Education Cloud Developer Guide* and *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentId	Assessment ID	reference		18		
AssessmentQuestionId	Assessment Question Version ID	reference		18		
ChoiceValue	Choice Value	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyValue	Currency Value	currency			18	0
DateTimeValue	Date Time Value	datetime				
DateValue	Date Value	date				
DecimalResponseValue	Decimal Response Value	double			12	2
ExtlAssessmentQuestionText	External Assessment Question Text	textarea		32000		
ExtlResponseValueIdentifier	External Response Value Identifier	string		255		
Id	Assessment Question Response ID	id		18		
IntegerResponseValue	Integer Response Value	int	9			
IsDeleted	Deleted	boolean				
IsTrueOrFalseValue	Boolean Value	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OriginType	Origin Type	picklist		255		
OwnerId	Owner ID	reference		18		
ParentAsmtQuestionVersionId	Assessment Question Version ID	reference		18		
RespondentTimezone	Respondent Timezone	string		255		
ResponseText	Response Text	textarea		131072		
ResponseType	Response Type	string		50		
ResponseValue	Response Value	textarea		131072		
ResponseValueScore	Response Value Score	double			12	2
ReviewerId	Reviewer ID	reference		18		
ReviewerRoleId	Reviewer Role ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TimeValue	Time Value	time				

ASSESSMENTQUESTIONRESPONSEFEED

Feed tracking for AssessmentQuestionResponse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ASSESSMENTQUESTIONRESPONSEHISTORY

History for tracked fields of AssessmentQuestionResponse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentQuestionResponseId	Assessment Question Response ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Question Response History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTQUESTIONRESPONSESHARE

Sharing for AssessmentQuestionResponse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ASSESSMENTQUESTIONSET

Container object for assessment questions. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssessmentQuestionSet in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Developer Name	string		80		
Id	Assessment Question Set ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Namespace	Namespace	string		15		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UniqueIndex	Unique Index	string		100		

ASSESSMENTQUESTIONSETFEED

Feed tracking for AssessmentQuestionSet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ASSESSMENTQUESTIONSETHISTORY

History for tracked fields of AssessmentQuestionSet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentQuestionSetId	Assessment Question Set ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Question Set History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTQUESTIONSETSHARE

Sharing for AssessmentQuestionSet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ASSESSMENTQUESTIONSHARE

Sharing for AssessmentQuestion.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ASSESSMENTQUESTIONSOURCEDOCFEED

Feed tracking for AssessmentQuestionSourceDoc.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ASSESSMENTQUESTIONSOURCEDOCHISTORY

History for tracked fields of AssessmentQuestionSourceDoc.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentQuestionSourceDocId	Assessment Question ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Question Source Document History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTQUESTIONSOURCEDOCSHARE

Sharing for AssessmentQuestionSourceDoc.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ASSESSMENTQUESTIONVERCHOICE

Represents a choice a user can select for an assessment question version. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssessmentQuestionVerChoice in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentQuestionVersionId	Assessment Question Version ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DisplayOrder	Display Order	int	9			
Icon	Icon	string		255		
Id	Assessment Question Version Choice ID	id		18		
IsDeleted	Deleted	boolean				
Key	Key	string		80		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				
UniqueIndex	Unique Index	string		110		

ASSESSMENTQUESTIONVERCHOICEFEED

Feed tracking for AssessmentQuestionVerChoice.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ASSESSMENTQUESTIONVERCHOICEHISTORY

History for tracked fields of AssessmentQuestionVerChoice.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentQuestionVerChoiceId	Assessment Question Version Choice (Deprecated) ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Question Version Choice (Deprecated) History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTQUESTIONVERSION

Stores the question versions for the assessment questions. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssessmentQuestionVersion in the *Industries Common Resources Developer Guide* and *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivationDateTime	Activation Date	datetime				
AdditionalInformation	Additional Information	textarea		32000		
AssessmentQuestionId	Assessment Question ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Data Type	picklist		255		
DeactivationDateTime	Deactivation Date	datetime				
Description	Description	textarea		1000		
ExternalAsmtContentVersion	External Assessment Content Version	string		255		
GuidanceInformation	Guidance Information	textarea		131072		
HelpText	Help Text	string		255		
Id	Assessment Question Version ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsOptionSourceResponseValue	Option Source Response Value	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
QuestionText	Question Text	textarea		1000		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ResponseValues	Response Values	textarea		32000		
Status	Status	string		10		
SystemModstamp	System Modstamp	datetime				
VersionNumber	Version Number	int	9			

ASSESSMENTQUESTIONVERSIONFEED

Feed tracking for AssessmentQuestionVersion.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ASSESSMENTQUESTIONVERSIONHISTORY

History for tracked fields of AssessmentQuestionVersion.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentQuestionVersionId	Assessment Question Version ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Question Version History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTSAVEDSESSION

Represents a session of an assessment that's saved to resume for later. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssessmentSavedSession in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentId	Assessment ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Assessment Saved Session ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		255		

ASSESSMENTSAVEDSESSIONFEED

Feed tracking for AssessmentSavedSession.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ASSESSMENTSAVEDSESSIONHISTORY

History for tracked fields of AssessmentSavedSession.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentSavedSessionId	Assessment Saved Session ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Saved Session History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTSHARE

Sharing for Assessment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ASSESSMENTSIGNATURE

Stores the respondent's signature during an assessment. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssessmentSignature in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentId	Assessment ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DateTime	Date Time	datetime				
DigitalSignatureId	Digital Signature ID	reference		18		
Id	Assessment Signature ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OmniscriptIdentifier	Omniscript Identifier	string		255		
Place	Place	string		255		
SignedBy	Signed By	string		255		
SignedInitial	Signed Initial	string		255		
SigneeId	Signee ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ASSESSMENTSIGNATUREFEED

Feed tracking for AssessmentSignature.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ASSESSMENTSIGNATUREHISTORY

History for tracked fields of AssessmentSignature.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentSignatureId	Assessment Signature ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Signature History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTTASK

Perform tasks in inspections to capture information. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssessmentTask in the *Consumer Goods Cloud Developer Guide*, *Emergency Response Management Object Reference*, *Life Sciences Cloud Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentTaskDefinitionId	Assessment Task Definition ID	reference		18		
AssignedToId	AssignedTo ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		1000		
EndTime	End Time	datetime				
Id	Assessment Task ID	id		18		
IsDeleted	Deleted	boolean				
IsRequired	Required	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentId	Visit ID	reference		18		
ReferenceRecordId	ReferenceRecord ID	reference		18		
SequenceNumber	Sequence	int	9			
StartTime	Start Time	datetime				
Status	Status	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
TaskDefinitionId	TaskDefinition ID	reference		18		
TaskType	Task Type	picklist		255		

ASSESSMENTTASKCONTENTDOCUMENT

Associate content documents to visits. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssessmentTaskContentDocument in the *Consumer Goods Cloud Developer Guide*, *Emergency Response Management Object Reference*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentTaskId	Assessment Task ID	reference		18		
ContentContextId	ContentContext ID	reference		18		
ContentDocumentId	ContentDocument ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Assessment Task Content Document ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

ASSESSMENTTASKCONTENTDOCUMENTFEED

Feed tracking for AssessmentTaskContentDocument.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ASSESSMENTTASKCONTENTDOCUMENTHISTORY

History for tracked fields of AssessmentTaskContentDocument.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentTaskContentDocumentId	Assessment Task Content Document ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Task Content Document History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTTASKDEFINITION

Associate an assessment task with an assessment indicator definition. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssessmentTaskDefinition in the *Consumer Goods Cloud Developer Guide*, *Emergency Response Management Object Reference*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Assessment Task Definition Description	textarea		1000		
Id	Assessment Task Definition ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TaskType	Assessment Task Definition Task Type	picklist		255		

ASSESSMENTTASKDEFINITIONFEED

Feed tracking for AssessmentTaskDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ASSESSMENTTASKDEFINITIONHISTORY

History for tracked fields of AssessmentTaskDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentTaskDefinitionId	Assessment Task Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Task Definition History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTTASKDEFINITIONSHARE

Sharing for AssessmentTaskDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ASSESSMENTTASKFEED

Feed tracking for AssessmentTask.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ASSESSMENTTASKHISTORY

History for tracked fields of AssessmentTask.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentTaskId	Assessment Task ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Task History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTTASKINDDEFINITION

Associate an assessment indicator definition with an assessment task definition.This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssessmentTaskIndDefinition in the *Consumer Goods Cloud Developer Guide*, *Emergency Response Management Object Reference*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentIndDefinitionId	Assessment Indicator Definition ID	reference		18		
AssessmentTaskDefinitionId	Assessment Task Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DisplayOrder	Display Order	int	9			
Id	Assessment Task Indicator Definition ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

ASSESSMENTTASKINDDEFINITIONFEED

Feed tracking for AssessmentTaskIndDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ASSESSMENTTASKINDDEFINITIONHISTORY

History for tracked fields of AssessmentTaskIndDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentTaskIndDefinitionId	Assessment Task Indicator Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Task Indicator Definition History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTTASKORDER

Define an order activity that the sales rep can perform during a visit to the stores. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssessmentTaskOrder in the *Consumer Goods Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentTaskId	Assessment Task ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Assessment Task Order ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OrderId	Order ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ASSESSMENTTASKORDERFEED

Feed tracking for AssessmentTaskOrder.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ASSESSMENTTASKORDERHISTORY

History for tracked fields of AssessmentTaskOrder.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentTaskOrderId	Assessment Task Order ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assessment Task Order History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSESSMENTTASKSHARE

Sharing for AssessmentTask.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ASSET

Represents an item of commercial value, such as a product sold by your company or a competitor, that a customer has purchased.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Asset in the *Asset Lifecycle Guide*, *Consumer Goods Cloud Developer Guide*, *Field Service Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Address	Address	address				
AssetLevel	Asset Level	int	9			
AssetProvidedById	Asset Provided By ID	reference		18		
AssetServicedById	Asset Serviced By ID	reference		18		
Availability	Availability	percent			5	2
AverageUptimePerDay	Average Uptime Per Day	double			18	2
City	City	string		40		
ConsequenceOfFailure	Consequence Of Failure	picklist		255		
ContactId	Contact ID	reference		18		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
CurrentAmount	Current Amount	currency			18	2
CurrentLifecycleEndDate	Current Lifecycle End Date	datetime				
CurrentMrr	Current Monthly Recurring Revenue	currency			18	2
CurrentQuantity	Current Quantity	double			14	2
Description	Description	textarea		32000		
DigitalAssetStatus	Digital Asset Status	picklist		255		
ExternalIdentifier	External Id	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
GeocodeAccuracy	Geocode Accuracy	picklist		40		
HasLifecycleManagement	Lifecycle-managed asset	boolean				
Id	Asset ID	id		18		
InstallDate	Install Date	date				
IsCompetitorProduct	Competitor Asset	boolean				
IsDeleted	Deleted	boolean				
IsInternal	Internal Asset	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
LifecycleEndDate	Lifecycle End Date	datetime				
LifecycleStartDate	Lifecycle Start Date	datetime				
LocationId	Location ID	reference		18		
Longitude	Longitude	double			18	15
ManufactureDate	Manufacture Date	date				
MeanTimeBetweenFailures	Average Time Between Failures	double			18	2
MeanTimeToRepair	Average Time to Repair	double			18	2
Name	Asset Name	string		255		
OwnerId	Owner ID	reference		18		
ParentId	Parent Asset ID	reference		18		
PostalCode	Postal Code	string		20		
Price	Price	currency			18	2
Product2Id	Product ID	reference		18		
ProductCode	Product Code	string		255		
ProductDescription	Product Description	string		4000		
ProductFamily	Product Family	picklist		255		
PurchaseDate	Purchase Date	date				
Quantity	Quantity	double			12	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Reliability	Reliability	percent			5	2
RootAssetId	Root Asset ID	reference		18		
SerialNumber	Serial Number	string		80		
State	State	string		80		
Status	Status	picklist		255		
StatusReason	Status Reason	picklist		255		
StockKeepingUnit	Product SKU	string		180		
Street	Street	textarea		255		
SumDowntime	Cumulative Downtime	double			18	2
SumUnplannedDowntime	Cumulative Unplanned Downtime	double			18	2
SystemModstamp	System Modstamp	datetime				
TotalLifecycleAmount	Total Lifecycle Amount	currency			18	2
UptimeRecordEnd	Uptime Record End Date	datetime				
UptimeRecordStart	Uptime Record Start Date	datetime				
UsageEndDate	Usage End Date	date				
Uuid	Unique Identifier	string		255		

ASSETACCOUNTPARTICIPANT

Represents a junction between the Asset and Account objects describing the association between a participating account and an asset. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssetAccountParticipant in the *Automotive Cloud Developer Guide*, *Field Service Developer Guide*, and *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AssetId	Asset ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EffectiveEndDate	Effective End Date	date				
EffectiveStartDate	Effective Start Date	date				
Id	Asset Account Participant ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
StakeholderRole	Stakeholder Role	picklist		40		
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		255		

ASSETACCOUNTPARTICIPANTFEED

Feed tracking for AssetAccountParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ASSETACCOUNTPARTICIPANTHISTORY

History for tracked fields of AssetAccountParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetAccountParticipantId	Asset Account Participant ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Asset Account Participant History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSETACTION

Represents a change made to a lifecycle-managed asset. The fields can't be edited. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssetAction in the *Asset Lifecycle Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionDate	Action Date	datetime				
ActualTaxChange	Change in Actual Tax	currency			18	2
AdjustmentAmountChange	Change in Adjustment Amount	currency			18	2
Amount	Amount	currency			18	2
AssetActionNumber	Name	string		255		
AssetId	Asset ID	reference		18		
CategoryEnum	Business Category	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EstimatedTaxChange	Change in Estimated Tax	currency			18	2
Id	Asset Action ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MrrChange	Change in Monthly Recurring Revenue	currency			18	2
ProductAmountChange	Change in Product Amount	currency			18	2
QuantityChange	Change in Quantity	double			14	2
SubtotalChange	Change in Subtotal	currency			18	2
Subtype	Subtype	picklist		255		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalAmount	Total Amount	currency			18	2
TotalCancellationsAmount	Total Cancellations Amount	currency			18	2
TotalCrossSellsAmount	Total Cross-Sells Amount	currency			18	2
TotalDownsellsAmount	Total Downsells Amount	currency			18	2
TotalInitialSaleAmount	Total Initial Sale Amount	currency			18	2
TotalMrr	Total Monthly Recurring Revenue	currency			18	2
TotalOtherAmount	Total Other Amount	currency			18	2
TotalQuantity	Total Quantity	double			14	2
TotalRenewalsAmount	Total Renewals Amount	currency			18	2
TotalTermsAndConditionsAmount	Total Terms And Conditions Changes Amount	currency			18	2
TotalTransfersAmount	Total Transfers Amount	currency			18	2
TotalUpsellsAmount	Total Upsells Amount	currency			18	2
Type	Type	picklist		255		

ASSETACTIONSOURCE

Represents an optional way to record what transactions caused changes to lifecycle-managed assets. Use it to trace financial and other information about asset actions. This object supports Salesforce order products and work order line items, and transaction IDs from other systems. The fields can't be edited. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssetActionSource in the *Asset Lifecycle Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualTax	Actual Tax	currency			18	2
AdjustmentAmount	Adjustment Amount	currency			18	2
AssetActionId	Asset Action ID	reference		18		
AssetActionSourceNumber	Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDate	End Date	datetime				
EstimatedTax	Estimated Tax	currency			18	2
ExternalReference	External Reference	string		255		
ExternalReferenceDataSource	External Reference Data Source	string		255		
Id	Asset Action Source ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ProductAmount	Product Amount	currency			18	2
Quantity	Quantity	double			14	2
ReferenceEntityItemId	Reference Entity Item ID	reference		18		
StartDate	Start Date	datetime				
Subtotal	Subtotal	currency			18	2
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TransactionDate	Transaction Date	datetime				

ASSETATTRIBUTE

Stores asset attributes to track and analyze asset conditions to improve their uptime. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssetAttribute in the *Asset Lifecycle Guide*, *Field Service Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
AttributeDefinitionId	Attribute Definition ID	reference		18		
AttributeName	Name	string		255		
AttributePicklistValueId	Attribute Picklist Value ID	reference		18		
AttributeValue	Value	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalId	External ID	string		255		
Id	Asset Attribute ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				

ASSETCONTACTPARTICIPANT

Represents a junction between the Asset and Contact objects describing the association between a participating contact and an asset. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssetContactParticipant in the *Automotive Cloud Developer Guide*, *Field Service Developer Guide*, and *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EffectiveEndDate	Effective End Date	date				
EffectiveStartDate	Effective Start Date	date				
Id	Asset Contact Participant ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
StakeholderRole	Stakeholder Role	picklist		40		
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		255		

ASSETCONTACTPARTICIPANTFEED

Feed tracking for AssetContactParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ASSETCONTACTPARTICIPANTHISTORY

History for tracked fields of AssetContactParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetContactParticipantId	Asset Contact Participant ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Asset Contact Participant History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSETCONTRACTRELATIONSHIP

Represents a relationship between an asset and a contract. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssetContractRelationship in the *Asset Lifecycle Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
ContractId	Contract ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDate	End Date	datetime				
Id	Asset Contract Relationship ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
StartDate	Start Date	datetime				
SystemModstamp	System Modstamp	datetime				

ASSETCONTRACTRELATIONSHIPFEED

Feed tracking for AssetContractRelationship.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ASSETCONTRACTRELATIONSHIPHISTORY

History for tracked fields of AssetContractRelationship.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetContractRelationshipId	Asset Contract Relationship ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Asset Contract Relationship History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSETDOWNTIMEPERIOD

Represents a period during which an asset is not able to perform as expected. Downtime periods include planned activities, such as maintenance, and unplanned events, such as mechanical breakdown. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssetDowntimePeriod in the *Asset Lifecycle Guide*, *Field Service Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetDowntimePeriodNumber	Asset Downtime Period Number	string		255		
AssetId	Asset ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
DowntimeType	Downtime Type	picklist		255		
EndTime	End Date	datetime				
Id	Asset Downtime Period ID	id		18		
IsDeleted	Deleted	boolean				
IsExcluded	Outside Uptime Calculation Period	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
StartTime	Start Date	datetime				
SystemModstamp	System Modstamp	datetime				

ASSETDOWNTIMEPERIODFEED

Feed tracking for AssetDowntimePeriod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ASSETDOWNTIMEPERIODHISTORY

History for tracked fields of AssetDowntimePeriod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetDowntimePeriodId	Asset Downtime Period ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Asset Downtime Period History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSETFEED

Feed tracking for Asset.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ASSETHISTORY

History for tracked fields of Asset.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Asset History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSETRATEADJUSTMENT

Stores the tier rate adjustments for the asset rate card entries. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssetRateAdjustment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentType	Adjustment Type	picklist		255		
AdjustmentValue	Adjustment Value	double			18	6
AssetRateCardEntryId	Asset Rate Card Entry ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Asset Rate Adjustment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LowerBound	Lower Bound	double			18	6
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				
UpperBound	Upper Bound	double			18	6

ASSETRATECARDENTRY

Stores the negotiated rate card entries that are associated with an asset in Revenue Cloud. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssetRateCardEntry in the *Asset Lifecycle Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDate	End Date	datetime				
Id	Asset Rate Card Entry ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
NegotiatedRate	Negotiated Rate	double			18	6
RateCardEntryId	Rate Card Entry ID	reference		18		
RateCardId	Rate Card ID	reference		18		
RateUnitOfMeasureId	Unit of Measure ID	reference		18		
StartDate	Start Date	datetime				
SystemModstamp	System Modstamp	datetime				
UsageResourceId	Usage Resource ID	reference		18		

ASSETRELATIONSHIP

Represents a non-hierarchical relationship between assets due to an asset modification; for example, a replacement, upgrade, or other circumstance. In Subscription Management and Revenue Lifecycle Management, this object represents an asset or assets grouped in a bundle or set. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssetRelationship in the *Asset Lifecycle Guide*, *Field Service Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
AssetRelationshipNumber	Asset Relationship Number	string		255		
AssetRole	Asset Role	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FromDate	From Date	datetime				
Id	Asset Relationship ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
RelatedAssetId	Asset ID	reference		18		
RelatedAssetRole	Related Asset Role	picklist		255		
RelationshipType	Relationship Type	picklist		40		
SystemModstamp	System Modstamp	datetime				
ToDate	To Date	datetime				

ASSETRELATIONSHIPFEED

Feed tracking for AssetRelationship.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ASSETRELATIONSHIPHISTORY

History for tracked fields of AssetRelationship.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetRelationshipId	Asset Relationship ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Asset Relationship History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSETSHARE

Represents a sharing entry on an Asset. This object is available in API version 33.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssetShare in the *Asset Lifecycle Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetAccessLevel	Asset Access	picklist		40		
AssetId	Asset ID	reference		18		
Id	Asset Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ASSETSTATEPERIOD

Represents a time span when an asset has the same quantity, amount, and monthly recurring revenue (MRR). An asset has as many asset state periods as there are changes to it (asset actions) during its lifecycle. The dashboard and related pages show the current asset state period. The fields can't be edited. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssetStatePeriod in the *Asset Lifecycle Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
AssetId	Asset ID	reference		18		
AssetStatePeriodNumber	Name	string		255		
BillingFrequency	Billing Frequency	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Discount	Discount	percent			5	2
DiscountAmount	Discount Amount	currency			18	2
EndDate	End Date	datetime				
Id	Asset State Period ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LegalEntityId	Legal Entity ID	reference		18		
Mrr	Monthly Recurring Revenue	currency			18	2
Quantity	Quantity	double			14	2
StartDate	Start Date	datetime				
SystemModstamp	System Modstamp	datetime				
UnitPrice	Unit Price	currency			18	2
UnitPriceUplift	Unit Price Uplift	percent			5	2

ASSETSTATEPERIODATTRIBUTE

Represents a virtual object that holds the key-value pair of the asset attribute in a specified asset state period. This object is a child object of AssetStatePeriod. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssetStatePeriodAttribute in the *Asset Lifecycle Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetStatePeriodId	Asset State Period ID	reference		18		
AttributeDefinitionId	Attribute Definition ID	reference		18		
AttributeName	Name	string		255		
AttributePicklistValueId	Attribute Picklist Value ID	reference		18		
AttributeValue	Value	string		150		
CreatedById	User ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalId	External ID	string		255		
Id	Asset State Period Attribute ID	id		18		
LastModifiedById	User ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				

ASSETTOKENEVENT

An event related to the AssetTokenEvent object.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssetTokenEvent in the *Asset Lifecycle Guide*, *Object Reference for the Salesforce Platform*, and *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActorTokenPayload	Actor Token Payload	textarea		6000		
AssetId	Asset ID	reference		18		
AssetName	Asset Name	string		255		
AssetSerialNumber	Asset Serial Number	string		255		
ConnectedAppId	Connected App ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeviceId	Device ID	string		255		
DeviceKey	Device Key	textarea		2000		
EventUuid	Event UUID	string		36		
Expiration	Expiration	datetime				
ExternalClientApplicationId	External App ID	reference		18		
Name	Name	string		255		
ReplayId	Replay ID	string		1000		
UserId	User ID	reference		18		

ASSETWARRANTY

Defines the warranty terms applicable to an asset along with any exclusions and extensions. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssetWarranty in the *Asset Lifecycle Guide*, *Automotive Cloud Developer Guide*, *Field Service Developer Guide*, *Manufacturing Cloud Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
AssetWarrantyNumber	Asset Warranty Number	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDate	End Date	date				
ExchangeType	Exchange Type	picklist		40		
Exclusions	Exclusions	textarea		32000		
ExpensesCovered	Expenses Covered	percent			5	2
ExpensesCoveredEndDate	Expenses Covered End Date	date				
Id	Asset Warranty ID	id		18		
IsDeleted	Deleted	boolean				
IsTransferable	Transferable	boolean				
LaborCovered	Labor Covered	percent			5	2
LaborCoveredEndDate	Labor Covered End Date	date				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
PartsCovered	Parts Covered	percent			5	2
PartsCoveredEndDate	Parts Covered End Date	date				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Pricebook2Id	Price Book ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				
WarrantyTermId	Warranty Term ID	reference		18		
WarrantyType	Warranty Type	picklist		40		

ASSETWARRANTYFEED

Feed tracking for AssetWarranty.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ASSETWARRANTYHISTORY

History for tracked fields of AssetWarranty.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetWarrantyId	Asset Warranty ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Asset Warranty History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSIGNEDRESOURCE

Represents a service resource who is assigned to a service appointment in Field Service and Lightning Scheduler. Assigned resources appear in the Assigned Resources related list on service appointments. This object is available in API version 38.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssignedResource in the *Field Service Developer Guide*, *Object Reference for the Salesforce Platform*, and *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualTravelTime	Actual Travel Time (Minutes)	double			18	2
ApptAssistantInfoUrl	Appointment Assistant Info Url	textarea		4000		
AssignedResourceNumber	Assigned Resource Number	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EstimatedTravelTime	Estimated Travel Time (Minutes)	double			18	2
EventId	Activity ID	reference		18		
Id	Assigned Resource ID	id		18		
IsDeleted	Deleted	boolean				
IsRequiredResource	Required Resource	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LocationStatus	Location Status	picklist		255		
Role	Role	picklist		40		
ServiceAppointmentId	Service Appointment ID	reference		18		
ServiceCrewId	Service Crew ID	reference		18		
ServiceResourceId	Service Resource ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Transaction	Transaction	string		255		

ASSIGNEDRESOURCEFEED

Feed tracking for AssignedResource.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ASSIGNEDRESOURCEHISTORY

History for tracked fields of AssignedResource.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssignedResourceId	Assigned Resource ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Assigned Resource History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASSIGNMENTRULE

Represents an assignment rule associated with a Case or Lead.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssignmentRule in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Active`	Active	boolean				
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Rule ID	id		18		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`Name`	Name	string		120		
`SobjectType`	SObject Type	picklist		40		
`SystemModstamp`	System Modstamp	datetime				

ASSOCIATEDLOCATION

Represents a link between an account and a location in Field Service. You can associate multiple accounts with one location. For example, a shopping center location may have multiple customer accounts.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AssociatedLocation in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActiveFrom	Active From	datetime				
ActiveTo	Active To	datetime				
AssociatedLocationNumber	Associated Location Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Associated Location ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
ParentRecordId	Account Name ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

ASSOCIATEDLOCATIONHISTORY

History for tracked fields of AssociatedLocation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssociatedLocationId	Associated Location ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Associated Location History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ASYNCAPEXJOB

Represents an individual Apex sharing recalculation job, a batch Apex job, a method with the future annotation, or a job that implements Queueable or Schedulable. Use this object to query Apex batch jobs in your organization.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AsyncApexJob in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApexClassId	Class ID	reference		18		
CompletedDate	Completion Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CronTriggerId	Scheduled Job ID	reference		18		
ExtendedStatus	Status Detail	string		255		
Id	Apex Job ID	id		18		
JobItemsProcessed	Batches Processed	int	9			
JobType	Job Type	picklist		40		
LastProcessed	Last ID processed and committed	string		15		
LastProcessedOffset	Offset of last ID processed and committed	int	9			
MethodName	Apex Method	string		255		
NumberOfErrors	Failures	int	9			
ParentJobId	Apex Job ID	reference		18		
Status	Status	picklist		40		
TotalJobItems	Total Batches	int	9			

ASYNCOPERATIONLOG

Represents an async operations log containing progress and status information about external synchronizations to the Omnichannel Inventory service. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AsyncOperationLog in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AsyncOperationNumber	Async Operation Number	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
Error	Error	string		255		
ExternalReference	External Reference	string		255		
FinishedAt	Finished At	datetime				
Id	Async Operation Log ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastStatusUpdateAt	Last Status Update At	datetime				
LastViewedDate	Last Viewed Date	datetime				
RelatedRecordId	Related Record ID	reference		18		
Request	Request	textarea		131072		
Response	Response	textarea		131072		
StartedAt	Started At	datetime				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Type	Type	picklist		255		

ASYNCOPERATIONTRACKER

Represents the status of an asynchronous request initiated from the Quote, Order, and CreditMemo entities. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AsyncOperationTracker in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AsyncOperationNumber	Async Operation Number	string		255		
CorrelationIdentifier	Correlation Identifier	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExpiresAt	Expires At	datetime				
FailedJobItems	Failed Job Items	int	9			
FinishedAt	Finished At	datetime				
Id	Revenue Async Operation ID	id		18		
IsDeleted	Deleted	boolean				
JobType	Job Type	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
ParentOperationId	Revenue Async Operation ID	reference		18		
ReferenceEntityId	Reference Entity ID	reference		18		
Request	Request	textarea		131072		
Response	Response	textarea		131072		
SequenceNumber	Sequence Number	int	9			
StartedAt	Started At	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Status	Status	picklist		255		
StepName	Step Name	picklist		255		
SubmittedAt	Submitted At	datetime				
SuccessfulJobItems	Successful Job Items	int	9			
SystemModstamp	System Modstamp	datetime				
TotalJobItems	Total Job Items	int	9			

ASYNCOPERATIONTRACKERSHARE

Sharing for AsyncOperationTracker.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ATTACHEDCONTENTDOCUMENT

This read-only object contains all ContentDocument objects associated with an object.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AttachedContentDocument in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentDocumentId	ContentDocument ID	reference		18		
ContentSize	Content Size	int	9			
ContentUrl	Content URL	url		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created	datetime				
ExternalDataSourceName	External Data Source	string		80		
ExternalDataSourceType	Class ID	picklist		80		
FileExtension	File Extension	string		40		
FileType	File Type	string		20		
Id	Content Document Link Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Content Modified Date	datetime				
LinkedEntityId	Parent ID	reference		18		
SharingOption	Prevent others from sharing and unsharing	picklist		40		
Title	Title	string		255		

ATTACHEDCONTENTNOTE

This read-only object contains all ContentNote objects associated with an object.

For more information, see AttachedContentNote in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ContentDocumentId`	ContentDocument ID	reference		18		
`ContentSize`	Content Size	int	9			
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created	datetime				
`FileExtension`	File Extension	string		40		
`FileType`	File Type	string		20		
`Id`	Note Id	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Content Modified Date	datetime				
`LinkedEntityId`	Parent ID	reference		18		
`TextPreview`	Text Preview	string		255		
`Title`	Title	string		255		

ATTACHMENT

Represents a file that a User has uploaded and attached to a parent object.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Attachment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Body	Body	base64				
BodyLength	Body Length	int	8			
ContentType	Content Type	string		120		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		500		
Id	Attachment ID	id		18		
IsDeleted	Deleted	boolean				
IsPrivate	Private	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	File Name	string		255		
OwnerId	Owner ID	reference		18		
ParentId	Parent ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ATTRPICKLISTEXCLUDEDVALUE

Represents the excluded picklist values for a product classification attribute or a product attribute definition. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AttrPicklistExcludedValue in the *Product Catalog Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttributeId	Attribute ID	reference		18		
AttributePicklistValueId	Attribute Picklist Value ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Attribute Picklist Excluded Value ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ATTRPICKLISTEXCLUDEDVALUEFEED

Feed tracking for AttrPicklistExcludedValue.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ATTRPICKLISTEXCLUDEDVALUEHISTORY

History for tracked fields of AttrPicklistExcludedValue.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttrPicklistExcludedValueId	Attribute Picklist Excluded Value ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Attribute Picklist Excluded Value History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ATTRPICKLISTEXCLUDEDVALUESHARE

Sharing for AttrPicklistExcludedValue.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ATTRIBUTEADJUSTMENTCONDITION

Represents the condition applied to an attribute that determines the price of a product or service being sold. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AttributeAdjustmentCondition in the *Salesforce Pricing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttributeBasedAdjRuleId	Attribute Based Adjustment Rule ID	reference		18		
AttributeDefinitionId	Attribute Definition ID	reference		18		
BooleanValue	Boolean Value	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DateTimeValue	Date Time Value	datetime				
DateValue	Date Value	date				
DoubleValue	Double Value	double			18	5
Id	Attribute Adjustment Condition ID	id		18		
IntegerValue	Integer Value	int	9			
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Operator	Operator	picklist		255		
ProductId	Product ID	reference		18		
StringValue	String Value	string		255		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UsageType	Usage Type	picklist		255		

ATTRIBUTEADJUSTMENTCONDITIONFEED

Feed tracking for AttributeAdjustmentCondition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ATTRIBUTEADJUSTMENTCONDITIONHISTORY

History for tracked fields of AttributeAdjustmentCondition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttributeAdjustmentConditionId	Attribute Adjustment Condition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Attribute Adjustment Condition History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ATTRIBUTEBASEDADJRULE

Represents the attribute conditions in a rule associated with the attribute based adjustment made for a product or service being sold. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AttributeBasedAdjRule in the *Salesforce Pricing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttributeCount	Attributes	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Attribute Based Adjustment Rule ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		255		

ATTRIBUTEBASEDADJRULEFEED

Feed tracking for AttributeBasedAdjRule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ATTRIBUTEBASEDADJRULEHISTORY

History for tracked fields of AttributeBasedAdjRule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttributeBasedAdjRuleId	Attribute Based Adjustment Rule ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Attribute Based Adjustment Rule History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ATTRIBUTEBASEDADJRULESHARE

Sharing for AttributeBasedAdjRule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`AccessLevel`	Custom Object Access	picklist		40		
`Id`	Custom Object Share ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`ParentId`	Parent ID	reference		18		
`RowCause`	Row Cause	picklist		40		
`UserOrGroupId`	User/Group ID	reference		18		

ATTRIBUTEBASEDADJUSTMENT

Represents the association between the product selling model and the price adjustment for product or service being sold based on its attributes. This object stores information about the attributes that define the price of the product or service, the discounts applied, along with its value for a given date range. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AttributeBasedAdjustment in the *Salesforce Pricing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentType	Adjustment Type	picklist		255		
AdjustmentValue	Adjustment Value	double			18	6
AttributeAdjConditionsHash	Attribute Adj Conditions Hash	string		255		
AttributeBasedAdjRuleId	Attribute Based Adjustment Rule ID	reference		18		
AttributeCount	Attributes	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EffectiveFrom	Effective From	datetime				
EffectiveTo	Effective To	datetime				
Id	Attribute Based Adjustment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
PriceAdjustmentScheduleId	Price Adjustment Schedule ID	reference		18		
PricingTerm	Pricing Term	int	9			
PricingTermUnit	Pricing Term Unit	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ProductId	Product ID	reference		18		
ProductSellingModelId	Product Selling Model ID	reference		18		
ScheduleType	Schedule Type	picklist		255		
SellingModelType	Selling Model Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

ATTRIBUTEBASEDADJUSTMENTFEED

Feed tracking for AttributeBasedAdjustment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ATTRIBUTEBASEDADJUSTMENTHISTORY

History for tracked fields of AttributeBasedAdjustment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttributeBasedAdjustmentId	Attribute Based Adjustment ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Attribute Based Adjustment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ATTRIBUTECATEGORY

Represents a logical grouping of attributes that can be reused while defining products. Attribute Categories are used for searching and managing product attributes. For example, the "Mobile Handset Properties" category has color, storage and make model, and size attributes. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AttributeCategory in the *Product Catalog Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Code	Code	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
Id	Attribute Category ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		80		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ATTRIBUTECATEGORYATTRIBUTE

Represents a relationship between an attribute category and the attribute definition. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AttributeCategoryAttribute in the *Product Catalog Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttributeCategoryId	Attribute Category ID	reference		18		
AttributeDefinitionId	Attribute Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Attribute Category Attribute ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ATTRIBUTECATEGORYATTRIBUTEFEED

Feed tracking for AttributeCategoryAttribute.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ATTRIBUTECATEGORYATTRIBUTEHISTORY

History for tracked fields of AttributeCategoryAttribute.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttributeCategoryAttributeId	Attribute Category Attribute ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Attribute Category Attribute History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ATTRIBUTECATEGORYATTRIBUTESHARE

Sharing for AttributeCategoryAttribute.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ATTRIBUTECATEGORYFEED

Feed tracking for AttributeCategory.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ATTRIBUTECATEGORYHISTORY

History for tracked fields of AttributeCategory.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttributeCategoryId	Attribute Category ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Attribute Category History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ATTRIBUTECATEGORYSHARE

Sharing for AttributeCategory.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ATTRIBUTEDEFINITION

Represents a product, asset, or object attribute, for example, a hardward specification or software detail. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AttributeDefinition in the *Field Service Developer Guide*, *Object Reference for the Salesforce Platform*, and *Salesforce Pricing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Code	Code	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DataType	Data Type	picklist		255		
DefaultHelpText	Default Help Text	textarea		32000		
DefaultValue	Default Value	string		255		
Description	Description	textarea		32000		
DeveloperName	API Name	string		80		
Id	Attribute Definition ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsRequired	Required	boolean				
Label	Label	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PicklistId	Attribute Picklist ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SourceSystemIdentifier	Source System ID	string		255		
SystemModstamp	System Modstamp	datetime				
UnitOfMeasureId	Unit of Measure ID	reference		18		
ValueDescription	Value Description	textarea		32000		

ATTRIBUTEDEFINITIONFEED

Feed tracking for AttributeDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ATTRIBUTEDEFINITIONHISTORY

History for tracked fields of AttributeDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttributeDefinitionId	Attribute Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Attribute Definition History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ATTRIBUTEDEFINITIONSHARE

Sharing for AttributeDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ATTRIBUTEPICKLIST

Represents a custom picklist for an asset attribute. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AttributePicklist in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Code	Code	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DataType	Data Type	picklist		255		
Description	Description	textarea		32000		
Id	Attribute Picklist ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		80		
OwnerId	Owner ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
UnitOfMeasureId	Unit of Measure ID	reference		18		

ATTRIBUTEPICKLISTFEED

Feed tracking for AttributePicklist.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ATTRIBUTEPICKLISTHISTORY

History for tracked fields of AttributePicklist.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttributePicklistId	Attribute Picklist ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Attribute Picklist History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ATTRIBUTEPICKLISTSHARE

Sharing for AttributePicklist.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ATTRIBUTEPICKLISTVALUE

Represents the values of an asset attribute picklist. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AttributePicklistValue in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Abbreviation	Abbreviation	string		255		
Code	Code	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DisplayValue	Display Value	string		255		
Id	Attribute Picklist Value ID	id		18		
IsDefault	Default	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		80		
PicklistId	Attribute Picklist ID	reference		18		
Sequence	Sequence	double			18	0
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Value	Value	string		255		

ATTRIBUTEPICKLISTVALUEFEED

Feed tracking for AttributePicklistValue.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ATTRIBUTEPICKLISTVALUEHISTORY

History for tracked fields of AttributePicklistValue.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttributePicklistValueId	Attribute Picklist Value ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Attribute Picklist Value History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

AUDIENCE

Represents an audience that is defined by criteria and can be assigned and used for targeting in an Experience Cloud site. This object is available in API version 44.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Audience in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AudienceName	Audience Name	string		80		
ContainerId	Container ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	Name	string		80		
FormulaFilterType	Formula Filter Type	picklist		255		
Id	Audience ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
SystemModstamp	System Modstamp	datetime				

AUDITTRAILFILEEXPORTSHARE

Sharing for AuditTrailFileExport.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

AURADEFINITION

Represents an Aura component definition, such as component markup, a client-side controller, or an event. This object is available in API version 32.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AuraDefinition in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuraDefinitionBundleId	Lightning Definition Bundle ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefType	Definition Type	picklist		255		
Format	Format	picklist		255		
Id	Lightning Definition ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Source	Source	textarea		1000000		
SystemModstamp	System Modstamp	datetime				

AURADEFINITIONBUNDLE

Represents a Lightning Aura component definition bundle, such as a component or application bundle. A bundle contains a Lightning Aura component definition and all its related resources. This object is available in API version 32.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AuraDefinitionBundle in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiVersion	Api Version	double			18	1
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
DeveloperName	Name	string		80		
Id	Lightning Definition Bundle ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

AURADEFINITIONBUNDLEINFO

For internal use only.

For more information, see AuraDefinitionBundleInfo in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ApiVersion`	Api Version	double			18	1
`AuraDefinitionBundleId`	Lightning Definition Bundle ID	string		18		
`DeveloperName`	Bundle Name	string		80		
`DurableId`	Durable ID	string		255		
`Id`	Lightning Definition Bundle ID	id		18		
`NamespacePrefix`	Namespace Prefix	string		15		

AURADEFINITIONINFO

For internal use only.

For more information, see AuraDefinitionInfo in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuraDefinitionBundleInfoId	Lightning Definition Bundle ID	string		100		
AuraDefinitionId	Lightning Definition ID	string		18		
DefType	Definition Type	picklist		255		
DeveloperName	Bundle Name	string		80		
DurableId	Durable ID	string		255		
Format	Format	picklist		255		
Id	Lightning Definition ID	id		18		
LastModifiedDate	Last Modified Date	datetime				
NamespacePrefix	Namespace Prefix	string		15		
Source	Source	textarea		1000000		

AUTHAPPLICATIONASSET

Information related to the association between an Asset and the Application for the license of an Asset. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AuthApplicationAsset in the *Emergency Response Management Object Reference* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Authorization Application Asset ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LicensePermitNameId	Business License ID	reference		18		
Name	Authorization Application Asset ID	string		255		
OwnerId	Owner ID	reference		18		
RgltyAuthApplicationId	Application ID	reference		18		
SystemModstamp	System Modstamp	datetime				

AUTHAPPLICATIONASSETFEED

Feed tracking for AuthApplicationAsset.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

AUTHAPPLICATIONASSETHISTORY

History for tracked fields of AuthApplicationAsset.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthApplicationAssetId	Authorization Application Asset ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Authorization Application Asset History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

AUTHAPPLICATIONASSETSHARE

Sharing for AuthApplicationAsset.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

AUTHAPPLICATIONPLACE

Information related to the association between a location and its application for the license of the location. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AuthApplicationPlace in the *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorizationId	Authorization ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Authorization Application Place ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Authorization Application Place ID	string		255		
OwnerId	Owner ID	reference		18		
PlaceId	Place ID	reference		18		
RgltyAuthApplicationId	Regulatory Authorization Application ID	reference		18		
SystemModstamp	System Modstamp	datetime				

AUTHAPPLICATIONPLACEFEED

Feed tracking for AuthApplicationPlace.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

AUTHAPPLICATIONPLACEHISTORY

History for tracked fields of AuthApplicationPlace.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthApplicationPlaceId	Authorization Application Place ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Authorization Application Place History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

AUTHAPPLICATIONPLACESHARE

Sharing for AuthApplicationPlace.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

AUTHCONFIG

Represents authentication options for My Domain and Experience Cloud site login pages. This object is available in API version 32.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AuthConfig in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthOptionsAuthProvider	AuthProvider	boolean				
AuthOptionsCertificate	Certificate	boolean				
AuthOptionsSaml	Saml	boolean				
AuthOptionsUsernamePassword	UsernamePassword	boolean				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Authentication Configuration ID	id		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				
Type	Authentication Configuration Type	picklist		255		
Url	URL	string		240		

AUTHCONFIGPROVIDERS

Represents an authentication provider that's configured in an organization. AuthConfigProviders is a child of the AuthConfig object. This object is available in API version 32.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AuthConfigProviders in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthConfigId	Authentication Configuration ID	reference		18		
AuthProviderId	Authentication Provider ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Auth Config Provider ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				

AUTHFORMREQUESTRECORD

Junction between an Authorization Request and the Salesforce record that is being authorized. For example. the actual financial Salesforce records shared with third parties or any Salesforce record being shared as a result of the consent request. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AuthFormRequestRecord in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Authorizable Form Request Record ID	id		18		
InfoAuthRequestFormId	Info Auth Request Form ID	reference		18		
InfoAuthorizationRequestId	Info Authorization Request ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				

AUTHFORMREQUESTRECORDFEED

Feed tracking for AuthFormRequestRecord.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

AUTHFORMREQUESTRECORDHISTORY

History for tracked fields of AuthFormRequestRecord.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthFormRequestRecordId	Authorizable Form Request Record ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Authorizable Form Request Record History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

AUTHLOCATIONACCESSSCHEDULE

Represents the operating hours during a specified period in which authorization is valid for a place. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AuthLocationAccessSchedule in the *Emergency Response Management Object Reference* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthApplPlaceId	Authorization Application Place ID	reference		18		
AuthEndDate	Authorization End Date	date				
AuthStartDate	Authorization Start Date	date				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Authorization Location Access Schedule ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
WorkDay	Work Day	multipicklist		4099	0	
WorkEndTime	Work End Time	time				
WorkStartTime	Work Start Time	time				

AUTHLOCATIONACCESSSCHEDULEFEED

Feed tracking for AuthLocationAccessSchedule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

AUTHLOCATIONACCESSSCHEDULEHISTORY

History for tracked fields of AuthLocationAccessSchedule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthLocationAccessScheduleId	Authorization Location Access Schedule ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Authorization Location Access Schedule History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

AUTHLOCATIONACCESSSCHEDULESHARE

Sharing for AuthLocationAccessSchedule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

AUTHPROVPARAMFWDALLOWLIST

Represents an allowlisted URL parameter that can be forwarded from authentication provider client configuration URLs to the authorization URL. Use this type to add custom functionality to authentication providers. For example, allowlist a ui_locales parameter and use it to send a user's language preference from Salesforce to the third-party provider's login page. This object is available in API version 62..0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AuthProvParamFwdAllowlist in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthProviderId	Auth. Provider ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Auth Provider Param Forwarding Allowlist ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Param	Allowed Parameter Name	string		128		
SystemModstamp	System Modstamp	datetime				

AUTHPROVIDER

Represents an authentication provider (auth provider). An auth provider lets users log in to your Salesforce org from an external service provider, such as Facebook, Google, or GitHub. This object is available in API version 27.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AuthProvider in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppleTeam	Apple Team	string		12		
AuthorizeUrl	Authorize Endpoint URL	url		1024		
ConsumerKey	Consumer Key	string		256		
ConsumerSecret	Consumer Secret	string		100		
CreatedDate	Created Date	datetime				
CustomMetadataTypeRecord	Custom Metadata Type Record	string		15		
DefaultScopes	Default Scopes	string		256		
DeveloperName	URL Suffix	string		32		
EcKey	Elliptic Curve Key	string		30		
ErrorUrl	Custom Error URL	string		500		
ExecutionUserId	User ID	reference		18		
FlowDefaultAccountId	Account ID	reference		18		
FlowDefaultProfileId	Profile ID	reference		18		
FriendlyName	Name	string		32		
IconUrl	Icon URL	url		1024		
Id	Auth. Provider ID	id		18		
IdTokenIssuer	Token Issuer	string		1024		
LinkKickoffUrl	Existing User Linking URL	url		255		
LogoutUrl	Custom Logout URL	url		1500		
OauthKickoffUrl	OAuth-Only Initialization URL	url		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OptionsIncludeOrgIdInId	Include identity organization's Organization ID for third-party account linkage	boolean				
OptionsIsBitbucket	isBitbucket	boolean				
OptionsIsEmi	IsEmi	boolean				
OptionsIsEmiSnapchatAds	IsEmiSnapchatAds	boolean				
OptionsIsEmiTikTokAds	IsEmiTikTokAds	boolean				
OptionsIsMuleSoftEU	isMuleSoftEU	boolean				
OptionsIsMuleSoftUS	isMuleSoftUS	boolean				
OptionsIsPkceEnabled	isPkceEnabled	boolean				
OptionsIsSegmentIntelligence	IsSegmentIntelligence	boolean				
OptionsIsWebDataConnector	IsWebDataConnector	boolean				
OptionsRequireMfa	requireMfa	boolean				
OptionsSendAccessTokenInHeader	Send access token in header	boolean				
OptionsSendClientCredentialsInHeader	Send client credentials in header	boolean				
OptionsSendSecretInApis	Include Consumer Secret in SOAP API Responses	boolean				
PluginId	Class ID	reference		18		
ProviderType	Provider Type	picklist		40		
RegistrationHandlerId	Class ID	reference		18		
SsoKickoffUrl	Single Sign-On Initialization URL	url		255		
TokenUrl	Token Endpoint URL	url		1024		
UserInfoUrl	User Info Endpoint URL	url		1024		

AUTHSESSION

The AuthSession object represents an individual user session in your organization. This object is available in versions 29.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AuthSession in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created	datetime				
Id	Auth Session ID	id		18		
IsAssociatedWithJwtAccessToken	Associated With Jwt	boolean				
IsCurrent	Current Session	boolean				
LastModifiedDate	Updated	datetime				
LoginGeoId	Login Geo Data ID	reference		18		
LoginHistoryId	Login History ID	reference		18		
LoginType	Login	picklist		40		
LogoutUrl	Logout URL	string		1500		
NumSecondsValid	Valid For	int	9			
ParentId	Auth Session ID	reference		18		
SessionSecurityLevel	Session Security Level	picklist		40		
SessionType	Session Type	picklist		40		
SourceIp	Source IP	string		39		
UserType	User Type	picklist		40		
UsersId	User ID	reference		18		

AUTHORNOTE

Stores notes associated with different types of records along with information about the author of the note and the time the note was authored. The author isn't necessarily the person who created a record. The author is the person who provided the information in the note. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AuthorNote in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorId	Author ID	reference		18		
AuthorName	Author Name	string		255		
AuthoredDateTime	Authored Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Author Note ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
NoteText	Note Text	textarea		32000		
OwnerId	Owner ID	reference		18		
ParentRecordId	ParentRecord ID	reference		18		
RecipientType	Recipient Type	picklist		40		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System ID	string		255		
SourceSystemModified	Source System Modified	datetime				
SystemModstamp	System Modstamp	datetime				

AUTHORNOTEFEED

Feed tracking for AuthorNote.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

AUTHORNOTEHISTORY

History for tracked fields of AuthorNote.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorNoteId	Author Note ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Author Note History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

AUTHORNOTESHARE

Sharing for AuthorNote.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

AUTHORIZATIONFORM

Represents the specific version and effective dates of a form that is associated with consent, such as a privacy policy or terms and conditions. This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AuthorizationForm in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssociatedRegulation	Associated Regulation	string		255		
ConsentDurationDayCount	Consent Duration Day Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultAuthFormTextId	Default Authorization Form Text ID	reference		18		
EffectiveFromDate	Effective From Date	date				
EffectiveToDate	Effective To Date	date				
Id	Authorization Form ID	id		18		
IsDeleted	Deleted	boolean				
IsSignatureRequired	Is Signature Required	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RevisionNumber	Revision Number	string		10		
SystemModstamp	System Modstamp	datetime				

AUTHORIZATIONFORMCONSENT

Represents the date and way in which a user consented to an authorization form. This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AuthorizationFormConsent in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorizationFormTextId	Authorization Form Text ID	reference		18		
Browser	Browser	string		255		
ConsentCapturedDateTime	Consent Captured Date Time	datetime				
ConsentCapturedSource	Consent Captured Source	string		255		
ConsentCapturedSourceType	Consent Captured Source Type	picklist		255		
ConsentExpirationDateTime	Consent Expiration Date Time	datetime				
ConsentGiverId	Consent Giver ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DocumentVersionId	ContentVersion ID	reference		18		
Email	Email	email		80		
Id	Authorization Form Consent ID	id		18		
InfoAuthRequestFormId	Info Authorization Request Form ID	reference		18		
Ip	IP	string		39		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Location	Location	string		255		
Name	Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OwnerId	Owner ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

AUTHORIZATIONFORMCONSENTHISTORY

History for tracked fields of AuthorizationFormConsent.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorizationFormConsentId	Authorization Form Consent ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Authorization Form Consent History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

AUTHORIZATIONFORMCONSENTSHARE

Sharing for AuthorizationFormConsent.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

AUTHORIZATIONFORMDATAUSE

Represents the data use consented to in an authorization form. This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AuthorizationFormDataUse in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorizationFormId	Authorization Form ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataUsePurposeId	Data Use Purpose ID	reference		18		
Id	Authorization Form Data Use ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

AUTHORIZATIONFORMDATAUSEHISTORY

History for tracked fields of AuthorizationFormDataUse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorizationFormDataUseId	Authorization Form Data Use ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Authorization Form Data Use History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

AUTHORIZATIONFORMDATAUSESHARE

Sharing for AuthorizationFormDataUse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

AUTHORIZATIONFORMHISTORY

History for tracked fields of AuthorizationForm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorizationFormId	Authorization Form ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Authorization Form History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

AUTHORIZATIONFORMSHARE

Sharing for AuthorizationForm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

AUTHORIZATIONFORMTEXT

Represents an authorization form's text and language settings. This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AuthorizationFormText in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorizationFormId	Authorization Form ID	reference		18		
ContentDocumentId	Content Document ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DetailAuthorizationFormText	Detail Authorization Form Text	textarea		32768		
FullAuthorizationFormUrl	Full Authorization Form Url	string		255		
Id	Authorization Form Text ID	id		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
IsReadOnly	Is Read Only	boolean				
LastActivationDateTime	Last Activation Date Time	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Locale	Locale	picklist		255		
LocaleSelection	Locale	picklist		255		
Name	Name	string		255		
SummaryAuthFormText	Summary Auth Form Text	string		255		
SystemModstamp	System Modstamp	datetime				

AUTHORIZATIONFORMTEXTFEED

Feed tracking for AuthorizationFormText.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

AUTHORIZATIONFORMTEXTHISTORY

History for tracked fields of AuthorizationFormText.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorizationFormTextId	Authorization Form Text ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Authorization Form Text ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

AUTHORIZEDINSURANCELINE

Represents the insurance lines that an insurance company is authorized to sell. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see AuthorizedInsuranceLine in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Country`	Country	string		255		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CurrencyIsoCode`	Currency ISO Code	picklist		3		
`Id`	Authorized Insurance Line ID	id		18		
`InsuranceLine`	Insurance Line	picklist		40		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`LegalEntityId`	Legal Entity ID	reference		18		
`Name`	Name	string		255		
`OwnerId`	Owner ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

AUTHORIZEDINSURANCELINEFEED

Feed tracking for AuthorizedInsuranceLine.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

AUTHORIZEDINSURANCELINEHISTORY

History for tracked fields of AuthorizedInsuranceLine.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorizedInsuranceLineId	Authorized Insurance Line ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Authorized Insurance Line History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

AUTHORIZEDINSURANCELINESHARE

Sharing for AuthorizedInsuranceLine.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

AWARD

Represents a person's or organization's professional awards.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Award in the *Education Cloud Developer Guide*, *Financial Services Cloud Developer Guide*, *Life Sciences Cloud Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AwardDate	Award Date	datetime				
AwardedBy	Awarded By	string		255		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
HealthcareProviderId	Healthcare Provider ID	reference		18		
Id	Award ID	id		18		
Identifier	Identifier	string		255		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Award Name	string		255		
OwnerId	Owner ID	reference		18		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
VerificationStatus	Verification Status	picklist		40		
VerifiedDate	Verified On	datetime				

AWARDFEED

Feed tracking for Award.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

AWARDHISTORY

History for tracked fields of Award.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AwardId	Award ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Award History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

AWARDSHARE

Sharing for Award.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BACKGROUNDOPERATION

Represents a background operation in an asynchronous job queue. This object is available in API version 35.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BackgroundOperation in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Error	Error Message	string		255		
ExecutionGroup	Execution Group	string		255		
ExpiresAt	Expires	datetime				
FinishedAt	Finished	datetime				
GroupLeaderId	Background Operation ID	reference		18		
Id	Background Operation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
NumFollowers	Num Followers	int	9			
ParentKey	Parent Key	string		255		
ProcessAfter	Process After	datetime				
RetryBackoff	Retry Backoff	int	9			
RetryCount	Retry Count	int	9			
RetryLimit	Retry Limit	int	9			
SequenceGroup	Sequence Group	string		255		
SequenceNumber	Sequence Number	int	9			
StartedAt	Started	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Status	Status	picklist		255		
SubmittedAt	Submitted	datetime				
SystemModstamp	System Modstamp	datetime				
Timeout	Timeout	int	9			
Type	Type	picklist		255		
WorkerUri	Worker URI	string		255		

BALANCEADJUSTMENTREQUEST

The request to create a financial adjustment in a backend billing system. Adjustments requests can be for either debit or credit amounts. Often used to give the customer a goodwill gesture. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BalanceAdjustmentRequest in the *Energy and Utilities Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
ApprovedById	User ID	reference		18		
ApprovedOn	Approved On	date				
BillingAccountId	Billing Account ID	reference		18		
BlockReason	Block Reason	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Balance Adjustment Request ID	id		18		
IsBlocked	Blocked	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Reason	Reason	string		255		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

BALANCEADJUSTMENTREQUESTFEED

Feed tracking for BalanceAdjustmentRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BALANCEADJUSTMENTREQUESTHISTORY

History for tracked fields of BalanceAdjustmentRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BalanceAdjustmentRequestId	Balance Adjustment Request ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Balance Adjustment Request History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BALANCEADJUSTMENTREQUESTSHARE

Sharing for BalanceAdjustmentRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BANKER

Represents a business unit member who is assigned the banker role for a branch unit. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Banker in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrentBranchId	Branch Unit ID	reference		18		
CurrentBranchStartTime	Current Branch Start Time	datetime				
Description	Description	string		255		
Id	Banker ID	id		18		
IsDeleted	Deleted	boolean				
JobCode	Job Code	string		100		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Level	Level	picklist		40		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ServiceResourceId	Resource ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UserOrContactId	User or Contact ID	reference		18		

BANKERFEED

Feed tracking for Banker.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BANKERHISTORY

History for tracked fields of Banker.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BankerId	Banker ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Banker History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BANKERSHARE

Sharing for Banker.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BATCHAPEXERROREVENT

An event related to the BatchApexErrorEvent object.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BatchApexErrorEvent in the *Object Reference for the Salesforce Platform* and *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AsyncApexJobId	Async Apex Job ID	string		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DoesExceedJobScopeMaxLength	Item Values Max Length Exceeded	boolean				
EventUuid	Event UUID For Platform Event	string		36		
ExceptionType	Exception Type Thrown	string		200		
JobScope	Items In Failed Batch	textarea		40000		
Message	Exception Message	string		5000		
Phase	Phase	string		8		
ReplayId	Replay ID For Platform Event	string		1000		
RequestId	Jetty Request ID	string		18		
StackTrace	Error Stack Trace	string		5000		

BATCHCALCJOBDEFINITIONVIEW

Represents the details of a Data Processing Engine definition. The definition can also be a file-based definition that is available in your Salesforce org. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BatchCalcJobDefinitionView in the *Industries Shared Features Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
DataSpaceApiName	Data Space Api Name	string		255		
DefinitionRunMode	Definition Run Mode	picklist		255		
Description	Description	string		255		
DurableId	Durable ID	string		255		
ExecutionPlatformObjectType	Execution Platform Object Type	picklist		255		
ExecutionPlatformType	Execution Platform Type	picklist		255		
Id	Batch Calculation Job Definition View ID	id		18		
InstalledPackageName	Package Name	string		240		
IsActive	Active	boolean				
IsTemplate	Template	boolean				
LastModifiedBy	Last Modified By	string		255		
LastModifiedDate	Last Modified Date	datetime				
ManageableState	Package State	picklist		255		
MasterLabel	Job Name	string		255		
Name	API Name	string		255		
NamespacePrefix	Namespace	string		255		
ProcessType	Process Type	picklist		255		

BATCHJOB

Represents an instance of a batch job that is either running and has been run. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BatchJob in the *Industries Shared Features Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdditionalInformation	Additional Information	textarea		100000		
BatchJobDefinitionId	Batch Job Definition ID	reference		18		
BatchJobDefinitionName	Batch Job Definition Name	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndTime	End Time	datetime				
ErrorDescription	Error Description	string		1333		
ExternalReference	External Reference	string		255		
Id	Run ID	id		18		
IsDebugOn	Is Debug On	boolean				
IsDebugRecipeDeleted	Is Debug Recipe Deleted	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProcessGroup	Group	string		80		
RetryCount	Retry Count	int	9			
RuntimeParameter	Runtime Parameter	textarea		100000		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
StartTime	Start Time	datetime				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

BATCHJOBFEED

Feed tracking for BatchJob.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BATCHJOBHISTORY

History for tracked fields of BatchJob.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BatchJobId	Run ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Batch Job History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BATCHJOBPART

Represents one part of a batch job. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BatchJobPart in the *Industries Shared Features Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BatchJobId	Run ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndTime	End Date	datetime				
ErrorDescription	Error	string		1333		
FailedRecFileBody	Failed Records File Body	base64				
FailedRecFileContentType	Failed Records File ContentType	picklist		255		
FailedRecFileLength	Failed Records File Length	int	9			
FailedRecFileName	Failed Records File Name	string		40		
FailedRecordCount	Total Failure	int	9			
Id	Batch Job Part ID	id		18		
InputRecordCount	Input Record	int	9			
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OutputRecordCount	Output Record	int	9			
ParentBatchJobPartId	Batch Job Part ID	reference		18		
RecordFileBody	Record File Body	base64				
RecordFileContentType	Record File ContentType	picklist		255		
RecordFileLength	Record File Length	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RecordFileName	Record File Name	string		40		
RetryCount	Retry Count	int	9			
StartTime	Start Date	datetime				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Node	picklist		255		

BATCHJOBPARTFAILEDRECORD

Represents records that a batch job part couldn't successfully process. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BatchJobPartFailedRecord in the *Industries Shared Features Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BatchJobId	Run ID	reference		18		
BatchJobPartId	Batch Job Part ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
ErrorDescription	Error	string		1333		
Id	Batch Job Part Failed Record ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
Record	Record	string		100		
ResubmittedBatchJobId	Run ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

BATCHJOBPARTFAILEDRECORDFEED

Feed tracking for BatchJobPartFailedRecord.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BATCHJOBPARTFAILEDRECORDHISTORY

History for tracked fields of BatchJobPartFailedRecord.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BatchJobPartFailedRecordId	Batch Job Part Failed Record ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Batch Job Part Failed Record History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BATCHJOBPARTFEED

Feed tracking for BatchJobPart.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BATCHJOBPARTHISTORY

History for tracked fields of BatchJobPart.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BatchJobPartId	Batch Job Part ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Batch Job Part History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BATCHJOBSHARE

Sharing for BatchJob.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BATCHJOBSTATUSCHANGEDEVENT

Notifies subscribers of when a batch job is completed in a flow. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BatchJobStatusChangedEvent in the *Industries Shared Features Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`BatchJob`	Batch Job	string		20		
`BatchJobDefinition`	Batch Job Definition	string		20		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EndDateTime`	End Date Time	datetime				
`EventUuid`	Event UUID	string		36		
`ReplayId`	Replay ID	string		1000		
`StartDateTime`	Start Date Time	datetime				
`Status`	Status	picklist		255		

BATCHPROCESSJOBDEFVIEW

Represents the details of a Batch Job definition. The definition can also be file-based definitions that are available in your Salesforce org. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BatchProcessJobDefView in the *Industries Shared Features Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
DurableId	Durable ID	string		255		
Id	Batch Process Job Definition View ID	id		18		
IsActive	Active	boolean				
Label	Label	string		255		
Name	Name	string		255		
NamespacePrefix	Namespace	string		255		
ProcessDefinition	Process Definition	textarea		32000		
ProcessGroup	Group	string		80		
SourceObjectName	Source Object Name	string		80		
Type	Type	string		255		
TypeInstance	Type Instance	string		80		

BENEFIT

Represents the benefits provided by public sector agencies that aim to support citizens and their businesses. This object stores whether the benefit is for financial or service-based organizations.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Benefit in the *Education Cloud Developer Guide*, *Life Sciences Cloud Developer Guide*, *Loyalty Management Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitManagerId	User ID	reference		18		
BenefitStatus	Benefit Status	picklist		40		
BenefitTypeId	Benefit Type ID	reference		18		
BnftDisbFieldSetApiName	Benefit Disbursement Field Set	string		255		
BudgetAmount	Budget Amount	currency			18	2
BudgetAmountUsed	Budget Amount Used	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
CurrentMonthDisbursedQty	Current Month Disbursed Quantity	double			18	0
CurrentYearAssignedQty	Current Year Assigned Quantity	double			18	0
CurrentYearDisbursedQty	Current Year Disbursed Quantity	double			18	0
Description	Description	textarea		1000		
EndDateTime	End Date	datetime				
EnrolleeAmountLimit	Enrollee Amount Limit	currency			18	2
EnrolleeLimitFrequency	Enrollee Limit Frequency	picklist		40		
EnrolleeTrxnAmountLimit	Enrollee Transaction Amount Limit	currency			18	2
EnrollmentCount	Enrollment Count	int	9			
GoalDefinitionId	Goal Definition ID	reference		18		
Id	Benefit ID	id		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsActive	Active	boolean				
IsBenefitCalculated	Benefit Calculated	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaxBenefitAmount	Maximum Benefit Amount	currency			18	2
MinBenefitAmount	Minimum Benefit Amount	currency			18	2
Name	Benefit Name	string		255		
PayeeType	Payee Type	picklist		40		
PayoutFrequency	Payout Frequency	picklist		255		
PreviousMonthDisbursedQty	Previous Month Disbursed Quantity	double			18	0
PreviousYearAssignedQty	Previous Year Assigned Quantity	double			18	0
PreviousYearDisbursedQty	Previous Year Disbursed Quantity	double			18	0
Product2Id	Product ID	reference		18		
ProgramId	Program ID	reference		18		
RecertificationFrequency	Recertification Frequency	int	9			
Rule	Rule API Name	string		255		
StartDateTime	Start Date	datetime				
StartRecertificationFrom	Start Recertification From	int	9			
SystemModstamp	System Modstamp	datetime				
UnitId	Unit of Measure ID	reference		18		
Value	Value	double			18	0

BENEFITACTION

Represents details of an action that can be triggered for a benefit.

For more information, see BenefitAction in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
DeveloperName	Name	string		80		
FlowDefinition	Interaction Definition ID	picklist		255		
FlowInstance	Flow Instance	string		80		
Id	Benefit Action ID	id		18		
IsActive	Active	boolean				
IsBenefitExpirationAllowed	Allow Benefit Expiration	boolean				
IsBenefitUpdateAllowed	Allow Benefit Update	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
MemberBenefitVariableName	Member Benefit Variable Name	string		80		
NamespacePrefix	Namespace Prefix	string		15		
ProcessType	Process Type	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

BENEFITACTIONPARAMETER

Represents the flow input parameters to be used in a benefit action.

For more information, see BenefitActionParameter in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`BenefitActionId`	Benefit Action ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	DataType	picklist		255		
`DeveloperName`	Object Name	string		80		
`Id`	Benefit Action Parameter ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Label	string		80		
`ObjectName`	Object Name	string		80		
`PicklistName`	Picklist Name	string		80		
`SystemModstamp`	System Modstamp	datetime				

BENEFITACTIONPARAMETERVALUE

Represents the pre-defined values for a benefit action parameter

For more information, see BenefitActionParameterValue in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`BenefitActionParameterId`	Benefit Action Parameter ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Benefit Action Parameter Value ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`ParameterValue`	Parameter Value	string		255		
`SystemModstamp`	System Modstamp	datetime				

BENEFITASSIGNMENT

Represents the enrollment information of an individual or business that is captured in an application. For example, an individual who is unemployed can raise an application requesting help from the government. If it is approved, the individual is enrolled into the unemployment insurance benefit. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BenefitAssignment in the *Education Cloud Developer Guide*, *Energy and Utilities Cloud Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApprovalRejectionReason	Approval Rejection Reason	string		255		
ApprovalStatus	Approval Status	picklist		40		
BenefitId	Benefit ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EarningThresholdAmount	Earning Threshold Amount	currency			18	2
EndDateTime	End Date Time	datetime				
EnrolleeId	Enrollee ID	reference		18		
EnrollmentCount	Enrollment Count	int	9			
EntitlementAmount	Entitlement Amount	currency			18	2
Id	Benefit Assignment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaximumBenefitAmount	Maximum Benefit Amount	currency			18	2
MinimumBenefitAmount	Minimum Benefit Amount	currency			18	2
Name	Name	string		255		
NextPayoutDate	Next Payout Date	date				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OwnerId	Owner ID	reference		18		
ParentRecordId	Parent Record ID	reference		18		
PayoutFrequency	Payout Frequency	picklist		255		
Priority	Priority	picklist		255		
ProgramEnrollmentId	Program Enrollment ID	reference		18		
Quantity	Quantity	int	9			
RecertificationDueDate	Recertification Due Date	date				
RecertificationStatus	Recertification Status	picklist		255		
ReferenceNumber	Reference Number	string		255		
RemainingAmount	Remaining Amount	currency			18	2
StartDateTime	Start Date Time	datetime				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TaskJobStatus	Task Job Status	picklist		255		
TaskJobStatusMessage	Task Job Status Message	textarea		2000		
TotalApprovedAmount	Total Approved Amount	currency			18	2
TotalPaidAmount	Total Paid Amount	currency			18	2
UnitOfMeasureId	Unit of Measure ID	reference		18		

BENEFITASSIGNMENTADJUSTMENT

Represents a monetary or non-monetary benefit adjustment made to an enrollee that can be disbursed in various frequencies. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BenefitAssignmentAdjustment in the *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentType	Adjustment Type	picklist		255		
ApprovalStatus	Approval Status	picklist		40		
BenefitAssignmentId	Benefit Assignment ID	reference		18		
Comment	Comment	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Benefit Assignment Adjustment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ProcessingStatus	Processing Status	picklist		255		
Reason	Reason	string		255		
RecurringAmount	Recurring Amount	currency			18	2
ReferenceRecordId	ReferenceRecord ID	reference		18		
StartDate	Start Date Time	datetime				
SystemModstamp	System Modstamp	datetime				
TotalAdjustmentAmount	Total Adjustment Amount	currency			18	2

BENEFITASSIGNMENTADJUSTMENTFEED

Feed tracking for BenefitAssignmentAdjustment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BENEFITASSIGNMENTADJUSTMENTHISTORY

History for tracked fields of BenefitAssignmentAdjustment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitAssignmentAdjustmentId	Benefit Assignment Adjustment ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Benefit Assignment Adjustment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BENEFITASSIGNMENTASSETFEED

Feed tracking for BenefitAssignmentAsset.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BENEFITASSIGNMENTASSETHISTORY

History for tracked fields of BenefitAssignmentAsset.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitAssignmentAssetId	Benefit Assignment Asset ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Benefit Assignment Asset History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BENEFITASSIGNMENTFEED

Feed tracking for BenefitAssignment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BENEFITASSIGNMENTHISTORY

History for tracked fields of BenefitAssignment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`BenefitAssignmentId`	Benefit Assignment ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Benefit Assignment History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

BENEFITASSIGNMENTSHARE

Sharing for BenefitAssignment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BENEFITDISBURSEMENT

Represents the allocation of an enrollee's benefit that can be made as monetary or non-monetary with different frequencies. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BenefitDisbursement in the *Education Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualCompletionDate	Actual Completion Date	datetime				
AdjustmentAmount	Adjustment Amount	currency			18	2
ApprovalStatus	Approval Status	picklist		40		
BenefitAssignmentId	Benefit Assignment ID	reference		18		
BenefitCategory	Benefit Category	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
DisbursedQuantity	Disbursed Quantity	double			8	2
DisbursementStatus	Disbursement Status	picklist		40		
EndDate	End Date	datetime				
EntitlementAmount	Entitlement Amount	currency			18	2
ExternalPaymentReference	External Payment Reference	string		100		
Id	Benefit Disbursement ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PaymentStatus	Payment Status	picklist		40		
PayoutAmount	Payout Amount	currency			18	2
ProgramEnrollmentId	Program Enrollment ID	reference		18		
RecipientCount	Recipient Count	int	9			
RecipientId	Recipient ID	reference		18		
RecipientType	Recipient Type	picklist		40		
StartDate	Start Date	datetime				
SystemModstamp	System Modstamp	datetime				
UnitOfMeasureId	Unit of Measure ID	reference		18		

BENEFITDISBURSEMENTADJ

Represents the changes of an enrollee's benefit that can be made as monetary or non-monetary with similar units of measure. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BenefitDisbursementAdj in the *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentAmount	Adjustment Amount	currency			18	2
AdjustmentReason	Adjustment Reason	string		255		
BenefitAssignmentAdjustmentId	Benefit Assignment Adjustment ID	reference		18		
BenefitDisbursementId	Benefit Disbursement ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Benefit Disbursement Adjustment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

BENEFITDISBURSEMENTADJFEED

Feed tracking for BenefitDisbursementAdj.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BENEFITDISBURSEMENTADJHISTORY

History for tracked fields of BenefitDisbursementAdj.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitDisbursementAdjId	Benefit Disbursement Adjustment ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Benefit Disbursement Adjustment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BENEFITDISBURSEMENTFEED

Feed tracking for BenefitDisbursement.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BENEFITDISBURSEMENTHISTORY

History for tracked fields of BenefitDisbursement.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitDisbursementId	Benefit Disbursement ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Benefit Disbursement History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BENEFITFEED

Feed tracking for Benefit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BENEFITHISTORY

History for tracked fields of Benefit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitId	Benefit ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Benefit History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BENEFITPARAMETERVALUE

Represents the runtime value of a parameter that's used when executing a flow for benefit action.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BenefitParameterValue in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitActionParameterId	Benefit Action Parameter ID	reference		18		
BenefitId	Benefit ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Benefit Parameter Value ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Benefit Parameter Value Name	string		255		
ParameterValue	Parameter Value	string		255		
SystemModstamp	System Modstamp	datetime				

BENEFITSCHEDULE

Represents information about the plan for delivering the benefit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BenefitSchedule in the *Energy and Utilities Cloud Developer Guide*, *Program Management Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitId	Benefit ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DataPyRef__c	DataPyRef	string		50		
DataPyTag__c	DataPyTag	double			4	1
DefaultBenefitQuantity	Default Benefit Quantity	double			8	2
Description	Description	textarea		1000		
FirstSessionEndDateTime	First Session End Date Time	datetime				
FirstSessionStartDateTime	First Session Start Date Time	datetime				
Id	Benefit Schedule ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaximumParticipantCount	Maximum Participant Count	int	9			
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

BENEFITSCHEDULEASSIGNMENTFEED

Feed tracking for BenefitScheduleAssignment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BENEFITSCHEDULEASSIGNMENTHISTORY

History for tracked fields of BenefitScheduleAssignment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitScheduleAssignmentId	Benefit Schedule Assignment ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Benefit Schedule Assignment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BENEFITSCHEDULEFEED

Feed tracking for BenefitSchedule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BENEFITSCHEDULEHISTORY

History for tracked fields of BenefitSchedule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitScheduleId	Benefit Schedule ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Benefit Schedule History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BENEFITSCHEDULESHARE

Sharing for BenefitSchedule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BENEFITSESSION

Represents information about an instance of a planned benefit delivery

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BenefitSession in the *Energy and Utilities Cloud Developer Guide*, *Program Management Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitScheduleId	Benefit Schedule ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DataPyRef__c	DataPyRef	string		50		
DataPyTag__c	DataPyTag	double			4	1
EndDateTime	End Date Time	datetime				
Id	Benefit Session ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
StartDateTime	Start Date Time	datetime				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

BENEFITSESSIONFEED

Feed tracking for BenefitSession.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BENEFITSESSIONHISTORY

History for tracked fields of BenefitSession.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitSessionId	Benefit Session ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Benefit Session History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BENEFITSESSIONSHARE

Sharing for BenefitSession.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BENEFITTYPE

Represents information about the type of benefits that can be applied to an individual or a group.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BenefitType in the *Education Cloud Developer Guide*, *Life Sciences Cloud Developer Guide*, *Loyalty Management Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		80		
Id	Benefit Type ID	id		18		
ImageSource	Image	string		1000		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Benefit Type Name	string		255		
OwnerId	Owner ID	reference		18		
ProcessType	Process Type	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		
UnitofMeasureId	Unit of Measure ID	reference		18		

BENEFITTYPESHARE

Sharing for BenefitType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BILLSCHDCREATEDEVENTDETAIL

Contains information about each order item in the /actions/standardCreateBillingScheduleFromOrderItem request and any errors that occurred while processing the request. This object is included in an `BillingScheduleCreatedEvent` message. You can't subscribe to `BillSchdCreatedEventDetail` directly. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BillSchdCreatedEventDetail in the *Billing Guide* and *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`BillingScheduleId`	Billing Schedule ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`ErrorCode`	Error Code	string		255		
`ErrorMessage`	Error Message	string		1000		
`EventUuid`	Event UUID	string		36		
`IsSuccess`	Success	boolean				
`OrderItemId`	Order Product ID	reference		18		

BILLINGACCOUNT

Represents the customer's billing controls in the backend system. Used to set up and maintain details such as bill frequency, bill format, and autopay details. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BillingAccount in the *Energy and Utilities Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillCopiesRequested	Bill Copies Requested	int	9			
BillingEmailAddress	Billing Email Address	email		80		
ContactPreferenceType	Contact Preference Type	multipicklist		4099	0	
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditRating	Credit Rating	string		255		
CreditScore	Credit Score	int	3			
CurrencyIsoCode	Currency ISO Code	picklist		3		
CustomerClass	Customer Class	picklist		40		
ExtlBillCycle	External Bill Cycle	picklist		40		
ExtlBillDeliveryMethod	External Bill Delivery Method	picklist		40		
ExtlBillFormat	External Bill Format	picklist		40		
ExtlBillFrequency	External Bill Frequency	picklist		40		
ExtlReferenceIdentifier	External Reference Identifier	string		120		
ExtlTaxExmpEndDate	External Tax Exemption End	date				
ExtlTaxExmpPercentage	External Tax Exemption Percentage	percent			3	0
ExtlTaxExmpStartDate	External Tax Exemption Start	date				
ExtlTaxExmpType	External Tax Exemption Type	picklist		40		
ExtlTaxIdentifier	External Tax Identifier	string		255		
Id	Billing Account ID	id		18		
IsAutopayEnabled	Autopay Enabled	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsBillingHold	Billing On Hold	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PrimaryBillAddr	Primary Billing Address	address				
PrimaryBillAddrCity	Primary Billing City	string		40		
PrimaryBillAddrCountry	Primary Billing Country	string		80		
PrimaryBillAddrGeocodeAccuracy	Primary Billing Geocode Accuracy	picklist		40		
PrimaryBillAddrLatitude	Primary Billing Latitude	double			18	15
PrimaryBillAddrLongitude	Primary Billing Longitude	double			18	15
PrimaryBillAddrPostalCode	Primary Billing Postal Code	string		20		
PrimaryBillAddrState	Primary Billing State	string		80		
PrimaryBillAddrStreet	Primary Billing Street	textarea		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TmpBillingAddr	Temporary Billing Address	address				
TmpBillingAddrCity	Temporary Billing City	string		40		
TmpBillingAddrCountry	Temporary Billing Country	string		80		
TmpBillingAddrEndDate	Temporary Billing Address End Date	date				
TmpBillingAddrGeocodeAccuracy	Temporary Billing Geocode Accuracy	picklist		40		
TmpBillingAddrLatitude	Temporary Billing Latitude	double			18	15
TmpBillingAddrLongitude	Temporary Billing Longitude	double			18	15
TmpBillingAddrPostalCode	Temporary Billing Postal Code	string		20		
TmpBillingAddrStartDate	Temporary Billing Address Start Date	date				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TmpBillingAddrState	Temporary Billing State	string		80		
TmpBillingAddrStreet	Temporary Billing Street	textarea		255		

BILLINGACCOUNTCONTACT

Represents a junction between Billing Account objects and Contact objects. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BillingAccountContact in the *Energy and Utilities Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillingAccountId	Billing Account ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Billing Account Contact ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RelationshipEndDate	End date	date				
RelationshipStartDate	Start date	date				
RelationshipType	Relationship type	picklist		40		
SystemModstamp	System Modstamp	datetime				

BILLINGACCOUNTCONTACTFEED

Feed tracking for BillingAccountContact.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BILLINGACCOUNTCONTACTHISTORY

History for tracked fields of BillingAccountContact.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillingAccountContactId	Billing Account Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Billing Account Contact History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BILLINGACCOUNTCONTACTSHARE

Sharing for BillingAccountContact.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BILLINGACCOUNTFEED

Feed tracking for BillingAccount.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BILLINGACCOUNTHISTORY

History for tracked fields of BillingAccount.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillingAccountId	Billing Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Billing Account History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BILLINGACCOUNTSHARE

Sharing for BillingAccount.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BILLINGBATCHFILTERCRITERIA

Represents the filter that all eligible billing schedules must satisfy in order to be picked up by an invoice run. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BillingBatchFilterCriteria in the *Billing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BatchCriteriaId	Batch Criteria ID	reference		18		
BillingBatchFilterCriteriaNumber	Billing Batch Filter Criteria Number	string		255		
ColumnEnum	Column	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CriteriaFieldType	Criteria Field Type	picklist		255		
CriteriaSequence	Criteria Sequence	int	9			
Id	Billing Batch Filter Criteria ID	id		18		
InvoiceRunMatchingValue	Invoice Run Matching Value	picklist		40		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ObjectName	Object	picklist		255		
Operation	Operation	picklist		255		
OwnerId	Owner ID	reference		18		
PaymentRunMatchingValue	Payment Run Matching Value	picklist		40		
StandardCriteriaField	Standard Criteria Field	string		255		
SystemModstamp	System Modstamp	datetime				
Value	Value	string		255		

BILLINGBATCHFILTERCRITERIAHISTORY

History for tracked fields of BillingBatchFilterCriteria.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillingBatchFilterCriteriaId	Billing Batch Filter Criteria ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Billing Batch Filter Criteria History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BILLINGBATCHFILTERCRITERIASHARE

Sharing for BillingBatchFilterCriteria.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BILLINGBATCHSCHEDULER

Represents a scheduled processing job that triggers recurring invoice batch runs and payment batch runs in Subscription Management. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BillingBatchScheduler in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillingSchedulerName	Billing Scheduler Name	string		255		
Comments	Comments	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CronExpression	Cron Expression	string		255		
EndDate	End Date	date				
FrequencyCadence	Frequency	picklist		255		
FrequencyOptions	Recurrence	textarea		2000		
Id	Billing Scheduler ID	id		18		
IsDeleted	Deleted	boolean				
JobType	Job Type	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
NextRunTime	Next Run	datetime				
OwnerId	Owner ID	reference		18		
RecurringSubType	Recurring subtype	picklist		255		
RecurringType	Recurring type	picklist		255		
RecursOn	Recurs on	picklist		255		
RecursOnDate	Recurs on date	string		3		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RecursOnDay	Recurs on day	picklist		255		
RunCriteriaId	Run Criteria ID	reference		18		
ShouldExcludeWkendAndHldy	Bypass weekend	boolean				
ShouldStartRunImmediately	Start Run Immediately	boolean				
StartDate	Start Date	date				
StartTime	Start Time	time				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TimeZone	Time Zone	picklist		255		

BILLINGBATCHSCHEDULERSHARE

Sharing for BillingBatchScheduler.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BILLINGMILESTONEPLAN

Represents a structured approach to invoicing where invoices are scheduled based on predefined milestones. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BillingMilestonePlan in the *Billing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillingTreatmentId	Billing Treatment ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
Id	Billing Milestone Plan ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ReferenceItemAmount	Reference Item Amount	currency			18	2
ReferenceItemId	ReferenceItem ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

BILLINGMILESTONEPLANFEED

Feed tracking for BillingMilestonePlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BILLINGMILESTONEPLANHISTORY

History for tracked fields of BillingMilestonePlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillingMilestonePlanId	Billing Milestone Plan ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Billing Milestone Plan History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BILLINGMILESTONEPLANITEM

Represents a specific billing milestone within the billing milestone plan that's used to manage and track billing based on the completion of certain deliverables or stages. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BillingMilestonePlanItem in the *Billing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillingMilestonePlanId	Billing Milestone Plan ID	reference		18		
BillingScheduleGroupId	Billing Schedule Group ID	reference		18		
CommencementDate	Milestone Commencement Trigger	picklist		255		
CommencementDateOffset	Milestone Commencement Offset	int	9			
CommencementDateOffsetUnit	Milestone Commencement Offset Unit	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
FlatAmount	Flat Amount	currency			18	2
Id	Billing Milestone Plan Item ID	id		18		
IsDeleted	Deleted	boolean				
IsMilestoneAccomplished	Milestone accomplished	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MilestoneAccomplishmentDate	Milestone Accomplishment Date	date				
MilestoneAmount	Milestone Amount	currency			18	2
MilestoneAmountDerived	Milestone Amount Derived	double			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MilestoneType	Milestone Type	picklist		255		
Name	Name	string		255		
Percentage	Percentage	percent			5	2
ServicePeriodEnd	Service Period End	picklist		255		
ServicePeriodStart	Service Period Start	picklist		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Distribution Method	picklist		255		

BILLINGMILESTONEPLANITEMFEED

Feed tracking for BillingMilestonePlanItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BILLINGMILESTONEPLANITEMHISTORY

History for tracked fields of BillingMilestonePlanItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillingMilestonePlanItemId	Billing Milestone Plan Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Billing Milestone Plan Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BILLINGMILESTONEPLANSHARE

Sharing for BillingMilestonePlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BILLINGPERIODITEM

Represents one payment period for a subscription. The billing period item is used to pass billing information to an invoice line item in Subscription Management. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BillingPeriodItem in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
BillingPeriodEndDate	Billing Period End Date	date				
BillingPeriodItemNumber	Name	string		255		
BillingPeriodStartDate	Billing Period Start Date	date				
BillingScheduleGroupId	Billing Schedule Group ID	reference		18		
BillingScheduleId	Billing Schedule ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Billing Period Item ID	id		18		
InvoiceId	Invoice ID	reference		18		
InvoiceLineId	Invoice Line ID	reference		18		
InvoiceStatus	Invoice Status	picklist		255		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

BILLINGPOLICY

Represents a group of billing treatments, which define the rules for how to invoice a customer for an order item. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BillingPolicy in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillingTreatmentSelection	Billing Treatment Selection	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultBillingTreatmentId	Billing Treatment ID	reference		18		
Description	Description	textarea		1000		
Id	Billing Policy ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

BILLINGPOLICYHISTORY

History for tracked fields of BillingPolicy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillingPolicyId	Billing Policy ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Billing Policy History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BILLINGSCHEDULE

Stores the order item information used in the invoicing process. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BillingSchedule in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BilledAmount	Billed Amount	currency			18	2
BilledThroughPeriod	Last billing period that includes this date	date				
BillingPeriodAmount	Billing Period Amount	currency			18	2
BillingScheduleEndDate	Billing Schedule End Date	date				
BillingScheduleGroupId	Billing Schedule Group ID	reference		18		
BillingScheduleNumber	Name	string		255		
BillingScheduleStartDate	Billing Schedule Start Date	date				
BillingTreatmentItemId	Billing Treatment Item ID	reference		18		
CancellationDate	Cancellation Date	date				
Category	Category	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalReference	External Reference Id	string		18		
ExternalReferenceItem	External Reference Item Id	string		18		
Id	Billing Schedule ID	id		18		
InvoiceRunMatchingValue	Invoice Run Matching Value	picklist		40		
IsBilledThroughPeriodUpdated	Is Billed Through Period Updated	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
NetUnitPrice	Net Unit Price	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
NextBillingDate	Next Billing Date	date				
NextChargeFromDate	Next Charge From Date	date				
OriginalBillingScheduleId	Billing Schedule ID	reference		18		
PendingAmount	Pending Amount	currency			18	2
Quantity	Quantity	double			18	2
ReferenceEntityId	ReferenceEntity ID	reference		18		
ReferenceEntityItemId	ReferenceEntityItem ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TaxTreatmentId	Tax Treatment ID	reference		18		
TotalAmount	Total Amount	currency			18	2
UnitPrice	Unit Price	currency			18	2

BILLINGSCHEDULECREATEDEVENT

Notifies subscribers when the /actions/standardCreateBillingScheduleFromOrderItem request is complete. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BillingScheduleCreatedEvent in the *Billing Guide* and *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillingScheduleCreatedEventDetail	Billing Schedule Created Event Detail ID	complexvalue				
CorrelationIdentifier	Correlation Identifier	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EventUuid	Event UUID	string		36		
ReplayId	Replay ID	string		1000		
RequestIdentifier	Request Identifier	string		80		

BILLINGSCHEDULEGROUP

Represents a consolidated view of all billing schedules related to the order items generated from one asset, including new orders and amendment orders. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BillingScheduleGroup in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillDayOfMonth	Bill Day Of Month	int	9			
BillToContactId	Contact ID	reference		18		
BillingAccountId	Account ID	reference		18		
BillingAddress	Billing Address	address				
BillingCity	Billing City	string		40		
BillingCountry	Billing Country	string		80		
BillingGeocodeAccuracy	Billing Geocode Accuracy	picklist		40		
BillingLatitude	Billing Latitude	double			18	15
BillingLongitude	Billing Longitude	double			18	15
BillingMethod	Billing Method	picklist		255		
BillingPostalCode	Billing Postal Code	string		20		
BillingResumptionDate	Billing Resumption Date	date				
BillingScheduleGroupNumber	Name	string		255		
BillingStartMonth	Billing Start Month	picklist		255		
BillingState	Billing State	string		80		
BillingStreet	Billing Street	textarea		255		
BillingSuspensionDate	Billing Suspension Date	date				
BillingTerm	Billing Term	int	9			
BillingTermUnit	Billing Term Unit	picklist		255		
BillingTreatmentId	Billing Treatment ID	reference		18		
BillingType	Billing Type	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CancellationDate	Cancellation Date	date				
Controller	Controller	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveNextBillingDate	Effective Next Billing Date	date				
EndDate	End Date	date				
ExternalRefRecordIdentifier	External Reference Record Identifier	string		40		
Id	Billing Schedule Group ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LegalEntityId	Legal Entity ID	reference		18		
NextBillingDateOverride	Next Billing Date Override	date				
OwnerId	Owner ID	reference		18		
PeriodBoundary	Period Boundary	picklist		255		
Product2Id	Product ID	reference		18		
ProductName	Product Name	string		255		
ReferenceEntityId	Asset ID	reference		18		
ReferenceRecordId	ID	reference		18		
ShipFromAddress	Ship From Address	address				
ShipFromCity	Ship From City	string		40		
ShipFromCountry	Ship From Country	string		80		
ShipFromGeocodeAccuracy	Ship From Geocode Accuracy	picklist		40		
ShipFromLatitude	Ship From Latitude	double			18	15
ShipFromLongitude	Ship From Longitude	double			18	15
ShipFromPostalCode	Ship From Postal Code	string		20		
ShipFromState	Ship From State	string		80		
ShipFromStreet	Ship From Street	textarea		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ShippingAddress	Shipping Address	address				
ShippingCity	Shipping City	string		40		
ShippingCountry	Shipping Country	string		80		
ShippingGeocodeAccuracy	Shipping Geocode Accuracy	picklist		40		
ShippingLatitude	Shipping Latitude	double			18	15
ShippingLongitude	Shipping Longitude	double			18	15
ShippingPostalCode	Shipping Postal Code	string		20		
ShippingState	Shipping State	string		80		
ShippingStreet	Shipping Street	textarea		255		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				
TaxTreatmentId	Tax Treatment ID	reference		18		
TotalBilledAmount	Total Billed Amount	currency			18	2
TotalPendingAmount	Total Pending Amount	currency			18	2

BILLINGSCHEDULEGROUPHISTORY

History for tracked fields of BillingScheduleGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillingScheduleGroupId	Billing Schedule Group ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Billing Schedule Group History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BILLINGSCHEDULEGROUPSHARE

Sharing for BillingScheduleGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BILLINGSCHEDULERELATIONSHIPFEED

Feed tracking for BillingScheduleRelationship.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BILLINGSCHEDULERELATIONSHIPHISTORY

History for tracked fields of BillingScheduleRelationship.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillingScheduleRelationshipId	Billing Schedule Relationship ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Billing Schedule Relationship History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BILLINGTREATMENT

Defines how Subscription Management bills an order item. The Exclude From Billing field controls whether the order item is invoiced. Child billing treatment items control how much of the order item's balance is invoiced for each invoice across the subscription's lifecycle. Billing treatments are assigned to order items based on the parent billing policy's Billing Treatment Selection field. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BillingTreatment in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillingPolicyId	Billing Policy ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
ExcludeFromBilling	Exclude From Billing	picklist		255		
Id	Billing Treatment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LegalEntityId	Legal Entity ID	reference		18		
Name	Billing Treatment Name	string		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

BILLINGTREATMENTHISTORY

History for tracked fields of BillingTreatment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillingTreatmentId	Billing Treatment ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Billing Treatment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BILLINGTREATMENTITEM

A billing treatment item defines how the order item's total amount is distributed into billing schedules over the course of the order item's lifecycle. In the Subscription Management pilot, billing treatments must have only one billing treatment item, so that the billing treatment item covers 100% of the order item's total value. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BillingTreatmentItem in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillingTreatmentId	Billing Treatment ID	reference		18		
BillingType	Billing Type	picklist		255		
Controller	Controller	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
FlatAmount	Flat Amount	currency			18	0
Handling0Amount	Zero Amount Behavior	picklist		255		
Id	Billing Treatment Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Percentage	Percentage	percent			3	0
ProcessingOrder	Processing Order	int	9			
Sequencing	Sequencing	picklist		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

BILLINGTREATMENTITEMHISTORY

History for tracked fields of BillingTreatmentItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillingTreatmentItemId	Billing Treatment Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Billing Treatment Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BINDINGOBJECTCUSTOMEXT

Represents the external or custom target object that's bound to the entitlements granted with the sellable product. This object is available in API version 64.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BindingObjectCustomExt in the *Rate Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Binding Object Custom Extension ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`OwnerId`	Owner ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

BINDINGOBJECTCUSTOMEXTFEED

Feed tracking for BindingObjectCustomExt.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BINDINGOBJECTCUSTOMEXTHISTORY

History for tracked fields of BindingObjectCustomExt.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`BindingObjectCustomExtId`	Binding Object Custom Extension ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Binding Object Custom Extension History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

BINDINGOBJECTCUSTOMEXTSHARE

Sharing for BindingObjectCustomExt.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BINDINGOBJECTRATEADJUSTMENT

Represents the rate adjustments of the usage resource associated with the binding object that's used to charge over consumption. This object is available in API version 64.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BindingObjectRateAdjustment in the *Rate Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentType	Adjustment Type	picklist		255		
AdjustmentValue	Adjustment Value	double			18	6
BindingObjectRateCardEntryId	Binding Object Rate Card Entry ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Binding Object Rate Adjustment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LowerBound	Lower Bound	double			18	6
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				
UpperBound	Upper Bound	double			18	6

BINDINGOBJECTRATEADJUSTMENTFEED

Feed tracking for BindingObjectRateAdjustment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BINDINGOBJECTRATEADJUSTMENTHISTORY

History for tracked fields of BindingObjectRateAdjustment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BindingObjectRateAdjustmentId	Binding Object Rate Adjustment ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Binding Object Rate Adjustment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BINDINGOBJECTRATECARDENTRY

Represents the rate card entry details of the usage resource associated with the binding object that's used to charge over consumption. This object is available in API version 64.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BindingObjectRateCardEntry in the *Rate Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BindingObjectId	Binding Object ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveFrom	Effective From	datetime				
EffectiveTo	Effective To	datetime				
Id	Binding Object Rate Card Entry ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
NegotiatedRate	Negotiated Rate	double			18	6
OwnerId	Owner ID	reference		18		
RateCardEntryId	Rate Card Entry ID	reference		18		
RateCardId	Rate Card ID	reference		18		
RateCardType	Rate Card Type	picklist		255		
RateUnitOfMeasureId	Unit of Measure ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UsageResourceId	Usage Resource ID	reference		18		

BINDINGOBJECTRATECARDENTRYFEED

Feed tracking for BindingObjectRateCardEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BINDINGOBJECTRATECARDENTRYHISTORY

History for tracked fields of BindingObjectRateCardEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BindingObjectRateCardEntryId	Binding Object Rate Card Entry ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Binding Object Rate Card Entry History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BINDINGOBJECTRATECARDENTRYSHARE

Sharing for BindingObjectRateCardEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BLDGENRGYINTENSITY

Represents the average energy intensity by fuel type across a set of buildings. You can derive this data from published sources. Alternatively, you can do so by using energy use records as the data source and then setting up a window of time with some characteristics of the building size and type.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BldgEnrgyIntensity in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AnnualEnergyIntensityInKwhM2	Annual Energy Intensity (kWh/m2)	double			13	3
AnnualEnergyIntensityInKwhSqft	Annual Energy Intensity (kWh/sqft)	double			13	3
AreSysGenEnrgyUseRecIncluded	System Generated Energy Use Records Included	boolean				
AveragePowerUsageEffectiveness	Average Power Usage Effectiveness	double			11	3
AveragingWindowEndDate	Averaging Window End Date	date				
AveragingWindowStartDate	Averaging Window Start Date	date				
BldgEnergyIntensityIdentifier	Building Energy Intensity ID	textarea		32000		
BuildingAssetType	Building Asset Type	string		255		
BuildingSize	Building Size	string		255		
BuildingSizeCategoryId	Building Size Category ID	reference		18		
BusinessRegion	Business Region	string		255		
Country	Country	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmissionFactorDataSource	Emissions Factor Data Source	textarea		32000		
EmissionFactorUpdateYear	Emissions Factor Update Year	string		4		
ExternalIdentifier	External Identifier	string		255		
Id	Building Energy Intensity ID	id		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsDeleted	Deleted	boolean				
IsRecordLocked	Record Locked	boolean				
LastCalculatedDate	Last Calculated Date	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaximumBuildingSizeInM2	Maximum Building Size (m2)	double			18	5
MaximumBuildingSizeInSqft	Maximum Building Size (Sqft)	double			18	5
MinimumBuildingSizeInM2	Minimum Building Size (m2)	double			18	5
MinimumBuildingSizeInSqft	Minimum Building Size (Sqft)	double			18	5
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ReferenceDataLoadLogId	Reference Data Load Log ID	reference		18		
RegionalDivision	Regional Division	picklist		255		
State	State	string		255		
SystemModstamp	System Modstamp	datetime				

BLDGENRGYINTENSITYFEED

Feed tracking for BldgEnrgyIntensity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BLDGENRGYINTENSITYHISTORY

History for tracked fields of BldgEnrgyIntensity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`BldgEnrgyIntensityId`	Building Energy Intensity ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Building Energy Intensity History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

BLDGENRGYINTENSITYSHARE

Sharing for BldgEnrgyIntensity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BLDGENRGYINTENSITYVAL

Represents the calculated average energy intensity for an individual fuel type across a set of buildings. Each record stores the fuel use intensity as a function of the floor area of the occupied space of that building.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BldgEnrgyIntensityVal in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AnnualIntensityValueInKwhM2	Annual Intensity Value (kWh/m2)	double			13	3
AnnualIntensityValueInKwhSqft	Annual Intensity Value (kWh/sqft)	double			13	3
BuildingEnergyIntensityId	Building Energy Intensity ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EnergyUseRecordCount	Energy Use Record Count	double			5	0
ExternalIdentifier	External Identifier	string		255		
FuelType	Fuel Type	picklist		255		
Id	Building Energy Intensity Value ID	id		18		
IsDeleted	Deleted	boolean				
IsRecordLocked	Record Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
NumberOfDaysUsedForCalc	Number of Days Used For Calculation	double			5	0
ReferenceDataLoadLogId	Reference Data Load Log ID	reference		18		
SystemModstamp	System Modstamp	datetime				

BLDGENRGYINTENSITYVALFEED

Feed tracking for BldgEnrgyIntensityVal.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BLDGENRGYINTENSITYVALHISTORY

History for tracked fields of BldgEnrgyIntensityVal.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BldgEnrgyIntensityValId	Building Energy Intensity Value ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Building Energy Intensity Value History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BLDGSIZECATEGORY

Represents the building size filter criteria for the building energy intensity records. The building size filter criteria are stored as a range of floor area sizes from a minimum size to a maximum size, in units of sqft or m^2. The records can have overlapping minimum-maximum ranges.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BldgSizeCategory in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Building Size Category ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaximumSize	Maximum Size	double			18	0
MaximumSizeInSqft	Maximum Size (sqft)	double			18	0
MinimumSize	Minimum Size	double			18	0
MinimumSizeInSqft	Minimum Size (sqft)	double			18	0
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SizeUnit	Size Unit	picklist		255		
SystemModstamp	System Modstamp	datetime				

BLDGSIZECATEGORYFEED

Feed tracking for BldgSizeCategory.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BLDGSIZECATEGORYHISTORY

History for tracked fields of BldgSizeCategory.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BldgSizeCategoryId	Building Size Category ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Building Size Category History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BLDGSIZECATEGORYSHARE

Sharing for BldgSizeCategory.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BOARDCERTIFICATION

Represents the practitioner's board certifications such as being board-certified in cardiology and cardiovascular disease.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BoardCertification in the *Life Sciences Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
BoardName	Board Name	string		255		
CertificationType	Certification Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
CurrentCertificationDate	Current Certification Date	date				
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
ExpirationDate	Expiration Date	date				
HealthcareProviderId	Healthcare Provider ID	reference		18		
Id	Board Certification ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Board Certification Name	string		255		
OwnerId	Owner ID	reference		18		
PractitionerId	Contact ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TerminationDate	Termination Date	date				
TerminationReason	Termination Reason	string		255		

BOARDCERTIFICATIONFEED

Feed tracking for BoardCertification.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BOARDCERTIFICATIONHISTORY

History for tracked fields of BoardCertification.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BoardCertificationId	Board Certification ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Board Certification History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BOARDCERTIFICATIONSHARE

Sharing for BoardCertification.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BOTDEFINITION

Represents a top level object for Einstein Bots or Agentforce Agents. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BotDefinition in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AgentTemplate	Template	string		255		
AgentType	Type of Agent	picklist		255		
BotSource	Type of Bot Source	picklist		255		
BotUserId	User ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
DeveloperName	Name	string		80		
Id	Bot ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Bot Definition Name	string		80		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

BRANCHUNIT

Represents details about a branch of an organization. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BranchUnit in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
BranchCode	Branch Code	string		100		
BranchManagerId	Branch Manager ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDate	End Date	date				
Id	Branch Unit ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
Name	Name	string		255		
OperatingHoursId	Operating Hour ID	reference		18		
OperationalState	Operational State	picklist		40		
OwnerId	Owner ID	reference		18		
ParentBranchUnitId	Branch Unit ID	reference		18		
ServiceTerritoryId	Territory ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Type	Type	picklist		255		

BRANCHUNITBUSINESSMEMBER

Represents a user or contact who can perform a specific role for a branch. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BranchUnitBusinessMember in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BranchUnitId	Branch Unit ID	reference		18		
BusinessUnitMemberId	Business Unit Member ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDate	End Date	date				
Id	Branch Unit Business Member ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ServiceTerritoryMemberId	Resource Territory ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

BRANCHUNITBUSINESSMEMBERFEED

Feed tracking for BranchUnitBusinessMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BRANCHUNITBUSINESSMEMBERHISTORY

History for tracked fields of BranchUnitBusinessMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BranchUnitBusinessMemberId	Branch Unit Business Member ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Branch Unit Business Member History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BRANCHUNITCUSTOMER

Represents a customer account that is assigned to or attributed to a branch unit. This object is available in API version 5`.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BranchUnitCustomer in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AssociationLevel	Association Level	picklist		40		
BranchUnitId	Branch Unit ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Branch Unit Customer ID	id		18		
IsDeleted	Deleted	boolean				
LastInteractionDate	Last Interaction Date	date				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

BRANCHUNITCUSTOMERFEED

Feed tracking for BranchUnitCustomer.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BRANCHUNITCUSTOMERHISTORY

History for tracked fields of BranchUnitCustomer.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`BranchUnitCustomerId`	Branch Unit Customer ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Branch Unit Customer History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

BRANCHUNITFEED

Feed tracking for BranchUnit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BRANCHUNITHISTORY

History for tracked fields of BranchUnit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BranchUnitId	Branch Unit ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Branch Unit History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BRANCHUNITRELATEDRECORD

Represents a record such as a case or account that is associated with or attributed to a branch unit. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BranchUnitRelatedRecord in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
BranchUnitId	Branch Unit ID	reference		18		
BusinessUnitMemberId	Business Member ID	reference		18		
Comment	Comment	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Branch Unit Related Record ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Reason	Reason	picklist		40		
RelatedObjectName	Related Object Name	picklist		255		
RelatedRecordAssocCriteriaId	Related Record Association ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				

BRANCHUNITSHARE

Sharing for BranchUnit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BRANDTEMPLATE

Letterhead for HTML EmailTemplate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BrandTemplate in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		1000		
DeveloperName	Letterhead Unique Name	string		80		
Id	Letterhead ID	id		18		
IsActive	Active	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Brand Template Name	string		255		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				
Value	Value	textarea		32000		

BRANDINGSET

Represents the definition of a set of branding properties for an Experience Builder site, as defined in the Theme panel in Experience Builder. This object is available in API version 40.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BrandingSet in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Description`	Description	textarea		1000		
`DeveloperName`	Name	string		80		
`Id`	Branding Set ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Set Label	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`SystemModstamp`	System Modstamp	datetime				

BRIEF

Represents a marketing brief. A brief contains information that's used for positioning and grounding a marketing campaign.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Brief in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdditionalNotes	Additional Notes	textarea		1024		
BrandId	Managed Content ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1024		
Id	Brief ID	id		18		
IsDeleted	Deleted	boolean				
KeyMessage	Key Message	textarea		1024		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Brief Name	string		255		
SystemModstamp	System Modstamp	datetime				
TargetAudience	Target Audience	textarea		1024		

BRIEFCASEASSIGNMENT

Represents the assignment of a briefcase definition to selected users and user groups. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BriefcaseAssignment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BriefcaseId	Briefcase Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Briefcase Assignment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				
UserOrGroupId	User or Group ID	reference		18		

BRIEFCASEDEFINITION

Represents a briefcase definition. A briefcase makes selected records available for users to view when they're offline in the Salesforce Field Service mobile app for iOS and Android. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BriefcaseDefinition in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1024		
DeveloperName	Name	string		80		
Id	Briefcase Definition ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

BRIEFCASERULE

Represents a rule that specifies records for a briefcase definition. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BriefcaseRule in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BriefcaseId	Briefcase Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FilterLogic	Filter Logic	string		255		
Id	Briefcase Rule ID	id		18		
IsAscendingOrder	Ascending	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OptionsIsRelatedFilesRule	IsRelatedFilesRule	boolean				
OrderBy	Order By	picklist		255		
ParentRuleId	Briefcase Rule ID	reference		18		
QueryScope	Scope	picklist		255		
RecordLimit	Limit	int	9			
RelationshipField	Custom Field Definition ID	picklist		255		
RelationshipType	Relationship Type	picklist		255		
SystemModstamp	System Modstamp	datetime				
TargetEntity	Target Object	picklist		255		

BRIEFCASERULEFILTER

Represents a filter criteria for a briefcase rule. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BriefcaseRuleFilter in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`BriefcaseRuleId`	Briefcase Rule ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`FilterOperator`	Operator	picklist		255		
`FilterSeqNumber`	Filter Sequence Number	int	9			
`FilterValue`	Value	string		255		
`Id`	Briefcase Rule Filter ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`SystemModstamp`	System Modstamp	datetime				
`TargetEntityField`	Field	picklist		255		

BROWSERPOLICYVIOLATION

Represents a violation that occurred within the last seven days related to the Trusted URLs and Trusted URLs for External Redirects allowlists. These violations include blocked resource requests based on your content security policy (CSP) and blocked redirections. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BrowserPolicyViolation in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Name	string		80		
`Id`	Violation ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Violation Date	datetime				
`MasterLabel`	Label	string		80		
`SystemModstamp`	System Modstamp	datetime				
`UntrustedUrl`	Untrusted URL	string		255		
`ViolationContext`	CSP Context	picklist		255		
`ViolationType`	Violation Type	picklist		255		

BSGRELATIONSHIP

Represents a relationship between billing schedule groups to support bundles where one parent billing schedule group has multiple child billing schedule groups. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BsgRelationship in the *Billing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssociatedBsgId	Billing Schedule Group ID	reference		18		
AssociatedBsgPricing	Associated Billing Sched Grp Pricing	picklist		255		
AssociatedBsgRole	Associated Billing Schedule Group Role	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Billing Schedule Group Relationship ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MainBsgId	Billing Schedule Group ID	reference		18		
MainBsgRole	Main Billing Schedule Group Role	picklist		255		
Name	Billing Schedule Group Relationship Name	string		255		
ProductRelationshipTypeId	Product Relationship Type ID	reference		18		
SystemModstamp	System Modstamp	datetime				

BSGRELATIONSHIPFEED

Feed tracking for BsgRelationship.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BSGRELATIONSHIPHISTORY

History for tracked fields of BsgRelationship.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`BsgRelationshipId`	Billing Schedule Group Relationship ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Billing Schedule Group Relationship History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

BUDGET

Tracks an estimate of future revenue or expenses during a specific time period. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Budget in the *Energy and Utilities Cloud Developer Guide*, *Grantmaking Guide*, *Loyalty Management Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Amount	Amount	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
EstimatedUtilizationAmount	Estimated Utilization Amount	currency			18	2
Id	Budget ID	id		18		
IsDeleted	Deleted	boolean				
IsSubmitted	Submitted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Budget Name	string		255		
OwnerId	Owner ID	reference		18		
ParentBudgetId	Parent Budget ID	reference		18		
PeriodEndDate	Period End Date	date				
PeriodName	Period Name	string		255		
PeriodStartDate	Period Start Date	date				
ProgramId	Program ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Quantity	Quantity	double			18	2
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		
UtilizedAmount	Utilized Amount	currency			18	2

BUDGETALLOCATION

Represents a subsection of a Budget that shows where allocated resources are being applied. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BudgetAllocation in the *Grantmaking Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
BudgetCategoryValueId	Budget Category Value ID	reference		18		
BudgetId	Budget ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FundingDisbursementId	Funding Disbursement ID	reference		18		
Id	Budget Allocation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Budget Allocation Name	string		255		
Quantity	Quantity	double			18	2
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

BUDGETALLOCATIONFEED

Feed tracking for BudgetAllocation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BUDGETALLOCATIONHISTORY

History for tracked fields of BudgetAllocation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BudgetAllocationId	Budget Allocation ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Budget Allocation History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BUDGETCATEGORY

Represents the purpose of the budget line item. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BudgetCategory in the *Energy and Utilities Cloud Developer Guide*, *Grantmaking Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BudgetId	Budget ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
Id	Budget Category ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Reason	Reason	string		255		
SequenceNumber	Sequence Number	double			18	0
SystemModstamp	System Modstamp	datetime				

BUDGETCATEGORYFEED

Feed tracking for BudgetCategory.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BUDGETCATEGORYHISTORY

History for tracked fields of BudgetCategory.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BudgetCategoryId	Budget Category ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Budget Category History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BUDGETCATEGORYVALUE

Captures budget values for category and time period. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BudgetCategoryValue in the *Energy and Utilities Cloud Developer Guide*, *Grantmaking Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualAmount	Actual Amount	currency			18	2
ActualQuantity	Actual Quantity	double			18	2
Amount	Planned Amount	currency			18	2
BudgetCategoryId	Budget Category ID	reference		18		
BudgetDivisionId	Budget Period ID	reference		18		
Comments	Comments	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Budget Category Value ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Quantity	Planned Quantity	double			18	2
SystemModstamp	System Modstamp	datetime				
VarianceAmount	Variance Amount	currency			18	2
VarianceQuantity	Variance Quantity	double			18	2

BUDGETCATEGORYVALUEFEED

Feed tracking for BudgetCategoryValue.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BUDGETCATEGORYVALUEHISTORY

History for tracked fields of BudgetCategoryValue.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`BudgetCategoryValueId`	Budget Category Value ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Budget Category Value History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

BUDGETFEED

Feed tracking for Budget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BUDGETHISTORY

History for tracked fields of Budget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`BudgetId`	Budget ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Budget History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

BUDGETPARTICIPANT

Represents information about a user or group of participants who have access to a budget. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BudgetParticipant in the *Grantmaking Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BudgetId	Budget ID	reference		18		
Comments	Comments	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Budget Participant ID	id		18		
IsDeleted	Deleted	boolean				
IsParticipantActive	Participant Active	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParticipantId	Participant ID	reference		18		
ParticipantRoleId	Participant Role ID	reference		18		
SystemModstamp	System Modstamp	datetime				

BUDGETPARTICIPANTFEED

Feed tracking for BudgetParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BUDGETPARTICIPANTHISTORY

History for tracked fields of BudgetParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BudgetParticipantId	Budget Participant ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Budget Participant History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BUDGETPERIOD

Defines a distinct time interval in which the estimate applies. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BudgetPeriod in the *Energy and Utilities Cloud Developer Guide*, *Grantmaking Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BudgetId	Budget ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Budget Period ID	id		18		
IsDeleted	Deleted	boolean				
IsSubmitted	Submitted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
PeriodEndDate	Period End Date	date				
PeriodStartDate	Period Start Date	date				
SequenceNumber	Sequence Number	double			18	0
SystemModstamp	System Modstamp	datetime				

BUDGETPERIODFEED

Feed tracking for BudgetPeriod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BUDGETPERIODHISTORY

History for tracked fields of BudgetPeriod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BudgetPeriodId	Budget Period ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Budget Period History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BUDGETSHARE

Sharing for Budget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BULKAPIRESULTEVENT

Tracks when a user downloads the results of a Bulk API or Bulk API 2.0 request.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BulkApiResultEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedDate`	Created Date	datetime				
`EvaluationTime`	Evaluation Time	double			18	0
`EventDate`	Event Date	datetime				
`EventIdentifier`	Event Identifier	string		80		
`EventUuid`	Event UUID	string		36		
`LoginHistoryId`	Login History ID	reference		18		
`LoginKey`	Login Key	string		24		
`PolicyId`	Transaction Security Policy ID	reference		18		
`PolicyOutcome`	Policy Outcome	picklist		255		
`Query`	Query	string		10000		
`RelatedEventIdentifier`	Related Event Identifier	string		80		
`ReplayId`	Replay ID	string		1000		
`SessionKey`	Session Key	string		24		
`SessionLevel`	Session Level	picklist		255		
`SourceIp`	Source IP	string		255		
`UserId`	User ID	reference		18		
`Username`	Username	string		255		

BULKAPIRESULTEVENTSTORE

Tracks when a user downloads the results of a Bulk API request. BulkApiResultEventStore is a big object that stores the event data of BulkApiResultEvent. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BulkApiResultEventStore in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
Id	Bulk API Result Event Store ID	id		18		
LoginHistoryId	Login History ID	reference		18		
LoginKey	Login Key	string		24		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
Query	Query	string		10000		
RelatedEventIdentifier	Related Event Identifier	string		80		
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
UserId	User ID	reference		18		
Username	Username	string		255		

BUNDLEBASEDADJUSTMENT

Represents the association between the product selling model and the price adjustment for a product or service being sold as a bundle. This object stores information of the product or service's price, the discounts applied, along with its value for a given date range. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BundleBasedAdjustment in the *Salesforce Pricing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentType	Adjustment Type	picklist		255		
AdjustmentValue	Adjustment Value	double			18	6
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EffectiveFrom	Effective From	datetime				
EffectiveTo	Effective To	datetime				
Id	Bundle Based Adjustment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParentProductId	Product ID	reference		18		
ParentProductSellingModelId	Product Selling Model ID	reference		18		
PriceAdjustmentScheduleId	Price Adjustment Schedule ID	reference		18		
PricingTerm	Pricing Term	int	9			
PricingTermUnit	Pricing Term Unit	picklist		255		
ProductId	Product ID	reference		18		
ProductSellingModelId	Product Selling Model ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RootBundleId	Product ID	reference		18		
RootProductSellingModelId	Product Selling Model ID	reference		18		
ScheduleType	Schedule Type	picklist		255		
SellingModelType	Selling Model Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

BUNDLEBASEDADJUSTMENTFEED

Feed tracking for BundleBasedAdjustment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BUNDLEBASEDADJUSTMENTHISTORY

History for tracked fields of BundleBasedAdjustment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BundleBasedAdjustmentId	Bundle Based Adjustment ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Bundle Based Adjustment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BUNDLEDCAREFEEAGREEMENT

Specifies the payment terms for contracts of Bundled Care Fee Agreement.

For more information, see BundledCareFeeAgreement in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BasicTierPrice	Basic Tier Price	currency			18	2
ContractPaymentAgreementId	ContractPaymentAgreement ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Bundled Care Fee Agreement ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MidTierPrice	Mid Tier Price	currency			18	2
Name	Name	string		255		
PremiumTierPrice	Premium Tier Price	currency			18	2
ProcedureBundleCodeId	Code Set Bundle ID	reference		18		
ProcedureBundleDescription	Procedure Bundle Description	textarea		32000		
ProcedureBundleItemList	Procedure Bundle Item List	string		80		
SystemModstamp	System Modstamp	datetime				

BUNDLEDCAREFEEAGREEMENTFEED

Feed tracking for BundledCareFeeAgreement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BUNDLEDCAREFEEAGREEMENTHISTORY

History for tracked fields of BundledCareFeeAgreement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BundledCareFeeAgreementId	Bundled Care Fee Agreement ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Bundled Care Fee Agreement History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BUSREGAUTHTYPEDEPENDENCY

Information related to the association of permit to permit dependency in a given business context. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BusRegAuthTypeDependency in the *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CurrencyIsoCode`	Currency ISO Code	picklist		3		
`DependentBusRegAuthId`	Child Business Regulatory Authorization Type ID	reference		18		
`Id`	Business Regulatory Authorization Type Dependency ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`OwnerId`	Owner ID	reference		18		
`ParentBusRegAuthId`	Parent Business Regulatory Authorization Type ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

BUSREGAUTHTYPEDEPENDENCYFEED

Feed tracking for BusRegAuthTypeDependency.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BUSREGAUTHTYPEDEPENDENCYHISTORY

History for tracked fields of BusRegAuthTypeDependency.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusRegAuthTypeDependencyId	Business Regulatory Authorization Type Dependency ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Business Regulatory Authorization Type Dependency History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BUSREGAUTHTYPEDEPENDENCYSHARE

Sharing for BusRegAuthTypeDependency.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BUSREGAUTHORIZATIONTYPE

Represents the association between authorization activity and license or permit type.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BusRegAuthorizationType in the *Emergency Response Management Object Reference*, *Emergency Response Management for Public Health Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessTypeIdentifierId	Business Type ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Business Regulatory Authorization Type ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
RegAuthTypeIdentifierId	Regulatory Authorization Type ID	reference		18		
SystemModstamp	System Modstamp	datetime				

BUSREGAUTHORIZATIONTYPEFEED

Feed tracking for BusRegAuthorizationType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BUSREGAUTHORIZATIONTYPEHISTORY

History for tracked fields of BusRegAuthorizationType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusRegAuthorizationTypeId	Business Regulatory Authorization Type ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Business Regulatory Authorization Type History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BUSINESSBRAND

Represents a unique brand for a business that belongs to a parent entity. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BusinessBrand in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Business Brand ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OrgId	Org Id	string		255		
OwnerId	Owner ID	reference		18		
ParentId	Business Brand ID	reference		18		
SystemModstamp	System Modstamp	datetime				

BUSINESSBRANDSHARE

Sharing for BusinessBrand.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BUSINESSHOURS

Specifies the business hours of your support organization. Escalation rules are run only during these hours.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BusinessHours in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FridayEndTime	Friday End	time				
FridayStartTime	Friday Start	time				
Id	Business Hours ID	id		18		
IsActive	Active	boolean				
IsDefault	Default Business Hours	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MondayEndTime	Monday End	time				
MondayStartTime	Monday Start	time				
Name	Business Hours Name	string		80		
SaturdayEndTime	Saturday End	time				
SaturdayStartTime	Saturday Start	time				
SundayEndTime	Sunday End	time				
SundayStartTime	Sunday Start	time				
SystemModstamp	System Modstamp	datetime				
ThursdayEndTime	Thursday End	time				
ThursdayStartTime	Thursday Start	time				
TimeZoneSidKey	Time Zone	picklist		40		
TuesdayEndTime	Tuesday End	time				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TuesdayStartTime	Tuesday Start	time				
WednesdayEndTime	Wednesday End	time				
WednesdayStartTime	Wednesday Start	time				

BUSINESSLICENSE

Represents an authorization issued by a regulatory agency. The authorization can be granted to an organization, a contact, or a specific user.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BusinessLicense in the *Emergency Response Management Object Reference*, *Emergency Response Management for Public Health Developer Guide*, *Financial Services Cloud Developer Guide*, *Life Sciences Cloud Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
BusinessTypeId	Business Type ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
HealthcareProviderId	Healthcare Provider ID	reference		18		
Id	Business License ID	id		18		
Identifier	Identifier	string		255		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
IsPrimaryLicense	Primary license	boolean				
IssueDate	Issue Date	date				
Issuer	Issuer	string		255		
JurisdictionCountry	Jurisdiction Country	string		255		
JurisdictionOther	Jurisdiction Other	string		255		
JurisdictionState	Jurisdiction State	string		255		
JurisdictionType	Jurisdiction Type	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LicenseClass	License Class	picklist		40		
LicenseNumber	License Number	string		255		
LineOfAuthority	Line Of Authority	picklist		40		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PeriodEnd	Period End	datetime				
PeriodStart	Period Start	datetime				
RegulatoryAuthorizationTypeId	Regulatory Authorization Type ID	reference		18		
ResidenceStatus	Residence Status	picklist		40		
SourceSystemUpdateDate	Source System Updated Date	date				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		
VerificationStatus	Verification Status	picklist		40		
VerifiedDate	Verified On	date				

BUSINESSLICENSEAPPLICATION

Represents an application form submitted by a business owner. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BusinessLicenseApplication in the *Emergency Response Management Object Reference*, *Emergency Response Management for Public Health Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AmountPaid	Amount Paid	currency			18	0
ApplicantId	Contact ID	reference		18		
ApplicationCaseId	Case ID	reference		18		
ApplicationCategory	Application Tier	picklist		40		
ApplicationType	Application Type	picklist		40		
AppliedDate	Applied Date	datetime				
ApprovedDate	Approved Date	datetime				
BusinessTypeId	Business Type ID	reference		18		
Category	Category	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
Id	Business License Application ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Updated	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LicensePermitNameId	Business License ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LicenseTypeId	Regulatory Authorization Type ID	reference		18		
Name	Application ID	string		255		
OwnerId	Owner ID	reference		18		
PaymentDate	Payment Date	datetime				
PrimaryOwnerId	Contact ID	reference		18		
RequirementsCompleteDate	Requirements Complete Date	datetime				
SavedApplicationRefId	Preliminary Application Reference ID	reference		18		
SiteAddress	Site Address	address				
SiteCity	Site Address City	string		40		
SiteCountry	Site Address Country	string		80		
SiteGeocodeAccuracy	Site Address Geocode Accuracy	picklist		40		
SiteLatitude	Site Address Latitude	double			18	15
SiteLongitude	Site Address Longitude	double			18	15
SitePostalCode	Site Address Postal Code	string		20		
SiteState	Site Address State	string		80		
SiteStreet	Site Address Street	textarea		255		
Status	Application Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
WasReturned	Returned to Applicant	boolean				

BUSINESSLICENSEAPPLICATIONFEED

Feed tracking for BusinessLicenseApplication.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BUSINESSLICENSEAPPLICATIONHISTORY

History for tracked fields of BusinessLicenseApplication.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessLicenseApplicationId	Business License Application ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Business License Application History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BUSINESSLICENSEAPPLICATIONSHARE

Sharing for BusinessLicenseApplication.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BUSINESSLICENSEFEED

Feed tracking for BusinessLicense.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BUSINESSLICENSEHISTORY

History for tracked fields of BusinessLicense.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessLicenseId	Business License ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Business License History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BUSINESSLICENSESHARE

Sharing for BusinessLicense.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BUSINESSMILESTONE

Represents the milestones of a business, such as acquisition, market listing, and expansion.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BusinessMilestone in the *Financial Services Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
ExpirationDate	Expiration Date	datetime				
ExpirationDescription	Expiration Description	textarea		32000		
Id	Business Milestone ID	id		18		
IsDeleted	Deleted	boolean				
IsExpired	Expired	boolean				
IsTentative	Tentative	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MilestoneDate	Milestone Date	datetime				
MilestoneDescription	Milestone Description	textarea		32000		
MilestoneSiteId	Location ID	reference		18		
MilestoneType	Milestone Type	picklist		40		
Name	Milestone Name	string		255		
OwnerId	Owner ID	reference		18		
PrimaryAccountId	Account ID	reference		18		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

BUSINESSMILESTONEFEED

Feed tracking for BusinessMilestone.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BUSINESSMILESTONEHISTORY

History for tracked fields of BusinessMilestone.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessMilestoneId	Business Milestone ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Business Milestone History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BUSINESSMILESTONESHARE

Sharing for BusinessMilestone.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BUSINESSPROCESS

Represents a business process.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BusinessProcess in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Description`	Description	string		255		
`Id`	Business Process ID	id		18		
`IsActive`	Active	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`Name`	Name	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`SystemModstamp`	System Modstamp	datetime				
`TableEnumOrId`	Entity Enumeration Or ID	picklist		40		

BUSINESSPROCESSDEFINITION

Setup object that stores information about stages in a customer lifecycle map. The stages are associated with surveys and questions created using Salesforce Surveys.

For more information, see BusinessProcessDefinition in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessProcessGroupId	Business Process Group ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Object Name	string		80		
Id	Business Process Definition ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
ProcessDescription	Description	textarea		4000		
SequenceNumber	Sequence Number	int	9			
SystemModstamp	System Modstamp	datetime				

BUSINESSPROCESSFEEDBACK

Setup object that stores information about the survey and the question associated with each stage in a customer lifecycle map. Customer lifecycle maps are used to track the scores provided by customers across their lifecycle using Salesforce Surveys.

For more information, see BusinessProcessFeedback in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionName	Feedback Collection Method Name	string		255		
ActionParam	Feedback Collection Method Parameter	string		255		
ActionType	Feedback Collection Method	picklist		255		
BusinessProcessDefinitionId	Business Process Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Business Process Feedback ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				

BUSINESSPROCESSGROUP

Setup object that stores information about customer lifecycle maps. Customer lifecycle maps are used to track the scores provided by customers across their lifecycle using Salesforce Surveys.

For more information, see BusinessProcessGroup in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomerSatisfactionMetric	Customer Satisfaction Metric	picklist		255		
Description	Description	textarea		4000		
DeveloperName	Name	string		80		
Id	Business Process Group ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

BUSINESSPROFILE

Represents details about the business on the license or permit application. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BusinessProfile in the *Education Cloud Developer Guide*, *Emergency Response Management Object Reference*, *Financial Services Cloud Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ConsecWorkersCompCoverage	Consecutive Years of Workers' Compensation Coverage	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditTypesUsed	Credit Types Used	int	9			
CurrencyIsoCode	Currency ISO Code	picklist		3		
HasDishonoredPolicies	Dishonored Policies	boolean				
HasSufferedBankruptcy	Suffered Bankruptcy	boolean				
HasUncorrectedSafetyViolations	Uncorrected Safety Violations	boolean				
Id	Business Profile ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
SystemModstamp	System Modstamp	datetime				
WorkersCompClaims	Workers' Compensation Claims	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
WorkersCompMedicalClaims	Workers' Compensation Medical Claims	int	9			

BUSINESSPROFILEFEED

Feed tracking for BusinessProfile.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BUSINESSPROFILEHISTORY

History for tracked fields of BusinessProfile.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessProfileId	Business Profile ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Business Profile History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BUSINESSTYPE

Represents a category of any activity (business or individual), such as healthcare, restaurant, or retail. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BusinessType in the *Emergency Response Management Object Reference*, *Emergency Response Management for Public Health Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivityCode	Activity Code	string		255		
AuthorizationActivityType	Authorization Activity Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
Id	Business Type ID	id		18		
Industry	Industry	picklist		40		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

BUSINESSTYPEFEED

Feed tracking for BusinessType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BUSINESSTYPEHISTORY

History for tracked fields of BusinessType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessTypeId	Business Type ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Business Type History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BUSINESSTYPESHARE

Sharing for BusinessType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BUYERACCOUNT

Represents an account that is enabled as a buyer for Lightning B2B Commerce.

For more information, see BuyerAccount in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AvailableCredit	Available Balance	currency			18	2
BuyerId	Account ID	reference		18		
BuyerStatus	Buyer Status	picklist		40		
CommerceType	Commerce Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditLimit	Credit Balance	currency			18	2
CreditStatus	Credit Rating/Status	picklist		40		
CurrentBalance	Current Balance	currency			18	2
Id	Buyer Account ID	id		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MaximumOrderLimit	Maximum Order Limit	currency			18	2
MayEdit	May Edit	boolean				
MinimumOrderLimit	Minimum Order Limit	currency			18	2
Name	Buyer Account Name	string		255		
OwnerId	Owner ID	reference		18		
PayerId	Account ID	reference		18		
SendToId	Account ID	reference		18		
SystemModstamp	System Modstamp	datetime				

BUYERACCOUNTFEED

Feed tracking for BuyerAccount.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BUYERACCOUNTHISTORY

History for tracked fields of BuyerAccount.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BuyerAccountId	Buyer Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Buyer Account History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BUYERACCOUNTSHARE

Sharing for BuyerAccount.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BUYERGROUP

Associates group qualifiers (entitlements, price books, promotions, and shipping methods) with buyer members based on buyer account ID or on the localized language and currency of the market browsed in a webstore. This object is available in API version 57.0; amended to support Market in version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BuyerGroup in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Buyer Group ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

BUYERGROUPFEED

Feed tracking for BuyerGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

BUYERGROUPHISTORY

History for tracked fields of BuyerGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BuyerGroupId	Buyer Group ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Buyer Group History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

BUYERGROUPMEMBER

Represents a member of a buyer group.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see BuyerGroupMember in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BuyerGroupId	Buyer Group ID	reference		18		
BuyerId	Buyer ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Buyer Group Member ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Buyer Group Member Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

BUYERGROUPMEMBERSHARE

Sharing for BuyerGroupMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

BUYERGROUPPRICEBOOK

Represents a buyer group price book used in Lightning B2B Commerce.

For more information, see BuyerGroupPricebook in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BuyerGroupId	Buyer Group ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Buyer Group Price Book ID	id		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MayEdit	May Edit	boolean				
Name	Buyer Group Price Book Name	string		255		
Pricebook2Id	Price Book ID	reference		18		
Priority	Priority	int	9			
SystemModstamp	System Modstamp	datetime				

BUYERGROUPPRICEBOOKFEED

Feed tracking for BuyerGroupPricebook.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

BUYERGROUPSHARE

Sharing for BuyerGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CALCMATRIXCOLUMNRANGE

Represents information about a value in a decision matrix column when the column is of the type number range or text range. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CalcMatrixColumnRange in the *Lookup Tables Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CalculationMatrixColumnId	Decision Matrix Column ID	reference		18		
CalculationMatrixVersionId	Decision Matrix Version ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Decision Matrix Column Range ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
Occurrence	Occurrence	int	9			
RangeStartValue	Range Start Value	string		255		
SystemModstamp	System Modstamp	datetime				

CALCMATRIXCOLUMNRANGEFEED

Feed tracking for CalcMatrixColumnRange.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CALCMATRIXCOLUMNRANGEHISTORY

History for tracked fields of CalcMatrixColumnRange.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CalcMatrixColumnRangeId	Decision Matrix Column Range ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Decision Matrix Column Range History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CALCPROCSTEPRELATIONSHIP

Defines a parent-child relationship between two Expression Set Steps in an Expression Set Version. The label for this object is Expression Set Step Relationship. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CalcProcStepRelationship in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CalcProcStepId	Calculation Procedure Step ID	reference		18		
CalcProcVersionId	Calculation Procedure Version ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
Id	Expression Set Step Relationship ID	id		18		
IsDeleted	Deleted	boolean				
Label	Label	string		80		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
Namespace	Namespace	string		255		
ParentCalcProcStepId	Calculation Procedure Step ID	reference		18		
Priority	Priority	int	9			
RelationshipType	Relationship Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

CALCPROCSTEPRELATIONSHIPFEED

Feed tracking for CalcProcStepRelationship.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CALCPROCSTEPRELATIONSHIPHISTORY

History for tracked fields of CalcProcStepRelationship.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CalcProcStepRelationshipId	Expression Set Step Relationship ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Expression Set Step Relationship History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CALCULATEDINSIGHTRANGEBOUND

Stores the information required to calculate a range-bound data insight.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CalculatedInsightRangeBound in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Calculated Insight Range Bound ID	id		18		
InsightName	Insight Name	string		255		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LowerBoundRange	Lower Bound	double			18	0
Name	Name	string		255		
Operator	Operator	picklist		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UpperBoundRange	Upper Bound	double			18	0

CALCULATEDINSIGHTRANGEBOUNDSHARE

Sharing for CalculatedInsightRangeBound.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CALCULATIONMATRIX

Matches input values to a table row and returns the row's output values. The label for this object is Decision Matrix. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CalculationMatrix in the *Lookup Tables Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DecisionMatrixDefinitionId	Decision Matrix Definition ID	reference		18		
DecisionMatrixType	Decision Matrix Type	picklist		255		
Description	Description	textarea		32768		
GroupKey	Group Key	string		255		
Id	Decision Matrix ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MigrationStatus	Migration Status	textarea		32000		
Name	Name	string		255		
Namespace	Namespace	string		255		
OwnerId	Owner ID	reference		18		
SubGroupKey	Sub Group Key	string		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		
UniqueName	Unique Name	string		80		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UsageType	Usage Type	picklist		255		

CALCULATIONMATRIXCOLUMN

Defines a column in a Decision Matrix. The label for this object is Decision Matrix Column. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CalculationMatrixColumn in the *Lookup Tables Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	API Name	string		80		
CalculationMatrixId	Decision Matrix ID	reference		18		
ColumnType	Column Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DataType	Data Type	picklist		255		
DisplaySequence	Display Sequence	int	9			
Id	Decision Matrix Column ID	id		18		
IsDeleted	Deleted	boolean				
IsWildcardColumn	Wildcard Column	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
Namespace	Namespace	string		255		
RangeValues	Range Values	textarea		32768		
SystemModstamp	System Modstamp	datetime				
WildcardColumnValue	Wildcard Column Value	string		255		

CALCULATIONMATRIXCOLUMNFEED

Feed tracking for CalculationMatrixColumn.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CALCULATIONMATRIXCOLUMNHISTORY

History for tracked fields of CalculationMatrixColumn.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CalculationMatrixColumnId	Decision Matrix Column ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Decision Matrix Column History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CALCULATIONMATRIXFEED

Feed tracking for CalculationMatrix.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CALCULATIONMATRIXHISTORY

History for tracked fields of CalculationMatrix.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CalculationMatrixId`	Decision Matrix ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Decision Matrix History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CALCULATIONMATRIXROW

Defines a row in a Decision Matrix. The label for this object is Decision Matrix Row. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CalculationMatrixRow in the *Lookup Tables Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CalculationMatrixVersionId	Decision Matrix Version ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDateTime	End Date Time	datetime				
Id	Decision Matrix Row ID	id		18		
InputData	Input Data	textarea		131072		
IsDeleted	Deleted	boolean				
IsVersionEnabled	Version Enabled	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	HashKey	string		255		
Namespace	Namespace	string		255		
OutputData	Output Data	textarea		131072		
StartDateTime	Start Date Time	datetime				
SystemModstamp	System Modstamp	datetime				

CALCULATIONMATRIXROWFEED

Feed tracking for CalculationMatrixRow.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CALCULATIONMATRIXROWHISTORY

History for tracked fields of CalculationMatrixRow.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CalculationMatrixRowId	Decision Matrix Row ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Decision Matrix Row History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CALCULATIONMATRIXSHARE

Sharing for CalculationMatrix.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CALCULATIONMATRIXVERSION

Defines a version of a Decision Matrix. The label for this object is Decision Matrix Version. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CalculationMatrixVersion in the *Lookup Tables Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	API Name	string		80		
CalculationMatrixId	Decision Matrix ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DecisionMatrixDefinitionVerId	Decision Matrix Definition Version ID	reference		18		
DscnModelNoteExportStatus	Decision Model and Notation Export Status	picklist		255		
EndDateTime	End Date Time	datetime				
GroupKey	Group Key	string		255		
GroupKeyValue	Group Key Value	string		255		
Id	Decision Matrix Version ID	id		18		
IsDeleted	Deleted	boolean				
IsEnabled	Active	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LoadProcessStatus	Load Process Status	picklist		255		
MatrixType	Matrix Type	string		255		
Name	Name	string		255		
Namespace	Namespace	string		255		
Rank	Rank	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
StartDateTime	Start Date Time	datetime				
SubGroupKey	Sub Group Key	string		255		
SubGroupKeyValue	Sub Group Key Value	string		255		
SystemModstamp	System Modstamp	datetime				
VersionNumber	Version Number	int	9			

CALCULATIONMATRIXVERSIONFEED

Feed tracking for CalculationMatrixVersion.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CALCULATIONMATRIXVERSIONHISTORY

History for tracked fields of CalculationMatrixVersion.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CalculationMatrixVersionId	Decision Matrix Version ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Decision Matrix Version History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CALCULATIONPROCEDURE

Performs a series of calculations using matrix lookups and user-defined variables and constants. The label for this object is Expression Set. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CalculationProcedure in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
Id	Calculation Procedure ID	id		18		
InputVariablesMetadata	Input Variables Metadata	textarea		131072		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MigrationStatus	Migration Status	textarea		32000		
Name	Name	string		255		
Namespace	Namespace	string		255		
OutputVariablesMetadata	Output Variables Metadata	textarea		131072		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UniqueName	Unique Name	string		80		

CALCULATIONPROCEDUREFEED

Feed tracking for CalculationProcedure.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CALCULATIONPROCEDUREHISTORY

History for tracked fields of CalculationProcedure.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CalculationProcedureId	Calculation Procedure ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Calculation Procedure History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CALCULATIONPROCEDURESHARE

Sharing for CalculationProcedure.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CALCULATIONPROCEDURESTEP

Defines a step in an Expression Set. The label for this object is Expression Set Step. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CalculationProcedureStep in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CalculationMatrixId	Decision Matrix ID	reference		18		
CalculationMatrixType	Decision Matrix Type	string		255		
CalculationProcedure	Expression Set	string		255		
CalculationProcedureVersionId	Calculation Procedure Version ID	reference		18		
ConditionsConvertedText	Conditions Converted Text	textarea		131072		
ConditionsExpressionText	Conditions Expression Text	textarea		131072		
ConditionsUiFormattedText	Conditions UI Formatted Text	textarea		131072		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DecisionTableId	Decision Table ID	reference		18		
Description	Description	string		255		
FormulaConvertedText	Formula Converted Text	textarea		131072		
FormulaExpressionText	Formula Expression Text	textarea		131072		
FormulaUiFormattedText	Formula UI Formatted Text	textarea		131072		
Id	Calculation Procedure Step ID	id		18		
InputVariablesFormatText	Input Variables Format Text	textarea		131072		
IsConditionalStep	Conditional Step	boolean				
IsDeleted	Deleted	boolean				
IsResultIncluded	Result Included	boolean				
LastModifiedById	Last Modified By ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
Namespace	Namespace	string		255		
OutputVariablesFormatText	Output Variables Format Text	textarea		131072		
OutputVariablesMappingText	Output Variables Mapping Text	textarea		131072		
ReferenceProcedureId	Calculation Procedure ID	reference		18		
ReturnMessageValueSet	Return Message Value Set	textarea		131072		
Stage	Stage	picklist		255		
StageStepSequence	Stage Step Sequence	int	9			
StepType	Step Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

CALCULATIONPROCEDURESTEPFEED

Feed tracking for CalculationProcedureStep.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CALCULATIONPROCEDURESTEPHISTORY

History for tracked fields of CalculationProcedureStep.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CalculationProcedureStepId	Calculation Procedure Step ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Calculation Procedure Step History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CALCULATIONPROCEDUREVARIABLE

Defines a variable in an Expression Set. The label for this object is Expression Set Variable. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CalculationProcedureVariable in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	API Name	string		255		
CalculationMatrixName	Decision Matrix Name	string		255		
CalculationProcedureVersionId	Calculation Procedure Version ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DataType	Data Type	picklist		255		
DefaultValue	Default Value	string		255		
DisplayName	Display Name	string		255		
Id	Calculation Procedure Variable ID	id		18		
IsDeleted	Deleted	boolean				
IsEditable	Editable	boolean				
IsUserDefined	User Defined	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
Namespace	Namespace	string		255		
Precision	Precision	int	9			
SystemModstamp	System Modstamp	datetime				
UiDisplayOrder	UI Display Order	int	9			

CALCULATIONPROCEDUREVARIABLEFEED

Feed tracking for CalculationProcedureVariable.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CALCULATIONPROCEDUREVARIABLEHISTORY

History for tracked fields of CalculationProcedureVariable.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CalculationProcedureVariableId	Calculation Procedure Variable ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Calculation Procedure Variable History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CALCULATIONPROCEDUREVERSION

Defines a version of an Expression Set. The label for this object is Expression Set Version. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CalculationProcedureVersion in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CalculationProcedureId	Calculation Procedure ID	reference		18		
Constants	Constants	textarea		131072		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
EndDateTime	End Date Time	datetime				
Id	Calculation Procedure Version ID	id		18		
IsDeleted	Deleted	boolean				
IsEnabled	Enabled	boolean				
IsLoopingEnabled	Looping Enabled	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastSimulatedVariablesInput	Last Simulated Variables Input	textarea		131072		
LoopEnd	Loop End	textarea		255		
LoopIncrement	Loop Increment	textarea		255		
LoopStart	Loop Start	textarea		255		
Name	Version Name	string		255		
Namespace	Namespace	string		255		
Rank	Rank	int	9			
StartDateTime	Start Date Time	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
VersionNumber	Version Number	int	9			

CALCULATIONPROCEDUREVERSIONFEED

Feed tracking for CalculationProcedureVersion.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CALCULATIONPROCEDUREVERSIONHISTORY

History for tracked fields of CalculationProcedureVersion.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CalculationProcedureVersionId	Calculation Procedure Version ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Calculation Procedure Version History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CALENDAR

Represents a calendar. This can be a default user calendar, public calendar, resource calendar, or holiday calendar. This object is available in API version 45.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Calendar in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Calendar ID	id		18		
IsActive	Active	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Calendar Name	string		80		
SystemModstamp	System Modstamp	datetime				
Type	Calendar Type	picklist		40		
UserId	User ID	reference		18		

CALENDARVIEW

These calendars can be created and assigned to users other than the creator. Available calendars include object, shared, public, resource, and user list calendars. Object calendars represent a calendar based on a Salesforce object, either standard or custom. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CalendarView in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Color	Color	string		6		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DateHandlingType	Date Handling Type	picklist		255		
DisplayField	Display Field	string		255		
EndField	End Field	string		255		
FillPattern	Fill Pattern	string		50		
Id	Calendar ID	id		18		
IsDeleted	Deleted	boolean				
IsDisplayed	Is Displayed	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ListViewFilterId	List View ID	reference		18		
Name	Calendar Name	string		255		
OwnerId	Owner ID	reference		18		
PublisherId	Publisher ID	reference		18		
SobjectType	sObject Type	picklist		255		
StartField	Start Field	string		255		
SystemModstamp	System Modstamp	datetime				

CALENDARVIEWSHARE

Sharing for CalendarView.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CALLCENTER

Represents a call center, which is a logical representation of a single computer-telephony integration (CTI) system instance in an organization.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CallCenter in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdapterUrl	CTI Adapter URL	string		2000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomSettings	Custom Settings	string		3000		
Id	Call Center ID	id		18		
InternalName	Internal Name	string		240		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				
Version	Version	double			18	3

CALLCOACHCONFIGMODIFYEVENT

Represents a Conversation Insights configuration change. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CallCoachConfigModifyEvent in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ChangeType`	Change Type	picklist		255		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EventUuid`	Event UUID	string		36		
`OrganizationId`	Organization ID	string		18		
`ProviderIdChange`	Provider ID Change	string		18		
`ReplayId`	Replay ID	string		1000		

CALLCOACHINGMEDIAPROVIDER

Represents the media provider for call recordings. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CallCoachingMediaProvider in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	CallCoachingMediaProvider ID	id		18		
`IsActive`	Is Active	boolean				
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`ProviderDescription`	Provider Description	string		255		
`ProviderName`	Provider Name	string		255		
`SystemModstamp`	System Modstamp	datetime				

CALLDISPOSITION

Represents a call result value that sales reps select when logging a call.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CallDisposition in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Disposition	Disposition	string		255		
DispositionCategoryId	CallDispositionCategory ID	reference		18		
Id	CallDisposition Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				

CALLDISPOSITIONCATEGORY

Represents the call outcome of a phone call that is used in reports and branching criteria for cadences.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CallDispositionCategory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Category`	Category	string		255		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Name	string		80		
`Id`	CallDispositionCategory ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Label	string		80		
`SystemModstamp`	System Modstamp	datetime				

CALLTEMPLATE

Represents a call script for users to read when making calls.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CallTemplate in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
HtmlBody	Body	textarea		32000		
Id	Call Script ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TemplateType	Type	picklist		255		
TotalCalls	Total Calls	int	9			
TotalCallsCallBackLater	All Calls Call Back Later Count	int	9			
TotalCallsLeftVoicemail	All Calls Left Voicemail Count	int	9			
TotalCallsMeaningfulConnect	All Calls Meaningful Connect Count	int	9			
TotalCallsNotInterested	All Calls Not Interested Count	int	9			
TotalCallsUncategorized	All Calls Uncategorized Count	int	9			
TotalCallsUnqualified	All Calls Unqualified Count	int	9			

CALLTEMPLATESHARE

Sharing for CallTemplate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAMPAIGN

Represents and tracks a marketing campaign, such as a direct mail promotion, webinar, or trade show.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Campaign in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualCost	Actual Cost in Campaign	currency			18	0
AmountAllOpportunities	Value Opportunities in Campaign	currency			18	0
AmountWonOpportunities	Value Won Opportunities in Campaign	currency			18	0
BudgetedCost	Budgeted Cost in Campaign	currency			18	0
CampaignMemberRecordTypeId	Record Type ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
EndDate	End Date	date				
ExpectedResponse	Expected Response (%)	percent			10	2
ExpectedRevenue	Expected Revenue in Campaign	currency			18	0
Id	Campaign ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastActivityDate	Last Activity	date				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		80		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
NumberOfContacts	Contacts in Campaign	int	9			
NumberOfConvertedLeads	Converted Leads in Campaign	int	9			
NumberOfLeads	Leads in Campaign	int	9			
NumberOfOpportunities	Opportunities in Campaign	int	9			
NumberOfResponses	Responses in Campaign	int	9			
NumberOfWonOpportunities	Won Opportunities in Campaign	int	9			
NumberSent	Num Sent in Campaign	double			18	0
OwnerId	Owner ID	reference		18		
ParentId	Parent Campaign ID	reference		18		
StartDate	Start Date	date				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

CAMPAIGNFEED

Feed tracking for Campaign.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAMPAIGNHISTORY

History for tracked fields of Campaign.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CampaignId	Campaign ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Campaign Field History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAMPAIGNINFLUENCEMODEL

This read-only object represents a campaign influence model in Customizable Campaign Influence. Use campaign influence models to group CampaignInfluence records created by a specific set of triggers and workflows that you define. The Primary Campaign Source influence model is the default model. This object is available in API version 37.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CampaignInfluenceModel in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Unique Name	string		80		
Id	Campaign Influence Model ID	id		18		
IsActive	Active	boolean				
IsDefaultModel	Default Model	boolean				
IsDeleted	Deleted	boolean				
IsModelLocked	Locked	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Model Name	string		80		
ModelDescription	Model Description	string		255		
ModelType	Model Type	picklist		255		
NamespacePrefix	Namespace Prefix	string		15		
RecordPreference	Record Preference	picklist		255		
SystemModstamp	System Modstamp	datetime				

CAMPAIGNMEMBER

The CampaignMember object represents the relationship between a campaign and either a lead or a contact. If the Accounts as Campaign Members setting is enabled in an org, CampaignMember can also represent the relationship between a campaign and an account.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CampaignMember in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CampaignId	Campaign ID	reference		18		
City	City	string		40		
CompanyOrAccount	Company (Account)	string		255		
ContactId	Contact ID	reference		18		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
DoNotCall	Do Not Call	boolean				
Email	Email	email		80		
Fax	Fax	phone		40		
FirstName	First Name	string		40		
FirstRespondedDate	First Responded Date	date				
HasOptedOutOfEmail	Email Opt Out	boolean				
HasOptedOutOfFax	Fax Opt Out	boolean				
HasResponded	Responded	boolean				
Id	Campaign Member ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastName	Last Name	string		80		
LeadId	Lead ID	reference		18		
LeadOrContactId	Related Record ID	reference		18		
LeadOrContactOwnerId	Related Record Owner ID	reference		18		
LeadSource	Lead Source	picklist		255		
MobilePhone	Mobile	phone		40		
Name	Name	string		255		
Phone	Phone	phone		40		
PostalCode	Zip/Postal Code	string		20		
Salutation	Salutation	picklist		255		
State	State/Province	string		80		
Status	Status	picklist		40		
Street	Street	string		255		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		128		
Type	Type	string		40		

CAMPAIGNMEMBERSTATUS

One or more member status values defined for a campaign.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CampaignMemberStatus in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CampaignId	Campaign ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
HasResponded	Responded	boolean				
Id	Campaign Member Status ID	id		18		
IsDefault	Is Default	boolean				
IsDeleted	Deleted	boolean				
Label	Member Status	string		765		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

CAMPAIGNSHARE

Represents a sharing entry on a Campaign.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CampaignShare in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CampaignAccessLevel`	Campaign Access	picklist		40		
`CampaignId`	Campaign ID	reference		18		
`Id`	Campaign Share ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`RowCause`	Row Cause	picklist		40		
`UserOrGroupId`	User/Group ID	reference		18		

CAPITATIONCAREFEEAGREEMENT

Specifies the payment terms for contracts of Capitation Care Fee Agreement type.

For more information, see CapitationCareFeeAgreement in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContractPaymentAgreementId	ContractPaymentAgreement ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Capitation Care Fee Agreement ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MemberAgeRangeLowerLimit	Member Age Range Lower Limit	int	9			
MemberAgeRangeUpperLimit	Member Age Range Upper Limit	int	9			
MonthlyBalanceFee	Monthly Balance Fee	currency			18	0
MonthlyFee	Monthly Fee	currency			18	0
MonthlyWithheldPercentage	Monthly Withheld Percentage	percent			5	2
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

CAPITATIONCAREFEEAGREEMENTFEED

Feed tracking for CapitationCareFeeAgreement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAPITATIONCAREFEEAGREEMENTHISTORY

History for tracked fields of CapitationCareFeeAgreement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CapitationCareFeeAgreementId	Capitation Care Fee Agreement ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Capitation Care Fee AgreementHistory ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CARDPAYMENTMETHOD

Represents a credit card or debit card payment method, which implements the PaymentMethod object. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CardPaymentMethod in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AuditEmail	Audit Email	email		80		
AutoCardType	Auto Card Type	string		20		
CardBin	Card BIN	int	6			
CardCategory	Card Category	picklist		255		
CardHolderFirstName	Card Holder First Name	string		255		
CardHolderLastName	Card Holder Last Name	string		255		
CardHolderName	Card Holder Name	string		255		
CardLastFour	Card Last Four	int	4			
CardPaymentMethodNumber	Card Payment Method Number	string		255		
CardType	Card Type	picklist		40		
CardTypeCategory	Card Type Category	picklist		255		
Comments	Comments	textarea		1000		
CompanyName	Company Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DisplayCardNumber	Display Card Number	string		20		
Email	Registered Card Email	email		80		
ExpiryMonth	Expiry Month	int	2			
ExpiryYear	Expiry Year	int	4			
GatewayDate	Gateway Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
GatewayResultCode	Gateway Result Code	string		64		
GatewayResultCodeDescription	Gateway Result Code Description	string		255		
GatewayToken	Gateway Token	string		255		
GatewayTokenDetails	Gateway Token Details	textarea		1000		
GatewayTokenEncrypted	Gateway Token Encrypted	encryptedstring		1000		
Id	Card Payment Method ID	id		18		
InputCardNumber	Input Card Number	string		20		
IpAddress	IP Address	string		39		
IsAutoPayEnabled	Auto Pay	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MacAddress	MAC Address	string		32		
NickName	Nickname	string		255		
PaymentGatewayId	Payment Gateway ID	reference		18		
PaymentMethodAddress	Payment Method Address	address				
PaymentMethodCity	City	string		40		
PaymentMethodCountry	Country	string		80		
PaymentMethodDetails	Payment Method Details	string		255		
PaymentMethodGeocodeAccuracy	Geo Code Accuracy	picklist		40		
PaymentMethodLatitude	Latitude	double			18	15
PaymentMethodLongitude	Longitude	double			18	15
PaymentMethodPostalCode	Postal Code	string		20		
PaymentMethodState	State	string		80		
PaymentMethodStreet	Street	textarea		255		
PaymentMethodSubType	Payment Method Sub Type	string		255		
PaymentMethodType	Payment Method Type	picklist		255		
Phone	Phone	phone		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ProcessingMode	Processing Mode	picklist		255		
SfResultCode	Salesforce Result Code	picklist		255		
StartMonth	Start Month	int	2			
StartYear	Start Year	int	4			
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

CAREBARRIER

Represents the circumstances or obstacles affecting a patient or member. Available in API version 45.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareBarrier in the *Life Sciences Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareBarrierTypeId	Care Barrier Type ID	reference		18		
CaseId	Case ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
ExtlProblemDefIdentifier	External Problem Definition Identifier	string		255		
Id	Care Barrier ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PatientId	Account ID	reference		18		
Priority	Priority	picklist		40		
ProblemDefinitionId	Problem Definition ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModifiedDateTime	Source System Modified Date	datetime				
SourceSystemName	Source System Name	string		255		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

CAREBARRIERDETERMINANT

Represents the relationship of a barrier to a determinant for a patient or member. Available in API version 45.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareBarrierDeterminant in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareBarrierId	Care Barrier ID	reference		18		
CareDeterminantId	Care Determinant ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Care Barrier Determinant ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CAREBARRIERDETERMINANTFEED

Feed tracking for CareBarrierDeterminant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREBARRIERDETERMINANTHISTORY

History for tracked fields of CareBarrierDeterminant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareBarrierDeterminantId	Care Barrier Determinant ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Barrier Determinant History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREBARRIERDETERMINANTSHARE

Sharing for CareBarrierDeterminant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREBARRIERFEED

Feed tracking for CareBarrier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREBARRIERHISTORY

History for tracked fields of CareBarrier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareBarrierId	Care Barrier ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Barrier History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREBARRIERSHARE

Sharing for CareBarrier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREBARRIERTYPE

Represents the standard, defined list of barriers maintained by an organization. Available in API version 45.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareBarrierType in the *Life Sciences Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Code	Code	string		40		
CodeType	Code Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
DiagnosisCodeSetId	Diagnosis Code Set ID	reference		18		
HealthCareDiagnosisId	Healthcare Diagnosis ID	reference		18		
Id	Care Barrier Type ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CAREBARRIERTYPEFEED

Feed tracking for CareBarrierType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREBARRIERTYPEHISTORY

History for tracked fields of CareBarrierType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CareBarrierTypeId`	Care Barrier Type ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Care Barrier Type History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CAREBARRIERTYPESHARE

Sharing for CareBarrierType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREBENEFITVERIFYREQUEST

Request for verification of benefits. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareBenefitVerifyRequest in the *Life Sciences Cloud Developer Guide* and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssignedToId	User ID	reference		18		
AuthorizedPrescriptionId	Authorized Prescription ID	reference		18		
BenefitCategoryCodeId	Code Set ID	reference		18		
BillablePrdEndDateTime	Billable Period End Date	datetime				
BillablePrdStartDateTime	Billable Period Start Date	datetime				
CareProgramEnrolleeId	Care Program Enrollee ID	reference		18		
CareProgramId	Care Program ID	reference		18		
CaseId	Case ID	reference		18		
CoverageBenefitId	Coverage Benefit ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Care Benefit Verify Request ID	id		18		
InitialFillDuration	Initial Fill Duration	double			6	2
InitialFillQuantity	Initial Fill Quantity	double			6	2
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MemberPlanId	Member Plan ID	reference		18		
Name	Care Benefit Verify Request Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OriginalPrescriptionId	Original Prescription ID	reference		18		
PayerId	Account ID	reference		18		
PlanId	Purchaser Plan ID	reference		18		
PrescriberId	Healthcare Provider ID	reference		18		
PrescriptionMedicationId	Prescription Medication ID	reference		18		
PriorityCodeId	Code Set ID	reference		18		
ProviderId	Provider ID	reference		18		
RelatedCareBnftVerifyRequestId	Care Benefit Verify Request ID	reference		18		
RequestDate	Request Date	datetime				
RequestedById	User ID	reference		18		
RequesterId	Requester ID	reference		18		
ResponseBody	Response Body	base64				
ResponseContentType	Response Content Type	picklist		255		
ResponseLength	Response Length	int	9			
ResponseName	Response Name	string		40		
Status	Status	picklist		255		
StatusReason	Status Reason	textarea		16000		
SystemModstamp	System Modstamp	datetime				
VerificationMode	Verification Mode	picklist		255		

CAREBENEFITVERIFYREQUESTFEED

Feed tracking for CareBenefitVerifyRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREBENEFITVERIFYREQUESTHISTORY

History for tracked fields of CareBenefitVerifyRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareBenefitVerifyRequestId	Care Benefit Verify Request ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Benefit Verify Request History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREBENEFITVERIFYSETTINGS

Configuration settings for benefit verification requests.

For more information, see CareBenefitVerifySettings in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CodeSetType	Code Set Type	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultNpi	Default NPI	string		80		
DeveloperName	Name	string		80		
GeneralPlanServiceTypeCode	General Plan Service Type Code	string		80		
Id	Care Benefit Verification Settings ID	id		18		
IsDefault	Default	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
OrganizationName	Organization Name	string		80		
ServiceApexClassId	Class ID	reference		18		
ServiceNamedCredentialId	Named Credential ID	reference		18		
ServiceTypeSourceSystem	Service Type Source System	string		255		
SystemModstamp	System Modstamp	datetime				
UriPath	Care Benefit Verification URI Path	textarea		2048		

CAREDETERMINANT

Represents the determinants of health for a patient such as availability of safe housing, adequate employment, or local food markets. Available in API version 45.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareDeterminant in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareDeterminantTypeId	Care Determinant Type ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Care Determinant ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PatientId	Account ID	reference		18		
Priority	Priority	picklist		40		
SystemModstamp	System Modstamp	datetime				

CAREDETERMINANTFEED

Feed tracking for CareDeterminant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREDETERMINANTHISTORY

History for tracked fields of CareDeterminant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareDeterminantId	Care Determinant ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Determinant History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREDETERMINANTSHARE

Sharing for CareDeterminant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREDETERMINANTTYPE

Represents the standard, defined list of determinants of health maintained by an organization, including the domain and type. Available in API version 45.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareDeterminantType in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Domain	Domain	picklist		40		
Id	Care Determinant Type ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

CAREDETERMINANTTYPEFEED

Feed tracking for CareDeterminantType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREDETERMINANTTYPEHISTORY

History for tracked fields of CareDeterminantType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareDeterminantTypeId	Care Determinant Type ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Determinant Type History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREDETERMINANTTYPESHARE

Sharing for CareDeterminantType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREDIAGNOSIS

Represents the details of a diagnosis including code type, name, and description. One or more care diagnoses can be associated with a care request.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareDiagnosis in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareRequestCaseId	Case ID	reference		18		
CareRequestId	Care Request ID	reference		18		
CodeDescription	Code Description	string		255		
CodeType	Code Type	picklist		40		
CodeTypeIdentifier	Code Type ID	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DiagnosisCodeId	Healthcare Diagnosis ID	reference		18		
DiagnosisCodeSetId	diagnosis codeset ID	reference		18		
DischargeCode	Discharge Code	string		32		
DischargeCodeDescription	Discharge Code Description	string		255		
DischargeCodeType	Discharge Code Type	picklist		40		
DischargeCodeTypeIdentifier	Discharge Code Type ID	string		255		
DischargeDiagnosisCodeId	Healthcare Diagnosis ID	reference		18		
DischargeDiagnosisEffectiveDate	Discharge Diagnosis Effective Date	date				
DischargeDiagnosisEndDate	Discharge Diagnosis End Date	date				
DischrgeDiagnosisCodeSetId	discharge diagnosis codeset ID	reference		18		
EffectiveDate	Effective Date	date				
EndDate	End Date	date				
HealthConditionId	Health Condition ID	reference		18		
Id	Care Diagnosis ID	id		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsDeleted	Deleted	boolean				
IsDischargeDiagnosisPrimary	Primary Discharge Diagnosis	boolean				
IsModifiedDiagnosisPrimary	Modified Primary Diagnosis	boolean				
IsPrimary	Primary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ModifiedCode	Modified Code	string		32		
ModifiedCodeDescription	Modified Code Description	string		255		
ModifiedCodeType	Modified Code Type	picklist		40		
ModifiedCodeTypeIdentifier	Modified Code Type ID	string		255		
ModifiedDiagnosisCodeId	Healthcare Diagnosis ID	reference		18		
ModifiedDiagnosisCodeSetId	modified diagnosis codeset ID	reference		18		
ModifiedEffectiveDate	Modified Effective Date	date				
ModifiedEndDate	Modified End Date	date				
Name	Name	string		255		
PresentOnAdmission	Present On Admission	picklist		40		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
SystemModstamp	System Modstamp	datetime				

CAREDIAGNOSISFEED

Feed tracking for CareDiagnosis.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREDIAGNOSISHISTORY

History for tracked fields of CareDiagnosis.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CareDiagnosisId`	Care Diagnosis ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Care Diagnosis History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CAREFEESCHEDULEITEM

Stores procedure level fees for a fee schedule definition.

For more information, see CareFeeScheduleItem in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareFeeScheduleItemKey	Care Fee Schedule Item Key	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FacilityPrice	Facility Price	currency			18	0
FeeScheduleDefinitionId	Fee Schedule Definition ID	reference		18		
Id	Care Fee Schedule Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
NonFacilityPrice	Non-Facility Price	currency			18	0
ProcedureCodeDescription	Procedure Code Description	string		255		
ProcedureCodeId	Code Set Bundle ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CAREFEESCHEDULEITEMFEED

Feed tracking for CareFeeScheduleItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREFEESCHEDULEITEMHISTORY

History for tracked fields of CareFeeScheduleItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareFeeScheduleItemId	Care Fee Schedule Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Fee Schedule ItemHistory ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREINTERVENTIONTYPE

Represents the standard, defined list of interventions maintained by an organization. Available in API version 45.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareInterventionType in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Code	Code	string		40		
CodeType	Code Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
HealthCareProcedureId	Health Care Procedure ID	reference		18		
Id	Care Intervention Type ID	id		18		
InterventionType	Intervention Type	picklist		40		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProcedureCodeSetId	Procedure Code Set ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CAREINTERVENTIONTYPEFEED

Feed tracking for CareInterventionType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREINTERVENTIONTYPEHISTORY

History for tracked fields of CareInterventionType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareInterventionTypeId	Care Intervention Type ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Intervention Type History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREINTERVENTIONTYPESHARE

Sharing for CareInterventionType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CARELIMITTYPE

Defines the characteristics of limits on benefit provision.

For more information, see CareLimitType in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Name	string		80		
`Id`	Care Limit Type ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LimitType`	Limit Type	string		255		
`MasterLabel`	Label	string		80		
`MetricType`	Metric Type	picklist		255		
`NamespacePrefix`	Namespace Prefix	string		15		
`SystemModstamp`	System Modstamp	datetime				

CAREMETRICTARGET

Represents the expected care metrics at an org level and patient level. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareMetricTarget in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CodeId	Code Set ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DetailRatioDenominator	Ratio Denominator	double			18	6
DetailRatioNumerator	Ratio Numerator	double			18	6
DetailRatioUnitId	Unit of Measure ID	reference		18		
DetailString	Value Description	string		255		
DueDuration	Due Duration	double			18	6
DueDurationUnitId	Unit of Measure ID	reference		18		
EndDate	End Date	date				
Id	Care Metric Target ID	id		18		
IsDeleted	Deleted	boolean				
IsOutcomePositive	Outcome positive	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LowerLimit	Lower Limit	double			18	6
MeasureCodeId	Measure Code ID	reference		18		
Name	Name	string		255		
NumericValue	Numeric Value	double			18	6
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PatientId	Account ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				
TargetedOutcome	Targeted Outcome	picklist		255		
Type	Type	picklist		255		
UnitOfMeasureId	Unit of Measure ID	reference		18		
UpperLimit	Upper Limit	double			18	6

CAREMETRICTARGETFEED

Feed tracking for CareMetricTarget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREMETRICTARGETHISTORY

History for tracked fields of CareMetricTarget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareMetricTargetId	Care Metric Target ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Metric Target History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREMETRICTARGETSHARE

Sharing for CareMetricTarget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREOBSERVATION

Represents the observed values for care metrics originating from external systems that contain biometric data. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareObservation in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdditionalCode1Id	Code Set ID	reference		18		
AdditionalCode2Id	Code Set ID	reference		18		
BasedOnId	Based On ID	reference		18		
BaselineUnitId	Unit of Measure ID	reference		18		
BaselineValueText	Baseline Value Text	string		255		
BodySiteId	Code Set Bundle ID	reference		18		
CaseId	Case ID	reference		18		
Category	Category	picklist		40		
CodeId	Code Set ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DerivationSourceId	Derivation Source ID	reference		18		
DeviceId	Asset ID	reference		18		
EffectiveDateTime	Effective Date and Time	datetime				
EncounterId	Clinical Encounter ID	reference		18		
EndDateTime	End Date Time	datetime				
ExpectedValueId	Care Metric Target ID	reference		18		
HasMetExpectedValue	Met expected value	boolean				
Id	Care Observation ID	id		18		
IdentifierId	Identifier ID	reference		18		
IsDeleted	Deleted	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsMonitoredRemotely	Monitored remotely	boolean				
IsObserved	Observed	boolean				
IsOutcomePositive	Outcome positive	boolean				
IssuedDateTime	Issued Date Time	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LowerBaselineValue	Lower Baseline Value	double			18	2
MethodId	Code Set Bundle ID	reference		18		
Name	Name	string		255		
NumericValue	Numeric Value	double			18	6
ObservationEndTime	Observation End Time	datetime				
ObservationStartTime	Observation Start Time	datetime				
ObservationStatus	Observation Status	picklist		40		
ObservedSubjectId	Account ID	reference		18		
ObservedValueCodeId	Code Set Bundle ID	reference		18		
ObservedValueDenominator	Observed Value Denominator	double			6	2
ObservedValueNumerator	Observed Value Numerator	double			6	2
ObservedValueText	Observed Value Text	string		255		
ObservedValueType	Observed Value Type	picklist		255		
ObservedValueUnitId	Unit of Measure ID	reference		18		
ObserverId	Observer ID	reference		18		
OwnerId	Owner ID	reference		18		
PartOfId	Part Of ID	reference		18		
PatientSpecimenId	Code Set Bundle ID	reference		18		
ProcessingResult	Processing Result	picklist		255		
RelatedObservationId	Care Observation ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System ID	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SourceSystemModified	Source System Modified	datetime				
SystemModstamp	System Modstamp	datetime				
UnitOfMeasureId	Unit of Measure ID	reference		18		
UpperBaselineValue	Upper Baseline Value	double			18	2
ValueInterpretation	Value Interpretation	picklist		40		

CAREOBSERVATIONCOMPONENT

Represents information about a component of a care observation. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareObservationComponent in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BaselineUnitId	Unit of Measure ID	reference		18		
BaselineValueText	Baseline Value Text	string		255		
CareObservationId	Care Observation ID	reference		18		
ComponentTypeCodeId	Code Set Bundle ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Care Observation Component ID	id		18		
IsDeleted	Deleted	boolean				
IsObserved	Observed	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LowerBaselineValue	Lower Baseline Value	double			18	0
MissingDataReason	Missing Data Reason	string		255		
Name	Name	string		255		
NumericValue	Numeric Value	double			18	6
ObservationEndDateTime	Observation End Time	datetime				
ObservationStartDateTime	Observation Start Time	datetime				
ObservedValueCodeId	Code Set Bundle ID	reference		18		
ObservedValueDenominator	Observed Value Denominator	double			6	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ObservedValueNumerator	Observed Value Numerator	double			6	2
ObservedValueText	Observed Value Text	string		255		
ObservedValueUnitId	Unit of Measure ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UpperBaselineValue	Upper Baseline Value	double			18	0
ValueInterpretation	Value Interpretation	picklist		40		
ValueType	Value Type	picklist		255		

CAREOBSERVATIONCOMPONENTFEED

Feed tracking for CareObservationComponent.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREOBSERVATIONCOMPONENTHISTORY

History for tracked fields of CareObservationComponent.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareObservationComponentId	Care Observation Component ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Observation Component History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREOBSERVATIONFEED

Feed tracking for CareObservation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREOBSERVATIONHISTORY

History for tracked fields of CareObservation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareObservationId	Care Observation ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Observation History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREOBSERVATIONSHARE

Sharing for CareObservation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPERFORMER

Represents the person performing care in observations, procedure, and immunizations. This person may be a physician, the patient's contact, or anyone who administered any sort of care to the patient in the context of the concerned care event. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CarePerformer in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AffiliatedOrganizationId	Account ID	reference		18		
CareSpecialtyId	Care Specialty ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Care Performer ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParentRecordId	Parent Record ID	reference		18		
PersonId	Person ID	reference		18		
RoleId	Role ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CAREPERFORMERFEED

Feed tracking for CarePerformer.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREPERFORMERHISTORY

History for tracked fields of CarePerformer.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CarePerformerId	Care Performer ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Performer History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPGMENRLEESTATUSPERIOD

Represents the historical changes to the status or stage of a care program enrollee. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CarePgmEnrleeStatusPeriod in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramEnrolleeId	Care Program Enrollee ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveEndDateTime	Effective End Date	datetime				
EffectiveStartDateTime	Effective Start Date	datetime				
Id	Care Pgm Enrlee Status Period ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Status	Status	picklist		40		
StatusReason	Status Reason	string		255		
SystemModstamp	System Modstamp	datetime				

CAREPGMENRLEESTATUSPERIODFEED

Feed tracking for CarePgmEnrleeStatusPeriod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREPGMENRLEESTATUSPERIODHISTORY

History for tracked fields of CarePgmEnrleeStatusPeriod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CarePgmEnrleeStatusPeriodId	Care Pgm Enrlee Status Period ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program Enrollee Status Period History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPGMENROLLEEWKORDSTEP

Represents information about the step in a work order that's executed for the care program enrollee. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CarePgmEnrolleeWkOrdStep in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionPlanTemplateId	Action Plan Template ID	reference		18		
AreAllTasksCompleted	All Tasks Completed	boolean				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDateTime	End Date	datetime				
Id	Care Program Enrollee Work Order Step ID	id		18		
IsCustodyCompleted	Custody Completed	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParentEnrolleeWorkOrderId	Care Program Enrollee Work Order ID	reference		18		
SequenceNumber	Sequence Number	int	9			
StartDateTime	Start Date	datetime				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
WorkTypeStepId	Work Type Step ID	reference		18		

CAREPGMENROLLEEWKORDSTEPFEED

Feed tracking for CarePgmEnrolleeWkOrdStep.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREPGMENROLLEEWKORDSTEPHISTORY

History for tracked fields of CarePgmEnrolleeWkOrdStep.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CarePgmEnrolleeWkOrdStepId	Care Program Enrollee Work Order Step ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program Enrollee Work Order Step History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPGMENROLLEEWORKORDER

Represents information about the work order that's executed for the care program enrollee. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CarePgmEnrolleeWorkOrder in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramEnrolleeId	Care Program Enrollee ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDateTime	End Date	datetime				
Id	Care Program Enrollee Work Order ID	id		18		
IsCustodyCompleted	Custody Completed	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
NextWorkOrderId	Care Program Enrollee Work Order ID	reference		18		
PreviousWorkOrderId	Care Program Enrollee Work Order ID	reference		18		
ServiceAppointmentId	Service Appointment ID	reference		18		
StartDateTime	Start Date	datetime				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
WorkTypeId	Work Type ID	reference		18		

CAREPGMENROLLEEWORKORDERFEED

Feed tracking for CarePgmEnrolleeWorkOrder.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREPGMENROLLEEWORKORDERHISTORY

History for tracked fields of CarePgmEnrolleeWorkOrder.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CarePgmEnrolleeWorkOrderId	Care Program Enrollee Work Order ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program Enrollee Work Order History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPGMPROVHEALTHCAREPROVIDER

Represents a junction object identifying the primary healthcare professional associated with a care program provider and to look up all healthcare professionals for care program providers. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CarePgmProvHealthcareProvider in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramProviderId	Care Program Provider ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
HealthcareProviderId	Healthcare Provider ID	reference		18		
Id	Care Program Healthcare Provider ID	id		18		
IsDeleted	Deleted	boolean				
IsPrimaryProvider	Primary Provider	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Care Provider Association Name	string		255		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
SystemModstamp	System Modstamp	datetime				

CAREPGMPROVHEALTHCAREPROVIDERFEED

Feed tracking for CarePgmProvHealthcareProvider.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREPGMPROVHEALTHCAREPROVIDERHISTORY

History for tracked fields of CarePgmProvHealthcareProvider.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CarePgmProvHealthcareProviderId	Care Program Healthcare Provider ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program Healthcare Provider History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPGMTEAMMBRROLEPERIOD

Represents the historical changes in the role of a care program team member. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CarePgmTeamMbrRolePeriod in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramTeamMemberId	Care Program Team Member ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveEndDateTime	Effective End Date	datetime				
EffectiveStartDateTime	Effective Start Date	datetime				
Id	Care Program Team Member Role Period ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Role	Role	picklist		40		
SystemModstamp	System Modstamp	datetime				

CAREPGMTEAMMBRROLEPERIODFEED

Feed tracking for CarePgmTeamMbrRolePeriod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREPGMTEAMMBRROLEPERIODHISTORY

History for tracked fields of CarePgmTeamMbrRolePeriod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CarePgmTeamMbrRolePeriodId	Care Program Team Member Role Period ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program Team Member Role Period History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPLAN

Represents an instantiation of a care plan template for a particular individual in order to reach specific goals. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CarePlan in the *Case Management Guide*, *Life Sciences Cloud Developer Guide*, *Public Sector Solutions Developer Guide*, and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CarePlanTemplateId	Care Plan Template ID	reference		18		
CaseId	Case ID	reference		18		
ClaimId	Claim ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
EndDate	End Date	datetime				
Id	Care Plan ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParticipantId	Participant ID	reference		18		
StartDate	Start Date	datetime				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TaskJobStatus	Task Job Status	picklist		255		
TaskJobStatusMessage	Task Job Status Message	textarea		2000		

CAREPLANDETAIL

Represents additional information associated with a care plan record. These details may be things addressed by the care plan, contributors in the care plan, supporting information, and so on. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CarePlanDetail in the *Life Sciences Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CarePlanId	Care Plan ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DetailCodeId	Detail Code ID	reference		18		
DetailRecordId	Detail Record ID	reference		18		
DetailType	Detail Type	picklist		40		
Id	Care Plan Detail ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Care Plan Detail Name	string		255		
OwnerId	Owner ID	reference		18		
ProblemPriority	Problem Priority	picklist		40		
SequenceNumber	Sequence Number	int	9			
SystemModstamp	System Modstamp	datetime				
TaskJobStatus	Task Job Status	picklist		255		
TaskJobStatusMessage	Task Job Status Message	textarea		2000		

CAREPLANDETAILFEED

Feed tracking for CarePlanDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREPLANDETAILHISTORY

History for tracked fields of CarePlanDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CarePlanDetailId	Care Plan Detail ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Plan Detail History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPLANDETAILSHARE

Sharing for CarePlanDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPLANFEED

Feed tracking for CarePlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREPLANHISTORY

History for tracked fields of CarePlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CarePlanId	Care Plan ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Plan History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPLANTEMPLATE

Represents the template for a type of care plan that can be offered for a household scenario. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CarePlanTemplate in the *Case Management Guide*, *Life Sciences Cloud Developer Guide*, *Public Sector Solutions Developer Guide*, and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
Id	Care Plan Template ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

CAREPLANTEMPLATEBENEFIT

Represents a junction between a care plan template and a benefit. This object stores the benefit details of a care plan. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CarePlanTemplateBenefit in the *Case Management Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitId	Benefit ID	reference		18		
CarePlanTemplateId	Care Plan Template ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Care Plan Template Benefit ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Priority	Priority	picklist		255		
SystemModstamp	System Modstamp	datetime				

CAREPLANTEMPLATEBENEFITHISTORY

History for tracked fields of CarePlanTemplateBenefit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CarePlanTemplateBenefitId	Care Plan Template Benefit ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Plan Template Benefit History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPLANTEMPLATEFEED

Feed tracking for CarePlanTemplate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREPLANTEMPLATEGOAL

Represents a junction between a care plan template and a goal definition. This object stores the goal details of a care plan template. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CarePlanTemplateGoal in the *Case Management Guide*, *Life Sciences Cloud Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CarePlanTemplateId	Care Plan Template ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
GoalDefinitionId	Goal Definition ID	reference		18		
Id	Care Plan Template Goal ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Priority	Priority	picklist		255		
SystemModstamp	System Modstamp	datetime				

CAREPLANTEMPLATEGOALHISTORY

History for tracked fields of CarePlanTemplateGoal.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CarePlanTemplateGoalId	Care Plan Template Goal ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Plan Template Goal History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPLANTEMPLATEHISTORY

History for tracked fields of CarePlanTemplate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CarePlanTemplateId	Care Plan Template ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Plan Template History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPLANTEMPLATESHARE

Sharing for CarePlanTemplate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPREAUTH

Represents the details of preauthorizations for care under a member's plan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CarePreauth in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
Id	Care Preauth ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MemberPlanId	Member Plan ID	reference		18		
Name	Name	string		255		
Notes	Notes	textarea		32000		
OwnerId	Owner ID	reference		18		
PayerId	Account ID	reference		18		
PreauthIdentifier	Preauth Identifier	string		64		
ReferringPhysician	Referring Physician	string		64		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

CAREPREAUTHFEED

Feed tracking for CarePreauth.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREPREAUTHHISTORY

History for tracked fields of CarePreauth.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CarePreauthId	Care Preauth ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Preauth History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPREAUTHITEM

Represents the details of items included in a preauthorization for care under a member's plan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CarePreauthItem in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CarePreauthId	Care Preauth ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndingServiceCode	Ending Service Code	string		64		
Id	Care Preauth Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Laterality	Laterality	picklist		40		
Name	Name	string		255		
Notes	Notes	textarea		32000		
OwnerId	Owner ID	reference		18		
PreauthitemSequence	Preauth Item Sequence	int	9			
Quantity	Quantity	int	9			
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
StartingServiceCode	Starting Service Code	string		64		
SystemModstamp	System Modstamp	datetime				
Unit	Unit	string		64		

CAREPREAUTHITEMFEED

Feed tracking for CarePreauthItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREPREAUTHITEMHISTORY

History for tracked fields of CarePreauthItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CarePreauthItemId	Care Preauth Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Preauth Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPREAUTHITEMSHARE

Sharing for CarePreauthItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPREAUTHSHARE

Sharing for CarePreauth.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPROCESSINGERROR

Stores information on processing errors sent from payer to provider on a member's authorization request.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareProcessingError in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionCodeId	Action Code ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description ID	string		255		
ErrorCodeId	Error Code ID	reference		18		
Id	Care Processing Error ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ReferenceObjectId	Reference Object ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CAREPROCESSINGERRORFEED

Feed tracking for CareProcessingError.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREPROCESSINGERRORHISTORY

History for tracked fields of CareProcessingError.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProcessingErrorId	Care Processing Error ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Processing Error History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROCESSINGERRORSHARE

Sharing for CareProcessingError.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPROGRAM

Represents a set of activities, such as a patient therapy, financial assistance, education, wellness, or fitness plan, offered to participants by an employer or insurer.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareProgram in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BudgetAmount	Budget Amount	currency			18	2
Category	Category	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrentEnrolleeCount	Current Enrollee Count	int	9			
Description	Description	textarea		32000		
EndDate	End Date	date				
Id	Care Program ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentProgramId	Care Program ID	reference		18		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
SponsorId	Account ID	reference		18		
StartDate	Start Date	date				
Status	Status	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
TargetEnrolleeCount	Target Enrollee Count	int	9			

CAREPROGRAMCAMPAIGN

Represents a relationship between the Care Program object and the Campaign object. This junction object enables admins to associate one or more campaigns to a program.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareProgramCampaign in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramId	Care Program ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Care Program Campaign ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
SystemModstamp	System Modstamp	datetime				

CAREPROGRAMCAMPAIGNFEED

Feed tracking for CareProgramCampaign.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREPROGRAMCAMPAIGNHISTORY

History for tracked fields of CareProgramCampaign.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramCampaignId	Care Program Campaign ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program Campaign History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROGRAMDETAIL

Represents the detail records related to the care program. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareProgramDetail in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramId	Care Program ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DetailRecordId	Detail RecordDetailRecord ID	reference		18		
DetailSubtype	Detail Subtype	picklist		40		
DetailType	Detail Type	picklist		255		
Id	Care Program Detail ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

CAREPROGRAMDETAILFEED

Feed tracking for CareProgramDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREPROGRAMDETAILHISTORY

History for tracked fields of CareProgramDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramDetailId	Care Program Detail ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program Detail History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROGRAMELIGIBILITYRULE

Represents a rule defining the criteria for patient care program enrollment eligibility. This entity creates an association between Care Program and an Enrollment Eligibility Criteria.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareProgramEligibilityRule in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramId	Care Program ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EligibilityCriteriaId	Enrollment Eligibility Criteria ID	reference		18		
Id	Care Program Eligibility Rule ID	id		18		
IsDeleted	Deleted	boolean				
IsInclusionRule	Inclusion Rule	boolean				
IsRequired	Required	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

CAREPROGRAMELIGIBILITYRULEFEED

Feed tracking for CareProgramEligibilityRule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREPROGRAMELIGIBILITYRULEHISTORY

History for tracked fields of CareProgramEligibilityRule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramEligibilityRuleId	Care Program Eligibility Rule ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program Eligibility Rule History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROGRAMELIGIBILITYRULESHARE

Sharing for CareProgramEligibilityRule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPROGRAMENROLLEE

Represents a participant enrolled in a care program.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareProgramEnrollee in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
BenefitCoverageType	Benefit Coverage Type	picklist		255		
CareProgramId	Care Program ID	reference		18		
ClinicalServiceRequestId	Clinical Service Request ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrentWorkOrderId	Current Work Order ID	reference		18		
CurrentWorkOrderStepId	Current Work Order Step ID	reference		18		
EnrolleeType	Enrollee Type	picklist		255		
EnrollmentLocationId	Territory ID	reference		18		
FlowInterviewId	Flow Interview ID	reference		18		
FlowOrchestrationInstanceId	Orchestration Run ID	reference		18		
Id	Care Program Enrollee ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LeadId	Lead ID	reference		18		
Name	Name	string		255		
OptOutPeriodEndDateTime	Opt Out Period End Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OptOutPeriodStartDateTime	Opt Out Period Start Date	datetime				
OptOutReasonType	Opt Out Reason Type	picklist		40		
OwnerId	Owner ID	reference		18		
ResearchStudyCandidateId	Research Study Candidate ID	reference		18		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

CAREPROGRAMENROLLEEFEED

Feed tracking for CareProgramEnrollee.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREPROGRAMENROLLEEHISTORY

History for tracked fields of CareProgramEnrollee.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CareProgramEnrolleeId`	Care Program Enrollee ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Care Program Enrollee History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CAREPROGRAMENROLLEEPRODUCT

Represents the affiliation between a care program enrollee and a care program product, a care program provider, or both.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareProgramEnrolleeProduct in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramEnrolleeId	Care Program Enrollee ID	reference		18		
CareProgramProductId	Care Program Product ID	reference		18		
CareProgramProviderId	Care Program Provider ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Care Program Enrollee Product ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

CAREPROGRAMENROLLEEPRODUCTFEED

Feed tracking for CareProgramEnrolleeProduct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREPROGRAMENROLLEEPRODUCTHISTORY

History for tracked fields of CareProgramEnrolleeProduct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramEnrolleeProductId	Care Program Enrollee Product ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program Enrollee Product History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROGRAMENROLLEEPRODUCTSHARE

Sharing for CareProgramEnrolleeProduct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPROGRAMENROLLEESHARE

Sharing for CareProgramEnrollee.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPROGRAMENROLLMENTCARD

Represents a care program membership card that includes a membership number or enrollment code.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareProgramEnrollmentCard in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CardNumber`	Card Number	string		255		
`CareProgramEnrolleeId`	Care Program Enrollee ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Care Program Enrollment Card ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`OwnerId`	Owner ID	reference		18		
`SourceSystem`	Source System	string		255		
`SourceSystemIdentifier`	Source System Identifier	string		255		
`Status`	Status	picklist		40		
`SystemModstamp`	System Modstamp	datetime				

CAREPROGRAMENROLLMENTCARDFEED

Feed tracking for CareProgramEnrollmentCard.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREPROGRAMENROLLMENTCARDHISTORY

History for tracked fields of CareProgramEnrollmentCard.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramEnrollmentCardId	Care Program Enrollment Card ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program Enrollment Card History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROGRAMENROLLMENTCARDSHARE

Sharing for CareProgramEnrollmentCard.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPROGRAMFEED

Feed tracking for CareProgram.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREPROGRAMGOAL

Represents a business or clinical goal related to a care program.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareProgramGoal in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramId	Care Program ID	reference		18		
CompletionDate	Completion Date	date				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
DueDate	Due Date	date				
Id	Care Program Goal ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Priority	Priority	picklist		40		
ProgressPercentage	Progress Percentage	percent			3	0
SequenceNumber	Sequence Number	double			18	0
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
StartDate	Start Date	date				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Type	Type	picklist		40		

CAREPROGRAMGOALFEED

Feed tracking for CareProgramGoal.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREPROGRAMGOALHISTORY

History for tracked fields of CareProgramGoal.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CareProgramGoalId`	Care Program Goal ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Care Program Goal History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CAREPROGRAMGOALSHARE

Sharing for CareProgramGoal.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPROGRAMHISTORY

History for tracked fields of CareProgram.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramId	Care Program ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROGRAMPRODUCT

Represents the affiliation between a care program and a care program product, care program provider, or both.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareProgramProduct in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Availability	Availability	picklist		40		
CareProgramId	Care Program ID	reference		18		
CareProgramPrice	Care Program Price	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Care Program Product ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProductId	Product ID	reference		18		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

CAREPROGRAMPRODUCTFEED

Feed tracking for CareProgramProduct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREPROGRAMPRODUCTHISTORY

History for tracked fields of CareProgramProduct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramProductId	Care Program Product ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program Product History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROGRAMPRODUCTSHARE

Sharing for CareProgramProduct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPROGRAMPROVIDER

Represents a business account that is the service provider for a care program product.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareProgramProvider in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CareProgramContactId	Contact ID	reference		18		
CareProgramProductId	Care Program Product ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Care Program Provider ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Role	Role	picklist		40		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

CAREPROGRAMPROVIDERFEED

Feed tracking for CareProgramProvider.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREPROGRAMPROVIDERHISTORY

History for tracked fields of CareProgramProvider.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramProviderId	Care Program Provider ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program Provider History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROGRAMPROVIDERSHARE

Sharing for CareProgramProvider.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPROGRAMSHARE

Sharing for CareProgram.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPROGRAMSITE

Represents the details about the care program site. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareProgramSite in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramId	Care Program ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
HealthCareFacilityId	Healthcare Facility ID	reference		18		
Id	Care Program Site ID	id		18		
InvestigatorId	Healthcare Provider ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ResearchStudyId	Research Study ID	reference		18		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TeamId	Team ID	reference		18		

CAREPROGRAMSITEFEED

Feed tracking for CareProgramSite.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREPROGRAMSITEHISTORY

History for tracked fields of CareProgramSite.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramSiteId	Care Program Site ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program Site History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROGRAMSITESHARE

Sharing for CareProgramSite.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPROGRAMSTATUSPERIOD

Represents the historical changes to the status of a care program. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareProgramStatusPeriod in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AreDatesTentative	Dates Tentative	boolean				
CareProgramId	Care Program ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveEndDateTime	Effective End Date	datetime				
EffectiveStartDateTime	Effective Start Date	datetime				
Id	Care Program Status Period ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

CAREPROGRAMSTATUSPERIODFEED

Feed tracking for CareProgramStatusPeriod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREPROGRAMSTATUSPERIODHISTORY

History for tracked fields of CareProgramStatusPeriod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramStatusPeriodId	Care Program Status Period ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program Status Period History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROGRAMTEAMMEMBER

Represents a person who delivers services under a program, such as a program manager or care coordinator.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareProgramTeamMember in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CareProgramId	Care Program ID	reference		18		
Category	Category	multipicklist		4099	0	
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Care Program Team Member ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MemberId	Member ID	reference		18		
Name	Name	string		255		
Role	Role	picklist		40		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

CAREPROGRAMTEAMMEMBERFEED

Feed tracking for CareProgramTeamMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREPROGRAMTEAMMEMBERHISTORY

History for tracked fields of CareProgramTeamMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramTeamMemberId	Care Program Team Member ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Program Team Member History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROVIDERADVERSEACTION

Captures adverse actions against the provider, such as malpractice lawsuits or revoked licenses.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareProviderAdverseAction in the *Life Sciences Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AccreditationId	Accreditation ID	reference		18		
ActionIssueDate	Action Issue Date	date				
ActionType	Type	picklist		40		
BoardCertificationId	Board Certification ID	reference		18		
BusinessLicenseId	Business License ID	reference		18		
CaseNumber	Case Number	string		255		
CourtSentence	Court Sentence	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
HealthcareProviderId	Healthcare Provider ID	reference		18		
Id	Care Provider Adverse Action ID	id		18		
IncidentDate	Incident Date	date				
IncidentReportedDate	Incident Reported Date	date				
InsurancePolicyNumber	Insurance Policy Number	string		255		
InsuranceProviderName	Insurance Provider Name	string		255		
IsDeleted	Deleted	boolean				
Jurisdiction	Jurisdiction	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PenaltyAmount	Penalty Amount	currency			18	2
PractitionerId	Contact ID	reference		18		
RegulatoryBody	Regulatory Body	string		255		
RegulatoryBodyType	Regulatory Body Type	picklist		40		
ReportingEntity	Reporting Entity	string		255		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

CAREPROVIDERADVERSEACTIONFEED

Feed tracking for CareProviderAdverseAction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREPROVIDERADVERSEACTIONHISTORY

History for tracked fields of CareProviderAdverseAction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProviderAdverseActionId	Care Provider Adverse Action ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Provider Adverse Action History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROVIDERADVERSEACTIONSHARE

Sharing for CareProviderAdverseAction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPROVIDERFACILITYSPECIALTY

Represents all the specialties that the practitioner provides at a given location. For example, a physician who is board-certified in both spine and neuro may provide spine services at one location and neuro services at another.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareProviderFacilitySpecialty in the *Life Sciences Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
HealthcareFacilityId	Healthcare Facility ID	reference		18		
Id	Care Provider Facility Specialty ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsPrimarySpecialty	Primary Specialty	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Provider Facility Specialty Name	string		255		
OwnerId	Owner ID	reference		18		
PractitionerFacilityId	Healthcare Practitioner Facility ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SpecialtyId	Care Specialty ID	reference		18		
SpecialtyRole	Specialty Role	picklist		40		
SystemModstamp	System Modstamp	datetime				

CAREPROVIDERFACILITYSPECIALTYFEED

Feed tracking for CareProviderFacilitySpecialty.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREPROVIDERFACILITYSPECIALTYHISTORY

History for tracked fields of CareProviderFacilitySpecialty.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProviderFacilitySpecialtyId	Care Provider Facility Specialty ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Provider Facility Specialty History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROVIDERFACILITYSPECIALTYSHARE

Sharing for CareProviderFacilitySpecialty.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREPROVIDERSEARCHCONFIG

Represents fields that can appear in provider search results. Use this object to specify fields in arbitrary objects (source) that are made available in the search object (target). This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareProviderSearchConfig in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Care Provider Search Config ID	id		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MappedObject	Mapped Object	picklist		255		
MasterLabel	Label	string		80		
SourceField	Source Field	string		255		
SystemModstamp	System Modstamp	datetime				
TargetField	Target Field	string		255		

CAREPROVIDERSEARCHABLEFIELD

This object holds denormalized data from certain fields in the Provider Relationship Management data model. Provider search APIs query this object instead of multiple objects, which improves search performance. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareProviderSearchableField in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CertificationType	Certification Type	textarea		4000		
Condition	Condition	textarea		4000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EducationType	Education Type	textarea		4000		
FacilityAddress	Address	address				
FacilityCity	Facility City	string		40		
FacilityCountry	Facility Country	string		80		
FacilityGeocodeAccuracy	Facility Geocode Accuracy	picklist		40		
FacilityId	Account ID	reference		18		
FacilityLatitude	Facility Latitude	double			18	15
FacilityLongitude	Facility Longitude	double			18	15
FacilityName	Facility Name	string		255		
FacilityPhone	Facility Phone	phone		40		
FacilityPostalCode	Facility Postal Code	string		20		
FacilityState	Facility State	string		80		
FacilityStreet	Facility Street	textarea		255		
GenderRestriction	Gender Restriction	string		255		
Id	Care Provider Search Data ID	id		18		
IsAcceptingNewPatients	Accepts new patients	boolean				
IsDeleted	Deleted	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsHandicapAccess	Accessible	boolean				
IsUpdateNeeded	Update Needed	boolean				
LanguagesSpoken	Languages Spoken	textarea		4000		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LicenseJurisdictionCountry	License Jurisdiction Country	textarea		4000		
LicenseJurisdictionRegion	License Jurisdiction Region	textarea		4000		
LicenseJurisdictionState	License Jurisdiction State	textarea		4000		
LicenseName	License Name	textarea		4000		
LicenseStatus	License Status	textarea		4000		
Name	Care Provider Searchable Field Name	string		255		
NationalProviderIdentifier	National Provider Identifier	string		255		
OperatingHoursId	Operating Hour ID	reference		18		
OwnerId	Owner ID	reference		18		
PhotoUrl	Photo URL	string		255		
PlanType	Plan Type	textarea		4000		
ProviderGender	Provider Gender	string		255		
ProviderId	Healthcare Provider ID	reference		18		
ProviderName	Provider Name	string		255		
ProviderType	Provider Type	string		255		
Service	Service	textarea		4000		
ServiceCode	Service Code	textarea		4000		
Specialty	Specialty	textarea		4000		
SubSpecialty	Subspecialty	textarea		4000		
SyncLogRecord	Provider Search Sync Log ID	string		25		
SystemModstamp	System Modstamp	datetime				
UniqueKey	Unique Key	string		255		

CAREPROVIDERSEARCHABLEFIELDFEED

Feed tracking for CareProviderSearchableField.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREPROVIDERSEARCHABLEFIELDHISTORY

History for tracked fields of CareProviderSearchableField.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProviderSearchableFieldId	Care Provider Search Data ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Provider Searchable Field History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREPROVIDERSEARCHABLEFIELDSHARE

Sharing for CareProviderSearchableField.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CAREREGISTEREDDEVICE

Represents a device or device registration information for a patient or a care program enrollee. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareRegisteredDevice in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramEnrolleeId	Care Program Enrollee ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeviceId	Asset ID	reference		18		
DeviceTypeId	Code Set ID	reference		18		
Id	Care Registered Device ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Care Registered Device Name	string		255		
NameType	Name Type	multipicklist		4099	0	
PatientId	Account ID	reference		18		
RegistrationDate	Registration Date	datetime				
SafetyInformation	Safety Information	textarea		255		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
Status	Status	picklist		255		
SupportContactDetail	Support Contact Details	textarea		2000		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UniqueDeviceId1	Unique Device ID 1	string		60		
UniqueDeviceId1Issuer	Unique Device ID 1 Issuer	url		1000		
UniqueDeviceId2	Unique Device ID 2	string		60		
UniqueDeviceId2Issuer	Unique Device ID 2 Issuer	url		1000		
UniqueDeviceId3	Unique Device ID 3	string		60		
UniqueDeviceId3Issuer	Unique Device ID 3 Issuer	url		1000		

CAREREGISTEREDDEVICEFEED

Feed tracking for CareRegisteredDevice.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CAREREGISTEREDDEVICEHISTORY

History for tracked fields of CareRegisteredDevice.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CareRegisteredDeviceId`	Care Registered Device ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Care Registered Device History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CAREREQUEST

Represents the general details of a care-related request including member information, admission date, decision reason, and so on. A single request can contain multiple diagnoses, services, or drugs. Care requests include preauthorizations for drugs and services, admission notifications, concurrent review of admissions, appeals, complaints, and grievances.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareRequest in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AcknowledgementLetterSentDate	Acknowledgement Letter Sent Date	datetime				
ActualAdmissionDate	Actual Admission Date	datetime				
ActualDischargeDate	Actual Discharge Date	datetime				
AdmissionNotes	Admission Notes	textarea		32000		
AdmissionSource	Admission Source	picklist		40		
AdmissionType	Admission Type	picklist		40		
AorReceivedDate	AOR Received Date	datetime				
AorRequestedDate	AOR Requested Date	datetime				
AppealRequestReasonType	Appeal Request Reason Type	picklist		40		
AppointedRepVerbalContactDate	Appointed Rep Verbal Contact Date	datetime				
AppointedRepWrittenContactDate	Appointed Rep Written Contact Date	datetime				
AppointedRepresentativeId	Account ID	reference		18		
ApprovedLengthOfStay	Approved Length of Stay	int	9			
ApprovedLevelOfCare	Approved Level of Care	picklist		40		
CareRequestCaseId	Case ID	reference		18		
ClaimNumber	Claim Number	string		32		
ClinicalCaseType	Clinical Case Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CriteriaMet	Criteria Met	picklist		40		
CumulativeLengthOfStay	Cumulative Length of Stay	int	9			
CurrentLevelOfCare	Current Level of Care	picklist		40		
DecisionDate	Decision Date	datetime				
DecisionDaysRemaining	Decision Days Remaining	int	9			
DecisionLetter	Decision Letter	textarea		32000		
DecisionNotes	Decision Notes	textarea		32000		
DecisionReason	Decision Reason	picklist		40		
DecisionReasonDescription	Decision Reason Description	textarea		32000		
DeniedLengthOfStay	Denied Length of Stay	int	9			
DeniedLevelOfCare	Denied Level of Care	picklist		40		
DispositionNotes	Disposition Notes	textarea		32000		
DueDate	Due Date	datetime				
EffectiveFrom	Effective From	datetime				
EffectiveTo	Effective To	datetime				
ExpirationDate	Expiration Date	datetime				
ExtensionRequestReceivedDate	Extension Request Received Date	datetime				
ExternalComplaintIdentifier	External Complaint ID	string		255		
FacilityRecordNumber	Facility Record Number	string		32		
FacilityRoomBedType	Facility Room Bed Type	picklist		40		
FacilityRoomNumber	Facility Room Number	string		32		
FinalLevelOfCare	Final Level of Care	picklist		40		
FirstReviewerId	User ID	reference		18		
FirstReviewerNotes	First Reviewer Notes	textarea		32000		
GeneralPractitionerId	Contact ID	reference		18		
GeneralPractitionerVerbalNotifiedDate	General Practitioner Verbal Notification Date	datetime				
GeneralPractitionerWrittenNotifiedDate	General Practitioner Written Notification Date	datetime				
GrievanceType	Grievance Type	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	Care Request ID	id		18		
InfoReceivedDate	Info Received Date	datetime				
InfoRequestedDate	Info Requested Date	datetime				
InitialDenialNotificationDate	Initial Denial Notification Date	date				
InitialDenialNotificationTime	Initial Denial Notification Time	time				
IsDeleted	Deleted	boolean				
IsExtendedRequest	Extended Request	boolean				
IsReadmission	Readmission	boolean				
IsServiceOrMedicationReceived	Service or Medication Received	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MedicalDirectorId	User ID	reference		18		
MedicalDirectorNotes	Medical Director Notes	textarea		32000		
MemberCondition	Member Condition	textarea		255		
MemberContactDateTime	Member Contact Date	datetime				
MemberDateOfBirth	Member Date of Birth	date				
MemberFirstName	Member First Name	string		40		
MemberGender	Member Gender	picklist		40		
MemberGroupNumber	Member Group Number	string		64		
MemberId	Account ID	reference		18		
MemberIdentificationNumber	Member ID	string		64		
MemberLastName	Member Last Name	string		80		
MemberPrimaryPlanId	Member Plan ID	reference		18		
MemberPrognosis	Member Prognosis	picklist		40		
MemberSecondaryPlanId	Member Plan ID	reference		18		
MemberStatus	Member Status	textarea		255		
MemberVerbalNotificationDate	Member Verbal Notification Date	datetime				
MemberWrittenNotificationDate	Member Written Notification Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ModificationDate	Modification Date	datetime				
ModifiedLengthOfStay	Modified Length of Stay	int	9			
ModifiedLevelOfCare	Modified Level of Care	picklist		40		
Name	Name	string		255		
NextReviewDate	Next Review Date	datetime				
OriginalDenialMedicalDirectorId	User ID	reference		18		
ParProvider	Par Provider	picklist		40		
PlaceOfService	Place of Service	picklist		40		
PractitionerContactDateTime	Practitioner Contact Date	datetime				
QuantityType	Quantity Type	picklist		40		
ReceivedDate	Received Date	datetime				
ReconsiderationDenialNotificationDate	Reconsideration Denial Notification Date	date				
ReconsiderationDenialNotificationTime	Reconsideration Denial Notification Time	time				
ReferenceCareRequestCaseId	Case ID	reference		18		
ReferenceCaseNumber	Reference Case Number	string		32		
ReopenReason	Reopen Reason	picklist		40		
ReopenReasonDescription	Reopen Reason Description	textarea		32000		
ReopenedDate	Reopened Date	datetime				
RequestPractitionerVerbalNotifiedDate	Requesting Practitioner Verbal Notification Date	datetime				
RequestPractitionerWrittenNotifiedDate	Requesting Practitioner Written Notification Date	datetime				
RequestedDate	Requested Date	datetime				
RequestedLengthOfStay	Requested Length of Stay	int	9			
RequestedLevelOfCare	Requested Level of Care	picklist		40		
RequesterType	Requester Type	picklist		40		
RequestingPractitionerId	Contact ID	reference		18		
RequestingPractitionerLicense	Requesting Practitioner License	picklist		40		
RequestingPractitionerSpecialty	Requesting Practitioner Specialty	picklist		40		
ResolutionDate	Resolution Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ResolutionLetterSentDate	Resolution Letter Sent Date	datetime				
ResolutionNotes	Resolution Notes	textarea		32000		
ReviewDate	Review Date	datetime				
RootCauseNotes	Root Cause Notes	textarea		32000		
ScheduledAdmissionDate	Scheduled Admission Date	datetime				
ScheduledDischargeDate	Scheduled Discharge Date	datetime				
ServiceDate	Service Date	date				
ServicingFacilityId	Account ID	reference		18		
ServicingPractitionerId	Contact ID	reference		18		
ServicingPractitionerLicense	Servicing Practitioner License	picklist		40		
ServicingPractitionerSpecialty	Servicing Practitioner Specialty	picklist		40		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
SystemModstamp	System Modstamp	datetime				

CAREREQUESTCONFIGURATION

Represents the details for a record type such as service request, drug request, or admission request. One or more record types can be associated with a care request.

For more information, see CareRequestConfiguration in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CareRequestRecordType`	Care Request Record Type	string		255		
`CareRequestRecords`	Care Request Records	multipicklist		4099	0	
`CareRequestType`	Care Request Type	picklist		40		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Name	string		80		
`Id`	Care Request Configuration ID	id		18		
`IsActive`	Active	boolean				
`IsDefaultRecordType`	Default record type	boolean				
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Label	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`SystemModstamp`	System Modstamp	datetime				

CAREREQUESTDRUG

Represents the details of a requested drug including name, strength, frequency, and instructions for administration. One or more drug requests can be associated with a care request.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareRequestDrug in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApprovedUnits	Approved Units	int	9			
AuthApprovalIdentifier	Authorization Approval Identifier	string		255		
AuthorizationRefIdentifier	Authorization Reference Identifier	string		255		
CareRequestCaseId	Case ID	reference		18		
CareRequestId	Care Request ID	reference		18		
ClinicalDetermination	Clinical Determination	picklist		40		
ClinicalDeterminationNote	Clinical Determination Note	textarea		32000		
ClinicalDeterminationReasonId	Code Set ID	reference		18		
Code	Code	string		32		
CodeType	Code Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DaysSupply	Days Supply	int	9			
DecisionDate	Decision Date	datetime				
DeniedUnits	Denied Units	int	9			
DispenserAddress	Dispenser Address	address				
DispenserCity	Dispenser City	string		40		
DispenserCountry	Dispenser Country	string		80		
DispenserFaxNumber	Dispenser Fax Number	phone		40		
DispenserGeocodeAccuracy	Dispenser Geocode Accuracy	picklist		255		
DispenserIdentifier	Dispenser ID	string		32		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
DispenserLatitude	Dispenser Latitude	double			18	15
DispenserLongitude	Dispenser Longitude	double			18	15
DispenserName	Dispenser Name	string		255		
DispenserPhoneNumber	Dispenser Phone Number	phone		40		
DispenserPostalCode	Dispenser Postal Code	string		20		
DispenserState	Dispenser State	string		80		
DispenserStreet	Dispenser Street	textarea		255		
DispenserTaxIdentifier	Dispenser Tax ID	string		32		
DispenserVerbalNotificationDateTime	Dispenser Verbal Notification Date	datetime				
DispenserWrittenNotificationDateTime	Dispenser Written Notification Date	datetime				
DispensingPharmacyId	Dispensing Pharmacy ID	reference		18		
Dose	Dose	string		255		
DrugAdministrationSetting	Drug Administration Setting	picklist		40		
DrugCodeId	Drug Code ID	reference		18		
Frequency	Frequency	string		255		
Id	Care Request Drug ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MedicationCodeId	Medication ID	reference		18		
MedicationRefObjectId	Medication Reference Object ID	reference		18		
ModifiedCode	Modified Code	string		32		
ModifiedCodeType	Modified Code Type	picklist		40		
ModifiedDaysSupply	Modified Days Supply	int	9			
ModifiedDose	Modified Dose	string		255		
ModifiedFrequency	Modified Frequency	string		255		
ModifiedName	Modified Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ModifiedSig	Modified Sig	textarea		32000		
ModifiedStrength	Modified Strength	string		255		
ModifiedTherapyDuration	Modified Therapy Duration	int	9			
ModifiedUnits	Modified Units	int	9			
Name	Name	string		255		
PrescriptionDate	Prescription Date	date				
PrescriptionFillDate	Prescription Fill Date	date				
PrescriptionFills	Prescription Fill	int	9			
PrescriptionNumber	Prescription Number	string		32		
Priority	Priority	picklist		40		
RequestType	Request Type	picklist		40		
ServiceCategory	Service Category	string		255		
ServiceCategoryCode	Service Category Code	string		32		
ServicingFacilityId	Servicing Facility ID	reference		18		
ServicingProviderId	Healthcare Provider ID	reference		18		
Sig	Sig	textarea		32000		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
Status	Status	picklist		40		
StatusReason	Status Reason	picklist		40		
Strength	Strength	string		255		
SystemModstamp	System Modstamp	datetime				
TherapyDuration	Therapy Duration	int	9			
Units	Units	int	9			

CAREREQUESTDRUGFEED

Feed tracking for CareRequestDrug.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREREQUESTDRUGHISTORY

History for tracked fields of CareRequestDrug.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CareRequestDrugId`	Care Request Drug ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Care Request Drug History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CAREREQUESTEXTENSION

Represents extra details for a care request such as the subscriber details for the member's health plan, home healthcare status, and ambulance transportation details.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareRequestExtension in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AmbulanceTransportReason	Ambulance Transport Reason	picklist		40		
AmbulanceTransportType	Ambulance Transport Type	picklist		40		
AppealEffectuationDateTime	Appeal Effectuation Date	datetime				
AuthorizationRefIdentifier	Authorization Reference Identifier	string		255		
CareRequestCaseId	Case ID	reference		18		
CareRequestId	Care Request ID	reference		18		
CaseSubStatus	Case Sub Status	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DocumentAttachmentStatus	Document Attachment Status	picklist		40		
HealthcareProviderId	Healthcare Provider ID	reference		18		
HomeHealthCertificationEndDate	Home Health Certification End Date	date				
HomeHealthCertificationStartDate	Home Health Certification Start Date	date				
HomeHealthStartDate	Home Health Start Date	date				
Id	Care Request Extension ID	id		18		
IndependentReviewDetermination	Independent Review Determination	picklist		40		
IndependentReviewDeterminationDate	Independent Review Determination Date	datetime				
IndependentReviewSubmissionDate	Independent Review Submission Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsDeleted	Deleted	boolean				
IsIndependentReviewRequired	Independent Review Required	boolean				
IsMedicareCoverage	Medicare Coverage	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
NursingHomeResidentialStatus	Nursing Home Residential Status	picklist		40		
PriorDischargeStatus	Prior Discharge Status	picklist		40		
ReferenceCaseType	Reference Case Type	picklist		40		
ReopenDecisionDateTime	Reopen Decision Date	datetime				
ReopenRequestOutcome	Reopen Request Outcome	picklist		40		
ReopenRequestType	Reopen Request Type	picklist		40		
ReopenedById	User ID	reference		18		
RequestExtensionReason	Request Extension Reason	textarea		32000		
RequestExtnDecisionDateTime	Request Extension Decision Date	datetime				
RequestOutcome	Request Outcome	picklist		40		
RequestOutcomeDesc	Request Outcome Description	textarea		32000		
RequestType	Request Type	picklist		40		
RequestingProviderId	Healthcare Provider ID	reference		18		
ResolutionDescription	Resolution Description	textarea		32000		
ServiceLevel	Service Level	picklist		40		
ServiceType	Service Type	string		255		
ServicingFacilityId	Servicing Facility ID	reference		18		
ServicingProviderId	Healthcare Provider ID	reference		18		
SubscriberId	Account ID	reference		18		
SubscriberMemberIdentifier	Subscriber Member ID	string		64		
SystemModstamp	System Modstamp	datetime				
TotalAmbulanceTransportDistance	Total Ambulance Transport Distance	double			5	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UnitofMeasureId	Unit of Measure ID	reference		18		

CAREREQUESTEXTENSIONFEED

Feed tracking for CareRequestExtension.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREREQUESTEXTENSIONHISTORY

History for tracked fields of CareRequestExtension.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareRequestExtensionId	Care Request Extension ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Request Extension History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREREQUESTFEED

Feed tracking for CareRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREREQUESTHISTORY

History for tracked fields of CareRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareRequestId	Care Request ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Request History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREREQUESTITEM

Represents the details of a care service request, including name, modifiers, and the effective date. One or more care service requests can be associated with a care request.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareRequestItem in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AmbulanceTransportDistance	Ambulance Transport Distance	double			7	2
AmbulanceTransportReason	Ambulance Transport Reason	picklist		40		
AmbulanceTransportType	Ambulance Transport Type	picklist		40		
ApprovedLengthOfStay	Approved Length of Stay	int	9			
ApprovedLevelOfCare	Approved Level of Care	picklist		40		
ApprovedQuantity	Approved Quantity	int	9			
ApprovedServiceEndDate	Approved Service End Date	date				
ApprovedServiceStartDate	Approved Service Start Date	date				
AuthApprovalIdentifier	Authorization Approval Identifier	string		255		
AuthorizationRefIdentifier	Authorization Reference Identifier	string		255		
CareRequestCaseId	Case ID	reference		18		
CareRequestId	Care Request ID	reference		18		
ClinicalDetermination	Clinical Determination	picklist		40		
ClinicalDeterminationNotes	Clinical Determination Notes	textarea		4000		
ClinicalDeterminationReasonId	Code Set ID	reference		18		
ClinicalServiceRequestId	Clinical Service Request ID	reference		18		
CodeDescription	Code Description	string		255		
CodeType	Code Type	picklist		40		
CodeTypeIdentifier	Code Type ID	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CumulativeLengthOfStay	Cumulative Length of Stay	int	9			
CurrentLevelOfCare	Current Level of Care	picklist		40		
DecisionDate	Decision Date	datetime				
DeniedLevelOfCare	Denied Level of Care	picklist		40		
DeniedQuantity	Denied Quantity	int	9			
EffectiveDate	Effective Date	date				
EndDate	End Date	date				
FreeFormProcedureDescription	Free Form Procedure Description	textarea		255		
Id	Care Request Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ModifiedCodeDescription	Modified Code Description	string		255		
ModifiedCodeIdentifier	Modified Code	string		32		
ModifiedCodeType	Modified Code Type	picklist		40		
ModifiedCodeTypeIdentifier	Modified Code Type ID	string		255		
ModifiedEffectiveDate	Modified Effective Date	date				
ModifiedEndDate	Modified End Date	date				
ModifiedLevelOfCare	Modified Level of Care	picklist		40		
ModifiedModifier	Modified Modifier	string		32		
ModifiedModifierDescription	Modified Modifier Description	string		255		
ModifiedProcedureCodeId	Health Care Procedure ID	reference		18		
ModifiedProcedureCodeSetId	Modified Procedure Code Set ID	reference		18		
ModifiedQuantity	Modified Quantity	int	9			
Modifier	Modifier	string		32		
Modifier2	Modifier 2	string		32		
Modifier2Description	Modifier 2 Description	string		255		
Modifier3	Modifier 3	string		32		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Modifier3Description	Modifier 3 Description	string		255		
Modifier4	Modifier 4	string		32		
Modifier4Description	Modifier 4 Description	string		255		
ModifierCodeSetId	Modifier Code Set ID	reference		18		
ModifierDescription	Modifier Description	string		255		
Name	Name	string		255		
Priority	Priority	picklist		40		
ProcedureCodeId	Health Care Procedure ID	reference		18		
ProcedureCodeSetId	Procedure Code Set ID	reference		18		
Quantity	Quantity	int	9			
QuantityType	Quantity Type	picklist		40		
ReasonCodeId	Reason Code ID	reference		18		
RequestType	Request Type	picklist		40		
RequestedLengthOfStay	Requested Length of Stay	int	9			
RequestedLevelOfCare	Requested Level of Care	picklist		40		
RequestedServiceEndDate	Requested Service End Date	date				
RequestedServiceStartDate	Requested Service Start Date	date				
ServiceCategory	Service Category	string		64		
ServiceCategoryCode	Service Category Code	string		64		
ServicingFacilityId	Servicing Facility ID	reference		18		
ServicingProviderId	Healthcare Provider ID	reference		18		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
Status	Status	picklist		40		
StatusReason	Status Reason	picklist		40		
SystemModstamp	System Modstamp	datetime				
TransportLocationId	Account ID	reference		18		

CAREREQUESTITEMFEED

Feed tracking for CareRequestItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREREQUESTITEMHISTORY

History for tracked fields of CareRequestItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareRequestItemId	Care Request Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Request Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CAREREQUESTREVIEWER

Represents the details of a care request reviewer including name, reviewer type, status of the care request at the end of the review, the reviewer's notes, and date of review. A care request, care request item, care request drug, or care diagnosis can be associated with a care request reviewer.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareRequestReviewer in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareRequestCaseId	Case ID	reference		18		
CareRequestReferenceId	Care Request Reference ID	reference		18		
ContentDocumentId	ContentDocument ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Care Request Reviewer ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Care Request Reviewer Name	string		255		
ReviewDate	Review Date	datetime				
ReviewerId	Reviewer ID	reference		18		
ReviewerNotes	Reviewer Notes	textarea		32000		
ReviewerType	Reviewer Type	picklist		40		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

CAREREQUESTREVIEWERFEED

Feed tracking for CareRequestReviewer.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CAREREQUESTREVIEWERHISTORY

History for tracked fields of CareRequestReviewer.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CareRequestReviewerId`	Care Request Reviewer ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Care Request Reviewer History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CARESERVICE

Represents a healthcare treatment, service, or procedure offered by a provider, practitioner, or facility. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareService in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Id	Care Service ID	id		18		
IsAppointmentRequired	Appointment Required	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Care Service Name	string		255		
OwnerId	Owner ID	reference		18		
ReferralMethods	Referral Methods	multipicklist		4099	0	
ServiceProvision	Service Provision	multipicklist		4099	0	
SystemModstamp	System Modstamp	datetime				

CARESERVICEFEED

Feed tracking for CareService.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CARESERVICEHISTORY

History for tracked fields of CareService.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareServiceId	Care Service ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Service History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CARESERVICESHARE

Sharing for CareService.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CARESPECIALTY

Represents a listing of provider specialty codes and descriptions.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareSpecialty in the *Life Sciences Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
Id	Care Specialty ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SpecialtyCode	Specialty Code	string		18		
SpecialtyType	Specialty Type	picklist		40		
SpecialtyUsage	Specialty Usage	picklist		40		
SystemModstamp	System Modstamp	datetime				

CARESPECIALTYFEED

Feed tracking for CareSpecialty.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CARESPECIALTYHISTORY

History for tracked fields of CareSpecialty.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareSpecialtyId	Care Specialty ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Specialty History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CARESPECIALTYSHARE

Sharing for CareSpecialty.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CARESPECIALTYTAXONOMY

Represents a junction between a care specialty and a care taxonomy. This object is available in API version 64.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareSpecialtyTaxonomy in the *Life Sciences Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareSpecialtyId	Care Specialty ID	reference		18		
CareTaxonomyId	Care Taxonomy ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Care Specialty Taxonomy ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

CARESPECIALTYTAXONOMYFEED

Feed tracking for CareSpecialtyTaxonomy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CARESPECIALTYTAXONOMYHISTORY

History for tracked fields of CareSpecialtyTaxonomy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareSpecialtyTaxonomyId	Care Specialty Taxonomy ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Specialty Taxonomy History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CARESYSTEMFIELDMAPPING

Represents a mapping from source system fields to Salesforce target entities and attributes.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareSystemFieldMapping in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Name	string		80		
`ExternalIdField`	External ID Field	string		255		
`Id`	Care System Field Mapping ID	id		18		
`IsActive`	Is Active	boolean				
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Label	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`Role`	Role	picklist		255		
`SourceSystem`	Source System	string		255		
`SystemModstamp`	System Modstamp	datetime				
`TargetObject`	Target Object	string		255		

CARETASK

Represents additional information about a healthcare-related task such as process status, beneficiary, and related tasks. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareTask in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionCodeId	Action Code ID	reference		18		
ActualEndDate	Actual End Date	datetime				
ActualStartDate	Actual Start Date	datetime				
BeneficiaryId	Beneficiary ID	reference		18		
ClinicalEncounterId	Clinical Encounter ID	reference		18		
ContentResource	Content Resource	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExpectedEndDate	Expected End Date	datetime				
ExpectedStartDate	Expected Start Date	datetime				
ExtlTaskDefIdentifier	External Task Definition Identifier	string		255		
GroupIdentifier	Group Identifier	string		255		
Id	Care Task ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
Name	Name	string		255		
OwnedById	Owned By ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OwnerId	Owner ID	reference		18		
ParentCareTaskId	Care Task ID	reference		18		
ProcessStatusId	Process Status ID	reference		18		
RequestedById	Requested By ID	reference		18		
SequenceNumber	Sequence Number	int	9			
ShouldIgnore	Ignore	boolean				
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModifiedDateTime	Source System Modified Date	datetime				
SourceSystemName	Source System Name	string		255		
StatusReason	Status Reason	picklist		40		
SystemModstamp	System Modstamp	datetime				
TaskId	Activity ID	reference		18		

CARETASKDETAIL

Represents extra details about a healthcare-related task such as the detail type, detail record, detail code, and detail value. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareTaskDetail in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareTaskId	Care Task ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DetailCodeId	Detail Code ID	reference		18		
DetailRecordId	Detail Record ID	reference		18		
DetailType	Detail Type	picklist		255		
DetailTypeValue	Detail Type Value	string		255		
Id	Care Task Detail ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

CARETASKDETAILFEED

Feed tracking for CareTaskDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CARETASKDETAILHISTORY

History for tracked fields of CareTaskDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareTaskDetailId	Care Task Detail ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Task Detail History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CARETASKFEED

Feed tracking for CareTask.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CARETASKHISTORY

History for tracked fields of CareTask.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareTaskId	Care Task ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Task History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CARETASKSHARE

Sharing for CareTask.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CARETAXONOMY

Represents a static list of taxonomy codes. This object is available in API version 64.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CareTaxonomy in the *Life Sciences Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
Id	Care Taxonomy ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentTaxonomyId	Care Taxonomy ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TaxonomyCode	Taxonomy Code	string		18		
TaxonomyType	Taxonomy Type	picklist		40		

CARETAXONOMYFEED

Feed tracking for CareTaxonomy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CARETAXONOMYHISTORY

History for tracked fields of CareTaxonomy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareTaxonomyId	Care Taxonomy ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Care Taxonomy History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CARETAXONOMYSHARE

Sharing for CareTaxonomy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CARTCHECKOUTSESSION

Represents a checkout session used in Lightning B2B Commerce checkout. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CartCheckoutSession in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BackgroundOperationId	Background Operation ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Cart Checkout Session ID	id		18		
IsArchived	Is Archived	boolean				
IsDeleted	Deleted	boolean				
IsError	Is Error	boolean				
IsProcessing	Is Processing	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
NextState	Next State	string		30		
OrderId	Order ID	reference		18		
OrderReferenceNumber	Order Reference Number	string		36		
State	State	string		30		
SystemModstamp	System Modstamp	datetime				
WebCartId	Cart ID	reference		18		

CARTDELIVERYGROUP

Represents shipping information for the delivery of items in an order against a store built with B2B Commerce or D2C Commerce. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CartDeliveryGroup in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CartId	Cart ID	reference		18		
CompanyName	Name of the company	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeliverToAddress	Delivery Address	address				
DeliverToCity	City	string		40		
DeliverToCountry	Country	string		80		
DeliverToFirstName	Deliver To First Name	string		255		
DeliverToGeocodeAccuracy	Geocode Accuracy	picklist		40		
DeliverToLastName	Deliver To Last Name	string		255		
DeliverToLatitude	Latitude	double			18	15
DeliverToLongitude	Longitude	double			18	15
DeliverToName	Deliver To Name	string		255		
DeliverToPostalCode	Zip	string		20		
DeliverToState	State/Province	string		80		
DeliverToStreet	Street	textarea		255		
DesiredDeliveryDate	Desired Delivery Date	datetime				
GiftMessage	Gift message	textarea		2000		
GiftToName	Gift recipient name	string		255		
GrandTotalAmount	Grand Total Amount	currency			18	2
Id	Cart Delivery Group ID	id		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsDefault	Is Default	boolean				
IsDeleted	Deleted	boolean				
IsGift	Is this is a gift?	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Cart Delivery Group Name	string		255		
SelectedDeliveryMethodId	Cart Delivery Group Method ID	reference		18		
ShipToPhoneNumber	Phone number given in shipping address	phone		40		
ShippingInstructions	Shipping Instructions	textarea		2000		
SystemModstamp	System Modstamp	datetime				
TotalAdjustmentAmount	Total Adjustment Amount	currency			18	2
TotalAdjustmentTaxAmount	Total Adjustment Tax Amount	currency			18	2
TotalAmount	Total Amount	currency			18	2
TotalCartItemCount	Total Cart Items in Delivery Group	int	9			
TotalChargeAmount	Total Charge Amount	currency			18	2
TotalChargeTaxAmount	Total Charge Tax Amount	currency			18	2
TotalProductAmount	Total Product Amount	currency			18	2
TotalProductTaxAmount	Total Product Tax Amount	currency			18	2
TotalTaxAmount	Total Tax Amount	currency			18	2

CARTDELIVERYGROUPMETHOD

Represents the selected delivery method for a cart delivery group used in Lightning B2B Commerce checkout. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CartDeliveryGroupMethod in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustedShippingFee	Adjusted Shipping Fee	currency			18	2
Carrier	Carrier	picklist		40		
CartCheckoutSessionId	Cart Checkout Session ID	reference		18		
CartDeliveryGroupId	Cart Delivery Group ID	reference		18		
ClassOfService	Class Of Service	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalProvider	External Provider	string		255		
Id	Cart Delivery Group Method ID	id		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
ProcessTime	Order Processing Time	int	9			
ProcessTimeUnit	Unit of Order Processing Time	picklist		255		
ProductId	Product ID	reference		18		
ReferenceNumber	Reference Number	string		255		
ShippingFee	Shipping Fee	currency			18	0
SystemModstamp	System Modstamp	datetime				
TotalAdjustmentAmount	Total Adjustment Amount	currency			18	0

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TransitTimeMax	Maximum Transit Time	int	9			
TransitTimeMin	Minimum Transit Time	int	9			
TransitTimeUnit	Unit of Transit Time	picklist		255		
WebCartId	Cart ID	reference		18		

CARTDELIVERYGROUPMETHODADJ

Represents the shipping promotion discount for a shipping method.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CartDeliveryGroupMethodAdj in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentAmount	Adjustment Amount	currency			18	2
AdjustmentType	Adjustment Type	picklist		255		
AdjustmentValue	Adjustment Value	double			18	0
CartDeliveryGroupMethodId	Cart Delivery Group Method ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Cart Delivery Group Method Adjustment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Cart Delivery Group Method AdjustmentName	string		255		
PriceAdjustmentCauseId	Promotion ID	reference		18		
Priority	Priority	int	9			
SystemModstamp	System Modstamp	datetime				

CARTITEM

Represents an item in a WebCart that's active in a store built with B2B or D2C Commerce. Cart item can be of type Product or Charge. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CartItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentAmount	Adjustment Amount quantity based	currency			18	2
AdjustmentTaxAmount	Adjustment Tax Amount	currency			18	2
CartDeliveryGroupId	Cart Delivery Group ID	reference		18		
CartId	Cart ID	reference		18		
ChildProductCount	Child Product Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DistributedAdjustmentAmount	Distributed Promotions Total	currency			18	2
DistributedAdjustmentTaxAmount	Distributed Promotions Tax Adjustment	currency			18	2
GrossAdjustmentAmount	Gross Adjustment Amount quantity based	currency			18	2
GrossUnitPrice	Gross Unit Price	currency			18	2
Id	Cart Item ID	id		18		
IsDeleted	Deleted	boolean				
IsShippingChargeNotApplicable	Is Shipping Charge Not Applicable	boolean				
ItemizedAdjustmentAmount	Item Promotions Total	currency			18	2
ItemizedAdjustmentTaxAmount	Item Promotions Tax Adjustment	currency			18	2
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ListPrice	List Price	currency			18	2
Name	Cart Item Name	string		255		
NetAdjustmentAmount	Net Adjustment Amount quantity based	currency			18	2
NetUnitPrice	Net Unit Price	currency			18	2
ParentCartItemId	Cart Item ID	reference		18		
PerUnitWeight	Weight of single cart item	double			18	2
Product2Id	Product ID	reference		18		
ProductClass	Product Class	picklist		255		
ProductValidationKey	Product Validation Key hash	string		255		
Quantity	Quantity	double			18	0
SalesPrice	Sales Price	currency			18	2
Sku	SKU	string		255		
StockCheckMethod	Stock Check Method	picklist		255		
SubType	SubType	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalAdjustmentAmount	All Adjustments Total	currency			18	2
TotalAmount	Total Amount	currency			18	2
TotalLineAmount	Total Line Amount	currency			18	2
TotalLineGrossAmount	Total Line Gross Amount	currency			18	2
TotalLineNetAmount	Total Line Net Amount	currency			18	2
TotalLineTaxAmount	Total Line Tax Amount	currency			18	2
TotalListPrice	Total List Price	currency			18	2
TotalPrice	Total Price	currency			18	2
TotalPriceAfterAllAdjustments	Total Adjusted Price	currency			18	2
TotalPriceTaxAmount	Total Price Tax Amount	currency			18	2
TotalPromoAdjustmentAmount	Item Promotions Plus Distributed Promotions Total	currency			18	2
TotalPromoAdjustmentTaxAmount	Item Promotions Tax Adjustment Plus Distributed Tax Adjustment	currency			18	2
TotalTaxAmount	Total Tax Amount	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalWeight	Total Weight of cart item	double			18	2
Type	Type	picklist		255		
UnitAdjustedPrice	Unit Adjusted Price	currency			18	2
UnitAdjustedPriceWithItemAdj	Unit price that includes both tier and item level discounts for this cart item	currency			18	2
UnitAdjustmentAmount	Unit Adjustment Amount	currency			18	2
UnitItemAdjustmentAmount	Item level discount on a unit level for this cart item	currency			18	2
WeightUnit	Weight Unit	picklist		40		

CARTITEMPRICEADJUSTMENT

Price adjustment for a cart item. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CartItemPriceAdjustment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentAmountScope	Adjustment Amount Scope	picklist		255		
AdjustmentBasisReferenceId	Coupon ID	reference		18		
AdjustmentSource	Adjustment Source	picklist		255		
AdjustmentTargetType	Target Type for the Adjustment	picklist		255		
AdjustmentType	Adjustment Type	picklist		255		
AdjustmentValue	Adjustment Value	double			18	2
CartId	Cart ID	reference		18		
CartItemId	Cart Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Id	Cart Item Price Adjustment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Cart Item Price Adjustment Name	string		255		
PriceAdjustmentCauseId	Promotion ID	reference		18		
Priority	Priority Order for Adjustments	int	9			
SystemModstamp	System Modstamp	datetime				
TotalAmount	Total Amount	currency			18	2
TotalGrossAmount	Total Gross Amount	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalNetAmount	Total Net Amount	currency			18	2
TotalTax	Total Tax	currency			18	2
WebCartAdjustmentGroupId	Cart Adjustment Group ID	reference		18		

CARTTAX

Represents taxes for a line item in a WebCart that's active in a store built with B2B Commerce or D2C Commerce. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CartTax in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentTargetType	Target Type for the Adjustment	picklist		255		
Amount	Amount	currency			18	2
CartId	Cart ID	reference		18		
CartItemId	Cart Item ID	reference		18		
CartItemPriceAdjustmentId	Cart Item Price Adjustment ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		2000		
Id	Cart Tax ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Cart Tax Name	string		255		
SystemModstamp	System Modstamp	datetime				
TaxCalculationDate	Tax Calculation Date	date				
TaxRate	Tax Rate	percent			5	2
TaxType	Tax Type	picklist		255		

CARTVALIDATIONOUTPUT

Associate errors to cart entities, such as cart line items, delivery groups, and the like, in a store built with B2B Commerce or D2C Commerce. An example error is "Out of stock." Available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CartValidationOutput in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BackgroundOperationId	Background Operation ID	reference		18		
CartId	Cart ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Cart Validation Output ID	id		18		
IsDeleted	Deleted	boolean				
IsDismissed	Is Dismissed	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Level	Level	picklist		255		
Message	Message	string		255		
Name	Cart Validation Output	string		255		
RelatedEntityId	Cart Delivery Group ID or Cart Item ID or Web Cart ID	reference		18		
RelatedEntityPrefix	Related Entity Prefix	string		3		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

CASE

Represents a case, which is a customer issue or problem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Case in the *Object Reference for the Salesforce Platform* and *Work.com Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AssetId	Asset ID	reference		18		
CaseNumber	Case Number	string		30		
ClosedDate	Closed Date	datetime				
Comments	Internal Comments	textarea		4000		
ContactEmail	Contact Email	email		80		
ContactFax	Contact Fax	phone		40		
ContactId	Contact ID	reference		18		
ContactMobile	Contact Mobile	phone		40		
ContactPhone	Contact Phone	phone		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Case Currency	picklist		3		
Description	Description	textarea		32000		
EngineeringReqNumber__c	Engineering Req Number	string		12		
Id	Case ID	id		18		
IsClosed	Closed	boolean				
IsDeleted	Deleted	boolean				
IsEscalated	Escalated	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastViewedDate	Last Viewed Date	datetime				
MasterRecordId	Master Record ID	reference		18		
MilestoneTimer	Time to Next Milestone	string		100		
Origin	Case Origin	picklist		255		
OwnerId	Owner ID	reference		18		
ParentId	Parent Case ID	reference		18		
PotentialLiability__c	Potential Liability	picklist		255		
Priority	Priority	picklist		255		
Product__c	Product	picklist		255		
Reason	Case Reason	picklist		255		
SLAViolation__c	SLA Violation	picklist		255		
Status	Status	picklist		255		
Subject	Subject	string		255		
SuppliedCompany	Company	string		80		
SuppliedEmail	Email Address	email		80		
SuppliedName	Name	string		80		
SuppliedPhone	Phone	string		40		
SystemModstamp	System Modstamp	datetime				
Type	Case Type	picklist		255		

CASEARTICLE

Represents the association between a Case and a KnowledgeArticle. This object is available in API version 20.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CaseArticle in the *Object Reference for the Salesforce Platform* and *Salesforce Knowledge Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ArticleLanguage	Language	picklist		40		
ArticleVersionNumber	Version Number	int	6			
CaseId	Case ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Case Article ID	id		18		
IsDeleted	Deleted	boolean				
IsSharedByEmail	Is Shared by Email	boolean				
KnowledgeArticleId	Article ID	reference		18		
KnowledgeArticleVersionId	Knowledge Article Version ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CASECOMMENT

Represents a comment that provides additional information about the associated Case.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CaseComment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CommentBody	Body	textarea		4000		
CommentBodyRichtext	Rich-Text Body	textarea		131072		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Case Comment ID	id		18		
IsDeleted	Deleted	boolean				
IsPublished	Published	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CASECONTACTROLE

Represents the role that a given Contact plays on a Case.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CaseContactRole in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CasesId	Case ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Contact Role ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Role	Role	picklist		255		
SystemModstamp	System Modstamp	datetime				

CASEFEED

Feed tracking for Case.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CASEGATEWAYREQUEST

Holds the JSON output from the Financial Services Cloud flows and serves as an endpoint for integration with backend systems. It records the data interchange between the integrated systems.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CaseGatewayRequest in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CaseId	Case ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Case Gateway Request ID	id		18		
IntegrationPayload	Integration Payload	textarea		32000		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
StatusCode	Status Code	string		100		
StatusMessage	Status Message	string		255		
SystemModstamp	System Modstamp	datetime				

CASEHISTORY

Represents historical information about changes that have been made to the associated Case.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CaseHistory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CaseId`	Case ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Case History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CASEHISTORY2

Represents historical information about owner and status changes that have been made to the associated Case. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CaseHistory2 in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CaseId`	Case ID	reference		18		
`Id`	Case History2 ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`OwnerId`	Owner ID	reference		18		
`PreviousUpdate`	Previous Update	datetime				
`Status`	Status	string		40		
`SystemModstamp`	System Modstamp	datetime				

CASEMILESTONE

Represents a milestone (required step in a customer support process) on a Case. This object is available in API version 18.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CaseMilestone in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualElapsedTimeInDays	Actual Elapsed Time (Days)	double			6	2
ActualElapsedTimeInHrs	Actual Elapsed Time (Hours)	double			6	2
ActualElapsedTimeInMins	Actual Elapsed Time (Mins)	int	9			
BusinessHoursId	Business Hours ID	reference		18		
CaseId	Case ID	reference		18		
CompletionDate	Completion Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ElapsedTimeInDays	Elapsed Time (Days)	double			6	2
ElapsedTimeInHrs	Elapsed Time (Hours)	double			6	2
ElapsedTimeInMins	Elapsed Time (Mins)	int	9			
Id	Case Milestone ID	id		18		
IsCompleted	Completed	boolean				
IsDeleted	Deleted	boolean				
IsViolated	Violation	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MilestoneTypeId	Milestone Type ID	reference		18		
StartDate	Start Date	datetime				
StoppedTimeInDays	Stopped Time (Days)	double			6	2
StoppedTimeInHrs	Stopped Time (Hours)	double			6	2
StoppedTimeInMins	Stopped Time (Mins)	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
TargetDate	Target Date	datetime				
TargetResponseInDays	Target Response (Days)	double			6	2
TargetResponseInHrs	Target Response (Hours)	double			6	2
TargetResponseInMins	Target Response (Mins)	int	9			
TimeRemainingInDays	Time Remaining (Days)	double			6	2
TimeRemainingInHrs	Time Remaining (Hour:Min)	string		10		
TimeRemainingInMins	Time Remaining (Min:Sec)	string		10		
TimeSinceTargetInDays	Time Since Target (Days)	double			6	2
TimeSinceTargetInHrs	Time Since Target (Hour:Min)	string		10		
TimeSinceTargetInMins	Time Since Target (Min:Sec)	string		10		

CASEPARTICIPANT

Represents a junction between a case, and an account or a contact. This object stores the details of the participant associated with a case. This participant could be the applicant, co-applicant, a household, or even a business account. This object is available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CaseParticipant in the *Case Management Guide*, *Object Reference for the Salesforce Platform*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorizationProof	Authorization Proof	picklist		40		
CaseId	Case ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Case Participant ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParticipantId	Participant ID	reference		18		
PreferredCallTimeFrom	Preferred Contact Start Time	time				
PreferredCallTimeTo	Preferred Contact End Time	time				
PreferredCommunicationMode	Preferred Communication Mode	picklist		40		
Role	Role	picklist		40		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

CASEPARTICIPANTFEED

Feed tracking for CaseParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CASEPARTICIPANTHISTORY

History for tracked fields of CaseParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CaseParticipantId	Case Participant ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Case Participant History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CASEPROGRAM

Represents the junction between Case and Program objects. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CaseProgram in the *Energy and Utilities Cloud Developer Guide*, *Program Management Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CaseId	Case ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Case Program ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ProgramId	Program ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CASEPROGRAMFEED

Feed tracking for CaseProgram.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CASEPROGRAMHISTORY

History for tracked fields of CaseProgram.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CaseProgramId	Case Program ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Case Program History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CASERELATEDISSUE

This object acts as a junction between a customer issue (Case) and the Incident or Problem that represents an associated service failure. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CaseRelatedIssue in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CaseId	Case ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Case Related Issue ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Case Related Issue Number	string		255		
RelatedEntityType	Related Issue Type	picklist		255		
RelatedIssueId	Related Issue ID	reference		18		
RelationshipType	Relationship Type	picklist		40		
SystemModstamp	System Modstamp	datetime				

CASERELATEDISSUEFEED

Feed tracking for CaseRelatedIssue.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CASERELATEDISSUEHISTORY

History for tracked fields of CaseRelatedIssue.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CaseRelatedIssueId	Case Related Issue ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Case Related Issue History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CASERELATEDSUBJECT

Represents a junction between a case and an object impacted by the case. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CaseRelatedSubject in the *Energy and Utilities Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CaseId	Case ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Case Related Subject ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ReferenceObjectId	ReferenceObject ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CASERELATEDSUBJECTFEED

Feed tracking for CaseRelatedSubject.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CASERELATEDSUBJECTHISTORY

History for tracked fields of CaseRelatedSubject.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CaseRelatedSubjectId	Case Related Subject ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Case Related SubjectHistory ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CASERELATEDSUBJECTSHARE

Sharing for CaseRelatedSubject.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CASESHARE

Represents a sharing entry on a Case.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CaseShare in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CaseAccessLevel`	Case Access	picklist		40		
`CaseId`	Case ID	reference		18		
`Id`	Case Share ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`RowCause`	Row Cause	picklist		40		
`UserOrGroupId`	User/Group ID	reference		18		

CASESOLUTION

Represents the association between a Case and a Solution.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CaseSolution in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CaseId`	Case ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Case Solution ID	id		18		
`IsDeleted`	Deleted	boolean				
`SolutionId`	Solution ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

CASESTATUS

Represents the status of a Case, such as New, On Hold, or In Process.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CaseStatus in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Case Status Value ID	id		18		
IsClosed	Is Closed	boolean				
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

CASESUBJECTPARTICLE

Represents the Social Business Rules custom format for the Case Subject field on cases created from inbound social posts. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CaseSubjectParticle in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Case Subject Particle Id	id		18		
Index	Index	int	9			
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
SystemModstamp	System Modstamp	datetime				
TextField	Freeform Text Field	string		255		
Type	Type	picklist		255		

CASETEAMMEMBER

Represents a case team member, who works with a team of other users to help resolve a case.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CaseTeamMember in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Team Member Id	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MemberId	Member ID	reference		18		
ParentId	Case ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TeamRoleId	Team Role ID	reference		18		
TeamTemplateId	Team Template ID	reference		18		
TeamTemplateMemberId	Team Template Member ID	reference		18		

CASETEAMROLE

Represents a case team role. Every case team member has a role on a case, such as “Customer Contact” or “Case Manager.”

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CaseTeamRole in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Access Level	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Team Role Id	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		80		
PreferencesVisibleInCSP	Visible in Customer Portal	boolean				
SystemModstamp	System Modstamp	datetime				

CASETEAMTEMPLATE

Represents a predefined case team, which is a group of users that helps resolve a case.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CaseTeamTemplate in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Description`	Description	textarea		300		
`Id`	Team Template Id	id		18		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`Name`	Name	string		80		
`SystemModstamp`	System Modstamp	datetime				

CASETEAMTEMPLATEMEMBER

Represents a member on a predefined case team, which is a group of users that helps resolve cases.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CaseTeamTemplateMember in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Team Template Member Id	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MemberId	Member ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TeamRoleId	Team Role ID	reference		18		
TeamTemplateId	Team Template ID	reference		18		

CASETEAMTEMPLATERECORD

The CaseTeamTemplateRecord object is a linking object between the Case and CaseTeamTemplate objects. To assign a predefined case team to a case (customer inquiry), create a CaseTeamTemplateRecord record and point the ParentId to the case and the TeamTemplateId to the predefined case team.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CaseTeamTemplateRecord in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Predefined Team Record Id	id		18		
`ParentId`	Case ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`TeamTemplateId`	Team Template ID	reference		18		

CATEGORIZEDCAREFEEAGREEMENT

Specifies the payment terms for contracts of Categorized Care Fee Agreement.

For more information, see CategorizedCareFeeAgreement in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CategorizedCareFeeAgreeKey	Categorized Care Fee Agreement Key	string		255		
ContractPaymentAgreementId	ContractPaymentAgreement ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Categorized Care Fee Agreement ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LineofBusiness	Line of Business	picklist		40		
Name	Name	string		255		
PricingInformation	Pricing Information	string		255		
ProcedureCategory	Procedure Category	string		255		
SystemModstamp	System Modstamp	datetime				

CATEGORIZEDCAREFEEAGREEMENTFEED

Feed tracking for CategorizedCareFeeAgreement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CATEGORIZEDCAREFEEAGREEMENTHISTORY

History for tracked fields of CategorizedCareFeeAgreement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CategorizedCareFeeAgreementId	Categorized Care Fee Agreement ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Categorized Care Fee Agreement History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CATEGORYDATA

Represents a logical grouping of Solution records.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CategoryData in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CategoryNodeId`	Category Node ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Category Data ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`RelatedSobjectId`	sObject ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

CATEGORYNODE

Represents a tree of Solution categories.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CategoryNode in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Category Node ID	id		18		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Name	string		40		
`ParentId`	Parent Category Node ID	reference		18		
`SortOrder`	Sort Order	int	8			
`SortStyle`	Subcategory Sort Style	picklist		40		
`SystemModstamp`	System Modstamp	datetime				

CATEGORYNODELOCALIZATION

When the Translation Workbench is enabled for your organization, the CategoryNodeLocalization object provides the translation of the label of a solution category.

For more information, see CategoryNodeLocalization in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CategoryNodeId`	Category Node ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Category Node Localization ID	id		18		
`Language`	Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`NamespacePrefix`	Namespace Prefix	string		15		
`SystemModstamp`	System Modstamp	datetime				
`Value`	Translation Text	string		1000		

CHANGEREQUEST

Represents a decision to implement a formal request for a change (RFC). This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ChangeRequest in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessJustification	Business Justification	textarea		32000		
BusinessReason	Business Reason	picklist		40		
Category	Category	picklist		40		
ChangeRequestNumber	Change Request Number	string		255		
ChangeType	Type of Change	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created On	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
EstimatedEndTime	End Time (Estimated)	datetime				
EstimatedStartTime	Start Time (Estimated)	datetime				
FinalReviewDateTime	Reviewed On	datetime				
FinalReviewNotes	Final Review Notes	textarea		32000		
Id	Change Request ID	id		18		
Impact	Impact	picklist		40		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified On	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
Priority	Priority	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RemediationPlan	Remediation Plan	textarea		32000		
ReviewerId	Reviewer ID	reference		18		
RiskImpactAnalysis	Impact Analysis	textarea		32000		
RiskLevel	Risk Level	picklist		40		
Status	Status	picklist		40		
StatusCode	Status Code	picklist		255		
Subject	Subject	string		255		
SystemModstamp	System Modstamp	datetime				

CHANGEREQUESTFEED

Feed tracking for ChangeRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CHANGEREQUESTHISTORY

History for tracked fields of ChangeRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChangeRequestId	Change Request ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Change Request History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CHANGEREQUESTRELATEDISSUE

Represents a junction object that relates a ChangeRequest to an Incident or Problem due to a service failure. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ChangeRequestRelatedIssue in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChangeRequestId	Change Request ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Change Request Related Issue ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Change Request Related Issue Number	string		255		
RelatedEntityType	Related Issue Type	picklist		255		
RelatedIssueId	Related Issue ID	reference		18		
RelationshipType	Relationship Type	picklist		40		
SystemModstamp	System Modstamp	datetime				

CHANGEREQUESTRELATEDISSUEFEED

Feed tracking for ChangeRequestRelatedIssue.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CHANGEREQUESTRELATEDISSUEHISTORY

History for tracked fields of ChangeRequestRelatedIssue.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChangeRequestRelatedIssueId	Change Request Related Issue ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Change Request Related Issue History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CHANGEREQUESTRELATEDITEM

Represents a junction object that relates a ChangeRequest to an Asset. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ChangeRequestRelatedItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
ChangeRequestId	Change Request ID	reference		18		
Comment	Comment	textarea		32000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Change Request Related Item ID	id		18		
ImpactLevel	Impact Level	picklist		40		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Change Request Related Item Number	string		255		
RelationshipType	Relationship Type	picklist		40		
SystemModstamp	System Modstamp	datetime				

CHANGEREQUESTRELATEDITEMFEED

Feed tracking for ChangeRequestRelatedItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CHANGEREQUESTRELATEDITEMHISTORY

History for tracked fields of ChangeRequestRelatedItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChangeRequestRelatedItemId	Change Request Related Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Change Request Related Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CHANGEREQUESTSHARE

Sharing for ChangeRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CHANNELOBJECTLINKINGRULE

Represents a rule for linking a channel interaction with an object (such as Lead or Contact). This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ChannelObjectLinkingRule in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionForNoRecordFound	Action For No Records Found	picklist		255		
ActionForSingleRecordFound	Action For Single Record Found	picklist		255		
ChannelType	Channel Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		4000		
DeveloperName	Name	string		80		
Id	Channel Object Linking Rule ID	id		18		
IsDeleted	Deleted	boolean				
IsLinkedRecordOpenedAsSubTab	Open Linked Record as a Subtab	boolean				
IsRuleActive	Active	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
ObjectToLink	Object To Link	picklist		255		
RuleName	Name	string		255		
SystemModstamp	System Modstamp	datetime				

CHANNELPROGRAM

Represents a channel program that vendors use to market and sell their products through channel partners. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ChannelProgram in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		255		
Id	Channel Program ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CHANNELPROGRAMFEED

Feed tracking for ChannelProgram.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CHANNELPROGRAMHISTORY

History for tracked fields of ChannelProgram.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChannelProgramId	Channel Program ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Channel Program History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CHANNELPROGRAMLEVEL

Represents a level, based on member experience, in a channel program. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ChannelProgramLevel in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitsInformation	Benefits Information	textarea		2000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		255		
Id	Channel Program Level ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProgramId	Channel Program ID	reference		18		
Rank	Rank	int	9			
SystemModstamp	System Modstamp	datetime				

CHANNELPROGRAMLEVELFEED

Feed tracking for ChannelProgramLevel.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CHANNELPROGRAMLEVELHISTORY

History for tracked fields of ChannelProgramLevel.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChannelProgramLevelId	Channel Program Level ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Channel Program Level History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CHANNELPROGRAMLEVELSHARE

Sharing for ChannelProgramLevel.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CHANNELPROGRAMMEMBER

Represents a partner who is a member of a channel program. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ChannelProgramMember in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Channel Program Member ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LevelId	Channel Program Level ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PartnerId	Account ID	reference		18		
ProgramId	Channel Program ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CHANNELPROGRAMMEMBERFEED

Feed tracking for ChannelProgramMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CHANNELPROGRAMMEMBERHISTORY

History for tracked fields of ChannelProgramMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChannelProgramMemberId	Channel Program Member ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Channel Program Member History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CHANNELPROGRAMMEMBERSHARE

Sharing for ChannelProgramMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CHANNELPROGRAMSHARE

Sharing for ChannelProgram.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CHATTERACTIVITY

ChatterActivity represents the number of posts and comments made by a user and the number of comments and likes on posts and comments received by the same user. This object is available in API version 23.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ChatterActivity in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CommentCount	Comment Count	int	9			
CommentReceivedCount	Comment Received Count	int	9			
Id	Chatter Activity ID	id		18		
InfluenceRawRank	Influence Raw Rank	int	9			
LikeReceivedCount	Like Received Count	int	9			
NetworkId	Network ID	reference		18		
ParentId	Parent ID	reference		18		
PostCount	Post Count	int	9			
SystemModstamp	System Modstamp	datetime				

CHATTEREXTENSION

Represents a Rich Publisher App that's integrated with the Chatter publisher. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ChatterExtension in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CompositionComponentEnumOrId	Lightning Definition Bundle ID	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	Name	string		80		
ExtensionName	Name	string		32		
HeaderText	Header Text	string		255		
HoverText	Hover Text	string		255		
IconId	Asset File ID	reference		18		
Id	Extension ID	id		18		
IsDeleted	Deleted	boolean				
IsProtected	Protected Component	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
RenderComponentEnumOrId	Lightning Definition Bundle ID	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

CHATTEREXTENSIONCONFIG

Configuration for the Chatter extension for Experience Cloud sites. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ChatterExtensionConfig in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CanCreate	Can Create	boolean				
CanRead	Can Read	boolean				
ChatterExtensionId	Chatter Extension ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Chatter Extension Configuration ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
NetworkId	Network ID	reference		18		
Position	Position	int	9			
SystemModstamp	System Modstamp	datetime				

CLAIM

Represents the types of claims, such as life, auto, or home.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Claim in the *Automotive Cloud Developer Guide*, *Financial Services Cloud Developer Guide*, *Manufacturing Cloud Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActualAmount	Actual Amount	currency			18	2
ApprovedAmount	Approved Amount	currency			18	2
AssessmentDate	Assessment Date	datetime				
CaseId	Case ID	reference		18		
ClaimReason	Claim Reason	string		255		
ClaimReasonType	Claim Reason Type	picklist		40		
ClaimType	Claim Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EstimatedAmount	Estimated Amount	currency			18	2
FinalizedDate	Finalized Date	datetime				
FinancialAuthorityStatus	Financial Authority Status	picklist		40		
FnolChannel	FNOL Channel	picklist		40		
Id	Claim ID	id		18		
IncidentSite	Incident Site	address				
IncidentSiteCity	Incident Site City	string		40		
IncidentSiteCountry	Incident Site Country	string		80		
IncidentSiteGeocodeAccuracy	Incident Site Geocode Accuracy	picklist		40		
IncidentSiteLatitude	Incident Site Latitude	double			18	15

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IncidentSiteLongitude	Incident Site Longitude	double			18	15
IncidentSitePostalCode	Incident Site Postal Code	string		20		
IncidentSiteState	Incident Site State	string		80		
IncidentSiteStreet	Incident Site Street	textarea		255		
InitiationDate	Initiation Date	datetime				
InsuredAssetId	Insurance Policy Asset ID	reference		18		
IsAuthoritiesNotified	Authorities Notified	boolean				
IsClosed	Closed	boolean				
IsDeleted	Deleted	boolean				
IsDrivable	Drivable	boolean				
IsInhabitable	Inhabitable	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LossDate	Loss Date	datetime				
LossType	Loss Type	picklist		40		
Name	Claim Number	string		255		
OwnerId	Owner ID	reference		18		
PolicyNumberId	Insurance Policy ID	reference		18		
RenewalChannel	Renewal Channel	picklist		40		
RepairShop	Repair Shop	string		100		
RepairShopLocation	Repair Shop Location	textarea		32000		
ReportDate	Report Date	datetime				
ReportNumber	Report Number	string		100		
ReportingAuthority	Reporting Authority	string		100		
Severity	Severity	picklist		40		
SourceId	Source ID	reference		18		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Status	Status	picklist		40		
Summary	Summary	textarea		32000		
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		255		
VisitDate	Visit Date	datetime				
VisitSite	Visit Site	textarea		32000		

CLAIMATTRIBUTE

Represents attributes for a claim. This object is available in API version 65.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ClaimAttribute in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`AttributeDefinitionId`	Attribute Definition ID	reference		18		
`AttributeName`	Attribute Name	string		255		
`AttributePicklistValueId`	Attribute Picklist Value ID	reference		18		
`AttributeValue`	Attribute Value	string		255		
`ClaimId`	Claim ID	reference		18		
`CreatedById`	User ID	reference		18		
`CreatedDate`	Created Date	datetime				
`ExternalId`	External ID	string		255		
`Id`	Claim Attribute ID	id		18		
`LastModifiedById`	User ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				

CLAIMCOVERAGE

Represents a causal part in a defective asset that requires repair or replacement. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ClaimCoverage in the *Automotive Cloud Developer Guide*, *Financial Services Cloud Developer Guide*, and *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ClaimId	Claim ID	reference		18		
ClaimItemId	Claim Item ID	reference		18		
ClaimParticipantId	Claim Participant ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
ExpenseReserveAmount	Expense Reserve Amount	currency			18	2
Id	Claim Coverage ID	id		18		
InsurancePolicyAssetId	Insurance Policy Asset ID	reference		18		
InsurancePolicyCoverageId	Insurance Policy Coverage ID	reference		18		
InsurancePolicyParticipantId	Insurance Policy Participant ID	reference		18		
InternalReserveMode	Internal Reserve Mode	picklist		255		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LossReserveAmount	Loss Reserve Amount	currency			18	2
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Status	Status	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

CLAIMCOVERAGEFEED

Feed tracking for ClaimCoverage.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CLAIMCOVERAGEHISTORY

History for tracked fields of ClaimCoverage.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ClaimCoverageId`	Claim Coverage ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Claim Coverage History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CLAIMCOVERAGESHARE

Sharing for ClaimCoverage.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CLAIMFEED

Feed tracking for Claim.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CLAIMHISTORY

History for tracked fields of Claim.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ClaimId	Claim ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Claim History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CLAIMITEM

Represents claim items (such as collision damage, roadside assistance, rental care) and their coverage details.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ClaimItem in the *Automotive Cloud Developer Guide*, *Financial Services Cloud Developer Guide*, *Manufacturing Cloud Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	picklist		40		
ClaimId	Claim ID	reference		18		
ClaimParticipantId	Claim Participant ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
CurrentAddress	Current Address	address				
CurrentCity	Current City	string		40		
CurrentCountry	Current Country	string		80		
CurrentGeocodeAccuracy	Current Geocode Accuracy	picklist		40		
CurrentLatitude	Current Latitude	double			18	15
CurrentLongitude	Current Longitude	double			18	15
CurrentPostalCode	Current Postal Code	string		20		
CurrentState	Current State	string		80		
CurrentStreet	Current Street	textarea		255		
Description	Description	textarea		32000		
Id	Claim Item ID	id		18		
InsurancePolicyAssetId	Insurance Policy Asset ID	reference		18		
InsurancePolicyCoverageId	Insurance Policy Coverage ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

CLAIMITEMATTRIBUTE

Represents attributes for a claim item. This object is available in API version 65.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ClaimItemAttribute in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`AttributeDefinitionId`	Attribute Definition ID	reference		18		
`AttributeName`	Attribute Name	string		255		
`AttributePicklistValueId`	Attribute Picklist Value ID	reference		18		
`AttributeValue`	Attribute Value	string		255		
`ClaimItemId`	Claim Item ID	reference		18		
`CreatedById`	User ID	reference		18		
`CreatedDate`	Created Date	datetime				
`ExternalId`	External ID	string		255		
`Id`	Claim Item Attribute ID	id		18		
`LastModifiedById`	User ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				

CLAIMITEMFEED

Feed tracking for ClaimItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CLAIMITEMHISTORY

History for tracked fields of ClaimItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ClaimItemId	Claim Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Claim Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CLAIMITEMRELATEDOBJECT

Represents the relationship between a claim item and a related object. The values of the attributes from the related object are referenced by the relevant product attributes on the claim item. This object is available in API version 65.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ClaimItemRelatedObject in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ClaimItemId	Claim Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Claim Item Related Object ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
RelatedRecordIdentifier	Related Record Identifier	string		255		
RelatedRecordObjectName	Related Record Object Name	string		255		
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		255		

CLAIMITEMRELATEDOBJECTFEED

Feed tracking for ClaimItemRelatedObject.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CLAIMITEMRELATEDOBJECTHISTORY

History for tracked fields of ClaimItemRelatedObject.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ClaimItemRelatedObjectId`	Claim Item Related Object ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Claim Item Related Object History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CLAIMPARTICIPANT

Represents the participants of a claim such as those insured, the claimants, and the witnesses. The object associates claims with participant accounts.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ClaimParticipant in the *Automotive Cloud Developer Guide*, *Financial Services Cloud Developer Guide*, *Manufacturing Cloud Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ClaimId	Claim ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Claim Participant ID	id		18		
InsurancePolicyParticipantId	Insurance Policy Participant ID	reference		18		
IsDeleted	Deleted	boolean				
IsInjured	Injured	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParticipantAccountId	Account ID	reference		18		
ParticipantContactId	Contact ID	reference		18		
Roles	Roles	multipicklist		4099	0	
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
SystemModstamp	System Modstamp	datetime				

CLAIMPARTICIPANTFEED

Feed tracking for ClaimParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CLAIMPARTICIPANTHISTORY

History for tracked fields of ClaimParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ClaimParticipantId`	Claim Participant ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Claim Participant History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CLAIMPAYMENTSUMMARY

Represents the amount of money that's paid to a claimant or claim participant to cover a claim. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ClaimPaymentSummary in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CancellationDate	Cancellation Date	datetime				
ClaimId	Claim ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Claim Payment Summary ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
PaymentAmount	Payment Amount	currency			18	2
PaymentDate	Payment Date	date				
PaymentIdentifier	Payment Identifier	string		255		
PaymentStatus	Payment Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

CLAIMPAYMENTSUMMARYFEED

Feed tracking for ClaimPaymentSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CLAIMPAYMENTSUMMARYHISTORY

History for tracked fields of ClaimPaymentSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ClaimPaymentSummaryId	Claim Payment Summary ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Claim Payment Summary History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CLAIMSHARE

Sharing for Claim.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CLAIMTEAMMEMBER

Represents a user who is a part of the claim team. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ClaimTeamMember in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ClaimId`	Claim ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CurrencyIsoCode`	Currency ISO Code	picklist		3		
`Id`	Claim Team Member ID	id		18		
`IsActive`	Is Active	boolean				
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`Role`	Role	multipicklist		4099	0	
`SystemModstamp`	System Modstamp	datetime				
`UserId`	User ID	reference		18		

CLAIMTEAMMEMBERFEED

Feed tracking for ClaimTeamMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CLAIMTEAMMEMBERHISTORY

History for tracked fields of ClaimTeamMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ClaimTeamMemberId`	Claim Team Member ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Claim Team Member History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CLAUSECATGCONFIGURATION

Represents the configuration about the clause category that can be used in a response document by the user.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ClauseCatgConfiguration in the *Salesforce Contracts Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Description`	Description	string		255		
`DeveloperName`	Developer Name	string		80		
`Id`	Clause Category Configuration ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Category Name	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`SystemModstamp`	System Modstamp	datetime				
`UsageType`	Usage Type	picklist		255		

CLEANENERGYPROJECT

Represents information about a project that provides credits a company can purchase to claim clean energy usage.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CleanEnergyProject in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CleanEnergyType`	Clean Energy Type	picklist		255		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Clean Energy Project ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`OwnerId`	Owner ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

CLEANENERGYPROJECTFEED

Feed tracking for CleanEnergyProject.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CLEANENERGYPROJECTHISTORY

History for tracked fields of CleanEnergyProject.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CleanEnergyProjectId	Clean Energy Project ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Clean Energy Project History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CLEANENERGYPROJECTSHARE

Sharing for CleanEnergyProject.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CLIENTBROWSER

Represents a cookie added to the browser upon login, and also includes information about the browser application where the cookie was inserted. This object is available in version 28.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ClientBrowser in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedDate`	Created Date	datetime				
`FullUserAgent`	Full User Agent	string		1024		
`Id`	Client Browser ID	id		18		
`LastUpdate`	Last Update	datetime				
`ProxyInfo`	Proxy Info	string		1024		
`UsersId`	User ID	reference		18		

CLINICALALERT

Represents a warning or notification of significance related to different healthcare entities. The subject of the alert may be a patient, a location, a provider, a procedure, or even a medication. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ClinicalAlert in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Categories	Categories	multipicklist		4099	0	
CodeDescription	Code Description	string		255		
CodeId	Code Set Bundle ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDate	End Date	datetime				
Id	Clinical Alert ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RaisedById	Raised By ID	reference		18		
RelatedEncounterId	Clinical Encounter ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System ID	string		255		
SourceSystemModified	Source System Modified	datetime				
StartDate	Start Date	datetime				
Status	Status	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SubjectId	Subject ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CLINICALALERTFEED

Feed tracking for ClinicalAlert.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CLINICALALERTHISTORY

History for tracked fields of ClinicalAlert.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ClinicalAlertId`	Clinical Alert ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Clinical Alert History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CLINICALALERTSHARE

Sharing for ClinicalAlert.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CLINICALDETECTEDISSUE

Represents information about a detected issue resulting from a clinical activity. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ClinicalDetectedIssue in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CategoryCodeId	Category Code ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Id	Clinical Detected Issue ID	id		18		
IdentificationEndDateTime	Identification End Date	datetime				
IdentificationStartDateTime	Identification Start Date	datetime				
IdentifiedById	Identified By ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PatientId	Account ID	reference		18		
ReferenceUri	Reference Uri	textarea		32000		
SeverityLevel	Severity Level	picklist		40		
SourceSysModifiedDateTime	Source System Modified Date	datetime				
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System ID	string		255		
Status	Status	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

CLINICALDETECTEDISSUEDETAIL

Represents additional information about a clinical detected issue. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ClinicalDetectedIssueDetail in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ClinicalDetectedIssueId	Clinical Detected Issue ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DetailCodeId	Detail Code ID	reference		18		
DetailRecordId	Detail Record ID	reference		18		
DetailType	Detail Type	picklist		40		
Id	Clinical Detected Issue Detail ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MitigationAuthorId	Mitigation Author ID	reference		18		
MitigationAuthoringDateTime	Mitigation Authoring Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

CLINICALDETECTEDISSUEDETAILFEED

Feed tracking for ClinicalDetectedIssueDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CLINICALDETECTEDISSUEDETAILHISTORY

History for tracked fields of ClinicalDetectedIssueDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ClinicalDetectedIssueDetailId	Clinical Detected Issue Detail ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Clinical Detected Issue Detail History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CLINICALDETECTEDISSUEFEED

Feed tracking for ClinicalDetectedIssue.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CLINICALDETECTEDISSUEHISTORY

History for tracked fields of ClinicalDetectedIssue.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ClinicalDetectedIssueId	Clinical Detected Issue ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Clinical Detected Issue History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CLINICALDETECTEDISSUESHARE

Sharing for ClinicalDetectedIssue.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CLINICALENCOUNTER

For more information, see ClinicalEncounter in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdmissionSource	Admission Source	picklist		40		
Category	Category	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DestinationFacilityId	Healthcare Facility ID	reference		18		
DestinationOrganizationId	Account ID	reference		18		
DietPreference	Diet Preference	multipicklist		4099	0	
DischargeDispositionId	Code Set Bundle ID	reference		18		
Duration	Duration	double			6	2
DurationUnitId	Unit of Measure ID	reference		18		
EndDate	End Date	datetime				
FacilityId	Healthcare Facility ID	reference		18		
Id	Clinical Encounter ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PatientId	Account ID	reference		18		
PreAdmissionIdentifierId	Clinical Encounter Identifier ID	reference		18		
PreviousFacilityId	Healthcare Facility ID	reference		18		
PreviousOrganizationId	Account ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PriorityId	Code Set Bundle ID	reference		18		
ReadmissionCodeId	Code Set Bundle ID	reference		18		
RelatedClinicalEncounterId	Clinical Encounter ID	reference		18		
ServiceType	Service Type	picklist		40		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System ID	string		255		
SourceSystemModified	Source System Modified	datetime				
SpecialCourtesy	Special Courtesy	picklist		40		
StartDate	Start Date	datetime				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TypeId	Code Set Bundle ID	reference		18		

CLINICALENCOUNTERDIAGNOSIS

Represents a diagnosis related to a clinical encounter. This object is a child object of ClinicalEncounter. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ClinicalEncounterDiagnosis in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ClinicalEncounterId`	Clinical Encounter ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DiagnosisId`	Diagnosis ID	reference		18		
`DiagnosisRank`	Diagnosis Rank	double			2	0
`Id`	Clinical Encounter Diagnosis ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`SystemModstamp`	System Modstamp	datetime				
`UsageTypeId`	Code Set Bundle ID	reference		18		

CLINICALENCOUNTERDIAGNOSISFEED

Feed tracking for ClinicalEncounterDiagnosis.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CLINICALENCOUNTERDIAGNOSISHISTORY

History for tracked fields of ClinicalEncounterDiagnosis.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ClinicalEncounterDiagnosisId	Clinical Encounter Diagnosis ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Clinical Encounter Diagnosis History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CLINICALENCOUNTERFACILITY

Represents information about the different facilities involved in an encounter, the time spent at those facilies, and other relevant details. This is a child object of ClinicalEncounter. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ClinicalEncounterFacility in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ClinicalEncounterId`	Clinical Encounter ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Duration`	Duration	double			6	2
`DurationUnitId`	Unit of Measure ID	reference		18		
`EndDate`	End Date	datetime				
`FacilityId`	Healthcare Facility ID	reference		18		
`FacilityTypeId`	Code Set Bundle ID	reference		18		
`Id`	Clinical Encounter Facility ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`StartDate`	Start Date	datetime				
`Status`	Status	picklist		40		
`SystemModstamp`	System Modstamp	datetime				

CLINICALENCOUNTERFACILITYFEED

Feed tracking for ClinicalEncounterFacility.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CLINICALENCOUNTERFACILITYHISTORY

History for tracked fields of ClinicalEncounterFacility.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ClinicalEncounterFacilityId	Clinical Encounter Facility ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Clinical Encounter Facility History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CLINICALENCOUNTERFEED

Feed tracking for ClinicalEncounter.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CLINICALENCOUNTERHISTORY

History for tracked fields of ClinicalEncounter.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ClinicalEncounterId	Clinical Encounter ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Clinical Encounter History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CLINICALENCOUNTERIDENTIFIER

Represents the identifier information for a clinical encounter. This object is a child object of ClinicalEncounter. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ClinicalEncounterIdentifier in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ClinicalEncounterId	Clinical Encounter ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveDate	Effective Date	datetime				
EndDate	End Date	datetime				
Id	Clinical Encounter Identifier ID	id		18		
IdTypeId	ID Type ID	reference		18		
IdUsageType	ID Usage Type ID	picklist		40		
IdValue	ID Value	string		255		
IsDeleted	Deleted	boolean				
IssuingAuthorityId	Account ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SourceSystem	Source System	string		255		
SystemModstamp	System Modstamp	datetime				

CLINICALENCOUNTERIDENTIFIERFEED

Feed tracking for ClinicalEncounterIdentifier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CLINICALENCOUNTERIDENTIFIERHISTORY

History for tracked fields of ClinicalEncounterIdentifier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ClinicalEncounterIdentifierId	Clinical Encounter Identifier ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Clinical Encounter Identifier History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CLINICALENCOUNTERPROVIDER

Represents the providers involved in an encounter. This object is a child object of ClinicalEncounter. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ClinicalEncounterProvider in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ClinicalEncounterId	Clinical Encounter ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Duration	Duration	double			6	2
DurationUnitId	Unit of Measure ID	reference		18		
EndDate	End Date	datetime				
Id	Clinical Encounter Provider ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
PractitionerId	Healthcare Provider ID	reference		18		
PractitionerTypeId	Code Set Bundle ID	reference		18		
StartDate	Start Date	datetime				
SystemModstamp	System Modstamp	datetime				

CLINICALENCOUNTERPROVIDERFEED

Feed tracking for ClinicalEncounterProvider.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CLINICALENCOUNTERPROVIDERHISTORY

History for tracked fields of ClinicalEncounterProvider.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ClinicalEncounterProviderId	Clinical Encounter Provider ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Clinical Encounter Provider History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CLINICALENCOUNTERREASON

Represents the reasons for why the encounter was required. This object is a child object of ClinicalEncounter. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ClinicalEncounterReason in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ClinicalEncounterId`	Clinical Encounter ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Clinical Encounter Reason ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`ReasonCodeId`	Code Set Bundle ID	reference		18		
`ReasonReferenceId`	Reason Reference ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

CLINICALENCOUNTERREASONFEED

Feed tracking for ClinicalEncounterReason.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CLINICALENCOUNTERREASONHISTORY

History for tracked fields of ClinicalEncounterReason.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ClinicalEncounterReasonId	Clinical Encounter Reason ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Clinical Encounter Reason History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CLINICALENCOUNTERSHARE

Sharing for ClinicalEncounter.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CLINICALENCOUNTERSVCREQUEST

Represents the service requests related to a clinical encounter. This object is a child object of ClinicalEncounter. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ClinicalEncounterSvcRequest in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ClinicalEncounterId`	Clinical Encounter ID	reference		18		
`ClinicalServiceRequestId`	Clinical Service Request ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Clinical Encounter Svc Request ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`SystemModstamp`	System Modstamp	datetime				

CLINICALENCOUNTERSVCREQUESTFEED

Feed tracking for ClinicalEncounterSvcRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CLINICALENCOUNTERSVCREQUESTHISTORY

History for tracked fields of ClinicalEncounterSvcRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ClinicalEncounterSvcRequestId	Clinical Encounter Svc Request ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Clinical Encounter Svc Request History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CLINICALSERVICEREQUEST

Represents requests for a procedure or diagnostic service that needs to be planned, proposed, or performed as part of the patient's healthcare. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ClinicalServiceRequest in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BodySiteId	Code Set Bundle ID	reference		18		
CategoryId	Code Set Bundle ID	reference		18		
ConditionId	Health Condition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DateSigned	Date Signed	datetime				
DiagnosticReportId	Clinical Encounter Diagnosis ID	reference		18		
EncounterId	Clinical Encounter ID	reference		18		
EndDate	End Date	datetime				
FacilityCodeId	Code Set Bundle ID	reference		18		
FacilityId	Healthcare Facility ID	reference		18		
HasPrerequisites	Has Prerequisites	boolean				
Id	Clinical Service Request ID	id		18		
IsAccepted	Accepted	boolean				
IsDeleted	Deleted	boolean				
IsIgnored	Ignore Request	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ObservationId	Care Observation ID	reference		18		
OriginalRequestId	Clinical Service Request ID	reference		18		
OwnerId	Owner ID	reference		18		
PatientId	Account ID	reference		18		
PatientInstruction	Patient Instructions	textarea		32000		
PerformerId	Performer ID	reference		18		
PerformerTypeId	Code Set Bundle ID	reference		18		
PrerequisiteCodeId	Code Set Bundle ID	reference		18		
Priority	Priority ID	picklist		40		
QuantityDenominator	Quantity Denominator	double			6	2
QuantityNumerator	Quantity Numerator	double			6	2
QuantityNumeratorUnitId	Unit of Measure ID	reference		18		
QuantityType	Quantity Type	picklist		255		
ReasonCodeId	Code Set Bundle ID	reference		18		
RequestCodeId	Code Set Bundle ID	reference		18		
RequesterId	Requester ID	reference		18		
ServiceRequestGroupIdentifierId	Identifier ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
StartDate	Start Date	datetime				
Status	Status ID	picklist		40		
SystemModstamp	System Modstamp	datetime				
Type	Type ID	picklist		40		

CLINICALSERVICEREQUESTDETAIL

Associates records from different objects to a clinical service request record to add more information to it. This is a multi-object junction object. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ClinicalServiceRequestDetail in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ClinicalServiceRequestId	Clinical Service Request ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DetailCodeId	Detail Code ID	reference		18		
DetailRecordId	Detail Record ID	reference		18		
DetailType	Detail Type	picklist		40		
Id	Clinical Service Request Detail ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

CLINICALSERVICEREQUESTDETAILFEED

Feed tracking for ClinicalServiceRequestDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CLINICALSERVICEREQUESTDETAILHISTORY

History for tracked fields of ClinicalServiceRequestDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ClinicalServiceRequestDetailId	Clinical Service Request Detail ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Clinical Service Request Detail History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CLINICALSERVICEREQUESTFEED

Feed tracking for ClinicalServiceRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CLINICALSERVICEREQUESTHISTORY

History for tracked fields of ClinicalServiceRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ClinicalServiceRequestId`	Clinical Service Request ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Clinical Service Request History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CLINICALSERVICEREQUESTSHARE

Sharing for ClinicalServiceRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CODESET

Represents various industry defined codes in the context of their systems and versions of those systems. These codes are used in all sorts of digital records. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CodeSet in the *Manufacturing Cloud Developer Guide*, *Public Sector Solutions Developer Guide*, and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Code	Code	string		255		
CodeDescription	Code Description	textarea		32000		
CodeSetKey	Code Set Key	string		255		
CodeSetType	Code Set Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDate	End Date	date				
Id	Code Set ID	id		18		
IsActive	Active	boolean				
IsCustomCode	Custom Code	boolean				
IsDeleted	Deleted	boolean				
IsPrimary	Primary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SourceSystem	Source System	string		255		
StartDate	Effective Date	date				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
SystemVersion	System Version	string		255		

CODESETBUNDLE

Represents a group of code sets across multiple systems and versions. All of these code sets refer to the same conceptual entity. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CodeSetBundle in the *Public Sector Solutions Developer Guide* and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CodeSet10Id	Code Set ID	reference		18		
CodeSet11Id	Code Set ID	reference		18		
CodeSet12Id	Code Set ID	reference		18		
CodeSet13Id	Code Set ID	reference		18		
CodeSet14Id	Code Set ID	reference		18		
CodeSet15Id	Code Set ID	reference		18		
CodeSet1Id	Code Set ID	reference		18		
CodeSet2Id	Code Set ID	reference		18		
CodeSet3Id	Code Set ID	reference		18		
CodeSet4Id	Code Set ID	reference		18		
CodeSet5Id	Code Set ID	reference		18		
CodeSet6Id	Code Set ID	reference		18		
CodeSet7Id	Code Set ID	reference		18		
CodeSet8Id	Code Set ID	reference		18		
CodeSet9Id	Code Set ID	reference		18		
CodeSetBundleKey	Code Set Bundle Key	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Code Set Bundle ID	id		18		
IsDeleted	Deleted	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	multipicklist		4099	0	

CODESETBUNDLEHISTORY

History for tracked fields of CodeSetBundle.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CodeSetBundleId	Code Set Bundle ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Code Set Bundle History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CODESETBUNDLESHARE

Sharing for CodeSetBundle.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CODESETFEED

Feed tracking for CodeSet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CODESETHISTORY

History for tracked fields of CodeSet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CodeSetId	Code Set ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Code Set History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CODESETSHARE

Sharing for CodeSet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

COLLABORATIONGROUP

Represents a Chatter group. This object is available in API version 19.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CollaborationGroup in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AnnouncementId	Announcement ID	reference		18		
BannerPhotoUrl	Banner Photo Url	url		1024		
CanHaveGuests	Allow customers	boolean				
CollaborationType	Access Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
FullPhotoUrl	Url for full-sized Photo	url		1024		
GroupEmail	Group Email	email		1000		
HasPrivateFieldsAccess	Has Private Fields Access	boolean				
Id	Group Id	id		18		
InformationBody	Information	textarea		4000		
InformationTitle	Information Title	string		30		
IsActivityGroup	Enable email and event sharing	boolean				
IsArchived	Archive	boolean				
IsAutoArchiveDisabled	Disable automatic archiving	boolean				
IsBroadcast	Broadcast Only	boolean				
LastFeedModifiedDate	Last Feed Modified Date	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MediumPhotoUrl	Url for medium profile photo	url		1024		
MemberCount	Member Count	int	9			
Name	Name	string		40		
NetworkId	Network ID	reference		18		
OwnerId	Owner ID	reference		18		
SmallPhotoUrl	Photo	url		1024		
SystemModstamp	System Modstamp	datetime				

COLLABORATIONGROUPFEED

Feed tracking for CollaborationGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

COLLABORATIONGROUPMEMBER

Represents a member of a Chatter group. This object is available in API version 19.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CollaborationGroupMember in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CollaborationGroupId	CollaborationGroup ID	reference		18		
CollaborationRole	Group Member Role	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Group Member Id	id		18		
IsActivityShared	Email and Meeting Sharing	boolean				
LastFeedAccessDate	Last Feed Access Date	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MemberId	Member ID	reference		18		
NetworkId	Network ID	reference		18		
NotificationFrequency	Notification Frequency	picklist		40		
SystemModstamp	System Modstamp	datetime				

COLLABORATIONGROUPMEMBERREQUEST

Represents a request to join a private Chatter group. This object is available in API version 21.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CollaborationGroupMemberRequest in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CollaborationGroupId`	CollaborationGroup ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Group Member Request Id	id		18		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`RequesterId`	User ID	reference		18		
`ResponseMessage`	Response Message	string		255		
`Status`	Status	picklist		40		
`SystemModstamp`	System Modstamp	datetime				

COLLABORATIONGROUPRECORD

Represents the records associated with Chatter groups.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CollaborationGroupRecord in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CollaborationGroupId`	Chatter Group ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Group Record ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`NetworkId`	Network ID	reference		18		
`RecordId`	Record ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

COLLABORATIONINVITATION

Represents an invitation to join Chatter, either directly or through a group. This object is available in API version 21.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CollaborationInvitation in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Chatter Invitation Id	id		18		
InvitedUserEmail	Invited Email	string		240		
InvitedUserEmailNormalized	Invited Email (Normalized)	email		80		
InviterId	Inviter User ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Modified Date	datetime				
OptionalMessage	Optional Message	string		255		
ParentId	Parent ID	reference		18		
SharedEntityId	Shared Entity ID	reference		18		
Status	Invitation Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

COLLABORATIONROOM

Represents a collaboration room, which links Salesforce to a Slack channel used by applications with specific use cases, such as swarming or reporting. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CollaborationRoom in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Collaboration Room ID	id		18		
IsArchived	Is archived	boolean				
IsAutoJoin	Is auto-join	boolean				
IsDeleted	Deleted	boolean				
IsExternal	Is external	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Room Name	string		255		
PlatformKey	Room ID	string		254		
SystemModstamp	System Modstamp	datetime				
TeamKey	Team ID	string		254		

COLORDEFINITION

Represents the color-related metadata for a custom tab. This object is available in API version 43.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ColorDefinition in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Color`	Color	string		255		
`Context`	Context	string		255		
`DurableId`	Color Definition Durable ID	string		255		
`Id`	Color Definition ID	id		18		
`TabDefinitionId`	Tab Definition ID	string		512		
`Theme`	Theme	string		255		

COMBINEDATTACHMENT

This read-only object contains all notes, attachments, Google Docs, documents uploaded to libraries in Salesforce CRM Content, and files added to Chatter that are associated with a record.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CombinedAttachment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentSize	Content Size	int	9			
ContentUrl	Content URL	url		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created	datetime				
ExternalDataSourceName	External Data Source	string		80		
ExternalDataSourceType	Class ID	picklist		80		
FileExtension	File Extension	string		40		
FileType	File Type	string		30		
Id	Combined Attachment Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Content Modified Date	datetime				
ParentId	Parent ID	reference		18		
RecordType	Type	string		30		
SharingOption	Prevent others from sharing and unsharing	picklist		40		
Title	Title	string		255		

COMMSUBSCRIPTION

Represents the subscription options for a specific communication. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CommSubscription in the *Life Sciences Cloud Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Communication Subscription ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

COMMSUBSCRIPTIONCHANNELTYPE

Represents the engagement channel through which you can reach a customer for a communication subscription. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CommSubscriptionChannelType in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CommunicationSubscriptionId	Communication Subscription ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DataUsePurposeId	Communication Subscription ID	reference		18		
EngagementChannelTypeId	Engagement Channel Type ID	reference		18		
Id	Communication Subscription Channel Type ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MessagingChannelId	Messaging Channel ID	reference		18		
MessagingChannelUsageId	Messaging Channel Usage ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

COMMSUBSCRIPTIONCHANNELTYPEFEED

Feed tracking for CommSubscriptionChannelType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

COMMSUBSCRIPTIONCHANNELTYPEHISTORY

History for tracked fields of CommSubscriptionChannelType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CommSubscriptionChannelTypeId	Communication Subscription Channel Type ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Communication Subscription Channel Type History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

COMMSUBSCRIPTIONCHANNELTYPESHARE

Sharing for CommSubscriptionChannelType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

COMMSUBSCRIPTIONCONSENT

Represents a customer's consent to a communication subscription. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CommSubscriptionConsent in the *Life Sciences Cloud Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessBrandId	Business Brand ID	reference		18		
CommSubscriptionChannelTypeId	Communication Subscription Channel Type ID	reference		18		
ConsentCapturedDateTime	Consent Captured Date Time	datetime				
ConsentCapturedSource	Consent Captured Source	string		255		
ConsentGiverId	Consent Giver ID	reference		18		
ContactPointId	Contact Point ID	reference		18		
ContactPointValue	Communication Subscription Consent Compliance Snapshot	string		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DataUsePurposeId	Data Use Purpose ID	reference		18		
EffectiveFromDate	Effective From	date				
EngagementChannelTypeId	Engagement Channel Type ID	reference		18		
Id	Communication Subscription Consent ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OwnerId	Owner ID	reference		18		
PartyId	Individual ID	reference		18		
PartyRoleId	Party Role ID	reference		18		
PrivacyConsentStatus	Privacy Consent Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

COMMSUBSCRIPTIONCONSENTFEED

Feed tracking for CommSubscriptionConsent.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

COMMSUBSCRIPTIONCONSENTHISTORY

History for tracked fields of CommSubscriptionConsent.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CommSubscriptionConsentId	Communication Subscription Consent ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Communication Subscription Consent History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

COMMSUBSCRIPTIONCONSENTSHARE

Sharing for CommSubscriptionConsent.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

COMMSUBSCRIPTIONFEED

Feed tracking for CommSubscription.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

COMMSUBSCRIPTIONHISTORY

History for tracked fields of CommSubscription.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CommSubscriptionId`	Communication Subscription ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Communication Subscription History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

COMMSUBSCRIPTIONSHARE

Sharing for CommSubscription.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

COMMSUBSCRIPTIONTIMING

Represents a customer's timing preferences for receiving a communication subscription. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CommSubscriptionTiming in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CommSubscriptionConsentId	Communication Subscription Consent ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Communication Subscription Timing ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				
Unit	Unit	picklist		255		

COMMSUBSCRIPTIONTIMINGFEED

Feed tracking for CommSubscriptionTiming.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

COMMSUBSCRIPTIONTIMINGHISTORY

History for tracked fields of CommSubscriptionTiming.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CommSubscriptionTimingId	Communication Subscription Timing ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Communication Subscription Timing History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

COMMERCEDIAGNOSTICEVENT

Tracks checkout, pricing, search, and other activity within your Commerce implementation to monitor events and diagnose issues.

For more information, see CommerceDiagnosticEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
B2bEdition	B2B Edition	string		50		
B2bVersion	B2B Version	string		50		
BrowserDeviceType	Browser Device Type	int	9			
ContextId	Context ID	string		32		
ContextId2	Second Context ID	string		32		
ContextMap	Context Map	string		1024		
CorrelationId	Correlation ID	string		32		
Count	Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveAccountId	Effective Account ID	string		32		
ErrorCode	Error Code	string		50		
ErrorMessage	Error Message	string		512		
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
EventUuid	Event UUID	string		36		
IsRetry	Is Retry	boolean				
Operation	Operation	string		50		
OperationStage	Operation Stage	string		50		
OperationState	Operation State	string		50		
OperationStatus	Operation Status	string		50		
OperationTime	Operation Elapsed Time	int	9			
OsVersion	OS Version	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RelatedEventIdentifier	Related Event Identifier	string		80		
ReplayId	Replay ID	string		1000		
ServiceName	Service Name	string		50		
UserId	User ID	reference		18		
Username	Username	string		80		
WebStoreId	Store ID	string		32		
WebStoreType	Store Type	string		50		

COMMERCEENTITLEMENTBUYERGROUP

Represents the entitlement policy for a buyer group.

For more information, see CommerceEntitlementBuyerGroup in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BuyerGroupId	Buyer Group ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Entitlement Buyer Group ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MayEdit	May Edit	boolean				
Name	Name	string		255		
PolicyId	Entitlement Policy ID	reference		18		
SystemModstamp	System Modstamp	datetime				

COMMERCEENTITLEMENTPOLICY

Represents an entitlement policy, which determines what products and prices a user can see.

For more information, see CommerceEntitlementPolicy in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CanViewPrice	View prices in catalog	boolean				
CanViewProduct	View products	boolean				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Entitlement Policy ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MayEdit	May Edit	boolean				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

COMMERCEENTITLEMENTPOLICYFEED

Feed tracking for CommerceEntitlementPolicy.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

COMMERCEENTITLEMENTPOLICYHISTORY

History for tracked fields of CommerceEntitlementPolicy.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CommerceEntitlementPolicyId	Entitlement Policy ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Entitlement Policy History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

COMMERCEENTITLEMENTPOLICYSHARE

Represents the entitlement rule for sharing products and prices with users other than the owner.

For more information, see CommerceEntitlementPolicyShare in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

COMMERCEENTITLEMENTPRODUCT

Represents the entitlement policy for a product.

For more information, see CommerceEntitlementProduct in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Entitlement Product ID	id		18		
`IsDeleted`	Deleted	boolean				
`IsLocked`	Is Locked	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MayEdit`	May Edit	boolean				
`Name`	Name	string		255		
`PolicyId`	Entitlement Policy ID	reference		18		
`ProductId`	Product ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

COMMUNITY

Represents a zone that contains Idea or Question objects.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Community in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
Id	Zone ID	id		18		
IsActive	Active	boolean				
IsPublished	Show In Portal	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		80		
NetworkId	Network ID	reference		18		
SystemModstamp	System Modstamp	datetime				

COMPLAINTCASE

Represents the association between a public complaint and its corresponding case. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ComplaintCase in the *Case Management Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CaseId`	Case ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CurrencyIsoCode`	Currency ISO Code	picklist		3		
`Id`	Complaint Case ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`OwnerId`	Owner ID	reference		18		
`PublicComplaintId`	Public Complaint ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

COMPLAINTCASEFEED

Feed tracking for ComplaintCase.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

COMPLAINTCASEHISTORY

History for tracked fields of ComplaintCase.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ComplaintCaseId	Complaint Case ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Complaint Case History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

COMPLAINTCASESHARE

Sharing for ComplaintCase.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

COMPLAINTPARTICIPANT

Represents a junction between a public complaint, and an account or a contact. This object stores the details of the participant who registers a complaint with the authorities. This participant could be the applicant, co-applicant, a household, or even a business account. This object is available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ComplaintParticipant in the *Case Management Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Complaint Participant ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParticipantId	Participant ID	reference		18		
PublicComplaintId	Public Complaint ID	reference		18		
Role	Role	picklist		40		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

COMPLAINTPARTICIPANTFEED

Feed tracking for ComplaintParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

COMPLAINTPARTICIPANTHISTORY

History for tracked fields of ComplaintParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ComplaintParticipantId	Complaint Participant ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Complaint Participant History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONCURLONGRUNAPEXERREVENT

Notifies subscribers of errors that occur when a Salesforce org exceeds the concurrent long-running Apex limit. If a high volume of these events occur concurrently in an org, we may rate limit the events based on resource availability. Event log files, which are the predecessor of Real-time Event Monitoring, provide a list of Apex-related events. For more information, see Apex-related EventLogFile events. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ConcurLongRunApexErrEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedDate`	Created Date	datetime				
`CurrentValue`	Current Value	int	9			
`EventDate`	Event Date	datetime				
`EventIdentifier`	Event Identifier	string		80		
`EventUuid`	Event UUID	string		36		
`LimitValue`	Limit Value	int	9			
`LoginKey`	Login Key	string		24		
`Quiddity`	Quiddity	string		50		
`ReplayId`	Replay ID	string		1000		
`RequestId`	Jetty Request ID	string		18		
`RequestUri`	Request URI	string		5000		
`SessionKey`	Session Key	string		24		
`SessionLevel`	Session Level	picklist		255		
`SourceIp`	Source IP	string		255		
`UserId`	User ID	reference		18		
`Username`	Username	string		255		

CONDINTRCTNHLTHRSKADJFCTR

Stores the risk adjustment factor for patients and members based on the set of interacting conditions they are diagnosed with and the status of their benefits eligibility. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CondIntrctnHlthRskAdjFctr in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CmnyFullBnftDualDisabled	Community Full-Benefit-Dual Disabled	double			10	4
CmnyPartialBenefitDualAged	Community Partial-Benefit-Dual Aged	double			10	4
CmnyPartialBnftDualDsbl	Community Partial-Benefit-Dual Disabled	double			10	4
Community	Community	double			10	4
CommunityFullBnftDualAged	Community Full-Benefit-Dual Aged	double			10	4
CommunityNonDualAged	Community Non-Dual Aged	double			10	4
CommunityNonDualDisabled	Community Non-Dual Disabled	double			10	4
ConditionCodeList	Condition Code List	string		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Condition Interaction Health Risk Adjustment Factor ID	id		18		
Institutional	Institutional	double			10	4
InteractingCondCodeList	Interacting Condition Code List	string		40		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsDisabled	Disabled	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PublishedYear	Published Year	int	8			
SystemModstamp	System Modstamp	datetime				

CONDINTRCTNHLTHRSKADJFCTRFEED

Feed tracking for CondIntrctnHlthRskAdjFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CONDINTRCTNHLTHRSKADJFCTRHISTORY

History for tracked fields of CondIntrctnHlthRskAdjFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CondIntrctnHlthRskAdjFctrId	Condition Interaction Health Risk Adjustment Factor ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Condition Interaction Health Risk Adjustment Factor History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONDINTRCTNHLTHRSKADJFCTRSHARE

Sharing for CondIntrctnHlthRskAdjFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CONFERENCENUMBER

Holds the telephone number for an external event shown in the Salesforce Today feature in the Salesforce mobile app. This object is available in API version 35.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ConferenceNumber in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessCode	Access Code	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalEventId	External Event ID	reference		18		
Id	Conference Number ID	id		18		
IsDeleted	Deleted	boolean				
Label	Label	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
Number	Number	phone		40		
SystemModstamp	System Modstamp	datetime				
Vendor	Vendor	string		255		

CONNECTEDAPPLICATION

Represents a connected app and its details; all fields are read-only.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ConnectedApplication in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Connected App ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MobileSessionTimeout	Lock App After	picklist		40		
MobileStartUrl	Mobile Start URL	url		2400		
Name	Connected App Name	string		80		
NamedUserUvidTimeout	Named User Uvid Timeout	picklist		40		
OptionsAllowAdminApprovedUsersOnly	AllowAdminApprovedUsersOnly	boolean				
OptionsCodeCredentialGuestEnabled	CodeCredentialGuestEnabled	boolean				
OptionsFullContentPushNotifications	FullContentPushNotifications	boolean				
OptionsHasSessionLevelPolicy	HasSessionLevelPolicy	boolean				
OptionsIsInternal	isInternal	boolean				
OptionsRefreshTokenValidityMetric	RefreshTokenValidityMetric	boolean				
OptionsTokenExchangeManageBitEnabled	TokenExchangeManageBitEnabled	boolean				
PinLength	PIN Length	picklist		40		
RefreshTokenValidityPeriod	Refresh Token Policy:	int	9			
StartUrl	Start URL	url		2400		
SystemModstamp	System Modstamp	datetime				
UvidTimeout	Uvid Timeout	picklist		40		

CONSENTUNSUBSCRIBEALLEVENT

Notifies subscribers when a user unsubscribes from all communications on a preference form created in Preference Manager.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ConsentUnsubscribeAllEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created on date	datetime				
`EventDetails`	Event Details	textarea		32000		
`EventUuid`	Event UUID	string		36		
`ReplayId`	Replay ID	string		1000		

CONSUMPTIONRATEHISTORY

History for tracked fields of ConsumptionRate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConsumptionRateId	Consumption Rate ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Consumption Rate History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONSUMPTIONSCHEDULEFEED

Feed tracking for ConsumptionSchedule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CONSUMPTIONSCHEDULEHISTORY

History for tracked fields of ConsumptionSchedule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConsumptionScheduleId	Consumption Schedule ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Consumption Schedule History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONSUMPTIONSCHEDULESHARE

Sharing for ConsumptionSchedule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CONTACT

Represents a contact, which is a person associated with an account.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Contact in the *Object Reference for the Salesforce Platform* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AssistantName	Assistant's Name	string		40		
AssistantPhone	Asst. Phone	phone		40		
Birthdate	Birthdate	date				
BuyerAttributes	Buyer Attributes	multipicklist		4099	0	
CleanStatus	Clean Status	picklist		40		
ContactSource	Creation Source	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Contact Currency	picklist		3		
Department	Department	string		80		
DepartmentGroup	Department Group	picklist		40		
Description	Contact Description	textarea		32000		
Email	Email	email		80		
EmailBouncedDate	Email Bounced Date	datetime				
EmailBouncedReason	Email Bounced Reason	string		255		
Fax	Business Fax	phone		40		
FirstName	First Name	string		40		
GenderIdentity	Gender Identity	picklist		255		
HomePhone	Home Phone	phone		40		
Id	Contact ID	id		18		
IndividualId	Individual ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsDeleted	Deleted	boolean				
IsEmailBounced	Is Email Bounced	boolean				
IsPersonAccount	Is Person Account	boolean				
IsPriorityRecord	Important	boolean				
Jigsaw	Data.com Key	string		20		
JigsawContactId	Jigsaw Contact ID	string		20		
Languages__c	Languages	string		100		
LastActivityDate	Last Activity	date				
LastCURequestDate	Last Stay-in-Touch Request Date	datetime				
LastCUUpdateDate	Last Stay-in-Touch Save Date	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastName	Last Name	string		80		
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LeadSource	Lead Source	picklist		255		
Level__c	Level	picklist		255		
MailingAddress	Mailing Address	address				
MailingCity	Mailing City	string		40		
MailingCountry	Mailing Country	string		80		
MailingGeocodeAccuracy	Mailing Geocode Accuracy	picklist		40		
MailingLatitude	Mailing Latitude	double			18	15
MailingLongitude	Mailing Longitude	double			18	15
MailingPostalCode	Mailing Zip/Postal Code	string		20		
MailingState	Mailing State/Province	string		80		
MailingStreet	Mailing Street	textarea		255		
MasterRecordId	Master Record ID	reference		18		
MobilePhone	Mobile Phone	phone		40		
Name	Full Name	string		121		
OtherAddress	Other Address	address				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OtherCity	Other City	string		40		
OtherCountry	Other Country	string		80		
OtherGeocodeAccuracy	Other Geocode Accuracy	picklist		40		
OtherLatitude	Other Latitude	double			18	15
OtherLongitude	Other Longitude	double			18	15
OtherPhone	Other Phone	phone		40		
OtherPostalCode	Other Zip/Postal Code	string		20		
OtherState	Other State/Province	string		80		
OtherStreet	Other Street	textarea		255		
OwnerId	Owner ID	reference		18		
Phone	Business Phone	phone		40		
PhotoUrl	Photo URL	url		255		
Pronouns	Pronouns	picklist		255		
ReportsToId	Reports To ID	reference		18		
Salutation	Salutation	picklist		40		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		128		
TitleType	Seniority Level	picklist		40		

CONTACTCLEANINFO

Stores the metadata Data.com Clean uses to determine a contact record's clean status. Helps you automate the cleaning or related processing of contact records. ContactCleanInfo includes a number of bit vector fields.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContactCleanInfo in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Address	Address	address				
City	City	string		40		
CleanedByJob	Cleaned by Job	boolean				
CleanedByUser	Cleaned by User	boolean				
ContactId	Contact ID	reference		18		
ContactStatusDataDotCom	Contact Status per Data.com	picklist		255		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DataDotComId	Data.com ID	string		20		
Email	Email	email		80		
FirstName	First Name	string		255		
GeocodeAccuracy	Geocode Accuracy	picklist		40		
Id	Contact Clean Info ID	id		18		
IsDeleted	Deleted	boolean				
IsDifferentCity	City is Different	boolean				
IsDifferentCountry	Country is Different	boolean				
IsDifferentCountryCode	Country Code is Different	boolean				
IsDifferentEmail	Email is Different	boolean				
IsDifferentFirstName	First Name is Different	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsDifferentLastName	Last Name is Different	boolean				
IsDifferentPhone	Phone is Different	boolean				
IsDifferentPostalCode	ZIP is Different	boolean				
IsDifferentState	State is Different	boolean				
IsDifferentStateCode	State Code is Different	boolean				
IsDifferentStreet	Street is Different	boolean				
IsDifferentTitle	Title is Different	boolean				
IsFlaggedWrongAddress	Address is Flagged Wrong	boolean				
IsFlaggedWrongEmail	Email is Flagged Wrong	boolean				
IsFlaggedWrongName	Name is Flagged Wrong	boolean				
IsFlaggedWrongPhone	Phone is Flagged Wrong	boolean				
IsFlaggedWrongTitle	Title is Flagged Wrong	boolean				
IsInactive	Contact Status in Salesforce	boolean				
IsReviewedAddress	Address is Reviewed	boolean				
IsReviewedEmail	Email is Reviewed	boolean				
IsReviewedName	Name is Reviewed	boolean				
IsReviewedPhone	Phone is Reviewed	boolean				
IsReviewedTitle	Title is Reviewed	boolean				
LastMatchedDate	Last Matched Date	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastName	Last Name	string		255		
LastStatusChangedById	User ID	reference		18		
LastStatusChangedDate	Last Status Changed Date	datetime				
Latitude	Latitude	double			18	15
Longitude	Longitude	double			18	15
Name	Contact Clean Info Name	string		255		
Phone	Phone	phone		40		
PostalCode	Zip	string		20		
State	State	string		80		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Street`	Street	textarea		255		
`SystemModstamp`	System Modstamp	datetime				
`Title`	Title	string		128		

CONTACTCONTACTRELATION

Represents a relationship between contacts. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContactContactRelation in the *Automotive Cloud Developer Guide*, *Industries Common Resources Developer Guide*, and *Nonprofit Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDate	End Date	date				
HierarchyType	Hierarchy Type	picklist		255		
Id	Contact Contact Relationship ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Contact Relationship Id	string		255		
OwnerId	Owner ID	reference		18		
PartyRoleRelationId	Party Role Relationship ID	reference		18		
RelatedContactId	Related Contact ID	reference		18		
RelatedInverseRecordId	Related Inverse Record ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

CONTACTCONTACTRELATIONFEED

Feed tracking for ContactContactRelation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CONTACTCONTACTRELATIONHISTORY

History for tracked fields of ContactContactRelation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactContactRelationId	Contact Contact Relationship ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Contact Contact Relationship History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONTACTCONTACTRELATIONSHARE

Sharing for ContactContactRelation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CONTACTDAILYMETRIC

Represents the daily engagement metrics for a contact.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContactDailyMetric in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AllCallsCallBackLater	All Calls Call Back Later Count	int	9			
AllCallsLeftVoicemail	All Calls Left Voicemail Count	int	9			
AllCallsMeaningfulConnect	All Calls Meaningful Connect Count	int	9			
AllCallsNotInterested	All Calls Not Interested Count	int	9			
AllCallsUncategorized	All Calls Uncategorized Count	int	9			
AllCallsUnqualified	All Calls Unqualified Count	int	9			
AllEmailsBouncedCount	All Emails Bounced Count	int	9			
AllEmailsDeliveredCount	All Emails Delivered Count	int	9			
AllEmailsDeliveredRate	All Emails Delivered Rate	percent			5	2
AllEmailsHardBouncedCount	All Emails Hard Bounced Count	int	9			
AllEmailsOutOfOfficeCount	All Emails Out of Office Count	int	9			
AllEmailsSentCount	All Emails Sent Count	int	9			
AllEmailsSoftBouncedCount	All Emails Soft Bounced Count	int	9			
AllEmailsTrackedSentCount	All Emails Tracked Sent Count	int	9			
AllEmailsUntrackedSentCount	All Emails Untracked Sent Count	int	9			
AllTotalCallsCount	All Total Calls Count	int	9			
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DailyCutOffTimeStamp	Daily Cutoff Time	datetime				
Date	Date	date				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
DateInt	Date Int	int	9			
HardBounceTrackableSends	Hard Bounce Trackable Sends	int	9			
Id	Contact Daily Metric ID	id		18		
InboundEngagementsCount	Inbound Engagements Count	int	9			
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LinkClickTrackableSends	Link Click Trackable Sends	int	9			
OpenTrackableSends	Open Trackable Sends	int	9			
OutOfOfficeTrackableSends	Out of Office Trackable Sends	int	9			
OutboundEngagementsCount	Outbound Engagements Count	int	9			
ReplyTrackableSends	Reply Trackable Sends	int	9			
SoftBounceTrackableSends	Soft Bounce Trackable Sends	int	9			
SystemModstamp	System Modstamp	datetime				
TrackableSendHardBounceRate	Trackable Send Hard Bounce Rate	percent			5	2
TrackableSendLinkClickRate	Trackable Send Link Click Rate	percent			5	2
TrackableSendOpenRate	Trackable Send Open Rate	percent			5	2
TrackableSendOutOfOfficeRate	Trackable Send Out Of Office Rate	percent			5	2
TrackableSendReplyRate	Trackable Send Reply Rate	percent			5	2
TrackableSendSoftBounceRate	Trackable Send Soft Bounce Rate	percent			5	2
UniqueEmailsLinkClickedCount	Unique Emails Link Clicked Count	int	9			
UniqueEmailsOpenedCount	Unique Emails Opened Count	int	9			
UniqueEmailsRepliedCount	Unique Emails Replied Count	int	9			

CONTACTENCOUNTER

Represents a period of time during which two or more people were in close proximity to each other.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContactEncounter in the *Emergency Response Management for Public Health Developer Guide* and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualParticipantCount	Actual Participant Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		65535		
EncounterDuration	Encounter Duration (in minutes)	int	9			
EstimatedParticipantCount	Estimated Participant Count	int	9			
ExposureSource	Exposure Source	picklist		40		
ExposureSourceDescription	Exposure Source Description	string		255		
ExposureType	Exposure Type	picklist		40		
Id	Contact Encounter ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
StartTime	Start Time	datetime				
SystemModstamp	System Modstamp	datetime				

CONTACTENCOUNTERFEED

Feed tracking for ContactEncounter.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CONTACTENCOUNTERHISTORY

History for tracked fields of ContactEncounter.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactEncounterId	Contact Encounter ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Contact Encounter History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONTACTENCOUNTERPARTICIPANT

Represents a person who was present during a contact encounter.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContactEncounterParticipant in the *Emergency Response Management for Public Health Developer Guide* and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Age	Age	int	3			
ContactEncounterId	Contact Encounter ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EncounterDuration	Encounter Duration (in minutes)	int	9			
Id	Contact Encounter Participant ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LeadId	Lead ID	reference		18		
Name	Name	string		255		
RiskLevel	Risk Level	picklist		255		
StartTime	Start Time	datetime				
SystemModstamp	System Modstamp	datetime				
TransmissionMode	Transmission Mode	picklist		255		

CONTACTENCOUNTERPARTICIPANTFEED

Feed tracking for ContactEncounterParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CONTACTENCOUNTERPARTICIPANTHISTORY

History for tracked fields of ContactEncounterParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactEncounterParticipantId	Contact Encounter Participant ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Contact Encounter Participant History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONTACTENCOUNTERSHARE

Sharing for ContactEncounter.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CONTACTFEED

Feed tracking for Contact.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CONTACTHISTORY

History for tracked fields of Contact.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Contact History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONTACTMONTHLYMETRIC

Represents the monthly engagement metrics for a contact.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContactMonthlyMetric in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AllCallsCallBackLater	All Calls Call Back Later Count	int	9			
AllCallsLeftVoicemail	All Calls Left Voicemail Count	int	9			
AllCallsMeaningfulConnect	All Calls Meaningful Connect Count	int	9			
AllCallsNotInterested	All Calls Not Interested Count	int	9			
AllCallsUncategorized	All Calls Uncategorized Count	int	9			
AllCallsUnqualified	All Calls Unqualified Count	int	9			
AllEmailsBouncedCount	All Emails Bounced Count	int	9			
AllEmailsDeliveredCount	All Emails Delivered Count	int	9			
AllEmailsDeliveredRate	All Emails Delivered Rate	percent			5	2
AllEmailsHardBouncedCount	All Emails Hard Bounced Count	int	9			
AllEmailsOutOfOfficeCount	All Emails Out of Office Count	int	9			
AllEmailsSentCount	All Emails Sent Count	int	9			
AllEmailsSoftBouncedCount	All Emails Soft Bounced Count	int	9			
AllEmailsTrackedSentCount	All Emails Tracked Sent Count	int	9			
AllEmailsUntrackedSentCount	All Emails Untracked Sent Count	int	9			
AllTotalCallsCount	All Total Calls Count	int	9			
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
HardBounceTrackableSends	Hard Bounce Trackable Sends	int	9			
Id	Contact Monthly Metric ID	id		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LinkClickTrackableSends	Link Click Trackable Sends	int	9			
Month	Month	date				
MonthInt	Month Int	int	9			
OpenTrackableSends	Open Trackable Sends	int	9			
OutOfOfficeTrackableSends	Out of Office Trackable Sends	int	9			
ReplyTrackableSends	Reply Trackable Sends	int	9			
SoftBounceTrackableSends	Soft Bounce Trackable Sends	int	9			
SystemModstamp	System Modstamp	datetime				
TrackableSendHardBounceRate	Trackable Send Hard Bounce Rate	percent			5	2
TrackableSendLinkClickRate	Trackable Send Link Click Rate	percent			5	2
TrackableSendOpenRate	Trackable Send Open Rate	percent			5	2
TrackableSendOutOfOfficeRate	Trackable Send Out Of Office Rate	percent			5	2
TrackableSendReplyRate	Trackable Send Reply Rate	percent			5	2
TrackableSendSoftBounceRate	Trackable Send Soft Bounce Rate	percent			5	2
UniqueEmailsLinkClickedCount	Unique Emails Link Clicked Count	int	9			
UniqueEmailsOpenedCount	Unique Emails Opened Count	int	9			
UniqueEmailsRepliedCount	Unique Emails Replied Count	int	9			

CONTACTPOINTADDRESS

Represents a contact's billing or shipping address, which is associated with an individual or person account. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContactPointAddress in the *Life Sciences Cloud Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActiveFromDate	Active from Date	date				
ActiveToDate	Active to Date	date				
Address	Address	address				
AddressType	Address Type	picklist		40		
BestTimeToContactEndTime	Best time to contact end time	time				
BestTimeToContactStartTime	Best time to contact start time	time				
BestTimeToContactTimezone	Best time to contact time zone	picklist		255		
City	City	string		40		
ContactPointPhoneId	Contact Point Phone ID	reference		18		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
GeocodeAccuracy	Shipping Geocode Accuracy	picklist		40		
Id	Contact Point Address ID	id		18		
IsDefault	Is Default Address	boolean				
IsDeleted	Deleted	boolean				
IsPrimary	Is Primary	boolean				
IsThirdPartyAddress	Is Third-Party Address	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
Longitude	Longitude	double			18	15
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentId	Parent ID	reference		18		
PostalCode	Zip/Postal Code	string		20		
PreferenceRank	Preference Rank	int	9			
State	State/Province	string		80		
Street	Address	textarea		255		
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		40		

CONTACTPOINTADDRESSHISTORY

History for tracked fields of ContactPointAddress.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ContactPointAddressId`	Contact Point Address ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Contact Point Address History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CONTACTPOINTADDRESSSHARE

Sharing for ContactPointAddress.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CONTACTPOINTCONSENT

Represents a customer's consent to be contacted via a specific contact point, such as an email address or phone number. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContactPointConsent in the *Life Sciences Cloud Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessBrandId	Business Brand ID	reference		18		
CaptureContactPointType	Capture Contact Point Type	picklist		255		
CaptureDate	Capture Date	datetime				
CaptureSource	Capture Source	string		255		
ContactPointId	Contact Point ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataUsePurposeId	Data Use Purpose ID	reference		18		
DoubleConsentCaptureDate	Double Consent Capture Date	datetime				
EffectiveFrom	Effective From	datetime				
EffectiveTo	Effective To	datetime				
Id	Contact Point Consent ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PartyId	Individual ID	reference		18		
PartyRoleId	Party Role ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PrivacyConsentStatus	Privacy Consent Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

CONTACTPOINTCONSENTHISTORY

History for tracked fields of ContactPointConsent.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactPointConsentId	Contact Point Consent ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Contact Point Consent History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONTACTPOINTCONSENTSHARE

Sharing for ContactPointConsent.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CONTACTPOINTEMAIL

Represents a contact's email, which is associated with an individual or person account. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContactPointEmail in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActiveFromDate	Active from Date	date				
ActiveToDate	Active to Date	date				
BestTimeToContactEndTime	Best time to contact end time	time				
BestTimeToContactStartTime	Best time to contact start time	time				
BestTimeToContactTimezone	Best time to contact time zone	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmailAddress	Email address	email		80		
EmailDomain	Email domain	string		250		
EmailLatestBounceDateTime	Email latest bounce date time	datetime				
EmailLatestBounceReasonText	Email latest bounce reason text	string		250		
EmailMailBox	Email mail box	string		250		
Id	Contact Point Email ID	id		18		
IsDeleted	Deleted	boolean				
IsPrimary	Is Primary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ParentId	Parent ID	reference		18		
PreferenceRank	Preference Rank	int	9			
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		40		

CONTACTPOINTEMAILHISTORY

History for tracked fields of ContactPointEmail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ContactPointEmailId`	Contact Point Email ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Contact Point Email History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CONTACTPOINTEMAILSHARE

Sharing for ContactPointEmail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CONTACTPOINTPHONE

Represents a contact's phone number, which is associated with an individual or person account. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContactPointPhone in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActiveFromDate	Active from Date	date				
ActiveToDate	Active to Date	date				
AreaCode	Area code	string		30		
BestTimeToContactEndTime	Best time to contact end time	time				
BestTimeToContactStartTime	Best time to contact start time	time				
BestTimeToContactTimezone	Best time to contact time zone	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExtensionNumber	Extension number	string		30		
FormattedInternationalPhoneNumber	Formatted international phone number	string		250		
FormattedNationalPhoneNumber	Formatted national phone number	string		250		
Id	Contact Point Phone ID	id		18		
IsBusinessPhone	Is business phone	boolean				
IsDeleted	Deleted	boolean				
IsFaxCapable	Is fax capable	boolean				
IsPersonalPhone	Is personal phone	boolean				
IsPrimary	Is Primary	boolean				
IsSmsCapable	Is SMS capable	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentId	Parent ID	reference		18		
PhoneType	Phone Type	picklist		255		
PreferenceRank	Preference Rank	int	9			
SystemModstamp	System Modstamp	datetime				
TelephoneNumber	Telephone number	phone		40		
UsageType	Usage Type	picklist		40		

CONTACTPOINTPHONEHISTORY

History for tracked fields of ContactPointPhone.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ContactPointPhoneId`	Contact Point Phone ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Contact Point Phone History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CONTACTPOINTPHONESHARE

Sharing for ContactPointPhone.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CONTACTPOINTTYPECONSENT

Represents consent for a contact point type, such as email or phone. This object is available in API version 45.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContactPointTypeConsent in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessBrandId	Business Brand ID	reference		18		
CaptureContactPointType	Capture Contact Point Type	picklist		255		
CaptureDate	Capture Date	datetime				
CaptureSource	Capture Source	string		255		
ContactPointType	Contact Point Type ID	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataUsePurposeId	Data Use Purpose ID	reference		18		
DoubleConsentCaptureDate	Double Consent Capture Date	datetime				
EffectiveFrom	Effective From	datetime				
EffectiveTo	Effective To	datetime				
EngagementChannelTypeId	Engagement Channel Type ID	reference		18		
Id	Contact Point Type Consent ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PartyId	Party ID	reference		18		
PartyRoleId	Party Role ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PrivacyConsentStatus	Privacy Consent Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

CONTACTPOINTTYPECONSENTHISTORY

History for tracked fields of ContactPointTypeConsent.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactPointTypeConsentId	Contact Point Type Consent ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Contact Point Type Consent History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONTACTPOINTTYPECONSENTSHARE

Sharing for ContactPointTypeConsent.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CONTACTPROFILE

Represents information about an individual, such as their ethnicity, citizenship, birth place, race, and so on.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContactProfile in the *Education Cloud Developer Guide*, *Public Sector Solutions Developer Guide*, and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Contact Profile ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

CONTACTPROFILEFEED

Feed tracking for ContactProfile.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CONTACTPROFILEHISTORY

History for tracked fields of ContactProfile.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactProfileId	Contact Profile ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Contact Profile History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONTACTREQUEST

Represents a customer's request for support to get back to them about an issue. This object is available in API version 45.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContactRequest in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Contact Request ID	id		18		
IsCallback	Is Callback	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Contact Request Number	string		255		
OwnerId	Owner ID	reference		18		
PreferredChannel	Preferred Channel	picklist		40		
PreferredPhone	Preferred Phone Number	phone		40		
RequestDescription	Request Description	textarea		32000		
RequestReason	Request Reason	picklist		40		
Status	Request Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
WhatId	Related To ID	reference		18		
WhoId	Requestor ID	reference		18		

CONTACTREQUESTSHARE

Represents a list of access levels to a ContactRequest with an explanation of the access level. This object is available in API version 45.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContactRequestShare in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`AccessLevel`	Custom Object Access	picklist		40		
`Id`	Custom Object Share ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`ParentId`	Parent ID	reference		18		
`RowCause`	Row Cause	picklist		40		
`UserOrGroupId`	User/Group ID	reference		18		

CONTACTSHARE

Represents a list of access levels to a Contact along with an explanation of the access level. For example, if you have access to a record because you own it, the ContactAccessLevel is All and RowCause is Owner.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContactShare in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ContactAccessLevel`	Contact Access	picklist		40		
`ContactId`	Contact ID	reference		18		
`Id`	Contact Share ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`RowCause`	Row Cause	picklist		40		
`UserOrGroupId`	User/Group ID	reference		18		

CONTENTASSET

Represents a Salesforce file that has been converted to an asset file in a custom app in Lightning Experience. Use asset files for org setup and configuration. Asset files can be packaged and referenced by other components. This object is available in API version 38.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentAsset in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentDocumentId	ContentDocument ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Unique Name	string		80		
Id	Asset File ID	id		18		
IsDeleted	Deleted	boolean				
IsVisibleByExternalUsers	Let unauthenticated users see this asset file	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

CONTENTBODY

Represents the body of a file in Salesforce CRM Content or Salesforce Files. This object is available in API version 40.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentBody in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Id`	Content Body ID	id		18		
`IsDeleted`	Deleted	boolean				

CONTENTDISTRIBUTION

Represents information about sharing a document externally. This object is available in API version 32.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentDistribution in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentDocumentId	ContentDocument ID	reference		18		
ContentDownloadUrl	File Download Link	string		256		
ContentVersionId	ContentVersion ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DistributionPublicUrl	External Link	string		256		
ExpiryDate	Expiration Date	datetime				
FirstViewDate	First Viewed	datetime				
Id	Content Delivery ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastViewDate	Last Viewed	datetime				
Name	Content Delivery Name	string		100		
OwnerId	Owner ID	reference		18		
Password	Password	string		36		
PdfDownloadUrl	PDF Download Link	string		256		
PreferencesAllowOriginalDownload	Allow Download in Original Format	boolean				
PreferencesAllowPDFDownload	Allow Download as PDF	boolean				
PreferencesAllowViewInBrowser	Allow View in the Browser	boolean				
PreferencesExpires	Content Delivery Expires	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PreferencesLinkLatestVersion	Content Delivery Opens Latest Version	boolean				
PreferencesNotifyOnVisit	Notify Me of First View or Download	boolean				
PreferencesNotifyRndtnComplete	Email when Preview Images are Ready	boolean				
PreferencesPasswordRequired	Require Password to Access Content	boolean				
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
ViewCount	View Count	int	9			

CONTENTDISTRIBUTIONVIEW

Represents information about views of a shared document. This read-only object is available in API version 32.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentDistributionView in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	View Date	datetime				
`DistributionId`	Content Delivery ID	reference		18		
`Id`	Content Delivery View ID	id		18		
`IsDeleted`	Deleted	boolean				
`IsDownload`	File Downloaded	boolean				
`IsInternal`	Internal View	boolean				
`ParentViewId`	Content Delivery View ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

CONTENTDOCUMENT

Represents a document that has been uploaded to a library in Salesforce CRM Content or Salesforce Files. This object is available in versions 17.0 and later for Salesforce CRM Content. This object is available in API version 21.0 and later for Salesforce Files.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentDocument in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ArchivedById	User ID	reference		18		
ArchivedDate	Archived Date	date				
ContentAssetId	Asset File ID	reference		18		
ContentModifiedDate	Content Modified Date	datetime				
ContentSize	Size	int	9			
ContentSizeLong	Size	long	18			
CreatedById	Created By ID	reference		18		
CreatedDate	Created	datetime				
Description	Description	textarea		1000		
FileExtension	File Extension	string		40		
FileType	File Type	string		20		
Id	ContentDocument ID	id		18		
IsArchived	Is Archived	boolean				
IsDeleted	Is Deleted	boolean				
IsInternalOnly	Is Internal Only	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LatestPublishedVersionId	Latest Published Version ID	reference		18		
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ParentId	Parent ID	reference		18		
PublishStatus	Publish Status	picklist		40		
SharingOption	Prevent others from sharing and unsharing	picklist		40		
SharingPrivacy	File Privacy on Records	picklist		40		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		

CONTENTDOCUMENTFEED

Feed tracking for ContentDocument.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CONTENTDOCUMENTHISTORY

Represents the history of a document. This object is available in versions 17.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentDocumentHistory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ContentDocumentId`	ContentDocument ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Content Document ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CONTENTDOCUMENTLINK

Represents the link between a Salesforce CRM Content document, Salesforce file, or ContentNote and where it's shared. A file can be shared with other users, groups, records, and Salesforce CRM Content libraries. This object is available in versions 21.0 and later for Salesforce CRM Content documents and Salesforce Files.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentDocumentLink in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ContentDocumentId`	ContentDocument ID	reference		18		
`Id`	ContentDocumentLink ID	id		18		
`IsDeleted`	Is Deleted	boolean				
`LinkedEntityId`	Linked Entity ID	reference		18		
`ShareType`	Share Type	picklist		40		
`SystemModstamp`	Last Modified Date	datetime				
`Visibility`	Visibility	picklist		40		

CONTENTDOCUMENTSUBSCRIPTION

Represents a subscription for a user following or commenting on a file in a library. This object is available in API version 42.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentDocumentSubscription in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ContentDocumentId`	Document ID	reference		18		
`Id`	ContentDocumentSubscription ID	id		18		
`IsCommentSub`	Is Comment Subscription	boolean				
`IsDocumentSub`	Is Document Subscription	boolean				
`UserId`	User ID	reference		18		

CONTENTFOLDER

Represents a folder in a content library for adding files. This object is available in API version 34.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentFolder in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CurrencyIsoCode`	Currency ISO Code	picklist		3		
`FeaturedMediaId`	Asset File ID	reference		18		
`Id`	Content Folder ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`Name`	Name	string		255		
`ParentContentFolderId`	Parent Content Folder ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

CONTENTFOLDERITEM

Represents a file (ContentDocument) or folder (ContentFolder) that resides in a ContentFolder in a ContentWorkspace. This object is available in API version 35.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentFolderItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ContentSize`	Size	int	9			
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`FileExtension`	File Extension	string		40		
`FileType`	File Type	string		20		
`Id`	Content Folder Item ID	id		18		
`IsDeleted`	Deleted	boolean				
`IsFolder`	Is Folder	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`ParentContentFolderId`	Parent Content Folder ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`Title`	Title	string		255		

CONTENTFOLDERLINK

Defines the association between a library and its root folder. This object is available in API version 34.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentFolderLink in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ContentFolderId`	Content Folder ID	reference		18		
`EnableFolderStatus`	Enable Folder Status	picklist		40		
`Id`	Content Folder Link ID	id		18		
`IsDeleted`	Is Deleted	boolean				
`ParentEntityId`	Parent Entity ID	reference		18		

CONTENTFOLDERMEMBER

Defines the association between a file and a folder. This object is available in API version 34.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentFolderMember in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ChildRecordId`	Child Record ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Content Folder Member ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`ParentContentFolderId`	Parent Content Folder ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

CONTENTLINK

Represents a reference object with information about its content source. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentLink in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentSourceId	Content Source ID	reference		18		
ContentSourceType	Content Source Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	ContentLink ID	id		18		
IsDeleted	Deleted	boolean				
LastCntntUpdateDateTime	Last Content Update Date Time	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ReferenceObjectId	Reference Object ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
UpdatedContent	Updated Content	textarea		131072		

CONTENTLINKFEED

Feed tracking for ContentLink.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CONTENTLINKHISTORY

History for tracked fields of ContentLink.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentLinkId	ContentLink ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Content Link History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONTENTLINKSHARE

Sharing for ContentLink.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CONTENTNOTE

Represents a note created with the enhanced note taking tool, released in Winter '16.

For more information, see ContentNote in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Content	Content	base64				
ContentModifiedDate	Content Modified Date	datetime				
ContentSize	Content Size	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created	datetime				
FileExtension	File Extension	string		20		
FileType	File Type	string		20		
Id	Note Id	id		18		
IsDeleted	Deleted	boolean				
IsReadOnly	Is Read Only	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified	datetime				
LastViewedDate	Last Viewed Date	datetime				
LatestContentId	Content Body ID	reference		18		
LatestPublishedVersionId	ContentVersion ID	reference		18		
OwnerId	Owner ID	reference		18		
SharingPrivacy	Note Privacy on Records	picklist		40		
TextPreview	Text Preview	string		255		
Title	Title	string		255		

CONTENTNOTIFICATION

Represents a notification for a file. This object is available in API version 42.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentNotification in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
EntityIdentifierId	Entity ID	reference		18		
EntityType	Entity Type	string		20		
Id	ContentNotification ID	id		18		
Nature	Nature	string		20		
Subject	Subject	textarea		333		
Text	Text	textarea		666		
UsersId	User ID	reference		18		

CONTENTSOURCE

Represents the data source that's referenced by an object. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentSource in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
ExtractDataMapperInput	Extract Data Mapper Input	textarea		131072		
ExtractDataMapperName	Extract Data Mapper Name	string		255		
Id	Content Source ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RelatedFieldApiName	Related Field API Name	string		255		
RelatedObjectApiName	Related Object API Name	string		255		
RelatedRecordIdentifier	Related Record Identifier	string		255		
SystemModstamp	System Modstamp	datetime				
TransformDataMapperName	Transform Data Mapper Name	string		255		
Type	Type	picklist		255		

CONTENTSOURCEFEED

Feed tracking for ContentSource.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CONTENTSOURCEHISTORY

History for tracked fields of ContentSource.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentSourceId	Content Source ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Content Source History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONTENTSOURCESHARE

Sharing for ContentSource.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CONTENTTAGSUBSCRIPTION

Represents a subscription for a user following a tag on a file. This object is available in API version 42.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentTagSubscription in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Id`	ContentTagSubscription ID	id		18		
`UserId`	User ID	reference		18		

CONTENTTAXONOMY

Represents a content taxonomy, which is used to classify and organize Salesforce CMS content. To create a hierarchy of terms in a content taxonomy, use this object in addition to the ContentTaxonomyTerm, ContentTaxonomyRelatedTerm, and ContentTaxonomyTermRelatedTerm objects. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentTaxonomy in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Id	Content Taxonomy ID	id		18		
IsDeleted	Deleted	boolean				
Language	Content Taxonomy Language	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Content Taxonomy Name	string		255		
SystemModstamp	System Modstamp	datetime				

CONTENTTAXONOMYRELATEDTERM

Represents the relationship between a term and the content taxonomy to which the term belongs. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentTaxonomyRelatedTerm in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ContentTaxonomyId`	Content Taxonomy ID	reference		18		
`ContentTaxonomyTermId`	Content Taxonomy Term ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Content Taxonomy Related Term ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`SystemModstamp`	System Modstamp	datetime				

CONTENTTAXONOMYTERM

Represents a term in a content taxonomy. Terms describe what content is or how it's used, and they're organized in parent-child relationships in the taxonomy hierarchy. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentTaxonomyTerm in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
DeveloperName	Developer Name	string		80		
ExternalId	External ID	string		255		
Id	Content Taxonomy Term ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Content Taxonomy Term Name	string		255		
SystemModstamp	System Modstamp	datetime				

CONTENTTAXONOMYTERMRELATEDTERM

Represents the relationship between two terms in a content taxonomy. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentTaxonomyTermRelatedTerm in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentTaxonomyId	Content Taxonomy ID	reference		18		
ContentTaxonomyTermId	Content Taxonomy Term ID	reference		18		
ContentTaxonomyTrmRelaTypeId	Content Taxonomy Term Relationship Type ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Content Taxonomy Term Related Term ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RelatedContentTaxonomyTermId	Content Taxonomy Term ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CONTENTTAXONOMYTERMRELATIONSHIPTYPE

Represents the type of relationship between two terms in a content taxonomy. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentTaxonomyTermRelationshipType in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentTaxonomyTrmRelaCatg	Content Taxonomy Term Relationship Category	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Id	Content Taxonomy Term Relationship Type ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Content Taxonomy Term Relationship Type Name	string		255		
SystemModstamp	System Modstamp	datetime				

CONTENTUSERSUBSCRIPTION

Represents a subscription for a user following another user. This object is available in API version 42.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentUserSubscription in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Id`	ContentUserSubscription ID	id		18		
`SubscribedToUserId`	User ID	reference		18		
`SubscriberUserId`	User ID	reference		18		

CONTENTVERSION

Represents a specific version of a document in Salesforce CRM Content or Salesforce Files. This object is available in versions 17.0 and later for Salesforce CRM Content documents. This object is available in versions 20.0 and later for Salesforce Files.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentVersion in the *Consumer Goods Cloud Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Checksum	Checksum	string		50		
ContentBodyId	Content Body ID	reference		18		
ContentDocumentId	ContentDocument ID	reference		18		
ContentLocation	Content Location	picklist		40		
ContentModifiedById	User ID	reference		18		
ContentModifiedDate	Content Modified Date	datetime				
ContentSize	Size	int	9			
ContentUrl	Content URL	url		1333		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		1000		
ExternalDataSourceId	External Data Source ID	reference		18		
ExternalDocumentInfo1	External Document Info1	string		1000		
ExternalDocumentInfo2	External Document Info2	string		1000		
FeaturedContentBoost	Featured Content Boost	int	9			
FeaturedContentDate	Featured Content Date	date				
FileExtension	File Extension	string		40		
FileType	File Type	string		20		
FirstPublishLocationId	First Publish Location ID	reference		18		
Id	ContentVersion ID	id		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsAssetEnabled	Asset File Enabled	boolean				
IsDeleted	Is Deleted	boolean				
IsLatest	Is Latest	boolean				
IsMajorVersion	Major Version	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
NegativeRatingCount	Negative Rating Count	int	9			
NetworkId	Network ID	reference		18		
Origin	Content Origin	picklist		40		
OwnerId	Owner ID	reference		18		
PathOnClient	Path On Client	string		500		
PositiveRatingCount	Positive Rating Count	int	9			
PublishStatus	Publish Status	picklist		40		
RatingCount	Rating Count	int	9			
ReasonForChange	Reason For Change	string		1000		
SharingOption	Prevent others from sharing and unsharing	picklist		40		
SharingPrivacy	File Privacy on Records	picklist		40		
SystemModstamp	System Modstamp	datetime				
TagCsv	Tags	textarea		2000		
TextPreview	Text Preview	string		255		
Title	Title	string		255		
VersionData	Version Data	base64				
VersionDataUrl	Version Data URL	string		255		
VersionNumber	Version Number	string		20		

CONTENTVERSIONCOMMENT

Represents a comment on a version of a file. This object is available in API version 42.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentVersionComment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ContentDocumentId`	ContentDocument ID	reference		18		
`ContentVersionId`	ContentVersion ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	ContentVersionComment ID	id		18		
`UserComment`	Version Comment	textarea		2000		

CONTENTVERSIONHISTORY

Represents the history of a specific version of a document. This object is available in version 17.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentVersionHistory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ContentVersionId`	ContentVersion ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Content Version ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CONTENTVERSIONRATING

Represents a rating on a version of a file. This object is available in API version 42.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentVersionRating in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ContentVersionId`	Version ID	reference		18		
`Id`	ContentVersionRating ID	id		18		
`LastModifiedDate`	Last Modified Date	datetime				
`Rating`	Rating	int	9			
`UserComment`	User Comment	textarea		1000		
`UserId`	User ID	reference		18		

CONTENTWORKSPACE

Represents a content library. This object is available in versions 17.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentWorkspace in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultRecordTypeId	Record Type ID	reference		18		
Description	Description	textarea		500		
DeveloperName	Unique Name	string		80		
Id	Library ID	id		18		
IsRestrictContentTypes	Restrict Record Types	boolean				
IsRestrictLinkedContentTypes	Restrict Linked Record Types	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastWorkspaceActivityDate	Last Activity	datetime				
Name	Name	string		255		
NamespacePrefix	Namespace Prefix	string		15		
RootContentFolderId	Content Folder ID	reference		18		
ShouldAddCreatorMembership	Add Creator Membership	boolean				
SystemModstamp	System Modstamp	datetime				
TagModel	Tag Model	picklist		40		
WorkspaceImageId	Asset File ID	reference		18		
WorkspaceType	Library Type	picklist		40		

CONTENTWORKSPACEDOC

Represents a link between a document and a public library in Salesforce CRM Content. This object is available in versions 17.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentWorkspaceDoc in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ContentDocumentId`	ContentDocument ID	reference		18		
`ContentWorkspaceId`	Library ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Library Document ID	id		18		
`IsDeleted`	Is Deleted	boolean				
`IsOwner`	Is Owning Library	boolean				
`SystemModstamp`	System Modstamp	datetime				

CONTENTWORKSPACEMEMBER

Represents a member of a content library. This object is available in API version 40.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentWorkspaceMember in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentWorkspaceId	Library ID	reference		18		
ContentWorkspacePermissionId	Library Permission ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Library Member ID	id		18		
MemberId	Member ID	reference		18		
MemberType	Member Type	picklist		40		

CONTENTWORKSPACEPERMISSION

Represents a library permission. This object is available in API version 40.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentWorkspacePermission in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		2000		
Id	Library Permission ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
PermissionsAddComment	Add Comment	boolean				
PermissionsAddContent	Add Content	boolean				
PermissionsAddContentOBO	Add Content on Behalf of Others	boolean				
PermissionsArchiveContent	Archive Content	boolean				
PermissionsChatterSharing	Attach or Share Content	boolean				
PermissionsDeleteContent	Delete Content	boolean				
PermissionsDeliverContent	Deliver Content	boolean				
PermissionsFeatureContent	Feature Content	boolean				
PermissionsManageWorkspace	Manage Library	boolean				
PermissionsModifyComments	Modify Comments	boolean				
PermissionsOrganizeFileAndFolder	Organize File and Content Folder	boolean				
PermissionsTagContent	Tag Content	boolean				
PermissionsViewComments	View Comment	boolean				
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

CONTENTWORKSPACESUBSCRIPTION

Represents a subscription for a user following a library. This object is available in API version 42.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContentWorkspaceSubscription in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ContentWorkspaceId`	Workspace ID	reference		18		
`Id`	ContentWorkspaceSubscription ID	id		18		
`UserId`	User ID	reference		18		

CONTEXTDEFINITIONSYNCSHARE

Sharing for ContextDefinitionSync.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CONTEXTPARAMMAP

Represents optional context data for a Conversation or a ConversationParticipant. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContextParamMap in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ContextEntityId`	Context Entity ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Context Param Map ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MapKey`	Map Key	string		255		
`MapValue`	Map Value	string		1333		
`SystemModstamp`	System Modstamp	datetime				

CONTEXTPERSISTENCEEVENT

Notifies subscribers when the Context Persistence event, initiated by the Context Persistence API has completed its execution. This event is designed to inform customers/clients about the success or failure of their Context Persistence request. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContextPersistenceEvent in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CorrelationIdentifier`	Correlation Identifier	string		80		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EventUuid`	Event UUID	string		36		
`HasErrors`	Has Errors	boolean				
`ReplayId`	Replay ID	string		1000		
`RequestIdentifier`	Request Identifier	string		80		

CONTRACT

Represents a contract (a business agreement) associated with an Account.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Contract in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActivatedById	Activated By ID	reference		18		
ActivatedDate	Activated Date	datetime				
BillingAddress	Billing Address	address				
BillingCity	Billing City	string		40		
BillingCountry	Billing Country	string		80		
BillingGeocodeAccuracy	Billing Geocode Accuracy	picklist		40		
BillingLatitude	Billing Latitude	double			18	15
BillingLongitude	Billing Longitude	double			18	15
BillingPostalCode	Billing Zip/Postal Code	string		20		
BillingState	Billing State/Province	string		80		
BillingStreet	Billing Street	textarea		255		
CompanySignedDate	Company Signed Date	date				
CompanySignedId	Company Signed By ID	reference		18		
ContractNumber	Contract Number	string		30		
ContractTerm	Contract Term	int	4			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
CustomerSignedDate	Customer Signed Date	date				
CustomerSignedId	Customer Signed By ID	reference		18		
CustomerSignedTitle	Customer Signed Title	string		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Description	Description	textarea		32000		
EndDate	Contract End Date	date				
Id	Contract ID	id		18		
IsDeleted	Deleted	boolean				
LastActivityDate	Last Activity	date				
LastApprovedDate	Last Approved Date	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerExpirationNotice	Owner Expiration Notice	picklist		40		
OwnerId	Owner ID	reference		18		
Pricebook2Id	Price Book ID	reference		18		
ShippingAddress	Shipping Address	address				
ShippingCity	Shipping City	string		40		
ShippingCountry	Shipping Country	string		80		
ShippingGeocodeAccuracy	Shipping Geocode Accuracy	picklist		40		
ShippingLatitude	Shipping Latitude	double			18	15
ShippingLongitude	Shipping Longitude	double			18	15
ShippingPostalCode	Shipping Zip/Postal Code	string		20		
ShippingState	Shipping State/Province	string		80		
ShippingStreet	Shipping Street	textarea		255		
SourceOpportunityId	Opportunity ID	reference		18		
SpecialTerms	Special Terms	textarea		4000		
StartDate	Contract Start Date	date				
Status	Status	picklist		100		
StatusCode	Status Category	picklist		40		
SystemModstamp	System Modstamp	datetime				

CONTRACTCONTACTROLE

Represents the role that a Contact plays on a Contract.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContractContactRole in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactId	Contact ID	reference		18		
ContractId	Contract ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Contact Role ID	id		18		
IsDeleted	Deleted	boolean				
IsPrimary	Primary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Role	Role	picklist		255		
SystemModstamp	System Modstamp	datetime				

CONTRACTFEED

Feed tracking for Contract.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CONTRACTGROUPPLAN

Represents a set of plans as part of the contract between the insurance carrier and the group. This set of plans corresponds to the plans included in the quote (as Quote Line Items). Child object of Contract. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContractGroupPlan in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ContractGroupParentPlanId	Contract Group Plan ID	reference		18		
ContractId	Contract ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EffectiveEndDate	Effective End Date	datetime				
EffectiveStartDate	Effective Start Date	datetime				
EligibilityCriteria	Eligibility Criteria	string		255		
EnrollmentEndDate	Enrollment End Date	date				
EnrollmentRatingType	Enrollment Rating Type	picklist		255		
EnrollmentStartDate	Enrollment Start Date	date				
EnrollmentWaitingPeriod	Enrollment Waiting Period	int	9			
GroupNumber	Group Number	string		255		
Id	Contract Group Plan ID	id		18		
IsDeleted	Deleted	boolean				
IsOptional	Is Optional	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Name	Name	string		255		
OriginalContractPlanId	Contract Group Plan ID	reference		18		
PlanType	Plan Type	string		255		
PricingStructure	Pricing Structure	textarea		131072		
ProductCategoryId	Category ID	reference		18		
ProductNumber	Product Number	int	9			
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
UnitPrice	Unit Price	currency			18	0
UsageType	Usage Type	picklist		255		

CONTRACTGROUPPLANFEED

Feed tracking for ContractGroupPlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CONTRACTGROUPPLANGROUPCLASS

Represents the association of a Contract Group Plan to a Group Class. Use this entity to define group classes and group class contributions at the contract group plan level. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContractGroupPlanGroupClass in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ContractGroupPlanId`	Contract Group Plan ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CurrencyIsoCode`	Currency ISO Code	picklist		3		
`GroupClassId`	Group Class ID	reference		18		
`Id`	Contract Group Plan Group Class ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`OwnerId`	Owner ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

CONTRACTGROUPPLANGROUPCLASSFEED

Feed tracking for ContractGroupPlanGroupClass.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CONTRACTGROUPPLANGROUPCLASSHISTORY

History for tracked fields of ContractGroupPlanGroupClass.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContractGroupPlanGroupClassId	Contract Group Plan Group Class ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Contract Group Plan Group Class History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONTRACTGROUPPLANGROUPCLASSSHARE

Sharing for ContractGroupPlanGroupClass.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CONTRACTGROUPPLANHISTORY

History for tracked fields of ContractGroupPlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ContractGroupPlanId`	Contract Group Plan ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Contract Group Plan History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CONTRACTHISTORY

History for tracked fields of Contract.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ContractId`	Contract ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Contract History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CONTRACTITEMPRICE

Represents an object that's used to capture a price for a product on a contract. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContractItemPrice in the *Quote and Order Capture Guide* and *Salesforce Pricing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentMethod	Adjustment Method	picklist		255		
ContractId	Contract ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DiscountType	Discount Type	picklist		255		
DiscountValue	Discount Value	double			18	6
EndDate	End Date	datetime				
Id	Contract Item Price ID	id		18		
IsDeleted	Deleted	boolean				
ItemId	Item ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ListPrice	List Price	currency			18	2
Name	Name	string		255		
Price	Price	currency			18	2
ProductSellingModelId	Product Selling Model ID	reference		18		
SellingModelType	Selling Model Type	picklist		255		
StartDate	Start Date	datetime				
SystemModstamp	System Modstamp	datetime				

CONTRACTITEMPRICEADJTIER

Represents the tiers of a price adjustment to a product on a contract. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContractItemPriceAdjTier in the *Quote and Order Capture Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContractItemPriceId	Contract Item Price ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Contract Item Price Adjustment Tier ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LowerBound	Lower Bound	double			18	0
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				
TierType	Tier Type	picklist		255		
TierValue	Tier Value	double			18	6
UpperBound	Upper Bound	double			18	0

CONTRACTITEMPRICEADJTIERFEED

Feed tracking for ContractItemPriceAdjTier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CONTRACTITEMPRICEADJTIERHISTORY

History for tracked fields of ContractItemPriceAdjTier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContractItemPriceAdjTierId	Contract Item Price Adjustment Tier ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Contract Item Price Adjustment Tier History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONTRACTITEMPRICEFEED

Feed tracking for ContractItemPrice.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CONTRACTITEMPRICEHISTORY

Represents the history of changes to the values in the fields of a ContractItemPrice object. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContractItemPriceHistory in the *Quote and Order Capture Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ContractItemPriceId`	Contract Item Price ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Contract Item Price History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CONTRACTLINEITEM

Represents a product covered by a service contract (customer support agreement). This object is available in API version 18.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContractLineItem in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
Discount	Discount	percent			5	2
EndDate	End Date	date				
Id	Contract Line Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LineItemNumber	Line Item Number	string		255		
ListPrice	List Price	currency			18	2
LocationId	Location ID	reference		18		
ParentContractLineItemId	Contract Line Item ID	reference		18		
PricebookEntryId	Price Book Entry ID	reference		18		
Product2Id	Product ID	reference		18		
Quantity	Quantity	double			12	2
RootContractLineItemId	Contract Line Item ID	reference		18		
ServiceContractId	Service Contract ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
StartDate	Start Date	date				
Status	Status	picklist		255		
Subtotal	Subtotal	currency			18	2
SystemModstamp	System Modstamp	datetime				
TotalPrice	Total Price	currency			18	2
UnitPrice	Sales Price	currency			18	2

CONTRACTLINEITEMFEED

Feed tracking for ContractLineItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CONTRACTLINEITEMHISTORY

History for tracked fields of ContractLineItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContractLineItemId	Contract Line Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Contract Line Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONTRACTLINEOUTCOME

Represents information on a contract line outcome's captured data and other related parameters that are used when capturing data. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContractLineOutcome in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CalculationMethod	Calculation Method	picklist		255		
CaptureFrequency	Capture Frequency	picklist		255		
ComplianceStatus	Compliance Status	picklist		255		
ContractLineItemId	Contract Line Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
EndDate	End Date	datetime				
Id	Contract Line Outcome ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
NextDataCaptureDate	Next Data Capture Date	datetime				
OwnerId	Owner ID	reference		18		
RecordsetFilterCriteriaId	Recordset Filter Criteria ID	reference		18		
ServiceContractId	Service Contract ID	reference		18		
StartDate	Start Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

CONTRACTLINEOUTCOMEDATA

Represents the contract line outcome's captured data. It stores the data that was captured between the contract line outcome's start date and end date. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContractLineOutcomeData in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CalculatedValue	Calculated Value	double			18	2
CaptureDate	Capture Date	datetime				
ContractLineOutcomeId	Contract Line Outcome ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Contract Line Outcome Data ID	id		18		
IsDeleted	Deleted	boolean				
KeyPerformanceIndicator	Key Performance Indicator	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				
Value	Value	double			18	2

CONTRACTLINEOUTCOMEFEED

Feed tracking for ContractLineOutcome.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CONTRACTLINEOUTCOMEHISTORY

History for tracked fields of ContractLineOutcome.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ContractLineOutcomeId`	Contract Line Outcome ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Contract Line Outcome History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CONTRACTLINEOUTCOMESHARE

Sharing for ContractLineOutcome.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CONTRACTPAYMENTAGREEMENT

Stores information about the contract payment agreement associated with a contract.

For more information, see ContractPaymentAgreement in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AgreementType	Agreement Type	picklist		40		
ContractId	Contract ID	reference		18		
ContractPaymentAgreementKey	Contract Payment Agreement Key	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
EligibleProcedureCodeList	Eligible Procedure Code List	textarea		32000		
EndDateTime	End Date	datetime				
FeeScheduleDefinitionId	Fee Schedule Definition ID	reference		18		
Id	ContractPaymentAgreement ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LineofBusiness	Line of Business	picklist		40		
Name	Name	string		255		
StandardFeeCalculationPercentage	Standard Fee Calculation Percentage	percent			5	2
StartDateTime	Start Date	datetime				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

CONTRACTPAYMENTAGREEMENTFEED

Feed tracking for ContractPaymentAgreement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CONTRACTPAYMENTAGREEMENTHISTORY

History for tracked fields of ContractPaymentAgreement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContractPaymentAgreementId	ContractPaymentAgreement ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Contract Payment Agreement History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CONTRACTSTATUS

Represents the status of a Contract, such as Draft, InApproval, Activated, Terminated, or Expired.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ContractStatus in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Contract Status Value ID	id		18		
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
StatusCode	Status Code	picklist		40		
SystemModstamp	System Modstamp	datetime				

CONVCOACHINGRECOMMENDATIONSHARE

Sharing for ConvCoachingRecommendation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CONVINTELLIGENCESIGNALRULE

Represents a conversation intelligence signal rule. The rule triggers actions based on real-time intelligence signals from your telephony system or keywords mentioned by support reps or customers. The rule contains a set of conditions (subrules) and the filter logic used to evaluate those conditions to determine whether to trigger actions. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ConvIntelligenceSignalRule in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionType	Action Type	picklist		255		
ActionValue	Action Value	string		255		
ConversationChannelId	Conversation Channel ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Criteria	Criteria	string		255		
DeveloperName	Developer Name	string		80		
Id	Conversation Intelligence Signal Rule ID	id		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
Label	Label	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParticipantRole	Participant Role	picklist		255		
Service	Service	picklist		255		
SystemModstamp	System Modstamp	datetime				

CONVINTELLIGENCESIGNALSUBRULE

Represents a condition (subrule) within a conversation intelligence signal rule. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ConvIntelligenceSignalSubRule in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConvIntelligenceSignalRuleId	Conversation Intelligence Signal Rule ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Conversation Intelligence Signal Sub-Rule ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OperandValue	Operand Value	string		255		
Operator	Operator	picklist		255		
Order	Order	int	2			
SystemModstamp	System Modstamp	datetime				
Type	Conversation Intelligence Signal Source Type	picklist		255		

CONVMESSAGESENDREQUEST

Represents a request to send a template-based messaging component to a series of messaging users in an enhanced messaging channel or Messaging for In-App. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ConvMessageSendRequest in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AllowExistingSessionStatus	Send Condition	picklist		255		
CommSubscriptionId	Communication Subscription ID	reference		18		
CompletedDate	Completed Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FailedMessageCount	Failed Message Count	int	9			
FailedMessageErrorReasons	Failed Message Error Reasons	textarea		700		
FailedMessageIdentifiers	Failed Message Identifiers	textarea		4000		
FailedMeuPlatformKeys	Failed Message Platform Keys	textarea		8000		
Id	Conversation Message Send Request ID	id		18		
InProgressMessageCount	In Progress Message Count	int	9			
InProgressMessageIdentifiers	In Progress Message Identifiers	string		255		
InProgressMessagingEndUserIds	In Progress Messaging User Ids	string		255		
InProgressMessagingSessionIds	In Progress Messaging Session Ids	string		255		
InProgressMeuPlatformKeys	In Progress Messaging Session Platform Keys	string		255		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MessageDefinition	Message Definition	string		255		
MessageDefinitionParameters	Message Definition Parameters	textarea		8000		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Name	Conversation Message Send Request Name	string		255		
PendingMessageCount	Pending Message Count	int	9			
PendingMessageIdentifiers	Pending Message Identifiers	textarea		4000		
PendingMessagingEndUserIds	Pending Messaging User Ids	textarea		4000		
PendingMeuPlatformKeys	Pending Messaging User Platform Keys	textarea		8000		
RequestConsentType	Consent Type	picklist		255		
RequestStatus	Send Status	picklist		255		
RequestType	Send Message Type	picklist		255		
SessionLongevityPreference	Messaging Session Longevity	picklist		255		
ShouldEnforceChannelConsent	Enforce Channel Consent	boolean				
SuccessMessageCount	Success Message Count	int	9			
SuccessMessageIdentifiers	Success Message Identifiers	textarea		4000		
SuccessMeuPlatformKeys	Success Message Platform Keys	textarea		8000		
SystemModstamp	System Modstamp	datetime				
TotalMessageCount	Total Message Count	int	9			

CONVERSATION

Represents a conversation between an end user and an agent. Available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Conversation in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConversationChannelId	Conversation Channel ID	reference		18		
ConversationIdentifier	Conversation Identifier	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndTime	Conversation End time	datetime				
EndTimeMilliSecs	Milliseconds portion of Conversation End time	int	9			
Id	Conversation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Conversation Name	string		30		
StartTime	Conversation Start time	datetime				
StartTimeMilliSecs	Milliseconds portion of Conversation Start time	int	9			

CONVERSATIONAPILOG

Logs of an API operation on a specific conversation object done using the Conversation Service API. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ConversationApiLog in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Action	Action	picklist		255		
Context	Context	string		4000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Conversation Api Log ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Conversation Api Log Name	string		255		
Operation	Operation	string		100		
OwnerId	Owner ID	reference		18		
Parameter	Parameter	string		4000		
RequestedById	User ID	reference		18		
RequestedDate	Requested Date	datetime				
RequestedEntityIdentifier	Requested Entity Identifier	string		15		
RequestedEntityType	Requested Entity Type	picklist		255		
Status	Status	picklist		255		
StatusHistory	Status History	string		4000		
SystemModstamp	System Modstamp	datetime				

CONVERSATIONAPILOGSHARE

Sharing for ConversationApiLog.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CONVERSATIONCONTEXTENTRY

Represents the context of a message or an event in the chat history between an agent and a messaging user. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ConversationContextEntry in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConversationContextEntryName	Conversation Context Entry Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
CustomDetailContextKey	Key	textarea		131072		
CustomDetailContextValue	Value	textarea		131072		
Id	Conversation Context Entry ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Chat Transcript ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CONVERSATIONENTRY

Represents a message or event in a voice call or a standard or enhanced messaging session. This object is available in API version 43.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ConversationEntry in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActorId	Actor ID	reference		18		
ActorName	Actor Name	string		650		
ActorType	Actor Type	picklist		40		
ClientDuration	ClientDuration	int	9			
ClientTimestamp	ClientTimestamp	datetime				
ConversationEntityId	Conversation ID	reference		18		
ConversationId	Conversation ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EntryEndTime	Entry End Time	datetime				
EntryTime	Entry Start Time	datetime				
EntryTimeMilliSecs	Entry Time Milli Seconds(last 3 digits)	int	9			
EntryType	Entry Type	picklist		40		
HasAttachments	Has Attachments	boolean				
Id	Conversation Entry ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Message	Message	textarea		131072		
MessageDeliverTime	Message Deliver Time	datetime				
MessageIdentifier	Message ID	string		36		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MessageReadTime	Message Read Time	datetime				
MessageSendTime	Message Send Time	datetime				
MessageStatus	Message Status	picklist		40		
MessageStatusCode	Message Status Code	string		25		
Seq	Sequence	int	9			
ServerReceivedTimestamp	ServerReceivedTimestamp	datetime				
SystemModstamp	System Modstamp	datetime				

CONVERSATIONINSIGHTEVENT

Notifies subscribers whenever an Einstein Insight rule is triggered. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ConversationInsightEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Detail`	Detail	string		18		
`EventUuid`	Event UUID	string		36		
`InsightChannelType`	Insight Channel Type	picklist		255		
`InsightKeywords`	Insight Keywords	json		250000		
`InsightOwner`	Insight Owner	string		18		
`InsightParticipants`	Insight Participants	json		250000		
`InsightTypeKey`	Insight Type Key	string		36		
`InsightTypeName`	Insight Type Name	string		80		
`ReplayId`	Replay Id	string		1000		
`UnifiedActivity`	Unified Activity	string		18		

CONVERSATIONPARTICIPANT

Represents an active participant in a conversation. A new ConversationParticipant record is created each time a participant joins a conversation. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ConversationParticipant in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppType	App Type	string		255		
ConversationId	Conversation ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Conversation Participant ID	id		18		
IsDeleted	Deleted	boolean				
JoinedTime	Joined Time	datetime				
JoinedTimeMilliSecs	Milliseconds portion of Joined Time	int	9			
LastActiveTime	Last Active Time	datetime				
LastActiveTimeMilliSecs	Milliseconds portion of Last Active Time	int	9			
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LeftTime	Left Time	datetime				
LeftTimeMilliSecs	Milliseconds portion of Left Time	int	9			
Name	Conversation Participant Name	string		30		
ParticipantContext	Participant Context	string		255		
ParticipantDisplayName	Participant Display Name	string		255		
ParticipantEntityId	ParticipantEntity ID	reference		18		
ParticipantKey	Participant Key	string		120		
ParticipantRole	Participant Role	string		36		

CORSWHITELISTENTRY

Represents an entry in the cross-origin resource sharing (CORS) allowlist. Origins included in the allowlist can request REST resources from that Salesforce org.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CorsWhitelistEntry in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Name	string		80		
`Id`	CORS Allowed Origin List ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Label	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`SystemModstamp`	System Modstamp	datetime				
`UrlPattern`	Origin URL Pattern	string		255		

COSTBOOK

Represents the cost book that contains multiple cost book entries. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CostBook in the *Salesforce Pricing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveFrom	Effective From	datetime				
EffectiveTo	Effective To	datetime				
Id	CostBook ID	id		18		
IsDefault	Default	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

COSTBOOKENTRY

Represents the total cost of a product or service that's determined based on various factors that affect a product's price. For example, when a product is manufactured, the weight of the raw material can be a cost factor based on the amount of material required and its shipping cost. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CostBookEntry in the *Salesforce Pricing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Cost	Cost	currency			18	2
CostBookId	CostBook ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
EffectiveFrom	Effective From	datetime				
EffectiveTo	Effective To	datetime				
Id	CostBookEntry ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ProductId	Product ID	reference		18		
SystemModstamp	System Modstamp	datetime				

COSTBOOKENTRYFEED

Feed tracking for CostBookEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

COSTBOOKENTRYHISTORY

History for tracked fields of CostBookEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CostBookEntryId	CostBookEntry ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Cost Book Entry History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

COSTBOOKFEED

Feed tracking for CostBook.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

COSTBOOKHISTORY

History for tracked fields of CostBook.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CostBookId	CostBook ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Cost Book History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

COSTBOOKSHARE

Sharing for CostBook.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

COUPON

A coupon associated with a promotion. This object is available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Coupon in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CouponCode	Coupon Code	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
EndDateTime	End Date Time	datetime				
Id	Coupon ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Coupon Number	string		255		
OwnerId	Owner ID	reference		18		
PromotionId	Promotion ID	reference		18		
RedemptionLimitAllBuyers	Redemption Limit All Buyers	int	9			
RedemptionLimitPerBuyer	Redemption Limit Per Buyer	int	9			
StartDateTime	Start Date Time	datetime				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

COUPONCODEREDEMPTION

Tracks each coupon code redemption. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CouponCodeRedemption in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Buyer	Buyer	string		255		
CouponId	Coupon ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Coupon Code Redemption ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Coupon Code Redemption Number	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Transaction	Transaction	string		255		

COUPONCODEREDEMPTIONSHARE

Sharing for CouponCodeRedemption.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

COUPONFEED

Feed tracking for Coupon.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

COUPONHISTORY

History for tracked fields of Coupon.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CouponId	Coupon ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Coupon History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

COUPONSHARE

Sharing for Coupon.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

COURSEOFFERING

Represents an instance of a training course with location and date details of training courses This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CourseOffering in the *Education Cloud Developer Guide*, *Emergency Response Management Object Reference*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CourseNameId	Course Name ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		255		
EndDate	End Date	datetime				
Id	Course Offering ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
StartDate	Start Date	datetime				
SystemModstamp	System Modstamp	datetime				

COURSEOFFERINGFEED

Feed tracking for CourseOffering.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

COURSEOFFERINGHISTORY

History for tracked fields of CourseOffering.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CourseOfferingId	Course Offering ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Course Offering History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

COURSEOFFERINGSHARE

Sharing for CourseOffering.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

COVERAGEBENEFIT

Represents the benefits provided to a covered member by a purchaser's plan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CoverageBenefit in the *Life Sciences Cloud Developer Guide* and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitNotes	Benefit Notes	textarea		32000		
BenefitPeriodEndDate	Benefit Period End Date	date				
BenefitPeriodStartDate	Benefit Period Start Date	date				
CareBenefitVerifyRequestId	Care Benefit Verify Request ID	reference		18		
CoinsuranceNotes	Coinsurance Notes	textarea		32000		
CopayNotes	Copay Notes	textarea		32000		
CoverageType	Coverage Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeductibleNotes	Deductible Notes	textarea		32000		
Disclaimer	Disclaimers	string		255		
EmergencyDepartmentCopay	Emergency Department Copay	currency			18	2
FamilyInNetworkDeductibleApplied	Family In-Network Deductible Applied	currency			18	2
FamilyInNetworkDeductibleLimit	Family In-Network Deductible Limit	currency			18	2
FamilyInNetworkDeductibleRemaining	Family In-Network Deductible Remaining	currency			18	2
FamilyInNetworkOutofPocketApplied	Family In-Network Out-of-Pocket Applied	currency			18	2
FamilyInNetworkOutofPocketLimit	Family In-Network Out-of-Pocket Limit	currency			18	2
FamilyInNetworkOutofPocketRemaining	Family In-Network Out-of-Pocket Remaining	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
FamilyOutofNetworkDeductibleApplied	Family Out-of-Network Deductible Applied	currency			18	2
FamilyOutofNetworkDeductibleLimit	Family Out-of-Network Deductible Limit	currency			18	2
FamilyOutofNetworkDeductibleRemaining	Family Out-of-Network Deductible Remaining	currency			18	2
FamilyOutofNetworkOutofPocketApplied	Family Out-of-Network Out-of-Pocket Applied	currency			18	2
FamilyOutofNetworkOutofPocketLimit	Family Out-of-Network Out-of-Pocket Limit	currency			18	2
FamilyOutofNetworkOutofPocketRemaining	Family Out-of-Network Out-of-Pocket Remaining	currency			18	2
FinalCoverageStatusCodeId	Code Set ID	reference		18		
Id	Coverage Benefit ID	id		18		
InNetworkCoinsuranceAmount	In-Network Coinsurance (Amount)	currency			18	2
InNetworkCoinsurancePercentage	In-Network Coinsurance (Percentage)	percent			3	0
InNetworkLifetimeMaximum	In-Network Lifetime Maximum	currency			18	2
IndividualInNetworkDeductibleApplied	Individual In-Network Deductible Applied	currency			18	2
IndividualInNetworkDeductibleLimit	Individual In-Network Deductible Limit	currency			18	2
IndividualInNetworkDeductibleRemaining	Individual In-Network Deductible Remaining	currency			18	2
IndividualInNetworkOutofPocketApplied	Individual In-Network Out-of-Pocket Applied	currency			18	2
IndividualInNetworkOutofPocketLimit	Individual In-Network Out-of-Pocket Limit	currency			18	2
IndividualInNetworkOutofPocketRemaining	Individual In-Network Out-of-Pocket Remaining	currency			18	2
IndividualOutofNetworkDeductibleApplied	Individual Out-of-Network Deductible Applied	currency			18	2
IndividualOutofNetworkDeductibleLimit	Individual Out-of-Network Deductible Limit	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IndividualOutofNetworkDeductibleRemain	Individual Out-of-Network Deductible Remaining	currency			18	2
IndividualOutofNetworkOutofPocketApplied	Individual Out-of-Network Out-of-Pocket Applied	currency			18	2
IndividualOutofNetworkOutofPocketLimit	Individual Out-of-Network Out-of-Pocket Limit	currency			18	2
IndividualOutofNetworkOutofPocketRemain	Individual Out-of-Network Out-of-Pocket Remaining	currency			18	2
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LifetimeMaximumNotes	Lifetime Maximum Notes	textarea		32000		
MemberId	Account ID	reference		18		
MemberPlanId	Member Plan ID	reference		18		
Name	Name	string		255		
OutcomeStatusCodeId	Code Set ID	reference		18		
OutofNetworkCoinsuranceAmount	Out-of-Network Coinsurance (Amount)	currency			18	2
OutofNetworkCoinsurancePercentage	Out-of-Network Coinsurance (Percentage)	percent			3	0
OutofNetworkLifetimeMaximum	Out-of-Network Lifetime Maximum	currency			18	2
OutofPocketNotes	Out-of-Pocket Notes	textarea		32000		
OwnerId	Owner ID	reference		18		
PharmaCopayAmount	Pharma Copay Amount	currency			18	2
PrimaryCareCopay	Primary Care Copay	currency			18	2
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
SpecialistCopay	Specialist Copay	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
StatusCodeId	Code Set ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UrgentCareCopay	Urgent Care Copay	currency			18	2
VerificationDate	Verification Date	datetime				

COVERAGEBENEFITFEED

Feed tracking for CoverageBenefit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

COVERAGEBENEFITHISTORY

History for tracked fields of CoverageBenefit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CoverageBenefitId`	Coverage Benefit ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Coverage Benefit History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

COVERAGEBENEFITITEM

Specific service covered by the insurance plan. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CoverageBenefitItem in the *Life Sciences Cloud Developer Guide* and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitCategory	Benefit Category	string		64		
CodeSetServiceTypeId	Code Set ID	reference		18		
CoverageBenefitId	Coverage Benefit ID	reference		18		
CoverageLevel	Coverage Level	string		64		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DoesDeductibleApply	Deductible Applies	boolean				
Id	Coverage Benefit Item ID	id		18		
InNetworkCoverage	In-Network Coverage	textarea		32000		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsInPlanNetwork	In-Plan Network	boolean				
IsPreauthorizationRequired	Requires Preauthorization	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MemberId	Account ID	reference		18		
Name	Name	string		255		
Notes	Notes	textarea		32000		
OutofNetworkCoverage	Out-of-Network Coverage	textarea		32000		
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ServiceType	Service Type	string		64		
ServiceTypeCode	Service Type Code	string		64		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
SystemModstamp	System Modstamp	datetime				
TimePeriod	Time Period	string		64		

COVERAGEBENEFITITEMFEED

Feed tracking for CoverageBenefitItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

COVERAGEBENEFITITEMHISTORY

History for tracked fields of CoverageBenefitItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CoverageBenefitItemId	Coverage Benefit Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Coverage Benefit Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

COVERAGEBENEFITITEMLIMIT

Allows you to track details associated with a specific benefit as it relates to expenditures, limits, coverage levels, eligibility, and exclusion. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CoverageBenefitItemLimit in the *Life Sciences Cloud Developer Guide* and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AllowedLimit	Allowed Limit	string		255		
AllowedQuantity	Allowed Quantity	double			18	0
AllowedQuantityUnitId	Unit of Measure ID	reference		18		
AppliedLimit	Applied Limit	string		255		
AppliedQuantity	Applied Quantity	double			18	0
AppliedQuantityUnitId	Unit of Measure ID	reference		18		
CareLimitTypeId	Care Limit Type ID	reference		18		
CoverageBenefitItemId	Coverage Benefit Item ID	reference		18		
CoverageLevel	Coverage Level	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Coverage Benefit Item Limit ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LimitNotes	Limit Notes	textarea		32000		
Name	Coverage Benefit Item Limit Name	string		255		
NetworkType	Network Type	picklist		255		
PriorityOrder	Priority Order	double			18	0

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
TermType	Term Type	picklist		40		

COVERAGEBENEFITITEMLIMITFEED

Feed tracking for CoverageBenefitItemLimit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

COVERAGEBENEFITITEMLIMITHISTORY

History for tracked fields of CoverageBenefitItemLimit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CoverageBenefitItemLimitId	Coverage Benefit Item Limit ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Coverage Benefit Item Limit History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

COVERAGEBENEFITITEMSHARE

Sharing for CoverageBenefitItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

COVERAGEBENEFITSHARE

Sharing for CoverageBenefit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CRMEMOPROCESSERRDTLEVENT

Contains information about errors that occurred while creating or applying a credit memo as part of a request. This object is included in a CreditInvoiceProcessedEvent, CreditMemoProcessedEvent, NegInvcLineProcessedEvent, or VoidInvoiceProcessedEvent message. You can't subscribe to CrMemoProcessErrDtlEvent directly. This object is available in API versions 55.0–58.0. In API version 58.0, this field returns a null result. See the `ErrorDetails` field on the `CreditInvoiceProcessedEvent`, `CreditMemoProcessedEvent`, `NegInvcLineProcessedEvent`, or `VoidInvoiceProcessedEvent` object for error information.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CrMemoProcessErrDtlEvent in the *Billing Guide* and *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`ErrorCode`	Error Code	string		255		
`ErrorMessage`	Error Message	string		1000		
`ErrorSourceId`	Error Source ID	reference		18		
`EventUuid`	Event UUID	string		36		

CRBNCREDITALLOC

Represents information about how the carbon credits are allocated by an organization to offset their emissions.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CrbnCreditAlloc in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AllocatedCarbonCrCost	Allocated Carbon Credits Cost	currency			18	2
AnnualEmssnInventoryId	Annual Emissions Inventory ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Carbon Credit Allocation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
NetEmissionsInTco2e	Net Emissions (tCO2e)	double			18	2
NetScope1EmssnInTco2e	Net Scope 1 Emissions (tCO2e)	double			18	2
NetScope2EmssnInTco2e	Net Scope 2 Emissions (tCO2e)	double			18	2
NetScope3EmssnInTco2e	Net Scope 3 Emissions (tCO2e)	double			18	2
OwnerId	Owner ID	reference		18		
Scp1CrbnCrAllocInTco2e	Scope 1 Carbon Credit Allocation (tCO2e)	double			18	2
Scp2CrbnCrAllocInTco2e	Scope 2 Carbon Credit Allocation (tCO2e)	double			18	2
Scp3CrbnCrAllocInTco2e	Scope 3 Carbon Credit Allocation (tCO2e)	double			18	2
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalCrbnCrAllocInTco2e	Total Carbon Credits Allocated (tCO2e)	double			18	2
TotalEmssnInTco2e	Total Emissions (tCO2e)	double			18	2
TotalScope1EmssnInTco2e	Total Scope 1 Emissions (tCO2e)	double			18	2
TotalScope2EmssnInTco2e	Total Scope 2 Emissions (tCO2e)	double			18	2
TotalScope3EmssnInTco2e	Total Scope 3 Emissions (tCO2e)	double			18	2
Year	Year	picklist		255		

CRBNCREDITALLOCFEED

Feed tracking for CrbnCreditAlloc.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CRBNCREDITALLOCHISTORY

History for tracked fields of CrbnCreditAlloc.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CrbnCreditAllocId`	Carbon Credit Allocation ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Carbon Credit Allocation History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CRBNCREDITALLOCITEM

Represents information about carbon credit allocation and emissions related to each emission activity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CrbnCreditAllocItem in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CrbnCreditAllocId	Carbon Credit Allocation ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmissionsActivityId	Emissions Activity ID	reference		18		
Id	Carbon Credit Allocation Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
NetEmssnInTco2e	Net Emissions (tCO2e)	double			18	2
SystemModstamp	System Modstamp	datetime				
TotalCrbnCrAllocInTco2e	Total Carbon Credits Allocated (tCO2e)	double			18	2
TotalEmssnInTco2e	Total Emissions (tCO2e)	double			18	2

CRBNCREDITALLOCITEMFEED

Feed tracking for CrbnCreditAllocItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CRBNCREDITALLOCITEMHISTORY

History for tracked fields of CrbnCreditAllocItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CrbnCreditAllocItemId`	Carbon Credit Allocation Item ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Carbon Credit Allocation Item History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CRBNCREDITALLOCSHARE

Sharing for CrbnCreditAlloc.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CRBNCREDITDISTRIBUTION

Represents a junction between the sustainability credit and carbon credit allocation objects. To offset emissions for carbon credit allocation items, specify the emissions activity on this junction object.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CrbnCreditDistribution in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CrbnCrAllocDate	Carbon Credit Allocation Date	date				
CrbnCreditAllocId	Carbon Credit Allocation ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmissionsActivityId	Emissions Activity ID	reference		18		
Id	Carbon Credit Distribution ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SustainabilityCreditId	Sustainability Credit ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalCrbnCrAllocCost	Total Carbon Credits Allocation Cost	currency			18	2
TotalCrbnCrAllocInTco2e	Total Carbon Credits Allocated (tCO2e)	double			18	2

CRBNCREDITDISTRIBUTIONFEED

Feed tracking for CrbnCreditDistribution.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CRBNCREDITDISTRIBUTIONHISTORY

History for tracked fields of CrbnCreditDistribution.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CrbnCreditDistributionId`	Carbon Credit Distribution ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Carbon Credit Distribution History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CRBNCREDITDISTRIBUTIONSHARE

Sharing for CrbnCreditDistribution.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CRBNCREDITPROJECT

Represents information about the environmental project that generates carbon credits by removing greenhouse gasses or preventing a certain quantity of greenhouse gasses from being released.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CrbnCreditProject in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdditionalBenefits	Additional Benefits	multipicklist		4099	0	
Country	Country	picklist		255		
CrbnCrMethodology	Carbon Credit Methodology	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		4000		
DeveloperAccountId	Supplier ID	reference		18		
ExternalIdentifier	External Identifier	string		80		
FundedBy	Funded By	string		255		
Id	Carbon Credit Project ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MitigationType	Mitigation Type	picklist		40		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProjRegistryIdentifier	Project Registry Identifier	string		80		
ProjectType	Project Type	picklist		40		
ProjectUrl	Project URL	url		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Region	Region	picklist		40		
StandardsAgencyName	Standards Agency Name	picklist		40		
SystemModstamp	System Modstamp	datetime				
TotalCrbnCrAllocInTco2e	Total Carbon Credits Allocated (tCO2e)	double			18	2
TotalCrbnCrAvlInTco2e	Total Carbon Credits Available (tCO2e)	double			18	2
TotalCrbnCrPurchInTco2e	Total Carbon Credits Purchased (tCO2e)	double			18	0
TotalSpend	Total Spend	currency			18	0
VerifiedBy	Verified By	string		255		
VoluntaryRegistryName	Voluntary Registry Name	string		80		

CRBNCREDITPROJECTFEED

Feed tracking for CrbnCreditProject.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CRBNCREDITPROJECTHISTORY

History for tracked fields of CrbnCreditProject.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CrbnCreditProjectId	Carbon Credit Project ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Carbon Credit Project History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CRBNCREDITPROJECTSHARE

Sharing for CrbnCreditProject.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CRBNEMSSNSCOPEALLOC

Represents the allocation of fuel consumption for different scope emissions. For an energy use record, tCO_2e is calculated and the results are classified as either Scope 1, Scope 2, or Scope 3 emission values. Each individual fuel type has its own scope allocation record. To put the tCO2e result in the correct scope, the energy use record points to the scope allocation record.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CrbnEmssnScopeAlloc in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Carbon Emissions Scope Allocation ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`OwnerId`	Owner ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

CRBNEMSSNSCOPEALLOCFEED

Feed tracking for CrbnEmssnScopeAlloc.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CRBNEMSSNSCOPEALLOCHISTORY

History for tracked fields of CrbnEmssnScopeAlloc.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CrbnEmssnScopeAllocId`	Carbon Emissions Scope Allocation ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Carbon Emissions Scope Allocation History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CRBNEMSSNSCOPEALLOCSHARE

Sharing for CrbnEmssnScopeAlloc.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CRBNEMSSNSCOPEALLOCVAL

Represents the scope allocation by fuel type.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CrbnEmssnScopeAllocVal in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CrbnEmssnScopeAllocId	Carbon Emissions Scope Allocation ID	reference		18		
CrbnEmssnScopeAllocValFuelTypeRefId	Fuel Type ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FuelType	Fuel Type	picklist		255		
FuelTypeAllocation	Fuel Type Allocation	picklist		255		
Id	Carbon Emissions Scope Allocation Value ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

CRBNEMSSNSCOPEALLOCVALFEED

Feed tracking for CrbnEmssnScopeAllocVal.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CRBNEMSSNSCOPEALLOCVALHISTORY

History for tracked fields of CrbnEmssnScopeAllocVal.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CrbnEmssnScopeAllocValId	Carbon Emissions Scope Allocation Value ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Carbon Emissions Scope Allocation Value History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CREATEASSETORDERDTLEVENT

Contains information about an attempt to create or update an asset as a result of /actions/standard/createOrUpdateAssetFromOrder. If the request was successful, the event shows information about the asset. If the request failed, the event shows error information. This object is included in an `CreateAssetOrderEvent` message. You can't subscribe to `CreateAssetOrderDtlEvent` directly. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CreateAssetOrderDtlEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`AssetId`	Asset ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`ErrorCode`	Error Code	string		255		
`ErrorMessage`	Error Message	string		1000		
`EventUuid`	Event UUID	string		36		
`IsSuccess`	Success	boolean				
`OrderItemId`	Order Product ID	reference		18		

CREATEASSETORDEREVENT

Notifies subscribers that the process started by the /actions/standard/createOrUpdateAssetFromOrder request is complete. If the process is successful, use this event to learn about the new assets. If the request isn't successful, use this event to learn about the errors and how to fix them. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CreateAssetOrderEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`AssetDetails`	Create Asset Order Detail Event ID	complexvalue				
`CorrelationIdentifier`	Correlation Identifier	string		80		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EventUuid`	Event UUID	string		36		
`IsLastEvent`	Final Event	boolean				
`OrderIdentifier`	Order	string		40		
`ReplayId`	Replay ID	string		1000		
`RequestIdentifier`	Request Identifier	string		80		

CREDENTIALSTUFFINGEVENT

Tracks when a user successfully logs into Salesforce during an identified credential stuffing attack. Credential stuffing refers to large-scale automated login requests using stolen user credentials. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CredentialStuffingEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AcceptLanguage	Accept-Language Header	string		255		
CreatedDate	Created Date	datetime				
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event ID	string		80		
EventUuid	Event UUID	string		36		
LoginKey	Login Key	string		24		
LoginType	Login Type	picklist		255		
LoginUrl	Login URL	string		255		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
ReplayId	Replay ID	string		1000		
Score	Score	double			12	6
SessionKey	Session Key	string		24		
SourceIp	Source IP Address	string		255		
Summary	Summary	textarea		1000		
UserAgent	User Agent	textarea		1000		
UserId	User ID	reference		18		
Username	Username	string		255		

CREDENTIALSTUFFINGEVENTSTORE

Tracks when a user successfully logs into Salesforce during an identified credential stuffing attack. Credential stuffing refers to large-scale automated login requests using stolen user credentials. CredentialStuffingEventStore is an object that stores the event data of CredentialStuffingEvent. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CredentialStuffingEventStore in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AcceptLanguage	Accept-Language Header	string		255		
CreatedDate	Created Date	datetime				
CredentialStuffingEventNumber	Event Name	string		255		
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event ID	string		80		
Id	Credential Stuffing Event Store ID	id		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoginKey	Login Key	string		24		
LoginType	Login Type	picklist		255		
LoginUrl	Login URL	string		255		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
Score	Score	double			12	6
SessionKey	Session Key	string		24		
SourceIp	Source IP Address	string		255		
Summary	Summary	textarea		1000		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UserAgent	User Agent	textarea		1000		
UserId	User ID	reference		18		
Username	Username	string		255		

CREDENTIALSTUFFINGEVENTSTOREFEED

Feed tracking for CredentialStuffingEventStore.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CREDITINVOICEPROCESSEDEVENT

Notifies subscribers when the process started by the /commerce/invoicing/invoices/{invoiceId}/actions/credit request is complete. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CreditInvoiceProcessedEvent in the *Billing Guide* and *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CorrelationIdentifier`	Correlation Identifier	string		80		
`CrMemoProcessErrDtlEvents`	Credit Memo Processed Error Detail Event ID	complexvalue				
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CreditMemoId`	Credit Memo ID	reference		18		
`ErrorDetails`	Error Details	string		2000		
`EventUuid`	Event UUID	string		36		
`InvoiceId`	Invoice ID	reference		18		
`IsSuccess`	Success	boolean				
`ReplayId`	Replay ID	string		1000		
`RequestIdentifier`	Request Identifier	string		80		

CREDITMEMO

Represents a document that is used to reduce the amount that a buyer owes a seller under the terms of an earlier invoice. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CreditMemo in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Balance	Balance	currency			18	2
BillToContactId	Contact ID	reference		18		
BillingAccountId	Account ID	reference		18		
Category	Category	picklist		255		
CorpCrcyCnvTotAmtWithTax	Corporate Currency Converted Total Amount With Tax	double			18	6
CorporateCurrencyCvsnDate	Corporate Currency Conversion Date	date				
CorporateCurrencyCvsnRate	Corporate Currency Conversion Rate	double			18	10
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreationMode	Creation Mode	picklist		255		
CreditDate	Credit Date	date				
CreditMemoNumber	Credit Memo Number	string		10		
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
DocumentNumber	Document Number	string		255		
ExternalReference	External Reference	string		255		
ExternalReferenceDataSource	External Reference Data Source	string		255		
Id	Credit Memo ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
NetCreditsApplied	Net Credits Applied	currency			18	2
OwnerId	Owner ID	reference		18		
ReasonCode	Reason Code	picklist		40		
ReferenceEntityId	ReferenceEntity ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalAdjustmentAmount	Total Adjustment Amount	currency			18	2
TotalAdjustmentAmountWithTax	Total Adjustment Amount with Tax	currency			18	2
TotalAdjustmentTaxAmount	Total Adjustment Tax Amount	currency			18	2
TotalAmount	Total Amount	currency			18	2
TotalAmountWithTax	Total with Tax	currency			18	2
TotalChargeAmount	Total Charges	currency			18	2
TotalChargeAmountWithTax	Total Charge Amount with Tax	currency			18	2
TotalChargeTaxAmount	Total Charge Tax Amount	currency			18	2
TotalCreditAmountApplied	Total Credit Amount Applied	currency			18	2
TotalCreditAmountUnapplied	Total Credit Amount Unapplied	currency			18	2
TotalTaxAmount	Total Tax	currency			18	2

CREDITMEMOADDRESSGROUP

Stores the buyer's address information, which is used to determine the amount of tax to credit to a buyer when a credit memo is issued. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CreditMemoAddressGroup in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Address	Address	address				
City	City	string		40		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditMemoAddressGroupNumber	Name	string		255		
CreditMemoId	Credit Memo ID	reference		18		
CurrencyIsoCode	Currency ISO Code	picklist		3		
GeocodeAccuracy	Geocode Accuracy	picklist		40		
Id	Credit Memo Address Group ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
Longitude	Longitude	double			18	15
PostalCode	Postal Code	string		20		
State	State	string		80		
Street	Street	textarea		255		
SystemModstamp	System Modstamp	datetime				

CREDITMEMOADDRESSGROUPHISTORY

History for tracked fields of CreditMemoAddressGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditMemoAddressGroupId	Credit Memo Address Group ID	reference		18		
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Credit Memo Address Group History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CREDITMEMOFEED

Feed tracking for CreditMemo.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CREDITMEMOHISTORY

History for tracked fields of CreditMemo.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditMemoId	Credit Memo ID	reference		18		
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Credit Memo History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CREDITMEMOINVAPPLICATION

Represents an amount applied from a credit memo to an invoice. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CreditMemoInvApplication in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
AppliedDate	Applied Date	datetime				
AssociatedLineId	Credit Memo Invoice Application ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditMemoId	Credit Memo ID	reference		18		
CreditMemoInvoiceNumber	Name	string		255		
CurrencyIsoCode	Currency ISO Code	picklist		3		
Date	Date	datetime				
Description	Description	string		255		
EffectiveDate	Effective Date	datetime				
HasBeenUnapplied	Has Been Unapplied	picklist		255		
Id	Credit Memo Invoice Application ID	id		18		
ImpactAmount	Impact Amount	currency			18	2
InvoiceId	Invoice ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		
UnappliedDate	Unapplied Date	datetime				

CREDITMEMOINVAPPLICATIONFEED

Feed tracking for CreditMemoInvApplication.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CREDITMEMOINVAPPLICATIONHISTORY

History for tracked fields of CreditMemoInvApplication.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditMemoInvApplicationId	Credit Memo Invoice Application ID	reference		18		
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Credit Memo Invoice Application History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CREDITMEMOLINE

Represents product, service, adjustment, or tax line items that were included in a credit memo. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CreditMemoLine in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentAmount	Adjustment Amount	currency			18	2
AdjustmentAmountWithTax	Adjustment Amount with Tax	currency			18	2
AdjustmentTaxAmount	Adjustment Tax Amount	currency			18	2
ChargeAmount	Charge Amount	currency			18	2
ChargeAmountWithTax	Charge Amount with Tax	currency			18	2
ChargeTaxAmount	Charge Tax Amount	currency			18	2
CorpCurrencyCnvChargeAmt	Corporate Currency Converted Total Charge Amount	double			18	6
CorpCurrencyCnvTotalTaxAmt	Corporate Currency Converted Total Tax Amount	double			18	6
CorporateCurrencyCvsnDate	Corporate Currency Conversion Date	date				
CorporateCurrencyCvsnRate	Corporate Currency Conversion Rate	double			18	10
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditMemoId	Credit Memo ID	reference		18		
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
EndDate	End Date	date				
Id	Credit Memo Line ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedDate	Last Modified Date	datetime				
LineAmount	Line Amount	currency			18	2
Name	Name	string		255		
Product2Id	Product ID	reference		18		
ReferenceEntityItemId	ReferenceEntityItem ID	reference		18		
ReferenceEntityItemType	Reference Entity Item Type	picklist		40		
ReferenceEntityItemTypeCode	Reference Entity Item Type Code	picklist		255		
RelatedLineId	Credit Memo Line ID	reference		18		
StartDate	Start Date	date				
Status	Status	string		50		
SystemModstamp	System Modstamp	datetime				
TaxAmount	Tax Amount	currency			18	2
TaxCode	Tax Code	string		255		
TaxEffectiveDate	Tax Effective Date	date				
TaxName	Tax Name	string		255		
TaxRate	Tax Rate	percent			5	2
Type	Type	picklist		255		

CREDITMEMOLINEFEED

Feed tracking for CreditMemoLine.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

CREDITMEMOLINEHISTORY

History for tracked fields of CreditMemoLine.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CreditMemoLineId`	Credit Memo Line ID	reference		18		
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Credit Memo Line History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CREDITMEMOLINEINVOICELINE

Represents a junction between a credit memo line and an invoice line. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CreditMemoLineInvoiceLine in the *Billing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
AppliedDateTime	Applied Date Time	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditMemoLineBalance	Credit Memo Line Balance	currency			18	2
CreditMemoLineId	Credit Memo Line ID	reference		18		
CreditMemoLineInvoiceLineNumber	Name	string		255		
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		255		
EffectiveDateTime	Effective Date Time	datetime				
Id	Credit Memo Line Invoice Line ID	id		18		
ImpactAmount	Impact Amount	currency			18	2
InvoiceLineBalance	Invoice Line Balance	currency			18	2
InvoiceLineId	Invoice Line ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LegalEntityAccountingPeriodId	Legal Entity Accounting Period ID	reference		18		
LegalEntityId	Legal Entity ID	reference		18		
RelatedCrMemoLineInvcLineId	Credit Memo Line Invoice Line ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		
UnappliedDateTime	Unapplied Date Time	datetime				
UnappliedStatus	Unapplied Status	picklist		255		

CREDITMEMOLINETAX

Represents tax information of a credit memo line of type Tax. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CreditMemoLineTax in the *Billing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillingAddressId	Credit Memo Address Group ID	reference		18		
CalculationStatus	Calculation Status	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditMemoLineId	Credit Memo Line ID	reference		18		
CreditMemoLineTaxNumber	Name	string		255		
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
EndDate	End Date	date				
Id	Credit Memo Line Tax ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LegalEntityAccountingPeriodId	Legal Entity Accounting Period ID	reference		18		
LegalEntityId	Legal Entity ID	reference		18		
ReferenceEntityItemId	Invoice Line Tax ID	reference		18		
ShipFromAddressId	Credit Memo Address Group ID	reference		18		
ShippingAddressId	Credit Memo Address Group ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				
TaxAmount	Tax Amount	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TaxCode	Tax Code	string		255		
TaxDocumentNumber	Tax Document Number	string		255		
TaxEffectiveDate	Tax Effective Date	date				
TaxName	Tax Name	string		255		
TaxRate	Tax Rate	percent			5	2
TaxTransactionNumber	Tax Transaction Number	string		255		
TaxTreatmentId	Tax Treatment ID	reference		18		

CREDITMEMOLINETAXFEED

Feed tracking for CreditMemoLineTax.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CREDITMEMOLINETAXHISTORY

History for tracked fields of CreditMemoLineTax.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CreditMemoLineTaxId`	Credit Memo Line Tax ID	reference		18		
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Credit Memo Line Tax History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CREDITMEMOPROCESSEDEVENT

Notifies subscribers when the process started by the /commerce/invoicing/credit-memos request is complete. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CreditMemoProcessedEvent in the *Billing Guide* and *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CorrelationIdentifier`	Correlation Identifier	string		80		
`CrMemoProcessErrDtlEvents`	Credit Memo Processed Error Detail Event ID	complexvalue				
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CreditMemoId`	Credit Memo ID	reference		18		
`ErrorDetails`	Error Details	string		2000		
`EventUuid`	Event UUID	string		36		
`IsSuccess`	Success	boolean				
`ReplayId`	Replay ID	string		1000		
`RequestIdentifier`	Request Identifier	string		80		

CREDITMEMOSHARE

Sharing for CreditMemo.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CRONJOBDETAIL

Contains details about the associated scheduled job, such as the job's name and type. This object is available in API version 29.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CronJobDetail in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Id`	Job ID	id		18		
`JobType`	Type	picklist		40		
`Name`	Job Name	string		255		

CRONTRIGGER

Contains schedule information for a scheduled job. CronTrigger is similar to a cron job on UNIX systems. This object is available in API version 17.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CronTrigger in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CronExpression	Cron Expression	string		255		
CronJobDetailId	Job ID	reference		18		
EndTime	End Time	datetime				
Id	Scheduled Job ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
NextFireTime	Next Run Time	datetime				
OwnerId	User ID	reference		18		
PreviousFireTime	Previous Run Time	datetime				
StartTime	Start Time	datetime				
State	Job State	string		16		
TimeZoneSidKey	Java Time Zone Id	picklist		40		
TimesTriggered	Job Fired Count	int	9			

CSPTRUSTEDSITE

Represents a trusted URL. For each CspTrustedSite, you can specify Content Security Policy (CSP) directives and permissions policy directives. Each CSP directive allows Lightning components, third-party APIs, and WebSocket connections to access a resource type from the trusted URL. If the Permissions-Policy HTTP header is enabled, each permissions policy directive grants the trusted URL access to a browser feature. In API version 58.0 and earlier, CspTrustedSite included only CSP directives and was referred to as CSP Trusted Sites in Salesforce Setup. Available in API version 39.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CspTrustedSite in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CanAccessCamera	camera	boolean				
CanAccessMicrophone	microphone	boolean				
Context	CSP Context	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
DeveloperName	API Name	string		80		
EndpointUrl	URL	string		255		
Id	Trusted Site ID	id		18		
IsActive	Active	boolean				
IsApplicableToConnectSrc	connect-src (scripts)	boolean				
IsApplicableToFontSrc	font-src (fonts)	boolean				
IsApplicableToFrameSrc	frame-src (iframe content)	boolean				
IsApplicableToImgSrc	img-src (images)	boolean				
IsApplicableToMediaSrc	media-src (audio and video)	boolean				
IsApplicableToStyleSrc	style-src (stylesheets)	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

CSPVIOLATION

Represents a content security policy (CSP) directive that's impacted by an upcoming change to system-defined trusted URLs.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CspViolation in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BlockedUrl	URL	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Violation ID	id		18		
IsConnectSrcViolated	Connects	boolean				
IsDeleted	Deleted	boolean				
IsFontSrcViolated	Fonts	boolean				
IsFrameSrcViolated	IFrames	boolean				
IsImageSrcViolated	Images	boolean				
IsMediaSrcViolated	Media	boolean				
IsStyleSrcViolated	Styles	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Violation Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				
ViolationContext	Context	picklist		255		

CURRENCYTYPE

Represents the currencies used by an organization for which the multicurrency feature is enabled.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CurrencyType in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConversionRate	Conversion Rate	double			18	6
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DecimalPlaces	Decimal Places	int	9			
Id	Currency Type ID	id		18		
IsActive	Active	boolean				
IsCorporate	Corporate Currency	boolean				
IsoCode	Currency ISO Code	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				

CURRENCYUSECASEMEASURE__SHARE

Sharing for CurrencyUsecaseMeasure__.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CURRENCYUSECASE__SHARE

Sharing for CurrencyUsecase__.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CUSTODYCHAINENTRY

Represents information about an entry or event in the chain of custody. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CustodyChainEntry in the *Life Sciences Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentTaskId	Assessment Task ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustodianId	Custodian ID	reference		18		
CustodyItemId	Custody Item ID	reference		18		
Description	Description	textarea		255		
EndDateTime	End Date	datetime				
EnrolleeWorkOrderId	Care Program Enrollee Work Order ID	reference		18		
EnrolleeWorkOrderStepId	Care Program Enrollee Work Order Step ID	reference		18		
Id	Custody Chain Entry ID	id		18		
IsDeleted	Deleted	boolean				
ItemCustodySiteId	ItemCustodySite ID	reference		18		
ItemVerificationType	Item Verification Type	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
RecordUpdateInformation	Record Update Information	textarea		32000		
ReferenceObjectApiName	Reference Object API Name	picklist		255		
ReferenceRecordId	ReferenceRecord ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
StartDateTime	Start Date	datetime				
Status	Status	picklist		40		
StatusCategory	Status Category	picklist		255		
SystemModstamp	System Modstamp	datetime				
VerificationProcessType	Verification Process Type	picklist		255		

CUSTODYCHAINENTRYFEED

Feed tracking for CustodyChainEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CUSTODYCHAINENTRYHISTORY

History for tracked fields of CustodyChainEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CustodyChainEntryId`	Custody Chain Entry ID	reference		18		
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Custody Chain Entry History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CUSTODYITEM

Represents information about an item in the custody chain. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CustodyItem in the *Life Sciences Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	picklist		40		
CollectionDateTime	Collection Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
ExternalIdentifier	External Identifier	string		255		
Id	Custody Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ReferenceItemObjectApiName	Reference Item Object API Name	picklist		255		
ReferenceItemRecordId	ReferenceItemRecord ID	reference		18		
Status	Status	picklist		40		
SubjectId	Care Program Enrollee ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		255		

CUSTODYITEMFEED

Feed tracking for CustodyItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CUSTODYITEMHISTORY

History for tracked fields of CustodyItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustodyItemId	Custody Item ID	reference		18		
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Custody Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CUSTODYITEMSHARE

Sharing for CustodyItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CUSTODYVERFCTYPEOVERRIDE

Represents information about the verification of an entry in the chain of custody. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CustodyVerfcTypeOverride in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CountryId	Geo Country ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustodyVerificationType	Custody Verification Type	picklist		255		
DigitalVerificationSetupId	Digital Verification Setup ID	reference		18		
Id	Custody Verification Type Override ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Priority	Priority	int	9			
ServiceTerritoryId	Territory ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TaskName	Task Name	string		255		
WorkProcedureId	Work Procedure ID	reference		18		
WorkTypeId	Work Type ID	reference		18		
WorkTypeStepId	Work Type Step ID	reference		18		

CUSTODYVERFCTYPEOVERRIDEFEED

Feed tracking for CustodyVerfcTypeOverride.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CUSTODYVERFCTYPEOVERRIDEHISTORY

History for tracked fields of CustodyVerfcTypeOverride.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustodyVerfcTypeOverrideId	Custody Verification Type Override ID	reference		18		
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Custody Verification Type Override History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

CUSTODYVERFCTYPEOVERRIDESHARE

Sharing for CustodyVerfcTypeOverride.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CUSTOMBRAND

Represents a custom branding and color scheme. This object is available in API version 28.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CustomBrand in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Custom Brand ID	id		18		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Modified Date	datetime				
`ParentId`	Branded Entity ID	reference		18		

CUSTOMBRANDASSET

Represents a branding element in a custom branding scheme. For example, a color, logo image, header image, or footer text. A CustomBrandAsset can apply to an Experience Cloud site or to an org using the Salesforce mobile app. This object is available in API version 28.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CustomBrandAsset in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`AssetCategory`	Asset Category	picklist		40		
`AssetSourceId`	Asset source ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CustomBrandId`	Custom Brand ID	reference		18		
`Id`	Custom Brand Asset ID	id		18		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Modified Date	datetime				
`TextAsset`	Text Asset	string		333		

CUSTOMHELPMENUITEM

Represents the items within a section of the Lightning Experience help menu that the admin added to display custom, org-specific help resources. This object is available in API version 44.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CustomHelpMenuItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Custom Help Menu Item ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LinkUrl`	Link Url	url		1000		
`MasterLabel`	Item Label	string		100		
`ParentId`	Custom Help Menu Section ID	reference		18		
`SortOrder`	Sort Order	int	9			
`SystemModstamp`	System Modstamp	datetime				

CUSTOMHELPMENUSECTION

Represents a section of the Lightning Experience help menu that the admin added to display custom, org-specific help resources. This object is available in API version 44.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CustomHelpMenuSection in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Name	string		80		
`Id`	Custom Help Menu Section ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Section Label	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`SystemModstamp`	System Modstamp	datetime				

CUSTOMHTTPHEADER

Represents a custom HTTP header that provides context information from Salesforce such as region, org details, or the role of the person viewing the external object. This object is available in API version 43.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CustomHttpHeader in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
HeaderFieldName	Header Field Name	string		255		
HeaderFieldValue	Header Field Value	string		1000		
Id	Custom HTTP Header ID	id		18		
IsActive	Active	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CUSTOMNOTIFICATIONTYPE

Stores information about custom notification types. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CustomNotificationType in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomNotifTypeName	Name	string		80		
Description	Description	textarea		255		
Desktop	Desktop	boolean				
DeveloperName	Name	string		80		
Id	Custom Notification Type Id	id		18		
IsDeleted	Deleted	boolean				
IsSlack	Slack	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
Mobile	Mobile	boolean				
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

CUSTOMPERMISSION

Represents a permission created to control access to a custom process or app, such as sending email. This object is available in API version 31.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CustomPermission in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
DeveloperName	Name	string		80		
ExternalClientApplicationId	External App ID	reference		18		
Id	Custom Permission ID	id		18		
IsDeleted	Deleted	boolean				
IsLicensed	License Required	boolean				
IsProtected	Protected Component	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

CUSTOMPERMISSIONDEPENDENCY

Represents the dependency between two custom permissions when one custom permission requires that you enable another custom permission. This object is available in API version 32.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CustomPermissionDependency in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomPermissionId	Custom Permission ID	reference		18		
Id	Custom Permission Dependency ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RequiredCustomPermissionId	Custom Permission ID	reference		18		
SystemModstamp	System Modstamp	datetime				

CUSTOMER

Represents the customer role of an individual with respect to a particular company or organization. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Customer in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomerStatusType	Customer Status Type	picklist		255		
Id	Customer ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PartyId	Individual ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalLifeTimeValue	Total Life Time Value	int	9			

CUSTOMERPROPERTY

Represents the insurable and insured properties of a customer.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see CustomerProperty in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Address	Address	address				
AnnualMileage	Expected Annual Mileage	int	9			
AssetId	Asset ID	reference		18		
BathroomCount	Number of Bathrooms	double			18	0
BedroomCount	Number of Bedrooms	double			18	0
BuiltUpArea	Built-Up Area	string		100		
CeilingType	Ceiling Type	picklist		40		
City	City	string		40		
ConstructionClass	Construction Class	picklist		40		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DaysDrivenTowork	Days Driven to Work (One Way)	int	9			
Description	Description	textarea		32000		
DwellingType	Dwelling Type	picklist		40		
EngineDisplacementVolume	Engine Displacement Volume	int	9			
FactoryPrice	Factory Price	currency			18	2
FairMarketValue	Fair Market Value	currency			18	2
FinancingType	Financing Type	picklist		40		
FloorCount	Number of Floors	int	9			
FloorType	Floor Type	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
FoundationType	Foundation Type	picklist		40		
FuelType	Fuel Type	picklist		40		
GarageSpaceCount	Number of Parking Spaces in Garage	int	9			
GarageType	Garage Type	picklist		40		
GeocodeAccuracy	Geocode Accuracy	picklist		40		
GrossVehicleWeight	Gross Vehicle Weight	int	9			
Id	Customer Property ID	id		18		
IsBasementIncluded	Includes Basement	boolean				
IsChimneyIncluded	Includes Chimney	boolean				
IsDeleted	Deleted	boolean				
IsPassedSmogCheck	Passed Smog Check	boolean				
IsSwimmingPoolIncluded	Includes Swimming Pool	boolean				
KitchenCount	Number of Kitchens	double			18	0
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
LeasePeriod	Lease Period	int	9			
LienHolderName	Lien Holder Name	string		255		
LoadCapacity	Load Capacity	string		255		
Longitude	Longitude	double			18	15
LotArea	Lot Area	string		100		
Make	Make	string		255		
MakeYear	Make Year	int	9			
MilesDrivenToWork	Miles Driven to Work (One way)	int	9			
ModelName	Model Name	string		255		
Name	Name	string		255		
OdometerReading	Odometer Reading	int	9			
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PassengerSeatCapacity	Passenger Seat Capacity	int	9			
PostalCode	Postal Code	string		20		
PrimaryOwnerId	Account ID	reference		18		
PrimaryUse	Primary Use	picklist		40		
PurchaseDate	Purchase Date	date				
PurchasePrice	Purchase Price	currency			18	2
RegistrationNumber	Registration Number	string		255		
RegistrationType	Registration Type	picklist		40		
RoofType	Roof Type	picklist		40		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
State	State	string		80		
Street	Street	textarea		255		
SystemModstamp	System Modstamp	datetime				
TransmissionType	Transmission Type	picklist		40		
Vin	VIN	string		255		
YearBuilt	Year Built	int	9			

CUSTOMERPROPERTYFEED

Feed tracking for CustomerProperty.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

CUSTOMERPROPERTYHISTORY

History for tracked fields of CustomerProperty.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CustomerPropertyId`	Customer Property ID	reference		18		
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Customer Property History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

CUSTOMERPROPERTYSHARE

Sharing for CustomerProperty.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

CUSTOMERSHARE

Sharing for Customer.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DTRECORDSETREPLICASHARE

Sharing for DTRecordsetReplica.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DANDBCOMPANY

Represents a Dun & Bradstreet® company record, which is associated with an account added from Data.com. This object is available in API version 25.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DandBCompany in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Address	Primary Address	address				
City	City	string		40		
CompanyCurrencyIsoCode	Local Currency ISO Code	picklist		255		
Country	Country	string		80		
CountryAccessCode	International Dialing Code	string		4		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyCode	Local Currency Code	picklist		255		
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Company Description	textarea		32000		
DomesticUltimateBusinessName	Domestic Ultimate Business Name	string		255		
DomesticUltimateDunsNumber	Domestic Ultimate D-U-N-S Number	string		9		
DunsNumber	D-U-N-S Number	string		9		
EmployeeQuantityGrowthRate	Employee Growth	double			18	6
EmployeesHere	Number of Employees - Location	double			18	0
EmployeesHereReliability	Number of Employees - Location Indicator	picklist		255		
EmployeesTotal	Number of Employees - Total	double			18	0
EmployeesTotalReliability	Number of Employees - Total Indicator	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
FamilyMembers	Number of Business Family Members	int	5			
Fax	Facsimile Number	phone		40		
FifthNaics	Fifth NAICS Code	string		6		
FifthNaicsDesc	Fifth NAICS Description	string		120		
FifthSic	Fifth SIC Code	string		4		
FifthSic8	Fifth SIC8 Code	string		8		
FifthSic8Desc	Fifth SIC8 Description	string		80		
FifthSicDesc	Fifth SIC Description	string		80		
FipsMsaCode	FIPS MSA Code	string		5		
FipsMsaDesc	FIPS MSA Code Description	string		255		
FortuneRank	Fortune 1000 Rank	int	4			
FourthNaics	Fourth NAICS Code	string		6		
FourthNaicsDesc	Fourth NAICS Description	string		120		
FourthSic	Fourth SIC Code	string		4		
FourthSic8	Fourth SIC8 Code	string		8		
FourthSic8Desc	Fourth SIC8 Description	string		80		
FourthSicDesc	Fourth SIC Description	string		80		
GeoCodeAccuracy	Geocode Accuracy	picklist		255		
GeocodeAccuracyStandard	Geocode Accuracy	picklist		40		
GlobalUltimateBusinessName	Global Ultimate Business Name	string		255		
GlobalUltimateDunsNumber	Global Ultimate D-U-N-S Number	string		9		
GlobalUltimateTotalEmployees	Number of Employees - Global	double			18	0
Id	D&B Company ID	id		18		
ImportExportAgent	Import/Export	picklist		255		
IncludedInSnP500	S&P 500	string		10		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	string		11		
LegalStatus	Legal Structure	picklist		255		
LocationStatus	Location Type	picklist		255		
Longitude	Longitude	string		11		
MailingAddress	Mailing Address	address				
MailingCity	Mailing City	string		40		
MailingCountry	Mailing Country	string		80		
MailingGeocodeAccuracy	Mailing Geocode Accuracy	picklist		40		
MailingPostalCode	Mailing Postal Code	string		20		
MailingState	Mailing State	string		80		
MailingStreet	Mailing Street Address	textarea		255		
MarketingPreScreen	Delinquency Risk	picklist		255		
MarketingSegmentationCluster	Marketing Segmentation Cluster	picklist		255		
MinorityOwned	Minority-Owned Indicator	picklist		255		
Name	Primary Business Name	string		255		
NationalId	National Identification Number	string		255		
NationalIdType	National Identification System	picklist		255		
OutOfBusiness	Out Of Business Indicator	picklist		255		
OwnOrRent	Location Ownership Indicator	picklist		255		
ParentOrHqBusinessName	Parent Company Business Name	string		255		
ParentOrHqDunsNumber	Parent Company D-U-N-S Number	string		9		
Phone	Telephone Number	phone		40		
PostalCode	Postal Code	string		20		
PremisesMeasure	Location Size	int	9			
PremisesMeasureReliability	Location Size Accuracy	string		64		
PremisesMeasureUnit	Location Size Unit of Measure	string		64		
PrimaryNaics	Primary NAICS Code	string		6		
PrimaryNaicsDesc	Primary NAICS Description	string		120		
PrimarySic	Primary SIC Code	string		4		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PrimarySic8	Primary SIC8 Code	string		8		
PrimarySic8Desc	Primary SIC8 Description	string		80		
PrimarySicDesc	Primary SIC Description	string		80		
PriorYearEmployees	Prior Year Number of Employees - Total	int	9			
PriorYearRevenue	Prior Year Revenue	double			18	0
PublicIndicator	Ownership Type Indicator	picklist		255		
SalesTurnoverGrowthRate	Annual Revenue Growth	double			18	6
SalesVolume	Annual Sales Volume	double			18	0
SalesVolumeReliability	Annual Sales Volume Indicator	picklist		255		
SecondNaics	Second NAICS Code	string		6		
SecondNaicsDesc	Second NAICS Description	string		120		
SecondSic	Second SIC Code	string		4		
SecondSic8	Second SIC8 Code	string		8		
SecondSic8Desc	Second SIC8 Description	string		80		
SecondSicDesc	Second SIC Description	string		80		
SixthNaics	Sixth NAICS Code	string		6		
SixthNaicsDesc	Sixth NAICS Description	string		120		
SixthSic	Sixth SIC Code	string		4		
SixthSic8	Sixth SIC8 Code	string		8		
SixthSic8Desc	Sixth SIC8 Description	string		80		
SixthSicDesc	Sixth SIC Description	string		80		
SmallBusiness	Small Business Indicator	picklist		255		
State	State	string		80		
StockExchange	Stock Exchange	string		16		
StockSymbol	Ticker Symbol	string		6		
Street	Street Address	textarea		255		
Subsidiary	Subsidiary Indicator	picklist		255		
SystemModstamp	System Modstamp	datetime				
ThirdNaics	Third NAICS Code	string		6		
ThirdNaicsDesc	Third NAICS Description	string		120		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ThirdSic	Third SIC Code	string		4		
ThirdSic8	Third SIC8 Code	string		8		
ThirdSic8Desc	Third SIC8 Description	string		80		
ThirdSicDesc	Third SIC Description	string		80		
TradeStyle1	Primary Tradestyle	string		255		
TradeStyle2	Second Tradestyle	string		255		
TradeStyle3	Third Tradestyle	string		255		
TradeStyle4	Fourth Tradestyle	string		255		
TradeStyle5	Fifth Tradestyle	string		255		
URL	URL	url		255		
UsTaxId	US Tax ID Number	string		9		
WomenOwned	Woman-Owned Indicator	picklist		255		
YearStarted	Year Started	string		4		

DASHBOARD

Represents a dashboard, which shows data from custom reports as visual components. Access is read-only. This object is available in API version 20.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Dashboard in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BackgroundDirection	Background Fade Direction	picklist		40		
BackgroundEnd	Ending Color	int	9			
BackgroundStart	Starting Color	int	9			
ChartTheme	Chart Background	picklist		40		
ColorPalette	Color Palette	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DashboardResultRefreshedDate	Last refreshed for this user	string		256		
DashboardResultRunningUser	Running as	string		256		
Description	Description	string		255		
DeveloperName	Dashboard Unique Name	string		80		
FolderId	Folder ID	reference		18		
FolderName	Folder Name	string		256		
Id	Dashboard ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LeftSize	Left Size	picklist		40		
MiddleSize	Middle Size	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
NamespacePrefix	Namespace Prefix	string		15		
OwnerId	Owner ID	reference		18		
RightSize	Right Size	picklist		40		
RunningUserId	Running User ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TextColor	Text Color	int	9			
Title	Title	string		80		
TitleColor	Title Color	int	9			
TitleSize	Title Size	int	9			
Type	Dashboard Running User	picklist		40		

DASHBOARDCOMPONENT

Represents a dashboard component, which can be a chart, metric, table, or gauge on a dashboard. Access is read-only. This object is available in API version 21.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DashboardComponent in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CustomReportId`	Report ID	reference		18		
`DashboardId`	Dashboard ID	reference		18		
`Id`	Dashboard Component ID	id		18		
`Name`	Dashboard Component Name	string		80		

DASHBOARDCOMPONENTFEED

Feed tracking for DashboardComponent.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

DASHBOARDFEED

Feed tracking for Dashboard.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

DATAACTIONFEED

Feed tracking for DataAction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DATAACTIONHISTORY

History for tracked fields of DataAction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataActionId`	Data Action ID	reference		18		
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Data Action History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

DATAACTIONJOBSUMMARYFEED

Feed tracking for DataActionJobSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DATAACTIONJOBSUMMARYHISTORY

History for tracked fields of DataActionJobSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataActionJobSummaryId`	DataActionJobSummary ID	reference		18		
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Data Action Job Summary History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

DATAACTIONJOBSUMMARYSHARE

Sharing for DataActionJobSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DATAACTIONTARGETFEED

Feed tracking for DataActionTarget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DATAACTIONTARGETHISTORY

History for tracked fields of DataActionTarget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataActionTargetId`	Data Action Target ID	reference		18		
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Data Action Target History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

DATAACTIONTARGETSHARE

Sharing for DataActionTarget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DATAASSESSMENTFIELDMETRIC

Represents summary statistics for matched, blank, and differing fields in account records of an org compared to records in Data.com. This object is available in API version 37.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DataAssessmentFieldMetric in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DataAssessmentMetricId	Data Assessment Metric ID	reference		18		
FieldName	Field Name	string		255		
Id	Data Assessment Field Metric ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Data Assessment Field Metric	string		255		
NumMatchedBlanks	Number of Matched Records that have blanks for this field	int	9			
NumMatchedDifferent	Number of Matched Records that have different value for this field than Data.com	int	9			
NumMatchedInSync	Number of Matched Records that have the same value for this field as Data.com	int	9			
NumUnmatchedBlanks	Number of Unmatched Records that have blanks for this field	int	9			
SystemModstamp	System Modstamp	datetime				

DATAASSESSMENTMETRIC

Represents a summary of statistics for fields matched and unmatched in your account records with Data.com account records. This object is available in API version 37.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DataAssessmentMetric in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Data Assessment Metric ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Data Assessment Metric	string		255		
NumDuplicates	Number of Duplicates	int	9			
NumMatched	Number of Matched Records	int	9			
NumMatchedDifferent	Number of Matched Records with different field values	int	9			
NumProcessed	Number of Processed Records	int	9			
NumTotal	Total Number of Records to access	int	9			
NumUnmatched	Number of Unmatched Records	int	9			
SystemModstamp	System Modstamp	datetime				

DATAASSESSMENTVALUEMETRIC

Summarizes the number of fields matched for your account records with Data.com account records.This object is available in API version 37.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DataAssessmentValueMetric in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DataAssessmentFieldMetricId	Data Assessment Field Metric ID	reference		18		
FieldValue	Field Value	string		255		
Id	Data Assessment Field Value Metric ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Data Assessment Field Value Metric	string		255		
SystemModstamp	System Modstamp	datetime				
ValueCount	Number of times this value appears in this field	int	9			

DATACOMMUNICATIONCAPFEED

Feed tracking for DataCommunicationCap.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DATACOMMUNICATIONCAPHISTORY

History for tracked fields of DataCommunicationCap.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataCommunicationCapId`	Communication Capping ID	reference		18		
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Communication Capping ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

DATACOMMUNICATIONCAPSHARE

Sharing for DataCommunicationCap.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DATACONTENTLENSSOURCEFEED

Feed tracking for DataContentLensSource.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DATACONTENTLENSSOURCEHISTORY

History for tracked fields of DataContentLensSource.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataContentLensSourceId		reference		18		
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	___MISSING LABEL___ PropertyFile - val DataContentLensSource not found in section StandardHistoryIdLabel	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DATAENCRYPTIONKEY

The DataEncryptionKey object is part of the Bring Your Own Key (BYOK) feature, which allows users to upload a data encryption key (DEK) using a public key generated by the Salesforce Shield Key Management Service (KMS). Customers create their own DEKs and upload them to Salesforce. Users access this entity via the API to list DEK keys for auditing purposes. They can also programmatically upload key material. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DataEncryptionKey in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedBy`	Created By	string		64		
`CreatedDate`	Created Date	datetime				
`DataEncryptionKeyCertName`	Data Encryption Key Certificate Name	string		80		
`Description`	Description	string		100		
`DoesUseKeyDerivation`	Key Derivation	boolean				
`Id`	Data Encryption Key Id	id		18		
`LastModifiedBy`	Last Modified By	string		64		
`LastModifiedDate`	Last Modified Date	datetime				
`RootKeyIdentifier`	Root Key Identifier	string		15		
`RootKeyKmsIdentifier`	Root Key KMS Identifier	string		512		
`SecretValue`	Secret Value	textarea		2000		
`SessionToken`	Session Token	textarea		3000		
`Source`	Source	string		100		
`Status`	Status	string		32		
`Type`	Type	string		150		
`Version`	Version	int	9			

DATAHARMONIZEDMODELOBJREFSHARE

Sharing for DataHarmonizedModelObjRef.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DATAINTEGRATIONRECORDPURCHASEPERMISSION

Indicates Lightning Data purchase credits that a Salesforce admin has granted to users.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DataIntegrationRecordPurchasePermission in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`ExternalObject`	Custom Object Definition ID	picklist		255		
`Id`	DataIntegrationRecordPurchasePermission ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`SystemModstamp`	System Modstamp	datetime				
`UserId`	User ID	reference		18		
`UserRecordPurchaseLimit`	User Record Purchase Limit	int	9			

DATAKITDEPLOYEVENT

Represents a data kit deployment event that notifies subscribers of the status of the data kit component deployment. This object is available in API version 61.0 or later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DataKitDeployEvent in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataKitDeployStatus	Data Kit Deployment Status	picklist		255		
DataKitName	Data Kit Name	string		200		
DataspaceName	Dataspace Name	string		80		
DeployStartTime	Data Kit Deployment StartTime	datetime				
ErrorDetails	Error Message	textarea		128000		
EventCreationDate	Event Creation Date	datetime				
EventPublishDate	Event Publish Date	datetime				
EventUuid	Event UUID	string		36		
IsDataKitDeployStatusSuccess	[Deprecated] Data Kit Deployment Status	string		200		
JobIdentifier	Data Kit Deploy Job Identifier	string		200		
ReplayId	Replay ID	string		1000		
TemplateName	Data Kit Component Template Name	string		400		

DATAKITDEPLOYMENTLOG

Represents the log details of a data kit component deployment. This object is available in API version 61.0 or later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DataKitDeploymentLog in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BundleName	Bundle Name	string		100		
ComponentName	Component Name	string		100		
ComponentTemplateId	Component Template ID	reference		18		
ComponentType	Component Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DataKitName	Data Kit Name	string		100		
DataPackageKitDefinition	Data Package Kit Definition ID	picklist		255		
DataSpaceName	Data Space Name	string		100		
DeployJob	Deploy Job	string		80		
DeploymentAction	Deployment Action	picklist		255		
DeploymentError	Deployment Error	textarea		128000		
DeploymentStatus	Deployment Status	picklist		255		
FileBasedComponentTemplate	Component Template Name	string		100		
FlowInterviewIdentifier	Flow Interview Identifier	string		80		
Id	Data Kit Deployment Log ID	id		18		
IsDeleted	Deleted	boolean				
JobIdentifier	Job Identifier	string		80		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PublisherOrgComponentId	Publisher Org Component ID	reference		18		
SubscriberOrgComponentId	Subscriber Org Component ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TemplateVersion	Template Version	double			18	0

DATAKITDEPLOYMENTLOGSHARE

Sharing for DataKitDeploymentLog.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DATAKNOWLEDGESPACEFEED

Feed tracking for DataKnowledgeSpace.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DATAKNOWLEDGESPACEHISTORY

History for tracked fields of DataKnowledgeSpace.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataKnowledgeSpaceId		reference		18		
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	___MISSING LABEL___ PropertyFile - val DataKnowledgeSpace not found in section StandardHistoryIdLabel	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DATAKNOWLEDGESPACESESSIONFEED

Feed tracking for DataKnowledgeSpaceSession.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DATAKNOWLEDGESPACESESSIONHISTORY

History for tracked fields of DataKnowledgeSpaceSession.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataKnowledgeSpaceSessionId		reference		18		
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	___MISSING LABEL___ PropertyFile - val DataKnowledgeSpaceSession not found in section StandardHistoryIdLabel	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DATAKNOWLEDGESRCFILEREFFEED

Feed tracking for DataKnowledgeSrcFileRef.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DATAKNOWLEDGESRCFILEREFHISTORY

History for tracked fields of DataKnowledgeSrcFileRef.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataKnowledgeSrcFileRefId		reference		18		
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	___MISSING LABEL___ PropertyFile - val DataKnowledgeSrcFileRef not found in section StandardHistoryIdLabel	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DATALAKEOBJECTINSTANCEFEED

Feed tracking for DataLakeObjectInstance.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DATALAKEOBJECTINSTANCEHISTORY

History for tracked fields of DataLakeObjectInstance.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataLakeObjectInstanceId	Data Lake Object Instance ID	reference		18		
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Data Lake Object History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DATALAKEOBJECTINSTANCESHARE

Sharing for DataLakeObjectInstance.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DATALINEAGENODEDEFSYNCLOGFEED

Feed tracking for DataLineageNodeDefSyncLog.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DATALINEAGENODEDEFSYNCLOGHISTORY

History for tracked fields of DataLineageNodeDefSyncLog.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataLineageNodeDefSyncLogId	Data Lineage Node Definition Sync Log ID	reference		18		
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Data Lineage Node Definition Sync Log History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DATALINEAGENODEDEFSYNCLOGSHARE

Sharing for DataLineageNodeDefSyncLog.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DATAMASKCUSTOMVALUELIBRARY

Represents a set of user-inputted values in a custom library in Data Mask. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DataMaskCustomValueLibrary in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentType	Content Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
Id	Custom Library Id	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		
Values	Values	textarea		131072		

DATAMASKCUSTOMVALUELIBRARYSHARE

Sharing for DataMaskCustomValueLibrary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DATAOBJSECONDARYINDEXFEED

Feed tracking for DataObjSecondaryIndex.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DATAOBJSECONDARYINDEXHISTORY

History for tracked fields of DataObjSecondaryIndex.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataObjSecondaryIndexId`	Secondary Index ID	reference		18		
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Secondary Index History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

DATAOBJECTDATACHGEVENT

Notifies subscribers of an action within Data Cloud. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DataObjectDataChgEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ActionDeveloperName`	Action identifier	string		4000		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EventCreationDateTime`	Event creation time	datetime				
`EventPrompt`	Trigger (Insert/Update/Delete/Action) that caused this event	picklist		255		
`EventPublishDateTime`	Event published time	datetime				
`EventSchemaVersion`	Schema version	string		4000		
`EventType`	Type of Data Cloud Event	string		4000		
`EventUuid`	Event UUID	string		36		
`Offset`	Event offset for the events triggered per action configured per tenant	string		4000		
`PayloadCurrentValue`	Current data	textarea		128000		
`PayloadMetadata`	Metadata JSON with additional information about the payload	textarea		128000		
`PayloadPrevValue`	Previous data	textarea		128000		
`PayloadSchema`	Schema for event payload	textarea		128000		
`ProfileIdValue`	ProfileId in the event	string		4000		
`ReplayId`	Replay Id	string		1000		
`SourceObjectDeveloperName`	Source entity developer name	string		4000		
`TraceIdValue`	TraceId of the request	string		4000		
`TriggerEntity`	Triggering entity	textarea		128000		

DATAOBJECTDEPENDENCYSHARE

Sharing for DataObjectDependency.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DATAOBJECTMETADATACHGEVENT

Notifies subscribers of a metadata change within Data Cloud for these objects: Data Lake, Data Model, and Calculated Insight. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DataObjectMetadataChgEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CurrentValue`	Current metadata	textarea		128000		
`EventCreationDate`	Event creation time	datetime				
`EventPublishDate`	Event published time	datetime				
`EventType`	Type of Data Cloud Event	string		4000		
`EventUuid`	Event UUID	string		36		
`PreviousValue`	Previous metadata	textarea		128000		
`ReplayId`	Replay Id	string		1000		
`SchemaVersion`	Schema version	string		4000		
`SourceTableDeveloperName`	Source entity developer name	string		4000		
`Trigger`	Trigger (Insert/Update/Delete) that caused this event	string		4000		

DATAQUERYWORKSPACEFEED

Feed tracking for DataQueryWorkspace.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DATAQUERYWORKSPACEHISTORY

History for tracked fields of DataQueryWorkspace.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataQueryWorkspaceId`	Query Workspace IdData Query Workspace ID	reference		18		
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Query Editor History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

DATAQUERYWORKSPACESHARE

Sharing for DataQueryWorkspace.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DATASEMANTICSEARCHFEED

Feed tracking for DataSemanticSearch.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DATASEMANTICSEARCHHISTORY

History for tracked fields of DataSemanticSearch.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataSemanticSearchId`	Data Semantic Search ID	reference		18		
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Search Index History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

DATASOURCEBUNDLESHARE

Sharing for DataSourceBundle.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DATASPACEFEED

Feed tracking for DataSpace.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DATASPACEHISTORY

History for tracked fields of DataSpace.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataSpaceId	Data Space ID	reference		18		
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Data Space History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DATASTREAMFEED

Feed tracking for DataStream.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DATASTREAMHISTORY

History for tracked fields of DataStream.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataStreamId`	Data Stream ID	reference		18		
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Data Stream History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

DATASTREAMSHARE

Sharing for DataStream.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DATAUSELEGALBASIS

Represents the legal basis for contacting a customer, such as billing or contract. This object is available in API version 45.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DataUseLegalBasis in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Data Use Legal Basis ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Source	Source	string		255		
SystemModstamp	System Modstamp	datetime				

DATAUSELEGALBASISHISTORY

History for tracked fields of DataUseLegalBasis.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`DataUseLegalBasisId`	Data Use Legal Basis ID	reference		18		
`Field`	Changed Field	picklist		255		
`Id`	Data Use Legal Basis History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

DATAUSELEGALBASISSHARE

Sharing for DataUseLegalBasis.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DATAUSEPURPOSE

Represents the reason for contacting a prospect or customer, such as for billing, marketing, or surveys. This object is available in API version 45.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DataUsePurpose in the *Life Sciences Cloud Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CanDataSubjectOptOut	Can Data Subject Opt Out	boolean				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Data Use Purpose ID	id		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
IsReadOnly	Is Read Only	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LegalBasisId	Legal Basis ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PurposeId	Purpose ID	reference		18		
SystemModstamp	System Modstamp	datetime				

DATAUSEPURPOSEHISTORY

History for tracked fields of DataUsePurpose.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
DataUsePurposeId	Data Use Purpose ID	reference		18		
Field	Changed Field	picklist		255		
Id	Data Use Purpose History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DATAUSEPURPOSESHARE

Sharing for DataUsePurpose.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DATAWEAVERESOURCE

Represents the DataWeaveScriptResource class that is generated for all DataWeave scripts. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DataWeaveResource in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiVersion	Api Version	double			18	1
BodyLength	Body Length	int	9			
ContentType	Content Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	DataWeave Resource ID	id		18		
IsDeleted	Deleted	boolean				
IsGlobal	Is Global	boolean				
IsProtected	Protected Component	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

DATACLOUDCOMPANY

Represents the fields for Data.com company records. This object is available in API version 30.0 or later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DatacloudCompany in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActiveContacts	Active Contacts	int	9			
AnnualRevenue	Annual Revenue	currency			18	2
City	City	string		255		
CompanyId	Data.com Company ID	string		25		
Country	Country/Territory	string		50		
CountryCode	Country/Territory	picklist		255		
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Company Synopsis	string		400		
DunsNumber	Duns Number	string		128		
EmployeeQuantityGrowthRate	Employee Quantity Growth Rate	double			18	6
ExternalId	Data.com Company ID	string		255		
Fax	Fax Number	phone		40		
FortuneRank	Fortune Rank	int	9			
FullAddress	Address	string		255		
Id	System ID	id		18		
IncludedInSnP500	Included In S&P 500	string		10		
Industry	Industry	string		128		
IsInCrm	In CRM	boolean				
IsInactive	Inactive Status	boolean				
IsOwned	Owned	boolean				
NaicsCode	NAICS Code	string		128		
NaicsDesc	NAICS Description	string		128		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Name	Company Name	string		128		
NumberOfEmployees	Employee Count	int	9			
Ownership	Ownership Status	string		16		
Phone	Phone Number	phone		40		
PremisesMeasure	Premises Area Measurement	int	9			
PremisesMeasureReliability	Premises Area Measurement Reliability Text	string		64		
PremisesMeasureUnit	Premises Area Unit of Measurement	string		64		
PriorYearEmployees	Prior Year Employee	int	9			
PriorYearRevenue	Prior Year Revenue	currency			18	0
SalesTurnoverGrowthRate	Sales Turnover Growth Rate	double			18	6
Sic	SIC Code	string		128		
SicCodeDesc	Industry Codes	string		255		
SicDesc	SIC Description	string		128		
Site	Location Type	picklist		255		
State	State	string		50		
StateCode	State	picklist		255		
Street	Street Address	string		255		
TickerSymbol	Stock Ticker Symbol	string		16		
TradeStyle	Trade Style	string		128		
UpdatedDate	Updated Date	datetime				
Website	Company or Website	url		255		
YearStarted	Company Founding Date	string		4		
Zip	Zip	string		32		

DATACLOUDCONTACT

The fields and properties for Data.com contact records. This object is available in API version 30.0 or later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DatacloudContact in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
City	City	string		255		
CompanyId	Company Id	string		25		
CompanyName	Company	string		128		
ContactId	Data.com Contact ID	string		25		
Country	Country/Territory	string		50		
CurrencyIsoCode	Currency ISO Code	picklist		3		
Department	Department	picklist		255		
Email	Email	email		80		
ExternalId	Data.com Contact ID	string		255		
FirstName	First name	string		128		
Id	System ID	id		18		
IsInCrm	In CRM	boolean				
IsInactive	Inactive Status	boolean				
IsOwned	Owned	boolean				
LastName	Last name	string		128		
Level	Level	picklist		255		
Phone	Phone	phone		40		
State	State	string		50		
Street	Street Address	string		255		
Title	Title	string		128		
UpdatedDate	Updated Date	datetime				
Zip	ZIP code	string		32		

DATACLOUDDANDBCOMPANY

Represents a set of read-only fields that are used to return D&B company data from Data.com API calls. This object is available in API version 30.0 or later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DatacloudDandBCompany in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
City	City	string		255		
CompanyCurrencyIsoCode	Local Currency ISO Code	picklist		255		
CompanyId	D&B Company ID	string		25		
Country	Country	string		50		
CountryAccessCode	International Dialing Code	string		4		
CountryCode	Country Code	string		50		
CurrencyCode	Local Currency Code	picklist		255		
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Company Description	string		1000		
DomesticUltimateBusinessName	Domestic Ultimate Business Name	string		255		
DomesticUltimateDunsNumber	Domestic Ultimate D-U-N-S Number	string		9		
DunsNumber	D-U-N-S Number	string		9		
EmployeeQuantityGrowthRate	Employee Quantity Growth Rate	double			18	6
EmployeesHere	Number of Employees - Location	double			18	0
EmployeesHereReliability	Number of Employees - Location Indicator	picklist		255		
EmployeesTotal	Number of Employees - Total	double			18	0
EmployeesTotalReliability	Number of Employees - Total Indicator	picklist		255		
ExternalId	D&B Company ID	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
FamilyMembers	Number of Business Family Members	int	5			
Fax	Facsimile Number	phone		40		
FifthNaics	Fifth NAICS Code	string		6		
FifthNaicsDesc	Fifth NAICS Description	string		120		
FifthSic	Fourth SIC Description	string		4		
FifthSic8	Fifth SIC8 Code	string		8		
FifthSic8Desc	Fifth SIC8 Description	string		80		
FifthSicDesc	Fifth SIC Description	string		80		
FipsMsaCode	FIPS MSA Code	string		5		
FipsMsaDesc	FIPS MSA Code Description	string		255		
FortuneRank	Fortune Rank	int	9			
FourthNaics	Fourth NAICS Code	string		6		
FourthNaicsDesc	Fourth NAICS Description	string		120		
FourthSic	Fourth SIC Code	string		4		
FourthSic8	Fourth SIC8 Code	string		8		
FourthSic8Desc	Fourth SIC8 Description	string		80		
FourthSicDesc	Fourth SIC Description	string		80		
FullAddress	Address	string		255		
GeoCodeAccuracy	Geocode Accuracy	picklist		255		
GlobalUltimateBusinessName	Global Ultimate Business Name	string		255		
GlobalUltimateDunsNumber	Global Ultimate D-U-N-S Number	string		9		
GlobalUltimateTotalEmployees	Number of Employees - Global	double			18	0
Id	D&B Company ID	id		18		
ImportExportAgent	Import/Export	picklist		255		
IncludedInSnP500	Included In S&P 500	string		10		
Industry	Industry	string		80		
IsInCrm	In CRM	boolean				
IsOwned	Owned Status	boolean				
IsParent	Parent	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Latitude	Latitude	string		11		
LegalStatus	Legal Structure	picklist		255		
LocationStatus	Location Type	picklist		255		
Longitude	Longitude	string		11		
MailingCity	Mailing City	string		255		
MailingCountry	Mailing Country	string		50		
MailingCountryCode	Mailing Country Code	string		50		
MailingState	Mailing State	string		50		
MailingStateCode	Mailing State Code	string		50		
MailingStreet	Mailing Street Address	string		255		
MailingZip	Mailing Postal Code	string		32		
MarketingPreScreen	Delinquency Risk	picklist		255		
MarketingSegmentationCluster	Marketing Segmentation Cluster	picklist		255		
MinorityOwned	Minority-Owned Indicator	picklist		255		
Name	D&B Company Name	string		255		
NationalId	National Identification Number	string		255		
NationalIdType	National Identification System	picklist		255		
OutOfBusiness	Out Of Business Indicator	picklist		255		
OwnOrRent	Location Ownership Indicator	picklist		255		
ParentOrHqBusinessName	Parent Company Business Name	string		255		
ParentOrHqDunsNumber	Parent Company D-U-N-S Number	string		9		
Phone	Telephone Number	phone		40		
PremisesMeasure	Premises Area Measurement	int	9			
PremisesMeasureReliability	Premises Area Measurement Reliability Text	string		64		
PremisesMeasureUnit	Premises Area Unit of Measurement	string		64		
PrimaryNaics	Primary NAICS Code	string		6		
PrimaryNaicsDesc	Primary NAICS Description	string		120		
PrimarySic	Primary SIC Code	string		4		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PrimarySic8	SIC8 Code	string		8		
PrimarySic8Desc	SIC8 Description	string		80		
PrimarySicDesc	Primary SIC Description	string		80		
PriorYearEmployees	Prior Year Employee	int	9			
PriorYearRevenue	Prior Year Revenue	double			18	0
PublicIndicator	Ownership Type Indicator	picklist		255		
Revenue	Revenue	double			18	0
SalesTurnoverGrowthRate	Sales Turnover Growth Rate	double			18	6
SalesVolume	Annual Sales Volume	double			18	2
SalesVolumeReliability	Annual Sales Volume Indicator	picklist		255		
SecondNaics	Second NAICS Code	string		6		
SecondNaicsDesc	Second NAICS Description	string		120		
SecondSic	Second SIC Code	string		4		
SecondSic8	Second SIC8 Code	string		8		
SecondSic8Desc	Second SIC8 Description	string		80		
SecondSicDesc	Second SIC Description	string		80		
SicCodeDesc	Industry Codes	string		255		
SixthNaics	Sixth NAICS Code	string		6		
SixthNaicsDesc	Sixth NAICS Description	string		120		
SixthSic	Sixth SIC Code	string		4		
SixthSic8	Sixth SIC8 Code	string		8		
SixthSic8Desc	Sixth SIC8 Description	string		80		
SixthSicDesc	Sixth SIC Description	string		80		
SmallBusiness	Small Business Indicator	picklist		255		
State	State	string		50		
StateCode	State Code	string		50		
StockExchange	Stock Exchange	string		16		
StockSymbol	Ticker Symbol	string		6		
Street	Street Address	string		255		
Subsidiary	Subsidiary Indicator	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ThirdNaics	Third NAICS Code	string		6		
ThirdNaicsDesc	Third NAICS Description	string		120		
ThirdSic	Third SIC Code	string		4		
ThirdSic8	Third SIC8 Code	string		8		
ThirdSic8Desc	Third SIC8 Description	string		80		
ThirdSicDesc	Third SIC Description	string		80		
TradeStyle1	Primary Tradestyle	string		255		
TradeStyle2	Second Tradestyle	string		255		
TradeStyle3	Third Tradestyle	string		255		
TradeStyle4	Fourth Tradestyle	string		255		
TradeStyle5	Fifth Tradestyle	string		255		
URL	URL	url		255		
UsTaxId	US Tax ID Number	string		9		
WomenOwned	Woman-Owned Indicator	picklist		255		
YearStarted	Year Started	string		4		
Zip	Postal Code	string		32		

DATACLOUDOWNEDENTITY

Represents fields in the DatacloudOwnedEntity object. The DatacloudOwnedEntity object tracks user-purchased records. This object is available in API version 30.0 or later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DatacloudOwnedEntity in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DataDotComKey	Data.com key	string		25		
DatacloudEntityType	Data.com Object Type	picklist		255		
Id	Data.com Owned Entity ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Description	string		255		
PurchaseType	Data.com Purchase Type	picklist		255		
PurchaseUsageId	Data.com Usage ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

DATACLOUDPURCHASEUSAGE

Represents an object used to identify and track Data.com record purchases. This object is available in API version 30.0 or later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DatacloudPurchaseUsage in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DatacloudEntityType	Data.com Object Type	picklist		255		
Description	Description	string		255		
Id	Data.com Usage ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Sequence ID	string		255		
PurchaseType	Data.com Purchase Type	picklist		255		
SystemModstamp	System Modstamp	datetime				
Usage	Purchase Count	double			18	0
UserId	User ID	reference		18		
UserType	Data.com Usage Type	picklist		255		

DATASETEXPORT

Represents a dataset exported from CRM Analytics. When a dataset is exported, the data is converted into a .csv file and the schema is stored in a separate JSON file. These files are stored in two objects: DatasetExport and DatasetExportPart. DatasetExport acts as the header and includes the JSON schema.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DatasetExport in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CompressedMetadataLength	Compressed Metadata Length	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Dataset Export ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Metadata	Metadata	base64				
MetadataLength	Metadata Length	int	9			
Owner	Owner	string		18		
PublisherInfo	Publisher Info	string		1000		
PublisherType	Publisher Type	picklist		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

DATASETEXPORTEVENT

Notifies subscribers on the export of an Analytics dataset. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DatasetExportEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataflowInstanceId`	Dataflow Instance Id	string		18		
`DatasetExportId`	Dataset Export ID	string		18		
`EventUuid`	Event UUID	string		36		
`Message`	Message	string		255		
`Owner`	Owner	string		18		
`PublisherInfo`	Publisher Info	string		1000		
`PublisherType`	Publisher Type	picklist		255		
`ReplayId`	Replay ID	string		1000		
`Status`	Status	picklist		255		

DATASETEXPORTPART

Represents a dataset exported from CRM Analytics. When a dataset is exported, the data is converted into a .csv file and the schema is stored in a separate JSON file. These files are stored in two objects: DatasetExport and DatasetExportPart. DatasetExportPart contains parts of the .csv file.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DatasetExportPart in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CompressedDataFileLength	Compressed Data File Length	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataFile	Data File	base64				
DataFileLength	Data File Length	int	9			
DatasetExportId	Dataset Export ID	reference		18		
Id	Dataset Export Part ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Owner	Owner	string		18		
PartNumber	Part Number	int	9			
SystemModstamp	System Modstamp	datetime				

DATEDCONVERSIONRATE

Represents the dated exchange rates used by an organization for which the multicurrency and the effective dated currency features are enabled.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DatedConversionRate in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConversionRate	Exchange Rate	double			18	6
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	DatedConversion Rate ID	id		18		
IsoCode	Currency Code	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
NextStartDate	Next Start Date	date				
StartDate	Date	date				
SystemModstamp	System Modstamp	datetime				

DECISIONTABLE

Represents the information about a decision table. Use an input fields criteria to define when a decision table must provide outcomes.

For more information, see DecisionTable in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ConditionCriteria`	Condition Criteria	string		255		
`ConditionType`	Condition Type	picklist		255		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Description`	Description	textarea		1000		
`DeveloperName`	API Name	string		80		
`Id`	Decision Table ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastSyncDate`	Last Refreshed Date	datetime				
`MasterLabel`	Label	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`SetupName`	Name	string		120		
`SourceObject`	Source Object	string		120		
`Status`	Status	picklist		255		
`SystemModstamp`	System Modstamp	datetime				

DECISIONTABLEDATASETLINK

Represents a dataset link associated with a decision table. Use dataset links in a decision table to select multiple source objects whose field values the decision table must evaluate and provide outcomes for.

For more information, see DecisionTableDatasetLink in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DecisionTableId	Decision Table ID	reference		18		
Description	Description	textarea		1000		
DeveloperName	Name	string		80		
Id	Decision Table Payload ID	id		18		
IsDefault	Is Default	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SetupName	Name	string		120		
SourceObject	Source Object	string		120		
SystemModstamp	System Modstamp	datetime				

DECISIONTABLEPARAMETER

Represents an input or output field in a decision table. An input field is a field in the business rule object or custom metadata type that contains values used by the decision table to evaluate field values. An output field is a field in the business rule object or custom metadata type that contains the values provided as outcomes for a rule.

For more information, see DecisionTableParameter in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DecisionTableId`	Decision Table ID	reference		18		
`FieldName`	Attribute	string		120		
`Id`	Decision Table Parameter ID	id		18		
`IsDeleted`	Deleted	boolean				
`IsGroupByField`	Group By Field	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`Operator`	Operator	picklist		255		
`Sequence`	Sequence	int	9			
`SystemModstamp`	System Modstamp	datetime				
`Usage`	Type	picklist		255		

DECISIONTBLDATASETPARAMETER

Represents the mapping between the decision table input fields and the fields of the different source objects in the dataset link. This mapping allows the decision table to know which field values from the source objects must be evaluated by the input fields of the decision table.

For more information, see DecisionTblDatasetParameter in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DatasetFieldName`	Dataset Field Name	string		120		
`DatasetSourceObject`	Dataset Source Object	string		120		
`DecisionTableDatasetLinkId`	Decision Table Payload ID	reference		18		
`DecisionTableParameterId`	Decision Table Parameter ID	reference		18		
`Id`	Decision Table Dataset Parameter ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`SystemModstamp`	System Modstamp	datetime				

DECISIONTBLFILEIMPORTDATASHARE

Sharing for DecisionTblFileImportData.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DECLINEDEVENTRELATION

Represents event participants (invitees or attendees) with the status Declined for a given event. This object is available in API versions 29.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DeclinedEventRelation in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EventId	Event ID	reference		18		
Id	Event Relation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RelationId	Relation ID	reference		18		
RespondedDate	Response Date	datetime				
Response	Response	string		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	string		50		

DELEGATEDACCOUNT

Represents the external managed account. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DelegatedAccount in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessManageUsers	Allows user to manage users in delegated accounts	boolean				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	External Managed Account ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ManagedById	User ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentId	Account ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TargetId	Account ID	reference		18		

DELEGATEDACCOUNTFEED

Feed tracking for DelegatedAccount.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

DELEGATEDACCOUNTHISTORY

History for tracked fields of DelegatedAccount.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
DelegatedAccountId	External Managed Account ID	reference		18		
Field	Changed Field	picklist		255		
Id	External Managed Account History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DELEGATEDACCOUNTSHARE

Sharing for DelegatedAccount.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DELETEEVENT

Represents a record that has been soft deleted. Search on this object was available in API version 48.0, then removed in API version 50.0.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DeleteEvent in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`DeletedById`	Owner ID	reference		18		
`DeletedDate`	Deleted Date	datetime				
`Id`	Delete Event ID	id		18		
`Record`	Record ID	string		18		
`RecordName`	Record Name	string		255		
`SobjectName`	Type	string		40		
`SystemModstamp`	System Modstamp	datetime				

DELIVERYESTIMATIONSETUP

Shows the configuration options for the commerce delivery service offered through a web store or sales channel. Includes settings such as delivery location group, channel, fulfillment types, and default fulfillment time. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DeliveryEstimationSetup in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChannelId	Channel ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultBusinessHoursId	Business Hours ID	reference		18		
DefaultPickupTime	Default Pickup Time	time				
DefaultProcessingTime	Default Processing Time	int	9			
DefaultProcessingTimeUnit	Default Processing Time Unit	picklist		255		
ExternalReference	External Reference	string		255		
Id	Delivery Estimation Setup ID	id		18		
IsDeleted	Deleted	boolean				
IsEnabled	Is Enabled	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastSyncedById	User ID	reference		18		
LastSyncedDate	Last Synced Date	datetime				
LastSyncedMessage	Last Synced Message	textarea		10000		
LastViewedDate	Last Viewed Date	datetime				
LocationGroupId	Location Group ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ServiceRegion	Service Region	string		256		
SyncStatus	Sync Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

DELIVERYESTIMATIONSETUPFEED

Feed tracking for DeliveryEstimationSetup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DELIVERYESTIMATIONSETUPHISTORY

History for tracked fields of DeliveryEstimationSetup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`DeliveryEstimationSetupId`	Delivery Estimation Setup ID	reference		18		
`Field`	Changed Field	picklist		255		
`Id`	Delivery Estimation Setup History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

DELIVERYESTIMATIONSETUPSHARE

Sharing for DeliveryEstimationSetup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DIAGNOSTICSUMMARY

Represents the findings, interpretations, and summaries of tests performed on patients. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DiagnosticSummary in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttachmentLanguage	Attachment Language	string		255		
AuthenticatorId	Authenticator ID	reference		18		
BasedOnId	Based On ID	reference		18		
CareObservationId	Care Observation ID	reference		18		
CaseId	Case ID	reference		18		
Category	Category	multipicklist		4099	0	
ClinicalEncounterId	Clinical Encounter ID	reference		18		
CodeId	Code Set Bundle ID	reference		18		
ContentDocumentId	ContentDocument ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustodianId	Account ID	reference		18		
DocumentFormatCodeId	Code Set ID	reference		18		
DocumentSecurityCodeId	Code Set Bundle ID	reference		18		
DocumentStage	Document Stage	picklist		40		
DocumentTypeCodeId	Code Set Bundle ID	reference		18		
EffectiveEndDateTime	Effective End Date	datetime				
EffectiveStartDateTime	Effective Start Date	datetime				
Id	Diagnostic Summary ID	id		18		
ImageComments1	Image Comments 1	string		255		
ImageComments2	Image Comments 2	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ImageComments3	Image Comments 3	string		255		
ImageComments4	Image Comments 4	string		255		
ImageComments5	Image Comments 5	string		255		
ImageUrl1	Image URL 1	url		255		
ImageUrl2	Image URL 2	url		255		
ImageUrl3	Image URL 3	url		255		
ImageUrl4	Image URL 4	url		255		
ImageUrl5	Image URL 5	url		255		
InterpretedById	Care Performer ID	reference		18		
IsDeleted	Deleted	boolean				
IssuedById	Care Performer ID	reference		18		
IssuedDateTime	Date Issued	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PatientId	Account ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System ID	string		255		
SourceSystemModified	Source System Modified	datetime				
Status	Status	picklist		40		
Summary	Summary	string		255		
SummaryCodeId	Code Set Bundle ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		255		

DIAGNOSTICSUMMARYDETAIL

Represents additional information associated with document reference-type DiagnosticSummary records. This additional information may be related documents, authors, or related encounters. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DiagnosticSummaryDetail in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DetailRecordId	Detail Record ID	reference		18		
DetailType	Detail Type	picklist		255		
DiagnosticSummaryId	Diagnostic Summary ID	reference		18		
DocumentRelationType	Document Relation Type	picklist		40		
Id	Diagnostic Summary Detail ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

DIAGNOSTICSUMMARYDETAILFEED

Feed tracking for DiagnosticSummaryDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

DIAGNOSTICSUMMARYDETAILHISTORY

History for tracked fields of DiagnosticSummaryDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
DiagnosticSummaryDetailId	Diagnostic Summary Detail ID	reference		18		
Field	Changed Field	picklist		255		
Id	Diagnostic Summary Detail History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DIAGNOSTICSUMMARYFEED

Feed tracking for DiagnosticSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

DIAGNOSTICSUMMARYHISTORY

History for tracked fields of DiagnosticSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`DiagnosticSummaryId`	Diagnostic Summary ID	reference		18		
`Field`	Changed Field	picklist		255		
`Id`	Diagnostic Summary History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

DIAGNOSTICSUMMARYSHARE

Sharing for DiagnosticSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DIALERCALLUSAGESHARE

Sharing for DialerCallUsage.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DIGITALSIGNATURE

Represents a signature captured on a service report in field service.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DigitalSignature in the *Field Service Developer Guide*, *Life Sciences Cloud Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DigitalSignatureNumber	Signature Number	string		255		
DocumentBody	Digital Signature Body	base64				
DocumentContentType	Digital Signature Content Type	picklist		255		
DocumentLength	Digital Signature Length	int	9			
DocumentName	Signature Document Name	string		40		
Id	Digital Signature ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent Record ID	reference		18		
Place	Place	string		255		
SignatureType	Type	picklist		40		
SignedBy	Signed By	string		255		
SignedDate	Date	datetime				
SystemModstamp	System Modstamp	datetime				

DIGITALVERFSETUPDETAIL

Stores contextual details of a digital verification setup, such as the user who does the verification, and the messages that display at the time of verification. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DigitalVerfSetupDetail in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DesignatedVerifierId	Designated Verifier ID	reference		18		
DigitalVerificationSetupId	Digital Verification Setup ID	reference		18		
Id	Digital Verification Setup Detail ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
PostVerificationMessage	Post-Verification Message	textarea		4000		
PreVerificationMessage	Pre-Verification Message	textarea		4000		
SystemModstamp	System Modstamp	datetime				
VerifierRank	Verifier Rank	picklist		255		

DIGITALVERFSETUPDETAILFEED

Feed tracking for DigitalVerfSetupDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

DIGITALVERFSETUPDETAILHISTORY

History for tracked fields of DigitalVerfSetupDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
DigitalVerfSetupDetailId	Digital Verification Setup Detail ID	reference		18		
Field	Changed Field	picklist		255		
Id	Digital Verification Setup Detail History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DIGITALVERIFICATION

Stores information about the verification of a related record. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DigitalVerification in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Comment	Comment	textarea		4000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DesignatedVerifierId	Designated Verifier ID	reference		18		
DigitalVerificationSetupDetailId	Digital Verification Setup Detail ID	reference		18		
Id	Digital Verification ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentReferenceRecordId	ParentReferenceRecord ID	reference		18		
PostVerificationMessage	Post-Verification Message	textarea		4000		
PreVerificationMessage	Pre-Verification Message	textarea		4000		
SystemModstamp	System Modstamp	datetime				
VerificationDateTime	Verification Date	datetime				
VerificationRequestDateTime	Verification Request Date	datetime				
VerificationSite	Verification Site ID	textarea		4000		
VerificationStatus	Verification Status	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
VerificationStatusCategory	Verification Status Category	picklist		255		
VerifiedById	Verified By ID	reference		18		
VerifierOrder	Verifier Order	picklist		255		

DIGITALVERIFICATIONFEED

Feed tracking for DigitalVerification.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

DIGITALVERIFICATIONHISTORY

History for tracked fields of DigitalVerification.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`DigitalVerificationId`	Digital Verification ID	reference		18		
`Field`	Changed Field	picklist		255		
`Id`	Digital Verification History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

DIGITALVERIFICATIONSETUP

Stores information about a digital verification setup, such as the number of signatures needed and the record action that's related to the verification. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DigitalVerificationSetup in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Digital Verification Setup ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RecordActionType	Record Action Type	picklist		255		
ReferenceObjectApiName	Reference Object API Name	picklist		255		
SystemModstamp	System Modstamp	datetime				
VerificationProcessType	Verification Process Type	picklist		255		
VerificationType	Verification Type	picklist		255		

DIGITALVERIFICATIONSETUPFEED

Feed tracking for DigitalVerificationSetup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

DIGITALVERIFICATIONSETUPHISTORY

History for tracked fields of DigitalVerificationSetup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
DigitalVerificationSetupId	Digital Verification Setup ID	reference		18		
Field	Changed Field	picklist		255		
Id	Digital Verification Setup History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DIGITALVERIFICATIONSETUPSHARE

Sharing for DigitalVerificationSetup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DIGITALVERIFICATIONSHARE

Sharing for DigitalVerification.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DIGITALWALLET

Represents a customer's digital wallet service. Salesforce Payments can use a digital wallet as a payment source when processing payments through a payment gateway. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DigitalWallet in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AuditEmail	Audit Email	email		80		
BillingName	Billing Name	string		255		
Comments	Comments	textarea		1000		
CompanyName	Company Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Customer	Customer ID	string		255		
DigitalWalletNumber	Digital Wallet Number	string		255		
Email	Registered Email	email		80		
GatewayToken	Gateway Token	string		255		
GatewayTokenDetails	Gateway Token Details	textarea		1000		
GatewayTokenEncrypted	Gateway Token Encrypted	encryptedstring		1000		
Id	Digital Wallet ID	id		18		
IpAddress	IP Address	string		39		
IsAutoPayEnabled	Auto Pay	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MacAddress	MAC Address	string		32		
NickName	Nickname	string		255		
PaymentGatewayId	Payment Gateway ID	reference		18		
PaymentMethodAddress	Payment Method Address	address				
PaymentMethodCity	City	string		40		
PaymentMethodCountry	Country	string		80		
PaymentMethodDetails	Payment Method Details	string		255		
PaymentMethodGeocodeAccuracy	Geo Code Accuracy	picklist		40		
PaymentMethodLatitude	Latitude	double			18	15
PaymentMethodLongitude	Longitude	double			18	15
PaymentMethodPostalCode	Postal Code	string		20		
PaymentMethodState	State	string		80		
PaymentMethodStreet	Street	textarea		255		
PaymentMethodSubType	Payment Method Sub Type	string		255		
PaymentMethodType	Payment Method Type	picklist		255		
Phone	Phone	phone		40		
ProcessingMode	Processing Mode	picklist		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

DISCLOSURE

Represents the disclosure details that a company shares, which can be included by a user in their response document.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Disclosure in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DisclosureDefinitionVerId`	Disclosure Definition Version ID	reference		18		
`Id`	Disclosure ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Disclosure Name	string		255		
`OwnerId`	Owner ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

DISCLOSUREDEFINITION

Represents information that defines a disclosure type, such as details of the publisher or vendor who created or implemented the report.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DisclosureDefinition in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Description`	Description	textarea		32768		
`DeveloperName`	Developer Name	string		80		
`DisclosureType`	Disclosure Type ID	picklist		255		
`Id`	Disclosure Definition ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Name	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`SystemModstamp`	System Modstamp	datetime				

DISCLOSUREDEFINITIONVERSION

Represents the version information about the disclosure definition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DisclosureDefinitionVersion in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthoringMode	Authoring Mode	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32768		
DeveloperName	Developer Name	string		80		
DisclosureDefinitionId	Disclosure Definition ID	reference		18		
DocumentTemplateGlobalKey	Document Template Global Key	string		255		
Id	Disclosure Definition Version ID	id		18		
IsActive	Active	boolean				
IsCurrentVersion	Current Version	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Name	string		80		
NamespacePrefix	Namespace Prefix	string		15		
OmniScriptCnfgApiName	OmniScript Configuration API Name	string		80		
OmniScriptConfiguration	OmniScript Configuration	string		80		
SystemModstamp	System Modstamp	datetime				
VersionNumber	Version Number	string		80		

DISCLOSUREFEED

Feed tracking for Disclosure.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DISCLOSUREHISTORY

History for tracked fields of Disclosure.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
DisclosureId	Disclosure ID	reference		18		
Field	Changed Field	picklist		255		
Id	Disclosure History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DISCLOSURESHARE

Sharing for Disclosure.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DISCLOSURETYPE

Represents the types of disclosures that are done by an individual or an organization and the associated metadata.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DisclosureType in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Description`	Description	textarea		32768		
`DeveloperName`	Developer Name	string		80		
`DisclosureBodyLogoId`	Static Resource ID	reference		18		
`DisclosureBodyUrl`	Disclosure Body URL	url		255		
`DisclosureCategory`	Clause Category Configuration ID	picklist		255		
`Id`	Disclosure Type ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Name	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`SystemModstamp`	System Modstamp	datetime				

DISCLSREPORTINGPERIOD

Represents a corporate reporting period that is used for stakeholder disclosure reports.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DisclsReportingPeriod in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AffiliateAccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
EndDate	End Date	date				
Id	Disclosure Reporting Period ID	id		18		
Identifier	Identifier	string		30		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

DISCLSREPORTINGPERIODFEED

Feed tracking for DisclsReportingPeriod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DISCLSREPORTINGPERIODHISTORY

History for tracked fields of DisclsReportingPeriod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`DisclsReportingPeriodId`	Disclosure Reporting Period ID	reference		18		
`Field`	Changed Field	picklist		255		
`Id`	Disclosure Reporting Period History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

DISCLSREPORTINGPERIODSHARE

Sharing for DisclsReportingPeriod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DISTRIBUTORAUTHORIZATION

Represents the official authorization from an insurance company granting a distributor the permission to act as its agent. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DistributorAuthorization in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AuthorizedInsuranceLineId	Authorized Insurance Line ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EffectiveDate	Effective Date	date				
ExpirationDate	Expiration Date	date				
Id	Distributor Authorization ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LicenseId	Business License ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TerminationCause	Termination Cause	string		255		

DISTRIBUTORAUTHORIZATIONFEED

Feed tracking for DistributorAuthorization.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

DISTRIBUTORAUTHORIZATIONHISTORY

History for tracked fields of DistributorAuthorization.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
DistributorAuthorizationId	Distributor Authorization ID	reference		18		
Field	Changed Field	picklist		255		
Id	Distributor Authorization History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DISTRIBUTORAUTHORIZATIONSHARE

Sharing for DistributorAuthorization.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DIVRSEQUITYINCLSUM

Represents information that indicates the diversity of governance bodies and employees by gender, age group, and other diversity indicators.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DivrsEquityInclSum in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AgeGroup	Age Group	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
DisclsReportingPeriodId	Disclosure Reporting Period ID	reference		18		
DiversityCategory	Diversity Category	picklist		40		
DiversityType	Diversity Type	picklist		40		
EmployeePercentage	Employee Percentage	percent			13	3
EmployeeType	Employee Type	picklist		40		
EmploymentType	Employment Type	picklist		40		
Gender	Gender	picklist		40		
Id	Diversity Equity Inclusion Summary ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Location	Employee Location	picklist		40		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Race	Race	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SubsidiaryAccountId	Account ID	reference		18		
SystemModstamp	System Modstamp	datetime				

DIVRSEQUITYINCLSUMFEED

Feed tracking for DivrsEquityInclSum.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DIVRSEQUITYINCLSUMHISTORY

History for tracked fields of DivrsEquityInclSum.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`DivrsEquityInclSumId`	Diversity Equity Inclusion Summary ID	reference		18		
`Field`	Changed Field	picklist		255		
`Id`	Diversity Equity Inclusion Summary History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

DIVRSEQUITYINCLSUMSHARE

Sharing for DivrsEquityInclSum.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DOCGENPROCSTSCHGEVENT

Represents the change in status of a document generation request. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DocGenProcStsChgEvent in the *Salesforce Contracts Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DocGenProcessIdentifier`	Document Generation Process Identifier	string		18		
`Error`	Error	string		255		
`EventUuid`	Event Uuid	string		36		
`PdfDocumentIdentifier`	PDF Document Identifier	string		18		
`ReplayId`	Replay ID	string		1000		
`Status`	Status	picklist		255		
`WordDocumentIdentifier`	Word Document Identifier	string		18		

DOCGENERATIONQUERYRESULTFEED

Feed tracking for DocGenerationQueryResult.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

DOCGENERATIONQUERYRESULTHISTORY

History for tracked fields of DocGenerationQueryResult.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
DocGenerationQueryResultId	Document Generation Query Result ID	reference		18		
Field	Changed Field	picklist		255		
Id	Document Generation Query Result History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DOCGENERATIONQUERYRESULTSHARE

Sharing for DocGenerationQueryResult.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DOCTEMPLATESECTIONCONDITIONFEED

Feed tracking for DocTemplateSectionCondition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

DOCTEMPLATESECTIONCONDITIONHISTORY

History for tracked fields of DocTemplateSectionCondition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
DocTemplateSectionConditionId	Document Template Section Condition ID	reference		18		
Field	Changed Field	picklist		255		
Id	Document Template Section Condition History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DOCUMENT

Represents a file that a user has uploaded. Unlike Attachment records, documents are not attached to a parent object.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Document in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorId	Author ID	reference		18		
Body	Body	base64				
BodyLength	Body Length	int	8			
ContentType	MIME Type	string		120		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
DeveloperName	Document Unique Name	string		80		
FolderId	Folder ID	reference		18		
Id	Document ID	id		18		
IsBodySearchable	Document Content Searchable	boolean				
IsDeleted	Deleted	boolean				
IsInternalUseOnly	Internal Use Only	boolean				
IsPublic	Externally Available	boolean				
Keywords	Keywords	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Document Name	string		255		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Type	File Extension	string		40		
Url	Url	string		255		

DOCUMENTATTACHMENTMAP

Maps the relationship between an EmailTemplate and its attachment, which is stored as a Document.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DocumentAttachmentMap in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DocumentId`	Document ID	reference		18		
`DocumentSequence`	Attachment Sequence	int	9			
`Id`	Document Entity Map Id	id		18		
`ParentId`	Entity ID	reference		18		

DOCUMENTCATEGORY

Represents a document category that's used to group the document checklist items. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DocumentCategory in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Description`	Description	string		255		
`DeveloperName`	Name	string		80		
`Id`	Document Category ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Label	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`SystemModstamp`	System Modstamp	datetime				

DOCUMENTCATEGORYDOCUMENTTYPE

Represents a junction between Document Category and Document Type. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DocumentCategoryDocumentType in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Name	string		80		
`DocumentCategoryId`	Document Category ID	reference		18		
`DocumentTypeId`	Document Type ID	reference		18		
`Id`	Document Category Document Type ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Label	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`SystemModstamp`	System Modstamp	datetime				

DOCUMENTCHECKLISTITEM

Represents a checklist item for a file documentation upload.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DocumentChecklistItem in the *Financial Services Cloud Developer Guide*, *Life Sciences Cloud Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DocumentCategoryId	Document Category ID	reference		18		
DocumentTypeId	Document Type ID	reference		18		
Id	Document Checklist Item ID	id		18		
Instruction	Instructions	textarea		32000		
IsAccepted	Accepted	boolean				
IsDeleted	Deleted	boolean				
IsFrozen	Frozen	boolean				
IsRequired	Required	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentRecordId	Parent Record ID	reference		18		
ReceivedDocumentId	Received Document ID	reference		18		
Status	Status	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
TransformationInfo	Transformation Info	textarea		10240		
UploadedById	User ID	reference		18		
WhoId	Who ID	reference		18		

DOCUMENTCHECKLISTITEMFEED

Feed tracking for DocumentChecklistItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

DOCUMENTCHECKLISTITEMHISTORY

History for tracked fields of DocumentChecklistItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
DocumentChecklistItemId	Document Checklist Item ID	reference		18		
Field	Changed Field	picklist		255		
Id	Document Checklist Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DOCUMENTCHECKLISTITEMSHARE

Sharing for DocumentChecklistItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DOCUMENTCLAUSE

Represents a clause that can be associated with multiple documents.

For more information, see DocumentClause in the *Salesforce Contracts Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Content	Content	textarea		131072		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Format	Format	picklist		255		
Id	Document Clause ID	id		18		
IsDeleted	Deleted	boolean				
Language	Language	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		80		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

DOCUMENTCLAUSEFEED

Feed tracking for DocumentClause.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DOCUMENTCLAUSEHISTORY

History for tracked fields of DocumentClause.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
DocumentClauseId	Document Clause ID	reference		18		
Field	Changed Field	picklist		255		
Id	Document ClauseHistory ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DOCUMENTCLAUSESHARE

Sharing for DocumentClause.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DOCUMENTDECISIONREQUIREMENT

Represents the decision criteria that will be used to determine applicable documents. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DocumentDecisionRequirement in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Context	Context	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DocumentReferenceObjectId	Document Reference Object ID	reference		18		
HelpText	Help Text	string		1333		
Id	Document Decision Requirement ID	id		18		
IsDeleted	Deleted	boolean				
IsUploadRequired	Is Upload Required	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

DOCUMENTDECISIONREQUIREMENTFEED

Feed tracking for DocumentDecisionRequirement.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

DOCUMENTDECISIONREQUIREMENTHISTORY

History for tracked fields of DocumentDecisionRequirement.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
DocumentDecisionRequirementId	Document Decision Requirement ID	reference		18		
Field	Changed Field	picklist		255		
Id	Document Decision Requirement History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DOCUMENTDECISIONREQUIREMENTSHARE

Sharing for DocumentDecisionRequirement.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DOCUMENTENVELOPE

The container for a document that is routed for signatures. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DocumentEnvelope in the *Salesforce Contracts Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DeliveredDateTime	Delivered Date Time	datetime				
EnvelopeIdentifier	Envelope Identifier	string		80		
EnvelopeMessageContent	Envelope Message	textarea		32768		
EnvelopeSubject	Envelope Subject	string		1000		
EnvelopeUri	Envelope URI	string		255		
FinalStatusDateTime	Final Status Date Time	datetime				
FinalStatusReason	Final Status Reason	string		1000		
Id	Document Envelope ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastSyncDateTime	Last Sync Date Time	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ReferenceObjectId	ReferenceObject ID	reference		18		
Status	Status	picklist		40		
StatusChangeDateTime	Status Change Date Time	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
Vendor	Vendor	picklist		255		

DOCUMENTENVELOPEFEED

Feed tracking for DocumentEnvelope.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

DOCUMENTENVELOPEHISTORY

History for tracked fields of DocumentEnvelope.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`DocumentEnvelopeId`	Document Envelope ID	reference		18		
`Field`	Changed Field	picklist		255		
`Id`	Document Envelope History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

DOCUMENTENVELOPESHARE

Sharing for DocumentEnvelope.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DOCUMENTGENERATIONPROCESS

Supports server-side document generation requests and responses. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DocumentGenerationProcess in the *Salesforce Contracts Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DataRaptorInput	Data Mapper Input	textarea		131072		
DocGenAdditionalInput	DocGen Additional Input	textarea		2000		
DocGenAdditionalInputType	DocGen Additional Input Type	picklist		255		
DocGenApiVersionType	Doc Generation API Version Type	picklist		255		
DocumentInputType	Document Input Type	picklist		255		
DocumentTemplateId	Document Template ID	reference		18		
EstimatedDocumentSize	Estimated Document Size	int	9			
HasDocGenFontSource	Doc Generation Font Source	boolean				
Id	Document Generation Process ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PdfDocIdentifiersList	PDF Document Identifiers List	string		255		
ReferenceObject	Reference Object	string		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RequestText	Request Text	string		255		
ResponseText	Response Text	string		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TokenData	Token Data	textarea		131072		
TokenDataContentDocumentId	ContentDocument ID	reference		18		
Type	Type	picklist		255		

DOCUMENTGENERATIONPROCESSSHARE

Sharing for DocumentGenerationProcess.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DOCUMENTGENERATIONSETTING

Represents an org's settings for automatic document generation from templates. This object is available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DocumentGenerationSetting in the *Salesforce Contracts Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BatchDocGnrnPctLimitPerHour	Batch Docgen Percent Limit Per Hour	percent			3	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
DocumentTemplateLibraryName	Document Template Library Name	string		255		
GenerationMechanism	Generation Mechanism	picklist		255		
GuestAccessNamedCredential	Guest Access Named Credential	string		255		
Id	Document Generation Setting ID	id		18		
InProgDocGenRqstTmot	InProgress DocGen Request Time Out (hrs)	int	9			
IsBatchDocGnrnEnabled	Enable Batch Document Generation	boolean				
IsDeleted	Deleted	boolean				
IsInProgRqstTmotEnab	Enable InProgress DocGen Request Time Out	boolean				
IsServerSideDocGenEnabled	Enable Server-Side Document Generation	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PreviewType	Preview Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

DOCUMENTRECIPIENT

Connects a Service Report to a Digital Signature. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DocumentRecipient in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DeliveredDateTime	Delivered Date Time	datetime				
DigitalSignatureId	Digital Signature ID	reference		18		
DigitalSignatureUrl	Digital Signature URL	textarea		4000		
DocumentAccessKey	Document Access Key	string		80		
DocumentId	Document ID	reference		18		
DocumentRecipient	Name	string		255		
Email	Email	email		80		
FinalStatusDateTime	Final Status Date Time	datetime				
Id	Document Recipient ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LegalName	Legal Name	string		255		
LocaleCode	Locale Code	picklist		255		
OwnerId	Owner ID	reference		18		
RecipientId	Recipient ID	reference		18		
RecipientName	Recipient Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RecipientSequence	Recipient Sequence	int	9			
RoutingOrder	Routing Order	int	9			
Status	Status	picklist		255		
StatusReason	Status Reason	textarea		1000		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

DOCUMENTRECIPIENTFEED

Feed tracking for DocumentRecipient.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

DOCUMENTRECIPIENTSHARE

Sharing for DocumentRecipient.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DOCUMENTTEMPLATE

Represents information about dynamic document generation. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DocumentTemplate in the *Life Sciences Cloud Developer Guide* and *Salesforce Contracts Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContextDefinitionName	Context Definition Name	string		255		
ContextMappingName	Context Mapping Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
CustomClassName	Custom Class Name	string		80		
DefaultFontStyle	Default Font Style	textarea		32768		
DocumentConversionResourceName	Document Conversion Resource Name	string		255		
DocumentGenerationMechanism	Document Generation Mechanism	picklist		255		
ExtractOmniDataTransformName	Extract Omni Data Transform Name	string		255		
GlobalKey	Global Key	string		255		
HasBatchableSection	Batchable Section Available	boolean				
Id	Document Template ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsSectionProcessed	Section Processed	boolean				
LastEmbeddedImplSectionKey	Last Embedded Template Section Key	string		4		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastViewedDate	Last Viewed Date	datetime				
MapperOmniDataTransformName	Mapper Omni Data Transform Name	string		255		
Name	Name	string		80		
Namespace	Namespace	string		20		
OwnerId	Owner ID	reference		18		
SectionHeaderFontStyle	Section Header Font Style	textarea		32768		
SectionHeaderFontStyleValue	Section Header Font Style Value	textarea		32768		
ShouldDisplayUnmappedToken	Display Unmapped Token	boolean				
ShouldExtractEmbeddedImplToken	Extract Embedded Template Token	boolean				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TargetTokenItemObject	Target Token Item Object	multipicklist		4099	0	
TargetTokenObject	Target Token Object	multipicklist		4099	0	
TokenList	Token List	textarea		131072		
TokenMappingMethodType	Token Mapping Method Type	picklist		255		
TokenMappingType	Token Mapping Type	picklist		255		
Type	Type	picklist		255		
UniqueName	Unique Name	string		100		
UsageType	Usage Type	picklist		255		
VersionNumber	Version	int	9			
XmlRelationshipMetadata	Xml Relationship Metadata	textarea		131072		

DOCUMENTTEMPLATECONTENTDOCFEED

Feed tracking for DocumentTemplateContentDoc.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

DOCUMENTTEMPLATECONTENTDOCHISTORY

History for tracked fields of DocumentTemplateContentDoc.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
DocumentTemplateContentDocId	Document Template Content Document ID	reference		18		
Field	Changed Field	picklist		255		
Id	Document Template Content Document History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DOCUMENTTEMPLATEFEED

Feed tracking for DocumentTemplate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

DOCUMENTTEMPLATEHISTORY

History for tracked fields of DocumentTemplate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`DocumentTemplateId`	Document Template ID	reference		18		
`Field`	Changed Field	picklist		255		
`Id`	Document Template History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

DOCUMENTTEMPLATESECTION

Represents a section in a document template. A document template section can be a clause, image, context, embedded template, or signature. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DocumentTemplateSection in the *Salesforce Contracts Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessType	Access Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DisplayConditionExpression	Display Condition Expression	textarea		131072		
DocumentTemplateId	Document Template ID	reference		18		
EmbeddedDocumentTemplateId	Document Template ID	reference		18		
EmbeddedKey	Embedded Key	string		4		
HasSectionNumberReset	Reset Section Number	boolean				
Id	Document Template Section ID	id		18		
IsBatchable	Batchable	boolean				
IsDeleted	Deleted	boolean				
IsDisplayOnNewPage	Display on New Page	boolean				
IsNewLineAfterSectionEnabled	Add New Line After Section	boolean				
IsSectionNumberDisplayEnabled	Section Number Display	boolean				
IsTableHeaderRepeatable	Table Header Repeatable	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ReferenceClassName	Reference Class Name	string		255		
SectionContent	Section Content	textarea		131072		
SectionSequenceNumber	Section Sequence Number	double			18	0
SectionType	Section Type	picklist		255		
SectionTypeItemFontStyle	Section Type Item Font Style	textarea		32768		
SectionTypeItemFontValue	Section Type Item Font Style Value	textarea		32768		
SectionTypeSignatureContent	Section Type Signature Content	textarea		32768		
ShouldDisplayHeaderContentInline	Display Header Content Inline	boolean				
ShouldDisplayHeaderName	Display Header Name	boolean				
ShouldGenerateEmbeddedKey	Generate Embedded Key	boolean				
SystemModstamp	System Modstamp	datetime				
TokenList	Token List	textarea		131072		
TotalSectionConditionCount	Total Section Condition Count	int	9			

DOCUMENTTEMPLATESECTIONFEED

Feed tracking for DocumentTemplateSection.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

DOCUMENTTEMPLATESECTIONHISTORY

History for tracked fields of DocumentTemplateSection.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
DocumentTemplateSectionId	Document Template Section ID	reference		18		
Field	Changed Field	picklist		255		
Id	Document Template Section History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DOCUMENTTEMPLATESHARE

Sharing for DocumentTemplate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

DOCUMENTTEMPLATETOKENFEED

Feed tracking for DocumentTemplateToken.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

DOCUMENTTEMPLATETOKENHISTORY

History for tracked fields of DocumentTemplateToken.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
DocumentTemplateTokenId	DocumentTemplateToken ID	reference		18		
Field	Changed Field	picklist		255		
Id	Document Template Token History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DOCUMENTTYPE

Represents the type of file being uploaded or attached. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DocumentType in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	Name	string		80		
ExternalIdentifier	External Identifier	string		255		
Id	Document Type ID	id		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
MaximumFileSize	Maximum File Size	int	5			
MaximumFileUploadCount	Maximum File Upload Count	int	1			
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

DOMAIN

Read-only object that represents a custom Web address assigned to a site in your organization. This object is available in API version 26.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Domain in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CnameTarget	CNAME Target	string		765		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Domain	Domain Name	string		765		
DomainType	Domain Type	picklist		40		
HttpsOption	Current Domain Configuration Option	picklist		40		
Id	Domain ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OptionsHstsPreload	Allow Strict Transport Security preloading	boolean				
SystemModstamp	System Modstamp	datetime				

DOMAINSITE

Read-only junction object that joins the Site and Domain objects. This object is available in API version 26.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DomainSite in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DomainId`	Domain ID	reference		18		
`Id`	Custom URL ID	id		18		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`PathPrefix`	Path	string		255		
`SiteId`	Site ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

DONORGIFTSUMMARYFEED

Feed tracking for DonorGiftSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

DONORGIFTSUMMARYHISTORY

History for tracked fields of DonorGiftSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
DonorGiftSummaryId	Donor Gift Summary ID	reference		18		
Field	Changed Field	picklist		255		
Id	Donor Gift Summary History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

DUPLICATERECORDITEM

Represents an individual record that's part of a duplicate record set. Use this object to create custom report types.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DuplicateRecordItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DuplicateRecordSetId	Duplicate Record Set ID	reference		18		
Id	Duplicate Record Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Duplicate Record Item Name	string		255		
RecordId	Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				

DUPLICATERECORDSET

Represents a group of records that have been identified as duplicates. Each duplicate record set contains one or more duplicate record items. Use this object to create custom report types and view the results of duplicate jobs.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DuplicateRecordSet in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DuplicateRuleId	Duplicate Rule ID	reference		18		
Id	Duplicate Record Set ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Duplicate Record Set Name	string		255		
RecordCount	Record Count	int	9			
SystemModstamp	System Modstamp	datetime				

DUPLICATERULE

Represents a duplicate rule for detecting duplicate records.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DuplicateRule in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Object Name	string		80		
Id	Duplicate Rule ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MasterLabel	Rule Name	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SobjectSubtype	Object Subtype	picklist		255		
SobjectType	Custom Object Definition ID	picklist		40		
SystemModstamp	System Modstamp	datetime				

DYNAMICDATACAPTURE

DynamicDataCapture is a junction object that adds a Form tab to Work Order Overview, and to the related list of a work order, work order line item, or service appointment in the Field Service mobile app. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see DynamicDataCapture in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionDefinition	Action Definition	string		255		
ActionType	Action Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		255		
ExecutionOrder	Execution Order	int	9			
Id	Form ID	id		18		
IsDeleted	Deleted	boolean				
IsRequired	Required	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentRecordId	Parent Record ID	reference		18		
ParentRecordType	Parent Record Type	string		50		
PausedFlowInterviewId	Paused Flow Interview ID	reference		18		
ProcessType	Process Type	picklist		255		
StatusCategory	Status	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

DYNAMICDATACAPTUREFEED

Feed tracking for DynamicDataCapture.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

DYNAMICDATACAPTUREHISTORY

History for tracked fields of DynamicDataCapture.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`DynamicDataCaptureId`	Form ID	reference		18		
`Field`	Changed Field	picklist		255		
`Id`	Form History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

DYNAMICDATACAPTURESHARE

Sharing for DynamicDataCapture.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ESIGNATURECONFIG

The settings for integrating with external eSignature providers. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ESignatureConfig in the *Salesforce Contracts Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConfigType	Config Type	picklist		255		
ConfigValue	Config Value	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	Name	string		80		
GroupType	Config Group	picklist		255		
Id	Electronic Signature Config ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				
Vendor	Vendor	picklist		255		

ESIGNATUREENVELOPECONFIG

The notification-specific settings for integrating with external eSignature providers. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ESignatureEnvelopeConfig in the *Salesforce Contracts Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
ExpirationPeriod	Expiration Period	int	9			
ExpirationWarningPeriod	Expiration Warning Period	int	9			
FirstReminderPeriod	First Reminder Period	int	9			
Id	Electronic Signature Envelope Config ID	id		18		
IsDeleted	Deleted	boolean				
IsExpirationEnabled	Expiration Enabled	boolean				
IsReminderEnabled	Reminder Enabled	boolean				
IsVendorDefaultNtfcnEnabled	Vendor Default Notification Enabled	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
ReminderIntervalPeriod	Reminder Interval Period	int	9			
SystemModstamp	System Modstamp	datetime				
TargetObjectName	Target Object Name	picklist		255		
Vendor	Vendor	picklist		255		
VendorAccountIdentifier	Vendor Account Identifier	string		255		

ECONOMICPERFORMANCESUM

Represents statistics about the direct economic value generated and distributed by an organization or the related income and expenses.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EconomicPerformanceSum in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Country`	Country	picklist		255		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Description`	Description	textarea		32000		
`DisclsReportingPeriodId`	Disclosure Reporting Period ID	reference		18		
`Id`	Economic Performance Summary ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Market`	Market	picklist		40		
`Name`	Name	string		255		
`OwnerId`	Owner ID	reference		18		
`PerformanceCategory`	Performance Category	picklist		40		
`PerformanceType`	Performance Type	picklist		40		
`Region`	Region	picklist		40		
`SubsidiaryAccountId`	Account ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`TotalAmount`	Total Amount	currency			18	0

ECONOMICPERFORMANCESUMFEED

Feed tracking for EconomicPerformanceSum.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ECONOMICPERFORMANCESUMHISTORY

History for tracked fields of EconomicPerformanceSum.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
EconomicPerformanceSumId	Economic Performance Summary ID	reference		18		
Field	Changed Field	picklist		255		
Id	Economic Performance Summary History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ECONOMICPERFORMANCESUMSHARE

Sharing for EconomicPerformanceSum.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ELECTRICITYEMSSNFCTRSET

Represents the factors that are used to convert electricity usage into CO_2e, CO_2, CH_4, and N_2O values. This record holds data on the breakdown of sources of electricity by fuel type (grid mixes).

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ElectricityEmssnFctrSet in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Ch4EmissionRate	CH4 Emissions Rate	double			18	6
Ch4EmissionRateInTgwh	CH4 Emissions Rate (tonnes/GWh)	double			18	6
Ch4EmissionRateUnit	CH4 Emissions Rate Unit	picklist		255		
City	City	string		255		
Co2EmissionRate	CO2 Emissions Rate	double			18	6
Co2EmissionRateInTmwh	CO2 Emissions Rate (tonnes/MWh)	double			18	6
Co2EmissionRateUnit	CO2 Emissions Rate Unit	picklist		255		
Co2eEmissionRate	CO2e Emissions Rate	double			18	6
Co2eEmissionRateInTmwh	CO2e Emissions Rate (tonnes/MWh)	double			18	6
Co2eEmissionRateUnit	CO2e Emissions Rate Unit	picklist		255		
Country	Country	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmissionFactorDataSource	Emissions Factor Data Source	textarea		32000		
EmissionFactorUpdateYear	Emissions Factor Update Year	picklist		255		
EmissionsFactorType	Emissions Factor Type	picklist		255		
ExternalIdentifier	External Identifier	string		255		
GenlConversionFctrRevisionDate	Emissions Factor Revision Date	date				
GridSubregion	Grid Subregion	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	Electricity Emissions Factor Set ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocBasedGeothermalMixPct	Location-Based Geothermal Mix Percentage	percent			18	2
LocBasedOtherFossilFuelMixPct	Location-Based Other Fossil Fuel Mix Percentage	percent			18	2
LocBasedRenewableEnergyPct	Location-Based Renewable Energy Percentage	percent			18	2
LocBsdRenewableEnrgyNonHydro	Location-Based Renewable Energy Excluding Hydroelectricity Percentage	percent			18	2
LocationBasedBiomassMixPct	Location-Based Biomass Mix Percentage	percent			18	2
LocationBasedCoalMixPct	Location-Based Coal Mix Percentage	percent			18	2
LocationBasedGasMixPct	Location-Based Gas Mix Percentage	percent			18	2
LocationBasedHydroMixPct	Location-Based Hydroelectricity Mix Percentage	percent			18	2
LocationBasedMixPct	Location-Based Mix Percentage	percent			18	2
LocationBasedNuclearMixPct	Location-Based Nuclear Mix Percentage	percent			18	2
LocationBasedOilMixPct	Location-Based Oil Mix Percentage	percent			18	2
LocationBasedOtherFuelMixPct	Location-Based Other Fuel Mix Percentage	percent			18	2
LocationBasedSolarMixPct	Location-Based Solar Mix Percentage	percent			18	2
LocationBasedWindMixPct	Location-Based Wind Mix Percentage	percent			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MarketBasedBiomassMixPct	Market-Based Biomass Mix Percentage	percent			18	2
MarketBasedCoalMixPct	Market-Based Coal Mix Percentage	percent			18	2
MarketBasedGasMixPct	Market-Based Gas Mix Percentage	percent			18	2
MarketBasedHydroMixPct	Market-Based Hydroelectric Mix Percentage	percent			18	2
MarketBasedMixPct	Market-Based Mix Percentage	percent			18	2
MarketBasedNuclearMixPct	Market-Based Nuclear Mix Percentage	percent			18	2
MarketBasedOilMixPct	Market-Based Oil Mix Percentage	percent			18	2
MarketBasedOtherFuelMixPct	Market-Based Other Fuel Mix Percentage	percent			18	2
MarketBasedSolarMixPct	Market-Based Solar Mix Percentage	percent			18	2
MarketBasedWindMixPct	Market-Based Wind Mix Percentage	percent			18	2
MktBasedGeothermalMixPct	Market-Based Geothermal Mix Percentage	percent			18	2
MktBasedOtherFossilFuelMixPct	Market-Based Other Fossil Fuel Mix Percentage	percent			18	2
MktBasedRenewableEnergyPct	Market-Based Renewable Energy Percentage	percent			18	2
MktBsdCo2eEmissionRate	Market-Based CO2e Emissions Rate	double			18	6
MktBsdCo2eEmissionRateInTmwh	Market-Based CO2e Emissions Rate (tonnes/MWh)	double			18	6
MktBsdCo2eEmissionRateUnit	Market-Based CO2e Emissions Rate Unit	picklist		255		
MktBsdRenewableEnrgyNonHydro	Market-Based Renewable Energy Excluding Hydroelectricity Percentage	percent			18	2
N2oEmissionRate	N2O Emissions Rate	double			18	6
N2oEmissionRateInTgwh	N2O Emissions Rate (tonnes/GWh)	double			18	6

Field Name	Field Label	Type	Digits	Length	Precision	Scale
N2oEmissionRateUnit	N2O Emissions Rate Unit	picklist		255		
Name	Name	string		255		
OtherEmssnFctrId	Other Emissions Factor Set ID	reference		18		
OwnerId	Owner ID	reference		18		
PostalCodeSet	Postal Code Set	textarea		32768		
ReferenceDataLoadLogId	Reference Data Load Log ID	reference		18		
State	State	string		255		
SystemModstamp	System Modstamp	datetime				

ELECTRICITYEMSSNFCTRSETFEED

Feed tracking for ElectricityEmssnFctrSet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ELECTRICITYEMSSNFCTRSETHISTORY

History for tracked fields of ElectricityEmssnFctrSet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`ElectricityEmssnFctrSetId`	Electricity Emissions Factor Set ID	reference		18		
`Field`	Changed Field	picklist		255		
`Id`	Electricity Emissions Factor Set History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

ELECTRICITYEMSSNFCTRSETSHARE

Sharing for ElectricityEmssnFctrSet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ELECTRONICMEDIAGROUP

Represents the type of media that you can associate with a product or category.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ElectronicMediaGroup in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
DeveloperName	Developer Name	string		120		
Id	Electronic Media Group ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Electronic Media Group Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		255		

ELECTRONICMEDIAGROUPHISTORY

History for tracked fields of ElectronicMediaGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`ElectronicMediaGroupId`	Electronic Media Group ID	reference		18		
`Field`	Changed Field	picklist		255		
`Id`	Electronic Media Group History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

ELECTRONICMEDIAGROUPSHARE

Sharing for ElectronicMediaGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ELECTRONICMEDIAUSE

Represents the usage of media.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ElectronicMediaUse in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CurrencyIsoCode`	Currency ISO Code	picklist		3		
`ElectronicMediaGroupId`	Electronic Media Group ID	reference		18		
`ElectronicMediaId`	ElectronicMedia ID	reference		18		
`Id`	Electronic Media Use ID	id		18		
`ImplementorType`	Implementor Type	string		255		
`SortOrder`	Sort Order	int	9			

EMAILCONTENT

Represents a marketing email asset for use with Account Engagement.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EmailContent in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ClickThroughRate	Total Click Through Rate	percent			5	2
ClickToOpenRatio	Click to Open Ratio	percent			5	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeliveryRate	Delivery Rate	percent			5	2
Description	Description	textarea		4000		
HtmlBody	HTML Body	textarea		384000		
Id	Email Content ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ManagedContentId	Managed Content ID	reference		18		
Name	Name	string		255		
OpenRate	Open Rate	percent			5	2
OptOutRate	Opt Out Rate	percent			5	2
SpamComplaintRate	Spam Complaint Rate	percent			5	2
Subject	Subject	textarea		3000		
SystemModstamp	System Modstamp	datetime				
TemplateId	Email Template ID	reference		18		
TextBody	Text Body	textarea		384000		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalDelivered	Total Delivered	int	9			
TotalHardBounced	Total Hard Bounces	int	9			
TotalOpens	Total Opens	int	9			
TotalSent	Total Sent	int	9			
TotalSoftBounced	Total Soft Bounces	int	9			
TotalSpamComplaints	Total Spam Complaints	int	9			
TotalTrackedLinkClicks	Total Clicks	int	9			
UniqueClickThroughRate	Unique Click Through Rate	percent			5	2
UniqueOpens	Unique Opens	int	9			
UniqueOptOuts	Unique Opt Outs	int	9			
UniqueTrackedLinkClicks	Unique Clicks	int	9			

EMAILCONTENTFEED

Feed tracking for EmailContent.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

EMAILDOMAINFILTER

Represents a filter that determines whether an email relay is restricted to a specific list of domains. This object is available in API version 43.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EmailDomainFilter in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmailRelayId	Email Relay ID	reference		18		
FromDomain	Sender Domain	textarea		4000		
Id	Email Domain Filter ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PriorityNumber	Priority	int	9			
SystemModstamp	System Modstamp	datetime				
ToDomain	Recipient Domain	textarea		4000		

EMAILDOMAINKEY

Represents a domain key for an organization's domain, used to authenticate outbound email that Salesforce sends on the organization's behalf. This object is available in API version 28.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EmailDomainKey in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AlternatePublicKey	Alternate Public Key	textarea		32000		
AlternateSelector	Alternate Selector	string		63		
AlternateTxtRecordName	Alternate TXT Record Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Domain	Domain	string		255		
DomainMatch	Domain Match	picklist		255		
DomainMatchPattern	Domain Match Pattern	string		255		
Id	Email Domain Key ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
KeySize	Key Size	int	9			
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PlatformType	Platform Type	picklist		255		
PublicKey	Public Key	textarea		32000		
Selector	Selector	string		63		
Status	Status	picklist		255		
StatusMessage	Status Message	string		255		
SystemModstamp	System Modstamp	datetime				
ThirdSelector	Third Selector	string		63		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ThirdTxtRecordName	Third TXT Record Name	string		255		
TxtRecordName	TXT Record Name	string		255		
TxtRecordsPublishState	TXT Record Status	picklist		255		

EMAILMESSAGE

Represents an email in Salesforce.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EmailMessage in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivityId	Activity ID	reference		18		
AttachmentIds	Attachment Ids	string		32768		
AutomationType	Automation Type	picklist		40		
BccAddress	BCC Address	string		4000		
CcAddress	CC Address	string		4000		
ClientThreadIdentifier	Client Thread ID	string		765		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmailRoutingAddressId	EmailRoutingAddress ID	reference		18		
EmailTemplateId	Email Template ID	reference		18		
FirstOpenedDate	First Opened	datetime				
FromAddress	From Address	email		1000		
FromId	From ID	reference		18		
FromName	From Name	string		1000		
HasAttachment	Has Attachment	boolean				
Headers	Headers	textarea		32000		
HtmlBody	HTML Body	textarea		131072		
Id	Email Message ID	id		18		
Incoming	Is Incoming	boolean				
IsBounced	Bounced?	boolean				
IsClientManaged	Is Client Managed	boolean				
IsDeleted	Deleted	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsExternallyVisible	Is Externally Visible	boolean				
IsOpened	Opened?	boolean				
IsTracked	Is Tracked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastOpenedDate	Last Opened	datetime				
MessageDate	Message Date	datetime				
MessageIdentifier	Message ID	string		765		
Name	Email Message Name	string		255		
ParentId	Case ID	reference		18		
RelatedToId	Related To ID	reference		18		
ReplyToEmailMessageId	Email Message ID	reference		18		
Source	Email Source	picklist		40		
Status	Status	picklist		40		
Subject	Subject	string		3000		
SystemModstamp	System Modstamp	datetime				
TextBody	Text Body	textarea		131072		
ThreadIdentifier	Thread ID	string		765		
ToAddress	To Address	string		4000		
ValidatedFromAddress	From	picklist		255		

EMAILMESSAGERELATION

Represents the relationship between an email and contacts, leads, and users. This object is available in API version 37.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EmailMessageRelation in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmailMessageId	Email Message ID	reference		18		
Id	Email Message Relation ID	id		18		
IsDeleted	Deleted	boolean				
RelationAddress	Relation Address	string		255		
RelationId	Relation ID	reference		18		
RelationObjectType	Relation Object Type	string		50		
RelationType	Relation Type	picklist		40		
SystemModstamp	System Modstamp	datetime				

EMAILRELAY

Represents the configuration for sending an email relay. An email relay routes email sent from Salesforce through your company's email servers. This object is available in API version 43.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EmailRelay in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthType	Auth Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Host	Host	string		255		
Id	Email Relay ID	id		18		
IsDeleted	Deleted	boolean				
IsRequireAuth	Enable SMTP Auth	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Password	Password	encryptedstring		100		
Port	Port	picklist		255		
SystemModstamp	System Modstamp	datetime				
TlsSetting	TLS Setting	picklist		255		
Username	Username	string		100		

EMAILROUTINGADDRESS

An email address used for Email-to-Case. Email routing addresses store a unique email services address provided by Salesforce and configuration options for emails received by this address.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EmailRoutingAddress in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Address	Email Address	email		270		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmailServicesAddressId	Address ID	reference		18		
Id	EmailRoutingAddress ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PersonalName	Routing Name	string		300		
SystemModstamp	System Modstamp	datetime				

EMAILSERVICESADDRESS

An email service address.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EmailServicesAddress in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorizedSenders	Accept Email From	textarea		4000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Email Address Name	string		25		
EmailDomainName	Email address domain	string		255		
FunctionId	Service ID	reference		18		
Id	Address ID	id		18		
IsActive	Active	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LocalPart	Email address	string		64		
RunAsUserId	User ID	reference		18		
SystemModstamp	System Modstamp	datetime				

EMAILSERVICESFUNCTION

An email service.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EmailServicesFunction in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AddressInactiveAction	Deactivated Email Address Action	picklist		40		
ApexClassId	Class ID	reference		18		
AttachmentOption	Accept Attachments	picklist		40		
AuthenticationFailureAction	Unauthenticated sender action	picklist		40		
AuthorizationFailureAction	Unauthorized sender action	picklist		40		
AuthorizedSenders	Accept Email From	textarea		4000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ErrorRoutingAddress	Route Error Emails to This Email Address	email		270		
FunctionInactiveAction	Deactivated Email Service Action	picklist		40		
FunctionName	Email Service Name	string		64		
Id	Service ID	id		18		
IsActive	Active	boolean				
IsAuthenticationRequired	Advanced Email Security Settings	boolean				
IsErrorRoutingEnabled	Enable Error Routing	boolean				
IsTextAttachmentsAsBinary	Convert Text Attachments to Binary Attachments	boolean				
IsTlsRequired	TLS Required	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OverLimitAction	Over email rate limit action	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

EMAILSTATUS

Represents the status of email sent.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EmailStatus in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmailTemplateName	Email Template Name	string		80		
FirstOpenDate	Date Opened	datetime				
Id	Email Status ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastOpenDate	Last Opened	datetime				
TaskId	Activity ID	reference		18		
TimesOpened	# Times Opened	int	9			
WhoId	Name ID	reference		18		

EMAILTEMPLATE

Represents a template for an email, mass email, list email, or Sales Engagement email. Supported in first-generation managed packages only.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EmailTemplate in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiVersion	API Version	double			18	1
Body	Email Body	textarea		384000		
BrandTemplateId	Letterhead ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		4000		
DeveloperName	Template Unique Name	string		80		
Encoding	Encoding	picklist		40		
EnhancedLetterheadId	Enhanced Letterhead ID	reference		18		
FolderId	Folder ID	reference		18		
FolderName	Folder Name	string		256		
HtmlValue	HTML Value	textarea		384000		
Id	Email Template ID	id		18		
IsActive	Available For Use	boolean				
IsBuilderContent	Made in Email Template Builder	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastUsedDate	Last Used Date	datetime				
Markup	Markup	textarea		1048576		
Name	Email Template Name	string		80		
NamespacePrefix	Namespace Prefix	string		15		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OwnerId	Owner ID	reference		18		
RelatedEntityType	Custom Object Definition ID	picklist		40		
Subject	Subject	string		1000		
SystemModstamp	System Modstamp	datetime				
TemplateStyle	Style	picklist		40		
TemplateType	Template Type	picklist		40		
TimesUsed	Times Used	int	9			
UiType	UI Type	picklist		40		

EMAILTEMPLATEMONTHLYMETRIC

Represents the monthly engagement metrics for an email template.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EmailTemplateMonthlyMetric in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AllEmailsBouncedCount	All Emails Bounced Count	int	9			
AllEmailsDeliveredCount	All Emails Delivered Count	int	9			
AllEmailsHardBouncedCount	All Emails Hard Bounced Count	int	9			
AllEmailsLinkClickedCount	All Emails Link Clicked Count	int	9			
AllEmailsNotDeliveredCount	All Emails Not Delivered Count	int	9			
AllEmailsOpenedCount	All Emails Opened Count	int	9			
AllEmailsOutOfOfficeCount	All Emails Out of Office Count	int	9			
AllEmailsRepliedCount	All Emails Replied Count	int	9			
AllEmailsSentCount	All Emails Sent Count	int	9			
AllEmailsSoftBouncedCount	All Emails Soft Bounced Count	int	9			
AllEmailsTrackedSentCount	All Emails Tracked Sent Count	int	9			
AllEmailsUntrackedSentCount	All Emails Untracked Sent Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeliveredRecipientCount	Delivered Recipient Count	int	9			
DeliveredRecipientRate	Delivered Recipient Rate	percent			5	2
EmailTemplateId	Email Template ID	reference		18		
HardBounceTrackableSends	Hard Bounce Trackable Sends	int	9			
HrdBncTrackableRecipientSends	Hard Bounce Trackable Recipient Sends	int	9			
Id	Email Template Monthly Metric ID	id		18		
IsDeleted	Deleted	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LinkClickTrackableSends	Link Click Trackable Sends	int	9			
LinkClkTrackableRecipientSends	Link Click Trackable Recipient Sends	int	9			
Month	Month	date				
MonthInt	Month Int	int	9			
OooTrackableRecipientSends	Out Of Office Trackable Recipient Sends	int	9			
OpenTrackableRecipientSends	Open Trackable Recipient Sends	int	9			
OpenTrackableSends	Open Trackable Sends	int	9			
OutOfOfficeTrackableSends	Out Of Office Trackable Sends	int	9			
RecipientReplies	Recipient Replies	int	9			
RecipientSends	Recipient Sends	int	9			
RecipientsHardBounced	Recipients Hard Bounced	int	9			
RecipientsOutOfOffice	Recipients Out Of Office	int	9			
RecipientsSoftBounced	Recipients Soft Bounced	int	9			
ReplyTrackableRecipientSends	Reply Trackable Recipient Sends	int	9			
ReplyTrackableSends	Reply Trackable Sends	int	9			
SftBncTrackableRecipientSends	Soft Bounce Trackable Recipient Sends	int	9			
SoftBounceTrackableSends	Soft Bounce Trackable Sends	int	9			
SomeEmailsDeliveredCount	Some Emails Delivered Count	int	9			
SomeEmailsDeliveredRate	Some Emails Delivered Rate	percent			5	2
SystemModstamp	System Modstamp	datetime				
TrackableRecipientSendHrdBncRt	Trackable Recipient Send Hard Bounce Rate	percent			5	2
TrackableRecipientSendOooRate	Trackable Recipient Send Out of Office Rate	percent			5	2
TrackableRecipientSendReplyRt	Trackable Recipient Send Reply Rate	percent			5	2
TrackableRecipientSendSftBncRt	Trackable Recipient Send Soft Bounce Rate	percent			5	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TrackableSendHardBounceRate	Trackable Send Hard Bounce Rate	percent			5	2
TrackableSendLinkClickRate	Trackable Send Link Click Rate	percent			5	2
TrackableSendOpenRate	Trackable Send Open Rate	percent			5	2
TrackableSendOutOfOfficeRate	Trackable Send Out Of Office Rate	percent			5	2
TrackableSendReplyRate	Trackable Send Reply Rate	percent			5	2
TrackableSendSoftBounceRate	Trackable Send Soft Bounce Rate	percent			5	2
UniqueEmailsLinkClickedCount	Unique Emails Link Clicked Count	int	9			
UniqueEmailsOpenedCount	Unique Emails Opened Count	int	9			
UniqueEmailsRepliedCount	Unique Emails Replied Count	int	9			

EMBEDDEDSERVICEDETAIL

Represents a metadata catalog object that exposes fields from the underlying Embedded Service setup objects defined in each EmbeddedServiceConfig deployment for guest users. Guest users don't have direct access to the Embedded Service setup objects. Available in API version 39.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EmbeddedServiceDetail in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AvatarImg	Avatar Image URL	string		255		
ContrastInvertedColor	Contrast Inverted Color	string		255		
ContrastPrimaryColor	Contrast Primary Color	string		255		
CustomMinimizedComponent	Custom Minimized Component Developer Name	string		18		
CustomPrechatComponent	Custom Prechat Component Developer Name	string		18		
DurableId	Embedded Service Durable ID	string		255		
FieldServiceConfirmCardImg	Field Service Confirmation Card Image URL	string		255		
FieldServiceHomeImg	Field Service Home Image URL	string		255		
FieldServiceLogoImg	Field Service Logo Image URL	string		255		
Font	Font	string		255		
FontSize	Font Size	picklist		255		
Height	Height	int	9			
Id	Embedded Service ID	id		18		
IsFieldServiceEnabled	Enabled	boolean				
IsLiveAgentEnabled	Enabled	boolean				
IsOfflineCaseEnabled	Offline Case Enabled	boolean				
IsPrechatEnabled	Pre-Chat Enabled	boolean				
IsQueuePositionEnabled	Queue Position Enabled	boolean				
NavBarColor	NavBar Color	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
NavBarTextColor	NavBar Text Color	string		255		
OfflineCaseBackgroundImg	Offline Case Background Image URL	string		255		
PrechatBackgroundImg	Pre-Chat Background Image URL	string		255		
PrimaryColor	Primary Color	string		255		
SecondaryColor	Secondary Color	string		255		
SecondaryNavBarColor	Secondary NavBar Color	string		255		
ShouldHideAuthDialog	Hide Authentication Dialog	boolean				
ShouldShowExistingAppointment	Show Existing Appointment	boolean				
ShouldShowNewAppointment	Show New Appointment	boolean				
Site	Site	string		18		
SmallCompanyLogoImg	Small Company Logo Image URL	string		255		
WaitingStateBackgroundImg	Waiting State Background Image URL	string		255		
Width	Width	int	9			

EMBEDDEDSERVICELABEL

Represents a customized label in Embedded Chat or embedded Appointment Management.This object is available in API version 44.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EmbeddedServiceLabel in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CustomLabelName	Custom Label Name	string		80		
DurableId	Embedded Service Label Durable ID	string		255		
EmbeddedServiceConfigDeveloperName	Embedded Service Config Developer Name	string		80		
Id	Embedded Service Label ID	id		18		
LabelKey	Label Key	picklist		255		

EMISSIONSACTIVITY

Represents a company's emission generating activities and the greenhouse gas categories that are used to aggregate emissions for these activities.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EmissionsActivity in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataSourceType	Data Source Type	picklist		255		
EmissionsScopeCategory	Emissions Scope Category	picklist		255		
Id	Emissions Activity ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

EMISSIONSACTIVITYFEED

Feed tracking for EmissionsActivity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

EMISSIONSACTIVITYHISTORY

History for tracked fields of EmissionsActivity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
EmissionsActivityId	Emissions Activity ID	reference		18		
Field	Changed Field	picklist		255		
Id	Emissions Activity History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

EMISSIONSACTIVITYSHARE

Sharing for EmissionsActivity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

EMISSIONSALLOCATION

Represents information about the emissions from a child or partner account that are allocated to an account.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EmissionsAllocation in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AllocatedFromAccountId	Account ID	reference		18		
AllocatedFromScope	Allocated From Scope	picklist		255		
AllocatedToAccountId	Account ID	reference		18		
AllocatedToScope	Allocated To Scope	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Emissions Allocation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Percentage	Percentage	percent			13	3
SystemModstamp	System Modstamp	datetime				

EMISSIONSALLOCATIONFEED

Feed tracking for EmissionsAllocation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

EMISSIONSALLOCATIONHISTORY

History for tracked fields of EmissionsAllocation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`EmissionsAllocationId`	Emissions Allocation ID	reference		18		
`Field`	Changed Field	picklist		255		
`Id`	Emissions Allocation History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

EMISSIONSALLOCATIONSHARE

Sharing for EmissionsAllocation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

EMISSIONSFORECASTFACT

Represents information about the time periods, measures, and dimensions used to forecast the emissions of a company. The emissions forecast of the company is generated based on its business measures such as revenue or employee count, and the actual emissions data from previous years.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EmissionsForecastFact in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActualEmissions	Actual Emissions (tCO2e)	double			18	2
ActualEmissionsIntensity	Actual Emissions Intensity	double			18	2
ActualEnergyConsumption	Actual Energy Consumption (kWh)	double			18	2
ActualLocationBasedEmissions	Actual Location-Based Emissions (tCO2e)	double			18	2
ActualMarketBasedEmissions	Actual Market-Based Emissions (tCO2e)	double			18	2
ActualRenewableEnergyCnsmpPct	Actual Renewable Energy Consumption Percentage	double			18	2
AdvAcctForecastSetPartnerId	Advanced Account Forecast Set Partner ID	reference		18		
CarbonCreditCost	Carbon Credits Cost (USD per tCO2e)	double			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmissionsActivityId	Emissions Activity ID	reference		18		
FinalForecastedEmissions	Final Forecasted Emissions (tCO2e)	double			18	2
ForcstEmssnIntensityRdctnPct	Forecasted Emissions Intensity Reduction Percentage	percent			18	2
ForcstRenewableEnergyCnsmpPct	Forecasted Renewable Energy Consumption Percentage	percent			5	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ForecastedEmissions	Forecasted Emissions (tCO2e)	double			18	2
ForecastedEmissionsIntensity	Forecasted Emissions Intensity	double			18	2
ForecastedEmissionsOverride	Forecasted Emissions Override (tCO2e)	double			18	2
ForecastedEnergyConsumption	Forecasted Energy Consumption (kWh)	double			18	2
ForecastedLocationBasedEmssn	Forecasted Location-Based Emissions (tCO2e)	double			18	2
ForecastedMarketBasedEmssn	Forecasted Market-Based Emissions (tCO2e)	double			18	2
Headcount	Headcount	double			18	2
Id	Emissions Forecast Fact ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
NetEmissionsForecast	Net Emissions Forecast (tCO2e)	double			18	2
OtherApplnForecastedEmissions	Other Application Forecasted Emissions (tCo2e)	double			18	2
OwnerId	Owner ID	reference		18		
PeriodId	Period ID	reference		18		
PlannedCarbonCredits	Planned Carbon Credits (tCO2e)	double			18	2
PlannedCarbonCreditsInvst	Planned Carbon Credits Investment	currency			18	2
PlnOperationalEmissionsRdctn	Planned Operational Emissions Reduction (tCO2e)	double			18	2
PlnSupplierEmissionsRdctn	Planned Supplier Emissions Reduction (tCO2e)	double			18	2
ProcurementSpend	Procurement Spend	currency			18	2
RequiredCarbonCredits	Required Carbon Credits (tCO2e)	double			18	2
RequiredCarbonCreditsInvst	Required Carbon Credits Investment	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Revenue	Revenue	currency			18	2
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TargetCompensatedEmissions	Target Compensated Emissions (tCO2e)	double			18	2
TargetEmissions	Target Emissions (tCO2e)	double			18	2
TargetRenewableEnergyPct	Target Renewable Energy Percentage	double			18	2
TotalFloorArea	Total Floor Area (sqft)	double			18	2

EMISSIONSFORECASTFACTFEED

Feed tracking for EmissionsForecastFact.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

EMISSIONSFORECASTFACTHISTORY

History for tracked fields of EmissionsForecastFact.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
EmissionsForecastFactId	Emissions Forecast Fact ID	reference		18		
Field	Changed Field	picklist		255		
Id	Emissions Forecast Fact History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

EMISSIONSFORECASTFACTSHARE

Sharing for EmissionsForecastFact.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

EMPBENEFITSUMMARY

Represents statistics about benefits provided to employees and the usage of benefits.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EmpBenefitSummary in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitUsage	Benefit Usage	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
DisclsReportingPeriodId	Disclosure Reporting Period ID	reference		18		
EmployeeBenefitType	Benefit Type	picklist		40		
EmployeeCount	Employee Count	double			13	3
EmployeePercentage	Employee Percentage	percent			13	3
EmploymentType	Employment Type	picklist		40		
Id	Employment Benefit Summary ID	id		18		
IsDeleted	Deleted	boolean				
IsEmployeeEligible	Employee Eligible	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PercentageCalcType	Percentage Calculation Type	picklist		40		
PrimaryLocation	Primary Location	string		255		
SubsidiaryAccountId	Account ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

EMPBENEFITSUMMARYFEED

Feed tracking for EmpBenefitSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

EMPBENEFITSUMMARYHISTORY

History for tracked fields of EmpBenefitSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`EmpBenefitSummaryId`	Employment Benefit Summary ID	reference		18		
`Field`	Changed Field	picklist		255		
`Id`	Employment Benefit Summary History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

EMPBENEFITSUMMARYSHARE

Sharing for EmpBenefitSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

EMPUSERPROVISIONPROCESSERR

Represents an employee-user provisioning process error. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EmpUserProvisionProcessErr in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EmployeeId	Employee ID	reference		18		
ErrorCode	Error Code	string		32		
ErrorMessage	Error Message	string		255		
Id	Employee User Provisioning Process Error ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Process Item Number	string		255		
ProvisioningProcessId	Employee User Provisioning Process ID	reference		18		
SystemModstamp	System Modstamp	datetime				

EMPUSERPROVISIONINGPROCESS

Represents an employee-user provisioning process. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EmpUserProvisioningProcess in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndTime	End Time	datetime				
ErrorRecordCount	Error	int	9			
Id	Employee User Provisioning Process ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Process Number	string		255		
ProcessStatus	Status	picklist		255		
StartTime	Start Time	datetime				
SuccessRecordCount	Success	int	9			
SystemModstamp	System Modstamp	datetime				
TotalRecordCount	Total	int	9			

EMPLOYEEDEMOGRAPHICSUM

Represents statistics about employees based on their demographic information, such as employee count by age group, by gender, and by region.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EmployeeDemographicSum in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AgeGroup	Age Group	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
DisclsReportingPeriodId	Disclosure Reporting Period ID	reference		18		
EmployeeCount	Employee Count	double			18	0
EmploymentType	Employment Type	picklist		40		
Gender	Gender	picklist		40		
Id	Employee Demographic Summary ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Percentage	Percentage	percent			13	3
Region	Region	picklist		40		
ReportType	Report Type	picklist		40		
SubsidiaryAccountId	Account ID	reference		18		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
WorkType	Work Type	picklist		40		

EMPLOYEEDEMOGRAPHICSUMFEED

Feed tracking for EmployeeDemographicSum.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

EMPLOYEEDEMOGRAPHICSUMHISTORY

History for tracked fields of EmployeeDemographicSum.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
EmployeeDemographicSumId	Employee Demographic Summary ID	reference		18		
Field	Changed Field	picklist		255		
Id	Employee Demographic Summary History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

EMPLOYEEDEMOGRAPHICSUMSHARE

Sharing for EmployeeDemographicSum.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

EMPLOYEEDEVELOPMENTSUM

Represents statistics about training and development provided to upskill the employees.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EmployeeDevelopmentSum in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AverageTrainingTime	Average Training Time	double			13	3
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
DisclsReportingPeriodId	Disclosure Reporting Period ID	reference		18		
EmployeeCount	Employee Count	double			10	0
EmployeePercentage	Employee Percentage	percent			13	3
EmployeeType	Employee Type	picklist		40		
Gender	Gender	picklist		40		
Id	Employee Development Summary ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProgramCategory	Program Category	picklist		40		
SubsidiaryAccountId	Account ID	reference		18		
SystemModstamp	System Modstamp	datetime				

EMPLOYEEDEVELOPMENTSUMFEED

Feed tracking for EmployeeDevelopmentSum.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

EMPLOYEEDEVELOPMENTSUMHISTORY

History for tracked fields of EmployeeDevelopmentSum.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
EmployeeDevelopmentSumId	Employee Development Summary ID	reference		18		
Field	Changed Field	picklist		255		
Id	Employee Development Summary History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

EMPLOYEEDEVELOPMENTSUMSHARE

Sharing for EmployeeDevelopmentSum.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

EMPLOYMENTCOMPENSATIONSUMMARY

Represents information about stakeholder engagement to assess the importance of environmental, social, and governance (ESG) issues for them.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EmploymentCompensationSummary in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DisclsReportingPeriodId`	Disclosure Reporting Period ID	reference		18		
`Id`	Employment Compensation Summary ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`OwnerId`	Owner ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

EMPLOYMENTCOMPENSATIONSUMMARYFEED

Feed tracking for EmploymentCompensationSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

EMPLOYMENTCOMPENSATIONSUMMARYHISTORY

History for tracked fields of EmploymentCompensationSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
EmploymentCompensationSummaryId	Employment Compensation Summary ID	reference		18		
Field	Changed Field	picklist		255		
Id	Employment Compensation Summary History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

EMPLOYMENTCOMPENSATIONSUMMARYSHARE

Sharing for EmploymentCompensationSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

EMSSNRDCTNCOMMITMENT

Represents information about a company's commitment to reducing its carbon emissions. This commitment is in line with the Paris Agreement's goal to achieve a low-carbon future. For example, companies sign the Business Ambition for 1.5°C commitment letter and commit to set emission reduction targets to limit temperature rise to 1.5°C above pre-industrial levels.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EmssnRdctnCommitment in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApprovalDate	Approval Date	date				
CommitmentLetterId	ContentDocument ID	reference		18		
CommitmentProgram	Commitment Program	picklist		255		
CommitmentType	Commitment Type	picklist		255		
CompanyBusinessRegion	Company Business Region	picklist		40		
CompanyEmployeeCount	Company Employee Count	int	9			
CompanySector	Company Sector	multipicklist		4099	0	
CompanyType	Company Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomCommitmentProgram	Custom Commitment Program	string		255		
CustomCommitmentType	Custom Commitment Type	string		255		
Id	Emissions Reduction Commitment ID	id		18		
IsDeleted	Deleted	boolean				
IsSmallandMediumEnterprise	Small and medium enterprise	boolean				
IsTargetUsedForForecasting	Target used for forecasting	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PrimaryContactId	Contact ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TargetSettingDueDate	Target Setting Due Date	date				

EMSSNRDCTNCOMMITMENTFEED

Feed tracking for EmssnRdctnCommitment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

EMSSNRDCTNCOMMITMENTHISTORY

History for tracked fields of EmssnRdctnCommitment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
EmssnRdctnCommitmentId	Emissions Reduction Commitment ID	reference		18		
Field	Changed Field	picklist		255		
Id	Emissions Reduction Commitment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

EMSSNRDCTNCOMMITMENTSHARE

Sharing for EmssnRdctnCommitment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

EMSSNREDUCTIONTARGET

Represents information about the science-based or non-science-based target set by a company to fulfill its emissions reduction commitment. This target indicates the company's emissions reduction goal. A company's emissions reduction goal could be to reduce carbon emissions or increase renewable energy for reaching a target metric tonnes of CO2e (tCO2e) within a specific timeframe.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EmssnReductionTarget in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AbsoluteContractionPercentage	Absolute Contraction Percentage	picklist		255		
ActivityUnit	Activity Unit	picklist		255		
AnnualEmissionsInventoryId	Annual Emissions Inventory ID	reference		18		
BaseYear	Base Year	double			4	0
BaseYearActivity	Base Year Activity	double			18	2
BaseYearEmissionIntensity	Base Year Emissions Intensity	double			13	3
BaseYearEmissions	Base Year Emissions	double			18	2
BusinessLine	Business Line	string		80		
BusinessRegion	Business Region	picklist		40		
Category	Category	picklist		255		
Country	Country	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomAbsoluteContractionPct	Custom Absolute Contraction Percentage	percent			18	2
CustomTargetSettingMethod	Custom Target Setting Method	string		80		
CustomTargetType	Custom Target Type	string		80		
Description	Description	string		255		
EmissionsActivityId	Emissions Activity ID	reference		18		
EmssnRdctnCommitmentId	Emissions Reduction Commitment ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	Emissions Reduction Target ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Level	Level	picklist		255		
Name	Name	string		255		
OtherTargetKpi	Other Target KPI	picklist		40		
OtherTargetKpiChangePercentage	Other Target KPI Change Percentage	percent			18	2
OtherTargetKpiInBaseYear	Other Target KPI in Base Year	double			18	2
OtherTargetKpiInTargetYear	Other Target KPI in Target Year	double			18	2
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TargetEmissionsCalculator	Target Emissions Calculator	picklist		255		
TargetEmssnChangePercentage	Target Emissions Change Percentage	percent			18	2
TargetEmssnIntensityChangePct	Target Emissions Intensity Change Percentage	percent			18	2
TargetSettingMethod	Target Setting Method	picklist		255		
TargetType	Target Type	picklist		255		
TargetYear	Target Year	picklist		255		
TargetYearActivity	Target Year Activity	double			18	2
TargetYearEmissions	Target Year Emissions	double			18	2
TargetYearEmissionsIntensity	Target Year Emissions Intensity	double			13	3
TargetYearOutputCalcType	Target Year Output Calculation Type	picklist		255		

EMSSNREDUCTIONTARGETFEED

Feed tracking for EmssnReductionTarget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

EMSSNREDUCTIONTARGETHISTORY

History for tracked fields of EmssnReductionTarget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`EmssnReductionTargetId`	Emissions Reduction Target ID	reference		18		
`Field`	Changed Field	picklist		255		
`Id`	Emissions Reduction Target History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

EMSSNREDUCTIONTARGETSHARE

Sharing for EmssnReductionTarget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ENERGYATTRCERTCREDIT

Represents information about the energy attribute certificate credits related to energy attribute certificate purchase.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EnergyAttrCertCredit in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditsPurchasedInMwh	Credits Purchased (MWh)	double			18	4
EnergyAttrCertPurchaseId	Energy Attribute Certificate Purchase ID	reference		18		
Id	Energy Attribute Certificate Credit ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ENERGYATTRCERTCREDITFEED

Feed tracking for EnergyAttrCertCredit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ENERGYATTRCERTCREDITHISTORY

History for tracked fields of EnergyAttrCertCredit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`EnergyAttrCertCreditId`	Energy Attribute Certificate Credit ID	reference		18		
`Field`	Changed Field	picklist		255		
`Id`	Energy Attribute Certificate Credit History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

ENERGYATTRCERTCREDITSHARE

Sharing for EnergyAttrCertCredit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ENERGYATTRCERTPURCHASE

Represents information about the purchase of energy attribute certificates from the clean energy project supplier. The information includes terms of engagement and the delivery type of energy attribute certificate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EnergyAttrCertPurchase in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CleanEnergyProjectId`	Clean Energy Project ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Energy Attribute Certificate Purchase ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`OwnerId`	Owner ID	reference		18		
`PurchaseType`	Purchase Type	picklist		40		
`SystemModstamp`	System Modstamp	datetime				

ENERGYATTRCERTPURCHASEFEED

Feed tracking for EnergyAttrCertPurchase.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ENERGYATTRCERTPURCHASEHISTORY

History for tracked fields of EnergyAttrCertPurchase.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
EnergyAttrCertPurchaseId	Energy Attribute Certificate Purchase ID	reference		18		
Field	Changed Field	picklist		255		
Id	Energy Attribute Certificate Purchase History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ENERGYATTRCERTPURCHASESHARE

Sharing for EnergyAttrCertPurchase.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ENERGYATTRCREDITDSTR

Represents a junction between energy attribute credits and stationary asset energy use indicating the quantity of credits distributed for a specific energy use.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EnergyAttrCreditDstr in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EnergyAttrCertCreditId	Energy Attribute Certificate Credit ID	reference		18		
EnrgyAttrCreditsAlloc	Energy Attribute Credits Allocated	double			18	4
EnrgyAttrCreditsUnit	Energy Attribute Credits Unit	picklist		255		
Id	Energy Attribute Credit Distribution ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
StnryAssetEnergyUseId	Stationary Asset Energy Use ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ENERGYATTRCREDITDSTRFEED

Feed tracking for EnergyAttrCreditDstr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ENERGYATTRCREDITDSTRHISTORY

History for tracked fields of EnergyAttrCreditDstr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`EnergyAttrCreditDstrId`	Energy Attribute Credit Distribution ID	reference		18		
`Field`	Changed Field	picklist		255		
`Id`	Energy Attribute Credit Distribution History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

ENERGYATTRCREDITDSTRSHARE

Sharing for EnergyAttrCreditDstr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ENERGYSERVICEAGREEMENT

The services or commodities purchased by a customer, for a specified product and optionally linked to a Contract. Contracted Services can be physical goods (eg. appliances), commodity services (eg. electricity, gas or water) or other miscellaneous services (eg. homeowner insurance, boiler maintenance contract). This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EnergyServiceAgreement in the *Energy and Utilities Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActivationDate	Activation Date	date				
BillingSchedule	Billing Schedule	picklist		40		
ContractId	Contract ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDate	End Date	date				
ExternalContractIdentifier	External Contract Identifier	string		255		
Id	Energy Service Agreement ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Product2Id	Product ID	reference		18		
StartDate	Start Date	date				
Status	Status	picklist		40		
StatusChangeDate	Status Change Date	date				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
StatusReason	Status Reason	string		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

ENERGYSERVICEAGREEMENTFEED

Feed tracking for EnergyServiceAgreement.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ENERGYSERVICEAGREEMENTHISTORY

History for tracked fields of EnergyServiceAgreement.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`EnergyServiceAgreementId`	Energy Service Agreement ID	reference		18		
`Field`	Changed Field	picklist		255		
`Id`	Energy Service Agreement History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

ENERGYSERVICEAGREEMENTITEM

Represents the details of the Energy Service Agreement object such as the time, location, and pricing information. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EnergyServiceAgreementItem in the *Energy and Utilities Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
BillingAccountId	Billing Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDate	End Date	date				
EnergyServiceAgreementId	Energy Service Agreement ID	reference		18		
Id	Energy Service Agreement Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
Name	Name	string		255		
OneTimePrice	One Time Price	currency			18	2
Product2Id	Product ID	reference		18		
RecurringPrice	Recurring Price	currency			18	2
RecurringPriceFrequency	Recurring Price Frequency	picklist		40		
ServicePointId	Service Point ID	reference		18		
StartDate	Start Date	date				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
UsagePeriod	Usage Period	picklist		40		
UsagePrice	Usage Price	currency			18	2
UsageQuantity	Usage Quantity	int	9			
UsageUnitOfMeasure	Usage Unit of Measure	picklist		40		

ENERGYSERVICEAGREEMENTITEMFEED

Feed tracking for EnergyServiceAgreementItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ENERGYSERVICEAGREEMENTITEMHISTORY

History for tracked fields of EnergyServiceAgreementItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
EnergyServiceAgreementItemId	Energy Service Agreement Item ID	reference		18		
Field	Changed Field	picklist		255		
Id	Energy Service Agreement Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ENERGYSERVICEAGREEMENTSHARE

Sharing for EnergyServiceAgreement.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ENGAGEMENTATTENDEE

Represents information about an attendee of an engagement. For example, when a customer initiates an engagement interaction by calling a service representative to inquire about an insurance claim, this object stores information about the customer and the service representative. This object is available in API version 55.0 and later

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EngagementAttendee in the *Industries Common Resources Developer Guide*, *Manufacturing Cloud Developer Guide*, and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDateTime	End Date Time	datetime				
EngagementId	Engagement ID	reference		18		
ExternalAttendeeId	External Attendee ID	reference		18		
Id	Engagement Attendee ID	id		18		
InternalAttendeeId	Internal Attendee ID	reference		18		
IsAuthenticated	Is Authenticated	boolean				
IsDeleted	Deleted	boolean				
IsVerified	Is Verified	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		30		
OwnerId	Owner ID	reference		18		
Role	Role	picklist		255		
StartDateTime	Start Date Time	datetime				
SystemModstamp	System Modstamp	datetime				
VerificationTime	Verification Time	datetime				

ENGAGEMENTATTENDEEFEED

Feed tracking for EngagementAttendee.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ENGAGEMENTATTENDEEHISTORY

History for tracked fields of EngagementAttendee.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
EngagementAttendeeId	Engagement Attendee ID	reference		18		
Field	Changed Field	picklist		255		
Id	Engagement Attendee History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ENGAGEMENTCHANNELTYPE

Represents a channel through which a customer can be reached for communication. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EngagementChannelType in the *Object Reference for the Salesforce Platform* and *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactPointType	Contact Point Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Engagement Channel Type ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	multipicklist		4099	0	

ENGAGEMENTCHANNELTYPEFEED

Feed tracking for EngagementChannelType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ENGAGEMENTCHANNELTYPEHISTORY

History for tracked fields of EngagementChannelType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
EngagementChannelTypeId	Engagement Channel Type ID	reference		18		
Field	Changed Field	picklist		255		
Id	Engagement Channel Type History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ENGAGEMENTCHANNELTYPESHARE

Sharing for EngagementChannelType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ENGAGEMENTCHANNELWORKTYPE

Represents the relationship between an Engagement Channel Type object and a Work Type object for Salesforce Scheduler. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EngagementChannelWorkType in the *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AreAllEngmtChnlSupported	All Engagement Channels Supported	boolean				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EngagementChannelTypeId	Engagement Channel Type ID	reference		18		
Id	Engagement Channel Work Type ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Engagement Channel Work Type Number	string		255		
SystemModstamp	System Modstamp	datetime				
WorkTypeId	Work Type ID	reference		18		

ENGAGEMENTCHANNELWORKTYPEFEED

Feed tracking for EngagementChannelWorkType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ENGAGEMENTCHANNELWORKTYPEHISTORY

History for tracked fields of EngagementChannelWorkType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
EngagementChannelWorkTypeId	Engagement Channel Work Type ID	reference		18		
Field	Changed Field	picklist		255		
Id	Engagement Channel Work Type History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ENGAGEMENTINTERACTION

Represents information about an interaction between a service representative or any other specialist in an organization and the organization's customer. Engagement interactions can be initiated through communication channels and can cover one or more topics. For example, a customer can initiate an engagement interaction by calling a service representative to inquire about an insurance claim. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EngagementInteraction in the *Industries Common Resources Developer Guide*, *Manufacturing Cloud Developer Guide*, and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttendeeVerificationTime	Attendee Verification Time	datetime				
CommunicationChannel	Communication Channel	picklist		255		
ContextId	Context ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Duration	Duration	string		4000		
EndDateTime	End Date Time	datetime				
ExternalIdentifier	External Identifier	string		255		
Id	Engagement Interaction ID	id		18		
InitiatingAttendeeId	InitiatingAttendee ID	reference		18		
IsAttendeeAuthenticated	Is Attendee Authenticated	boolean				
IsAttendeeVerified	Is Attendee Verified	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MappedState	Mapped State	picklist		40		
Name	Name	string		30		
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PhoneNumber	Phone Number	phone		40		
Reason	Reason	string		765		
Sentiment	Sentiment	picklist		255		
StartDateTime	Start Date Time	datetime				
Status	Status	picklist		100		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

ENGAGEMENTINTERACTIONFEED

Feed tracking for EngagementInteraction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ENGAGEMENTINTERACTIONHISTORY

History for tracked fields of EngagementInteraction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`EngagementInteractionId`	Engagement Interaction ID	reference		18		
`Field`	Changed Field	picklist		255		
`Id`	Engagement Interaction History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

ENGAGEMENTINTERACTIONSHARE

Sharing for EngagementInteraction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
EngagementInteractionAccessLevel	Engagement Interaction Access	picklist		40		
EngagementInteractionId	Engagement Interaction ID	reference		18		
Id	Engagement InteractionShare ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ENGAGEMENTTOPIC

Represents information about the topics discussed by a customer and other attendees during an engagement. For example, when a customer initiates an engagement interaction by calling a service representative to inquire about an insurance claim, the topic of the engagement is Claim. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EngagementTopic in the *Industries Common Resources Developer Guide*, *Manufacturing Cloud Developer Guide*, and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EngagementId	Engagement ID	reference		18		
Id	Engagement Topic ID	id		18		
InteractionSummary	Interaction Summary	string		765		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentTopicId	Engagement Topic ID	reference		18		
ProcessFailureReason	Process Failure Reason	picklist		255		
ProcessName	Process Name	string		255		
ProcessStatus	Process Status	picklist		255		
ProcessType	Process Type	picklist		40		
RelatedPersonId	RelatedPerson ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TopicId	Topic ID	reference		18		

ENGAGEMENTTOPICFEED

Feed tracking for EngagementTopic.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ENGAGEMENTTOPICHISTORY

History for tracked fields of EngagementTopic.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
EngagementTopicId	Engagement Topic ID	reference		18		
Field	Changed Field	picklist		255		
Id	Engagement Topic History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ENHANCEDLETTERHEAD

Represents an enhanced letterhead that can be associated with a Lightning email template that doesn't use the Salesforce Merge Language (SML). This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EnhancedLetterhead in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Enhanced Letterhead ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LetterheadFooter	Footer	textarea		32000		
LetterheadHeader	Header	textarea		32000		
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

ENHANCEDLETTERHEADFEED

Feed tracking for EnhancedLetterhead.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ENROLLMENTELIGIBILITYCRITERIA

Represents criteria that define patient enrollment eligibility for one or more care programs.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EnrollmentEligibilityCriteria in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
ExecutionProcedureId	Execution Procedure ID	reference		18		
Id	Enrollment Eligibility Criteria ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PublishedBy	Published By	string		255		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

ENROLLMENTELIGIBILITYCRITERIAFEED

Feed tracking for EnrollmentEligibilityCriteria.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ENROLLMENTELIGIBILITYCRITERIAHISTORY

History for tracked fields of EnrollmentEligibilityCriteria.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
EnrollmentEligibilityCriteriaId	Enrollment Eligibility Criteria ID	reference		18		
Field	Changed Field	picklist		255		
Id	Enrollment Eligibility Criteria History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ENROLLMENTELIGIBILITYCRITERIASHARE

Sharing for EnrollmentEligibilityCriteria.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ENTITLEMENT

Represents the customer support an account or contact is eligible to receive. This object is available in API version 18.0 and later. Entitlements may be based on an asset, product, or service contract.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Entitlement in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AssetId	Asset ID	reference		18		
AssetWarrantyId	Asset Warranty ID	reference		18		
BusinessHoursId	Business Hours ID	reference		18		
CasesPerEntitlement	Cases Per Entitlement	int	9			
ContractLineItemId	Contract Line Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDate	End Date	date				
Id	Entitlement ID	id		18		
IsDeleted	Deleted	boolean				
IsPerIncident	Per Incident	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
Name	Entitlement Name	string		255		
RemainingCases	Remaining Cases	int	9			
RemainingWorkOrders	Remaining Work Orders	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ServiceContractId	Service Contract ID	reference		18		
SlaProcessId	Entitlement Process ID	reference		18		
StartDate	Start Date	date				
Status	Status	picklist		255		
SvcApptBookingWindowsId	Operating Hour ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		
WorkOrdersPerEntitlement	Work Orders Per Entitlement	int	9			

ENTITLEMENTCONTACT

Represents a Contact eligible to receive customer support via an Entitlement. This object is available in API version 18.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EntitlementContact in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EntitlementId	Entitlement ID	reference		18		
Id	Entitlement Contact ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Entitlement Contact	string		255		
SystemModstamp	System Modstamp	datetime				

ENTITLEMENTFEED

Feed tracking for Entitlement.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ENTITLEMENTHISTORY

History for tracked fields of Entitlement.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
EntitlementId	Entitlement ID	reference		18		
Field	Changed Field	picklist		255		
Id	Entitlement History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ENTITLEMENTTEMPLATE

Represents predefined terms of customer support for a product (Product2). This object is available in API version 18.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EntitlementTemplate in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessHoursId	Business Hours ID	reference		18		
CasesPerEntitlement	Cases Per Entitlement	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Entitlement Template ID	id		18		
IsPerIncident	Per Incident	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Entitlement Template Name	string		120		
NamespacePrefix	Namespace Prefix	string		15		
SlaProcessId	Entitlement Process ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Term	Term (Days)	int	9			
Type	Type	picklist		255		

ENTITYMILESTONE

Represents a required step in a customer support process on a work order. The Salesforce user interface uses the term “object milestone. This object is available in API version 37.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EntityMilestone in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualElapsedTimeInDays	Actual Elapsed Time (Days)	double			6	2
ActualElapsedTimeInHrs	Actual Elapsed Time (Hours)	double			6	2
ActualElapsedTimeInMins	Actual Elapsed Time (Mins)	int	9			
BusinessHoursId	Business Hours ID	reference		18		
CompletionDate	Completion Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
ElapsedTimeInDays	Elapsed Time (Days)	double			6	2
ElapsedTimeInHrs	Elapsed Time (Hours)	double			6	2
ElapsedTimeInMins	Elapsed Time (Mins)	int	9			
Id	Object Milestone ID	id		18		
IsCompleted	Completed	boolean				
IsDeleted	Deleted	boolean				
IsViolated	Violation	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MilestoneTypeId	Milestone Type ID	reference		18		
Name	Object Milestone Name	string		255		
ParentEntityId	ID	reference		18		
SlaProcessId	Entitlement Process ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
StartDate	Start Date	datetime				
StoppedTimeInDays	Stopped Time (Days)	double			6	2
StoppedTimeInHrs	Stopped Time (Hours)	double			6	2
StoppedTimeInMins	Stopped Time (Mins)	int	9			
SystemModstamp	System Modstamp	datetime				
TargetDate	Target Date	datetime				
TargetResponseInDays	Target Response (Days)	double			6	2
TargetResponseInHrs	Target Response (Hours)	double			6	2
TargetResponseInMins	Target Response (Mins)	int	9			
TimeRemainingInDays	Time Remaining (Days)	double			6	2
TimeRemainingInHrs	Time Remaining (Hour:Min)	string		10		
TimeRemainingInMins	Time Remaining (Min:Sec)	string		10		
TimeSinceTargetInDays	Time Since Target (Days)	double			6	2
TimeSinceTargetInHrs	Time Since Target (Hour:Min)	string		10		
TimeSinceTargetInMins	Time Since Target (Min:Sec)	string		10		

ENTITYMILESTONEFEED

Feed tracking for EntityMilestone.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ENTITYMILESTONEHISTORY

History for tracked fields of EntityMilestone.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
EntityMilestoneId	Object Milestone ID	reference		18		
Field	Changed Field	picklist		255		
Id	Object Milestone History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

ENTITYSUBSCRIPTION

Represents a subscription for a user following a record or another user. This object is available in API version 34.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EntitySubscription in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Entity Subscription ID	id		18		
`IsDeleted`	Deleted	boolean				
`NetworkId`	Network ID	reference		18		
`ParentId`	Parent ID	reference		18		
`SubscriberId`	Subscriber ID	reference		18		

ENVIRONMENTALRISK

Represents information about the risk that the environmental resources create for an organization.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EnvironmentalRisk in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Aquifer	Aquifer	string		80		
BaselineStress	Baseline Stress	picklist		255		
BusinessQuantifiedRisk	Business Quantified Risk	currency			12	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Id	Environmental Risk ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MajorBasin	Major Basin	string		80		
MinorBasin	Minor Basin	string		80		
Name	Name	string		255		
OverallRisk	Overall Risk	picklist		255		
OwnerId	Owner ID	reference		18		
RiskType	Risk Type	picklist		255		
SystemModstamp	System Modstamp	datetime				
UpdateYear	Update Year	picklist		255		

ENVIRONMENTALRISKFEED

Feed tracking for EnvironmentalRisk.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ENVIRONMENTALRISKHISTORY

History for tracked fields of EnvironmentalRisk.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`EnvironmentalRiskId`	Environmental Risk ID	reference		18		
`Field`	Changed Field	picklist		255		
`Id`	Environmental Risk History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

ENVIRONMENTALRISKSHARE

Sharing for EnvironmentalRisk.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

EVENT

Represents an event in the calendar. In the user interface, event and task records are collectively referred to as activities.

For more information, see Event in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActivityDate	Due Date Only	date				
ActivityDateTime	Due Date Time	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
DurationInMinutes	Duration	int	8			
EndDate	End Date	date				
EndDateTime	End Date Time	datetime				
EventSubtype	Event Subtype	picklist		40		
GroupEventType	Group Event Type	picklist		40		
Id	Activity ID	id		18		
IsAllDayEvent	All-Day Event	boolean				
IsArchived	Archived	boolean				
IsChild	Is Child	boolean				
IsDeleted	Deleted	boolean				
IsGroupEvent	Is Group Event	boolean				
IsPrivate	Private	boolean				
IsRecurrence	Create Recurring Series of Events	boolean				
IsRecurrence2	Repeat	boolean				
IsRecurrence2Exception	Is Exception	boolean				
IsRecurrence2Exclusion	Historical Event, Not Following Recurrence	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsReminderSet	Reminder Set	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Location	Location	string		255		
OwnerId	Assigned To ID	reference		18		
Recurrence2PatternStartDate	Recurrence Pattern Start Date	datetime				
Recurrence2PatternText	Recurrence Pattern	textarea		512		
Recurrence2PatternTimeZone	Recurrence Pattern Time Zone Reference	string		255		
Recurrence2PatternVersion	Pattern Version	picklist		40		
RecurrenceActivityId	Recurrence Activity ID	reference		18		
RecurrenceDayOfMonth	Recurrence Day of Month	int	9			
RecurrenceDayOfWeekMask	Recurrence Day of Week Mask	int	9			
RecurrenceEndDateOnly	Recurrence End	date				
RecurrenceInstance	Recurrence Instance	picklist		40		
RecurrenceInterval	Recurrence Interval	int	9			
RecurrenceMonthOfYear	Recurrence Month of Year	picklist		40		
RecurrenceStartDateTime	Recurrence Start	datetime				
RecurrenceTimeZoneSidKey	Recurrence Time Zone	picklist		40		
RecurrenceType	Recurrence Type	picklist		40		
ReminderDateTime	Reminder Date/Time	datetime				
ShowAs	Show Time As	picklist		40		
StartDateTime	Start Date Time	datetime				
Subject	Subject	combobox		255		
SystemModstamp	System Modstamp	datetime				
WhatId	Related To ID	reference		18		
WhoId	Name ID	reference		18		

EVENTBUSSUBSCRIBER

Represents a trigger, process, or flow that's subscribed to a platform event or a change data capture event. Doesn't include CometD or Pub/Sub API subscribers.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EventBusSubscriber in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CurrencyIsoCode`	Currency ISO Code	picklist		3		
`ExternalId`	External ID	string		255		
`Id`	Event ID	id		18		
`IsPartitioned`	Is Partitioned	boolean				
`LastError`	Last Error Message	string		255		
`Name`	Subscriber Name	string		80		
`Position`	Position	int	9			
`Retries`	Retry Attempts	int	9			
`Status`	Status	picklist		255		
`Tip`	Tip	int	9			
`Topic`	Topic	string		80		
`Type`	Type	string		80		

EVENTFEED

Feed tracking for Event.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

EVENTLOGFILE

Represents event log files for event monitoring. The event monitoring product gathers information about your Salesforce org's operational events, which you can use to analyze usage trends and user behavior. This object is available in API version 32.0 and later. The `Interval` and `Sequence` fields are available only in API version 37.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EventLogFile in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ApiVersion`	API Version	double			18	1
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EventType`	Event Type	picklist		255		
`Id`	Event Log File ID	id		18		
`Interval`	Interval	picklist		255		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LogDate`	Log Date	datetime				
`LogFile`	Log File	base64				
`LogFileContentType`	Log File Content Type	string		255		
`LogFileFieldNames`	Log File Field Names	string		1333		
`LogFileFieldTypes`	Log File Field Types	string		1333		
`LogFileLength`	Log File Length	double			18	0
`Sequence`	Sequence	int	9			
`SystemModstamp`	System Modstamp	datetime				

EVENTRELATION

Represents a person (a user, lead, or contact) or a resource (such as a conference room) invited to an event. This object lets you add or remove invitees from an event and use the API to manage invitees' responses to invitations. If Shared Activities is enabled, EventRelation can also represent other objects that are related to an event. EventRelation does not support triggers, workflow, or data validation rules.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EventRelation in the *Life Sciences Cloud Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EventId`	Event ID	reference		18		
`Id`	Event Relation ID	id		18		
`IsDeleted`	Deleted	boolean				
`IsInvitee`	Is Invitee	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`RelationId`	Relation ID	reference		18		
`RespondedDate`	Response Date	datetime				
`Response`	Response	string		255		
`Status`	Status	picklist		40		
`SystemModstamp`	System Modstamp	datetime				

EVENTRELAYCONFIG

Represents the configuration of an event relay, which relays platform events and change data capture events from Salesforce to Amazon EventBridge. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EventRelayConfig in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DestinationResourceName	Destination Resource Name	string		255		
DeveloperName	Name	string		80		
EventChannel	Relayed Event Channel	picklist		255		
Id	Event Relay Config ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
RelayOption	Event Relay Config Option	textarea		4000		
State	Event Relay Config State	picklist		255		
SystemModstamp	System Modstamp	datetime				
UsageType	Event Relay Usage Type	picklist		255		

EVENTRELAYFEEDBACK

Represents execution state information about an event relay from Salesforce to Amazon EventBridge for platform events and change data capture events. Query this object to get information such as the event relay status and any error message. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EventRelayFeedback in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
ErrorCode	Error Code	string		128		
ErrorIdentifier	Error Identifier	string		255		
ErrorMessage	Error Message	textarea		1024		
ErrorTime	Error Time	datetime				
EventRelayConfigId	Event Relay Config ID	reference		18		
EventRelayNumber	Event Relay Feedback Name	string		255		
Id	Event Relay Feedback ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastRelayedEventTime	Last Relayed Event Timestamp	datetime				
RemoteResource	Remote Resource	string		255		
Status	Current Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
UsageType	Event Relay Usage Type	picklist		255		

EVENTWHORELATION

Represents the relationship between an event and a lead or contacts. This derived object is a filtered version of the EventRelation object; that is, IsParent is `true` and IsWhat is `false`. It doesn't represent relationships to invitees or to accounts, opportunities, or other objects.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see EventWhoRelation in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EventId	Event ID	reference		18		
Id	Event Relation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RelationId	Relation ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	string		50		

EXAMINATION

Represents information about the authorized examinations that qualify a license or permit. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Examination in the *Emergency Response Management Object Reference* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		255		
Id	Examination ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

EXAMINATIONFEED

Feed tracking for Examination.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

EXAMINATIONHISTORY

History for tracked fields of Examination.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
ExaminationId	Examination ID	reference		18		
Field	Changed Field	picklist		255		
Id	Examination History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

EXAMINATIONSHARE

Sharing for Examination.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

EXPENSE

Represents an expense linked to a work order. Service resource technicians can log expenses, such as tools or travel costs. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Expense in the *Field Service Developer Guide*, *Life Sciences Cloud Developer Guide*, *Loyalty Management Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Amount	Amount	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
Discount	Discount	percent			5	2
ExpenseEndDate	End Date	date				
ExpenseNumber	Expense Name	string		255		
ExpenseStartDate	Start Date	date				
ExpenseType	Expense Type	picklist		40		
Id	Expense ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
Quantity	Quantity	double			12	2
Subtotal	Subtotal	currency			18	2
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Title`	Title	string		255		
`TotalPrice`	Total Price	currency			18	2
`TransactionDate`	Transaction Date	date				
`UnitPrice`	Unit Price	currency			18	2
`WorkOrderId`	Work Order ID	reference		18		

EXPENSEFEED

Feed tracking for Expense.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

EXPENSEHISTORY

History for tracked fields of Expense.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
ExpenseId	Expense ID	reference		18		
Field	Changed Field	picklist		255		
Id	Expense History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

EXPENSEREPORT

Represents a report that summarizes expenses. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ExpenseReport in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
ExpenseReportNumber	Expense Report Number	string		255		
Id	Expense Report ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		120		
TotalExpenseAmount	Total Expense Amount	currency			18	2

EXPENSEREPORTENTRY

Represents an entry in an expense report. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ExpenseReportEntry in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
ExpenseId	Expense ID	reference		18		
ExpenseReportEntryNumber	Expense Report Entry Number	string		255		
ExpenseReportId	Expense Report ID	reference		18		
ExpenseType	Expense Type	picklist		40		
Id	Expense Report Entry ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
TransactionDate	Transaction Date	date				

EXPENSEREPORTENTRYFEED

Feed tracking for ExpenseReportEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

EXPENSEREPORTENTRYHISTORY

History for tracked fields of ExpenseReportEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
ExpenseReportEntryId	Expense Report Entry ID	reference		18		
Field	Changed Field	picklist		255		
Id	Expense Report Entry History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

EXPENSEREPORTFEED

Feed tracking for ExpenseReport.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

EXPENSEREPORTHISTORY

History for tracked fields of ExpenseReport.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
ExpenseReportId	Expense Report ID	reference		18		
Field	Changed Field	picklist		255		
Id	Expense Report History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

EXPENSEREPORTSHARE

Sharing for ExpenseReport.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

EXPENSESHARE

Sharing for Expense.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

EXPRESSIONFILTER

Represents a logical expression that's used to control the execution of macro instructions. This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ExpressionFilter in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContextId	Macro Instruction ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FilterConditionLogic	Filter Condition Logic	string		255		
FilterDescription	Filter Description	string		255		
Id	Expression Filter ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Expression Filter Name	string		255		
SystemModstamp	System Modstamp	datetime				

EXPRESSIONFILTERCRITERIA

Represents a condition in an expression that's used to control the execution of macro instructions. This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ExpressionFilterCriteria in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CurrencyIsoCode`	Currency ISO Code	picklist		3		
`ExpressionFilterId`	Expression Filter ID	reference		18		
`FilterTarget`	Filter Target	string		255		
`FilterTargetValue`	Context	string		255		
`Id`	Expression Filter Criteria ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`Name`	Expression Filter Criteria Name	string		255		
`Operation`	Operation	picklist		255		
`SortOrder`	Sort Order	int	8			
`SystemModstamp`	System Modstamp	datetime				

EXPRESSIONSET

Represents information about an expression set. An expression set performs a series of calculations using lookups and user-defined variables and constants. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ExpressionSet in the *Expression Set Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	API Name	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
ExecutionScale	Execution Scale	picklist		255		
ExpressionSetDefinitionId	ExpressionSetDefinition ID	reference		18		
Id	Expression Set ID	id		18		
InterfaceSourceType	Interface Source Type	picklist		255		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ResourceInitializationType	Resource Initialization Type	picklist		255		
SystemModstamp	System Modstamp	datetime				
UsageSubtype	Usage Subtype	picklist		255		
UsageType	Usage Type	picklist		255		

EXPRESSIONSETDEFINITIONCONTEXTDEFINITION

Represents a relationship between an expression set definition and a context definition. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ExpressionSetDefinitionContextDefinition in the *Expression Set Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContextDefinitionApiName	Context Definition API Name	string		255		
ContextDefinitionId	ContextDefinition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExecutableContextDefinition	Executable Context Definition	string		255		
ExpressionSetApiName	Expression Set Definition API Name	string		255		
ExpressionSetDefinitionId	ExpressionSetDefinition ID	reference		18		
Id	ExpressionSetDefinitionContextDefinition ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				

EXPRESSIONSETFEED

Feed tracking for ExpressionSet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

EXPRESSIONSETHISTORY

History for tracked fields of ExpressionSet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`ExpressionSetId`	Expression Set ID	reference		18		
`Field`	Changed Field	picklist		255		
`Id`	Expression Set History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

EXPRESSIONSETSHARE

Sharing for ExpressionSet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

EXPRESSIONSETVERSION

Represents information about a specific version of an expression set. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ExpressionSetVersion in the *Expression Set Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	API Name	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DecimalScale	Decimal Scale	int	9			
Description	Description	string		255		
EndDateTime	End Date Time	datetime				
ExpressionSetDefinitionVerId	ExpressionSetDefinitionVersion ID	reference		18		
ExpressionSetId	Expression Set ID	reference		18		
Id	Expression Set Version ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsLoopingEnabled	Looping Enabled	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LatestSimulationResult	Latest Simulation Result	textarea		131072		
LoopEndVariableName	Loop End Variable Name	textarea		255		
LoopIncrementVariableName	Loop Increment Variable Name	textarea		255		
LoopStartVariableName	Loop Start Variable Name	textarea		255		
Name	Version Name	string		255		
Rank	Rank	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ShouldShowExplExternally	Show Explanation Externally	boolean				
StartDateTime	Start Date Time	datetime				
SystemModstamp	System Modstamp	datetime				
VersionNumber	Version Number	int	9			

EXPRESSIONSETVERSIONFEED

Feed tracking for ExpressionSetVersion.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

EXPRESSIONSETVERSIONHISTORY

History for tracked fields of ExpressionSetVersion.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`ExpressionSetVersionId`	Expression Set Version ID	reference		18		
`Field`	Changed Field	picklist		255		
`Id`	Expression Set Version History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

EXPRESSIONSETVIEW

Represents a virtual object that provides a consolidated view of file-based expression set. File-based expression sets are read-only templates. To be able to modify file-based expression sets, you must clone them first. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ExpressionSetView in the *Expression Set Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Description`	Description	string		255		
`DurableId`	Durable ID	string		255		
`ExpressionSetDetails`	Expression Set Details	textarea		32000		
`HasContextDefinitionRef`	Context Definition Reference	boolean				
`Id`	Expression Set Template ID	id		18		
`IsExecutable`	Executable	boolean				
`IsTemplate`	Is Template	boolean				
`LastModifiedBy`	Last Modified By	string		255		
`LastModifiedDate`	Last Modified Date	datetime				
`Name`	Name	string		255		
`NamespacePrefix`	Namespace Prefix	string		255		
`UsageType`	Usage Type	picklist		255		
`UsageTypeLabel`	Usage Type	string		255		

EXPSSETOBJECTALIASFIELDVW

Represents the virtual object that provides a consolidated view of source object and its alias, and the source object fields and their aliases that are used in an expression set. This object is used to check the permission level required to access the underlying object fields associated with their field aliases. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ExpsSetObjectAliasFieldVw in the *Expression Set Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
DurableId	External Id	string		255		
ExpsSetDefVerVarField	Expression Set Definition Version Variable Field	string		18		
FieldAlias	Field Alias	string		255		
Id	Expression Set Object Alias Field View Id	id		18		
InstalledPackageName	Installed Package Name	string		240		
LastModifiedBy	Last Modified By	string		255		
LastModifiedDate	Last Modified Date	datetime				
ManageableState	Manageable State	picklist		255		
NamespacePrefix	Namespace Prefix	string		255		
ObjectAlias	Object Alias	string		255		
ObjectApiName	Object API Name	string		80		
SourceFieldDataType	Source Field Data Type	picklist		255		
SourceFieldDecimalScale	Source Field Decimal Scale	int	9			
SourceFieldName	Source Field Name	string		255		
UsageType	Usage Type	picklist		255		

EXTDATASHARE

Represents a data share, which is a collection of Data Cloud objects that can be shared with other Data Cloud orgs or third-party partners. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ExtDataShare in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DataShareStatus	Data Share Status	picklist		255		
DataShareType	Data Share Type	picklist		255		
DataSpaceId	Data Space ID	reference		18		
Id	Data Share ID	id		18		
InboundDataShareName	Inbound Data Share Name	string		255		
InboundDataShareOrgIdentifier	Inbound Data Share Organization Id	string		255		
IsDeleted	Deleted	boolean				
LastDataChangeStatusDateTime	Last Data Change Status At	datetime				
LastDataChangeStatusErrorCode	Last Data Change Status Error Code	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Data Share Name	string		255		
ObjectCount	Number Of Objects	int	9			
SystemModstamp	System Modstamp	datetime				

EXTDATASHAREFEED

Feed tracking for ExtDataShare.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

EXTDATASHAREHISTORY

History for tracked fields of ExtDataShare.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`ExtDataShareId`	Data Share ID	reference		18		
`Field`	Changed Field	picklist		255		
`Id`	Data Share History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

EXTDATASHARETARGETFEED

Feed tracking for ExtDataShareTarget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

EXTDATASHARETARGETHISTORY

History for tracked fields of ExtDataShareTarget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`ExtDataShareTargetId`	Data Share Target ID	reference		18		
`Field`	Changed Field	picklist		255		
`Id`	Data Share Target History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

EXTDATASHARETARGETSHARE

Sharing for ExtDataShareTarget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

EXTERNALACCOUNTHIERARCHY

Represents the external account hierarchy, which works like a role-based hierarchy. Use ExternalAccountHierarchy to allow partner and customer users to share data with other external accounts in their hierarchy.This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ExternalAccountHierarchy in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
HierarchyType	Hierarchy Type	picklist		255		
Id	External Account Hierarchy ID	id		18		
IsAccessibleToParent	Is Accessible to Parent	boolean				
IsActive	Is Hierarchy Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentId	External Account Hierarchy ID	reference		18		
SystemModstamp	System Modstamp	datetime				

EXTERNALACCOUNTHIERARCHYFEED

Feed tracking for ExternalAccountHierarchy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

EXTERNALACCOUNTHIERARCHYHISTORY

Represents the history of changes to values in the fields of an external account hierarchy. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ExternalAccountHierarchyHistory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`ExternalAccountHierarchyId`	External Account Hierarchy ID	reference		18		
`Field`	Changed Field	picklist		255		
`Id`	External Account Hierarchy History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

EXTERNALACCOUNTHIERARCHYSHARE

Sharing for ExternalAccountHierarchy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

EXTERNALASSESSMENTDEFINITION

Stores information about external assessments. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ExternalAssessmentDefinition in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentCategory	Assessment Category	picklist		40		
AssessmentContentVersion	Assessment Content Version	string		100		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomAssessmentDisclaimer	Custom Assessment Disclaimer	textarea		5000		
ExternalIdentifier	External Identifier	string		100		
Id	External Assessment Definition ID	id		18		
IsCustomAssessment	Custom Assessment	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SourceSystemName	Source System Name	picklist		40		
SystemModstamp	System Modstamp	datetime				

EXTERNALASSESSMENTDEFINITIONFEED

Feed tracking for ExternalAssessmentDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

EXTERNALASSESSMENTDEFINITIONHISTORY

History for tracked fields of ExternalAssessmentDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
ExternalAssessmentDefinitionId	External Assessment Definition ID	reference		18		
Field	Changed Field	picklist		255		
Id	External Assessment Definition History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

EXTERNALASSESSMENTDEFINITIONSHARE

Sharing for ExternalAssessmentDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

EXTERNALDATASOURCE

Represents an external data source, which defines connection details for integration with data and content that are stored outside the Salesforce org. This object is available in API version 27.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ExternalDataSource in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthProviderId	Auth. Provider ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomConfiguration	Custom Configuration	textarea		4000		
DeveloperName	Name	string		80		
Endpoint	URL	textarea		1000		
Id	External Data Source ID	id		18		
IsDeleted	Deleted	boolean				
IsWritable	Writable External Objects	boolean				
Language	Master Language	picklist		40		
LargeIconId	Static Resource ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	External Data Source	string		80		
NamedCredentialId	Named Credential ID	reference		18		
NamespacePrefix	Namespace Prefix	string		15		
PrincipalType	Identity Type	picklist		255		
Protocol	Authentication Protocol	picklist		255		
Repository	Default External Repository	string		255		
SmallIconId	Static Resource ID	reference		18		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Type	Class ID	picklist		255		

EXTERNALDATAUSERAUTH

Stores authentication settings for a Salesforce user to access an external system. The external system must be defined in an external data source or a named credential that's configured to use per-user authentication. This object is available in API version 27.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ExternalDataUserAuth in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthProviderId	Auth. Provider ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalDataSourceId	External Data Source ID	reference		18		
Id	External Data User Authentication ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Password	Password	textarea		6000		
Protocol	Authentication Protocol	picklist		255		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		
Username	Username	string		255		

EXTERNALENCRYPTIONROOTKEY

Represents metadata about root keys stored in third-party key stores that are used to generate and secure keys that encrypt Salesforce data. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ExternalEncryptionRootKey in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivatedDate	Activated Date	datetime				
CreatedBy	Created By	string		64		
CreatedDate	Created Date	datetime				
Description	Description	string		100		
Id	External Root Key Id	id		18		
LastModifiedBy	Last Modified By	string		64		
LastModifiedDate	Last Modified Date	datetime				
Region	Region	string		150		
RootKeyIdentifier	Root Key Identifier	string		512		
RootKeyService	Root Key Service	string		32		
Status	Status	string		32		

EXTERNALEVENT

Holds native iOS or Android calendar event details for the Salesforce Today feature in the Salesforce mobile app. This object is available in API version 35.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ExternalEvent in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
ExternalId	External Id	string		255		
Id	External Event ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Location	Location	string		255		
Name	Name	string		255		
Notes	Notes	textarea		32000		
SystemModstamp	System Modstamp	datetime				
Time	Time	string		255		
Title	Title	string		255		

EXTERNALEVENTMAPPING

Holds native iOS or Android calendar event details for the Salesforce Today feature in the Salesforce mobile app. This object is available in API version 35.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ExternalEventMapping in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDate	End Date	date				
EventId	Activity ID	reference		18		
ExternalId	External Id	string		255		
Id	External Event Mapping ID	id		18		
IsDeleted	Deleted	boolean				
IsRecurring	Is Recurring	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

EXTERNALEVENTMAPPINGSHARE

Sharing for ExternalEventMapping.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

EXTERNALSOCIALACCOUNT

Represents a managed social media account on a social network such as Facebook or Twitter. This object is available in API version 29.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ExternalSocialAccount in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorizedBy	Authorized by	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataSourceId	Data Source Id	string		255		
DefaultResponseAccountId	Managed Social Account ID	reference		18		
DeveloperName	Name	string		80		
ExternalAccountId	External Account Id	string		255		
ExternalPictureURL	Provider External Picture URL	url		255		
Id	Managed Social Account ID	id		18		
IsActive	Is Active Account	boolean				
IsAuthenticated	Is Account Authenticated	boolean				
IsCaseCreationEnabled	Is Case Creation Enabled	boolean				
IsDataSourceActive	Active Data Source	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
ProfileUrl	Profile URL	url		255		
Provider	Social Network	picklist		255		
ProviderUserId	Provider User Id	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RuleId	Rule Id	string		255		
SocialPropertyId	Social Property Id	string		255		
SystemModstamp	System Modstamp	datetime				
TopicId	Topic Profile Id	string		255		
UniqueName	Unique Name	string		255		
Username	Username	string		255		

FOSTATUSCHANGEDEVENT

Notifies subscribers of changes to the status of a fulfillment order record. Use this event to trigger flows and processes in your order workflow. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FOStatusChangedEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EventUuid`	Fulfillment Order Status Changed Event Event UUID	string		36		
`FulfillmentOrderId`	Fulfillment Order ID	reference		18		
`NewStatus`	New Status	picklist		40		
`NewStatusCategory`	New Status Category	picklist		255		
`OldStatus`	Old Status	picklist		40		
`OldStatusCategory`	Old Status Category	picklist		255		
`ReplayId`	Fulfillment Order Status Changed Event Replay ID	string		1000		

FEESCHEDULEDEFINITION

Stores fee schedule information for contracts of Standard Care Fee Agreement types.

For more information, see FeeScheduleDefinition in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
EffectiveEndDateTime	Effective End Date	datetime				
EffectiveStartDateTime	Effective Start Date	datetime				
FeeScheduleDefinitionKey	Fee Schedule Definition Key	string		255		
Id	Fee Schedule Definition ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

FEESCHEDULEDEFINITIONFEED

Feed tracking for FeeScheduleDefinition.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

FEESCHEDULEDEFINITIONHISTORY

History for tracked fields of FeeScheduleDefinition.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
FeeScheduleDefinitionId	Fee Schedule Definition ID	reference		18		
Field	Changed Field	picklist		255		
Id	Fee Schedule Definition History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

FEESCHEDULEDEFINITIONSHARE

Sharing for FeeScheduleDefinition.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FEEDATTACHMENT

Represents an attachment to a feed item, such as a file attachment or a link. Use FeedAttachment to add various attachments to one feed item. This object is available in API version 36.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FeedAttachment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`FeedEntityId`	Feed Entity ID	reference		18		
`Id`	Feed Attachment ID	id		18		
`IsDeleted`	Deleted	boolean				
`RecordId`	Attachment Record ID	reference		18		
`Title`	Feed Attachment Title	string		255		
`Type`	Feed Attachment Type	picklist		40		
`Value`	Feed Attachment Value	string		1000		

FEEDCOMMENT

Represents a comment added to a feed by a user. This object is available in API version 18.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FeedComment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CommentBody	Comment Body	textarea		10000		
CommentType	Comment Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FeedItemId	Feed Item ID	reference		18		
HasEntityLinks	Has entity links	boolean				
Id	Feed Comment ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
IsVerified	Is a Verified Comment	boolean				
LastEditById	Last Edit By ID	reference		18		
LastEditDate	Last Edit Date	datetime				
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
Revision	Revision	int	9			
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
ThreadChildrenCount	Thread Children Count	int	9			
ThreadLastUpdatedDate	Thread Last Updated Date	datetime				
ThreadLevel	Thread Level	int	9			
ThreadParentId	Feed Comment ID	reference		18		

FEEDITEM

FeedItem represents an entry in the feed, such as changes in a record feed, including text posts, link posts, and content posts. This object is available in API version 21.0 and later. This object replaces FeedPost.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FeedItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
HasContent	Has Content	boolean				
HasFeedEntity	Has Feed Entity Attachment	boolean				
HasLink	Has Link	boolean				
HasVerifiedComment	Has Verified Comment	boolean				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsClosed	Is Closed	boolean				
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastEditById	Last Edit By ID	reference		18		
LastEditDate	Last Edit Date	datetime				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RelatedRecordId	Related Record ID	reference		18		
Revision	Revision	int	9			
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

FEEDLIKE

Indicates that a user has liked a feed item. This object is available in API version 21.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FeedLike in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FeedEntityId	Feed Item ID	reference		18		
FeedItemId	Feed Item ID	reference		18		
Id	Feed Like ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				

FEEDPOLLCHOICE

Shows the choices for a poll posted in the feed. This object is available in API version 29.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FeedPollChoice in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ChoiceBody`	ChoiceBody	textarea		100		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`FeedItemId`	Feed Item ID	reference		18		
`Id`	Feed Poll Choice ID	id		18		
`IsDeleted`	Deleted	boolean				
`Position`	Position	int	9			

FEEDPOLLVOTE

Shows how users voted on a poll posted in the feed. This object is available in API version 29.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FeedPollVote in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChoiceId	Feed Poll Choice ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FeedItemId	Feed Item ID	reference		18		
Id	Feed Poll Vote ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedDate	Last Modified Date	datetime				

FEEDREVISION

Holds the revision history of a specific feed item or comment, including a list of attributes that changed for each revision. This object is available in API version 34.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FeedRevision in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Action	Action	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EditedAttribute	Edited Attribute	picklist		40		
FeedEntityId	Feed Entity ID	reference		18		
Id	Feed Revision ID	id		18		
IsDeleted	Deleted	boolean				
IsValueRichText	Is Value RichText	boolean				
OriginNetworkId	Network ID	reference		18		
Revision	Revision	int	9			
SystemModstamp	System Modstamp	datetime				
Value	Value	textarea		10000		

FEEDTRACKEDCHANGE

Represents an individual field change or set of field changes. A FeedTrackedChange is a child object of a record feed, such as AccountFeed. This object is available in API version 18.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FeedTrackedChange in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CurrencyIsoCode`	Currency ISO Code	picklist		3		
`FeedItemId`	Feed Item ID	reference		18		
`FieldName`	Field	string		120		
`Id`	Feed Tracked Change ID	id		18		
`NewValue`	New Value	anyType		255		
`OldCurrencyIsoCode`	Old Currency ISO Code	string		3		
`OldValue`	Old Value	anyType		255		

FIELDCHANGESNAPSHOT

Use this virtual object to learn which opportunities' close dates changed during the specified time period. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FieldChangeSnapshot in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CurrentValueDateOnly`	Current Value Date Only	date				
`FieldName`	Field Name	string		255		
`Id`	Field Change Snapshot ID	id		18		
`ParentId`	Opportunity ID	reference		18		
`ValidFrom`	From	datetime				
`ValidTo`	To	datetime				

FIELDPERMISSIONS

Represents the enabled field permissions for the parent PermissionSet. This object is available in API version 24.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FieldPermissions in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Field`	Field Name	picklist		40		
`Id`	Field Permissions ID	id		18		
`ParentId`	Parent ID	reference		18		
`PermissionsEdit`	Edit Field	boolean				
`PermissionsRead`	Read Field	boolean				
`SobjectType`	SObject Type Name	picklist		40		
`SystemModstamp`	System Modstamp	datetime				

FIELDSECURITYCLASSIFICATION

Represents a field's data sensitivity value selected from the SecurityClassification picklist. This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FieldSecurityClassification in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Id	Field Security Classification ID	id		18		
IsHighRiskLevel	High-Risk Level	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

FIELDSERVICEMOBILESETTINGS

Represents a configuration of settings that control the Field Service iOS and Android mobile app experience. This object is available in API version 38.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FieldServiceMobileSettings in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AscAutomaticMode	Status Change Mode	picklist		255		
AscCancellationTimerInSec	Cancellation Period (in seconds, 10-600)	int	9			
AscCompletedStatus	Completed Status	picklist		40		
AscOnSiteStatus	On-Site Status	picklist		40		
AscRadiusInMeters	Radius (in meters, 10-5000)	int	9			
AscTimeLimitationInMin	Time from Service Appointment (in minutes, 1-1440)	int	9			
AscTravelStatus	Travel Status	picklist		40		
BgGeoLocationAccuracy	Geolocation Accuracy (Background Mode)	picklist		255		
BgGeoLocationMinUpdateFreqMins	Geolocation Update Frequency in Minutes (Background Mode)	int	9			
BrandInvertedColor	Brand Inverted Color	string		7		
ContrastInvertedColor	Contrast Inverted Color	string		7		
ContrastPrimaryColor	Contrast Primary Color	string		7		
ContrastQuaternaryColor	Contrast Quaternary Color	string		7		
ContrastQuinaryColor	Contrast Quinary Color	string		7		
ContrastSecondaryColor	Contrast Secondary Color	string		7		
ContrastTertiaryColor	Contrast Tertiary Color	string		7		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DaysAfterCurrentServiceDate	Days After Current Service Date	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
DaysBeforeCurrentServiceDate	Days Before Current Service Date	int	9			
DefaultListViewDeveloperName	Default List View Developer Name	string		255		
DestinationType	Destination Type	picklist		255		
DeveloperName	Developer Name	string		80		
FeedbackPrimaryColor	Feedback Primary Color	string		7		
FeedbackSecondaryColor	Feedback Secondary Color	string		7		
FeedbackSelectedColor	Feedback Selected Color	string		7		
FeedbackTertiaryColor	Feedback Tertiary Color	string		7		
FutureDaysInDatePicker	Future Days in the Date Picker	int	9			
GeoLocationAccuracy	Geolocation Accuracy	picklist		255		
GeoLocationMinUpdateFreqMins	Geolocation Update Frequency in Minutes	int	9			
Id	Field Service Mobile Settings ID	id		18		
IsAscTimeLimitEnabled	Enable Time from Service Appointment	boolean				
IsAssignmentNotification	Send appointment notifications on assignment	boolean				
IsDefault	Default	boolean				
IsDeleted	Deleted	boolean				
IsDispatchNotification	Send appointment notifications on dispatch	boolean				
IsLimitedLocTrackingEnabled	Enable Limited Tracking	boolean				
IsOptimizedImageUploadEnabled	Limit image file size	boolean				
IsScheduleViewResourceAbsences	Display resource absences in the Schedule page	boolean				
IsSendLocationHistory	Collect service resource geolocation history	boolean				
IsShowEditFullRecord	Enable full edit on records	boolean				
IsTimeSheetEnabled	Enable mobile time sheets	boolean				
IsTimeZoneEnabled	Collect time zones for time sheet entries	boolean				
IsUseSalesforceMobileActions	Use Salesforce mobile actions	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsVirtualMeasurement	Virtual Measurement	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
MaxNumberOfServiceAppointments	Max Number of Service Appointments	int	9			
MetadataCacheTimeDays	Metadata Cache Time in Days	int	9			
NavbarBackgroundColor	Navbar Background Color	string		7		
NavbarInvertedColor	Navbar Inverted Color	string		7		
OptimizeImageSizeInMb	Maximum Image File Size (in MB)	string		7		
PastDaysInDatePicker	Past Days in the Date Picker	int	9			
PrimaryBrandColor	Primary Brand Color	string		7		
QuickStatusChangeFlowName	Flow Name	string		255		
RecordDataCacheTimeMins	Record Data Cache Time in Minutes	int	9			
SecondaryBrandColor	Secondary Brand Color	string		7		
SystemModstamp	System Modstamp	datetime				
TimeIntervalSetupMins	Picklist Time Interval in Minutes	picklist		255		
UpdateScheduleTimeMins	Schedule Update Frequency in Minutes	int	9			

FIELDSERVICEORGSETTINGS

Represents the org settings for Field Service, such as Appointment Assistant settings. If Field Service is enabled, the org contains one read-only record of this object. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FieldServiceOrgSettings in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdsPollingIntervalSec	Advanced Data Sync Polling Interval (sec)	int	9			
ApptAssistantExpiration	Appointment Assistant Expiration	int	9			
ApptAssistantInfoUrl	Estimated Arrival Time URL	string		255		
ApptAssistantRadiusUnit	Appointment Assistant Radius Unit	picklist		255		
ApptAssistantRadiusValue	Appointment Assistant Radius Value	int	9			
ApptAssistantStatus	Status Update	picklist		40		
CanPopulateGoogleAddress	Send geolocation and map data to Google and Apple	boolean				
CanSendAppCenterCrashReports	Send crash reports to Microsoft App Center	boolean				
CanStoreMobileAnalytics	Allow third parties to store mobile analytics data	boolean				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeepLinkPublicSecurityKey	Deep Link Public Security Key	textarea		4000		
DeveloperName	Name	string		80		
DoesAvlCalcInclOvertime	Allow Service to Calculate the overtime in Resource Availability Calculation	boolean				
DoesAvlCalcInclPrimOnly	Allow Service to Calculate Primary and Secondary Service	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
	territory in Resource Availability Calculation					
EncryptionInfo	Encryption Info	textarea		10000		
EnrouteStatus	Enroute Status	string		40		
Id	Field Service Org Settings ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
MobileFeedbackEmails	Mobile Feedback Email	textarea		4000		
SystemModstamp	System Modstamp	datetime				

FILEEVENT

Tracks when a user downloads a document. This information includes events performed on files. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FileEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CanDownloadPdf	Can Download PDF	boolean				
ContentSize	Content Size	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DocumentId	Document ID	string		18		
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
EventUuid	Event UUID	string		36		
FileAction	File Action	string		20		
FileName	File Name	string		10000		
FileSource	File Source	string		10000		
FileType	File Type	string		10000		
IsLatestVersion	Is Latest Version	boolean				
LoginKey	Login Key	string		24		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
ProcessDuration	Process Duration	double			18	0
RelatedEventIdentifier	Related Event Identifier	string		80		
ReplayId	Replay ID	string		1000		
SessionKey	Session Key	string		24		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
UserId	User ID	reference		18		
Username	Username	string		255		
VersionId	Version ID	string		18		
VersionNumber	Version Number	string		10000		

FILEEVENTSTORE

Tracks when a user downloads, previews, or uploads a file. FileEventStore is a big object that stores the event data of FileEvent. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FileEventStore in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CanDownloadPdf	Can Download PDF	boolean				
ContentSize	Content Size	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DocumentId	ContentDocument ID	reference		18		
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
FileAction	File Action	string		20		
FileName	File Name	string		10000		
FileSource	File Source	string		10000		
FileType	File Type	string		10000		
Id	File Event Store ID	id		18		
IsLatestVersion	Is Latest Version	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LoginKey	Login Key	string		24		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
ProcessDuration	Process Duration	double			18	0
RelatedEventIdentifier	Related Event Identifier	string		80		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		
Username	Username	string		255		
VersionId	ContentVersion ID	reference		18		
VersionNumber	Version Number	string		10000		

FILESEARCHACTIVITY

Represents search activity on a file. This object is available in API version 38.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FileSearchActivity in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AvgNumResults	Average Number of Results	double			18	1
ClickRank	Average Click Rank	double			18	1
CountQueries	Number of Searches	int	9			
CountUsers	Number of Users	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Search Activity Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Search Activity Name	string		255		
Period	Duration	picklist		255		
QueryDate	Search Date	date				
QueryLanguage	Language	picklist		255		
SearchTerm	Search Term	string		100		
SystemModstamp	System Modstamp	datetime				

FINANCEBALANCESNAPSHOTSHARE

Sharing for FinanceBalanceSnapshot.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FINANCETRANSACTIONSHARE

Sharing for FinanceTransaction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FINANCIALDEAL

Represents the deal that the financial institution is working on.

For more information, see FinancialDeal in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CloseProbability	Close Probability	percent			3	0
ConfidentialityType	Confidentiality Type	picklist		40		
ConflictStatus	Conflict Status	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
ExpectedCloseDate	Expected Close Date	date				
FinancialDealCode	Financial Deal Code	string		255		
FinancialDealType	Financial Deal Type	picklist		40		
Id	Financial Deal ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MandatedDate	Mandated Date	date				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentFinancialDealId	Financial Deal ID	reference		18		
ReceivedFee	Received Fee	currency			18	2
Role	Role	picklist		40		
Stage	Stage	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TotalExpectedFee	Total Expected Fee	currency			18	2
TotalExpense	Total Expense	currency			18	2
TransactionValue	Transaction Value	currency			18	2

FINANCIALDEALASSET

Represents the assets included in the financial deal.

For more information, see FinancialDealAsset in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Address	Address	address				
AssetId	Asset ID	reference		18		
AssetType	Asset Type	picklist		40		
City	City	string		40		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FinancialDealId	Financial Deal ID	reference		18		
GeocodeAccuracy	Geocode Accuracy	picklist		255		
Id	Financial Deal Asset ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
Longitude	Longitude	double			18	15
Name	Name	string		255		
PostalCode	Postal Code	string		20		
State	State	string		80		
Street	Street	textarea		255		
SystemModstamp	System Modstamp	datetime				
UnitCount	Unit Count	double			18	0

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UnitOfMeasureId	Unit of Measure ID	reference		18		

FINANCIALDEALASSETFEED

Feed tracking for FinancialDealAsset.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

FINANCIALDEALASSETHISTORY

History for tracked fields of FinancialDealAsset.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
FinancialDealAssetId	Financial Deal Asset ID	reference		18		
Id	Financial Deal Asset History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

FINANCIALDEALBID

Represents the bids placed by financial deal parties in the financial deal.

For more information, see FinancialDealBid in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BidAmount	Bid Amount	currency			18	2
BidDate	Bid Date	date				
BidRound	Bid Round	string		8		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FinancialDealId	Financial Deal ID	reference		18		
FinancialDealPartyId	Financial Deal Party ID	reference		18		
Id	Financial Deal Bid ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

FINANCIALDEALBIDFEED

Feed tracking for FinancialDealBid.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

FINANCIALDEALBIDHISTORY

History for tracked fields of FinancialDealBid.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
FinancialDealBidId	Financial Deal Bid ID	reference		18		
Id	Financial Deal Bid History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

FINANCIALDEALFEED

Feed tracking for FinancialDeal.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

FINANCIALDEALHISTORY

History for tracked fields of FinancialDeal.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
FinancialDealId	Financial Deal ID	reference		18		
Id	Financial Deal History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

FINANCIALDEALPARTY

Represents the parties, such as partners and competitors, that are involved in the deal.

For more information, see FinancialDealParty in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FinancialDealId	Financial Deal ID	reference		18		
Id	Financial Deal Party ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastStageChangeDate	Last Stage Change Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PartyId	Account ID	reference		18		
PartyRole	Party Role	picklist		40		
PartyType	Party Type	picklist		255		
Stage	Stage	picklist		40		
SystemModstamp	System Modstamp	datetime				

FINANCIALDEALPARTYFEED

Feed tracking for FinancialDealParty.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

FINANCIALDEALPARTYHISTORY

History for tracked fields of FinancialDealParty.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
FinancialDealPartyId	Financial Deal Party ID	reference		18		
Id	Financial Deal Party History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

FINANCIALDEALPARTYSHARE

Sharing for FinancialDealParty.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FINANCIALDEALPRODUCT

Represents the products (services) offered by the bank in the deal.

For more information, see FinancialDealProduct in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Fee	Fee	currency			18	2
FinancialDealId	Financial Deal ID	reference		18		
Id	Financial Deal Product ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProductId	Product ID	reference		18		
SystemModstamp	System Modstamp	datetime				

FINANCIALDEALPRODUCTFEED

Feed tracking for FinancialDealProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

FINANCIALDEALPRODUCTHISTORY

History for tracked fields of FinancialDealProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
FinancialDealProductId	Financial Deal Product ID	reference		18		
Id	Financial Deal Product History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

FINANCIALDEALPRODUCTSHARE

Sharing for FinancialDealProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FINANCIALDEALSHARE

Sharing for FinancialDeal.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FINANCIALGOAL

This Financial Goal object is a standard Salesforce object. It represents a financial goal for a person account. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FinancialGoal in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualAmount	Actual Amount	currency			18	0
Category	Category	picklist		40		
CompletionDate	Completion Date	date				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
EstimatedSuccessPercent	Estimated Success Percent	percent			3	0
FinancialPlanId	Financial Plan ID	reference		18		
Frequency	Withdrawal Frequency	picklist		40		
Id	Financial Goal ID	id		18		
InitialAmount	Initial Amount	currency			18	0
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Priority	Priority	picklist		255		
SourceSystemIdentifier	Source System Identifier	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
StartDate	Start Date	date				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TargetAmount	Target Amount	currency			18	0
TargetDate	Target Date	date				
Type	Type	picklist		40		

FINANCIALGOALFUNDING

The financial goal of an individual or person account that requires funding. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FinancialGoalFunding in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FinancialGoalId	Financial Goal ID	reference		18		
Id	Financial Goal Funding ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

FINANCIALGOALHISTORY

History for tracked fields of FinancialGoal.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
FinancialGoalId	Financial Goal ID	reference		18		
Id	Financial Goal ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

FINANCIALGOALPARTY

Represents a junction between the financial goal and the person account. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FinancialGoalParty in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FinancialGoalId	Financial Goal ID	reference		18		
Id	Financial Goal Party ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

FINANCIALGOALSHARE

Sharing for FinancialGoal.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FINANCIALPLAN

Represents a financial plan for a person account. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FinancialPlan in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
EstimatedSuccessPercent	Estimated Success Percent	percent			3	0
Id	Financial Plan ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SourceSystemIdentifier	Source System Identifier	string		255		
StartDate	Start Date	date				
Status	Financial Plan Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Financial Plan Type	picklist		40		

FINANCIALPLANHISTORY

History for tracked fields of FinancialPlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`FinancialPlanId`	Financial Plan ID	reference		18		
`Id`	Financial Plan ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

FINANCIALPLANSHARE

Sharing for FinancialPlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FISCALYEARSETTINGS

Settings to define a custom or standard fiscal year for your organization. This object has a parent-child relationship with the Period object.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FiscalYearSettings in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Description	Description	string		255		
EndDate	End Date	date				
Id	Fiscal Year Settings ID	id		18		
IsStandardYear	Is Standard Year	boolean				
Name	Name	string		80		
PeriodId	Period ID	reference		18		
PeriodLabelScheme	Period Name Scheme	picklist		40		
PeriodPrefix	Period Prefix	picklist		255		
QuarterLabelScheme	Quarter Name Scheme	picklist		40		
QuarterPrefix	Quarter Prefix	picklist		255		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				
WeekLabelScheme	Week Name Scheme	picklist		40		
WeekStartDay	Week Start Day	int	9			
YearType	Year Type	picklist		40		

FLDSVCOBJCHG

Represents a change made to one of a service appointment's tracked fields. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FldSvcObjChg in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Activity`	Activity	picklist		40		
`ActivityDetails`	Activity Details	string		1000		
`ActivityTimeStamp`	Activity Time Stamp	datetime				
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Field Service Object Change ID	id		18		
`IsPrimary`	Is Primary	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`OriginalSvcAppointment`	Original Service Appointment	string		15		
`ServiceAppointmentId`	Service Appointment ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`TimeZone`	Time Zone	picklist		40		
`Transaction`	Transaction	string		256		
`UserId`	User ID	reference		18		

FLDSVCOBJCHGDTL

Represents the details of a change made to one of a service appointment's tracked fields. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FldSvcObjChgDtl in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`FieldChangedName`	Field Changed Name	string		40		
`FieldChangedValue`	Field Changed Value	string		1000		
`FldSvcObjChgId`	Field Service Object Change ID	reference		18		
`Id`	Field Service Object Change Detail ID	id		18		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`SystemModstamp`	System Modstamp	datetime				

FLEXQUEUEITEM

Represents an asynchronous Apex job in the Apex flex queue. Provides information about the job type and flex queue position of the AsyncApexJob. This object is available in API version 36.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FlexQueueItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`AsyncApexJobId`	Apex Job ID	reference		18		
`FlexQueueItemId`	Flex Queue Item Id	string		255		
`Id`	Flex Queue Item Id	id		18		
`JobPosition`	Job Position	int	9			
`JobType`	Job Type	picklist		255		

FLOWDEFINITIONVIEW

Represents the description of a flow definition. This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FlowDefinitionView in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActiveVersionId	Active Flow Version API Name or ID	string		255		
ApiName	Flow API Name	string		255		
ApiVersion	Api Version	int	9			
AreMetricsLoggedToDataCloud	Log Metrics to Data Cloud	boolean				
Builder	Built with	string		255		
CapacityCategory	Capacity Category	picklist		255		
Description	Flow Description	string		255		
DurableId	Durable ID	string		255		
Environments	Environments	multipicklist		4099	0	
HasAsyncAfterCommitPath	Has Asynchronous After Commit Path	boolean				
Id	Flow Definition View ID	id		18		
InstalledPackageName	Package Name	string		240		
IsActive	Active	boolean				
IsOutOfDate	Is Using an Older Version	boolean				
IsOverridable	Overridable	boolean				
IsSwingFlow	Is Swing Flow	boolean				
IsTemplate	Template	boolean				
Label	Flow Label	string		255		
LastModifiedBy	Last Modified By	string		255		
LastModifiedDate	Last Modified Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LatestVersionId	Latest Flow Version API Name or ID	string		255		
ManageableState	Package State	picklist		255		
NamespacePrefix	Flow Namespace	string		255		
OverriddenById	Flow Definition View ID	string		512		
OverriddenFlowId	Flow Definition View ID	string		512		
ProcessType	Process Type	picklist		255		
RecordTriggerType	Record Trigger Type	picklist		255		
SourceTemplateId	Flow Definition View ID	string		512		
SupportedEnvironments	Supported Environments	string		255		
TriggerObjectOrEventId	Entity Definition ID	string		512		
TriggerObjectOrEventLabel	Triggering Object or Platform Event Label	string		255		
TriggerOrder	Trigger Order	int	9			
TriggerType	Trigger	picklist		255		
VersionNumber	Version Number	int	9			

FLOWEXECUTIONERROREVENT

Notifies subscribers of errors related to screen flow executions. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FlowExecutionErrorEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContextObject	Context Object	string		255		
ContextRecordId	Context Record ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ElementApiName	Flow Element API Name	string		80		
ElementType	Flow Element Type	string		50		
ErrorId	Flow Error ID	string		50		
ErrorMessage	Flow Error Message	string		1000		
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
EventType	Flow Event Type	string		40		
EventUuid	Event UUID	string		36		
ExtendedErrorCode	Extended Error Code	string		255		
FlowApiName	Flow API Name	string		255		
FlowExecutionEndDate	Flow Execution End Date	datetime				
FlowExecutionStartDate	Flow Execution Start Date	datetime				
FlowNamespace	Flow Namespace	string		15		
FlowVersionId	Flow Version ID	string		255		
FlowVersionNumber	Flow Version Number	int	9			
InterviewBatchId	Flow Interview Batch ID	string		40		
InterviewGuid	Flow Interview Guid	string		255		
InterviewRequestId	Flow Interview Request ID	string		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
InterviewStartDate	Flow Interview Start Date	datetime				
InterviewStartedById	Flow Interview Started By ID	reference		18		
ProcessType	Process Type	string		40		
RelatedRecordId	Related Record ID	string		18		
ReplayId	Replay ID	string		1000		
StageQualifiedApiName	Flow Stage Qualified Api Name	string		360		
UserId	User ID	reference		18		
Username	Username	string		80		

FLOWINTERVIEW

Represents a flow interview. A flow interview is a running instance of a flow. This object is available in API version 32.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FlowInterview in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrentElement	Current Element	string		100		
CurrentFlowVersion	Definition Version	picklist		255		
EngineType	Engine Type	picklist		255		
Error	Error	textarea		1000		
FlowVersionViewId	Flow Version View ID	string		512		
Guid	Flow Interview Guid	string		255		
Id	Flow Interview ID	id		18		
InterviewLabel	Interview Label	string		1000		
InterviewStatus	Interview Status	picklist		255		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterFlowVersion	Definition Version	picklist		255		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PauseLabel	Pause Reason	string		1000		
SerializedView	Serialized version of the interview	textarea		1000000		
SystemModstamp	System Modstamp	datetime				
WasPausedFromScreen	Was Paused From Screen	boolean				

FLOWINTERVIEWLOG

Represents the logs of a screen flow interview. An interview is an instance of a running or previously run flow.This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FlowInterviewLog in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FlowDeveloperName	Flow API Name	string		255		
FlowInterviewGuid	Flow Interview GUID	string		255		
FlowLabel	Flow Label	string		255		
FlowNamespace	Flow Namespace	string		15		
FlowVersionNumber	Flow Version Number	int	9			
Id	Flow Interview Log ID	id		18		
InterviewDurationInMinutes	Interview Duration In Minutes	double			18	2
InterviewEndTimestamp	Interview End Timestamp	datetime				
InterviewStartTimestamp	Interview Start Timestamp	datetime				
InterviewStatus	Interview Status	picklist		255		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

FLOWINTERVIEWLOGENTRY

Represents the log of a specific element that's executed by a screen flow interview. An interview is an instance of a running or previously run flow. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FlowInterviewLogEntry in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DurationSinceStartInMinutes	Duration In Minutes Since Flow Start	double			18	2
ElementApiName	Element API Name	string		80		
ElementDurationInMinutes	Element Duration in Minutes	double			18	2
ElementLabel	Element Label	string		255		
FlowInterviewLogId	Flow Interview Log ID	reference		18		
Id	Flow Interview Log Entry ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LogEntryTimestamp	Log Entry Timestamp	datetime				
LogEntryType	Log Entry Type	picklist		255		
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

FLOWINTERVIEWLOGSHARE

Sharing for FlowInterviewLog.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FLOWINTERVIEWSHARE

Represents a sharing entry on a FlowInterview. This object is available in API version 33.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FlowInterviewShare in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FLOWORCHESTRATION

Represents the details of an orchestration definition. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FlowOrchestration in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActiveVersionId	Orchestration Version ID	reference		18		
ApiName	API Name	string		255		
ApiVersion	API Version	int	9			
AverageRunTime	Average Run Time	int	9			
CompletionRate	Completion Rate	percent			3	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		65535		
FailedRunCount	Failed Run Count	int	9			
Id	Orchestration ID	id		18		
InstalledPackageName	Package Name	string		255		
IsCitizenEnabled	Citizen Enabled	boolean				
IsDeleted	Deleted	boolean				
IsOverridable	Overridable	boolean				
IsTemplate	Template	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ManageableState	Package State	picklist		255		
Name	Orchestration Label	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
NamespacePrefix	Orchestration Namespace	string		40		
OrchestrationDefinition	Orchestration Definition	string		15		
OrchestrationLabel	Orchestration Label	string		255		
OrchestrationType	Orchestration Type	picklist		255		
OverriddenById	Orchestration ID	reference		18		
OverriddenOrchestrationId	Orchestration ID	reference		18		
RunCount	Run Count	int	9			
SourceTemplateId	Orchestration ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TriggerType	Trigger Type	picklist		255		

FLOWORCHESTRATIONEVENT

Notifies subscribers that a paused instance of an orchestration is ready to be resumed. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FlowOrchestrationEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EventPayload`	Event Payload	textarea		32768		
`EventUuid`	Event UUID	string		36		
`OrchestrationInstanceId`	Orchestration Run ID	string		18		
`ReplayId`	Replay ID	string		1000		
`StepInstanceId`	Orchestration Step Run ID	string		18		
`StepStatus`	Step Status	picklist		255		

FLOWORCHESTRATIONINSTANCE

Represents a run-time instance of an orchestration. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FlowOrchestrationInstance in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuxiliaryTriggeringRecord	Auxiliary Triggering Record	string		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
CurrentStage	Current Stage	string		100		
Duration	Duration	long	18			
FlowDefinitionVersionName	Flow Definition Version Name	picklist		255		
FlowType	Flow Type	picklist		255		
Id	Orchestration Run ID	id		18		
InterviewId	Interview ID	reference		18		
IsDebugRun	Debug Run	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OrchestrationDeveloperName	Orchestration Developer Name	string		80		
OrchestrationLabel	Orchestration Name	string		255		
OrchestrationName	Orchestration Developer Name	string		80		
OwnerId	Owner ID	reference		18		
Status	Status	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
TriggeringRecord	Triggering Record ID	string		40		
TriggeringRecordType	Triggering Record Type	string		40		

FLOWORCHESTRATIONINSTANCESHARE

Sharing for FlowOrchestrationInstance.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FLOWORCHESTRATIONLOG

Represents logging data for a FlowOrchestrationInstance. This object is available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FlowOrchestrationLog in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Actor	Completed By	string		255		
Assignee	Assigned To	string		255		
AssigneeType	Assignment Type	picklist		255		
Comments	Comments	string		1333		
Context	Context Record	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Duration	Duration (seconds)	long	18			
Id	Orchestration Run Log ID	id		18		
IsDeleted	Deleted	boolean				
Kind	Milestone	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OrchestrationInstanceId	Orchestration Run ID	reference		18		
OrchestrationName	Orchestration Name	string		80		
OrchestrationVersion	Orchestration Version	int	9			
StageName	Stage	string		80		
StepName	Step	string		80		
SystemModstamp	System Modstamp	datetime				
Timestamp	Timestamp	datetime				

FLOWORCHESTRATIONSTAGEINSTANCE

Represents a run-time instance of a stage in a run-time instance of an orchestration. This read-only object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FlowOrchestrationStageInstance in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Orchestration Stage Run ID	id		18		
IsDeleted	Deleted	boolean				
Label	Label	string		80		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OrchestrationInstanceId	Orchestration Run ID	reference		18		
OrchestrationName	Orchestration Developer Name	string		80		
OwnerId	Owner ID	reference		18		
Position	Position	int	9			
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

FLOWORCHESTRATIONSTAGEINSTANCESHARE

Sharing for FlowOrchestrationStageInstance.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FLOWORCHESTRATIONSTEPINSTANCE

Represents a run-time instance of a step in a run-time instance of a stage of a run-time instance of an orchestration. This read-only object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FlowOrchestrationStepInstance in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
Id	Orchestration Step Run ID	id		18		
InProgressStepOutputs	In-Progress Step Outputs	textarea		100000		
IsDeleted	Deleted	boolean				
Label	Label	string		80		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OrchestrationInstanceId	Orchestration Run ID	reference		18		
OrchestrationName	Orchestration Developer Name	string		80		
OrchestrationStageName	Orchestration Stage Run Name	string		80		
OwnerId	Owner ID	reference		18		
RelatedRecord	Context Record ID	string		40		
StageInstanceId	Orchestration Stage Run ID	reference		18		
Status	Status	picklist		255		
StepType	Step Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

FLOWORCHESTRATIONSTEPINSTANCESHARE

Sharing for FlowOrchestrationStepInstance.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FLOWORCHESTRATIONVERSION

Represents the version of an orchestration. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FlowOrchestrationVersion in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivatedById	User ID	reference		18		
ActivatedDate	Activated Date	datetime				
ApiVersion	API Version	double			18	1
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		65535		
FlowOrchestrationId	Orchestration ID	reference		18		
Id	Orchestration Version ID	id		18		
IsDeleted	Deleted	boolean				
IsOverridable	Overridable	boolean				
IsTemplate	Template	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Orchestration Version Name	string		255		
OrchestrationType	Orchestration Type	picklist		255		
OverriddenById	Orchestration ID	reference		18		
OverriddenOrchestrationId	Orchestration ID	reference		18		
RunInMode	Run in Mode	picklist		255		
SourceTemplateId	Orchestration ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TriggerObjectOrEventLabel	Triggering Object or Platform Event Label	string		255		
VersionNumber	Version Number	int	9			

FLOWORCHESTRATIONWORKITEM

Represents a work item associated with a run-time instance of an interactive step in a run-time instance of an orchestration. This object is available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FlowOrchestrationWorkItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssigneeId	Assignee ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
ElapsedTimeSinceAsgntInSec	Time Since Assignment	long	18			
ElapsedTimeSinceCreationInSec	Time Since Creation	long	18			
FlowType	Flow Type	picklist		255		
Id	Orchestration Work Item ID	id		18		
IsDeleted	Deleted	boolean				
Label	Step	string		80		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OrchestrationName	Orchestration Developer Name	string		80		
OwnerId	Owner ID	reference		18		
RelatedRecordId	Context Record ID	reference		18		
ScreenFlow	Screen Flow ID	picklist		255		
ScreenFlowInputs	Screen Flow Inputs	textarea		32768		
Status	Status	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
StepInstanceId	Orchestration Step Run ID	reference		18		
SystemModstamp	System Modstamp	datetime				

FLOWORCHESTRATIONWORKITEMSHARE

Sharing for FlowOrchestrationWorkItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FLOWRECORD

Represents the details of a flow. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FlowRecord in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivationId	Segment Activation ID	reference		18		
ActiveVersionId	Flow Version ID	reference		18		
ApiName	API Name	string		255		
ApiVersion	API Version	int	9			
AreMetricsLoggedToDataCloud	Log Metrics to Data Cloud	boolean				
AssociatedRecordId	Associated Record ID	reference		18		
Builder	Built with	string		255		
CapacityCategory	Capacity Category	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DataSpaceId	Data Space ID	reference		18		
Description	Description	textarea		65535		
ErrorCode	Error Code	picklist		255		
ErrorDetails	Error Details	string		255		
FlowCategory	Category	string		255		
FlowDefinition	Flow Definition	string		15		
FlowLabel	Flow Label	string		255		
FlowSubcategory	Subcategory	string		255		
FlowType	Flow Type	picklist		255		
Id	Flow ID	id		18		
InstalledPackageName	Package Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsCitizenEnabled	Enabled for Non-Admins	boolean				
IsDeleted	Deleted	boolean				
IsOverridable	Overridable	boolean				
IsPaused	Paused	boolean				
IsTemplate	Template	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ManageableState	Package State	picklist		255		
Name	Flow Label	string		255		
NamespacePrefix	Flow Namespace	string		40		
OverriddenById	Flow ID	reference		18		
OverriddenFlowId	Flow ID	reference		18		
OwnerId	Owner ID	reference		18		
ProgressStatus	Progress Status	picklist		255		
ScheduledStartDate	Scheduled Start Date	datetime				
SegmentId	Segment ID	reference		18		
SourceTemplateId	Flow ID	reference		18		
StartSource	Start Trigger	string		255		
SystemModstamp	System Modstamp	datetime				
TriggerObjectOrEventLabel	Triggering Object or Platform Event Label	string		255		
Type	Type	picklist		255		

FLOWRECORDELEMENT

Represents a single element within a flow version. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FlowRecordElement in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DataSpaceId	Data Space ID	reference		18		
ElementName	Element Name	string		255		
FlowRecordVersionId	Flow Version ID	reference		18		
Id	Flow Element ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Flow Element Name	string		255		
SystemModstamp	System Modstamp	datetime				

FLOWRECORDELEMENTOCCURRENCE

Represents the execution metrics for a single element within a flow version. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FlowRecordElementOccurrence in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DataSpaceId	Data Space ID	reference		18		
Entries	Entries	int	9			
Errors	Errors	int	9			
Exits	Exits	int	9			
FlowRecordElementId	Flow Element ID	reference		18		
FlowRecordId	Flow ID	reference		18		
FlowRecordVersionId	Flow Version ID	reference		18		
FlowRecordVersionOccurrenceId	Flow Version Occurrence ID	reference		18		
Id	Flow Record Element Occurrence ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Flow Record Element Occurrence Name	string		255		
Paused	Paused	int	9			
Retrying	Retrying	int	9			
Stopped	Stopped	int	9			
SystemModstamp	System Modstamp	datetime				
TotalDuration	Total Duration	long	18			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Waiting`	Waiting	int	9			

FLOWRECORDRELATION

Represents a relationship between a record and a flow interview. When a flow interview is paused, Salesforce uses the $Flow.CurrentRecord global variable in the flow to associate the interview with a record. Available in API version 42.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FlowRecordRelation in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Flow Record Relation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
ParentId	Flow Interview ID	reference		18		
RelatedRecordId	Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				

FLOWRECORDSHARE

Sharing for FlowRecord.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FLOWRECORDVERSION

Represents the version of a flow. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FlowRecordVersion in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivatedById	User ID	reference		18		
ActivatedDate	Activated Date	datetime				
ApiVersion	API Version	double			18	1
AreMetricsLoggedToDataCloud	Log Metrics to Data Cloud	boolean				
Builder	Built with	string		255		
CapacityCategory	Capacity Category	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DataSpaceId	Data Space ID	reference		18		
Description	Description	textarea		65535		
Entries	Entries	int	9			
Errors	Errors	int	9			
Exits	Exits	int	9			
FlowRecordId	Flow ID	reference		18		
FlowType	Flow Type	picklist		255		
Id	Flow Version ID	id		18		
IsDeleted	Deleted	boolean				
IsOverridable	Overridable	boolean				
IsPaused	Paused	boolean				
IsTemplate	Template	boolean				
LastModifiedById	Last Modified By ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Flow Version Name	string		255		
OverriddenById	Flow ID	reference		18		
OverriddenFlowId	Flow ID	reference		18		
PausedDate	Paused Date	datetime				
PausingUserId	User ID	reference		18		
ProgressStatus	Progress Status	picklist		255		
ReasonPaused	Reason Paused	textarea		255		
ResumedDate	Resumed Date	datetime				
ResumingUserId	User ID	reference		18		
RunInMode	Run in Mode	picklist		255		
ScheduledStartDate	Scheduled Start Date	datetime				
SourceTemplateId	Flow ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TriggerObjectOrEventLabel	Triggering Object or Platform Event Label	string		255		
VersionNumber	Version Number	int	9			

FLOWRECORDVERSIONOCCURRENCE

Represents an instance of a recurring flow that runs on a schedule. For example, a flow that runs weekly on Wednesdays creates an occurrence each time it runs. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FlowRecordVersionOccurrence in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CompletedDate	Completed Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DataSpaceId	Data Space ID	reference		18		
Enqueued	Enqueued	int	9			
Entries	Entries	int	9			
ErrorDetail	Error Details	string		255		
Errors	Errors	int	9			
Exits	Exits	int	9			
FlowRecordId	Flow ID	reference		18		
FlowRecordVersionId	Flow Version ID	reference		18		
Id	Flow Version Occurrence ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Flow Version Occurrence Name	string		255		
ProgressStatus	Occurrence Status	picklist		255		
ScheduledDate	Run Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Stopped	Stopped	int	9			
SystemModstamp	System Modstamp	datetime				

FLOWSTAGERELATION

Represents a relationship between a paused flow interview and its stages. When a flow interview is paused, Salesforce creates a FlowStageRelation record for each stage that's set to the $Flow.CurrentStage or $Flow.ActiveStages global variable. Available in API version 43.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FlowStageRelation in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FlexIndex	Flex Index	string		255		
Id	Flow Interview Stage Relation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
ParentId	Flow Interview ID	reference		18		
StageLabel	Stage Label	string		1000		
StageOrder	Stage Order	int	9			
StageType	Stage Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

FLOWTESTRESULT

Represents the results for a flow test associated with a flow version. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FlowTestResult in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FlowDefinitionViewId	Flow Definition View ID	string		512		
FlowTestViewId	Flow Test View ID	string		512		
FlowVersionNumber	Flow Version Number	int	9			
FlowVersionViewId	Flow Version View ID	string		512		
Id	Flow Test Result ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Result	Result	picklist		255		
SystemModstamp	System Modstamp	datetime				
TestEndDateTime	Test End Date and Time	datetime				
TestStartDateTime	Test Start Date and Time	datetime				

FLOWTESTRESULTSHARE

Sharing for FlowTestResult.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FLOWTESTVIEW

Represents the description of a flow test associated with a flow definition. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FlowTestView in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	User ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Description`	Description	textarea		1000		
`DurableId`	Durable ID	string		255		
`FlowDefinitionViewId`	Flow Definition View ID	string		512		
`FlowTestApiName`	Flow Test API Name	string		255		
`FlowTestLabel`	Flow Test Label	string		255		
`Id`	Flow Test View ID	id		18		
`LastModifiedById`	User ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				

FLOWVARIABLEVIEW

Represents a variable within the flow version. This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FlowVariableView in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Variable API Name	string		255		
DataType	Variable Data Type	string		255		
Description	Variable Description	string		255		
DurableId	Durable ID	string		255		
FlowVersionViewId	Flow Version View ID	string		512		
Id	Flow Variable View ID	id		18		
IsCollection	Variable allows multiple values (collection)	boolean				
IsInput	Variable is available for input	boolean				
IsOutput	Variable is available for output	boolean				
ObjectType	Record Variable Object	string		255		

FLOWVERSIONVIEW

Represents the version of a flow definition. This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FlowVersionView in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiVersion	Api Version	double			18	0
ApiVersionRuntime	Api Version Runtime	double			18	0
AreMetricsLoggedToDataCloud	Log Metrics to Data Cloud	boolean				
CapabilityType	Capability Type	string		255		
CapacityCategory	Capacity Category	picklist		255		
Description	Version Description	string		255		
DurableId	Durable ID	string		255		
FlowDefinitionViewId	Flow Definition View ID	string		512		
Id	Flow Version View ID	id		18		
IsSwingFlow	Is Swing Flow	boolean				
IsTemplate	Is Template	boolean				
Label	Version Label	string		255		
LastModifiedDate	Last Modified Date	datetime				
ProcessType	Process Type	picklist		255		
RunInMode	Run in Mode	picklist		255		
Status	Version Status	picklist		255		
VersionNumber	Version Number	int	9			

FOLDER

Represents a repository for a Dashboard, Document, EmailTemplate, Macro, QuickText, or Report. Only one type of item can be contained in a folder.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Folder in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessType	Access Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Folder Unique Name	string		80		
Id	Folder ID	id		18		
IsReadonly	Read Only	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		40		
NamespacePrefix	Namespace Prefix	string		15		
ParentId	Folder ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

FOLDEREDCONTENTDOCUMENT

Represents the relationship between a parent and child ContentFolderItem in a ContentWorkspace.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FolderedContentDocument in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentDocumentId	ContentDocument ID	reference		18		
ContentSize	Size	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FileExtension	File Extension	string		40		
FileType	File Type	string		20		
Id	Content Folder Member ID	id		18		
IsDeleted	Deleted	boolean				
IsFolder	Is Folder	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentContentFolderId	Parent Content Folder ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		

FORECASTINGADJUSTMENT

This object represents an individual forecast manager's adjustment for a subordinate's or child territory's forecast via a ForecastingItem. Available in API versions 26.0 and later. This object is different from the ForecastingOwnerAdjustment object, which represents forecast users' adjustments of their *own* forecasts, including territory forecasts they own.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ForecastingAdjustment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustedAmount	Adjusted Amount	currency			18	0
AdjustedQuantity	Adjusted Quantity	double			12	2
AdjustmentNote	Adjustment Note	textarea		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
ForecastCategoryName	Forecast Category	picklist		255		
ForecastingGroupItemId	Forecasting Group Item ID	reference		18		
ForecastingItemCategory	Forecasting Item Category	picklist		255		
ForecastingItemId	Forecasting Item ID	reference		18		
ForecastingTypeId	Forecasting Type ID	reference		18		
Id	ForecastingAdjustment ID	id		18		
IsAmount	Is Amount	boolean				
IsQuantity	Is Quantity	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OwnerId	Owner ID	reference		18		
PeriodId	Period ID	reference		18		
ProductFamily	Product Family	picklist		255		
StartDate	Period Start Date	date				
SystemModstamp	System Modstamp	datetime				

FORECASTINGCOLUMNDEFINITION

Represents a custom calculated column or a custom reference data column in a forecast type. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ForecastingColumnDefinition in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Name	string		80		
`ForecastingTypeId`	Forecasting Type ID	reference		18		
`Formula`	Formula for calculated column	string		255		
`Id`	Forecasting Item Pivot Field Definition ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Calculated column header label displayed in forecasting grid UI	string		80		
`ReferenceField`	Custom Field Definition ID	picklist		255		
`ResultField`	Field containing the value of the formula result	string		40		
`SystemModstamp`	System Modstamp	datetime				

FORECASTINGCOLUMNDEFINITIONLOCALIZATION

Represents the translated value of a custom calculated column label when the Translation Workbench is enabled for your organization.

For more information, see ForecastingColumnDefinitionLocalization in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Translation ID	id		18		
`Language`	Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`NamespacePrefix`	Namespace Prefix	string		15		
`ParentId`	Parent ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`Value`	Translation Text	textarea		32000		

FORECASTINGCUSTOMCATEGORY

Represents a custom forecasting category used for forecast rollups. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ForecastingCustomCategory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CanHaveQuotas	Can Have Quotas	boolean				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Forecasting Custom Category Description	textarea		255		
DeveloperName	Name	string		80		
DisplayPosition	Display Position	int	9			
ForecastingSourceDefinitionId	Forecasting Source Definition ID	reference		18		
ForecastingTypeId	Forecasting Type ID	reference		18		
Id	Forecasting Custom Category ID	id		18		
IsAdjustable	Is Adjustable	boolean				
IsAmount	Is Amount	boolean				
IsDeleted	Deleted	boolean				
IsHidden	Is Hidden	boolean				
IsOwnerAdjustable	Is Owner Adjustable	boolean				
IsQuantity	Is Quantity	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Custom Category column header label displayed in forecasting grid UI	string		80		
MeasureFieldOverride	Custom Field Definition ID	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
UnitOfMeasure	Unit Of Measure	string		40		

FORECASTINGCUSTOMDATA

Represents forecast data from external sources to display in the forecasts page. For example, risk or last year's revenue. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ForecastingCustomData in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
ForecastOwnerId	User ID	reference		18		
ForecastingGroupItemId	Forecasting Group Item ID	reference		18		
ForecastingTypeId	Forecasting Type ID	reference		18		
Id	Forecasting Custom Data ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PeriodId	Period ID	reference		18		
ProductFamily	Product Family	picklist		40		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

FORECASTINGDISPLAYEDFAMILY

Represents the table in Forecasts Settings where an admin selects the product families that users can forecast on in Lightning Experience. This object is available in API version 40.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ForecastingDisplayedFamily in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DisplayPosition`	Display Position	int	9			
`Id`	Forecasting Displayed Family ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`ProductFamily`	Product Family	picklist		40		
`SystemModstamp`	System Modstamp	datetime				

FORECASTINGFACT

This object is read-only and links a ForecastingItem with its opportunities, such as opportunities that share the same owner or forecast category and have a closing date within the period of the forecasting item. Available in API versions 26 and greater.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ForecastingFact in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ForecastCategoryName	Forecast Category	picklist		255		
ForecastedObjectId	ForecastedObject ID	reference		18		
ForecastedSubObjectId	ForecastedSubObject ID	reference		18		
ForecastingCustomCategoryId	Forecasting Custom Category ID	reference		18		
ForecastingItemId	Forecasting Item ID	reference		18		
ForecastingTypeId	Forecasting Type ID	reference		18		
Id	Forecasting Fact ID	id		18		
OpportunityId	Opportunity ID	reference		18		
OwnerId	Owner ID	reference		18		
PeriodId	Period ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TargetValue	Target Value	double			12	2

FORECASTINGFILTER

Represents the custom filter for including or excluding data from opportunity forecasts. This object is available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ForecastingFilter in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
FilterLogic	Filter Logic	string		255		
ForecastingTypeId	Forecasting Type ID	reference		18		
ForecastingTypeSourceId	Forecasting Type Source ID	reference		18		
Id	Forecasting Filter ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
SystemModstamp	System Modstamp	datetime				

FORECASTINGFILTERCONDITION

Represents the custom filter condition logic for including or excluding data from opportunity forecasts. This object is available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ForecastingFilterCondition in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
FieldName	Field Name	string		255		
ForecastingFilterId	Forecasting Filter ID	reference		18		
Id	Forecasting Filter Condition ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
Operation	Operation	picklist		255		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				
Value	Value	string		255		

FORECASTINGGROUP

Represents groups used to roll up forecast totals on the forecasts page. For example, group forecasts by industry or sales type. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ForecastingGroup in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
DisplayPosition	Display Position	int	9			
ForecastingTypeId	Forecasting Type ID	reference		18		
GroupField	Custom Field Definition ID	picklist		255		
Id	Forecasting Group ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
SourceObject	Custom Object Definition ID	picklist		255		
SystemModstamp	System Modstamp	datetime				

FORECASTINGGROUPITEM

Represents the value within the picklist that is specified as the forecasting group for a forecast type. For example, if you have a forecasting group that identifies the industry an opportunity is part of, this object represents the value in the the industry picklist that's chosen to be part of the group. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ForecastingGroupItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DisplayPosition	Display Position	int	9			
ForecastingGroupId	Forecasting Group ID	reference		18		
Id	Forecasting Group Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SourceValueApiName	Source Value Api Name	string		765		
SourceValueLabel	Source Value Label	string		765		
SourceValueTranslatedLabel	Source Value Translated Label	string		765		
SystemModstamp	System Modstamp	datetime				

FORECASTINGITEM

This object is read-only used for individual forecast amounts. Users see amounts based on their perspectives and forecast roles. The amounts users see include one of these values when forecasting in revenue: `AmountWithoutAdjustments`, `AmountWithoutManagerAdjustment`, `ForecastAmount`, `OwnerOnlyAmount`. The amounts users see include one of these values when forecasting in quantity: `QuantityWithoutAdjustments`, `QuantityWithoutManagerAdjustment`, `ForecastQuantity`, `OwnerOnlyQuantity`. Available in API version 26.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ForecastingItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`AmountWithoutAdjustments`	Amount Without Adjustments	currency			18	0
`AmountWithoutManagerAdjustment`	Amount Without Manager Adjustment	currency			18	0
`AmountWithoutOwnerAdjustment`	Amount Without Owner Adjustments	currency			18	0
`CurrencyIsoCode`	Currency ISO Code	picklist		3		
`ForecastAmount`	Forecast Amount	currency			18	0
`ForecastCategoryName`	Forecast Category	picklist		255		
`ForecastQuantity`	Forecast Quantity	double			12	2
`ForecastingCustomCategoryId`	Forecasting Custom Category ID	reference		18		
`ForecastingGroupItemId`	Forecasting Group Item ID	reference		18		
`ForecastingItemCategory`	Forecasting Item Category	picklist		255		
`ForecastingTypeId`	Forecasting Type ID	reference		18		
`HasAdjustment`	Has Adjustment	boolean				
`HasOwnerAdjustment`	Has Owner Adjustment	boolean				
`Id`	Forecasting Item ID	id		18		
`IsAmount`	Is Amount	boolean				
`IsQuantity`	Is Quantity	boolean				
`IsUpToDate`	Is up to date	boolean				
`OwnerId`	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OwnerOnlyAmount	Owner Only Amount	currency			18	0
OwnerOnlyQuantity	Owner Only Quantity	double			12	2
ParentForecastingItemId	Forecasting Item ID	reference		18		
PeriodId	Period ID	reference		18		
ProductFamily	Product Family	picklist		255		
QuantityWithoutAdjustments	Quantity Without Adjustments	double			12	2
QuantityWithoutManagerAdjustment	Quantity Without Manager Adjustment	double			12	2
QuantityWithoutOwnerAdjustment	Quantity Without Owner Adjustment	double			12	2
SubordinateOverrides	Subordinate Overrides	int	9			
SystemModstamp	System Modstamp	datetime				

FORECASTINGOWNERADJUSTMENT

This object represents an individual forecast user's adjustment of their own forecast, including territory forecasts they own, via a ForecastingItem. Available in API versions 33.0 and later. This object is different from the ForecastingAdjustment object, which represents managers' adjustments of *subordinates'* and child territories' forecasts.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ForecastingOwnerAdjustment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
ForecastCategoryName	Forecast Category	picklist		40		
ForecastOwnerId	User ID	reference		18		
ForecastingGroupItemId	Forecasting Group Item ID	reference		18		
ForecastingItemCategory	Forecasting Item Category	picklist		40		
ForecastingItemId	Forecasting Item ID	reference		18		
ForecastingTypeId	Forecasting Type ID	reference		18		
Id	ForecastingAdjustment ID	id		18		
IsAmount	Is Amount	boolean				
IsDeleted	Deleted	boolean				
IsQuantity	Is Quantity	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OwnerAdjustedAmount	Owner Adjusted Amount	currency			18	0
OwnerAdjustedQuantity	Owner Adjusted Quantity	double			12	2
OwnerAdjustmentNote	Owner Adjustment Note	textarea		255		
PeriodId	Period ID	reference		18		
ProductFamily	Product Family	picklist		40		
StartDate	Period Start Date	date				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

FORECASTINGQUOTA

This object represents an individual user's or territory's quota for a specified time period. The Managed Quotas user permission is required for creating, updating, or deleting quotas. (Users can only edit their subordinates' or child territories' quotas, not their own.) The View All Forecasts permission is required to view any user's forecast, regardless of the forecast hierarchy. Available in API versions 25.0 and later. Forecast managers can view the forecasts of subordinates and territories below them in the forecast hierarchy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ForecastingQuota in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
ForecastingGroupItemId	Forecasting Group Item ID	reference		18		
ForecastingTypeId	Forecasting Type ID	reference		18		
Id	ForecastingQuota ID	id		18		
IsAmount	Is Amount	boolean				
IsQuantity	Is Quantity	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PeriodId	Period ID	reference		18		
ProductFamily	Product Family	picklist		255		
QuotaAmount	Quota Amount	currency			18	0
QuotaOwnerId	Owner ID	reference		18		
QuotaQuantity	Quota Quantity	double			12	2
StartDate	Quota Month	date				
SystemModstamp	System Modstamp	datetime				

FORECASTINGSHARE

Represents forecasts shared between a forecast manager and a user. Available in API version 44.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ForecastingShare in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Forecasting Share Access Level	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Forecasting Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RoleType	Role Type	picklist		255		
SharedForecastManagerRoleId	SharedForecastManagerRole ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UserOrGroupId	User ID	reference		18		

FORECASTINGSOURCEDEFINITION

Represents the object, measure, date type, and hierarchy that a forecast uses to project sales. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ForecastingSourceDefinition in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CategoryField	Custom Field Definition ID	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DateField	Custom Field Definition ID	picklist		255		
DeveloperName	Name	string		80		
FamilyField	Custom Field Definition ID	picklist		255		
Id	Forecasting Source Definition ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
MeasureField	Custom Field Definition ID	picklist		255		
SourceObject	Custom Object Definition ID	picklist		255		
SystemModstamp	System Modstamp	datetime				
Territory2Field	Custom Field Definition ID	picklist		255		
UserField	Custom Field Definition ID	picklist		255		

FORECASTINGSRCRECJUDGMENT

Represents forecast managers' judgment of whether they consider an opportunity-related deal to be certain to close. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ForecastingSrcRecJudgment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Forecasting Source Record Judgment ID	id		18		
`IsDeleted`	Deleted	boolean				
`JudgmentOwnerId`	User ID	reference		18		
`JudgmentValue`	Judgment Value	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`ReferenceObjectId`	ReferenceObject ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

FORECASTINGSUBMISSION

Represents a submitted forecast. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ForecastingSubmission in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ForecastOwnerId	User ID	reference		18		
ForecastingGroupItemId	Forecasting Group Item ID	reference		18		
ForecastingTypeId	Forecasting Type ID	reference		18		
Id	Forecasting Submission ID	id		18		
IsDeleted	Deleted	boolean				
IsLatest	Is Latest	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Forecasting Submission	string		255		
Note	Note	textarea		1000		
PeriodId	Period ID	reference		18		
PeriodStartDate	Period Start Date	date				
ProductFamily	Product Family	picklist		40		
Status	Status	picklist		255		
SubmissionDateTime	Submission Date Time	datetime				
SystemModstamp	System Modstamp	datetime				

FORECASTINGSUBMISSIONITEM

Represents the values for each forecast category in a submitted forecast. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ForecastingSubmissionItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ForecastingItemCategory	Forecasting Item Category	picklist		40		
ForecastingSubmissionId	Forecasting Submission ID	reference		18		
Id	Forecasting Submission Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Forecasting Submission Item	string		255		
Quantity	Quantity	double			12	2
SystemModstamp	System Modstamp	datetime				

FORECASTINGTYPE

Used to identify the forecast type associated with ForecastingAdjustment, ForecastingOwnerAdjustment, ForecastingQuota, ForecastingFact, and ForecastingItem objects. Available in API version 30.0 and greater.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ForecastingType in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CanDisplayQuotas	Can Display Quotas	boolean				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DateType	Date Type	picklist		255		
DeveloperName	API Name	string		80		
ForecastingGroupId	Forecasting Group ID	reference		18		
HasAdjustments	Has Adjustments	boolean				
HasOwnerAdjustments	Has Owner Adjustments	boolean				
HasProductFamily	Has Product Family	boolean				
Id	Forecasting Type ID	id		18		
IsActive	Is Active	boolean				
IsAdvCurrencyMgmt	Is Advanced Currency Management	boolean				
IsAmount	Is Amount	boolean				
IsCdp	Is Cdp	boolean				
IsDeleted	Deleted	boolean				
IsPlatformType	Is Platform Type	boolean				
IsQuantity	Is Quantity	boolean				
Language	Master Language	picklist		40		
LastActivatedDate	Last Activated Date	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MasterLabel	Label	string		80		
RoleType	Role Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

FORECASTINGTYPESOURCE

Maps a forecasting source definition to a forecast type. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ForecastingTypeSource in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
ForecastingSourceDefinitionId	Forecasting Source Definition ID	reference		18		
ForecastingTypeId	Forecasting Type ID	reference		18		
Id	Forecasting Type Source ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
ParentSourceDefinitionId	Forecasting Source Definition ID	reference		18		
RelationField	Custom Field Definition ID	picklist		255		
SourceGroup	Source Group	int	9			
SystemModstamp	System Modstamp	datetime				

FORECASTINGUSERPREFERENCE

Represents the forecasting selections that a user has made, such as display options, date range, forecasting type, and currency.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ForecastingUserPreference in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ExternalId	External ID	string		255		
ForecastAnythingPeriodDuration	Forecast Anything Period Duration	int	9			
ForecastAnythingPeriodType	Forecast Anything Period Type	picklist		255		
ForecastAnythingStartPeriod	Forecast Anything Start Period	int	9			
ForecastingDisplayedTypeId	Forecasting Type ID	reference		18		
ForecastingPeriodDuration	Period Duration	int	9			
ForecastingPeriodType	Period Type	picklist		255		
ForecastingStartPeriod	Period Start	int	9			
ForecastingViewCurrency	Viewing Currency	string		40		
Id	Forecasting User Preference ID	id		18		
IsForecastAnythingAggrEnabled	Aggregate Forecasting Anything	boolean				
IsForecastingHideZeroRows	Hide Zero Rows	boolean				
IsForecastingShowQuantity	Show Quantity	boolean				
IsHideForecastingGuidedTour	Hide Guided Tour	boolean				
IsHideForecastingQuotaColumn	Hide Quota Column	boolean				
IsShowForecastingChangeSignals	Show Change Signals	boolean				
IsShowForecastingQuotaAttainment	Show Quota Attainment	boolean				
IsShowForecastingRoundedAmounts	Show Rounded Amounts	boolean				

FORMULAFUNCTION

Represents a function used when building a formula, including examples and uses. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FormulaFunction in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CategoryId`	Formula Function Category ID	string		80		
`Description`	Description	string		255		
`DurableId`	Formula Function Durable ID	string		255		
`ExampleString`	Example String	string		255		
`Id`	Formula Function ID	id		18		
`Label`	Label	string		80		
`Name`	Name	string		80		

FORMULAFUNCTIONALLOWEDTYPE

Represents the functions that are supported in the given formula context. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FormulaFunctionAllowedType in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`DurableId`	Formula Function Allowed Type Durable ID	string		255		
`FunctionId`	Formula Function ID	string		80		
`Id`	Formula Function Allowed Type ID	id		18		
`Type`	Type	picklist		255		

FORMULAFUNCTIONCATEGORY

Represents the category to which a formula belongs when building a formula. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FormulaFunctionCategory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`DurableId`	Formula Function Category Durable ID	string		255		
`Id`	Formula Function Category ID	id		18		
`Label`	Label	string		80		
`Name`	Name	string		80		

FRCSTCUSTMCATGRAMPRATESRC

Represents the total contract value used for custom bulk adjustments. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FrcstCustmCatgRampRateSrc in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BaseValueFrcstSrcDefinitionId	Forecasting Source Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
ForecastingCustomCategoryId	Forecasting Custom Category ID	reference		18		
Id	Forecasting Custom Category Ramp Rate Source ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
SystemModstamp	System Modstamp	datetime				

FRCSTCUSTMZADJUSTMENT

Represents an individual forecast manager's adjustment of a subordinate's consumption forecast. Available in API version 63.0 and later. This object is different from the ForecastingAdjustment object, which represents managers' adjustments of subordinates' pipeline forecasts.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FrcstCustmzAdjustment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustedAmount	Adjusted Amount	currency			18	0
AdjustedQuantity	Adjusted Quantity	double			12	2
AdjustmentNote	Adjustment Note	textarea		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ForecastingCustomCategoryId	Forecasting Custom Category ID	reference		18		
ForecastingTypeId	Forecasting Type ID	reference		18		
Id	Forecasting Customized Adjustment ID	id		18		
IsAmount	Is Amount	boolean				
IsDeleted	Deleted	boolean				
IsQuantity	Is Quantity	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OwnerId	Owner ID	reference		18		
PeriodId	Period ID	reference		18		
SystemModstamp	System Modstamp	datetime				

FRCSTCUSTMZADJUSTMENTSHARE

Sharing for FrcstCustmzAdjustment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FRCSTCUSTMZOWNERADJUSTMENT

Represents an individual forecast user's adjustment of their own consumption forecast. Available in API version 63.0 and later. This object is different from the ForecastingOwnerAdjustment object, which represents users' adjustments of their pipeline forecasts.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FrcstCustmzOwnerAdjustment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustedAmount	Adjusted Amount	currency			18	0
AdjustedQuantity	Adjusted Quantity	double			12	2
AdjustmentNote	Adjustment Note	textarea		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomDimension	Custom Dimension	string		40		
ForecastingCustomCategoryId	Forecasting Custom Category ID	reference		18		
ForecastingTypeId	Forecasting Type ID	reference		18		
Id	Forecasting Customized Owner Adjustment ID	id		18		
IsAmount	Is Amount	boolean				
IsDeleted	Deleted	boolean				
IsQuantity	Is Quantity	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OwnerId	Owner ID	reference		18		
PeriodId	Period ID	reference		18		
SystemModstamp	System Modstamp	datetime				

FRCSTCUSTMZOWNERADJUSTMENTSHARE

Sharing for FrcstCustmzOwnerAdjustment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FRGTHAULINGEMSSNFCTR

Represents the emissions factors for scope 3 freight hauling.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FrgtHaulingEmssnFctr in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Ch4EmissionsFactor	CH4 Emissions Factor	double			16	6
Ch4EmissionsFactorUnit	CH4 Emissions Factor Unit	picklist		255		
Co2EmissionsFactor	CO2 Emissions Factor	double			16	6
Co2EmissionsFactorUnit	CO2 Emissions Factor Unit	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmissionFactorDataSource	Emissions Factor Data Source	textarea		32000		
EmissionFactorUpdateYear	Emissions Factor Update Year	picklist		255		
ExternalIdentifier	External Identifier	string		255		
FreightHaulingMode	Freight Hauling Mode	picklist		40		
Id	Freight Hauling Emissions Factor ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
N2oEmissionsFactor	N2O Emissions Factor	double			16	6
N2oEmissionsFactorUnit	N2O Emissions Factor Unit	picklist		255		
Name	Name	string		255		
OtherEmssnFctrId	Other Emissions Factor Set ID	reference		18		
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ReferenceDataLoadLogId	Reference Data Load Log ID	reference		18		
SystemModstamp	System Modstamp	datetime				

FRGTHAULINGEMSSNFCTRFEED

Feed tracking for FrgtHaulingEmssnFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

FRGTHAULINGEMSSNFCTRHISTORY

History for tracked fields of FrgtHaulingEmssnFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`FrgtHaulingEmssnFctrId`	Freight Hauling Emissions Factor ID	reference		18		
`Id`	Freight Hauling Emissions Factor History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

FRGTHAULINGEMSSNFCTRSHARE

Sharing for FrgtHaulingEmssnFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FRGTHAULINGENRGYUSE

Represents the energy consumption related to freight hauling.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FrgtHaulingEnrgyUse in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CarbonFootprintReportDate	Carbon Footprint Report Date	date				
Ch4EmissionsInKg	CH4 Emissions (kg)	double			18	8
Co2EmissionsInKg	CO2 Emissions (kg)	double			18	8
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Distance	Distance	double			18	2
DistanceUnit	Distance Unit	picklist		255		
EndDate	End Date	date				
FreightHaulingMode	Freight Hauling Mode	picklist		40		
FrgtHaulingEmssnFctrId	Freight Hauling Emissions Factor ID	reference		18		
Id	Freight Hauling Energy Use ID	id		18		
IsDeleted	Deleted	boolean				
IsRecordLocked	Record Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
N2oEmissionsInKg	N2O Emissions (kg)	double			18	8
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Scope3Category	Scope 3 Category	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Scope3CrbnFtprntId	Scope 3 Carbon Footprint ID	reference		18		
Scope3EmissionsInTco2e	Scope 3 Emissions (tCO2e)	double			18	4
Scope3EmssnSrcId	Scope 3 Emissions Source ID	reference		18		
StartDate	Start Date	date				
SuplScope3Emissions	Supplemental Scope 3 Emissions	double			18	5
SupplierId	Supplier ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Weight	Weight	double			18	1
WeightUnit	Weight Unit	picklist		255		

FRGTHAULINGENRGYUSEFEED

Feed tracking for FrgtHaulingEnrgyUse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

FRGTHAULINGENRGYUSEHISTORY

History for tracked fields of FrgtHaulingEnrgyUse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
FrgtHaulingEnrgyUseId	Freight Hauling Energy Use ID	reference		18		
Id	Freight Hauling Energy Use History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

FRGTHAULINGENRGYUSESHARE

Sharing for FrgtHaulingEnrgyUse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FUELTYPE

Represents information about the additional fuel types defined by a customer.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FuelType in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Description`	Description	string		255		
`DeveloperName`	Developer Name	string		80		
`Id`	Fuel Type ID	id		18		
`IsActive`	Active	boolean				
`IsDeleted`	Deleted	boolean				
`IsStationaryAssetFuel`	Stationary Asset Fuel	boolean				
`IsVehicleAssetFuel`	Vehicle Asset Fuel	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Fuel Name	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`SystemModstamp`	System Modstamp	datetime				

FUELTYPESUSTNUOM

Represents a mapping between the additional fuel types and their corresponding unit of measure values defined by a customer.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FuelTypeSustnUom in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Developer Name	string		80		
`FuelType`	Fuel Type ID	picklist		255		
`Id`	Fuel Type Sustainability Unit of Measure ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Label	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`SystemModstamp`	System Modstamp	datetime				
`UnitOfMeasure`	Sustainability Unit of Measure ID	picklist		255		

FULFILLORDITEMQTYCHGEVENT

Notifies subscribers of changes to the quantity of a fulfillment order line item record. Use this event to trigger flows and processes in your order workflow. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FulfillOrdItemQtyChgEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EventUuid`	Fulfillment Order Item Quantity Changed Event Event UUID	string		36		
`FulfillmentOrderLineItemId`	Fulfillment Order Product ID	reference		18		
`NewQuantity`	New Quantity	double			18	0
`OldQuantity`	Old Quantity	double			18	0
`ReplayId`	Fulfillment Order Item Quantity Changed Event Replay ID	string		1000		

FULFILLMENTLINEREL

Represents a relationship between two fulfillment order lines. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FulfillmentLineRel in the *Dynamic Revenue Orchestrator Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssociatedFoItemInventory	Associated Fulfillment Order Item Inventory	picklist		255		
AssociatedFulfillOrderItemId	Fulfillment Order Product ID	reference		18		
AssociatedLineRole	Associated Fulfillment Order Item Role	picklist		255		
AssociatedQuanScaleMethod	Associated Quantity Scale Method	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FulfillmentOrderId	Fulfillment Order ID	reference		18		
Id	Fulfillment Order Line Relationship ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MainFulfillOrderItemRole	Main Fulfillment Order Item Role	picklist		255		
MainFulfillmentOrderItemId	Fulfillment Order Product ID	reference		18		
Name	Name	string		255		
ProductRelationshipTypeId	Product Relationship Type ID	reference		18		
SystemModstamp	System Modstamp	datetime				

FULFILLMENTORDER

Represents a group of products, fees, and delivery charges on a single order that share the same fulfillment location, delivery method, and recipient. The FulfillmentOrderLineItems belonging to a FulfillmentOrder are associated with OrderItemSummary objects belonging to a single OrderSummary. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FulfillmentOrder in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActivatedDate	Activated Date	datetime				
BillToContactId	Contact ID	reference		18		
ClosedDate	Closed Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FulfilledFromLocationId	Fulfilled From Location ID	reference		18		
FulfilledToAddress	Fulfilled To Address	address				
FulfilledToCity	City	string		40		
FulfilledToCountry	Country	string		80		
FulfilledToEmailAddress	Fulfilled To Email Address	email		80		
FulfilledToGeocodeAccuracy	Fulfilled To Geocode Accuracy	picklist		40		
FulfilledToLatitude	Latitude	double			18	15
FulfilledToLongitude	Longitude	double			18	15
FulfilledToName	Order Recipient	string		255		
FulfilledToPhone	Fulfilled To Phone	phone		40		
FulfilledToPostalCode	Zip	string		20		
FulfilledToState	State/Province	string		80		
FulfilledToStreet	Address	textarea		255		
FulfillmentOrderNumber	Fulfillment Order Number	string		255		
GrandTotalAmount	Total with Tax	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	Fulfillment Order ID	id		18		
InvoiceId	Invoice ID	reference		18		
IsDeleted	Deleted	boolean				
IsReship	Reship	boolean				
IsSuspended	Is Suspended	boolean				
ItemCount	Total Quantity	double			18	0
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OrderId	Order ID	reference		18		
OwnerId	Owner ID	reference		18		
Status	Status	picklist		40		
StatusCategory	Status Category	picklist		255		
SystemModstamp	System Modstamp	datetime				
TaxLocaleType	Tax Locale Type	picklist		255		
TotalAdjustmentAmount	Product Adjustments	currency			18	2
TotalAdjustmentAmtWithTax	Product Adjustments with Tax	currency			18	2
TotalAdjustmentTaxAmount	Product Adjustments Tax	currency			18	2
TotalAmount	Pretax Total	currency			18	2
TotalDeliveryAdjustAmount	Shipping Adjustments	currency			18	2
TotalDeliveryAdjustAmtWithTax	Shipping Adjustments with Tax	currency			18	2
TotalDeliveryAdjustTaxAmount	Shipping Adjustments Tax	currency			18	2
TotalDeliveryAmount	Shipping Subtotal	currency			18	2
TotalDeliveryAmtWithTax	Shipping Subtotal with Tax	currency			18	2
TotalDeliveryTaxAmount	Shipping Subtotal Tax	currency			18	2
TotalFeeAdjustAmount	Fee Adjustments	currency			18	2
TotalFeeAdjustAmtWithTax	Fee Adjustments with Tax	currency			18	2
TotalFeeAdjustTaxAmount	Fee Adjustments Tax	currency			18	2
TotalFeeAmount	Fee Subtotal	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalFeeAmtWithTax	Fee Subtotal with Tax	currency			18	2
TotalFeeTaxAmount	Fee Subtotal Tax	currency			18	2
TotalProductAmount	Product Subtotal	currency			18	2
TotalProductAmtWithTax	Product Subtotal with Tax	currency			18	2
TotalProductTaxAmount	Product Subtotal Tax	currency			18	2
TotalTaxAmount	Tax	currency			18	2
Type	Type	picklist		40		
TypeCategory	Type Category	picklist		255		

FULFILLMENTORDERFEED

Feed tracking for FulfillmentOrder.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

FULFILLMENTORDERITEMADJUSTMENT

Represents a price adjustment on a FulfillmentOrderLineItem. Corresponds to an OrderItemAdjustmentLineSummary associated with the corresponding OrderItemSummary. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FulfillmentOrderItemAdjustment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Adjustment	currency			18	2
CampaignName	Campaign Name	string		255		
CouponName	Coupon Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		2000		
FulfillmentOrderId	Fulfillment Order ID	reference		18		
FulfillmentOrderItemAdjustmentNumber	Name	string		255		
FulfillmentOrderLineItemId	Fulfillment Order Product ID	reference		18		
Id	Fulfillment Order Item Adjustment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PromotionName	Promotion Name	string		255		
SystemModstamp	System Modstamp	datetime				
TotalAmtWithTax	Adjustment with Tax	currency			18	2
TotalTaxAmount	Tax	currency			18	2

FULFILLMENTORDERITEMADJUSTMENTFEED

Feed tracking for FulfillmentOrderItemAdjustment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

FULFILLMENTORDERITEMTAX

Represents the tax on a FulfillmentOrderLineItem or FulfillmentOrderItemAdjustment. Corresponds to an OrderItemTaxLineItemSummary. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FulfillmentOrderItemTax in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		2000		
FulfillmentOrderId	Fulfillment Order ID	reference		18		
FulfillmentOrderItemAdjustId	Fulfillment Order Item Adjustment ID	reference		18		
FulfillmentOrderItemTaxNumber	Name	string		255		
FulfillmentOrderLineItemId	Fulfillment Order Product ID	reference		18		
Id	Fulfillment Order Item Tax ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Rate	Rate	percent			5	2
SystemModstamp	System Modstamp	datetime				
TaxEffectiveDate	Tax Effective Date	date				
Type	Type	picklist		255		

FULFILLMENTORDERITEMTAXFEED

Feed tracking for FulfillmentOrderItemTax.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

FULFILLMENTORDERLINEITEM

Represents a product or delivery charge belonging to a FulfillmentOrder. Corresponds to an OrderItemSummary. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FulfillmentOrderLineItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Action	Action	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
EndDate	End Date	datetime				
FulfillmentOrderId	Fulfillment Order ID	reference		18		
FulfillmentOrderLineItemNumber	Fulfillment Order Product Number	string		255		
GrossUnitPrice	Gross Unit Price	currency			18	2
Id	Fulfillment Order Product ID	id		18		
IsDeleted	Deleted	boolean				
IsReship	Reship	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MainFulfillmentOrderLineItemId	Fulfillment Order Product ID	reference		18		
OrderItemId	Order Product ID	reference		18		
OriginalQuantity	Quantity on the Original Order	double			18	0
Product2Id	Product ID	reference		18		
Quantity	Quantity	double			18	0
QuantityUnitOfMeasure	Quantity Unit Of Measure	string		100		
RejectReason	Reject Reason	picklist		40		
RejectedQuantity	Rejected Quantity	double			18	0

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ReshipReason	Reship Reason	picklist		40		
ScopeIdentifierText	Scope Identifier	string		255		
ServiceDate	Start Date	datetime				
SystemModstamp	System Modstamp	datetime				
TotalAdjustmentAmount	Adjustments	currency			18	2
TotalAdjustmentAmountWithTax	Adjustments with Tax	currency			18	2
TotalAdjustmentTaxAmount	Adjustments Tax	currency			18	2
TotalAmount	Total with Tax	currency			18	2
TotalLineAmount	Line Subtotal	currency			18	2
TotalLineAmountWithTax	Line Subtotal with Tax	currency			18	2
TotalLineTaxAmount	Line Subtotal Tax	currency			18	2
TotalPrice	Pretax Total	currency			18	2
TotalTaxAmount	Tax	currency			18	2
UnitPrice	Unit Price	currency			18	2

FULFILLMENTORDERLINEITEMFEED

Feed tracking for FulfillmentOrderLineItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

FULFILLMENTORDERSHARE

Sharing for FulfillmentOrder.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FULFILLMENTPLAN

Represents a set of steps to be created to fulfill the order. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FulfillmentPlan in the *Dynamic Revenue Orchestrator Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExecutionUserId	User ID	reference		18		
Id	Fulfillment Plan ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SourceIdentifier	Source Identifier	string		18		
SourceType	Source Type	string		40		
State	State	picklist		255		
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		255		

FULFILLMENTPLANHISTORY

History for tracked fields of FulfillmentPlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`FulfillmentPlanId`	Fulfillment Plan ID	reference		18		
`Id`	Orchestration Plan History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

FULFILLMENTPLANSHARE

Sharing for FulfillmentPlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FULFILLMENTSTEP

Represents a task that's required to perform a certain action as part of order fulfillment. This task can be manual or automated. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FulfillmentStep in the *Dynamic Revenue Orchestrator Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualCompletionDate	Actual Completion Time	datetime				
ActualStartDate	Actual Start Time	datetime				
AssignedToId	Assigned To ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExecuteOnRuleId	Execute On Rule ID	reference		18		
ExecutionMessage	Execution Message	string		255		
FalloutQueueId	Group ID	reference		18		
FlowDefinitionName	Flow Definition Name	string		255		
FlowInterviewId	Flow Interview ID	reference		18		
FulfillmentPlanId	Fulfillment Plan ID	reference		18		
FulfillmentStepDefinitionId	Fulfillment Step Definition ID	reference		18		
Id	Fulfillment Step ID	id		18		
IntegrationDefinitionNameId	Integration Provider Definition ID	reference		18		
IsDeleted	Deleted	boolean				
IsSkipBranch	Skip Branch	boolean				
IsVisibleByExternalUsers	Visible By External Users	boolean				
JeopardyStatus	Jeopardy Status	string		40		
JeopardyThreshold	Jeopardy Threshold	int	9			
JeopardyThresholdUnit	Jeopardy Threshold Unit	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Fulfillment Step Name	string		255		
NextEarliestRunTime	Next Earliest Run Time	datetime				
OmniscriptName	Omniscript Name	string		255		
OwnerId	Owner ID	reference		18		
PlannedCompletionDate	Expected Completion Time	datetime				
PlannedStartDate	Expected Start Time	datetime				
ResumeOnRuleId	Resume On Rule ID	reference		18		
RetryAttempts	Retry Attempts	int	9			
RunAsUserId	User ID	reference		18		
State	State	picklist		255		
StepDefIdentifier	Step Definition Identifier	string		255		
StepType	Step Type	picklist		255		
SystemModstamp	System Modstamp	datetime				
TaskAllocationType	Step Assignment Method	picklist		255		
TaskId	Activity ID	reference		18		
UsageType	Usage Type	picklist		255		

FULFILLMENTSTEPDEFINITION

Represents a definition of a step that must be executed during fulfillment orchestration. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FulfillmentStepDefinition in the *Dynamic Revenue Orchestrator Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssignedToId	Assigned To ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomFulfillmentScope	Custom Fulfillment Scope	string		255		
ExecuteOnRuleId	Execute On Rule ID	reference		18		
FlowDefinitionName	Flow Definition Name	string		255		
Id	Fulfillment Step Definition ID	id		18		
IntegrationDefinitionNameId	Integration Provider Definition ID	reference		18		
IsDeleted	Deleted	boolean				
IsSkipBranch	Skip Branch	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Fulfillment Step Definition Name	string		255		
OmniscriptName	Omniscript Name	string		255		
ResumeOnRuleId	Resume On Rule ID	reference		18		
RunAsUserId	User ID	reference		18		
Scope	Scope	picklist		255		
StepDefinitionGroupId	Fulfillment Step Definition Group ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
StepType	Step Type	picklist		255		
SystemModstamp	System Modstamp	datetime				
TaskAllocationType	Step Assignment Method	picklist		255		
UsageType	Usage Type	picklist		255		

FULFILLMENTSTEPDEFINITIONGROUP

Represents a set of fulfillment step definitions. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FulfillmentStepDefinitionGroup in the *Dynamic Revenue Orchestrator Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Fulfillment Step Definition Group ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Fulfillment Step Definition Group Name	string		255		
`OwnerId`	Owner ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`UsageType`	Usage Type	picklist		255		

FULFILLMENTSTEPDEFINITIONGROUPHISTORY

History for tracked fields of FulfillmentStepDefinitionGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
FulfillmentStepDefinitionGroupId	Fulfillment Step Definition Group ID	reference		18		
Id	Fulfillment Step Definition Group History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

FULFILLMENTSTEPDEFINITIONGROUPSHARE

Sharing for FulfillmentStepDefinitionGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FULFILLMENTSTEPDEFINITIONHISTORY

History for tracked fields of FulfillmentStepDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
FulfillmentStepDefinitionId	Fulfillment Step Definition ID	reference		18		
Id	Fulfillment Step Definition History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

FULFILLMENTSTEPDEPENDENCY

Represents a dependency between tasks by defining the order between a task and one that depends on it. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FulfillmentStepDependency in the *Dynamic Revenue Orchestrator Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DependencyDefinitionId`	Fulfillment Step Dependency Def ID	reference		18		
`DependentStepId`	Fulfillment Step ID	reference		18		
`DependsOnStepId`	Fulfillment Step ID	reference		18		
`Id`	Fulfillment Step Dependency ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`Name`	Name	string		255		
`SystemModstamp`	System Modstamp	datetime				

FULFILLMENTSTEPDEPENDENCYDEF

Represents a dependency that must be created between two fulfillment step records. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FulfillmentStepDependencyDef in the *Dynamic Revenue Orchestrator Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DependencyScope	Dependency Scope	picklist		255		
DependsOnStepDefinitionId	Fulfillment Step Definition ID	reference		18		
FulfillmentStepDefinitionId	Fulfillment Step Definition ID	reference		18		
Id	Fulfillment Step Dependency Def ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

FULFILLMENTSTEPDEPENDENCYDEFHISTORY

History for tracked fields of FulfillmentStepDependencyDef.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
FulfillmentStepDependencyDefId	Fulfillment Step Dependency Def ID	reference		18		
Id	Fulfillment Step Dependency Definition History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

FULFILLMENTSTEPHISTORY

History for tracked fields of FulfillmentStep.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
FulfillmentStepId	Fulfillment Step ID	reference		18		
Id	Fulfillment Step History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

FULFILLMENTSTEPSHARE

Sharing for FulfillmentStep.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FULFILLMENTSTEPSOURCE

Represents a link between a fulfillment step and the corresponding order lines. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FulfillmentStepSource in the *Dynamic Revenue Orchestrator Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Fulfillment Step Source ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`Name`	Name	string		255		
`SourceIdentifier`	Source Identifier	string		18		
`SourceLineItemId`	SourceLineItem ID	reference		18		
`StepId`	Fulfillment Step ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`VersionGroupIdentifier`	Version Group Identifier	string		18		

FULFILLMENTTASKASSIGNMENTRULE

Represents a set of actions that assign a task to a user or queue. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FulfillmentTaskAssignmentRule in the *Dynamic Revenue Orchestrator Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConditionId	Assignment Condition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DestinationId	Assignment Destination ID	reference		18		
Id	Fulfillment Task Assignment Rule ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Priority	Priority	int	9			
SourceId	Queue ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TaskAllocationType	Step Assignment Method	picklist		255		

FULFILLMENTTASKASSIGNMENTRULEFEED

Feed tracking for FulfillmentTaskAssignmentRule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

FULFILLMENTTASKASSIGNMENTRULEHISTORY

History for tracked fields of FulfillmentTaskAssignmentRule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
FulfillmentTaskAssignmentRuleId	Fulfillment Task Assignment Rule ID	reference		18		
Id	Fulfillment Task Assignment Rule History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

FULFILLMENTTASKASSIGNMENTRULESHARE

Sharing for FulfillmentTaskAssignmentRule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FUNDINGAWARD

Represents an award given to an individual or organization to facilitate a goal related to the funder's mission. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FundingAward in the *Grantmaking Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
AwardNumber	Award Number	string		30		
AwardeeId	Awardee ID	reference		18		
BudgetId	Budget ID	reference		18		
ContactId	Contact ID	reference		18		
ContractId	Contract ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DecisionDate	Decision Date	datetime				
EndDate	End Date	datetime				
FundingOpportunityId	Funding Opportunity ID	reference		18		
Id	Funding Award ID	id		18		
IndividualApplicationId	Individual Application ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ParentFundingAwardId	Parent Funding Award ID	reference		18		
ProgramId	Program ID	reference		18		
StartDate	Start Date	datetime				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

FUNDINGAWARDAMENDMENT

Represents a modification to the scope or finances of a previously approved award. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FundingAwardAmendment in the *Grantmaking Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustedAwardAmount	Adjusted Award Amount	currency			18	2
AdjustedEndDate	Adjusted End Date	datetime				
ApprovalStatus	Approval Status	picklist		40		
Comments	Comments	textarea		32000		
ContractId	Contract ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FundingAwardId	Funding Award ID	reference		18		
Id	Funding Award Amendment ID	id		18		
IsDeleted	Deleted	boolean				
IsSubmitted	Submitted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ProposedAwardAmount	Proposed Award Amount	currency			18	2
ProposedEndDate	Proposed End Date	datetime				
Reason	Reason	textarea		32000		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Type	Type	picklist		40		

FUNDINGAWARDAMENDMENTFEED

Feed tracking for FundingAwardAmendment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

FUNDINGAWARDAMENDMENTHISTORY

History for tracked fields of FundingAwardAmendment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
FundingAwardAmendmentId	Funding Award Amendment ID	reference		18		
Id	Funding Award Amendment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

FUNDINGAWARDFEED

Feed tracking for FundingAward.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

FUNDINGAWARDHISTORY

History for tracked fields of FundingAward.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`FundingAwardId`	Funding Award ID	reference		18		
`Id`	Funding Award History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

FUNDINGAWARDPARTICIPANT

Represents information about a user or group of participants who have access to a funding award. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FundingAwardParticipant in the *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Comments	Comments	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FundingAwardId	Funding Award ID	reference		18		
Id	Funding Award Participant ID	id		18		
IsDeleted	Deleted	boolean				
IsParticipantActive	Participant Active	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParticipantId	Participant ID	reference		18		
ParticipantRoleId	Participant Role ID	reference		18		
SystemModstamp	System Modstamp	datetime				

FUNDINGAWARDPARTICIPANTFEED

Feed tracking for FundingAwardParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

FUNDINGAWARDPARTICIPANTHISTORY

History for tracked fields of FundingAwardParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
FundingAwardParticipantId	Funding Award Participant ID	reference		18		
Id	Funding Award Participant History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

FUNDINGAWARDREQUIREMENT

Represents a deliverable or milestone that is needed for the award to either be approved or closed. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FundingAwardRequirement in the *Grantmaking Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApprovalStatus	Approval Status	picklist		40		
AssignedContactId	Assigned Contact ID	reference		18		
AssignedUserId	Assigned User ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
DueDate	Due Date	datetime				
FundingAwardId	Funding Award ID	reference		18		
FundingDisbursementId	Funding Disbursement ID	reference		18		
Id	Funding Award Requirement ID	id		18		
IsDeleted	Deleted	boolean				
IsSubmitted	Submitted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Status	Status	picklist		40		
SubmittedDate	Submitted Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

FUNDINGAWARDREQUIREMENTFEED

Feed tracking for FundingAwardRequirement.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

FUNDINGAWARDREQUIREMENTHISTORY

History for tracked fields of FundingAwardRequirement.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
FundingAwardRequirementId	Funding Award Requirement ID	reference		18		
Id	Funding Award Requirement History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

FUNDINGAWARDREQUIREMENTSHARE

Sharing for FundingAwardRequirement.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FUNDINGAWARDRQMTSECTION

Represents a part of a funding award requirement to be completed or reviewed. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FundingAwardRqmtSection in the *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationStageDefinitionId	Application Stage Definition ID	reference		18		
AssignedUserId	Assigned User ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
DisplayOrder	Display Order	int	9			
DueDate	Due Date	date				
EndDateTime	End Date Time	datetime				
FundingAwardRequirementId	Funding Award Requirement ID	reference		18		
Id	Funding Award Requirement Section ID	id		18		
IsAssignedToMe	Assigned To Me	boolean				
IsDeleted	Deleted	boolean				
IsRequired	Required	boolean				
IsSubmitted	Submitted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
StartDateTime	Start Date Time	datetime				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

FUNDINGAWARDRQMTSECTIONFEED

Feed tracking for FundingAwardRqmtSection.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

FUNDINGAWARDRQMTSECTIONHISTORY

History for tracked fields of FundingAwardRqmtSection.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`FundingAwardRqmtSectionId`	Funding Award Requirement Section ID	reference		18		
`Id`	Funding Award Requirement Section History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

FUNDINGAWARDRQMTSECTIONSHARE

Sharing for FundingAwardRqmtSection.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FUNDINGAWARDSHARE

Sharing for FundingAward.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FUNDINGDISBURSEMENT

Represents a payment that has been made or scheduled to be made to a funding recipient. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FundingDisbursement in the *Grantmaking Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DisbursementDate	Disbursement Date	datetime				
DisbursementName	Disbursement Name	string		255		
FundingAwardId	Funding Award ID	reference		18		
Id	Funding Disbursement ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PaymentMethodType	Payment Method Type	picklist		40		
ScheduledDate	Scheduled Date	datetime				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

FUNDINGDISBURSEMENTFEED

Feed tracking for FundingDisbursement.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

FUNDINGDISBURSEMENTHISTORY

History for tracked fields of FundingDisbursement.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`FundingDisbursementId`	Funding Disbursement ID	reference		18		
`Id`	Funding Disbursement History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

FUNDINGDISBURSEMENTSHARE

Sharing for FundingDisbursement.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

FUNDINGOPPPARTICIPANT

Represents information about a user or group of participants who have access to a funding opportunity. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FundingOppParticipant in the *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Comments	Comments	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FundingOpportunityId	Funding Opportunity ID	reference		18		
Id	Funding Opportunity Participant ID	id		18		
IsDeleted	Deleted	boolean				
IsParticipantActive	Participant Active	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParticipantId	Participant ID	reference		18		
ParticipantRoleId	Participant Role ID	reference		18		
SystemModstamp	System Modstamp	datetime				

FUNDINGOPPPARTICIPANTFEED

Feed tracking for FundingOppParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

FUNDINGOPPPARTICIPANTHISTORY

History for tracked fields of FundingOppParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`FundingOppParticipantId`	Funding Opportunity Participant ID	reference		18		
`Id`	Funding Opportunity Participant History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

FUNDINGOPPORTUNITY

The pool of money available for distribution for a specific purpose. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see FundingOpportunity in the *Grantmaking Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionPlanTemplateId	Action Plan Template ID	reference		18		
ApplicationInstructions	Application Instructions	textarea		32000		
ApplicationTimelineId	Application Timeline ID	reference		18		
BudgetTemplateId	Budget Template ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
EndDate	End Date	datetime				
Id	Funding Opportunity ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaximumFundingAmount	Maximum Funding Amount	currency			18	2
MinimumFundingAmount	Minimum Funding Amount	currency			18	2
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentFundingOpportunityId	Funding Opportunity ID	reference		18		
ProgramId	Program ID	reference		18		
StartDate	Start Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

FUNDINGOPPORTUNITYFEED

Feed tracking for FundingOpportunity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

FUNDINGOPPORTUNITYHISTORY

History for tracked fields of FundingOpportunity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`FundingOpportunityId`	Funding Opportunity ID	reference		18		
`Id`	Funding Opportunity History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

FUNDINGOPPORTUNITYSHARE

Sharing for FundingOpportunity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GAMEDEFINITION

Represents information about a game that the loyalty program offers to its members.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GameDefinition in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		1000		
EndDate	End Date	datetime				
ExpirationPeriod	Expiration Period	int	9			
ExpirationPeriodUnit	Expiration Period Unit	picklist		255		
Id	Game Definition ID	id		18		
IsDeleted	Deleted	boolean				
IsGameAssignmentRequired	Game Assignment Required	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
StartDate	Start Date	datetime				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TimeoutDuration	Timeout Duration	int	9			
Type	Game Type	picklist		255		

GAMEDEFINITIONFEED

Feed tracking for GameDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

GAMEDEFINITIONHISTORY

History for tracked fields of GameDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
GameDefinitionId	Game Definition ID	reference		18		
Id	Game Definition History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

GAMEDEFINITIONSHARE

Sharing for GameDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GAMEPARTICIPANT

Represents a junction between a game definition and a participant who is either an account, a contact, or a loyalty program member.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GameParticipant in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
GameDefinitionId	Game Definition ID	reference		18		
Id	Game Participant ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramMemberId	Loyalty Program Member ID	reference		18		
Name	Name	string		40		
OwnerId	Owner ID	reference		18		
ParticipantId	Participant ID	reference		18		
SystemModstamp	System Modstamp	datetime				

GAMEPARTICIPANTFEED

Feed tracking for GameParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

GAMEPARTICIPANTHISTORY

History for tracked fields of GameParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
GameParticipantId	Game Participant ID	reference		18		
Id	Game Participant History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

GAMEPARTICIPANTREWARD

Represents the reward that's provided to a participant after they've played a game.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GameParticipantReward in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
ExpirationDate	Expiration Date	datetime				
GameParticipantId	Game Participant ID	reference		18		
GameRewardId	Game Reward ID	reference		18		
Id	Game Participant Reward ID	id		18		
IsDeleted	Deleted	boolean				
IssuedRewardReferenceId	Issued Reward Reference ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SourceActivityId	Source Activity ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

GAMEPARTICIPANTREWARDFEED

Feed tracking for GameParticipantReward.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

GAMEPARTICIPANTREWARDHISTORY

History for tracked fields of GameParticipantReward.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`GameParticipantRewardId`	Game Participant Reward ID	reference		18		
`Id`	Game Participant Reward History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

GAMEPARTICIPANTSHARE

Sharing for GameParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GAMEREWARD

The reward that's offered to participants of a game.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GameReward in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Color	Color	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
CurrentRewardCount	Current Reward Count	int	9			
Description	Description	textarea		1000		
GameDefinitionId	Game Definition ID	reference		18		
Id	Game Reward ID	id		18		
ImageUrl	Image URL	string		255		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaximumRewardCount	Maximum Reward Count	int	9			
Name	Name	string		255		
RewardDefinitionId	Reward Definition ID	reference		18		
RewardType	Reward Type	picklist		255		
RewardValue	Reward Value	double			12	2
SystemModstamp	System Modstamp	datetime				
WinProbability	Win Probability	double			12	2

GAMEREWARDFEED

Feed tracking for GameReward.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

GAMEREWARDHISTORY

History for tracked fields of GameReward.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`GameRewardId`	Game Reward ID	reference		18		
`Id`	Game Reward History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

GENOPPLANPARAMSHARE

Sharing for GenOpPlanParam.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GENERALLEDGERACCOUNT

Represents information about the accounting codes, types, and names that are used to store and organize financial transactions. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GeneralLedgerAccount in the *Billing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountingCode	Accounting Code	string		40		
AccountingName	Accounting Name	string		40		
AccountingType	Accounting Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
FinancialStatement	Financial Statement	string		40		
Id	General Ledger Account ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LegalEntityId	Legal Entity ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

GENERALLEDGERACCOUNTHISTORY

History for tracked fields of GeneralLedgerAccount.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
GeneralLedgerAccountId	General Ledger Account ID	reference		18		
Id	General Ledger Account History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

GENERALLEDGERACCOUNTSHARE

Sharing for GeneralLedgerAccount.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GENERALLEDGERACCTASGNTRULE

Represents information about the rule based on which general ledger accounts are assigned to transaction journals that are created for billing transactions. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GeneralLedgerAcctAsgntRule in the *Billing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditGeneralLedgerAccountId	General Ledger Account ID	reference		18		
CurrencyIsoCode	Currency ISO Code	picklist		3		
DebitGeneralLedgerAccountId	General Ledger Account ID	reference		18		
FilterCriteria	Filter Criteria	picklist		255		
FilterLogic	Filter Logic	string		255		
Id	General Ledger Account Assignment Rule ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LegalEntityId	Legal Entity ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Priority	Priority	int	9			
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TransactionAmountField	Transaction Amount Field	string		40		
TransactionType	Transaction Type	picklist		255		

GENERALLEDGERACCTASGNTRULEHISTORY

History for tracked fields of GeneralLedgerAcctAsgntRule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
GeneralLedgerAcctAsgntRuleId	General Ledger Account Assignment Rule ID	reference		18		
Id	General Ledger Account Assignment Rule History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

GENERALLEDGERACCTASGNTRULESHARE

Sharing for GeneralLedgerAcctAsgntRule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GENERATEDDOCUMENTFEED

Feed tracking for GeneratedDocument.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

GENERATEDDOCUMENTHISTORY

History for tracked fields of GeneratedDocument.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
GeneratedDocumentId	Generated Document ID	reference		18		
Id	Generated Document History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

GENERATEDDOCUMENTSECTION

Represents a section of a generated document. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GeneratedDocumentSection in the *Salesforce Contracts Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DisplayHeaderFontStyle	Display Header Font Style	textarea		131072		
DocumentTemplateSectionId	Document Template Section ID	reference		18		
GeneratedDocumentId	Generated Document ID	reference		18		
Id	Generated Document Section ID	id		18		
IsBeginSplitSection	Begin Split Section	boolean				
IsDeleted	Deleted	boolean				
IsEndSplitSection	End Split Section	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SectionContent	Section Content	textarea		131072		
SectionOrder	Section Order	double			4	0
SectionTypeSignatureContent	Section Type Signature Content	textarea		32768		
SplitSectionSequenceNumber	Split Section Sequence Number	double			18	0
SystemModstamp	System Modstamp	datetime				
TemplateSectionContent	Template Section Content	textarea		131072		
TokenList	Token List	textarea		131072		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
XmlContent	XML Content	textarea		131072		

GENERATEDDOCUMENTSECTIONFEED

Feed tracking for GeneratedDocumentSection.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

GENERATEDDOCUMENTSECTIONHISTORY

History for tracked fields of GeneratedDocumentSection.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
GeneratedDocumentSectionId	Generated Document Section ID	reference		18		
Id	Generated Document Section History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

GENERATEDDOCUMENTSHARE

Sharing for GeneratedDocument.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GENERATEDWASTE

Represents the information on the waste generated in operations, the waste generated while treating end-of-life products that were sold, and so on.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GeneratedWaste in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
DisposalSiteType	Disposal Site Type	picklist		255		
DisposalType	Disposal Type	picklist		40		
DisposedWasteQuantity	Disposed Waste Quantity	double			18	5
DisposedWasteQuantityUnit	Disposed Waste Quantity Unit	picklist		255		
DisposedWasteQuantityinTonnes	Disposed Waste Quantity in Tonnes	double			18	5
EndDate	End Date	date				
Id	Generated Waste ID	id		18		
IsDeleted	Deleted	boolean				
IsHazardous	Hazardous	boolean				
IsRecordLocked	Record Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Scope1EmissionsInTco2e	Scope 1 Emissions (tCO2e)	double			18	5
Scope3CrbnFtprntId	Scope 3 Carbon Footprint ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Scope3EmssnSrcId	Scope 3 Emissions Source ID	reference		18		
Scp3DnstrmEndLifeSoldPrdct	Scope 3 Downstream Emissions from End-of-Life Treatment of Sold Products (tCO2e)	double			18	5
Scp3UpstrmWstGenInOper	Scope 3 Upstream Emissions from Waste Generated in Operations (tCO2e)	double			18	5
StartDate	Start Date	date				
StnryAssetEnvrSrcId	Stationary Asset Environmental Source ID	reference		18		
SuplScope1EmissionsInTco2e	Supplemental Scope 1 Emissions (tCO2e)	double			18	5
SuplScp3DnstrmEndLifeSoldPrdct	Supplemental Scope 3 Downstream Emissions from End-of-Life Treatment of Sold Products (tCO2e)	double			18	5
SuplScp3UpstrmWstGenInOper	Supplemental Scope 3 Upstream Emissions from Waste Generated in Operations (tCO2e)	double			18	5
SupplierId	Supplier ID	reference		18		
SystemModstamp	System Modstamp	datetime				
WasteFootprintId	Waste Footprint ID	reference		18		
WasteType	Waste Type	picklist		40		
WstDispoEmssnFctrId	Waste Disposal Emissions Factor ID	reference		18		

GENERATEDWASTEFEED

Feed tracking for GeneratedWaste.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

GENERATEDWASTEHISTORY

History for tracked fields of GeneratedWaste.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
GeneratedWasteId	Generated Waste ID	reference		18		
Id	Generated Waste History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

GENERATEDWASTESHARE

Sharing for GeneratedWaste.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GENERICVISITTASK

Represents information about a task that can be performed during a visit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GenericVisitTask in the *Automotive Cloud Developer Guide*, *Manufacturing Cloud Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefinitionReferenceId	Generic Visit Task ID	reference		18		
Description	Description	textarea		1000		
EndDateTime	End Date Time	datetime				
Id	Generic Visit Task ID	id		18		
IsDefinition	Is Definition	boolean				
IsDeleted	Deleted	boolean				
IsRequired	Required	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Sequence	Sequence	int	9			
StartDateTime	Start Date Time	datetime				
Status	Status	picklist		40		
StatusCode	Status Code	picklist		255		
SystemModstamp	System Modstamp	datetime				
VisitId	Visit ID	reference		18		

GENERICVISITTASKCONTEXT

Represents the context or purpose for a generic visit task.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GenericVisitTaskContext in the *Automotive Cloud Developer Guide*, *Manufacturing Cloud Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContextId	Context ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefinitionReferenceId	Generic Visit Task Context ID	reference		18		
Description	Description	textarea		1000		
EndDateTime	End Date Time	datetime				
Id	Generic Visit Task Context ID	id		18		
IsDefinition	Is Definition	boolean				
IsDeleted	Deleted	boolean				
IsRequired	Required	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
StartDateTime	Start Date Time	datetime				
Status	Status	picklist		40		
StatusCode	Status Code	picklist		255		
SystemModstamp	System Modstamp	datetime				
VisitId	Visit ID	reference		18		

GENERICVISITTASKCONTEXTFEED

Feed tracking for GenericVisitTaskContext.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

GENERICVISITTASKCONTEXTHISTORY

History for tracked fields of GenericVisitTaskContext.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
GenericVisitTaskContextId	Generic Visit Task Context ID	reference		18		
Id	Generic Visit Task Context History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

GENERICVISITTASKCONTEXTSHARE

Sharing for GenericVisitTaskContext.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GENERICVISITTASKFEED

Feed tracking for GenericVisitTask.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

GENERICVISITTASKHISTORY

History for tracked fields of GenericVisitTask.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
GenericVisitTaskId	Generic Visit Task ID	reference		18		
Id	Generic Visit Task History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

GENERICVISITTASKSHARE

Sharing for GenericVisitTask.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GEOCOUNTRY

Represents a country. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GeoCountry in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Id	Geo Country ID	id		18		
IsDeleted	Deleted	boolean				
IsoCode	Iso Code	string		2		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

GEOCOUNTRYSHARE

Sharing for GeoCountry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GEOLOCATIONBASEDACTION

Represents a geolocation-based action, which is an action that's triggered when a user enters, exits, or is within the area of the associated object. Available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GeolocationBasedAction in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionData	Action Data	textarea		32000		
ActionType	Action Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
Id	Geolocation Based Action ID	id		18		
InitialTimeInvoked	First Time Triggered	datetime				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastTimeInvoked	Last Time Triggered	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Radius	Radius (in meters)	int	9			
ReferenceRecordId	Reference Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TriggerType	Trigger Type	picklist		255		

GEOLOCATIONBASEDACTIONFEED

Feed tracking for GeolocationBasedAction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

GEOLOCATIONBASEDACTIONHISTORY

History for tracked fields of GeolocationBasedAction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`GeolocationBasedActionId`	Geolocation Based Action ID	reference		18		
`Id`	Geolocation Based Action History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

GEOLOCATIONBASEDACTIONSHARE

Sharing for GeolocationBasedAction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GIFTBATCHFEED

Feed tracking for GiftBatch.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

GIFTBATCHHISTORY

History for tracked fields of GiftBatch.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
GiftBatchId	Gift Batch ID	reference		18		
Id	Gift Batch History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

GIFTBATCHSHARE

Sharing for GiftBatch.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GIFTCMTCHANGEATTRLOGFEED

Feed tracking for GiftCmtChangeAttrLog.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

GIFTCMTCHANGEATTRLOGHISTORY

History for tracked fields of GiftCmtChangeAttrLog.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`GiftCmtChangeAttrLogId`	Gift Commitment Change Attribution Log ID	reference		18		
`Id`	Gift Commitment Change Attribution Log History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

GIFTCOMMITMENTFEED

Feed tracking for GiftCommitment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

GIFTCOMMITMENTHISTORY

History for tracked fields of GiftCommitment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
GiftCommitmentId	Gift Commitment ID	reference		18		
Id	Gift Commitment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

GIFTCOMMITMENTSCHEDULEFEED

Feed tracking for GiftCommitmentSchedule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

GIFTCOMMITMENTSCHEDULEHISTORY

History for tracked fields of GiftCommitmentSchedule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
GiftCommitmentScheduleId	Gift Commitment Schedule ID	reference		18		
Id	Gift Commitment Schedule History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

GIFTCOMMITMENTSHARE

Sharing for GiftCommitment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GIFTDEFAULTDESIGNATIONFEED

Feed tracking for GiftDefaultDesignation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

GIFTDEFAULTDESIGNATIONHISTORY

History for tracked fields of GiftDefaultDesignation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
GiftDefaultDesignationId	Gift Default Designation ID	reference		18		
Id	Gift Default Designation History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

GIFTDEFAULTDESIGNATIONSHARE

Sharing for GiftDefaultDesignation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GIFTDEFAULTSOFTCREDITFEED

Feed tracking for GiftDefaultSoftCredit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

GIFTDEFAULTSOFTCREDITHISTORY

History for tracked fields of GiftDefaultSoftCredit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`GiftDefaultSoftCreditId`	Gift Default Soft Credit ID	reference		18		
`Id`	Gift Default Soft Credit History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

GIFTDEFAULTSOFTCREDITSHARE

Sharing for GiftDefaultSoftCredit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GIFTDESIGNATIONFEED

Feed tracking for GiftDesignation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

GIFTDESIGNATIONHISTORY

History for tracked fields of GiftDesignation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
GiftDesignationId	Gift Designation ID	reference		18		
Id	Gift Designation History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

GIFTDESIGNATIONSHARE

Sharing for GiftDesignation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GIFTENTRYFEED

Feed tracking for GiftEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

GIFTENTRYHISTORY

History for tracked fields of GiftEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
GiftEntryId	Gift Entry ID	reference		18		
Id	Gift Entry History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

GIFTENTRYSHARE

Sharing for GiftEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GIFTREFUNDFEED

Feed tracking for GiftRefund.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

GIFTREFUNDHISTORY

History for tracked fields of GiftRefund.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`GiftRefundId`	Gift Refund ID	reference		18		
`Id`	Gift Refund History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

GIFTSOFTCREDITFEED

Feed tracking for GiftSoftCredit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

GIFTSOFTCREDITHISTORY

History for tracked fields of GiftSoftCredit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`GiftSoftCreditId`	Gift Soft Credit ID	reference		18		
`Id`	Gift Soft Credit History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

GIFTTRANSACTIONDESIGNATIONFEED

Feed tracking for GiftTransactionDesignation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

GIFTTRANSACTIONDESIGNATIONHISTORY

History for tracked fields of GiftTransactionDesignation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
GiftTransactionDesignationId	Gift Transaction Designation ID	reference		18		
Id	Gift Transaction Designation History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

GIFTTRANSACTIONDESIGNATIONSHARE

Sharing for GiftTransactionDesignation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GIFTTRANSACTIONFEED

Feed tracking for GiftTransaction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

GIFTTRANSACTIONHISTORY

History for tracked fields of GiftTransaction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
GiftTransactionId	Gift Transaction ID	reference		18		
Id	Gift Transaction History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

GIFTTRANSACTIONSHARE

Sharing for GiftTransaction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GIFTTRIBUTEFEED

Feed tracking for GiftTribute.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

GIFTTRIBUTEHISTORY

History for tracked fields of GiftTribute.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
GiftTributeId	Gift Tribute ID	reference		18		
Id	Gift Tribute History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

GIFTTRIBUTESHARE

Sharing for GiftTribute.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GNRCVSTKEYPERFORMANCEIND

Represents the key performance indicators that can be recorded while performing a task during a visit. You can compare the expected and actual metric values with the key performance indicator records.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GnrcVstKeyPerformanceInd in the *Automotive Cloud Developer Guide*, *Manufacturing Cloud Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualBooleanValue	Actual Boolean Value	picklist		255		
ActualDateTimeValue	Actual Date Time Value	datetime				
ActualDecimalValue	Actual Decimal Value	double			18	0
ActualIntegerValue	Actual Integer Value	int	9			
ActualStringValue	Actual String Value	textarea		1000		
AssessmentIndDefinitionId	Assessment Indicator Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefinitionReferenceId	Definition Reference ID	reference		18		
ExpectedBooleanValue	Expected Boolean Value	picklist		255		
ExpectedDateTimeValue	Expected Date Time Value	datetime				
ExpectedDecimalValue	Expected Decimal Value	double			18	0
ExpectedIntegerValue	Expected Integer Value	int	9			
ExpectedStringValue	Expected String Value	textarea		1000		
Id	Generic Visit Key Performance Indicator ID	id		18		
IsDefinition	Is Definition	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SequenceNumber	Sequence	int	9			
SystemModstamp	System Modstamp	datetime				
UnitOfMeasure	Unit Of Measure	picklist		40		
VisitTaskContextId	Generic Visit Task Context ID	reference		18		

GNRCVSTKEYPERFORMANCEINDFEED

Feed tracking for GnrcVstKeyPerformanceInd.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

GNRCVSTKEYPERFORMANCEINDHISTORY

History for tracked fields of GnrcVstKeyPerformanceInd.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`GnrcVstKeyPerformanceIndId`	Generic Visit Key Performance Indicator ID	reference		18		
`Id`	Generic Visit Key Performance Indicator History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

GNRCVSTTASKCONTEXTRELATION

Represents common attributes used for a visit task and a visit task context.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GnrcVstTaskContextRelation in the *Automotive Cloud Developer Guide*, *Manufacturing Cloud Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Generic Visit Task Context Relation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				
VisitTaskContextId	Generic Visit Task Context ID	reference		18		
VisitTaskContextSequence	Sequence	int	9			
VisitTaskId	Generic Visit Task ID	reference		18		

GNRCVSTTASKCONTEXTRELATIONFEED

Feed tracking for GnrcVstTaskContextRelation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

GNRCVSTTASKCONTEXTRELATIONHISTORY

History for tracked fields of GnrcVstTaskContextRelation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`GnrcVstTaskContextRelationId`	Generic Visit Task Context Relation ID	reference		18		
`Id`	Generic Visit Task Context Relation History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

GOALASSIGNMENT

Represents the assignment of a goal. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GoalAssignment in the *Case Management Guide*, *Life Sciences Cloud Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CompletionDate	Completion Date	date				
CompletionPercentage	Completion Percentage	percent			5	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
DescriptionCodeId	Description Code ID	reference		18		
GoalAssigneeId	Goal Assignee ID	reference		18		
GoalDefinitionId	Goal Definition ID	reference		18		
GoalType	Goal Type	string		255		
Id	Goal Assignment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentRecordId	Parent Record ID	reference		18		
Priority	Priority	picklist		255		
StartDate	Start Date	date				
Status	Status	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
Target	Target	double			12	2
TargetCompletionDate	Target Completion Date	date				
TargetCompletionPercentage	Target Completion Percentage	percent			5	2
TaskJobStatus	Task Job Status	picklist		255		
TaskJobStatusMessage	Task Job Status Message	textarea		2000		

GOALASSIGNMENTDETAIL

Represents additional information associated with a goal assignment. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GoalAssignmentDetail in the *Life Sciences Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DetailCodeId	Detail Code ID	reference		18		
DetailRecordId	Detail Record ID	reference		18		
GoalAssignmentId	Goal Assignment ID	reference		18		
Id	Goal Assignment Detail ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Goal Assignment Detail Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

GOALASSIGNMENTDETAILFEED

Feed tracking for GoalAssignmentDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

GOALASSIGNMENTDETAILHISTORY

History for tracked fields of GoalAssignmentDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`GoalAssignmentDetailId`	Goal Assignment Detail ID	reference		18		
`Id`	Goal Assignment Detail History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

GOALASSIGNMENTDETAILSHARE

Sharing for GoalAssignmentDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GOALASSIGNMENTFEED

Feed tracking for GoalAssignment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

GOALASSIGNMENTHISTORY

History for tracked fields of GoalAssignment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`GoalAssignmentId`	Goal Assignment ID	reference		18		
`Id`	Goal Assignment History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

GOALASSIGNMENTRECOMMENDATIONSHARE

Sharing for GoalAssignmentRecommendation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GOALASSIGNMENTSHARE

Sharing for GoalAssignment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GOALDEFINITION

The definition of a care plan goal in the reusable PGI library that's a part of Integrated Care Management. When instantiated, GoalDefinition records create GoalAssignment records that serve as goals in care plans. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GoalDefinition in the *Case Management Guide*, *Education Cloud Developer Guide*, *Life Sciences Cloud Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
Id	Goal Definition ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentGoalId	Parent Goal ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		
UsageType	Usage Type	picklist		40		

GOALDEFINITIONFEED

Feed tracking for GoalDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

GOALDEFINITIONHISTORY

History for tracked fields of GoalDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`GoalDefinitionId`	Goal Definition ID	reference		18		
`Id`	Goal Definition History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

GOALDEFINITIONSHARE

Sharing for GoalDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GOVTFINANCIALASSTSUM

Represents information about the financial assistance received from governments.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GovtFinancialAsstSum in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Country	Country	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
DisclsReportingPeriodId	Disclosure Reporting Period ID	reference		18		
Id	Government Financial Assistance Summary ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SubsidiaryAccountId	Account ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalAmount	Total Amount	currency			14	2
Type	Type	picklist		40		

GOVTFINANCIALASSTSUMFEED

Feed tracking for GovtFinancialAsstSum.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

GOVTFINANCIALASSTSUMHISTORY

History for tracked fields of GovtFinancialAsstSum.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
GovtFinancialAsstSumId	Government Financial Assistance Summary ID	reference		18		
Id	Government Financial Assistance Summary History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

GOVTFINANCIALASSTSUMSHARE

Sharing for GovtFinancialAsstSum.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GROUNDTRAVELEMSSNFCTR

Represents the emissions factors for scope 3 ground travel.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GroundTravelEmssnFctr in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyCode	Currency Code	picklist		255		
DistanceUnit	Distance Unit	picklist		255		
EmissionFactorDataSource	Emissions Factor Data Source	textarea		32000		
EmissionFactorUpdateYear	Emissions Factor Update Year	picklist		255		
ExternalIdentifier	External Identifier	string		255		
Id	Ground Travel Emissions Factor ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PersCarEmssnInKgCo2eDstnUnit	Personal Car Emissions (kg CO2e/Distance Unit)	double			18	7
ReferenceDataLoadLogId	Reference Data Load Log ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TaxiEmssnInKgCo2eDstnUnit	Taxi Emissions (kg CO2e/Distance Unit)	double			18	7
TaxiRateForDstnUnit	Taxi Rate (Cost/Distance Unit)	double			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TrainEmssnInKgCo2eDstnUnit	Train Emissions (kg CO2e/Distance Unit)	double			18	7
TrainRateForDstnUnit	Train Rate (Cost/Distance Unit)	double			18	2

GROUNDTRAVELEMSSNFCTRFEED

Feed tracking for GroundTravelEmssnFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

GROUNDTRAVELEMSSNFCTRHISTORY

History for tracked fields of GroundTravelEmssnFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`GroundTravelEmssnFctrId`	Ground Travel Emissions Factor ID	reference		18		
`Id`	Ground Travel Emissions Factor History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

GROUNDTRAVELEMSSNFCTRSHARE

Sharing for GroundTravelEmssnFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GROUNDTRAVELENRGYUSE

Represents the energy consumption related to ground travel.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GroundTravelEnrgyUse in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CarbonFootprintReportDate	Carbon Footprint Report Date	date				
CostCenter	Cost Center	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyCode	Currency Code	picklist		255		
Distance	Distance	double			18	2
DistanceUnit	Distance Unit	picklist		255		
EndDate	End Date	date				
ExpenseType	Expense Type	picklist		255		
GroundTravelEmssnFctrId	Ground Travel Emissions Factor ID	reference		18		
Id	Ground Travel Energy Use ID	id		18		
IsDeleted	Deleted	boolean				
IsRecordLocked	Record Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PcmtEmssnFctrSetItemId	Procurement Emissions Factor Set Item ID	reference		18		
Scope3CrbnFtprntId	Scope 3 Carbon Footprint ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Scope3EmissionsInTco2e	Scope 3 Emissions (tCO2e)	double			18	4
Scope3EmssnSrcId	Scope 3 Emissions Source ID	reference		18		
Scope3GhgCategory	Scope 3 GHG Category	picklist		255		
StartDate	Start Date	date				
SuplScope3Emissions	Supplemental Scope 3 Emissions	double			18	5
SupplierId	Supplier ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TravelerName	Traveler Name	string		255		
TripCost	Trip Cost	double			18	2

GROUNDTRAVELENRGYUSEFEED

Feed tracking for GroundTravelEnrgyUse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

GROUNDTRAVELENRGYUSEHISTORY

History for tracked fields of GroundTravelEnrgyUse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`GroundTravelEnrgyUseId`	Ground Travel Energy Use ID	reference		18		
`Id`	Ground Travel Energy Use History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

GROUNDTRAVELENRGYUSESHARE

Sharing for GroundTravelEnrgyUse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GROUP

A set of User records.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Group in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1332		
DeveloperName	Developer Name	string		80		
DoesIncludeBosses	Include Bosses	boolean				
DoesSendEmailToMembers	Send Email to Members	boolean				
Email	Email	email		255		
Id	Group ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		40		
OwnerId	Owner ID	reference		18		
QueueRoutingConfigId	Routing Configuration ID	reference		18		
RelatedId	Related ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

GROUPCENSUS

Represents a snapshot of statistics about eligible members (employees or members) of a group (employer or association) and their legal dependents. Use this entity in quoting, rating, and the subsequent enrollment process. Child object of employer or group Account. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GroupCensus in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ContractId	Contract ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EffectiveEndDate	Effective End Date	datetime				
EffectiveStartDate	Effective Start Date	datetime				
ExternalIdentifier	External Identifier	string		50		
FullTimeMemberCount	Full Time Member Count	int	9			
Id	Group Census ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LeadId	Lead ID	reference		18		
MbrWithMoreThan1ChldCount	Member With More Than One Child Count	int	9			
MbrWithMoreThan2ChldCount	Member With More Than Two Children Count	int	9			
MbrWithoutDependentCount	Member Without Dependent Count	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MemberOptOutCount	Member Opt Out Count	int	9			
MemberWithDependentCount	Member With Dependent Count	int	9			
MemberWithOneChildCount	Member With One Child Count	int	9			
MemberWithSpouseCount	Member With Spouse Count	int	9			
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PartTimeMemberCount	Part Time Member Count	int	9			
SourceSystemName	Source System Name	string		50		
SourceSystemType	Source System Type	picklist		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalDependents	Total Dependents	int	9			
TotalMemberPlusDependent	Total Members Plus Dependents	int	9			
TotalMembers	Total Members	int	9			
Type	Type	picklist		255		
UsageType	Usage Type	picklist		255		

GROUPCENSUSFEED

Feed tracking for GroupCensus.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

GROUPCENSUSHISTORY

History for tracked fields of GroupCensus.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
GroupCensusId	Group Census ID	reference		18		
Id	Group Census History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

GROUPCENSUSMEMBER

Represents personal information about a member, for example employee or association member, or their dependents. GroupCensusMember is used to estimate the insurance plan cost for the group. This object is also used in the enrollment process to retrieve the member and dependent details. Child object of GroupCensus. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GroupCensusMember in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Address	Address	address				
AnnualEligibleSalary	Annual Eligible Salary	currency			18	2
Birthdate	Birthdate	date				
City	City	string		40		
ContactId	Contact ID	reference		18		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DependentCount	Dependent Count	int	9			
Email	Email	email		80		
FirstName	First Name	string		50		
FullTimeEquivalent	Full Time Equivalent	double			2	1
Gender	Gender	picklist		40		
GeocodeAccuracy	Geocode Accuracy	picklist		40		
GroupCensusId	Group Census ID	reference		18		
GroupClassId	Group Class ID	reference		18		
Id	Group Census Member ID	id		18		
IsDeleted	Deleted	boolean				
IsOptOutAllPlans	Is Opt-out All Plans	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsPortalUser	Is Portal User	boolean				
JoinDate	Join Date	date				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Lastname	Last Name	string		50		
Latitude	Latitude	double			18	15
Longitude	Longitude	double			18	15
MemberKey	Member Key	string		50		
MemberType	Member Type	picklist		40		
Name	Name	string		255		
OptOutPlanTypes	Opt-out Plan Types	multipicklist		4099	0	
OwnerId	Owner ID	reference		18		
PhoneNumber	Phone Number	phone		40		
PolicyStartDate	Policy Start Date	date				
PostalCode	Postal Code	string		20		
PrimaryGroupCensusMemberId	Group Census Member ID	reference		18		
PrimaryMemberCategory	Primary Member Category	picklist		40		
PrimaryMemberSource	Primary Member Source	string		255		
RelationshipToPrimaryMember	Relationship to Primary Member	picklist		40		
SmokerStatus	Smoker Status	picklist		40		
SourceSystemIdentifier	Source System Identifier	string		255		
State	State	string		80		
Status	Status	picklist		255		
Street	Street	textarea		255		
SystemModstamp	System Modstamp	datetime				

GROUPCENSUSMEMBERFEED

Feed tracking for GroupCensusMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

GROUPCENSUSMEMBERHISTORY

History for tracked fields of GroupCensusMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`GroupCensusMemberId`	Group Census Member ID	reference		18		
`Id`	Group Census Member History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

GROUPCENSUSMEMBERPLAN

Represents the association of GroupCensusMember and ContractGroupPlan. Use this entity when census data includes previous member enrollment plan details and new member plan details. You can populate GroupCensusMemberPlan by reading the enrollment census in the enrollment services before creating insurance policies. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GroupCensusMemberPlan in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContractGroupPlanId	Contract Group Plan ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EnrollmentStatus	Enrollment Status	picklist		255		
GroupCensusMemberId	Group Census Member ID	reference		18		
Id	Group Census Member Plan ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

GROUPCENSUSMEMBERPLANFEED

Feed tracking for GroupCensusMemberPlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

GROUPCENSUSMEMBERPLANHISTORY

History for tracked fields of GroupCensusMemberPlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`GroupCensusMemberPlanId`	Group Census Member Plan ID	reference		18		
`Id`	Group Census Member Plan History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

GROUPCENSUSMEMBERPLANSHARE

Sharing for GroupCensusMemberPlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GROUPCENSUSMEMBERSHARE

Sharing for GroupCensusMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GROUPCENSUSSHARE

Sharing for GroupCensus.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

GROUPCLASS

Represents the classification of group members that receive similar benefits. Example classes include executives, union, and office workers. Child object of employer or group Account. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GroupClass in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Category	Category	picklist		40		
Code	Code	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
EffectiveEndDate	Effective End Date	date				
EffectiveStartDate	Effective Start Date	date				
Id	Group Class ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParentGroupClassId	Group Class ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		255		

GROUPCLASSCONTRIBUTION

Represents employer or group contributions for GroupClass members and their dependents on a per product category such as medical, dental, or vision. Child object of GroupClass. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GroupClassContribution in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	0
ContractGroupPlanId	Contract Group Plan ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EffectiveEndDate	Effective End Date	date				
EffectiveStartDate	Effective Start Date	date				
GroupBenefitProductCategory	Group Benefit Product Category	picklist		40		
GroupClassId	Group Class ID	reference		18		
Id	Group Class Contribution ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MemberType	Member Type	picklist		255		
Name	Name	string		255		
Percentage	Percentage	percent			3	0
ProductCategoryId	Category ID	reference		18		
ProductId	Product ID	reference		18		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Type	Type	picklist		255		

GROUPCLASSCONTRIBUTIONHISTORY

History for tracked fields of GroupClassContribution.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`GroupClassContributionId`	Group Class Contribution ID	reference		18		
`Id`	Group Class Contribution History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

GROUPCLASSHISTORY

History for tracked fields of GroupClass.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
GroupClassId	Group Class ID	reference		18		
Id	Group Class History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

GROUPMEMBER

Represents a User or Group that is a member of a public group.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GroupMember in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`GroupId`	Group ID	reference		18		
`Id`	Group Member ID	id		18		
`SystemModstamp`	System Modstamp	datetime				
`UserOrGroupId`	User/Group ID	reference		18		

GRPCENSUSGRPCLASSSUMMARY

Represents a junction between group census and group class to get statistics about the group class members for the associated group census.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GrpCensusGrpClassSummary in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
GroupCensusId	Group Census ID	reference		18		
GroupClassId	Group Class ID	reference		18		
Id	Group Census Group Class Summary ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

GRPCENSUSGRPCLASSSUMMARYFEED

Feed tracking for GrpCensusGrpClassSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

GRPCENSUSGRPCLASSSUMMARYHISTORY

History for tracked fields of GrpCensusGrpClassSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
GrpCensusGrpClassSummaryId	Group Census Group Class Summary ID	reference		18		
Id	Group Census Group Class Summary History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

GTWYPROVPAYMENTMETHODTYPE

The gateway provider payment method type allows integrators and payment providers to choose an active payment to receive an order's payment data rather than allowing the Salesforce Order Management platform to select a default payment method. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GtwyProvPaymentMethodType in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Comments	Comments	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		255		
GtwyProviderPaymentMethodType	Gateway Provider Payment Method Type	string		60		
Id	Gateway Provider Payment Method Type ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MasterLabel	Label	string		255		
NamespacePrefix	Namespace Prefix	string		15		
PaymentGatewayProviderId	Payment Gateway Provider ID	reference		18		
PaymentMethodType	Payment Method Type	picklist		255		
RecordTypeId	Record Type ID	reference		18		
SystemModstamp	System Modstamp	datetime				

GUESTBUYERPROFILE

Represents a store's guest buyer profile, which allows unauthenticated buyers to browse the store.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GuestBuyerProfile in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CurrencyIsoCode`	Currency ISO Code	picklist		3		
`Description`	Description	string		255		
`Id`	Guest Buyer Profile ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Guest Buyer Profile Name	string		255		
`SystemModstamp`	System Modstamp	datetime				

GUESTUSERANOMALYEVENT

Tracks data access anomalies that are caused by guest user permission misconfiguration. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GuestUserAnomalyEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event ID	string		80		
EventUuid	Event UUID	string		36		
LoginKey	Login Key	string		24		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
ReplayId	Replay ID	string		1000		
RequestedEntities	Requested Entities	textarea		131000		
Score	Score	double			12	6
SecurityEventData	Security Event Data	textarea		131000		
SessionKey	Session Key	string		24		
SoqlCommands	SOQL Commands	textarea		131000		
SourceIp	Source IP Address	string		255		
Summary	Summary	textarea		1000		
TotalControllerEvents	Total Controller Events	int	9			
UserAgent	Current User Agent	string		1000		
UserId	User ID	reference		18		
UserType	Current User Type	string		255		
Username	Username	string		255		

GUESTUSERANOMALYEVENTSTORE

Tracks data access anomalies that are caused by guest user permission misconfiguration. GuestUserAnomalyEventStore is an object that stores the event data of GuestUserAnomalyEvent. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see GuestUserAnomalyEventStore in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event ID	string		80		
GuestUserAnomalyEventNumber	Event Name	string		255		
Id	Guest User Anomaly Event Store ID	id		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoginKey	Login Key	string		24		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
RequestedEntities	Requested Entities	textarea		131000		
Score	Score	double			12	6
SecurityEventData	Security Event Data	textarea		131000		
SessionKey	Session Key	string		24		
SoqlCommands	SOQL Commands	textarea		131000		
SourceIp	Source IP Address	string		255		
Summary	Summary	textarea		1000		
SystemModstamp	System Modstamp	datetime				
TotalControllerEvents	Total Controller Events	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`UserAgent`	Current User Agent	string		1000		
`UserId`	User ID	reference		18		
`UserType`	Current User Type	string		255		
`Username`	Username	string		255		

GUESTUSERANOMALYEVENTSTOREFEED

Feed tracking for GuestUserAnomalyEventStore.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

HEALTHCAREDIAGNOSIS

Represents information related to industry-standard healthcare diagnosis codes. Before the Spring '21 release, the Healthcare Procedure and Healthcare Diagnosis objects stored codes specifically related to procedures and diagnoses. These codes were used for prior-authorization requests and approval processes. Since the Spring'21 release, Health Cloud uses the Code Set and Code Set Bundle objects for this purpose instead.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see HealthCareDiagnosis in the *Object Reference for the Salesforce Platform* and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	picklist		40		
Code	Code	string		32		
CodeDescription	Description	string		255		
CodeType	Code Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveDate	Effective Date	date				
EndDate	End Date	date				
Gender	Gender	picklist		40		
Id	Healthcare Diagnosis ID	id		18		
IsActive	Active	boolean				
IsComplicationOrComorbidity	Complication or Comorbidity	boolean				
IsDeleted	Deleted	boolean				
IsHospitalAcquiredCondition	Hospital Acquired Condition	boolean				
IsMajorComplicationOrComorbidity	Major Complication or Comorbidity	boolean				
IsPresentOnAdmissionExempt	Present on Admission Exemption	boolean				
IsPrimaryDiagnosis	Primary Diagnosis Only	boolean				
IsUnacceptablePrincipalDxIpAdmit	Unacceptable Principal Dx IP Admit	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

HEALTHCAREDIAGNOSISHISTORY

History for tracked fields of HealthCareDiagnosis.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HealthCareDiagnosisId	Healthcare Diagnosis ID	reference		18		
Id	Healthcare Diagnosis History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HEALTHCAREDIAGNOSISSHARE

Sharing for HealthCareDiagnosis.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HEALTHCAREPROCEDURE

Represents information related to industry-standard healthcare procedure codes. Before the Spring '21 release, the Healthcare Procedure and Healthcare Diagnosis objects stored codes specifically related to procedures and diagnoses. These codes were used for prior-authorization requests and approval processes. Since the Spring'21 release, Health Cloud uses the Code Set and Code Set Bundle objects for this purpose instead.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see HealthCareProcedure in the *Object Reference for the Salesforce Platform* and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	picklist		40		
Code	Code	string		32		
CodeDescription	Description	string		255		
CodeShortDescription	Short Description	string		255		
CodeType	Code Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveDate	Effective Date	date				
EndDate	End Date	date				
Id	Health Care Procedure ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

HEALTHCAREPROCEDUREHISTORY

History for tracked fields of HealthCareProcedure.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HealthCareProcedureId	Health Care Procedure ID	reference		18		
Id	Healthcare Procedure History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HEALTHCAREPROCEDURESHARE

Sharing for HealthCareProcedure.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HEALTHCONDITION

Represents a clinical condition, problem, or any clinically relevant occurrence that is a matter of concern. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see HealthCondition in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AbatementEndDateTime	Abatement Period End	datetime				
AbatementStartDateTime	Abatement Period Start	datetime				
AssertionSourceId	Assertion Source ID	reference		18		
CaseId	Case ID	reference		18		
ClinicalEncounterId	Clinical Encounter ID	reference		18		
ConditionCodeId	Code Set Bundle ID	reference		18		
ConditionStatus	Condition Status	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DiagnosticStatus	Diagnostic Status	picklist		40		
DiagnosticStatusCategory	Diagnostic Status Category	picklist		255		
ExtlProblemDefIdentifier	External Problem Definition Identifier	string		255		
Id	Health Condition ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OnsetEndDateTime	Onset Period End	datetime				
OnsetStartDateTime	Onset Period Start	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OwnerId	Owner ID	reference		18		
PatientId	Account ID	reference		18		
ProblemDefinitionId	Problem Definition ID	reference		18		
ProblemDescription	Problem Description	textarea		32000		
ProblemName	Problem Name	string		255		
RecordCreationDateTime	Record Creation Time	datetime				
RecordCreatorId	Record Creator ID	reference		18		
RelatedHealthConditionId	Health Condition ID	reference		18		
RelatedHealthConditionType	Related Health Condition Type	picklist		255		
ReportDate	Report Date	datetime				
Severity	Severity	picklist		40		
SiteId	Code Set Bundle ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System ID	string		255		
SourceSystemModified	Source System Modified	datetime				
StageId	Code Set Bundle ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

HEALTHCONDITIONDETAIL

This child object is used to associate body site and laterality codes to HealthCondition records. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see HealthConditionDetail in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DetailCodeId	Detail Code ID	reference		18		
DetailType	Detail Type	picklist		40		
HealthConditionId	Health Condition ID	reference		18		
Id	Health Condition Detail ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

HEALTHCONDITIONDETAILFEED

Feed tracking for HealthConditionDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

HEALTHCONDITIONDETAILHISTORY

History for tracked fields of HealthConditionDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HealthConditionDetailId	Health Condition Detail ID	reference		18		
Id	Health Condition Detail History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HEALTHCONDITIONFEED

Feed tracking for HealthCondition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

HEALTHCONDITIONHISTORY

History for tracked fields of HealthCondition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HealthConditionId	Health Condition ID	reference		18		
Id	Health Condition History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HEALTHCONDITIONSHARE

Sharing for HealthCondition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HEALTHRISKEVALDETAIL

Represents additional details of a health risk evaluation, including the basis and reason for the evaluation. This object is available in API version 64.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see HealthRiskEvalDetail in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DetailRecordId`	Detail Record ID	reference		18		
`DetailType`	Detail Type	picklist		255		
`HealthRiskEvaluationId`	Health Risk Evaluation ID	reference		18		
`Id`	Health Risk Evaluation Detail ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`SystemModstamp`	System Modstamp	datetime				

HEALTHRISKEVALDETAILFEED

Feed tracking for HealthRiskEvalDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

HEALTHRISKEVALDETAILHISTORY

History for tracked fields of HealthRiskEvalDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HealthRiskEvalDetailId	Health Risk Evaluation Detail ID	reference		18		
Id	Health Risk Evaluation Detail History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HEALTHRISKEVALOUTCOME

Represents the outcome of a risk evaluation, such as the probability of disease occurrence. This object is available in API version 64.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see HealthRiskEvalOutcome in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdditionalInformation	Additional Information	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
HealthRiskEvaluationId	Health Risk Evaluation ID	reference		18		
Id	Health Risk Evaluation Outcome ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaximumRiskProbabilityValue	Maximum Risk Probability Value	double			18	2
MinimumRiskProbabilityValue	Minimum Risk Probability Value	double			18	2
Name	Name	string		255		
RiskCodeSetValueId	Risk Code Set Value ID	reference		18		
RiskEndDateTime	Risk End Date	datetime				
RiskNumericValue	Risk Numeric Value	double			18	1
RiskOutcomeCodeId	Risk Outcome Code ID	reference		18		
RiskRangeMaximumValue	Risk Range Maximum Value	double			18	2
RiskRangeMinimumValue	Risk Range Minimum Value	double			18	2
RiskRangeUomId	Risk Range Unit of Measure ID	reference		18		
RiskStartDateTime	Risk Start Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RiskValueType	Risk Value Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

HEALTHRISKEVALOUTCOMEFEED

Feed tracking for HealthRiskEvalOutcome.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

HEALTHRISKEVALOUTCOMEHISTORY

History for tracked fields of HealthRiskEvalOutcome.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`HealthRiskEvalOutcomeId`	Health Risk Evaluation Outcome ID	reference		18		
`Id`	Health Risk Evaluation Outcome History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

HEALTHRISKEVALUATION

Represents the evaluation of health risks. This object is available in API version 64.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see HealthRiskEvaluation in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ClinicalEncounterId	Clinical Encounter ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDateTime	End Date Time	datetime				
EvaluatorId	Evaluator ID	reference		18		
Id	Health Risk Evaluation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MethodCodeId	Method Code ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PrimaryHealthConditionId	Primary Health Condition ID	reference		18		
ReferenceRecordId	Reference Record ID	reference		18		
RiskMitigationInfo	Risk Mitigation Info	string		255		
StartDateTime	Start Date Time	datetime				
Status	Status	picklist		255		
SubjectId	Subject ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TypeCodeId	Type Code ID	reference		18		

HEALTHRISKEVALUATIONFEED

Feed tracking for HealthRiskEvaluation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

HEALTHRISKEVALUATIONHISTORY

History for tracked fields of HealthRiskEvaluation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HealthRiskEvaluationId	Health Risk Evaluation ID	reference		18		
Id	Health Risk Evaluation History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HEALTHRISKEVALUATIONSHARE

Sharing for HealthRiskEvaluation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HEALTHSCORE

Represents a subject's score for a specific score category. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see HealthScore in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Age	Age	int	9			
AgeBand	Age Band	picklist		40		
AssessmentYear	Assessment Year	int	9			
CareProgramEnrolleeId	Care Program Enrollee ID	reference		18		
ConditionCategoryCount	Condition Category Count	int	9			
ConditionCategoryList	Condition Category List	textarea		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrentScore	Current Score	double			10	4
CurrentScoreDate	Current Score Date	datetime				
Gender	Gender	picklist		40		
HierCondCategoryCodeList	Hierarchical Condition Category Code List	textarea		255		
Id	Health Score ID	id		18		
IsDeleted	Deleted	boolean				
IsSubjectDisabled	Is Subject Disabled	boolean				
IsSubjectInstitutionalized	Institutionalized Subject	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Health Score Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PreviousScore	Previous Score	double			10	4
PreviousScoreDate	Previous Score Date	datetime				
ScoreAndDate	Score and Date	string		255		
ScoreCategoryId	Score Category ID	reference		18		
ScoreChangePercent	Score Change Percent	percent			5	2
ScoredAccountId	Account ID	reference		18		
ScoredContactId	Contact ID	reference		18		
ScoredLeadId	Lead ID	reference		18		
SubjectId	Subject ID	reference		18		
SystemModstamp	System Modstamp	datetime				

HEALTHSCOREACTIONLOG

Represents the log of actions triggered from the Dynamic Actions for Unified Health Scoring component in the Unified Health Scoring feature.

For more information, see HealthScoreActionLog in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionDate	Action Date	datetime				
ActionDescription	Action Description	string		255		
ActionIconUrl	Action Icon Url	string		255		
ActionLabel	Action Label	string		255		
ActionName	Action Name	string		255		
ActionStatus	Action Status	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Health Score Action Log ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Health Score Action Log Name	string		255		
PerformedById	User ID	reference		18		
Score	Score	double			10	4
ScoreCategoryId	Score Category ID	reference		18		
SubjectId	Subject ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TargetAccountId	Account ID	reference		18		
TargetContactId	Contact ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TargetLeadId	Lead ID	reference		18		

HEALTHSCOREACTIONLOGFEED

Feed tracking for HealthScoreActionLog.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

HEALTHSCOREACTIONLOGHISTORY

History for tracked fields of HealthScoreActionLog.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HealthScoreActionLogId	Health Score Action Log ID	reference		18		
Id	Health Score Action Log History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HEALTHSCOREFEED

Feed tracking for HealthScore.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

HEALTHSCOREHISTORY

History for tracked fields of HealthScore.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`HealthScoreId`	Health Score ID	reference		18		
`Id`	Health Score History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

HEALTHCAREFACILITY

Represents a healthcare facility and all its related details. These details may be physical, functional, geographic, or business details.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see HealthcareFacility in the *Public Sector Solutions Developer Guide* and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AvailabilityExceptions	Availability Exceptions	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FacilityTypeId	Code Set Bundle ID	reference		18		
HealthcareProviderId	Healthcare Provider ID	reference		18		
Id	Healthcare Facility ID	id		18		
IsAlwaysOpen	Always open	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LicensedBedCount	Licensed Bed Count	int	9			
LocationId	Location ID	reference		18		
LocationType	Location Type	picklist		40		
Name	Name	string		255		
ParentHealthcareFacilityId	Healthcare Facility ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System ID	string		255		
SourceSystemModified	Source System Modified	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

HEALTHCAREFACILITYFEED

Feed tracking for HealthcareFacility.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

HEALTHCAREFACILITYHISTORY

History for tracked fields of HealthcareFacility.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`HealthcareFacilityId`	Healthcare Facility ID	reference		18		
`Id`	Healthcare Facility History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

HEALTHCAREFACILITYNETWORK

Represents a junction object identifying the insurance network that a location or business entity is a part of. Network participation records are also stored in this object.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see HealthcareFacilityNetwork in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
GenderRestriction	Gender Restriction	picklist		40		
HealthcareFacilityId	Healthcare Facility ID	reference		18		
HealthcareProviderId	Healthcare Provider ID	reference		18		
HighestValidAge	Highest Valid Age	int	3			
Id	Healthcare Facility Network ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LowestValidAge	Lowest Valid Age	int	3			
Name	Facility Network Name	string		255		
OwnerId	Owner ID	reference		18		
PanelLimit	Panel Limit	double			18	0

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PanelStatus	Panel Status	picklist		40		
PayerNetworkId	Healthcare Payer Network ID	reference		18		
PractitionerFacilityId	Healthcare Practitioner Facility ID	reference		18		
PractitionerId	Contact ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SystemModstamp	System Modstamp	datetime				

HEALTHCAREFACILITYNETWORKFEED

Feed tracking for HealthcareFacilityNetwork.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

HEALTHCAREFACILITYNETWORKHISTORY

History for tracked fields of HealthcareFacilityNetwork.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HealthcareFacilityNetworkId	Healthcare Facility Network ID	reference		18		
Id	Healthcare Facility Network History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HEALTHCAREFACILITYNETWORKSHARE

Sharing for HealthcareFacilityNetwork.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HEALTHCAREPAYERNETWORK

Represents an insurance network group. For example, an insurance company's exclusive provider organization (EPO) plans.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see HealthcarePayerNetwork in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Code	Code	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
Id	Healthcare Payer Network ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LineofBusiness	Line of Business	picklist		40		
Name	Payer Network Name	string		255		
NetworkType	Network Type	picklist		40		
OwnerId	Owner ID	reference		18		
ParentPayerNetworkId	Healthcare Payer Network ID	reference		18		
PayerId	Account ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System ID	string		255		
SystemModstamp	System Modstamp	datetime				

HEALTHCAREPAYERNETWORKFEED

Feed tracking for HealthcarePayerNetwork.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

HEALTHCAREPAYERNETWORKHISTORY

History for tracked fields of HealthcarePayerNetwork.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HealthcarePayerNetworkId	Healthcare Payer Network ID	reference		18		
Id	Healthcare Payer Network History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HEALTHCAREPAYERNETWORKSHARE

Sharing for HealthcarePayerNetwork.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HEALTHCAREPRACTITIONERFACILITY

Represents the different locations in which a practitioner provides services.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see HealthcarePractitionerFacility in the *Life Sciences Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AvailabilityExceptions	Availability Exceptions	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
GenderRestriction	Gender Restriction	picklist		40		
Has24x7Service	24x7 Support	boolean				
HealthcareFacilityId	Healthcare Facility ID	reference		18		
HealthcareProviderId	Healthcare Provider ID	reference		18		
HighestValidAge	Highest Valid Age	int	3			
Id	Healthcare Practitioner Facility ID	id		18		
InitialStartDate	Initial Start Date	date				
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsDirectoryPrint	Directory Print Indicator	boolean				
IsPrimaryCarePhysician	Primary Care Physician	boolean				
IsPrimaryFacility	Primary Facility	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LowestValidAge	Lowest Valid Age	int	3			
Name	Practitioner Facility Name	string		255		
OperatingHoursId	Operating Hour ID	reference		18		
OwnerId	Owner ID	reference		18		
PractitionerId	Contact ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SsaCountyCode	SSA/County Code	string		10		
SystemModstamp	System Modstamp	datetime				
TerminationDate	Termination Date	date				
TerminationReason	Termination Reason	picklist		40		
TerminationRequestedById	User ID	reference		18		

HEALTHCAREPRACTITIONERFACILITYFEED

Feed tracking for HealthcarePractitionerFacility.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

HEALTHCAREPRACTITIONERFACILITYHISTORY

History for tracked fields of HealthcarePractitionerFacility.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HealthcarePractitionerFacilityId	Healthcare Practitioner Facility ID	reference		18		
Id	Healthcare Practitioner Facility History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HEALTHCAREPRACTITIONERFACILITYSHARE

Sharing for HealthcarePractitionerFacility.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HEALTHCAREPROVIDER

Represents business-level details about the provider organization or the practitioner.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see HealthcareProvider in the *Life Sciences Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CaqhIdentifier	CAQH Identifier	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
EhrSystem	EHR System	textarea		32000		
HasCarrierContract	Use CMS MA Contract Amendment	boolean				
Id	Healthcare Provider ID	id		18		
InitialStartDate	Initial Start Date	date				
IsDeleted	Deleted	boolean				
IsNotSearchable	Exclude from search	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Healthcare Provider Name	string		255		
OwnerId	Owner ID	reference		18		
PractitionerId	Contact ID	reference		18		
ProviderClass	Provider Class	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ProviderPhotoId	ContentDocument ID	reference		18		
ProviderType	Provider Type	picklist		40		
ReferredByContactId	Contact ID	reference		18		
RelatedUserId	User ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TerminationDate	Termination Date	date				
TerminationReason	Termination Reason	string		255		
TotalLicensedBeds	Total Licensed Beds	int	7			

HEALTHCAREPROVIDERFEED

Feed tracking for HealthcareProvider.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

HEALTHCAREPROVIDERHISTORY

History for tracked fields of HealthcareProvider.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`HealthcareProviderId`	Healthcare Provider ID	reference		18		
`Id`	Healthcare Provider History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

HEALTHCAREPROVIDERNPI

Represents identifiers from the National Provider Identifier that are assigned to every facility and licensed practitioner in the United States. Also includes NPI assigned date, primary mailing address on file, and so on.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see HealthcareProviderNpi in the *Life Sciences Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
Id	Healthcare Provider NPI ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Npi	NPI	string		15		
NpiType	NPI Type	picklist		40		
OwnerId	Owner ID	reference		18		
PractitionerId	Contact ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SystemModstamp	System Modstamp	datetime				

HEALTHCAREPROVIDERNPIFEED

Feed tracking for HealthcareProviderNpi.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

HEALTHCAREPROVIDERNPIHISTORY

History for tracked fields of HealthcareProviderNpi.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HealthcareProviderNpiId	Healthcare Provider NPI ID	reference		18		
Id	Healthcare Provider NPI History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HEALTHCAREPROVIDERNPISHARE

Sharing for HealthcareProviderNpi.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HEALTHCAREPROVIDERSERVICE

Represents a junction object between a HealthcareService and a HealthcareProvider or HealthcareFacility or HealthcarePractitionerFacility. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see HealthcareProviderService in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareServiceId	Care Service ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
Id	Healthcare Provider Service ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProviderId	Provider ID	reference		18		
SystemModstamp	System Modstamp	datetime				

HEALTHCAREPROVIDERSERVICEFEED

Feed tracking for HealthcareProviderService.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

HEALTHCAREPROVIDERSERVICEHISTORY

History for tracked fields of HealthcareProviderService.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HealthcareProviderServiceId	Healthcare Provider Service ID	reference		18		
Id	Healthcare Provider Service History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HEALTHCAREPROVIDERSERVICESHARE

Sharing for HealthcareProviderService.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HEALTHCAREPROVIDERSHARE

Sharing for HealthcareProvider.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HEALTHCAREPROVIDERSPECIALTY

Represents specialties for a practitioner or a provider service organization. A provider can have multiple specialties such as anesthesiology and cardiovascular.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see HealthcareProviderSpecialty in the *Life Sciences Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
Id	Healthcare Provider Specialty ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsPrimarySpecialty	Primary Specialty	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Specialty Name	string		255		
OwnerId	Owner ID	reference		18		
PractitionerId	Contact ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SpecialtyId	Care Specialty ID	reference		18		
SpecialtyRole	Specialty Role	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

HEALTHCAREPROVIDERSPECIALTYFEED

Feed tracking for HealthcareProviderSpecialty.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

HEALTHCAREPROVIDERSPECIALTYHISTORY

History for tracked fields of HealthcareProviderSpecialty.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HealthcareProviderSpecialtyId	Healthcare Provider Specialty ID	reference		18		
Id	Healthcare Provider Specialty History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HEALTHCAREPROVIDERSPECIALTYSHARE

Sharing for HealthcareProviderSpecialty.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HEALTHCAREPROVIDERTAXONOMY

Represents the taxonomy or subspecialty codes for a provider or facility. A provider or facility can have multiple taxonomies. This object is available in API version 64.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see HealthcareProviderTaxonomy in the *Life Sciences Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
HealthcareProviderId	Healthcare Provider ID	reference		18		
Id	Healthcare Provider Taxonomy ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsPrimaryTaxonomy	Primary Taxonomy	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Taxonomy Name	string		255		
OwnerId	Owner ID	reference		18		
PractitionerId	Contact ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SystemModstamp	System Modstamp	datetime				
TaxonomyId	Care Taxonomy ID	reference		18		

HEALTHCAREPROVIDERTAXONOMYFEED

Feed tracking for HealthcareProviderTaxonomy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

HEALTHCAREPROVIDERTAXONOMYHISTORY

History for tracked fields of HealthcareProviderTaxonomy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HealthcareProviderTaxonomyId	Healthcare Provider Taxonomy ID	reference		18		
Id	Healthcare Provider Taxonomy History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HEALTHCAREPROVIDERTAXONOMYSHARE

Sharing for HealthcareProviderTaxonomy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HEALTHCARESERVICEDETAIL

Represents a junction object between a CareService and a CodeSetBundle. For example, this object links a healthcare service such as physical therapy to a set of related codes. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see HealthcareServiceDetail in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareServiceId	Care Service ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DetailCodeId	Detail Code ID	reference		18		
DetailType	Detail Type	picklist		255		
Id	Healthcare Service Detail ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

HEALTHCARESERVICEDETAILFEED

Feed tracking for HealthcareServiceDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

HEALTHCARESERVICEDETAILHISTORY

History for tracked fields of HealthcareServiceDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HealthcareServiceDetailId	Healthcare Service Detail ID	reference		18		
Id	Healthcare Service Detail History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HEALTHCARESERVICEDETAILSHARE

Sharing for HealthcareServiceDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HIERCONDHLTHCODEMAPPING

Represents how Hierarchical Condition Category (HCC) codes map to condition codes for a specific year. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see HierCondHlthCodeMapping in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConditionCodeId	HierCondHlthCodeMapping_ConditionCode/> ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveEndYear	Effective End Year	int	8			
EffectiveStartYear	Effective Start Year	int	8			
HchcKey	HCHC Key	string		255		
HierarchicalCondCategoryCodeId	Code Set ID	reference		18		
Id	Hierarchical Condition Health Code Mapping ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PublishedYear	Published Year	int	8			
SystemModstamp	System Modstamp	datetime				

HIERCONDHLTHCODEMAPPINGFEED

Feed tracking for HierCondHlthCodeMapping.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

HIERCONDHLTHCODEMAPPINGHISTORY

History for tracked fields of HierCondHlthCodeMapping.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`HierCondHlthCodeMappingId`	Hierarchical Condition Health Code Mapping ID	reference		18		
`Id`	Hierarchical Condition Health Code Mapping History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

HIERCONDHLTHCODEMAPPINGSHARE

Sharing for HierCondHlthCodeMapping.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HIERCONDHLTHRSKADJFCTR

Stores the risk adjustment factor for patients and members based on the set of Hierarchical Condition Category (HCC) codes that apply to them and the status of their benefits eligibility. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see HierCondHlthRskAdjFctr in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CmnyFullBnftDualDisabled	Community Full-Benefit-Dual Disabled	double			18	0
CmnyPartialBenefitDualAged	Community Partial-Benefit-Dual Aged	double			18	0
CmnyPartialBnftDualDsbl	Community Partial-Benefit-Dual Disabled	double			18	0
Community	Community	double			18	0
CommunityFullBnftDualAged	Community Full-Benefit-Dual Aged	double			18	0
CommunityNonDualAged	Community Non-Dual Aged	double			18	0
CommunityNonDualDisabled	Community Non-Dual Disabled	double			18	0
Condition	Condition	string		40		
ConditionCategory	Condition Category	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
HierCondCategoryCodeId	Code Set ID	reference		18		
Id	Hierarchical Condition Health Risk Adjustment Factor ID	id		18		
Institutional	Institutional	double			18	0
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OverriddenCodes	Overridden Codes	textarea		255		
OwnerId	Owner ID	reference		18		
PublishedYear	Published Year	int	9			
SystemModstamp	System Modstamp	datetime				

HIERCONDHLTHRSKADJFCTRFEED

Feed tracking for HierCondHlthRskAdjFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

HIERCONDHLTHRSKADJFCTRHISTORY

History for tracked fields of HierCondHlthRskAdjFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`HierCondHlthRskAdjFctrId`	Hierarchical Condition Health Risk Adjustment Factor ID	reference		18		
`Id`	Hierarchical Condition Health Risk Adjustment Factor History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

HIERCONDHLTHRSKADJFCTRSHARE

Sharing for HierCondHlthRskAdjFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HLTHCAREPROVTREATEDCONDITION

Represents a junction object between a healthcare provider, facility, or practitioner and a problem definition that's related to a health condition, such as disease or illness. For example, this object links a doctor to the treatment of diabetes, or a facility to the treatment of spinal injuries. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see HlthCareProvTreatedCondition in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConditionId	Problem Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
HealthcareProviderId	Healthcare Provider ID	reference		18		
Id	Healthcare Provider Treated Condition ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Healthcare Provider Treated Condition Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

HLTHCAREPROVTREATEDCONDITIONFEED

Feed tracking for HlthCareProvTreatedCondition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

HLTHCAREPROVTREATEDCONDITIONHISTORY

History for tracked fields of HlthCareProvTreatedCondition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HlthCareProvTreatedConditionId	Healthcare Provider Treated Condition ID	reference		18		
Id	Healthcare Provider Treated Condition History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HLTHCAREPROVTREATEDCONDITIONSHARE

Sharing for HlthCareProvTreatedCondition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HOLIDAY

Represents a period of time during which your customer support team is unavailable. Business hours and escalation rules associated with business hours are suspended during any holidays with which they are affiliated.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Holiday in the *Automotive Cloud Developer Guide*, *Object Reference for the Salesforce Platform*, and *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivityDate	Holiday Date	date				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		100		
EndTimeInMinutes	End Time In Minutes From Midnight	int	9			
Id	Holiday ID	id		18		
IsAllDay	All Day	boolean				
IsRecurrence	Recurring Holiday	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Holiday Name	string		80		
NextOccurrenceDate	Next Occurrence Date	date				
RecurrenceDayOfMonth	Recurrence Day of Month	int	9			
RecurrenceDayOfWeekMask	Recurrence Day of Week Mask	int	9			
RecurrenceEndDateOnly	Recurrence End	date				
RecurrenceInstance	Recurrence Instance	picklist		40		
RecurrenceInterval	Recurrence Interval	int	9			
RecurrenceMonthOfYear	Recurrence Month of Year	picklist		40		
RecurrenceStartDate	Recurrence Start	date				
RecurrenceType	Recurrence Type	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
StartTimeInMinutes	Start Time In Minutes From Midnight	int	9			
SystemModstamp	System Modstamp	datetime				

HOTELSTAYEMSSNFCTR

Represents the emissions factors for scope 3 hotel stay.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see HotelStayEmssnFctr in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmissionFactorDataSource	Emissions Factor Data Source	textarea		32000		
EmissionFactorUpdateYear	Emissions Factor Update Year	picklist		255		
ExternalIdentifier	External Identifier	string		255		
HotelStayEmssnInKgCo2eNight	Hotel Stay Emissions (kg CO2e/Night)	double			18	2
Id	Hotel Stay Emissions Factor ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ReferenceDataLoadLogId	Reference Data Load Log ID	reference		18		
SystemModstamp	System Modstamp	datetime				

HOTELSTAYEMSSNFCTRFEED

Feed tracking for HotelStayEmssnFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

HOTELSTAYEMSSNFCTRHISTORY

History for tracked fields of HotelStayEmssnFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`HotelStayEmssnFctrId`	Hotel Stay Emissions Factor ID	reference		18		
`Id`	Hotel Stay Emissions Factor History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

HOTELSTAYEMSSNFCTRSHARE

Sharing for HotelStayEmssnFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

HOTELSTAYENRGYUSE

Represents the energy consumption related to hotel stay.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see HotelStayEnrgyUse in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CarbonFootprintReportDate	Carbon Footprint Report Date	date				
CostCenter	Cost Center	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmissionFctrKgCo2eRoomPerNight	Emissions Factor/Room per Night (kg CO2e)	double			18	2
EndDate	End Date	date				
HotelCity	Hotel City	string		18		
HotelCountry	Hotel Country	picklist		255		
HotelName	Hotel Name	string		255		
HotelStayEmssnFctrId	Hotel Stay Emissions Factor ID	reference		18		
Id	Hotel Stay Energy Use ID	id		18		
IsDeleted	Deleted	boolean				
IsRecordLocked	Record Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RoomCount	Number of Rooms	double			18	0
RoomType	Room Type	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Scope3CrbnFtprntId	Scope 3 Carbon Footprint ID	reference		18		
Scope3EmissionsInTco2e	Scope 3 Emissions (tCO2e)	double			18	4
Scope3EmssnSrcId	Scope 3 Emissions Source ID	reference		18		
StartDate	Start Date	date				
StayNightsCount	Number of Nights	double			18	0
SuplScope3Emissions	Supplemental Scope 3 Emissions	double			18	5
SupplierId	Supplier ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TravelerName	Traveler Name	string		255		

HOTELSTAYENRGYUSEFEED

Feed tracking for HotelStayEnrgyUse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

HOTELSTAYENRGYUSEHISTORY

History for tracked fields of HotelStayEnrgyUse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
HotelStayEnrgyUseId	Hotel Stay Energy Use ID	reference		18		
Id	Hotel Stay Energy Use History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

HOTELSTAYENRGYUSESHARE

Sharing for HotelStayEnrgyUse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ICONDEFINITION

Represents the icon-related metadata for a custom tab. This object is available in API version 43.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IconDefinition in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ContentType`	Content Type	string		255		
`DurableId`	Icon Definition Durable ID	string		255		
`Height`	Height	int	9			
`Id`	Icon Definition ID	id		18		
`TabDefinitionId`	Tab Definition ID	string		512		
`Theme`	Theme	string		255		
`Url`	URL	string		255		
`Width`	Width	int	9			

IDEA

Represents an idea on which users are allowed to comment and vote, for example, a suggestion for an enhancement to an existing product or process. This object is available in API version 12 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Idea in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Body	Idea Body	textarea		32000		
Categories	Categories	multipicklist		4099	7	
CommunityId	Zone ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreatorFullPhotoUrl	Url of Creator's Profile Photo	string		255		
CreatorName	Name of Creator	string		121		
CreatorSmallPhotoUrl	Url of Creator's Thumbnail Photo	string		255		
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Idea ID	id		18		
IsDeleted	Deleted	boolean				
IsHtml	IsHtml	boolean				
IsMerged	Is Merged	boolean				
LastCommentDate	Last Idea Comment Date	datetime				
LastCommentId	Idea Comment ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
NumComments	Number of Comments	int	9			
ParentIdeaId	Idea ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RecordTypeId	Record Type ID	reference		18		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
VoteScore	Vote Score	double			18	4
VoteTotal	Vote Total	double			18	0

IDEACOMMENT

Represents a comment that a user has submitted in response to an idea.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IdeaComment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CommentBody	Comment Body	textarea		4000		
CommunityId	Zone ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreatorFullPhotoUrl	Url of Creator's Profile Photo	string		255		
CreatorName	Name of Creator	string		121		
CreatorSmallPhotoUrl	Url of Creator's Thumbnail Photo	string		255		
Id	Idea Comment ID	id		18		
IdeaId	Idea ID	reference		18		
IsDeleted	Deleted	boolean				
IsHtml	IsHtml	boolean				
SystemModstamp	System Modstamp	datetime				
UpVotes	Up Votes	int	9			

IDENTIFIER

Represents identifier information for multiple objects. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Identifier in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
EffectiveDate	Effective Date	datetime				
EndDate	End Date	datetime				
Id	Identifier ID	id		18		
IdTypeId	Id Type ID	reference		18		
IdUsageType	ID Usage Type	picklist		40		
IdValue	ID Value	string		255		
IdentifierKey	Identifier Key	string		255		
IsDeleted	Deleted	boolean				
IssuingAuthorityId	Account ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParentRecordId	ParentRecord ID	reference		18		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System ID	string		255		
SourceSystemModified	Source System Modified	datetime				
SystemModstamp	System Modstamp	datetime				

IDENTIFIERFEED

Feed tracking for Identifier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

IDENTIFIERHISTORY

History for tracked fields of Identifier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Identifier History ID	id		18		
IdentifierId	Identifier ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

IDENTITYDOCUMENT

Represents information about documents used to identify Financial Services Cloud clients.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IdentityDocument in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
ExpirationDate	Expiration Date	date				
Id	Identity Document ID	id		18		
IdDocumentType	Document Type	picklist		40		
IsDeleted	Deleted	boolean				
IssueDate	Issue Date	date				
IssuingAuthority	Issuing Authority/Country	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Document Number	string		255		
OwnerId	Owner ID	reference		18		
RelatedLegalEntityId	Related Legal Entity ID	reference		18		
SystemModstamp	System Modstamp	datetime				
VerifiedById	User ID	reference		18		
VerifiedOn	Verified On	datetime				

IDENTITYDOCUMENTHISTORY

History for tracked fields of IdentityDocument.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Identity Document History ID	id		18		
IdentityDocumentId	Identity Document ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

IDENTITYDOCUMENTSHARE

Sharing for IdentityDocument.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

IDENTITYPROVIDEREVENTSTORE

Tracks problems and successes with inbound SAML or OpenID Connect authentication requests from another app provider. It also records outbound SAML responses when Salesforce is acting as an identity provider. IdentityProviderEventStore is a big object. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IdentityProviderEventStore in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppId	Connected App ID	reference		18		
AuthSessionId	Auth Session ID	reference		18		
CreatedDate	Created Date	datetime				
ErrorCode	Status	picklist		255		
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
HasLogoutUrl	Has Logout URL	boolean				
Id	Identity Provider Event Store ID	id		18		
IdentityUsed	Identity Used	string		765		
InitiatedBy	Usage Type	picklist		255		
SamlEntityUrl	Entity ID	string		1500		
SsoType	SSO Type	picklist		255		
UserId	User ID	reference		18		

IDENTITYRESOLUTIONFEED

Feed tracking for IdentityResolution.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

IDENTITYRESOLUTIONHISTORY

History for tracked fields of IdentityResolution.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Identity Resolution History ID	id		18		
IdentityResolutionId	Identity Resolution ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

IDENTITYVERIFICATIONEVENT

Tracks user identity verification events in your org. IdentityVerificationEvent is a big object that stores the event data when users are prompted to verify their identity. Available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IdentityVerificationEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Activity	User Activity	picklist		255		
City	City	string		200		
Country	Country	string		200		
CountryIso	Country Code	string		3		
CreatedDate	Created Date	datetime				
EventDate	Event Date	datetime				
EventGroup	Verification Attempt	string		255		
EventIdentifier	Event Identifier	string		80		
Id	Identity Verification Event ID	id		18		
Latitude	Latitude	double			9	6
LoginHistoryId	Login History ID	reference		18		
LoginKey	Login Key	string		24		
Longitude	Longitude	double			9	6
Policy	Triggered By	picklist		255		
PostalCode	Postal Code	string		20		
Remarks	Activity Message	string		255		
ResourceId	Connected App ID	reference		18		
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
Status	Status	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Subdivision	Subdivision	string		200		
UserId	User ID	reference		18		
Username	Username	string		255		
VerificationMethod	Method	picklist		255		

IDENTITYVERIFICATIONPROCDEF

Represents the definition of the identity verification process. Available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IdentityVerificationProcDef in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Name	string		80		
`Id`	Identity Verification Process Definition ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Label	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`SearchLayoutType`	Search Layout Type	picklist		255		
`SystemModstamp`	System Modstamp	datetime				

IDENTITYVERIFICATIONPROCDTL

Used to configure the search function as well as the minimum number of verifiers for the identity verification process. Available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IdentityVerificationProcDtl in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApexClassId	Class ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataSourceType	Data Source Type	picklist		255		
DeveloperName	Name	string		80		
DisplayRecordFieldName	Display Record Field Name	string		30		
Id	Identity Verification Process Detail ID	id		18		
IdentityVerificationProcDefId	Identity Verification Process Definition ID	reference		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LinkedIdVerfProcessDetId	Identity Verification Process Detail ID	reference		18		
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
ObjectName	Object Name	string		80		
OptionalVerifiersMinVerfCount	Optional Verifiers Minimum Verification Count	int	9			
SearchFilter	Search Filter	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SearchRecordUniqueIdField	Search Record Unique ID Field	string		255		
SearchResultSortBy	Search Result Sort By	string		255		
SearchSequenceNumber	Search Sequence Number	int	9			
SearchType	Search Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

IDENTITYVERIFICATIONPROCFLD

Used to configure the questions or criteria for verifying the identity of a caller. Available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IdentityVerificationProcFld in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomFieldLabel	Custom Field Label	string		255		
DataSourceType	Data Source Type	picklist		255		
DeveloperName	Name	string		80		
FieldDataType	Field Data Type	picklist		255		
FieldName	Field Name	string		255		
FieldType	Field Type	picklist		255		
FieldValueFormula	Field Value Formula	string		255		
Id	Identity Verification Process Field ID	id		18		
IdentityVerificationProcDtlId	Identity Verification Process Detail ID	reference		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsManualInput	Manual Input	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SequenceNumber	Sequence Number	int	9			
SystemModstamp	System Modstamp	datetime				

IDPEVENTLOG

Represents the Identity Provider Event Log. This log records both problems and successes with inbound SAML or OpenID Connect authentication requests from another app provider. It also records outbound SAML responses when Salesforce is acting as an identity provider. This object is available in API version 39.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IdpEventLog in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppId	Connected App ID	reference		18		
AuthSessionId	Auth Session ID	reference		18		
ErrorCode	Status	picklist		40		
Id	Event Log Entry ID	id		18		
IdentityUsed	Identity Used	string		765		
InitiatedBy	Usage Type	picklist		40		
OptionsHasLogoutUrl	Has Logout URL	boolean				
SamlEntityUrl	Entity ID	string		1500		
SsoType	SSO Type	picklist		40		
Timestamp	Timestamp	datetime				
UserId	User ID	reference		18		

IFRAMEWHITELISTURL

Represents a list of trusted external domains that you allow to frame your Embedded Service, Surveys, and Visualforce pages. This object is available in API version 45.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IframeWhiteListUrl in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Context`	IFrame Type	picklist		255		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Iframe Trusted Url ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`SystemModstamp`	System Modstamp	datetime				
`Url`	Domain	string		255		

IMAGE

Represents the details of an image. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Image in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AlternateText	Accessibility Text	string		255		
CapturedAngle	Camera Angle	string		8		
ContentDocumentId	ContentDocument ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Image ID	id		18		
ImageClass	Category	picklist		255		
ImageClassObjectType	Image Type	picklist		255		
ImageViewType	Image Orientation	string		80		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Url	URL	url		255		

IMAGEFEED

Feed tracking for Image.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

IMAGEHISTORY

History for tracked fields of Image.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Image History ID	id		18		
ImageId	Image ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

IMAGESHARE

Sharing for Image.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

IMPACTSTRATEGYASSIGNMENTFEED

Feed tracking for ImpactStrategyAssignment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

IMPACTSTRATEGYASSIGNMENTHISTORY

History for tracked fields of ImpactStrategyAssignment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Impact Strategy Assignment History ID	id		18		
ImpactStrategyAssignmentId	Impact Strategy Assignment ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

IMPACTSTRATEGYFEED

Feed tracking for ImpactStrategy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

IMPACTSTRATEGYHISTORY

History for tracked fields of ImpactStrategy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Impact Strategy History ID	id		18		
`ImpactStrategyId`	Impact Strategy ID	reference		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

IMPACTSTRATEGYSHARE

Sharing for ImpactStrategy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INCIDENT

An Incident is any unplanned business interruption that has wide-sweeping impacts and requires an urgent fix. This object contains the details of the incident, documenting the history of the incident from registration to closure. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Incident in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessHoursId	Business Hours ID	reference		18		
Category	Category	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
DetectedDateTime	Detected Date Time	datetime				
EndDateTime	End Date Time	datetime				
EntitlementId	Entitlement ID	reference		18		
Id	Incident ID	id		18		
Impact	Impact	picklist		40		
IncidentNumber	Incident Number	string		255		
IsClosed	Incident Closed	boolean				
IsDeleted	Deleted	boolean				
IsMajorIncident	Major Incident	boolean				
IsStopped	Incident Paused	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MilestoneStatus	Milestone Status	string		30		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OwnerId	Owner ID	reference		18		
ParentIncidentId	Parent Incident ID	reference		18		
Priority	Priority	picklist		40		
PriorityOverrideReason	Priority Override Reason	string		255		
ReportedMethod	Reported Method	picklist		40		
ResolutionDateTime	Resolution Date Time	datetime				
ResolutionSummary	Resolution Summary	textarea		32000		
ResolvedById	Resolved By ID	reference		18		
SlaExitDate	Entitlement Process End Time	datetime				
SlaStartDate	Entitlement Process Start Time	datetime				
StartDateTime	Start Date Time	datetime				
Status	Status	picklist		40		
StatusCode	Status Code	picklist		255		
StopStartDate	Incident Paused Since	datetime				
SubCategory	Sub Category	picklist		40		
Subject	Subject	string		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		
Urgency	Urgency	picklist		40		

INCIDENTFEED

Feed tracking for Incident.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

INCIDENTHISTORY

History for tracked fields of Incident.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Incident History ID	id		18		
`IncidentId`	Incident ID	reference		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

INCIDENTRELATEDITEM

Represents a junction object that relates an Incident to an Asset or Product. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IncidentRelatedItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
Comment	Comment	textarea		32000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Incident Related Item ID	id		18		
ImpactLevel	Impact Level	picklist		40		
ImpactType	Impact Type	picklist		40		
IncidentId	Incident ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Incident Related Item Number	string		255		
Product2Id	Product ID	reference		18		
SystemModstamp	System Modstamp	datetime				

INCIDENTRELATEDITEMFEED

Feed tracking for IncidentRelatedItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

INCIDENTRELATEDITEMHISTORY

History for tracked fields of IncidentRelatedItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Incident Related Item History ID	id		18		
IncidentRelatedItemId	Incident Related Item ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INCIDENTSHARE

Sharing for Incident.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INDEXRATE

Represents a base rate that's defined by an authority. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IndexRate in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Index Rate ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Rate	Rate	percent			5	2
SystemModstamp	System Modstamp	datetime				
ValidEndDate	Valid End Date	date				
ValidStartDate	Valid Start Date	date				

INDEXRATEFEED

Feed tracking for IndexRate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INDEXRATEHISTORY

History for tracked fields of IndexRate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Index Rate History ID	id		18		
IndexRateId	Index Rate ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INDEXRATESHARE

Sharing for IndexRate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INDICATORASSIGNMENT

Represents the assignment of an indicator definition that's used to measure the performance of an outcome or a related activity. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IndicatorAssignment in the *Energy and Utilities Cloud Developer Guide*, *Life Sciences Cloud Developer Guide*, and *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CurrencyIsoCode`	Currency ISO Code	picklist		3		
`Id`	Indicator Assignment ID	id		18		
`IndicatorAssignmentType`	Indicator Assignment Type	picklist		40		
`IndicatorDefinitionId`	Indicator Definition ID	reference		18		
`IndividualApplicationId`	Individual Application ID	reference		18		
`IntendedDirection`	Intended Direction	picklist		255		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`OutcomeId`	Outcome ID	reference		18		
`OwnerId`	Owner ID	reference		18		
`ProgramId`	Program ID	reference		18		
`ProgramProductId`	Program Product ID	reference		18		
`Status`	Status	picklist		40		
`SystemModstamp`	System Modstamp	datetime				

INDICATORASSIGNMENTFEED

Feed tracking for IndicatorAssignment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

INDICATORASSIGNMENTHISTORY

History for tracked fields of IndicatorAssignment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Indicator Assignment History ID	id		18		
`IndicatorAssignmentId`	Indicator Assignment ID	reference		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

INDICATORASSIGNMENTSHARE

Sharing for IndicatorAssignment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INDICATORDEFINITION

Represents information about the indicator assignment and the process of measuring and calculating the indicator results. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IndicatorDefinition in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CurrencyIsoCode`	Currency ISO Code	picklist		3		
`Description`	Description	textarea		1000		
`FlowDefinitionApiName`	Flow Definition API Name	string		80		
`Id`	Indicator Definition ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`OwnerId`	Owner ID	reference		18		
`Status`	Status	picklist		40		
`SystemModstamp`	System Modstamp	datetime				
`UnitOfMeasureId`	Unit of Measure ID	reference		18		

INDICATORDEFINITIONFEED

Feed tracking for IndicatorDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

INDICATORDEFINITIONHISTORY

History for tracked fields of IndicatorDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Indicator Definition History ID	id		18		
IndicatorDefinitionId	Indicator Definition ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INDICATORDEFINITIONSHARE

Sharing for IndicatorDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INDICATORPERFORMANCEPERIOD

Represents information about a specified time period including the frequency at which indicator results should be calculated and the baseline value of the indicator. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IndicatorPerformancePeriod in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BaselineDescription	Baseline Description	textarea		1000		
BaselineValue	Baseline Value	double			16	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		1000		
Id	Indicator Performance Period ID	id		18		
IndicatorAssignmentId	Indicator Assignment ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastResultMeasurementDate	Last Result Measurement Date	date				
LastResultValue	Last Result Value	double			16	2
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				
TargetProgress	Target Progress	picklist		40		
TargetValue	Target Value	double			16	2
TimePeriodId	Time Period ID	reference		18		

INDICATORPERFORMANCEPERIODFEED

Feed tracking for IndicatorPerformancePeriod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

INDICATORPERFORMANCEPERIODHISTORY

History for tracked fields of IndicatorPerformancePeriod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Indicator Performance Period History ID	id		18		
IndicatorPerformancePeriodId	Indicator Performance Period ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INDICATORRESULT

Represents the result of an indicator assignment for the specified time period that can be used to track the performance of the indicator. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IndicatorResult in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CalculationMethod	Calculation Method	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Denominator	Denominator	double			16	2
Description	Description	textarea		1000		
FlowDefinitionApiName	Flow Definition API Name	string		80		
FlowVersion	Flow Version	int	9			
Id	Indicator Result ID	id		18		
IndicatorPerformancePeriodId	Indicator Performance Period ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MeasurementDate	Measurement Date	date				
Name	Name	string		255		
Numerator	Numerator	double			16	2
ResultValue	Result Value	double			16	2
SystemModstamp	System Modstamp	datetime				
Type	Result Type	picklist		255		

INDICATORRESULTFEED

Feed tracking for IndicatorResult.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

INDICATORRESULTHISTORY

History for tracked fields of IndicatorResult.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Indicator Result History ID	id		18		
`IndicatorResultId`	Indicator Result ID	reference		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

INDIVIDUAL

Represents a customer's data privacy and protection preferences. Data privacy records based on the Individual object store your customers' preferences. Data privacy records are associated with related leads, contacts, person accounts, and users. This object is available in API version 42.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Individual in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BirthDate	Birth Date	date				
CanStorePiiElsewhere	OK to Store PII Data Elsewhere	boolean				
ChildrenCount	Number of Children	int	9			
ConsumerCreditScore	Consumer Credit Score	int	9			
ConsumerCreditScoreProviderName	Consumer Credit Score Provider Name	string		255		
ConvictionsCount	Conviction Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeathDate	Death Date	date				
FirstName	First Name	string		40		
HasOptedOutGeoTracking	Block Geolocation Tracking	boolean				
HasOptedOutProcessing	Don't Process	boolean				
HasOptedOutProfiling	Don't Profile	boolean				
HasOptedOutSolicit	Don't Market	boolean				
HasOptedOutTracking	Don't Track	boolean				
Id	Individual ID	id		18		
IndividualsAge	Individual's Age	picklist		255		
InfluencerRating	Influencer Rating	int	9			
IsDeleted	Deleted	boolean				
IsHomeOwner	Is Homeowner	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastName	Last Name	string		80		
LastViewedDate	Last Viewed Date	datetime				
MasterRecordId	Master Record ID	reference		18		
MilitaryService	Military Service	picklist		255		
Name	Name	string		121		
Occupation	Occupation	string		150		
OwnerId	Owner ID	reference		18		
Salutation	Salutation	picklist		40		
SendIndividualData	Export Individual's Data	boolean				
ShouldForget	Forget this Individual	boolean				
SystemModstamp	System Modstamp	datetime				
Website	Website	url		255		

INDIVIDUALAPPLICATION

Represents an application form submitted by an individual or organization. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IndividualApplication in the *Education Cloud Developer Guide*, *Emergency Response Management Object Reference*, *Emergency Response Management for Public Health Developer Guide*, *Energy and Utilities Cloud Developer Guide*, *Grantmaking Guide*, *Public Sector Solutions Developer Guide*, and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AmountPaid	Amount Paid	currency			18	0
ApplicationCaseId	Case ID	reference		18		
ApplicationCategory	Application Tier	picklist		40		
ApplicationFormTemplateId	Application Form Template ID	reference		18		
ApplicationType	Application Type	picklist		40		
AppliedDate	Applied Date	datetime				
ApprovedDate	Approved Date	datetime				
BenefitAssignmentId	Benefit Assignment ID	reference		18		
BenefitId	Benefit ID	reference		18		
BusinessTypeId	Business Type ID	reference		18		
Category	Category	picklist		40		
ClaimId	Claim ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
ExternalProject	External Project Id	string		255		
Id	Individual Application ID	id		18		
IsApprovalRequired	Approval Required	boolean				
IsDeleted	Deleted	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsSubmittedByThirdParty	Submitted by Third Party	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LicensePermitNameId	Business License ID	reference		18		
LicenseTypeId	Regulatory Authorization Type ID	reference		18		
Name	Application ID	string		255		
OwnerId	Owner ID	reference		18		
ParentApplicationId	Parent Individual Application ID	reference		18		
PaymentDate	Payment Date	datetime				
RejectionReason	Rejection Reason	picklist		40		
RequirementsCompleteDate	Requirements Complete Date	datetime				
SavedApplicationRefId	Preliminary Application Reference ID	reference		18		
ServiceType	Service Type	picklist		40		
Status	Application Status	picklist		40		
SubmittedByAccountId	Account ID	reference		18		
SubmittedByContactId	Contact ID	reference		18		
SystemModstamp	System Modstamp	datetime				
WasReturned	Returned to Applicant	boolean				

INDIVIDUALAPPLICATIONFEED

Feed tracking for IndividualApplication.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

INDIVIDUALAPPLICATIONHISTORY

History for tracked fields of IndividualApplication.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Individual Application History ID	id		18		
IndividualApplicationId	Individual Application ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INDIVIDUALAPPLICATIONITEM

Captures individual application input data that is used during run-time. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IndividualApplicationItem in the *Energy and Utilities Cloud Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Individual Application Item ID	id		18		
IndividualApplicationId	Individual Application ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
RelatedItemId	ID	reference		18		
SelectedValues	Selected Values	textarea		32000		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
WorkReportLineItemId	Work Report Line Item ID	reference		18		

INDIVIDUALAPPLICATIONITEMFEED

Feed tracking for IndividualApplicationItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

INDIVIDUALAPPLICATIONITEMHISTORY

History for tracked fields of IndividualApplicationItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Individual Application Item History ID	id		18		
IndividualApplicationItemId	Individual Application Item ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INDIVIDUALAPPLICATIONSHARE

Sharing for IndividualApplication.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INDIVIDUALAPPLICATIONTASK

Represents a task related to an application. This object is available in the API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IndividualApplicationTask in the *Education Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationStageDefinitionId	Application Stage Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
DueDate	Individual Application Task Due Date	date				
EndDateTime	End Date Time	datetime				
Id	Individual Application Task ID	id		18		
IndividualApplicationId	Individual Application ID	reference		18		
IsDeleted	Deleted	boolean				
IsRequired	Required	boolean				
IsSubmitted	Submitted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PreliminaryApplicationRefId	Preliminary Application Reference ID	reference		18		
SavedApplicationUrl	Saved Application URL	url		1000		
SequenceNumber	Sequence	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
StartDateTime	Start Date Time	datetime				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

INDIVIDUALAPPLICATIONTASKFEED

Feed tracking for IndividualApplicationTask.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INDIVIDUALAPPLICATIONTASKHISTORY

History for tracked fields of IndividualApplicationTask.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Individual Application Task History ID	id		18		
IndividualApplicationTaskId	Individual Application Task ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INDIVIDUALAPPLICATIONTASKSHARE

Sharing for IndividualApplicationTask.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INDIVIDUALAPPLNPARTICIPANT

Represents information about a user or group of participants who have access to a individual application. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IndividualAppInParticipant in the *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Comments	Comments	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Individual Application Participant ID	id		18		
IndividualApplicationId	Individual Application ID	reference		18		
IsDeleted	Deleted	boolean				
IsParticipantActive	Participant Active	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParticipantId	Participant ID	reference		18		
ParticipantRoleId	Participant Role ID	reference		18		
SystemModstamp	System Modstamp	datetime				

INDIVIDUALAPPLNPARTICIPANTFEED

Feed tracking for IndividualAppInParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INDIVIDUALAPPLNPARTICIPANTHISTORY

History for tracked fields of IndividualApplnParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Individual Application Participant History ID	id		18		
IndividualApplnParticipantId	Individual Application Participant ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INDIVIDUALHISTORY

Represents the history of changes to values in the fields of a data privacy record, based on the Individual object. This object is available in versions 42.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IndividualHistory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Individual History ID	id		18		
`IndividualId`	Individual ID	reference		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

INDIVIDUALSHARE

Represents a list of access levels to a data privacy record along with an explanation of the access level. For example, if you have access to a record because you own it, the IndividualAccessLevel is All and RowCause is Owner. This object is available in API version 42.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IndividualShare in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Id`	Individual Share ID	id		18		
`IndividualAccessLevel`	Individual Access Level	picklist		40		
`IndividualId`	Individual ID	reference		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`RowCause`	Apex Sharing Reason ID	picklist		40		
`UserOrGroupId`	User/Group ID	reference		18		

INDVAPPLICATIONTASKPARTICIPANTFEED

Feed tracking for IndvApplicationTaskParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INDVAPPLICATIONTASKPARTICIPANTHISTORY

History for tracked fields of IndvApplicationTaskParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Individual Application Task Participant History ID	id		18		
IndvApplicationTaskParticipantId	Individual Application Task Participant ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INFLATIONRATE

Represents the inflation rates that are used to adjust currency values from one year to another.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InflationRate in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CalendarYear	Calendar Year	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyCode	Currency Code	picklist		255		
DataSource	Data Source	string		255		
ExternalIdentifier	External Identifier	string		255		
Id	Inflation Rate ID	id		18		
InflationRate	Inflation Rate	percent			18	4
InflationRateUnqKeyIdentifier	Inflation Rate Unique Key Identifier	string		255		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ReferenceDataLoadLogId	Reference Data Load Log ID	reference		18		
SystemModstamp	System Modstamp	datetime				

INFLATIONRATEFEED

Feed tracking for InflationRate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

INFLATIONRATEHISTORY

History for tracked fields of InflationRate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Inflation Rate History ID	id		18		
InflationRateId	Inflation Rate ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INFLATIONRATESHARE

Sharing for InflationRate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INFOAUTHREQUESTFORM

Tracks the individual Authorization Form Texts that belong to an Authorization Request. For example, consent on GDPR privacy policy document and consent on mortgage loan rate lock fee document. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InfoAuthRequestForm in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorizationFormTextId	Authorization Form Text ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Info Authorization Request Form ID	id		18		
InfoAuthorizationRequestId	Info Authorization Request ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LatestAuthFormConsentId	Latest Authorization Form Consent ID	reference		18		
LatestResponseDateTime	Latest Response Date Time	datetime				
Name	Name	string		255		
ResponseStatus	Response Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

INFOAUTHREQUESTFORMFEED

Feed tracking for InfoAuthRequestForm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INFOAUTHREQUESTFORMHISTORY

History for tracked fields of InfoAuthRequestForm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Info Authorization Request Form History ID	id		18		
`InfoAuthRequestFormId`	Info Authorization Request Form ID	reference		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

INFOAUTHORIZATIONREQUEST

Tracks a request for authorization on a Data Use Purpose. For example, consent request to share the documents required to open a financial account and share loan rate lock disclosure to the external customer. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InfoAuthorizationRequest in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CommunicationType	Communication Type	picklist		255		
ConsenterId	Consenter ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataUsePurposeId	Data Use Purpose ID	reference		18		
ExpirationDateTime	Expiration Date Time	datetime				
Id	Info Authorization Request ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Locale	Locale	picklist		255		
MultipartyInfoAuthRequestId	Multiparty Information Authorization Request ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PertainsToId	Pertains To ID	reference		18		
RequestedDateTime	Requested Date Time	datetime				
RequesterId	Requester ID	reference		18		
ResponseStatus	Response Status	picklist		255		
SourceRecordId	Source Record ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

INFOAUTHORIZATIONREQUESTFEED

Feed tracking for InfoAuthorizationRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INFOAUTHORIZATIONREQUESTHISTORY

History for tracked fields of InfoAuthorizationRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Info Authorization Request History ID	id		18		
InfoAuthorizationRequestId	Info Authorization Request ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INFOAUTHORIZATIONREQUESTSHARE

Sharing for InfoAuthorizationRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INSPLCYLIMIT

Represents the data that's used as a base to track the insurance policy consumption. This object is available in API version 65.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InsPlcyLimit in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssociatedAttributeId	AssociatedAttribute ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Insurance Policy Limit ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PolicyVersionId	Insurance Policy ID	reference		18		
ProdtAttrMappedScopeId	Product Attribute Mapped Scope ID	reference		18		
SystemModstamp	System Modstamp	datetime				

INSPLCYLIMITFEED

Feed tracking for InsPlcyLimit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INSPLCYLIMITHISTORY

History for tracked fields of InsPlcyLimit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Insurance Policy Limit History ID	id		18		
InsPlcyLimitId	Insurance Policy Limit ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INSPLCYLIMITSHARE

Sharing for InsPlcyLimit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INSPOLICYASSETATTRIBUTE

Represents attributes for insurance policy asset. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InsPolicyAssetAttribute in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttributeDefinitionId	Attribute Definition ID	reference		18		
AttributeName	Attribute Name	string		255		
AttributePicklistValueId	Attribute Picklist Value ID	reference		18		
AttributeValue	Attribute Value	string		255		
CreatedById	User ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalId	External ID	string		255		
Id	Insurance Policy Asset Attribute ID	id		18		
InsurancePolicyAssetId	Insurance Policy Asset ID	reference		18		
LastModifiedById	User ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				

INSPOLICYASSETRELATEDOBJ

Represents the relationship between an Insurance Policy Asset and a related object. The values of the attributes from the related object are referenced by the relevant product attributes on Insurance Policy Asset. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InsPolicyAssetRelatedObj in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Insurance Policy Asset Related Object ID	id		18		
InsurancePolicyAssetId	Insurance Policy Asset ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
RelatedRecordIdentifier	Related Record Identifier	string		255		
RelatedRecordObjectName	Related Record Object Name	string		255		
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		255		

INSPOLICYASSETRELATEDOBJFEED

Feed tracking for InsPolicyAssetRelatedObj.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INSPOLICYASSETRELATEDOBJHISTORY

History for tracked fields of InsPolicyAssetRelatedObj.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Insurance Policy Asset Related Object History ID	id		18		
InsPolicyAssetRelatedObjId	Insurance Policy Asset Related Object ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INSPOLICYCOVERAGEATTRIBUTE

Represents attributes for insurance policy coverage. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InsPolicyCoverageAttribute in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttributeDefinitionId	Attribute Definition ID	reference		18		
AttributeName	Attribute Name	string		255		
AttributePicklistValueId	Attribute Picklist Value ID	reference		18		
AttributeValue	Attribute Value	string		255		
CreatedById	User ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalId	External ID	string		255		
Id	Insurance Policy Coverage Attribute ID	id		18		
InsurancePolicyCoverageId	Insurance Policy Coverage ID	reference		18		
LastModifiedById	User ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				

INSPOLICYCVRRELATEDOBJ

Represents the relationship between an Insurance Policy Coverage and a related object. The values of the attributes from the related object are referenced by the relevant product attributes on Insurance Policy Coverage. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InsPolicyCvrRelatedObj in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CurrencyIsoCode`	Currency ISO Code	picklist		3		
`Id`	Insurance Policy Coverage Related Object ID	id		18		
`InsurancePolicyCoverageId`	Insurance Policy Coverage ID	reference		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`RelatedRecordIdentifier`	Related Record Identifier	string		255		
`RelatedRecordObjectName`	Related Record Object Name	string		255		
`SystemModstamp`	System Modstamp	datetime				
`UsageType`	Usage Type	picklist		255		

INSPOLICYCVRRELATEDOBJFEED

Feed tracking for InsPolicyCvrRelatedObj.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INSPOLICYCVRRELATEDOBJHISTORY

History for tracked fields of InsPolicyCvrRelatedObj.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Insurance Policy Coverage Related Object History ID	id		18		
InsPolicyCvrRelatedObjId	Insurance Policy Coverage Related Object ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INSPOLICYPARTICIPANTATTR

Represents attributes for insurance policy participant. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InsPolicyParticipantAttr in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttributeDefinitionId	Attribute Definition ID	reference		18		
AttributeName	Attribute Name	string		255		
AttributePicklistValueId	Attribute Picklist Value ID	reference		18		
AttributeValue	Attribute Value	string		255		
CreatedById	User ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalId	External ID	string		255		
Id	Insurance Policy Participant Attribute ID	id		18		
InsurancePolicyParticipantId	Insurance Policy Participant ID	reference		18		
LastModifiedById	User ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				

INSPOLICYPTCPRELATEDOBJ

Represents the relationship between an Insurance Policy Participant and a related object. The values of the attributes from the related object are referenced by the relevant product attributes on Insurance Policy Participant. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InsPolicyPtcpRelatedObj in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Insurance Policy Participant Related Object ID	id		18		
InsurancePolicyParticipantId	Insurance Policy Participant ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
RelatedRecordIdentifier	Related Record Identifier	string		255		
RelatedRecordObjectName	Related Record Object Name	string		255		
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		255		

INSPOLICYPTCPRELATEDOBJFEED

Feed tracking for InsPolicyPtcpRelatedObj.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INSPOLICYPTCPRELATEDOBJHISTORY

History for tracked fields of InsPolicyPtcpRelatedObj.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Insurance Policy Participant Related Object History ID	id		18		
InsPolicyPtcpRelatedObjId	Insurance Policy Participant Related Object ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INSPOLICYRELATEDOBJECT

Represents the relationship between an Insurance Policy and a related object. The values of the attributes from the related object are referenced by the relevant product attributes on Insurance Policy. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InsPolicyRelatedObject in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CurrencyIsoCode`	Currency ISO Code	picklist		3		
`Id`	Insurance Policy Related Object ID	id		18		
`InsurancePolicyId`	Insurance Policy ID	reference		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`RelatedRecordIdentifier`	Related Record Identifier	string		255		
`RelatedRecordObjectName`	Related Record Object Name	string		255		
`SystemModstamp`	System Modstamp	datetime				
`UsageType`	Usage Type	picklist		255		

INSPOLICYRELATEDOBJECTFEED

Feed tracking for InsPolicyRelatedObject.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INSPOLICYRELATEDOBJECTHISTORY

History for tracked fields of InsPolicyRelatedObject.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Insurance Policy Related Object History ID	id		18		
InsPolicyRelatedObjectId	Insurance Policy Related Object ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INSPOLICYTRANSACTIONDETAIL

Represents the details of an insurance policy transaction. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InsPolicyTransactionDetail in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Commission	Commission	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Fee	Fee	currency			18	2
Id	Insurance Policy Transaction Detail ID	id		18		
InsurancePolicyTransactionId	Insurance Policy Transaction ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Premium	Premium	currency			18	2
ReferenceObjectId	Reference Object ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Tax	Tax	currency			18	2

INSPOLICYTRANSACTIONDETAILFEED

Feed tracking for InsPolicyTransactionDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INSPOLICYTRANSACTIONDETAILHISTORY

History for tracked fields of InsPolicyTransactionDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Insurance Policy Transaction Detail History ID	id		18		
InsPolicyTransactionDetailId	Insurance Policy Transaction Detail ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INSPECTIONASSESSMENTIND

Represents the assessment indicators recorded during an inspection. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InspectionAssessmentInd in the *Emergency Response Management Object Reference* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentIndDefinitionId	Assessment Indicator Definition ID	reference		18		
AssessmentTaskId	Assessment Task ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DateTimeFieldResponse	DateTime Field Response	datetime				
DecimalFieldResponse	Decimal Field Response	double			18	5
DisplayOrder	Display Order	int	9			
Id	Inspection Assessment Indicator ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
NumberFieldResponse	Number Field Response	int	9			
PercentageFieldResponse	Percentage Field Response	percent			5	2
Result	Assessment Question Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TextFieldResponse	Text Field Response	string		255		

INSPECTIONASSESSMENTINDFEED

Feed tracking for InspectionAssessmentInd.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

INSPECTIONASSESSMENTINDHISTORY

History for tracked fields of InspectionAssessmentInd.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Inspection Assessment Indicator History ID	id		18		
InspectionAssessmentIndId	Inspection Assessment Indicator ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INSPECTIONTYPE

Represents the type of inspections related to a permit or license. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InspectionType in the *Emergency Response Management Object Reference*, *Emergency Response Management for Public Health Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
Id	Inspection Type ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

INSPECTIONTYPEFEED

Feed tracking for InspectionType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

INSPECTIONTYPEHISTORY

History for tracked fields of InspectionType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Inspection Type History ID	id		18		
InspectionTypeId	Inspection Type ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INSPECTIONTYPESHARE

Sharing for InspectionType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INSURANCEASYNCBULKRECORDDETAILHISTORY

History for tracked fields of InsuranceAsyncBulkRecordDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Insurance Async Bulk Record Detail History ID	id		18		
InsuranceAsyncBulkRecordDetailId	Insurance Async Bulk Record Detail ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INSURANCEASYNCBULKREQUESTHISTORY

History for tracked fields of InsuranceAsyncBulkRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Insurance Async Bulk Request History ID	id		18		
InsuranceAsyncBulkRequestId	Insurance Async Bulk Request ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INSURANCEASYNCBULKREQUESTITEMHISTORY

History for tracked fields of InsuranceAsyncBulkRequestItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Insurance Async Bulk Request Item History ID	id		18		
InsuranceAsyncBulkRequestItemId	Insurance Async Bulk Request Item ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INSURANCEASYNCBULKREQUESTSHARE

Sharing for InsuranceAsyncBulkRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INSURANCECONTRACT

Represents insurance-specific contract information. Extension of Contract object, specifically for the insurance industry. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InsuranceContract in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BrokerageAgencyId	Producer ID	reference		18		
BusinessLicenseId	Business License ID	reference		18		
ContractId	Contract ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EnrollmentCensusId	Group Census ID	reference		18		
EnrollmentEndDate	Enrollment End Date	date				
EnrollmentStartDate	Enrollment Start Date	date				
EnrollmentWaitingPeriod	Enrollment Waiting Period	int	9			
Id	Insurance Contract ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProducerId	Producer ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UnderwriterId	User ID	reference		18		

INSURANCECONTRACTFEED

Feed tracking for InsuranceContract.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INSURANCECONTRACTHISTORY

History for tracked fields of InsuranceContract.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Insurance Contract History ID	id		18		
InsuranceContractId	Insurance Contract ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INSURANCECONTRACTSHARE

Sharing for InsuranceContract.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INSURANCEPOLICY

Represents a type of insurance policy. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InsurancePolicy in the *Financial Services Cloud Developer Guide*, *Public Sector Solutions Developer Guide*, and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualRenewalDate	Actual Renewal Date	date				
AuditTerm	Audit Term	picklist		40		
BillingCarrierAccountId	Account ID	reference		18		
CancellationDate	Cancellation Date	datetime				
CancellationEffectiveDate	Cancellation Effective Date	date				
CancellationReason	Cancellation Reason	textarea		32000		
CancellationReasonType	Cancellation Reason Type	picklist		40		
CashSurrenderValue	Cash Surrender Value	currency			18	2
ChangeSubtype	Change Subtype	picklist		40		
ChangeType	Change Type	picklist		40		
ContractGroupPlanId	Contract Group Plan ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
CurrentDueAmount	Current Due Amount	currency			18	2
DateRenewed	Date Renewed	datetime				
Discount	Discount	double			18	0
EffectiveDate	Effective Date	datetime				
EffectiveFromDate	Effective From Date	date				
EffectiveToDate	Effective To Date	date				
EmployeeContribution	Employee Contribution	currency			18	2
EmployerContribution	Employer Contribution	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ExpirationDate	Expiration Date	datetime				
FinalRenewalDate	Final Renewal Date	datetime				
GrossWrittenPremium	Gross Written Premium	currency			18	2
HasAnyAutoCoverage	Has Any Auto coverage	boolean				
Id	Insurance Policy ID	id		18		
IntermediaryAccountId	Account ID	reference		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsLoanEligibile	Eligible for loan	boolean				
IsPolicyEditLocked	Policy Edit Locked	boolean				
IsRenewedPolicy	Renewed Policy	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Policy Number	string		255		
NameInsuredId	Account ID	reference		18		
OriginalEffectiveDate	Original Effective Date	datetime				
OriginalEffectiveFromDate	Original Effective From Date	date				
OriginalEffectiveToDate	Original Effective To Date	date				
OriginalExpirationDate	Original Expiration Date	datetime				
OriginalPolicyId	Insurance Policy ID	reference		18		
OwnerId	Owner ID	reference		18		
PaidToDate	Paid To Date	date				
ParentPolicyId	Insurance Policy ID	reference		18		
PastDueAmount	Past Due Amount	currency			18	2
PaymentDueDate	Payment Due Date	datetime				
PlanTier	Plan Tier	picklist		40		
PlanType	Plan Type	picklist		40		
PlannedRenewalDate	Planned Renewal Date	date				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PolicyDescription	Policy Description	textarea		32000		
PolicyName	Policy Name	string		255		
PolicyTerm	Policy Term	picklist		40		
PolicyType	Policy Type	picklist		40		
PremiumAmount	Premium Amount	currency			18	2
PremiumCalculationMethod	Premium Calculation Method	picklist		40		
PremiumFrequency	Premium Frequency	picklist		40		
PremiumPaymentType	Premium Payment Type	picklist		40		
PreviousPremium	Previous Premium	currency			18	2
PreviousRenewalDate	Previous Renewal Date	datetime				
PriorPolicyId	Insurance Policy ID	reference		18		
ProducerId	Producer ID	reference		18		
ProductId	Product ID	reference		18		
RatingDate	Rating Date	date				
ReferencePolicyNumber	Reference Policy Number	string		255		
RenewalChannel	Renewal Channel	picklist		40		
RenewalDate	Renewal Date	datetime				
RenewedFromPolicyId	Insurance Policy ID	reference		18		
SaleDate	Sale Date	datetime				
ServicingOffice	Servicing Office	address				
ServicingOfficeCity	Servicing Office City	string		40		
ServicingOfficeCountry	Servicing Office Country	string		80		
ServicingOfficeGeocodeAccuracy	Servicing Office Geocode Accuracy	picklist		40		
ServicingOfficeLatitude	Servicing Office Latitude	double			18	15
ServicingOfficeLongitude	Servicing Office Longitude	double			18	15
ServicingOfficePostalCode	Servicing Office Postal Code	string		20		
ServicingOfficeState	Servicing Office State	string		80		
ServicingOfficeStreet	Servicing Office Street	textarea		255		
SourceOpportunityId	Opportunity ID	reference		18		
SourceSystem	Source System	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SourceSystemIdentifier	Source System Identifier	string		255		
StandardFeeAmount	Standard Fee	currency			18	2
StandardPremiumAmount	Standard Premium	currency			18	2
StandardTaxAmount	Standard Tax	currency			18	2
Status	Status	picklist		40		
Substatus	Substatus	picklist		40		
SystemModstamp	System Modstamp	datetime				
TaxesSurcharges	Taxes and Surcharges	currency			18	2
TermFeeAmount	Term Fee	currency			18	2
TermPremiumAmount	Term Premium	currency			18	2
TermTaxAmount	Term Tax	currency			18	2
TotalCommissionAmount	Total Commission Amount	currency			18	2
TotalStandardAmount	Total Standard Amount	currency			18	2
TotalSumInsured	Sum Insured	currency			18	2
TotalTermFeeAmount	Total Term Fee Amount	currency			18	2
TotalTermPremiumAmount	Total Term Premium Amount	currency			18	2
TotalTermTaxAmount	Total Term Tax Amount	currency			18	2
UnderwritingEntityId	Legal Entity ID	reference		18		
UniversalPolicyNumber	Universal Policy Number	string		255		
WritingCarrierAccountId	Account ID	reference		18		

INSURANCEPOLICYASSET

Represents the customer property insured through the insurance policy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InsurancePolicyAsset in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetCode	Asset Code	string		255		
AssetName	Asset Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
CustomerPropertyId	Customer Property ID	reference		18		
EffectiveFromDate	Effective From Date	date				
EffectiveToDate	Effective To Date	date				
Id	Insurance Policy Asset ID	id		18		
InsurancePolicyId	Insurance Policy ID	reference		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PrimaryPolicyParticipantId	Insurance Policy Participant ID	reference		18		
ProductId	Product ID	reference		18		
RelatedInsurancePolicyAssetId	Insurance Policy Asset ID	reference		18		
SourceSystem	Source System	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SourceSystemIdentifier	Source System Identifier	string		255		
StandardFeeAmount	Standard Fee	currency			18	2
StandardPremiumAmount	Standard Premium	currency			18	2
StandardTaxAmount	Standard Tax	currency			18	2
SystemModstamp	System Modstamp	datetime				
TermFeeAmount	Term Fee	currency			18	2
TermPremiumAmount	Term Premium	currency			18	2
TermTaxAmount	Term Tax	currency			18	2
TotalStandardAmount	Total Standard Amount	currency			18	2
TotalTermAmount	Total Term Amount	currency			18	2

INSURANCEPOLICYASSETFEED

Feed tracking for InsurancePolicyAsset.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INSURANCEPOLICYASSETHISTORY

History for tracked fields of InsurancePolicyAsset.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Insurance Policy Asset History ID	id		18		
InsurancePolicyAssetId	Insurance Policy Asset ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INSURANCEPOLICYASSETSHARE

Sharing for InsurancePolicyAsset.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INSURANCEPOLICYATTRIBUTE

Represents attributes for insurance policy. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InsurancePolicyAttribute in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttributeDefinitionId	Attribute Definition ID	reference		18		
AttributeName	Attribute Name	string		255		
AttributePicklistValueId	Attribute Picklist Value ID	reference		18		
AttributeValue	Attribute Value	string		255		
CreatedById	User ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalId	External ID	string		255		
Id	Insurance Policy Attribute ID	id		18		
InsurancePolicyId	Insurance Policy ID	reference		18		
LastModifiedById	User ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				

INSURANCEPOLICYCOVERAGE

A junction object that associates the InsurancePolicy object with the ProductCoverage object.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InsurancePolicyCoverage in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitPaymentFrequency	Benefit Payment Frequency	picklist		40		
Category	Category	picklist		40		
CategoryCode	Category Code	string		255		
CategoryGroup	Category Group	picklist		40		
CategoryGroupType	Category Group Type	picklist		40		
ContractGroupPlanId	Contract Group Plan ID	reference		18		
CoverageCode	Coverage Code	string		255		
CoverageName	Coverage Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DeathBenefitOptionType	Death Benefit Option Type	picklist		40		
DeductibleAmount	Deductible Amount	currency			18	2
Description	Description	textarea		32000		
Discount	Discount	currency			18	2
EffectiveDate	Effective Date	datetime				
EffectiveFromDate	Effective From Date	date				
EffectiveToDate	Effective To Date	date				
ExpirationDate	Expiration Date	datetime				
Id	Insurance Policy Coverage ID	id		18		
IncomeOptionType	Income Option Type	picklist		40		
InsurancePolicyAssetId	Insurance Policy Asset ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
InsurancePolicyId	Insurance Policy ID	reference		18		
InsurancePolicyParticipantId	Insurance Policy Participant ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LimitAmount	Limit Amount	currency			18	2
LimitDate	Limit Date	date				
LimitPercentage	Limit Percentage	percent			3	0
LimitRange	Limit Range	picklist		40		
Name	Name	string		255		
PremiumAmount	Premium Amount	currency			18	2
ProductId	Product ID	reference		18		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
StandardFeeAmount	Standard Fee	currency			18	2
StandardPremiumAmount	Standard Premium	currency			18	2
StandardTaxAmount	Standard Tax	currency			18	2
SystemModstamp	System Modstamp	datetime				
TermFeeAmount	Term Fee	currency			18	2
TermPremiumAmount	Term Premium	currency			18	2
TermTaxAmount	Term Tax	currency			18	2
TotalStandardAmount	Total Standard Amount	currency			18	2
TotalTermAmount	Total Term Amount	currency			18	2

INSURANCEPOLICYCOVERAGEFEED

Feed tracking for InsurancePolicyCoverage.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INSURANCEPOLICYCOVERAGEHISTORY

History for tracked fields of InsurancePolicyCoverage.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Insurance Policy Coverage History ID	id		18		
InsurancePolicyCoverageId	Insurance Policy Coverage ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INSURANCEPOLICYFEED

Feed tracking for InsurancePolicy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INSURANCEPOLICYHISTORY

History for tracked fields of InsurancePolicy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Insurance Policy History ID	id		18		
InsurancePolicyId	Insurance Policy ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INSURANCEPOLICYPARTICIPANT

A junction object that associates the InsurancePolicy object with the Account object. This object represents the participants of an insurance policy. Insurance policy participants include policy owners and beneficiaries.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InsurancePolicyParticipant in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BeneficiarySharePercentage	Beneficiary Share Percentage	percent			3	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EffectiveDate	Effective Date	datetime				
EffectiveFromDate	Effective From Date	date				
EffectiveToDate	Effective To Date	date				
ExpirationDate	Expiration Date	datetime				
Id	Insurance Policy Participant ID	id		18		
InsurancePolicyId	Insurance Policy ID	reference		18		
IsActiveParticipant	Active Participant	boolean				
IsDeleted	Deleted	boolean				
IsMinorBeneficiary	Minor Beneficiary	boolean				
IsPolicyholder	Policy holder	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LegalGuardianId	Account ID	reference		18		
Name	Name	string		255		
ParticipantCode	Participant Code	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ParticipantName	Participant Name	string		255		
PrimaryParticipantAccountId	Account ID	reference		18		
PrimaryParticipantContactId	Contact ID	reference		18		
ProductId	Product ID	reference		18		
RelatedInsPolicyParticipantId	Insurance Policy Participant ID	reference		18		
RelatedParticipantAccountId	Account ID	reference		18		
RelatedParticipantContactId	Contact ID	reference		18		
RelationshipToInsured	Relationship to Insured	picklist		40		
Role	Role	multipicklist		4099	0	
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System ID	string		255		
StandardFeeAmount	Standard Fee	currency			18	2
StandardPremiumAmount	Standard Premium	currency			18	2
StandardTaxAmount	Standard Tax	currency			18	2
SystemModstamp	System Modstamp	datetime				
TermFeeAmount	Term Fee	currency			18	2
TermPremiumAmount	Term Premium	currency			18	2
TermTaxAmount	Term Tax	currency			18	2
TotalStandardAmount	Total Standard Amount	currency			18	2
TotalTermAmount	Total Term Amount	currency			18	2

INSURANCEPOLICYPARTICIPANTFEED

Feed tracking for InsurancePolicyParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INSURANCEPOLICYPARTICIPANTHISTORY

History for tracked fields of InsurancePolicyParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Insurance Policy Participant History ID	id		18		
InsurancePolicyParticipantId	Insurance Policy Participant ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INSURANCEPOLICYPRODUCTCLAUSEFEED

Feed tracking for InsurancePolicyProductClause.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INSURANCEPOLICYPRODUCTCLAUSEHISTORY

History for tracked fields of InsurancePolicyProductClause.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Insurance Policy Product Clause History ID	id		18		
InsurancePolicyProductClauseId	Insurance Policy Product Clause ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INSURANCEPOLICYSHARE

Sharing for InsurancePolicy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INSURANCEPOLICYSURCHARGE

Represents the charges calculated for an insurance policy and its related assets, coverages, and participants in a region. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InsurancePolicySurcharge in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicableObjectType	Surcharged Item	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Insurance Policy Surcharge ID	id		18		
InsurancePolicyAssetId	Insurance Policy Asset ID	reference		18		
InsurancePolicyCoverageId	Insurance Policy Coverage ID	reference		18		
InsurancePolicyId	Insurance Policy ID	reference		18		
InsurancePolicyParticipantId	Insurance Policy Participant ID	reference		18		
InsurancePolicyTransactionId	Insurance Policy Transaction ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
SurchargeAmount	Surcharge Amount	currency			18	2
SystemModstamp	System Modstamp	datetime				

INSURANCEPOLICYSURCHARGEFEED

Feed tracking for InsurancePolicySurcharge.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INSURANCEPOLICYSURCHARGEHISTORY

History for tracked fields of InsurancePolicySurcharge.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Insurance Policy Surcharge History ID	id		18		
InsurancePolicySurchargeId	Insurance Policy Surcharge ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INSURANCEPOLICYTRANSACTION

Represents a transaction related to a change that affects the premium of an insurance policy, such as an endorsement, renewal, or cancellation. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InsurancePolicyTransaction in the *Financial Services Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EffectiveFromDate	Effective From Date	date				
Id	Insurance Policy Transaction ID	id		18		
InsurancePolicyId	Insurance Policy ID	reference		18		
InsurancePolicyVersionId	Insurance Policy ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParentTransactionId	Insurance Policy Transaction ID	reference		18		
PostedDate	Posted Date	date				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TotalTransactionAmount	Total Transaction Amount	currency			18	2
TransactionAmount	Transaction Amount	currency			18	2
TransactionEffectiveDate	Transaction Effective Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TransactionFeeAmount	Transaction Fee	currency			18	2
TransactionNumber	Transaction Number	string		255		
TransactionPostedDate	Transaction Posted Date	datetime				
TransactionTaxAmount	Transaction Tax	currency			18	2
Type	Type	picklist		40		

INSURANCEPOLICYTRANSACTIONFEED

Feed tracking for InsurancePolicyTransaction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INSURANCEPOLICYTRANSACTIONHISTORY

History for tracked fields of InsurancePolicyTransaction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Insurance Policy Transaction History ID	id		18		
InsurancePolicyTransactionId	Insurance Policy Transaction ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INSURANCEPROFILE

Represents the insurance-related attributes for the insured member.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InsuranceProfile in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Insurance Profile ID	id		18		
IsAlcoholAbuser	Alcohol Abuse	boolean				
IsAlcoholConsumer	Consumes Alcohol	boolean				
IsDeleted	Deleted	boolean				
IsDrugAbuser	Drug Abuse	boolean				
IsGoodDriver	Good Driver	boolean				
IsGoodStudent	Good Student	boolean				
IsHighRiskOccupation	High Risk Occupation	boolean				
IsLicenseSuspended	License suspended	boolean				
IsTobaccoConsumer	Consumes Tobacco	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MajorCitationCount	Major Citation Count	int	9			
MinorCitationCount	Minor Citation Count	int	9			
Name	Name	string		255		
NumberOfAccidents	Number of Accidents	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
SystemModstamp	System Modstamp	datetime				

INSURANCEPROFILEFEED

Feed tracking for InsuranceProfile.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INSURANCEPROFILEHISTORY

History for tracked fields of InsuranceProfile.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Insurance Profile History ID	id		18		
InsuranceProfileId	Insurance Profile ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INSURANCERATINGREQUESTHISTORY

History for tracked fields of InsuranceRatingRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Insurance Rating Request History ID	id		18		
InsuranceRatingRequestId	Insurance Rating Request ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INSURANCERATINGREQUESTSHARE

Sharing for InsuranceRatingRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INTAKEFORMSECTION

Represents a section of an intake form such as a job application, a complaint, or a referral. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IntakeFormSection in the *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Intake Form Section ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ReferenceRecordId	Reference Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

INTAKEFORMSECTIONFEED

Feed tracking for IntakeFormSection.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

INTAKEFORMSECTIONHISTORY

History for tracked fields of IntakeFormSection.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Intake Form Section History ID	id		18		
IntakeFormSectionId	Intake Form Section ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INTAKEFORMSECTIONSHARE

Sharing for IntakeFormSection.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INTEGRATIONJOBRUN

Represents the statistical details of asynchronous integration jobs that are run on the system.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IntegrationJobRun in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChangeEndRange	Change End Range	double			18	0
ChangeStartRange	Change Start Range	double			18	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDateTime	End Date Time	datetime				
Id	Integration Job Run ID	id		18		
IsDeleted	Deleted	boolean				
JobAdditionalInfo	Job Additional Info	string		255		
JobExectionSummary	Job Exection Summary	textarea		131072		
JobIdentifier	Job Identifier	string		255		
JobName	Job Name	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Origin	Origin	string		255		
OwnerId	Owner ID	reference		18		
StartDateTime	Start Date Time	datetime				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TotalRecordsFailed	Total Records Failed	double			18	0

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalRecordsProcessed	Total Records Processed	double			18	0

INTEGRATIONJOBRUNFEED

Feed tracking for IntegrationJobRun.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INTEGRATIONJOBRUNHISTORY

History for tracked fields of IntegrationJobRun.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Integration Job Run History ID	id		18		
IntegrationJobRunId	Integration Job Run ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INTEGRATIONJOBRUNSHARE

Sharing for IntegrationJobRun.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INTEGRATIONPROVIDERATTR

Represents information about the attributes that are used in the definition for an integration provider. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IntegrationProviderAttr in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Data Type	picklist		255		
DateTimeValue	Date Time Value	datetime				
DateValue	Date Value	date				
Description	Description	string		255		
DeveloperName	Developer Name	string		80		
DoubleValue	Double Value	double			18	0
Id	Integration Provider Attribute ID	id		18		
IntegerValue	Integer Value	int	9			
IntegrationProviderDefId	Integration Provider Definition ID	reference		18		
IsDeleted	Deleted	boolean				
IsRequired	Required	boolean				
IsTrueOrFalseValue	Is True Or False Value	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		80		
PercentageValue	Percentage Value	percent			3	0
StringValue	String Value	string		255		
SystemModstamp	System Modstamp	datetime				

INTEGRATIONPROVIDERDCSNRQMT

Represents a decision requirement used to create integration provider records. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IntegrationProviderDcsnRqmt in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Integration Provider Decision Requirement ID	id		18		
`IntegrationProviderDefId`	Integration Provider Definition ID	reference		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`OwnerId`	Owner ID	reference		18		
`RelatedObject`	Related Object	picklist		255		
`RunAsUserId`	User ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

INTEGRATIONPROVIDERDCSNRQMTFEED

Feed tracking for IntegrationProviderDcsnRqmt.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INTEGRATIONPROVIDERDCSNRQMTHISTORY

History for tracked fields of IntegrationProviderDcsnRqmt.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Integration Provider Decision Requirement History ID	id		18		
IntegrationProviderDcsnRqmtId	Integration Provider Decision Requirement ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INTEGRATIONPROVIDERDCSNRQMTSHARE

Sharing for IntegrationProviderDcsnRqmt.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INTEGRATIONPROVIDERDEF

Represents the definition that's applicable to an integration provider. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IntegrationProviderDef in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApexClassId	Class ID	reference		18		
CanUseInIntegrationOrch	Use In Integration Orchestration	boolean				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	Name	string		80		
ExternalServiceOperationName	External Service Operation Name	string		255		
FileBasedApexClass	File Based Apex Class	string		100		
FileBasedExternalService	File Based External Service	string		255		
FileBasedInputDataProcessor	File Based Input Data Processor	string		255		
FileBasedOmniUiCard	File Based Omni UI Card	string		255		
FileBasedOutputDataProcessor	File Based Output Data Processor	string		255		
Id	Integration Provider Definition ID	id		18		
InputDataProcessorId	Omni Integration Procedure Configuration ID	reference		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsManual	Manual	boolean				
IsServiceTypeIntegration	Service Type Integration	boolean				
JavaClassName	Java Class Name	string		255		
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
OmniUiCardConfigId	Omni Ui Card Config ID	reference		18		
OutputDataProcessorId	Omni Integration Procedure Configuration ID	reference		18		
StorePayload	Store Payload	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

INTEGRATIONPROVIDEREXECUTION

Represents the execution instance of an integration provider. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see IntegrationProviderExecution in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ErrorCode	Error Code	string		255		
ExecutionDateTime	Execution Date Time	datetime				
ExecutionStepInstanceId	Fulfillment Step ID	reference		18		
Id	Integration Provider Execution ID	id		18		
IntegrationProviderDefId	Integration Provider Definition ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ReferenceObjectIdentifier	Reference Object Identifier ID	string		18		
RequestPayloadId	ContentDocument ID	reference		18		
ResponsePayloadId	ContentDocument ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

INTEGRATIONPROVIDEREXECUTIONFEED

Feed tracking for IntegrationProviderExecution.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INTEGRATIONPROVIDEREXECUTIONHISTORY

History for tracked fields of IntegrationProviderExecution.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Integration Provider Execution History ID	id		18		
IntegrationProviderExecutionId	Integration Provider Execution ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INTEGRATIONPROVIDEREXECUTIONSHARE

Sharing for IntegrationProviderExecution.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INTERNALORGANIZATIONUNIT

Represents an organization that an Employee belongs to.

For more information, see InternalOrganizationUnit in the *Object Reference for the Salesforce Platform*, and *Work.com Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		80		
Id	Internal Organization Unit ID	id		18		
IsDeleted	Deleted	boolean				
IsParentCompany	Parent Company	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OrganizationCode	Organization Code	string		40		
OrganizationName	Organization Name	string		80		
OwnerId	Owner ID	reference		18		
ParentOrganizationId	Internal Organization Unit ID	reference		18		
SystemModstamp	System Modstamp	datetime				

INTERNALORGANIZATIONUNITHISTORY

History for tracked fields of InternalOrganizationUnit.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Internal Organization Unit History ID	id		18		
InternalOrganizationUnitId	Internal Organization Unit ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INTERNALORGANIZATIONUNITSHARE

Sharing for InternalOrganizationUnit.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INVBATCHDRAFTTOPOSTEDRUN

Represents information about the batch job that posts all invoices with the status as Draft that are generated by the invoice batch run associated with the billing schedule. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InvBatchDraftToPostedRun in the *Billing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Comments	Comments	textarea		1000		
CompletionDateTime	Completion Date and Time	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditApplicationStatus	Credits Application Status	picklist		255		
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Invoice Batch Draft to Posted Run ID	id		18		
InvBatchDraftToPostedRunNumber	Name	string		255		
InvoiceBatchRunId	Invoice Batch Run ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
StartDateTime	Start Date and Time	datetime				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalDraftInvoicesSelected	Total Draft Invoices Selected	int	9			
TotalInvoiceAmount	Total Invoice Amount	currency			18	2
TotalInvoicesFailed	Total Invoices Failed	int	9			
TotalPostedInvoices	Total Posted Invoices	int	9			

INVENTORYITEMRESERVATION

Used to store inventory item reservation information for a specific product and location. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InventoryItemReservation in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ErrorCode	Error Code	string		255		
ErrorMessage	Error Message	textarea		2000		
Id	Inventory Item Reservation ID	id		18		
InventoryItemReservationName	Inventory Item Reservation Number	string		255		
InventoryReservationId	Inventory Reservation ID	reference		18		
IsDeleted	Deleted	boolean				
ItemReservationSourceId	Item Reservation Source ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ProductId	Product ID	reference		18		
Quantity	Quantity	double			18	0
ReservedAtLocationId	Reserved At Location ID	reference		18		
StockKeepingUnit	Stock Keeping Unit	string		255		
SystemModstamp	System Modstamp	datetime				

INVENTORYRESERVATION

Stores information about the status of cart inventory reservations in B2B and D2C Commerce. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InventoryReservation in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ErrorCode	Error Code	string		255		
ErrorMessage	Error Message	textarea		2000		
Id	Inventory Reservation ID	id		18		
InventoryReservationName	Inventory Reservation Number	string		255		
IsAsyncOperationInProgress	Async Operation in Progress	boolean				
IsDeleted	Deleted	boolean				
IsSuccess	Latest Operation Succeeded	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
ReservationDate	Reservation Date	datetime				
ReservationDurationInSeconds	Reservation Duration in Seconds	int	9			
ReservationIdentifier	Reservation Identifier	string		255		
ReservationSourceId	Reservation Source ID	reference		18		
SystemModstamp	System Modstamp	datetime				

INVENTORYRESERVATIONSHARE

Sharing for InventoryReservation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INVOICE

Represents a financial document describing the total amount a buyer must pay for goods or services provided. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Invoice in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Balance	Balance	currency			18	2
BillToContactId	Contact ID	reference		18		
BillingAccountId	Account ID	reference		18		
CorpCrcyCnvTotAmtWithTax	Corporate Currency Converted Total Amount With Tax	double			18	6
CorporateCurrencyCvsnDate	Corporate Currency Conversion Date	date				
CorporateCurrencyCvsnRate	Corporate Currency Conversion Rate	double			18	10
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DaysInvoiceOpen	Days Invoice Open	int	9			
DaysInvoiceOverdue	Days Invoice Overdue	int	9			
Description	Description	string		255		
DocumentNumber	Document Number	string		255		
DueDate	Due Date	date				
FullSettlementDate	Full Settlement Date	date				
Id	Invoice ID	id		18		
InvoiceDate	Invoice Date	date				
InvoiceLockedDateTime	Invoice Locked Date Time	datetime				
InvoiceNumber	Invoice Number	string		255		
IsDeleted	Deleted	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsInvoiceLocked	Invoice Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
NetCreditsApplied	Net Credits Applied	currency			18	2
NetPaymentsApplied	Net Payments Applied	currency			18	2
OwnerId	Owner ID	reference		18		
PostedDate	Posted Date	date				
ReferenceEntityId	ReferenceEntity ID	reference		18		
SettlementStatus	Settlement Status	picklist		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalAdjustmentAmount	Total Adjustment Amount	currency			18	2
TotalAdjustmentAmountWithTax	Total Adjustment Amount with Tax	currency			18	2
TotalAdjustmentTaxAmount	Total Adjustment Tax Amount	currency			18	2
TotalAmount	Total Amount	currency			18	2
TotalAmountWithTax	Total with Tax	currency			18	2
TotalChargeAmount	Total Charges	currency			18	2
TotalChargeAmountWithTax	Total Charge Amount with Tax	currency			18	2
TotalChargeTaxAmount	Total Charge Tax Amount	currency			18	2
TotalConvertedNegAmount	Total Converted Negative Amount	currency			18	2
TotalTaxAmount	Total Tax	currency			18	2
WriteOffStatus	Write Off Status	picklist		255		
WriteOffTotalChargeAmount	Write Off Total Charge Amount	currency			18	2
WriteOffTotalTaxAmount	Write Off Total Tax Amount	currency			18	2

INVOICEADDRESSGROUP

Stores the buyer's address information. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InvoiceAddressGroup in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Address	Address	address				
City	City	string		40		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
GeocodeAccuracy	Geocode Accuracy	picklist		40		
Id	Invoice Address Group ID	id		18		
InvoiceAddressGroupNumber	Name	string		255		
InvoiceId	Invoice ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Latitude	Latitude	double			18	15
Longitude	Longitude	double			18	15
PostalCode	Postal Code	string		20		
State	State	string		80		
Street	Street	textarea		255		
SystemModstamp	System Modstamp	datetime				

INVOICEBATCHRUN

Represents a batch processing job in Subscription Management or Revenue Lifecycle Management Billing. During an invoice batch run, all billing schedules that meet the specified criteria are processed, resulting in the generation of invoices. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InvoiceBatchRun in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillingBatchSchedulerId	Billing Scheduler ID	reference		18		
Comments	Comments	textarea		1000		
CompletionTime	Completion time	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditApplicationStatus	Credits Application Status	picklist		255		
CurrencyIsoCode	Currency ISO Code	picklist		3		
DocGenCompletionTime	Invoice Document Generation Completion Time	datetime				
DocGenStartTime	Invoice Document Generation Start Time	datetime				
DocGenStatus	Invoice Document Generation Status	picklist		255		
Id	Invoice Batch Run ID	id		18		
InvoiceBatchRunNumber	Invoice Batch Run Number	string		255		
InvoiceDocsGenFailed	Invoice Document Generation Failures	int	9			
InvoiceDocsGenerated	Invoice Documents Generated	int	9			
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
RecoveryStatus	Recovery Status	picklist		255		
StartTime	Start time	datetime				
Status	Status	picklist		255		
StatusSubtype	Status Subtype	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotBillSchdUpdtDurDrftToPost	Total Billing Schedules Updated During Draft to Posted	int	9			
TotalBillSchedRecovered	Total Billing Schedules Recovered	int	9			
TotalBillSchedUnrecovered	Total Billing Schedules Unrecovered	int	9			
TotalBillingSchedulesFailed	Total Billing Schedules Failed	int	9			
TotalBsSuccessfullyProcessed	Total Billing Schedules Successfully Processed	int	9			
TotalDraftInvoiceAmount	Total Draft Invoice Amount	currency			18	2
TotalDraftInvoices	Total Draft Invoices	int	9			
TotalFilteredBillingSchedules	Total Matching Billing Schedules	int	9			
TotalInvSuccessfullyProcessed	Total Invoices Successfully Processed	int	9			
TotalInvoicedAmount	Total Invoiced Amount	currency			18	2
TotalInvoicesCanceled	Total Invoices Canceled	int	9			
TotalInvoicesFailed	Total Invoices Failed	int	9			
TotalInvoicesGenerated	Total Invoices Generated	int	9			
TotalPostedInvoices	Total Posted Invoices	int	9			

INVOICEBATCHRUNCRITERIA

Represents a batch processing job and its required criteria in Subscription Management. During an invoice batch run, all billing schedules that meet the specified criteria are processed, resulting in the generation of invoices. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InvoiceBatchRunCriteria in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Comments	Comments	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CriteriaExpression	Criteria Expression	textarea		1000		
CriteriaMatchType	Criteria Match Type	picklist		255		
ExpectedInvoiceStatus	Expected Invoice Status	picklist		255		
Id	Invoice Batch Run Criteria ID	id		18		
InvoiceBatchRunCriteriaNumber	Invoice Batch Run Criteria Number	string		255		
InvoiceDate	Invoice Date	date				
InvoiceDateOffset	Invoice Date Offset	int	9			
IsDeleted	Deleted	boolean				
IsInvoiceDateFromRunDate	Invoice Date From Run Date	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TargetDate	Target Date	date				
TargetDateOffset	Target Date Offset	int	9			

INVOICEBATCHRUNCRITERIASHARE

Sharing for InvoiceBatchRunCriteria.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INVOICEBATCHRUNRECOVERY

Provides information about an invoice batch run recovery procedure. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InvoiceBatchRunRecovery in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Comments	Comments	textarea		1000		
CompletionTime	Completion time	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Invoice Batch Run Recovery ID	id		18		
InvoiceBatchRunId	Invoice Batch Run ID	reference		18		
InvoiceBatchRunRecoveryNumber	Invoice Batch Run Recovery Number	string		255		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
StartTime	Start time	datetime				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

INVOICEBATCHRUNSHARE

Sharing for InvoiceBatchRun.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

INVOICEDOCUMENT

Tracks and displays the status of documents generated for invoices. Invoice documents are available in the related lists of invoice entity records. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InvoiceDocument in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentDocumentId	ContentDocument ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DateGenerated	Date Generated	date				
DocumentGenerationProcessId	Document Generation Process ID	reference		18		
DocumentNumber	Invoice Document Name	string		255		
ErrorMessage	Error Message	string		255		
Id	Invoice Document ID	id		18		
InvoiceId	Invoice ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

INVOICEDOCUMENTFEED

Feed tracking for InvoiceDocument.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INVOICEDOCUMENTHISTORY

History for tracked fields of InvoiceDocument.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Invoice Document History ID	id		18		
InvoiceDocumentId	Invoice Document ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INVOICEERRORDETAILEVENT

Contains information about errors that occurred during the processing of a /commerce/billing/invoices request. This object is included in an `InvoiceProcessedEvent` message. You can't subscribe to `InvoiceErrorDetailEvent` directly. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InvoiceErrorDetailEvent in the *Billing Guide* and *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`ErrorCode`	Error Code	string		255		
`ErrorMessage`	Error Message	string		1000		
`ErrorSourceId`	Error Source ID	reference		18		
`EventUuid`	Event UUID	string		36		

INVOICEFEED

Feed tracking for Invoice.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

INVOICEHISTORY

History for tracked fields of Invoice.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Invoice History ID	id		18		
InvoiceId	Invoice ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INVOICELINE

Represents the amount that a buyer must pay for a product, service, or fee. Invoice lines are created based on the amount of an order line. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InvoiceLine in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentAmount	Adjustment Amount	currency			18	2
AdjustmentAmountWithTax	Adjustment Amount with Tax	currency			18	2
AdjustmentTaxAmount	Adjustment Tax Amount	currency			18	2
BillingAddressId	Invoice Address Group ID	reference		18		
BillingScheduleGroupId	Billing Schedule Group ID	reference		18		
BillingScheduleId	Billing Schedule ID	reference		18		
ChargeAmount	Charge Amount	currency			18	2
ChargeAmountWithTax	Charge Amount with Tax	currency			18	2
ChargeTaxAmount	Charge Tax Amount	currency			18	2
ConvertedNegAmount	Converted Negative Amount	currency			18	2
CorpCurrencyCnvChargeAmt	Corporate Currency Converted Total Charge Amount	double			18	6
CorpCurrencyCnvTotalTaxAmt	Corporate Currency Converted Total Tax Amount	double			18	6
CorporateCurrencyCvsnDate	Corporate Currency Conversion Date	date				
CorporateCurrencyCvsnRate	Corporate Currency Conversion Rate	double			18	10
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
GroupReferenceEntityItemId	GroupReferenceEntityItem ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	Invoice Line ID	id		18		
InvoiceId	Invoice ID	reference		18		
InvoiceLineEndDate	Invoice Line End Date	date				
InvoiceLineStartDate	Invoice Line Start Date	date				
InvoiceStatus	Status	string		50		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LineAmount	Line Amount	currency			18	2
Name	Name	string		255		
Product2Id	Product ID	reference		18		
Quantity	Quantity	double			18	2
ReferenceEntityItemId	ReferenceEntityItem ID	reference		18		
ReferenceEntityItemType	Reference Entity Item Type	picklist		40		
ReferenceEntityItemTypeCode	Reference Entity Item Type Code	picklist		255		
RelatedLineId	Invoice Line ID	reference		18		
ShipFromAddressId	Invoice Address Group ID	reference		18		
ShippingAddressId	Invoice Address Group ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TaxAmount	Tax Amount	currency			18	2
TaxCode	Tax Code	string		255		
TaxDocumentNumber	Tax Document Number	string		255		
TaxEffectiveDate	Tax Effective Date	date				
TaxName	Tax Name	string		255		
TaxProcessingStatus	Tax Processing Status	picklist		255		
TaxRate	Tax Rate	percent			5	2
TaxTransactionNumber	Tax Transaction Number	string		255		
TaxTreatmentId	Tax Treatment ID	reference		18		
Type	Type	picklist		255		
UnitPrice	Unit Price	currency			18	2

INVOICELINEFEED

Feed tracking for InvoiceLine.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

INVOICELINEHISTORY

History for tracked fields of InvoiceLine.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Invoice Line History ID	id		18		
InvoiceLineId	Invoice Line ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INVOICELINERELATIONSHIP

Represents a relationship between invoice line items to support bundles where one parent invoice line has multiple child invoice lines. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InvoiceLineRelationship in the *Billing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssociatedInvoiceLineId	Invoice Line ID	reference		18		
AssociatedInvoiceLinePricing	Associated Invoice Line Pricing	picklist		255		
AssociatedInvoiceLineRole	Associated Invoice Line Role	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Invoice Line Relationship ID	id		18		
InvoiceId	Invoice ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MainInvoiceLineId	Invoice Line ID	reference		18		
MainInvoiceLineRole	Main Invoice Line Role	picklist		255		
Name	Invoice Line Relationship Name	string		255		
ProductRelationshipTypeId	Product Relationship Type ID	reference		18		
SystemModstamp	System Modstamp	datetime				

INVOICELINERELATIONSHIPFEED

Feed tracking for InvoiceLineRelationship.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INVOICELINERELATIONSHIPHISTORY

History for tracked fields of InvoiceLineRelationship.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Invoice Line Relationship History ID	id		18		
InvoiceLineRelationshipId	Invoice Line Relationship ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INVOICELINETAX

Represents tax information of an invoice line of type Tax. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InvoiceLineTax in the *Billing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillingAddressId	Invoice Address Group ID	reference		18		
ConvertedNegAmount	Converted Negative Amount	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
EndDate	End Date	date				
Id	Invoice Line Tax ID	id		18		
InvoiceLineId	Invoice Line ID	reference		18		
InvoiceLineTaxNumber	Name	string		255		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LegalEntityAccountingPeriodId	Legal Entity Accounting Period ID	reference		18		
LegalEntityId	Legal Entity ID	reference		18		
ShipFromAddressId	Invoice Address Group ID	reference		18		
ShippingAddressId	Invoice Address Group ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TaxAmount	Tax Amount	currency			18	2
TaxCode	Tax Code	string		255		
TaxDocumentNumber	Tax Document Number	string		255		
TaxEffectiveDate	Tax Effective Date	date				
TaxExemptAmount	Tax Exempt Amount	currency			18	2
TaxName	Tax Name	string		255		
TaxProcessingStatus	Tax Processing Status	picklist		255		
TaxRate	Tax Rate	percent			5	2
TaxTransactionNumber	Tax Transaction Number	string		255		
TaxTreatmentId	Tax Treatment ID	reference		18		

INVOICELINETAXFEED

Feed tracking for InvoiceLineTax.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

INVOICELINETAXHISTORY

History for tracked fields of InvoiceLineTax.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Invoice Line Tax History ID	id		18		
InvoiceLineTaxId	Invoice Line Tax ID	reference		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

INVOICEPROCPYMTEXCLEVENT

Represents the notification to the subscribers regarding the results of `/commerce/invoicing/invoices/collection/actions/generate` request to generate an invoice from billing schedules without processing payments. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InvoiceProcPymtExclEvent in the *Billing Guide* and *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CorrelationIdentifier`	Correlation Identifier	string		80		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EventUuid`	Event UUID	string		36		
`InvoiceErrorDetailEvent`	Invoice Processed Payment Excluded EventInvoice Error Detail Event	textarea		32000		
`InvoiceProcDetailEventList`	Invoice Processed Detail Events	textarea		32000		
`IsSuccess`	Success	boolean				
`PaymentExclusionReason`	Payment Exclusion Reason	string		100		
`ReplayId`	Replay ID	string		1000		
`RequestIdentifier`	Request Identifier	string		80		

INVOICEPROCESSEDDETAILEVENT

Notifies subscribers of the results of an attempt to create an invoice from billing schedules as part of /commerce/billing/invoices. InvoiceProcessedDetailEvent contains the results of an attempt to create an invoice from one or more billing schedules that share a grouping key. Each InvoiceProcessedDetailEvent for an action is grouped within the parent object InvoiceProcessedEvent. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InvoiceProcessedDetailEvent in the *Billing Guide* and *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EventUuid`	Event UUID	string		36		
`InvoiceErrorDetailEvents`	Invoice Error Detail Event ID	complexvalue				
`InvoiceId`	Invoice ID	reference		18		
`InvoiceStatus`	Invoice Status	string		50		
`IsSuccess`	Success	boolean				

INVOICEPROCESSEDEVENT

Notifies subscribers when the process started by the /commerce/billing/invoices request is complete. The process groups billing schedules by grouping keys and creates one invoice per grouping key. InvoiceProcessedEvent is a top-level object that contains a list of InvoiceProcessedDetailEvents, where each detail event represents an attempt to create one invoice. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see InvoiceProcessedEvent in the *Billing Guide* and *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CorrelationIdentifier`	Correlation Identifier	string		80		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EventUuid`	Event UUID	string		36		
`InvoiceErrorDetailEvent`	Invoice Error Detail Event ID	complexvalue				
`InvoiceProcessedDetailEvents`	Invoice Processed Detail Event ID	complexvalue				
`IsSuccess`	Success	boolean				
`ReplayId`	Replay ID	string		1000		
`RequestIdentifier`	Request Identifier	string		80		

INVOICESHARE

Sharing for Invoice.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

JOBPROFILE

Represents a job profile used for shift scheduling. This object is available in API versions 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see JobProfile in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
Id	Job Profile ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Job Profile Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

JOBPROFILEFEED

Feed tracking for JobProfile.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

JOBPROFILEHISTORY

History for tracked fields of JobProfile.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Job Profile History ID	id		18		
`IsDeleted`	Deleted	boolean				
`JobProfileId`	Job Profile ID	reference		18		
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

JOBPROFILESHARE

Sharing for JobProfile.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

JOURNALREASON

Represents a view that specifies the reason for the action that created a transaction journal.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see JournalReason in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Journal Reason ID	id		18		
IsActive	Is Active	picklist		40		
JournalReasonType	Journal Reason Type	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SystemModstamp	System Modstamp	datetime				

JOURNALSUBTYPE

Represents the subcategory of transaction journal.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see JournalSubType in the *Loyalty Management Developer Guide* and *Referral Marketing Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		1000		
Id	Journal Subtype ID	id		18		
IsDeleted	Deleted	boolean				
JournalTypeId	Journal Type ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

JOURNALSUBTYPEHISTORY

History for tracked fields of JournalSubType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Journal Subtype History ID	id		18		
IsDeleted	Deleted	boolean				
JournalSubTypeId	Journal Subtype ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

JOURNALTYPE

Represents the category of transactions. For example: accrual, redemption. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see JournalType in the *Loyalty Management Developer Guide* and *Referral Marketing Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		1000		
Id	Journal Type ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProcessType	Industry Name	picklist		255		
SystemModstamp	System Modstamp	datetime				

JOURNALTYPEHISTORY

History for tracked fields of JournalType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Journal Type History ID	id		18		
IsDeleted	Deleted	boolean				
JournalTypeId	Journal Type ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

JOURNALTYPESHARE

Sharing for JournalType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

KNOWLEDGEARTICLE

Provides read-only access to an article and the ability to delete the primary article. This object is available in API version 19.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see KnowledgeArticle in the *Object Reference for the Salesforce Platform* and *Salesforce Knowledge Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ArchivedById	User ID	reference		18		
ArchivedDate	Archived Date	datetime				
ArticleNumber	Article Number	string		30		
CaseAssociationCount	Case Association Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FirstPublishedDate	First Published Date	datetime				
Id	Knowledge Article ID	id		18		
IsDeleted	Is Deleted	boolean				
IsGeneratedByLlm	Generated by Large Language Model	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastPublishedDate	Last Published Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MasterLanguage	Language	picklist		40		
MigratedToFromArticle	Mapping info between old Article and migrated Article	string		15		
SystemModstamp	System Modstamp	datetime				
TotalViewCount	Total View Count	int	9			

KNOWLEDGEARTICLEVERSION

Provides a global view of standard article fields across all types of articles depending on their version. This object is available in API version 18.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see KnowledgeArticleVersion in the *Object Reference for the Salesforce Platform* and *Salesforce Knowledge Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ArchivedById	User ID	reference		18		
ArchivedDate	Archived Date	datetime				
ArticleArchivedById	User ID	reference		18		
ArticleArchivedDate	Article Archived Date	datetime				
ArticleCaseAttachCount	Article Case Association Count	int	9			
ArticleCreatedById	User ID	reference		18		
ArticleCreatedDate	Article Created Date	datetime				
ArticleMasterLanguage	Article Primary Language	picklist		40		
ArticleNumber	Article Number	string		30		
ArticleTotalViewCount	Article Total View Count	int	9			
AssignedById	User ID	reference		18		
AssignedToId	Assigned To	reference		18		
AssignmentDate	Assignment Date	datetime				
AssignmentDueDate	Assignment Due Date	datetime				
AssignmentNote	Assignment Note	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FirstPublishedDate	First Published Date	datetime				
Id	Knowledge Article Version ID	id		18		
IsDeleted	Is Deleted	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsLatestVersion	Is Latest Version	boolean				
IsMasterLanguage	Is Primary Language	boolean				
IsOutOfDate	Out of Date	boolean				
IsVisibleInApp	Visible In Internal App	boolean				
IsVisibleInCsp	Visible to Customer	boolean				
IsVisibleInPkb	Visible In Public Knowledge Base	boolean				
IsVisibleInPrm	Visible to Partner	boolean				
KnowledgeArticleId	Knowledge Article ID	reference		18		
Language	Language	picklist		40		
LargeLanguageModel	Large Language Model	string		100		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastPublishedDate	Last Published Date	datetime				
MasterVersionId	Knowledge Article Version ID	reference		18		
MigratedToFromArticleVersion	Mapping info between old Article Version and migrated Article Version	string		15		
NextReviewDate	Next Review Date	datetime				
OwnerId	Owner ID	reference		18		
PublishStatus	Publication Status	picklist		40		
SourceId	Source	reference		18		
Summary	Summary	textarea		1000		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
TranslationCompletedDate	Translation Completed Date	datetime				
TranslationExportedDate	Translation Exported Date	datetime				
TranslationImportedDate	Translation Imported Date	datetime				
UrlName	URL Name	string		255		
VersionNumber	Version Number	int	6			

KNOWLEDGEARTICLEVERSIONHISTORY

Enables read-only access to the full history of an article. This object is available in API version 25.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see KnowledgeArticleVersionHistory in the *Object Reference for the Salesforce Platform* and *Salesforce Knowledge Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
EventType	Event Type	picklist		40		
FieldName	Custom Field Definition ID	picklist		255		
Id	Entity Version History ID	id		18		
IsDeleted	Deleted	boolean				
Language	Language	picklist		40		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ParentId	Knowledge Article ID	reference		18		
ParentSobjectType	Parent SObject Type Name	picklist		40		
VersionId	Version ID	reference		18		
VersionNumber	Version Number	int	6			

KNOWLEDGEARTICLEVIEWSTAT

Provides certain statistics related to the number of views for the specified article across all article types. The view count statistics are for published and archived articles only. View counts for draft articles aren't tracked. This object is read-only and available in API version 20.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see KnowledgeArticleViewStat in the *Object Reference for the Salesforce Platform* and *Salesforce Knowledge Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Channel`	Channel	picklist		40		
`Id`	View Stat ID	id		18		
`IsDeleted`	Deleted	boolean				
`NormalizedScore`	Score	double			18	4
`ParentId`	Knowledge Article ID	reference		18		
`ViewCount`	Total Views	int	9			

KNOWLEDGEARTICLEVOTESTAT

Provides the weighted rating for the specified article on a scale of 1 to 5 across all article types. This object is read-only and available in API version 20.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see KnowledgeArticleVoteStat in the *Object Reference for the Salesforce Platform* and *Salesforce Knowledge Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Channel`	Channel	picklist		40		
`Id`	Vote Stat ID	id		18		
`IsDeleted`	Deleted	boolean				
`NormalizedScore`	Score	double			18	4
`ParentId`	Knowledge Article ID	reference		18		

KNOWLEDGE__DATACATEGORYSELECTION

Represents a data category that classifies an article. This object is available in API version 39.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Knowledge__DataCategorySelection in the *Object Reference for the Salesforce Platform* and *Salesforce Knowledge Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataCategoryGroupName	Selected Data Category Group's Developer Name	datagroupreference	0	80	0	0
DataCategoryName	Selected Data Category's Developer Name	datagroupreference	0	80	0	0
Id	Entity Data Category Selection ID	id		18		
IsDeleted	Deleted	boolean				
ParentId	Knowledge Article Version ID	reference		18		
SystemModstamp	System Modstamp	datetime				

KNOWLEDGE__FEED

Represents the feed for a knowledge article.

For more information, see Knowledge__Feed in the *Object Reference for the Salesforce Platform*, and *Salesforce Knowledge Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

KNOWLEDGE__KA

Provides access to the concrete object that represents a Knowledge article, the parent object for article versions. This object is available in API version 39.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Knowledge__ka in the *Object Reference for the Salesforce Platform* and *Salesforce Knowledge Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ArchivedById	User ID	reference		18		
ArchivedDate	Archived Date	datetime				
ArticleNumber	Article Number	string		30		
CaseAssociationCount	Case Association Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FirstPublishedDate	First Published Date	datetime				
Id	Knowledge Article ID	id		18		
IsDeleted	Is Deleted	boolean				
IsGeneratedByLlm	Generated by Large Language Model	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastPublishedDate	Last Published Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MasterLanguage	Language	picklist		40		
MigratedToFromArticle	Mapping info between old Article and migrated Article	string		15		
SystemModstamp	System Modstamp	datetime				
TotalViewCount	Total View Count	int	9			

KNOWLEDGE__KAV

Provides access to the concrete object that represents a Knowledge article version. This object is available in API version 39.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Knowledge__kav in the *Object Reference for the Salesforce Platform* and *Salesforce Knowledge Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Answer__c	Answer	textarea		131072		
ArchivedById	User ID	reference		18		
ArchivedDate	Archived Date	datetime				
ArticleArchivedById	User ID	reference		18		
ArticleArchivedDate	Article Archived Date	datetime				
ArticleCaseAttachCount	Article Case Association Count	int	9			
ArticleCreatedById	User ID	reference		18		
ArticleCreatedDate	Article Created Date	datetime				
ArticleMasterLanguage	Article Primary Language	picklist		40		
ArticleNumber	Article Number	string		30		
ArticleTotalViewCount	Article Total View Count	int	9			
AssignedById	User ID	reference		18		
AssignedToId	Assigned To	reference		18		
AssignmentDate	Assignment Date	datetime				
AssignmentDueDate	Assignment Due Date	datetime				
AssignmentNote	Assignment Note	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FirstPublishedDate	First Published Date	datetime				
Id	Knowledge Article Version ID	id		18		
IsDeleted	Is Deleted	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsLatestVersion	Is Latest Version	boolean				
IsMasterLanguage	Is Primary Language	boolean				
IsOutOfDate	Out of Date	boolean				
IsVisibleInApp	Visible In Internal App	boolean				
IsVisibleInCsp	Visible to Customer	boolean				
IsVisibleInPkb	Visible In Public Knowledge Base	boolean				
IsVisibleInPrm	Visible to Partner	boolean				
KnowledgeArticleId	Knowledge Article ID	reference		18		
Language	Language	picklist		40		
LargeLanguageModel	Large Language Model	string		100		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastPublishedDate	Last Published Date	datetime				
MasterVersionId	Knowledge Article Version ID	reference		18		
MigratedToFromArticleVersion	Mapping info between old Article Version and migrated Article Version	string		15		
NextReviewDate	Next Review Date	datetime				
OwnerId	Owner ID	reference		18		
PublishStatus	Publication Status	picklist		40		
Question__c	Question	textarea		255		
SourceId	Source	reference		18		
Summary	Summary	textarea		1000		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
TranslationCompletedDate	Translation Completed Date	datetime				
TranslationExportedDate	Translation Exported Date	datetime				
TranslationImportedDate	Translation Imported Date	datetime				
UrlName	URL Name	string		255		
VersionNumber	Version Number	int	6			

KNOWLEDGEABLEUSER

Represents a user identified as knowledgeable about a specific topic, and ranks them relative to other knowledgeable users. This object is available in API version 31.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see KnowledgeableUser in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Id`	Knowledgeable User ID	id		18		
`NetworkId`	Network ID	reference		18		
`RawRank`	Rank	int	9			
`SystemModstamp`	System Modstamp	datetime				
`TopicId`	Topic ID	reference		18		
`UserId`	User ID	reference		18		

LEAD

Represents a prospect or lead.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Lead in the *Design Registration Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Address	Address	address				
AnnualRevenue	Annual Revenue	currency			18	0
City	City	string		40		
CleanStatus	Clean Status	picklist		40		
Company	Company	string		255		
CompanyDunsNumber	Company D-U-N-S Number	string		9		
ConvertedAccountId	Converted Account ID	reference		18		
ConvertedContactId	Converted Contact ID	reference		18		
ConvertedDate	Converted Date	date				
ConvertedOpportunityId	Converted Opportunity ID	reference		18		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Lead Currency	picklist		3		
CurrentGenerators__c	Current Generator(s)	string		100		
DandbCompanyId	D&B Company ID	reference		18		
Description	Description	textarea		32000		
Email	Email	email		80		
EmailBouncedDate	Email Bounced Date	datetime				
EmailBouncedReason	Email Bounced Reason	string		255		
Fax	Fax	phone		40		
FirstName	First Name	string		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
GenderIdentity	Gender Identity	picklist		255		
GeocodeAccuracy	Geocode Accuracy	picklist		40		
Id	Lead ID	id		18		
IndividualId	Individual ID	reference		18		
Industry	Industry	picklist		255		
IsConverted	Converted	boolean				
IsDeleted	Deleted	boolean				
IsPriorityRecord	Important	boolean				
IsUnreadByOwner	Unread By Owner	boolean				
Jigsaw	Data.com Key	string		20		
JigsawContactId	Jigsaw Contact ID	string		20		
LastActivityDate	Last Activity	date				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastName	Last Name	string		80		
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
LeadSource	Lead Source	picklist		255		
Longitude	Longitude	double			18	15
MasterRecordId	Master Record ID	reference		18		
MobilePhone	Mobile Phone	phone		40		
Name	Full Name	string		121		
NumberOfEmployees	Employees	int	8			
NumberofLocations__c	Number of Locations	double			3	0
OwnerId	Owner ID	reference		18		
Phone	Phone	phone		40		
PhotoUrl	Photo URL	url		255		
PostalCode	Zip/Postal Code	string		20		
Primary__c	Primary	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ProductInterest__c	Product Interest	picklist		255		
Pronouns	Pronouns	picklist		255		
Rating	Rating	picklist		255		
SICCode__c	SIC Code	string		15		
Salutation	Salutation	picklist		40		
State	State/Province	string		80		
Status	Status	picklist		255		
Street	Street	textarea		255		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		128		
Website	Website	url		255		

LEADCLEANINFO

Stores the metadata Data.com Clean uses to determine a lead record's clean status. Helps you automate the cleaning or related processing of lead records.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LeadCleanInfo in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Address	Address	address				
AnnualRevenue	Annual Revenue	currency			18	0
City	City	string		40		
CleanedByJob	Cleaned by Job	boolean				
CleanedByUser	Cleaned by User	boolean				
CompanyDunsNumber	Company D-U-N-S Number	string		9		
CompanyName	Company Name	string		255		
ContactStatusDataDotCom	Contact Status per Data.com	picklist		255		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DandBCompanyDunsNumber	D&B Company D-U-N-S Number	string		9		
DataDotComCompanyId	Data.com Company ID	string		20		
DataDotComId	Data.com ID	string		20		
Email	Email	email		80		
FirstName	First Name	string		255		
GeocodeAccuracy	Geocode Accuracy	picklist		40		
Id	Lead Clean Info ID	id		18		
Industry	Industry	picklist		40		
IsDeleted	Deleted	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsDifferentAnnualRevenue	Annual Revenue is Different	boolean				
IsDifferentCity	City is Different	boolean				
IsDifferentCompanyDunsNumber	Company D-U-N-S Number is Different	boolean				
IsDifferentCompanyName	Company Name is Different	boolean				
IsDifferentCountry	Country is Different	boolean				
IsDifferentCountryCode	Country Code is Different	boolean				
IsDifferentDandBCompanyDunsNumber	D&B Company D-U-N-S Number is Different	boolean				
IsDifferentEmail	Email is Different	boolean				
IsDifferentFirstName	First Name is Different	boolean				
IsDifferentIndustry	Industry is Different	boolean				
IsDifferentLastName	Last Name is Different	boolean				
IsDifferentNumberOfEmployees	Number of Employees is Different	boolean				
IsDifferentPhone	Phone is Different	boolean				
IsDifferentPostalCode	ZIP is Different	boolean				
IsDifferentState	State is Different	boolean				
IsDifferentStateCode	State Code is Different	boolean				
IsDifferentStreet	Street is Different	boolean				
IsDifferentTitle	Title is Different	boolean				
IsFlaggedWrongAddress	Address is Flagged Wrong	boolean				
IsFlaggedWrongAnnualRevenue	Annual Revenue is Flagged Wrong	boolean				
IsFlaggedWrongCompanyDunsNumber	Company D-U-N-S Number is Flagged Wrong	boolean				
IsFlaggedWrongCompanyName	Company Name is Flagged Wrong	boolean				
IsFlaggedWrongEmail	Email is Flagged Wrong	boolean				
IsFlaggedWrongIndustry	Industry is Flagged Wrong	boolean				
IsFlaggedWrongName	Name is Flagged Wrong	boolean				
IsFlaggedWrongNumberOfEmployees	Number of Employees is Flagged Wrong	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsFlaggedWrongPhone	Phone is Flagged Wrong	boolean				
IsFlaggedWrongTitle	Title is Flagged Wrong	boolean				
IsInactive	Contact Status in Salesforce	boolean				
IsReviewedAddress	Address is Reviewed	boolean				
IsReviewedAnnualRevenue	Annual Revenue is Reviewed	boolean				
IsReviewedCompanyDunsNumber	Company D-U-N-S Number is Reviewed	boolean				
IsReviewedCompanyName	Company Name is Reviewed	boolean				
IsReviewedDandBCompanyDunsNumber	D&B Company D-U-N-S Number is Reviewed	boolean				
IsReviewedEmail	Email is Reviewed	boolean				
IsReviewedIndustry	Industry is Reviewed	boolean				
IsReviewedName	Name is Reviewed	boolean				
IsReviewedNumberOfEmployees	Number of Employees is Reviewed	boolean				
IsReviewedPhone	Phone is Reviewed	boolean				
IsReviewedTitle	Title is Reviewed	boolean				
LastMatchedDate	Last Matched Date	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastName	Last Name	string		255		
LastStatusChangedById	User ID	reference		18		
LastStatusChangedDate	Last Status Changed Date	datetime				
Latitude	Latitude	double			18	15
LeadId	Lead ID	reference		18		
Longitude	Longitude	double			18	15
Name	Lead Clean Info Name	string		255		
NumberOfEmployees	Number of Employees	int	8			
Phone	Phone	phone		40		
PostalCode	Zip	string		20		
State	State	string		80		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Street`	Street	textarea		255		
`SystemModstamp`	System Modstamp	datetime				
`Title`	Title	string		128		

LEADDAILYMETRIC

Represents the daily engagement metrics for a lead.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LeadDailyMetric in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AllCallsCallBackLater	All Calls Call Back Later Count	int	9			
AllCallsLeftVoicemail	All Calls Left Voicemail Count	int	9			
AllCallsMeaningfulConnect	All Calls Meaningful Connect Count	int	9			
AllCallsNotInterested	All Calls Not Interested Count	int	9			
AllCallsUncategorized	All Calls Uncategorized Count	int	9			
AllCallsUnqualified	All Calls Unqualified Count	int	9			
AllEmailsBouncedCount	All Emails Bounced Count	int	9			
AllEmailsDeliveredCount	All Emails Delivered Count	int	9			
AllEmailsDeliveredRate	All Emails Delivered Rate	percent			5	2
AllEmailsHardBouncedCount	All Emails Hard Bounced Count	int	9			
AllEmailsOutOfOfficeCount	All Emails Out of Office Count	int	9			
AllEmailsSentCount	All Emails Sent Count	int	9			
AllEmailsSoftBouncedCount	All Emails Soft Bounced Count	int	9			
AllEmailsTrackedSentCount	All Emails Tracked Sent Count	int	9			
AllEmailsUntrackedSentCount	All Emails Untracked Sent Count	int	9			
AllTotalCallsCount	All Total Calls Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DailyCutOffTimeStamp	Daily Cutoff Time	datetime				
Date	Date	date				
DateInt	Date Int	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
HardBounceTrackableSends	Hard Bounce Trackable Sends	int	9			
Id	Lead Daily Metric ID	id		18		
InboundEngagementsCount	Inbound Engagements Count	int	9			
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LeadId	Lead ID	reference		18		
LinkClickTrackableSends	Link Click Trackable Sends	int	9			
OpenTrackableSends	Open Trackable Sends	int	9			
OutOfOfficeTrackableSends	Out of Office Trackable Sends	int	9			
OutboundEngagementsCount	Outbound Engagements Count	int	9			
ReplyTrackableSends	Reply Trackable Sends	int	9			
SoftBounceTrackableSends	Soft Bounce Trackable Sends	int	9			
SystemModstamp	System Modstamp	datetime				
TrackableSendHardBounceRate	Trackable Send Hard Bounce Rate	percent			5	2
TrackableSendLinkClickRate	Trackable Send Link Click Rate	percent			5	2
TrackableSendOpenRate	Trackable Send Open Rate	percent			5	2
TrackableSendOutOfOfficeRate	Trackable Send Out Of Office Rate	percent			5	2
TrackableSendReplyRate	Trackable Send Reply Rate	percent			5	2
TrackableSendSoftBounceRate	Trackable Send Soft Bounce Rate	percent			5	2
UniqueEmailsLinkClickedCount	Unique Emails Link Clicked Count	int	9			
UniqueEmailsOpenedCount	Unique Emails Opened Count	int	9			
UniqueEmailsRepliedCount	Unique Emails Replied Count	int	9			

LEADFEED

Feed tracking for Lead.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

LEADHISTORY

History for tracked fields of Lead.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Lead History ID	id		18		
`IsDeleted`	Deleted	boolean				
`LeadId`	Lead ID	reference		18		
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

LEADMONTHLYMETRIC

Represents the monthly engagement metrics for a lead.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LeadMonthlyMetric in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AllCallsCallBackLater	All Calls Call Back Later Count	int	9			
AllCallsLeftVoicemail	All Calls Left Voicemail Count	int	9			
AllCallsMeaningfulConnect	All Calls Meaningful Connect Count	int	9			
AllCallsNotInterested	All Calls Not Interested Count	int	9			
AllCallsUncategorized	All Calls Uncategorized Count	int	9			
AllCallsUnqualified	All Calls Unqualified Count	int	9			
AllEmailsBouncedCount	All Emails Bounced Count	int	9			
AllEmailsDeliveredCount	All Emails Delivered Count	int	9			
AllEmailsDeliveredRate	All Emails Delivered Rate	percent			5	2
AllEmailsHardBouncedCount	All Emails Hard Bounced Count	int	9			
AllEmailsOutOfOfficeCount	All Emails Out of Office Count	int	9			
AllEmailsSentCount	All Emails Sent Count	int	9			
AllEmailsSoftBouncedCount	All Emails Soft Bounced Count	int	9			
AllEmailsTrackedSentCount	All Emails Tracked Sent Count	int	9			
AllEmailsUntrackedSentCount	All Emails Untracked Sent Count	int	9			
AllTotalCallsCount	All Total Calls Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
HardBounceTrackableSends	Hard Bounce Trackable Sends	int	9			
Id	Lead Monthly Metric ID	id		18		
IsDeleted	Deleted	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LeadId	Lead ID	reference		18		
LinkClickTrackableSends	Link Click Trackable Sends	int	9			
Month	Month	date				
MonthInt	Month Int	int	9			
OpenTrackableSends	Open Trackable Sends	int	9			
OutOfOfficeTrackableSends	Out of Office Trackable Sends	int	9			
ReplyTrackableSends	Reply Trackable Sends	int	9			
SoftBounceTrackableSends	Soft Bounce Trackable Sends	int	9			
SystemModstamp	System Modstamp	datetime				
TrackableSendHardBounceRate	Trackable Send Hard Bounce Rate	percent			5	2
TrackableSendLinkClickRate	Trackable Send Link Click Rate	percent			5	2
TrackableSendOpenRate	Trackable Send Open Rate	percent			5	2
TrackableSendOutOfOfficeRate	Trackable Send Out Of Office Rate	percent			5	2
TrackableSendReplyRate	Trackable Send Reply Rate	percent			5	2
TrackableSendSoftBounceRate	Trackable Send Soft Bounce Rate	percent			5	2
UniqueEmailsLinkClickedCount	Unique Emails Link Clicked Count	int	9			
UniqueEmailsOpenedCount	Unique Emails Opened Count	int	9			
UniqueEmailsRepliedCount	Unique Emails Replied Count	int	9			

LEADSHARE

Represents a sharing entry on a Lead.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LeadShare in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Id`	Lead Share ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LeadAccessLevel`	Lead Access	picklist		40		
`LeadId`	Lead ID	reference		18		
`RowCause`	Row Cause	picklist		40		
`UserOrGroupId`	User/Group ID	reference		18		

LEADSTATUS

Represents the status of a Lead record, such as Open, Qualified, or Converted.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LeadStatus in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Lead Status Value ID	id		18		
IsConverted	Is Converted	boolean				
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

LEARNINGITEM

Represents a single learning item, such as a walkthrough, Trailhead module, or URL to external content. Users can be assigned a learning item to complete.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LearningItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Learning Item ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`OwnerId`	Owner ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`Type`	Type	picklist		255		

LEARNINGITEMSHARE

Sharing for LearningItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LEGALENTITY

Represents the way an organization is structured. An organization can be a single legal entity or it can comprise more than one legal entity. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LegalEntity in the *Billing Guide*, *Financial Services Cloud Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CompanyName	Company Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		255		
Id	Legal Entity ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LegalEntityAddress	Address	address				
LegalEntityCity	City	string		40		
LegalEntityCountry	Country	string		80		
LegalEntityGeocodeAccuracy	Geocode Accuracy	picklist		40		
LegalEntityLatitude	Latitude	double			18	15
LegalEntityLongitude	Longitude	double			18	15
LegalEntityPostalCode	Postal Code	string		20		
LegalEntityState	State	string		80		
LegalEntityStreet	Street	textarea		255		
Name	Legal Entity Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OwnerId	Owner ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

LEGALENTITYFEED

Feed tracking for LegalEntity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

LEGALENTITYHISTORY

History for tracked fields of LegalEntity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Legal Entity History ID	id		18		
IsDeleted	Deleted	boolean				
LegalEntityId	Legal Entity ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LEGALENTITYSHARE

Sharing for LegalEntity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LEGALENTYACCOUNTINGPERIOD

Represents a junction between a legal entity and an accounting period. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LegalEntyAccountingPeriod in the *Billing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountingPeriodId	Accounting Period ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Legal Entity Accounting Period ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LegalEntityId	Legal Entity ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

LEGALENTYACCOUNTINGPERIODFEED

Feed tracking for LegalEntyAccountingPeriod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

LEGALENTYACCOUNTINGPERIODHISTORY

History for tracked fields of LegalEntyAccountingPeriod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Legal Entity Accounting Period History ID	id		18		
IsDeleted	Deleted	boolean				
LegalEntyAccountingPeriodId	Legal Entity Accounting Period ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LEGALENTYACCOUNTINGPERIODSHARE

Sharing for LegalEntyAccountingPeriod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LIGHTNINGEXITBYPAGEMETRICS

Represents frequency metrics about the standard pages within which users switched from Lightning Experience to Salesforce Classic. This object is available in API version 44.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LightningExitByPageMetrics in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Id`	Lightning Exit By Page Metrics ID	id		18		
`MetricsDate`	Metrics Date	date				
`PageName`	Page Name	string		40		
`RecordCount`	Record Count	int	9			
`SystemModstamp`	System Modstamp	datetime				
`UserId`	User ID	reference		18		

LIGHTNINGEXPERIENCETHEME

Represents information for a theme in Lightning Experience. This object is available in API Version 42.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LightningExperienceTheme in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultBrandingSetId	Branding Set ID	reference		18		
Description	Description	textarea		1000		
DesignSystemVersion	Design System Version	picklist		255		
DeveloperName	Name	string		70		
Id	Theme ID	id		18		
IsDarkModeEnabled	Is Dark Mode Enabled	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Name	string		70		
NamespacePrefix	Namespace Prefix	string		15		
ShouldOverrideLoadingImage	Should Override Loading Image	boolean				
SystemModstamp	System Modstamp	datetime				

LIGHTNINGONBOARDINGCONFIG

Represents the feedback provided when users switch from Lightning Experience to Salesforce Classic. Admins can customize the question, how frequently the form appears, and where the feedback is stored in Chatter from the Adoption Assistance page in Lightning Experience Setup. Available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LightningOnboardingConfig in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CollaborationGroupId	Collaboration Group ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomQuestion	Custom Question	textarea		1000		
DeveloperName	Name	string		80		
FeedbackFormDaysFrequency	Feedback Form Days Frequency	int	9			
Id	Lightning Onboarding Config ID	id		18		
IsCustom	Is Custom	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
PromptDelayTime	Prompt Delay Time	int	9			
SendFeedbackToSalesforce	Send Feedback To Salesforce	boolean				
SystemModstamp	System Modstamp	datetime				

LIGHTNINGTOGGLEMETRICS

Represents users who switched from Lightning Experience back to Salesforce Classic. This object is available in API version 43.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LightningToggleMetrics in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Action`	Action	string		40		
`Id`	Lightning Toggle Metrics ID	id		18		
`MetricsDate`	Metrics Date	date				
`RecordCount`	Record Count	int	9			
`SystemModstamp`	System Modstamp	datetime				
`UserId`	User ID	reference		18		

LIGHTNINGURIEVENT

Detects when a user creates, accesses, updates, or deletes a record in Lightning Experience only. LightningUriEvent is a big object that stores the event data of LightningUriEventStream. This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LightningUriEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppName	Application Name	string		255		
ConnectionType	Connection Type	string		255		
CreatedDate	Created Date	datetime				
DeviceId	Device ID	string		255		
DeviceModel	Device Model	string		255		
DevicePlatform	Device Platform	string		255		
DeviceSessionId	Device Session ID	string		255		
Duration	Duration	double			18	0
EffectivePageTime	Effective Page Time	double			18	0
EffectivePageTimeDeviationErrorType	Effective Page Time Deviation Error Type	string		255		
EffectivePageTimeDeviationReason	Effective Page Time Deviation Reason	string		255		
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
HasEffectivePageTimeDeviation	Has Effective Page Time Deviation	boolean				
Id	Lightning URI Event ID	id		18		
LoginKey	Login Key	string		24		
Operation	Operation	picklist		255		
OsName	OS Name	string		255		
OsVersion	OS Version	string		255		
PageStartTime	Page Start Time	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PageUrl	Page URL	url		255		
PreviousPageAppName	Previous Page App Name	string		255		
PreviousPageEntityId	Previous Page Entity ID	reference		18		
PreviousPageEntityType	Previous Page Entity Type	string		255		
PreviousPageUrl	Previous Page URL	url		255		
QueriedEntities	Queried Entities	string		1000		
RecordId	Record ID	reference		18		
RelatedEventIdentifier	Related Event Identifier	string		80		
SdkAppType	SDK App Type	string		255		
SdkAppVersion	SDK App Version	string		255		
SdkVersion	SDK Version	string		255		
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
UserAgent	User Agent	string		512		
UserId	User ID	reference		18		
UserType	User Type	picklist		255		
Username	Username	string		255		

LIGHTNINGURIEVENTSTREAM

Detects when a user creates, accesses, updates, or deletes a record in Lightning Experience only. This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LightningUriEventStream in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppName	Application Name	string		255		
ConnectionType	Connection Type	string		255		
CreatedDate	Created Date	datetime				
DeviceId	Device ID	string		255		
DeviceModel	Device Model	string		255		
DevicePlatform	Device Platform	string		255		
DeviceSessionId	Device Session ID	string		255		
Duration	Duration	double			18	0
EffectivePageTime	Effective Page Time	double			18	0
EffectivePageTimeDeviationErrorType	Effective Page Time Deviation Error Type	string		255		
EffectivePageTimeDeviationReason	Effective Page Time Deviation Reason	string		255		
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
EventUuid	Event UUID	string		36		
HasEffectivePageTimeDeviation	Has Effective Page Time Deviation	boolean				
LoginKey	Login Key	string		24		
Operation	Operation	picklist		255		
OsName	OS Name	string		255		
OsVersion	OS Version	string		255		
PageStartTime	Page Start Time	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PageUrl	Page URL	url		255		
PreviousPageAppName	Previous Page App Name	string		255		
PreviousPageEntityId	Previous Page Entity ID	string		18		
PreviousPageEntityType	Previous Page Entity Type	string		255		
PreviousPageUrl	Previous Page URL	url		255		
QueriedEntities	Queried Entities	string		1000		
RecordId	Record ID	string		18		
RelatedEventIdentifier	Related Event Identifier	string		80		
ReplayId	Replay ID	string		1000		
SdkAppType	SDK App Type	string		255		
SdkAppVersion	SDK App Version	string		255		
SdkVersion	SDK Version	string		255		
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
UserAgent	User Agent	string		512		
UserId	User ID	reference		18		
UserType	User Type	picklist		255		
Username	Username	string		255		

LIGHTNINGUSAGEBYAPPTYPEMETRICS

Represents number of users on Lightning Experience and Salesforce Mobile. This object is available in API version 43.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LightningUsageByAppTypeMetrics in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`AppExperience`	App Experience	string		40		
`Id`	Lightning Usage By App Type Metrics ID	id		18		
`MetricsDate`	Metrics Date	date				
`SystemModstamp`	System Modstamp	datetime				
`UserId`	User ID	reference		18		

LIGHTNINGUSAGEBYBROWSERMETRICS

Represents Lightning Experience usage grouped by user's browser. This object is available in API version 43.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LightningUsageByBrowserMetrics in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Browser	Browser	string		40		
EptBin3To5	EptBin3To5	int	9			
EptBin5To8	EptBin5To8	int	9			
EptBin8To10	EptBin8To10	int	9			
EptBinOver10	EptBinOver10	int	9			
EptBinUnder3	EptBinUnder3	int	9			
Id	Lightning Usage By Browser Metrics ID	id		18		
MetricsDate	Metrics Date	date				
PageName	Page Name	string		40		
RecordCountEPT	Record Count EPT	int	9			
SumEPT	Sum EPT	int	9			
SystemModstamp	System Modstamp	datetime				
TotalCount	Total Count	int	9			

LIGHTNINGUSAGEBYFLEXIPAGEMETRICS

Represents custom pages users viewed most frequently in Lightning Experience. This object is available in API version 43.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LightningUsageByFlexiPageMetrics in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CoresBin2To4	CoresBin2To4	int	9			
CoresBin4To8	CoresBin4To8	int	9			
CoresBinOver8	CoresBinOver8	int	9			
CoresBinUnder2	CoresBinUnder2	int	9			
DownlinkBin3To5	DownlinkBin3To5	int	9			
DownlinkBin5To8	DownlinkBin5To8	int	9			
DownlinkBin8To10	DownlinkBin8To10	int	9			
DownlinkBinOver10	DownlinkBinOver10	int	9			
DownlinkBinUnder3	DownlinkBinUnder3	int	9			
EptBin3To5	EptBin3To5	int	9			
EptBin5To8	EptBin5To8	int	9			
EptBin8To10	EptBin8To10	int	9			
EptBinOver10	EptBinOver10	int	9			
EptBinUnder3	EptBinUnder3	int	9			
FlexiPageNameOrId	FlexiPage Name Or Id	string		40		
FlexiPageType	FlexiPage Type	string		40		
Id	Lightning Usage By FlexiPage Metrics ID	id		18		
MedianEPT	Median EPT	int	9			
MetricsDate	Metrics Date	date				
RecordCountEPT	Record Count EPT	int	9			
RttBin50To150	RttBin50To150	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RttBinOver150	RttBinOver150	int	9			
RttBinUnder50	RttBinUnder50	int	9			
SumEPT	Sum EPT	int	9			
SystemModstamp	System Modstamp	datetime				
TotalCount	Total Count	int	9			

LIGHTNINGUSAGEBYPAGEMETRICS

Represents standard pages users viewed most frequently in Lightning Experience. This object is available in API version 43.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LightningUsageByPageMetrics in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CoresBin2To4	CoresBin2To4	int	9			
CoresBin4To8	CoresBin4To8	int	9			
CoresBinOver8	CoresBinOver8	int	9			
CoresBinUnder2	CoresBinUnder2	int	9			
DownlinkBin3To5	DownlinkBin3To5	int	9			
DownlinkBin5To8	DownlinkBin5To8	int	9			
DownlinkBin8To10	DownlinkBin8To10	int	9			
DownlinkBinOver10	DownlinkBinOver10	int	9			
DownlinkBinUnder3	DownlinkBinUnder3	int	9			
EptBin3To5	EptBin3To5	int	9			
EptBin5To8	EptBin5To8	int	9			
EptBin8To10	EptBin8To10	int	9			
EptBinOver10	EptBinOver10	int	9			
EptBinUnder3	EptBinUnder3	int	9			
Id	Lightning Usage By Page Metrics ID	id		18		
MetricsDate	Metrics Date	date				
PageName	Page Name	string		40		
RecordCountEPT	Record Count EPT	int	9			
RttBin50To150	RttBin50To150	int	9			
RttBinOver150	RttBinOver150	int	9			
RttBinUnder50	RttBinUnder50	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SumEPT	Sum EPT	int	9			
SystemModstamp	System Modstamp	datetime				
TotalCount	Total Count	int	9			
UserId	User ID	reference		18		

LINKEDARTICLE

Represents a knowledge article that is attached to a work order, work order line item, or work type. This object is available in API version 37.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LinkedArticle in the *Field Service Developer Guide*, *Object Reference for the Salesforce Platform*, and *Salesforce Knowledge Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Linked Article ID	id		18		
IsDeleted	Deleted	boolean				
KnowledgeArticleId	Article ID	reference		18		
KnowledgeArticleVersionId	Knowledge Article Version ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LinkedEntityId	Linked Entity ID	reference		18		
Name	Linked Article Title	string		255		
SystemModstamp	System Modstamp	datetime				
Type	Linked Object Type	string		50		

LINKEDARTICLEFEED

Represents the comment feed on a linked article. This object is available in API version 39.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LinkedArticleFeed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

LINKEDARTICLEHISTORY

Represents the history of changes made to tracked fields on a linked article. This object is available in API version 37.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LinkedArticleHistory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Linked Article History ID	id		18		
`IsDeleted`	Deleted	boolean				
`LinkedArticleId`	Linked Article ID	reference		18		
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

LISTEMAIL

Represents a list email sent from Salesforce, or sent from Account Engagement and synced to Salesforce. When the list email is sent, the recipients are generated by combining recipients in ListEmailIndividualRecipients and ListEmailRecipientSource. Duplicate and other invalid recipients are removed. The result is the recipients sent any given list email. ListEmail has a one-to-many relationship with ListEmailRecipientSource and ListEmailIndividualRecipient. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ListEmail in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CampaignId	Campaign ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FromAddress	From Address	textarea		320		
FromName	From Name	string		121		
HasAttachment	Has Attachment	boolean				
HtmlBody	Html Body	textarea		32000		
Id	List Email ID	id		18		
IsDeleted	Deleted	boolean				
IsTracked	Is Tracked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RelatedToId	RelatedTo ID	reference		18		
ScheduledDate	Scheduled Date	datetime				
Status	Status	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Subject	Subject	textarea		3000		
SystemModstamp	System Modstamp	datetime				
TextBody	Text Body	textarea		32000		
TotalSent	Total Sent	int	9			

LISTEMAILINDIVIDUALRECIPIENT

For a list email in Salesforce, represents a recipient. Each record represents a link from a list email to exactly one recipient for that list email. Recipients can be contacts, leads, or campaign members. Has a one-to-many relationship with ListEmail. This object is available in API version 44.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ListEmailIndividualRecipient in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	List Email Individual Recipient ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ListEmailId	List Email ID	reference		18		
Name	Name	string		255		
RecipientId	Recipient ID	reference		18		
SystemModstamp	System Modstamp	datetime				

LISTEMAILRECIPIENTSOURCE

For a list email in Salesforce, represents the dynamically defined sources of recipient email addresses. Each record represents a link to a single list view or campaign that is examined when the list email is sent. Has a one-to-many relationship with ListEmail. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ListEmailRecipientSource in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	List Email Recipient Source ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ListEmailId	List Email ID	reference		18		
Name	Name	string		255		
SourceListId	SourceList ID	reference		18		
SourceType	Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

LISTEMAILSHARE

Sharing for ListEmail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LISTVIEW

Represents a list view. A list view shows a set of records for an object, based on specific criteria. This object is available in API version 32.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ListView in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	View Unique Name	string		80		
`Id`	List View ID	id		18		
`IsSoqlCompatible`	Is SOQL Compatible	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	View Name	string		40		
`NamespacePrefix`	Namespace Prefix	string		15		
`SobjectType`	Custom Object Definition ID	picklist		40		
`SystemModstamp`	System Modstamp	datetime				

LISTVIEWCHART

Represents a graphical chart that's displayed on Salesforce for Android, iOS, and mobile web list views. The chart aggregates data that is filtered based on the list view that's currently displayed. This object is available in API version 33.0 and later and is accessible by portal users.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ListViewChart in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AggregateField	Custom Field Definition ID	picklist		255		
AggregateType	Aggregate Type	picklist		255		
ChartType	Chart Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	API Name	string		80		
GroupingField	Custom Field Definition ID	picklist		255		
Id	List View Chart ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
OwnerId	User ID	reference		18		
SobjectType	Custom Object Definition ID	picklist		40		
SystemModstamp	System Modstamp	datetime				

LISTVIEWCHARTINSTANCE

Retrieves metadata for all standard and custom charts for a given entity in context of a given list view. This object is available in API versions 34.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ListViewChartInstance in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AggregateField	Aggregate Field	string		255		
AggregateType	Aggregate Type	picklist		255		
ChartType	TODO, use alias	picklist		255		
DataQuery	SOQL Query for Chart Data	textarea		1333		
DataQueryWithoutUserFilters	SOQL Query for Desktop Chart Data without S1 User Filters	textarea		1333		
DeveloperName	API Name	string		80		
ExternalId	ListView Chart Instance ID	string		255		
GroupingField	Grouping Field	string		255		
Id	List View Chart Instance ID	id		18		
IsDeletable	Deletable	boolean				
IsEditable	Editable	boolean				
IsLastViewed	Last Viewed	boolean				
Label	Label	string		255		
ListViewChartId	List View Chart ID	reference		18		
ListViewContextId	List View ID	reference		18		
SourceEntity	Entity	string		255		

LISTVIEWEVENT

Tracks when users access data with list views using Lightning Experience, Salesforce Classic, or the API. It doesn't track list views of Setup entities. You can use ListViewEvent in a transaction security policy. ListViewEvent is a big object that stores the event data of ListViewEventStream. This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ListViewEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppName	Application Name	string		255		
ColumnHeaders	Name of Columns	string		10000		
CreatedDate	Created Date	datetime				
DeveloperName	Developer Name	string		80		
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
EventSource	Event Source	picklist		255		
ExecutionIdentifier	Execution Identifier	string		80		
FilterCriteria	Filter Criteria	json		250000		
Id	List View Event ID	id		18		
ListViewId	List View ID	reference		18		
LoginHistoryId	Login History ID	reference		18		
LoginKey	Login Key	string		24		
Name	Name	string		40		
NumberOfColumns	Number of Columns	int	9			
OrderBy	Order By	string		255		
OwnerId	Owner ID	reference		18		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
QueriedEntities	Queried Entities	string		1000		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Records	Records	json		250000		
RelatedEventIdentifier	Related Event Identifier	string		80		
RowsProcessed	Rows Processed	double			18	0
Scope	Scope	string		255		
Sequence	Sequence	int	9			
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
UserId	User ID	reference		18		
Username	Username	string		255		

LISTVIEWEVENTSTREAM

Tracks actions related to list views in Lightning Experience, Salesforce Classic, or the API. For example, the event captures when a user runs or exports a list view. It doesn't capture list view events of Setup entities. This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ListViewEventStream in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppName	Application Name	string		255		
ColumnHeaders	Name of Columns	string		10000		
CreatedDate	Created Date	datetime				
DeveloperName	Developer Name	string		80		
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
EventSource	Event Source	picklist		255		
EventUuid	Event UUID	string		36		
ExecutionIdentifier	Execution Identifier	string		80		
FilterCriteria	Filter Criteria	json		250000		
ListViewId	List View ID	string		18		
LoginHistoryId	Login History ID	reference		18		
LoginKey	Login Key	string		24		
Name	Name	string		40		
NumberOfColumns	Number of Columns	int	9			
OrderBy	Order By	string		255		
OwnerId	Owner	string		18		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
QueriedEntities	Queried Entities	string		1000		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Records	Records	json		250000		
RelatedEventIdentifier	Related Event Identifier	string		80		
ReplayId	Replay ID	string		1000		
RowsProcessed	Rows Processed	double			18	0
Scope	Scope	string		255		
Sequence	Sequence	int	9			
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
UserId	User ID	reference		18		
Username	Username	string		255		

LIVEAGENTSESSION

This object is automatically created for each Chat session and stores information about the session. This object is available in API versions 28.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LiveAgentSession in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AgentId	User ID	reference		18		
ChatReqAssigned	Chat Requests Assigned	int	9			
ChatReqDeclined	Chat Requests Declined (Manually)	int	9			
ChatReqEngaged	Chat Requests Engaged	int	9			
ChatReqTimedOut	Chat Requests Declined (Push Timeout)	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Chat Session ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoginTime	Login Time	datetime				
LogoutTime	Logout Time	datetime				
Name	Chat Session Name	string		255		
NumFlagLoweredAgent	Assistance Flags Lowered (Agent)	int	9			
NumFlagLoweredSupervisor	Assistance Flags Lowered (Supervisor)	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
NumFlagRaised	Assistance Flags Raised	int	9			
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TimeAtCapacity	Time Spent at Capacity	int	9			
TimeIdle	Time Idle	int	9			
TimeInAwayStatus	Time Spent Away	int	9			
TimeInChats	Time Spent in Chats	int	9			
TimeInOnlineStatus	Time Spent Online	int	9			

LIVEAGENTSESSIONHISTORY

This object is automatically created for each Chat session and stores information about changes made to the session. This object is available in API versions 28.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LiveAgentSessionHistory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Chat Session History ID	id		18		
IsDeleted	Deleted	boolean				
LiveAgentSessionId	Chat Session ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LIVEAGENTSESSIONSHARE

This object is automatically created for each Chat session and stores information about the session. This object is available in API versions 28.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LiveAgentSessionShare in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LIVECHATBLOCKINGRULE

Represents a rule for blocking chat visitors' IP addresses from starting new chats with agents. This object is available in API version 34.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LiveChatBlockingRule in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
DeveloperName	Developer Name	string		80		
FromIpAddress	From IP Address	string		39		
Id	Chat Blocking Rule ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Chat Blocking Rule Name	string		80		
OwnerType	Owner Type	picklist		255		
SystemModstamp	System Modstamp	datetime				
ToIpAddress	To IP Address	string		39		

LIVECHATBUTTON

Represents a button that allows visitors to request chats with Chat users. This object is available in API version 24.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LiveChatButton in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Animation	Animation	picklist		255		
AutoGreeting	Auto Greeting	textarea		1000		
ChasitorIdleTimeout	Customer Time-Out (seconds)	int	9			
ChasitorIdleTimeoutWarning	Customer Time-Out Warning (seconds)	int	9			
ChatPageId	Page ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomAgentName	Custom Agent Name	string		255		
DeveloperName	Developer Name	string		80		
HasQueue	Enable queue	boolean				
Id	Chat Button ID	id		18		
InviteEndPosition	End Position	picklist		255		
InviteImageId	Static Resource ID	reference		18		
InviteStartPosition	Start Position	picklist		255		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsRoutingFlowEnabled	Use a flow for routing (recommended)	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Name	string		80		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
NumberOfReroutingAttempts	Number of Rerouting Attempts	int	9			
OfflineImageId	Static Resource ID	reference		18		
OnlineImageId	Static Resource ID	reference		18		
OptionsHasChasitorIdleTimeout	Enable customer timeout	boolean				
OptionsHasInviteAfterAccept	Allow invitation to be triggered again after accepting	boolean				
OptionsHasInviteAfterReject	Allow invitation to be triggered again after rejecting	boolean				
OptionsHasRerouteDeclinedRequest	Reroute Declined Requests	boolean				
OptionsIsAutoAccept	isAutoAccept	boolean				
OptionsIsInviteAutoRemove	Auto Remove Invitation	boolean				
OverallQueueLength	Overall Queue Size	int	9			
PerAgentQueueLength	Queue Size Per Agent	int	9			
PostchatPageId	Page ID	reference		18		
PostchatUrl	Post-Chat URL	string		255		
PrechatFormPageId	Page ID	reference		18		
PrechatFormUrl	Prechat Form URL	string		255		
PushTimeout	Push Time-Out (seconds)	int	9			
QueueId	Queue ID	reference		18		
RoutingConfigurationId	Routing Configuration ID	reference		18		
RoutingType	Routing Type	picklist		255		
SiteId	Site ID	reference		18		
SkillId	Skill ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TimeToRemoveInvite	Display Time	int	9			
Type	Type	picklist		255		
WindowLanguage	Language	picklist		255		

LIVECHATBUTTONDEPLOYMENT

Associates an automated chat invitation with a specific deployment. This object is available in API versions 28.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LiveChatButtonDeployment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ButtonId`	Chat Button ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeploymentId`	Chat Deployment ID	reference		18		
`Id`	LiveChatButtonDeployment ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`SystemModstamp`	System Modstamp	datetime				

LIVECHATBUTTONSKILL

Represents all the skills available to a LiveChatButton except the one currently assigned. To retrieve the skill currently assigned, query LiveChatButton. This object is available in API version 25.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LiveChatButtonSkill in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ButtonId	Chat Button ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	LiveChatButtonSkill ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SkillId	Skill ID	reference		18		
SystemModstamp	System Modstamp	datetime				

LIVECHATDEPLOYMENT

Represents the general settings for deploying Live Agent on a website. This object is available in API version 24.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LiveChatDeployment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BrandingId	Static Resource ID	reference		18		
ConnectionTimeoutDuration	Idle Connection Timeout Duration	int	9			
ConnectionWarningDuration	Idle Connection Warning Duration	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Developer Name	string		80		
Domains	Permitted Domains	textarea		4096		
HasTranscriptSave	Allow Visitors to Save Transcripts	boolean				
Id	Chat Deployment ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Chat Deployment Name	string		80		
MobileBrandingId	Static Resource ID	reference		18		
OptionsHasPrechatApi	Allow Access to Prechat API	boolean				
SiteId	Site ID	reference		18		
SystemModstamp	System Modstamp	datetime				
WindowTitle	Chat Window Title	string		80		

LIVECHATOBJECTACCESSCONFIG

Represents the action you can perform on a specified object by the Chat API. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LiveChatObjectAccessConfig in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessType	Action	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Live Chat Object Access Configuration ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Live Chat Object Access Definition ID	reference		18		
SobjectType	Custom Object Definition ID	picklist		255		
SystemModstamp	System Modstamp	datetime				

LIVECHATOBJECTACCESSDEFINITION

Represents the parent record for one or more LiveChatObjectAccessConfig objects. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LiveChatObjectAccessDefinition in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Live Chat Object Access Definition ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
SystemModstamp	System Modstamp	datetime				

LIVECHATSENSITIVEDATARULE

Represents a rule for masking or deleting data of a specified pattern. Written as a regular expression (regex). This object is available in API version 35.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LiveChatSensitiveDataRule in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionType	Action	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
DeveloperName	Developer Name	string		80		
EnforceOn	Enforce	int	9			
Id	Sensitive Data Rule ID	id		18		
IsDeleted	Deleted	boolean				
IsEnabled	Active	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Sensitive Data Rule Name	string		80		
NamespacePrefix	Namespace Prefix	string		15		
Pattern	Patterns	textarea		1000		
Priority	Priority	int	9			
ProcessingType	Rule Application	picklist		255		
Replacement	Replacement Text	string		255		
SystemModstamp	System Modstamp	datetime				
Version	Version	picklist		255		

LIVECHATTRANSCRIPT

This object is automatically created for each Live Agent chat session and stores information about the session. This object is available in API version 24.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LiveChatTranscript in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Abandoned	Abandoned After	int	9			
AccountId	Account ID	reference		18		
AverageResponseTimeOperator	Agent Average Response Time	int	9			
AverageResponseTimeVisitor	Visitor Average Response Time	int	9			
Body	Body	textarea		131072		
Browser	Browser	string		200		
BrowserLanguage	Browser Language	string		200		
CaseId	Case ID	reference		18		
ChatDuration	Chat Duration	int	9			
ChatKey	Chat Key	string		200		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndTime	End Time	datetime				
EndedBy	Ended By	picklist		255		
Id	Chat Transcript ID	id		18		
IpAddress	Visitor IP Address	string		39		
IsChatbotSession	Is Chatbot Session	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LeadId	Lead ID	reference		18		
LiveChatButtonId	Chat Button ID	reference		18		
LiveChatDeploymentId	Chat Deployment ID	reference		18		
LiveChatVisitorId	Chat Visitor ID	reference		18		
Location	Location	string		200		
MaxResponseTimeOperator	Agent Maximum Response Time	int	9			
MaxResponseTimeVisitor	Visitor Maximum Response Time	int	9			
Name	Chat Transcript Name	string		255		
OperatorMessageCount	Agent Message Count	int	9			
OwnerId	Owner ID	reference		18		
Platform	Platform	string		200		
ReferrerUri	Referring Site	string		200		
RequestTime	Request Time	datetime				
ScreenResolution	Screen Resolution	string		200		
SkillId	Skill ID	reference		18		
StartTime	Start Time	datetime				
Status	Status	picklist		255		
SupervisorTranscriptBody	Supervisor Transcript Body	textarea		131072		
SystemModstamp	System Modstamp	datetime				
UserAgent	User Agent	string		200		
VisitorMessageCount	Visitor Message Count	int	9			
VisitorNetwork	Network	string		200		
WaitTime	Wait Time	int	9			

LIVECHATTRANSCRIPTEVENT

Captures specific events that occur over the lifetime of a chat. This object is available in API version 24.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LiveChatTranscriptEvent in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AgentId	User ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Detail	Detail	string		255		
Id	Chat Transcript Event ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LiveChatTranscriptId	Chat Transcript ID	reference		18		
Name	Chat Transcript Event Name	string		255		
SystemModstamp	System Modstamp	datetime				
Time	Time	datetime				
Type	Type	picklist		255		

LIVECHATTRANSCRIPTFEED

Feed tracking for LiveChatTranscript.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

LIVECHATTRANSCRIPTHISTORY

History for tracked fields of LiveChatTranscript.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Chat Transcript History ID	id		18		
IsDeleted	Deleted	boolean				
LiveChatTranscriptId	Chat Transcript ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LIVECHATTRANSCRIPTSHARE

Represents a sharing entry on a LiveChatTranscript object. This object is available in API version 24.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LiveChatTranscriptShare in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LIVECHATTRANSCRIPTSKILL

Represents a join between LiveChatTranscript and Skill. This object is available in API version 25.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LiveChatTranscriptSkill in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	LiveChatTranscriptSkill ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	LiveChatTranscriptSkill Name	string		255		
SkillId	Skill ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TranscriptId	Chat Transcript ID	reference		18		

LIVECHATUSERCONFIG

Represents a setting that controls the console settings for Chat users. This object is available in API version 24.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LiveChatUserConfig in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AutoGreeting	Auto Greeting	textarea		1000		
Capacity	Chat Capacity	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CriticalWaitTime	Critical Wait Alert Time (seconds)	int	9			
CustomAgentName	Custom Agent Name	string		255		
DeveloperName	Developer Name	string		80		
HasLogoutSound	Play a notification sound if Omni Channel loses connection	boolean				
HasNotifications	Notifications Enabled	boolean				
HasRequestSound	Play a notification sound for chat requests	boolean				
HasSneakPeek	Sneak Peek Enabled	boolean				
HasTransferConferenceGreeting	Disable Auto Greeting on Transfer/Conference	boolean				
Id	Chat Agent Configuration ID	id		18		
IsAutoAwayOnDecline	Auto Away on Decline	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Chat Agent Configuration Name	string		80		
OptionsHasAgentFileTransfer	Agent File Transfer Enabled	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OptionsHasAgentSneakPeek	Agent Sneak Peek Enabled	boolean				
OptionsHasAssistanceFlag	Assistance Flag Enabled	boolean				
OptionsHasChatConferencing	Chat Conferencing Enabled	boolean				
OptionsHasChatMonitoring	Chat Monitoring Enabled	boolean				
OptionsHasChatTransferToAgent	Chat Transfer To Agents Enabled	boolean				
OptionsHasChatTransferToButton	Chat Transfer To Chat Buttons Enabled	boolean				
OptionsHasChatTransferToSkill	Chat Transfer To Skills Enabled	boolean				
OptionsHasTransferConferenceGreeting	HasTransferConferenceGreeting	boolean				
OptionsHasVisitorBlocking	Visitor Blocking Enabled	boolean				
OptionsHasWhisperMessage	Whisper Messages Enabled	boolean				
OptionsIsAutoAwayOnPushTimeout	Auto Away on Push Time-Out	boolean				
SupervisorDefaultAgentStatus	Default Agent Status Filter	picklist		255		
SupervisorDefaultButtonId	Chat Button ID	reference		18		
SupervisorDefaultSkillId	Skill ID	reference		18		
SystemModstamp	System Modstamp	datetime				

LIVECHATUSERCONFIGPROFILE

Represents a join between LiveChatUserConfig and Profile. This object is available in API version 24.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LiveChatUserConfigProfile in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Chat User Config Profile ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LiveChatUserConfigId	Chat Agent Configuration ID	reference		18		
ProfileId	Profile ID	reference		18		
SystemModstamp	System Modstamp	datetime				

LIVECHATUSERCONFIGUSER

Represents a join between Live Chat User Config and User. This object is available in API version 24.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LiveChatUserConfigUser in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Chat User Config User ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LiveChatUserConfigId`	Chat Agent Configuration ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`UserId`	User ID	reference		18		

LIVECHATVISITOR

Represents a website visitor who has started or tried to start a chat session. This object is available in API version 24.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LiveChatVisitor in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Chat Visitor ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Chat Visitor Name	string		255		
Name__c	Name	string		20		
SessionKey	Session Key	string		200		
SystemModstamp	System Modstamp	datetime				

LOANAPPLICANT

Represents details of the borrower or co-borrower for the loan application. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoanApplicant in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicantExtIdentifier	Applicant External ID	string		255		
AsianRaceSubType	Asian Race	multipicklist		4099	0	
BorrowerType	Borrower Type	picklist		255		
CitizenshipStatus	Citizenship Status	picklist		40		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DependentCount	Number of Dependents	int	2			
DependentsAge	Dependents' Ages	string		255		
EthnicitySubType	Ethnicity Origin	multipicklist		4099	0	
EthnicityType	Ethnicity	picklist		40		
GenderType	Gender	picklist		40		
HasMilitaryService	Military Service	boolean				
Id	Loan Applicant ID	id		18		
IsActiveMilitary	Currently on Active Military Duty	boolean				
IsDeleted	Deleted	boolean				
IsJointCredit	Joint Credit	boolean				
IsSurvivingMilitarySpouse	Surviving Military Spouse	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastViewedDate	Last Viewed Date	datetime				
LoanApplicationId	Residential Loan Application ID	reference		18		
MaritalStatus	Marital Status	picklist		40		
MilitaryTourExpirationMonth	Military Tour Expiration Month	int	2			
MilitaryTourExpirationYear	Military Tour Expiration Year	int	4			
Name	Name	string		255		
OtherAsianRaceSubType	Other Asian Race	string		255		
OtherEthnicitySubType	Other Ethnicity Origin Description	string		255		
OtherPacIslandSubType	Other Pacific Islander Race	string		255		
OwnerId	Owner ID	reference		18		
PacIslandSubType	Pacific Islander Race	multipicklist		4099	0	
PreferredLanguage	Preferred Language for Communication	picklist		40		
RaceType	Race	multipicklist		4099	0	
SystemModstamp	System Modstamp	datetime				
TribeName	Name of Enrolled or Principal Tribe	string		255		
WasActiveMilitary	Past Military Service	boolean				
WasNonActivatedService	Non-Activated Reserve or National Guard	boolean				

LOANAPPLICANTADDRESS

Represents borrower's or co-borrower's current address information. This object is available in API version XX.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoanApplicantAddress in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AddressExtIdentifier	Loan Applicant Address External ID	string		255		
AddressOwnership	Residence Status	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Loan Applicant Address ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoanApplicantId	Loan Applicant ID	reference		18		
LoanApplicationId	Residential Loan Application ID	reference		18		
MonthlyRentPayment	Monthly Rent Payment	currency			18	2
Name	Name	string		255		
ResidenceAdditionalMonthCount	Additional Months in Residence	int	2			
ResidenceAddress	Residence Address	address				
ResidenceCity	Residence City	string		40		
ResidenceCountry	Residence Country	string		80		
ResidenceGeocodeAccuracy	Residence Geocode Accuracy	picklist		40		
ResidenceLatitude	Residence Latitude	double			18	15

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ResidenceLongitude	Residence Longitude	double			18	15
ResidencePostalCode	Residence Postal Code	string		20		
ResidenceState	Residence State	string		80		
ResidenceStreet	Residence Street	textarea		255		
ResidenceYearCount	Years in Residence	int	2			
ResidencyType	Residence Type	picklist		40		
SystemModstamp	System Modstamp	datetime				

LOANAPPLICANTADDRESSFEED

Feed tracking for LoanApplicantAddress.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

LOANAPPLICANTADDRESSHISTORY

History for tracked fields of LoanApplicantAddress.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loan Applicant Address History ID	id		18		
IsDeleted	Deleted	boolean				
LoanApplicantAddressId	Loan Applicant Address ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOANAPPLICANTASSET

Represents a junction between a borrower and a loan application asset. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoanApplicantAsset in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Loan Applicant Asset ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoanApplicantId	Loan Applicant ID	reference		18		
LoanApplicationAssetId	Loan Application Asset ID	reference		18		
Name	Name	string		255		
Role	Role	picklist		40		
SystemModstamp	System Modstamp	datetime				

LOANAPPLICANTASSETHISTORY

History for tracked fields of LoanApplicantAsset.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loan Applicant Asset History ID	id		18		
IsDeleted	Deleted	boolean				
LoanApplicantAssetId	Loan Applicant Asset ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOANAPPLICANTDECLARATION

Represents financial issues like foreclosure, lawsuits, or defaults of the applicant or co-applicant. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoanApplicantDeclaration in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BankruptcyType	Bankruptcy Type	multipicklist		4099	0	
BorrowedAmount	Amount Borrowed	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DeclarationExtIdentifier	Loan Applicant Declaration External ID	string		255		
HasBorrowedMoney	Borrowing Money	boolean				
HasDeclaredBankruptcy	Declared Bankruptcy	boolean				
HasDeedSurrender	Surrendered Deed in Lieu of Foreclosure	boolean				
HasOutstandingJudgement	Outstanding Judgements	boolean				
HasOwnershipInterest	Ownership Interest	boolean				
HasPastShortSale	Short Sale	boolean				
HasPropertyForeclosed	Foreclosed Property	boolean				
HasUndisclAddlCreditApp	Undisclosed New Credit	boolean				
HasUndisclAddlPropApp	Undisclosed Loan on Other Property	boolean				
Id	Loan Applicant Declaration ID	id		18		
IsCoSignerUndisclDebt	Co-Signer or Guarantor on Undisclosed Loan or Debt	boolean				
IsDeleted	Deleted	boolean				
IsPartyToLawsuit	Party to Lawsuit	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsPresentlyDelinquent	Delinquent or in Default on Debt	boolean				
IsPrimaryResidence	Primary Residence	boolean				
IsRelatedToSeller	Relationship or Affiliation with Seller	boolean				
IsSubjectToPriorityLien	Property Subject to Priority Clean Energy Lien	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoanApplicantId	Loan Applicant ID	reference		18		
LoanApplicationId	Residential Loan Application ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PriorPropertyTitleType	Prior Ownership Title Type	picklist		40		
PriorPropertyUsageType	Prior Ownership Type	picklist		40		
SystemModstamp	System Modstamp	datetime				

LOANAPPLICANTDECLARATIONFEED

Feed tracking for LoanApplicantDeclaration.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

LOANAPPLICANTDECLARATIONHISTORY

History for tracked fields of LoanApplicantDeclaration.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loan Applicant Declaration History ID	id		18		
IsDeleted	Deleted	boolean				
LoanApplicantDeclarationId	Loan Applicant Declaration ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOANAPPLICANTDECLARATIONSHARE

Sharing for LoanApplicantDeclaration.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LOANAPPLICANTEMPLOYMENT

Represents details about the borrower's or co-borrower's current and past employment. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoanApplicantEmployment in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
CurrentJobAdditionalMonthCount	Additional Months at Current Job	int	2			
CurrentJobYearCount	Years at Current Job	int	2			
EmployerAddress	Employer Address	address				
EmployerCity	Employer City	string		40		
EmployerCountry	Employer Country	string		80		
EmployerGeocodeAccuracy	Employer Geocode Accuracy	picklist		40		
EmployerLatitude	Employer Latitude	double			18	15
EmployerLongitude	Employer Longitude	double			18	15
EmployerName	Employer Name	string		255		
EmployerPhone	Employer Phone	phone		40		
EmployerPostalCode	Employer Postal Code	string		20		
EmployerState	Employer State	string		80		
EmployerStreet	Employer Street	textarea		255		
EmploymentExtIdentifier	Loan Applicant Employment External ID	string		255		
EndDate	End Date	date				
Id	Loan Applicant Employment ID	id		18		
IsDeleted	Deleted	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsLessThanQuarterShare	Owns Less Than 25%	boolean				
IsRelToTransactionParty	Employed by Party to Transaction	boolean				
IsSelfEmployed	Self-Employed	boolean				
JobTitle	Job Title or Type of Business	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoanApplicantId	Loan Applicant ID	reference		18		
LoanApplicationId	Residential Loan Application ID	reference		18		
MonthlyBaseIncomeAmount	Monthly Base Income	currency			18	2
MonthlyBonusAmount	Monthly Bonus	currency			18	2
MonthlyCommissionAmount	Monthly Commission	currency			18	2
MonthlyIncome	Monthly Income	currency			18	2
MonthlyMilitaryEntlAmt	Monthly Military Entitlement	currency			18	2
MonthlyOtherIncomeAmount	Other Monthly Income	currency			18	2
MonthlyOvertimeAmount	Monthly Overtime	currency			18	2
MonthlyTotalIncomeAmount	Total Monthly Income	currency			18	2
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

LOANAPPLICANTEMPLOYMENTFEED

Feed tracking for LoanApplicantEmployment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

LOANAPPLICANTEMPLOYMENTHISTORY

History for tracked fields of LoanApplicantEmployment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loan Applicant Employment History ID	id		18		
IsDeleted	Deleted	boolean				
LoanApplicantEmploymentId	Loan Applicant Employment ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOANAPPLICANTEMPLOYMENTSHARE

Sharing for LoanApplicantEmployment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LOANAPPLICANTFEED

Feed tracking for LoanApplicant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

LOANAPPLICANTHISTORY

History for tracked fields of LoanApplicant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loan Applicant History ID	id		18		
IsDeleted	Deleted	boolean				
LoanApplicantId	Loan Applicant ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOANAPPLICANTINCOME

Represents details about the borrower and co-borrower current monthly income. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoanApplicantIncome in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Loan Applicant Income ID	id		18		
IncomeExtIdentifier	Loan Applicant Income External ID	string		255		
IncomeSourceType	Income Source Type	picklist		40		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoanApplicantId	Loan Applicant ID	reference		18		
LoanApplicationId	Residential Loan Application ID	reference		18		
MonthlyIncomeAmount	Monthly Income	currency			18	2
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

LOANAPPLICANTINCOMEFEED

Feed tracking for LoanApplicantIncome.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

LOANAPPLICANTINCOMEHISTORY

History for tracked fields of LoanApplicantIncome.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Loan Applicant Income History ID	id		18		
`IsDeleted`	Deleted	boolean				
`LoanApplicantIncomeId`	Loan Applicant Income ID	reference		18		
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

LOANAPPLICANTINCOMESHARE

Sharing for LoanApplicantIncome.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LOANAPPLICANTLIABILITY

Represents a junction between a borrower and a loan application liability. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoanApplicantLiability in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Loan Applicant Liability ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoanApplicantId	Loan Applicant ID	reference		18		
LoanApplicationLiabilityId	Loan Application Liability ID	reference		18		
Name	Name	string		255		
Role	Role	picklist		40		
SystemModstamp	System Modstamp	datetime				

LOANAPPLICANTLIABILITYHISTORY

History for tracked fields of LoanApplicantLiability.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loan Applicant Liability History ID	id		18		
IsDeleted	Deleted	boolean				
LoanApplicantLiabilityId	Loan Applicant Liability ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOANAPPLICANTSHARE

Sharing for LoanApplicant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LOANAPPLICATIONASSET

Represents details about the borrower's and co-borrower's current personal and real property. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoanApplicationAsset in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountNumber	Financial Account Number	string		255		
AccountType	Account Type	picklist		40		
AssetClass	Asset Class	picklist		40		
AssetExtIdentifier	Loan Application Asset External ID	string		255		
AssetType	Asset Type	picklist		40		
CashOrMarketValue	Cash or Market Value	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DispositionType	Real Estate Status	picklist		40		
FinancialInstitutionName	Financial Institution	string		255		
GrossMonthlyRentalIncome	Gross Rental Income from Real Estate	currency			18	2
Id	Loan Application Asset ID	id		18		
IsDeleted	Deleted	boolean				
IsJointAsset	Joint Asset	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoanApplicationId	Residential Loan Application ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Name	Name	string		255		
NetMonthlyRentalIncome	Net Real Estate Rental Income	currency			18	2
OwnerId	Owner ID	reference		18		
PresentMarketValue	Real Estate Value	currency			18	2
RealEstateAddress	Real Estate Address	address				
RealEstateCity	Real Estate City	string		40		
RealEstateCountry	Real Estate Country	string		80		
RealEstateGeocodeAccuracy	Real Estate Geocode Accuracy	picklist		40		
RealEstateLatitude	Real Estate Latitude	double			18	15
RealEstateLongitude	Real Estate Longitude	double			18	15
RealEstateMonthlyExpense	Other Monthly Real Estate Expenses	currency			18	2
RealEstatePostalCode	Real Estate Postal Code	string		20		
RealEstateState	Real Estate State	string		80		
RealEstateStreet	Real Estate Street	textarea		255		
SystemModstamp	System Modstamp	datetime				

LOANAPPLICATIONASSETFEED

Feed tracking for LoanApplicationAsset.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

LOANAPPLICATIONASSETHISTORY

History for tracked fields of LoanApplicationAsset.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loan Application Asset History ID	id		18		
IsDeleted	Deleted	boolean				
LoanApplicationAssetId	Loan Application Asset ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOANAPPLICATIONASSETSHARE

Sharing for LoanApplicationAsset.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LOANAPPLICATIONFINANCIAL

Represents transaction details for a loan application. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoanApplicationFinancial in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BorrowerClosingCostAmt	Borrower Closing Costs	currency			18	2
CashFromOrToBorrowerAmt	Cash To or From Borrower	currency			18	2
CounselingAgencyName	Housing Counseling Provider Name	string		255		
CounselingAgencyProvName	Housing Counseling Provider Name	string		255		
CounselingComplBorrName	Borrowers Who Completed Counseling	string		255		
CounselingCompletionDate	Housing Counseling Completion Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditFromSeller	Closing Costs Paid by Seller	currency			18	2
CurrencyIsoCode	Currency ISO Code	picklist		3		
DiscountPointCostAmount	Cost of Discount Points Purchased by Borrower	currency			18	2
EdCompletedBorrowerName	Borrowers Who Completed Homeownership Education	string		255		
EstFirstMortgagePmtAmt	Proposed Monthly First Mortgage Payment	currency			18	2
EstHomeownersInsPmtAmt	Proposed Monthly Homeowners Insurance Payment	currency			18	2
EstMortgageInsPmtAmt	Proposed Monthly Mortgage Insurance Payment	currency			18	2
EstOtherDuesPaymentAmt	Proposed Monthly Dues Payment	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
EstOtherPaymentAmt	Proposed Other Monthly Payment	currency			18	2
EstPropertyTaxesPmtAmt	Proposed Monthly Property Tax Payment	currency			18	2
EstSubordinateLienPmtAmt	Proposed Monthly Subordinate Liens Payment	currency			18	2
EstSuppPropertyInsPmtAmt	Proposed Monthly Supplemental Property Insurance Payment	currency			18	2
FinancedMortgageInsAmt	Total Financed Mortgage Insurance	currency			18	2
FinancialExtIdentifier	Loan Application Financial External ID	string		255		
HasCompletedCounseling	Housing Counseling	boolean				
HasHoEducation	Homeowner Education	boolean				
HoEducationCompletedDate	Homeownership Education Completion Date	datetime				
HoEducationFormat	Homeownership Education Format	picklist		40		
HousingCounselingFormat	Housing Counseling Format	picklist		40		
HudApprAgencyIdentifier	Housing Counseling Agency ID	string		255		
HudApprovedProvIdentifier	Housing Counseling Agency ID	string		255		
Id	Loan Application Financial ID	id		18		
IsDeleted	Deleted	boolean				
LandAcquiredSeparatelyAmount	Cost of Land Acquired Separately	currency			18	2
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoanAmount	Total Mortgage Loan	currency			18	2
LoanApplicationId	Residential Loan Application ID	reference		18		
LoanExclFinMortInsAmt	Loan Amount Excluding Financed Mortgage Insurance	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Name	Name	string		255		
OtherCredit	Other Credits	currency			18	2
OtherNewMortgageLoanAmt	Other New Mortgage Loans	currency			18	2
OutstandingLoanAmount	Total Outstanding Mortgage Amount	currency			18	2
PurchasePriceAmount	Purchase Price	currency			18	2
RemodelAndRepairsAmount	Cost of Alterations, Improvements, and Repairs	currency			18	2
SystemModstamp	System Modstamp	datetime				
TotalCashDueFromBorrower	Total Due From Borrower	currency			18	2
TotalCredit	Total Credits	currency			18	2
TotalDebtPaidOffAmount	Total Credit Card and Other Debt Paid Off	currency			18	2
TotalEstPaymentAmt	Proposed Total Monthly Payment	currency			18	2
TotalMortgageLoanAndCreditAmt	Total Mortgage Loans and Credits	currency			18	2
TotalMortgageLoansAmount	Total Mortgage Loans	currency			18	2

LOANAPPLICATIONFINANCIALFEED

Feed tracking for LoanApplicationFinancial.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

LOANAPPLICATIONFINANCIALHISTORY

History for tracked fields of LoanApplicationFinancial.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loan Application Financial History ID	id		18		
IsDeleted	Deleted	boolean				
LoanApplicationFinancialId	Loan Application Financial ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOANAPPLICATIONLIABILITY

Represents details about the borrower and co-borrower current liabilities. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoanApplicationLiability in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountNumber	Account Number	string		255		
AccountType	Account Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditLimitAmount	Credit Limit	currency			18	2
CreditorName	Creditor Name	string		255		
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Loan Application Liability ID	id		18		
IsDeleted	Deleted	boolean				
IsJointLiability	Joint Liability	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LiabilityClass	Liability Class	picklist		40		
LiabilityExtIdentifier	Loan Application Liability External ID	string		255		
LoanApplicationAssetId	Loan Application Asset ID	reference		18		
LoanApplicationId	Residential Loan Application ID	reference		18		
LoanType	Real Estate Loan Type	picklist		40		
MonthlyPaymentAmount	Monthly Payment	currency			18	2
Name	Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OtherLiabilityType	Other Liability or Expense Type	picklist		40		
OwnerId	Owner ID	reference		18		
ShouldBePaidInFull	Paid in Full	boolean				
SystemModstamp	System Modstamp	datetime				
UnpaidBalanceAmount	Unpaid Balance	currency			18	2

LOANAPPLICATIONLIABILITYFEED

Feed tracking for LoanApplicationLiability.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

LOANAPPLICATIONLIABILITYHISTORY

History for tracked fields of LoanApplicationLiability.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loan Application Liability History ID	id		18		
IsDeleted	Deleted	boolean				
LoanApplicationLiabilityId	Loan Application Liability ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOANAPPLICATIONLIABILITYSHARE

Sharing for LoanApplicationLiability.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LOANAPPLICATIONPROPERTY

Represents details of the property the loan application finances. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoanApplicationProperty in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
ExpMonthlyRentalIncome	Expected Monthly Rental Income	currency			18	2
ExpNetMonthlyRentalInc	Expected Net Monthly Rental Income	currency			18	2
Id	Loan Application Property ID	id		18		
IsDeleted	Deleted	boolean				
IsManufacturedHome	Manufactured Home	boolean				
IsMixedUseProperty	Mixed-Use Property	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoanApplicationId	Residential Loan Application ID	reference		18		
LoanPurposeType	Loan Purpose	picklist		255		
Name	Name	string		255		
PropertyAddress	Property Address	address				
PropertyCity	Real Estate City	string		40		
PropertyCountry	Real Estate Country	string		80		
PropertyExtIdentifier	Loan Application Property External ID	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PropertyGeocodeAccuracy	Real Estate Geocode Accuracy	picklist		40		
PropertyLatitude	Real Estate Latitude	double			18	15
PropertyLongitude	Real Estate Longitude	double			18	15
PropertyPostalCode	Real Estate Postal Code	string		20		
PropertyState	Real Estate State	string		80		
PropertyStreet	Real Estate Street	textarea		255		
PropertyUseType	Occupancy Type	picklist		40		
PropertyValue	Property Market Value	currency			18	2
RequestedLoanAmount	Loan Amount	currency			18	2
SystemModstamp	System Modstamp	datetime				
UnitsFinancedCount	Total Units to be Financed	int	3			

LOANAPPLICATIONPROPERTYFEED

Feed tracking for LoanApplicationProperty.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

LOANAPPLICATIONPROPERTYHISTORY

History for tracked fields of LoanApplicationProperty.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loan Application Property History ID	id		18		
IsDeleted	Deleted	boolean				
LoanApplicationPropertyId	Loan Application Property ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOANAPPLICATIONTITLEHOLDER

Represents details of borrowers who are applying to hold title to the property the loan application finances. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoanApplicationTitleHolder in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Loan Application Title Holder ID	id		18		
IsCurrentTitleHolder	Current Title Holder	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoanApplicationId	Residential Loan Application ID	reference		18		
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				
TitleHolderExtIdentifier	Loan Application Title Holder External ID	string		255		
TitleHolderName	Title Holder Name	string		255		

LOANAPPLICATIONTITLEHOLDERFEED

Feed tracking for LoanApplicationTitleHolder.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

LOANAPPLICATIONTITLEHOLDERHISTORY

History for tracked fields of LoanApplicationTitleHolder.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loan Application Title Holder History ID	id		18		
IsDeleted	Deleted	boolean				
LoanApplicationTitleHolderId	Loan Application Title Holder ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOCATION

Represents a warehouse, service vehicle, work site, or other element of the region where your team performs field service work. In API version 49.0 and later, you can associate activities with specific locations. Activities, such as the tasks and events related to a location, appear in the activities timeline when you view the location detail page. Also in API version 49.0 and later, Work.com users can view Employees as a related list on Location records. In API version 51.0 and later, this object is available for Omnichannel Inventory and represents physical locations where inventory is available for fulfilling orders.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Location in the *Education Cloud Developer Guide*, *Energy and Utilities Cloud Developer Guide*, *Field Service Developer Guide*, *Life Sciences Cloud Developer Guide*, *Object Reference for the Salesforce Platform*, *Public Sector Solutions Developer Guide*, and *Work.com Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivationDate	Activation Date	date				
BusinessHoursId	Business Hours ID	reference		18		
CloseDate	Close Date	date				
ConstructionEndDate	Construction End Date	date				
ConstructionStartDate	Construction Start Date	date				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DefaultPickupTime	Default Pickup Time	time				
DefaultProcessingTime	Default Processing Time	int	9			
DefaultProcessingTimeUnit	Default Processing Time Unit	picklist		255		
Description	Description	string		255		
DistributionArea	Distribution Area	string		255		
DrivingDirections	Driving Directions	string		1000		
ExternalReference	External Reference	string		255		
FulfillingBusinessHoursId	Business Hours ID	reference		18		
GrossFloorArea	Gross Floor Area	int	9			
GrossFloorAreaUom	Gross Floor Area Unit of Measure	picklist		40		
HasLifeSupport	Life Support	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
HasSensitiveLoad	Sensitive Load	boolean				
Id	Location ID	id		18		
IsDeleted	Deleted	boolean				
IsInventoryLocation	Inventory Location	boolean				
IsKeyAtPremises	Key at Premises	boolean				
IsMobile	Mobile Location	boolean				
IsOkToEnter	Ok to Enter	boolean				
IsSupplyGuaranteed	Supply Guaranteed	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
Location	Location	location	0	0	0	0
LocationLevel	Location Level	int	9			
LocationType	Location Type	picklist		40		
LogoId	Asset File ID	reference		18		
Longitude	Longitude	double			18	15
MeterReadInstructions	Meter Read Instructions	string		255		
MeterReadWarning	Meter Read Warning	string		255		
Name	Location Name	string		255		
NumberOfOccupants	Number of Occupants	int	9			
OpenDate	Open Date	date				
OwnerId	Owner ID	reference		18		
ParentLocationId	Parent Location ID	reference		18		
PossessionDate	Possession Date	date				
PrimaryPropertyFunction	Primary Property Function	picklist		40		
PropertyOwnerAccountId	Account ID	reference		18		
RemodelEndDate	Remodel End Date	date				
RemodelStartDate	Remodel Start Date	date				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RootLocationId	Root Location ID	reference		18		
ShouldSyncWithOci	Sync with OCI	boolean				
Status	Status	picklist		40		
SupplyGuaranteeReason	Supply Guarantee Reason	string		255		
SystemModstamp	System Modstamp	datetime				
TimeZone	Time Zone	picklist		255		
VisitorAddressId	Address ID	reference		18		

LOCATIONFEED

Feed tracking for Location.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

LOCATIONGROUP

Represents a group of Omnichannel Inventory locations, providing an aggregate view of inventory availability across those locations. Omnichannel Inventory can create an inventory reservation for an order at the location group level, then assign the reservation to one or more locations in the group as needed. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LocationGroup in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		2000		
ExternalReference	External Reference	string		255		
Id	Location Group ID	id		18		
IsDeleted	Deleted	boolean				
IsEnabled	Enabled	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationGroupName	Location Group Number	string		255		
OwnerId	Owner ID	reference		18		
ShouldSyncWithOci	Sync with OCI	boolean				
SystemModstamp	System Modstamp	datetime				

LOCATIONGROUPASSIGNMENT

Represents the assignment of a location to a location group. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LocationGroupAssignment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Location Group Assignment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationExternalReference	External Reference	string		255		
LocationGroupAssignment	Location Group Assignment Name	string		255		
LocationGroupExternalReference	External Reference	string		255		
LocationGroupId	Location Group ID	reference		18		
LocationGroupName	Location Group Number	string		255		
LocationId	Location ID	reference		18		
LocationName	Location Name	string		255		
SystemModstamp	System Modstamp	datetime				

LOCATIONGROUPFEED

Feed tracking for LocationGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

LOCATIONGROUPHISTORY

History for tracked fields of LocationGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Location Group History ID	id		18		
IsDeleted	Deleted	boolean				
LocationGroupId	Location Group ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOCATIONGROUPSHARE

Sharing for LocationGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LOCATIONHISTORY

History for tracked fields of Location.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Location History ID	id		18		
IsDeleted	Deleted	boolean				
LocationId	Location ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOCATIONSHARE

Sharing for Location.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LOCATIONSHIPPINGCARRIERMETHOD

The available shipping carrier services associated with a location or location group. Allows the assignment of different shipping methods to a specific location and enables flexibility and customization in the shipping process. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LocationShippingCarrierMethod in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Location Shipping Carrier Method ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationSourceId	Location Source ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ShippingCarrierMethodId	Shipping Carrier Method ID	reference		18		
SystemModstamp	System Modstamp	datetime				

LOCATIONSHIPPINGCARRIERMETHODFEED

Feed tracking for LocationShippingCarrierMethod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

LOCATIONSHIPPINGCARRIERMETHODHISTORY

History for tracked fields of LocationShippingCarrierMethod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Location Shipping Carrier Method History ID	id		18		
IsDeleted	Deleted	boolean				
LocationShippingCarrierMethodId	Location Shipping Carrier Method ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOCATIONSHIPPINGCARRIERMETHODSHARE

Sharing for LocationShippingCarrierMethod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LOCATIONTRUSTMEASURE

Represents the COVID safety protocols that your business follows. For example, enforcement of masks, social distancing, cleanliness, and capacity limits. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LocationTrustMeasure in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
IconUrl	Icon Url	string		255		
Id	LocationTrustMeasure ID	id		18		
IsDeleted	Deleted	boolean				
IsVisibleInPublic	Trust Measure Is Published	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationExternalReference	Location External Reference	string		255		
LocationId	Location ID	reference		18		
Name	Location Trust Measure Name	string		255		
OwnerId	Owner ID	reference		18		
SortOrder	Display Order	int	9			
SystemModstamp	System Modstamp	datetime				
Title	Title	string		40		

LOCATIONTRUSTMEASURESHARE

Sharing for LocationTrustMeasure.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LOGINANOMALYEVENT

This entity detects data access anomalies that are caused by potentially malicious login actions. This object is available in API version 64.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoginAnomalyEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event ID	string		80		
EventUuid	Event UUID	string		36		
FeatureContribution	FeatureContribution	double			12	6
FeatureName	FeatureName	string		100		
FeatureValue	FeatureValue	double			12	6
LoginKey	Login Key	string		24		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
ReplayId	Replay ID	string		1000		
Score	Score	double			12	6
SecurityEventData	SecurityEventData	textarea		131000		
SessionKey	Session Key	string		24		
SourceIp	Source IP Address	string		255		
Summary	Summary	textarea		1000		
UserId	User ID	reference		18		
Username	Username	string		255		

LOGINANOMALYEVENTSTORE

Stores the records of data access anomalies that are caused by potentially malicious login actions This object is available in API version 64.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoginAnomalyEventStore in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event ID	string		80		
FeatureContribution	FeatureContribution	double			12	6
FeatureName	FeatureName	string		100		
FeatureValue	FeatureValue	double			12	6
Id	Login Anomaly Event Store ID	id		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoginAnomalyEventNumber	Event Name	string		255		
LoginKey	Login Key	string		24		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
Score	Score	double			12	6
SecurityEventData	SecurityEventData	textarea		131000		
SessionKey	Session Key	string		24		
SourceIp	Source IP Address	string		255		
Summary	Summary	textarea		1000		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UserId	User ID	reference		18		
Username	Username	string		255		

LOGINANOMALYEVENTSTOREFEED

Feed tracking for LoginAnomalyEventStore.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

LOGINASEVENT

LoginAsEvent tracks when an admin logs in as another user in your org. In Real-Time Event Monitoring, it captures events for org admins and Experience Cloud sites only. LoginAsEvent is a big object that stores the event data of LoginAsEventStream. This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoginAsEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Application	Application	string		255		
Browser	Browser	string		64		
CreatedDate	Created Date	datetime				
DelegatedOrganizationId	Delegated Organization Id	string		18		
DelegatedUsername	Delegated Username	string		128		
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
Id	LoginAs Event ID	id		18		
LoginAsCategory	LoginAs Category	picklist		255		
LoginHistoryId	Login History ID	reference		18		
LoginKey	Login Key	string		24		
LoginType	Login Type	picklist		255		
Platform	Platform	string		255		
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
TargetUrl	Target URL	string		1000		
UserId	User ID	reference		18		
UserType	User Type	picklist		255		
Username	Username	string		255		

LOGINASEVENTSTREAM

LoginAsEvent tracks when an admin logs in as another user in your org. In Real-Time Event Monitoring, it captures events for org admins and Experience Cloud site only. This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoginAsEventStream in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Application	Application	string		255		
Browser	Browser	string		64		
CreatedDate	Created Date	datetime				
DelegatedOrganizationId	Delegated Organization ID	string		18		
DelegatedUsername	Delegated Username	string		128		
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
EventUuid	Event UUID	string		36		
LoginAsCategory	LoginAs Category	picklist		255		
LoginHistoryId	Login History ID	reference		18		
LoginKey	Login Key	string		24		
LoginType	Login Type	picklist		255		
Platform	Platform	string		255		
ReplayId	Replay ID	string		1000		
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
TargetUrl	Target URL	string		1000		
UserId	User ID	reference		18		
UserType	User Type	picklist		255		
Username	Username	string		255		

LOGINEVENT

An event related to the LoginEvent object.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoginEvent in the *Object Reference for the Salesforce Platform* and *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdditionalInfo	Additional Information	string		10000		
ApiType	API Type	string		64		
ApiVersion	API Version	string		32		
Application	Application	string		255		
AuthMethodReference	Authentication Method Reference	string		128		
AuthServiceId	Authentication Service ID	reference		18		
Browser	Browser	string		64		
CipherSuite	TLS Cipher Suite	picklist		255		
City	City	string		200		
ClientVersion	Client Version	string		64		
Country	Country	string		200		
CountryIso	Country Code	string		3		
CreatedDate	Created Date	datetime				
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
ForwardedForIp	Forwarded For IP	string		256		
HttpMethod	HTTP Method	picklist		255		
Id	Login Event ID	id		18		
LoginGeoId	Login Geo Data ID	reference		18		
LoginHistoryId	Login History ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LoginKey	Login Key	string		24		
LoginLatitude	Latitude	double			9	6
LoginLongitude	Longitude	double			9	6
LoginSubType	Login Subtype	picklist		255		
LoginType	Login Type	picklist		255		
LoginUrl	Login URL	string		1000		
Platform	Platform	string		255		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
PostalCode	Postal Code	string		20		
RelatedEventIdentifier	Related Event Identifier	string		80		
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
Status	Status	string		128		
Subdivision	Subdivision	string		200		
TlsProtocol	TLS Protocol	picklist		255		
UserId	User ID	reference		18		
UserType	User Type	picklist		255		
Username	Username	string		255		

LOGINEVENTSTREAM

LoginEventStream tracks login activity of users who log in to Salesforce. This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoginEventStream in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdditionalInfo	Additional Information	string		10000		
ApiType	API Type	string		64		
ApiVersion	API Version	string		32		
Application	Application	string		255		
AuthMethodReference	Authentication Method Reference	string		128		
AuthServiceId	Authentication Service ID	string		18		
Browser	Browser	string		64		
CipherSuite	TLS Cipher Suite	picklist		255		
City	City	string		200		
ClientVersion	Client Version	string		64		
Country	Country	string		200		
CountryIso	Country Code	string		3		
CreatedDate	Created Date	datetime				
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
EventUuid	Event UUID	string		36		
ForwardedForIp	Forwarded For IP	string		256		
HttpMethod	HTTP Method	picklist		255		
LoginGeoId	Login Geo Data ID	string		18		
LoginHistoryId	Login History ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LoginKey	Login Key	string		24		
LoginLatitude	Latitude	double			9	6
LoginLongitude	Longitude	double			9	6
LoginSubType	Login Subtype	picklist		255		
LoginType	Login Type	picklist		255		
LoginUrl	Login URL	string		1000		
Platform	Platform	string		255		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
PostalCode	Postal Code	string		20		
RelatedEventIdentifier	Related Event Identifier	string		80		
ReplayId	Replay ID	string		1000		
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		80		
Status	Status	string		128		
Subdivision	Subdivision	string		200		
TlsProtocol	TLS Protocol	picklist		255		
UserId	User ID	reference		18		
UserType	User Type	picklist		255		
Username	Username	string		80		

LOGINGEO

Represents the geographic location of the user's IP address for a login event. Due to the nature of geolocation technology, the accuracy of geolocation fields (for example, country, city, postal code) may vary. This object is available in API version 34.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoginGeo in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
City	City	string		200		
Country	Country	string		200		
CountryIso	Country Code	string		3		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Login Geo Data ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Latitude	Latitude	double			18	0
LoginTime	Login Time	datetime				
Longitude	Longitude	double			18	0
PostalCode	Postal Code	string		20		
Subdivision	Subdivision	string		200		
SystemModstamp	System Modstamp	datetime				

LOGINHISTORY

Represents the login history for all successful and failed login attempts for organizations and enabled portals. This object is available in API version 21.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoginHistory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiType	API Type	string		64		
ApiVersion	API Version	string		32		
Application	Application	string		64		
AuthMethodReference	Authentication Method Reference	string		128		
AuthenticationServiceId	Authentication Service ID	reference		18		
Browser	Browser	string		64		
CipherSuite	TLS Cipher Suite	picklist		40		
ClientVersion	Client Version	string		64		
CountryIso	Country Code	string		3		
ForwardedForIp	Forwarded For IP	string		255		
Id	Login History Id	id		18		
LoginGeoId	Login Geo Data ID	reference		18		
LoginSubType	Login Subtype	picklist		40		
LoginTime	Login Time	datetime				
LoginType	Login Type	picklist		40		
LoginUrl	Login URL	string		255		
NetworkId	Network ID	reference		18		
OptionsIsGet	Login via GET	boolean				
OptionsIsPost	Login via POST	boolean				
Platform	Platform	string		64		
SourceIp	Source IP	string		39		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Status`	Status	string		128		
`TlsProtocol`	TLS Protocol	picklist		40		
`UserId`	User ID	reference		18		

LOGINIP

Represents a validated IP address. This object is available in version 28.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoginIp in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ChallengeMethod`	Challenge Method	picklist		40		
`ChallengeSentDate`	Challenge SentDate	datetime				
`CreatedDate`	Created Date	datetime				
`Id`	Login IP ID	id		18		
`IsAuthenticated`	IsAuthenticated	boolean				
`SourceIp`	Source IP	string		39		
`UsersId`	User ID	reference		18		

LOGOUTEVENT

Tracks user UI logouts. A logout event records a successful user logout from your org's UI. LogoutEvent is a big object that stores the event data of LogoutEventStream. This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LogoutEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedDate`	Created Date	datetime				
`EventDate`	Event Date	datetime				
`EventIdentifier`	Event Identifier	string		80		
`Id`	Logout Event ID	id		18		
`LoginKey`	Login Key	string		24		
`SessionKey`	Session Key	string		24		
`SessionLevel`	Session Level	picklist		255		
`SourceIp`	Source IP	string		255		
`UserId`	User ID	reference		18		
`Username`	Username	string		255		

LOOKEDUPFROMACTIVITY

This read-only object is displayed as a related list on an activity record (an event or a task); the list contains records that have custom lookup relationships from the activity to another object. This object is not queryable.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LookedUpFromActivity in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActivityDate	Date	date				
ActivityDateTime	Time	datetime				
ActivitySubtype	Activity Subtype	picklist		40		
ActivityType	Type	picklist		40		
CallDisposition	Call Result	string		255		
CallDurationInSeconds	Call Duration	int	8			
CallObject	Call Object Identifier	string		255		
CallType	Call Type	picklist		40		
CompletedDateTime	Completed Date/Time	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Comments	textarea		32000		
DurationInMinutes	Duration	int	9			
EndDateTime	End	datetime				
Id	Activity ID	id		18		
IsAllDayEvent	All-Day Event	boolean				
IsClosed	Closed	boolean				
IsDeleted	Deleted	boolean				
IsHighPriority	High Priority	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsReminderSet	Reminder Set	boolean				
IsTask	Task	boolean				
IsVisibleInSelfService	Public	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Location	Location	string		80		
OwnerId	Assigned To ID	reference		18		
Priority	Priority	picklist		20		
ReminderDateTime	Reminder Date/Time	datetime				
StartDateTime	Start	datetime				
Status	Status	picklist		255		
Subject	Subject	combobox		80		
SystemModstamp	System Modstamp	datetime				
WhatId	Related To ID	reference		18		
WhoId	Name ID	reference		18		

LOYALTYAGGRPOINTEXPRLEDGER

Represents information about non-qualifying currency points that expire based on a fixed model tier group.

For more information, see LoyaltyAggrPointExprLedger in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExpirationDate	Expiration Date	date				
ExpirationPoints	Expiration Points	double			18	2
Id	Loyalty Aggregated Point Expiration Ledger ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LoyaltyProgramCurrencyId	Currency ID	reference		18		
LoyaltyProgramMemberId	Loyalty Program Member ID	reference		18		
PointsStatus	Points Status	picklist		40		
RedeemedPoints	Redeemed Points	double			18	2
SystemModstamp	System Modstamp	datetime				

LOYALTYLEDGER

Records the points that have been credited or debited for a member across the transactions.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyLedger in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivityDate	Activity Date	datetime				
AdditionalNotes	Additional Notes	string		255		
Correlation	Correlation ID	string		15		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EscrowPointsCreditDate	Escrow Points Credit Date	date				
EventType	Event Type	picklist		40		
ExpiryDate	Expiry Date	date				
Flow	Flow ID	string		15		
Id	Loyalty Ledger ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramCurrencyId	Currency ID	reference		18		
LoyaltyProgramMemberId	Loyalty Program Member ID	reference		18		
Points	Points	double			18	2
PromotionId	Promotion ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TransactionJournalId	Transaction Journal ID	reference		18		

LOYALTYMEMBERCURRENCY

Represents the information about point balance for a member and a particular currency.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyMemberCurrency in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BalanceBeforeReset	Balance Before Reset	double			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EscrowPointsBalance	Escrow Points Balance	double			18	2
ExpirablePoints	Total Expirable Points	double			18	2
Id	Loyalty Member Currency ID	id		18		
IsDeleted	Deleted	boolean				
LastAccrualProcessedDate	Last Accrual Processed Date	datetime				
LastEscrowProcessedDate	Last Escrow Processed Date	datetime				
LastExpirationProcessRunDate	Last Expiration Process Run Date	date				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastResetDate	Last Reset Date	date				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyMemberId	Loyalty Program Member ID	reference		18		
LoyaltyProgramCurrencyId	Currency ID	reference		18		
Name	Name	string		255		
NextResetDate	Next Reset Date	date				
PointsBalBeforeSecondLastReset	Points Balance Bef Second To Last Reset	double			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PointsBalance	Points Balance	double			18	2
RedemStlPendFromDateTime	Redemption Settlement Pending From Date Time	datetime				
SystemModstamp	System Modstamp	datetime				
TotalEscrowPointsAccrued	Total Escrow Points Accrued	double			18	2
TotalEscrowRolloverPoints	Total Escrow Rollover Points	double			18	2
TotalPointsAccrued	Total Points Accrued	double			18	2
TotalPointsExpired	Total Points Expired	double			18	2
TotalPointsRedeemed	Total Points Redeemed	double			18	2

LOYALTYMEMBERCURRENCYFEED

Feed tracking for LoyaltyMemberCurrency.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

LOYALTYMEMBERCURRENCYHISTORY

History for tracked fields of LoyaltyMemberCurrency.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Loyalty Member Currency History ID	id		18		
`IsDeleted`	Deleted	boolean				
`LoyaltyMemberCurrencyId`	Loyalty Member Currency ID	reference		18		
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

LOYALTYMEMBERTIER

Represents information about the current tier of the member across tier groups.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyMemberTier in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AreBenefitsAssigned	Are Benefits Assigned	boolean				
ChangeReasonType	Change Reason Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EffectiveDate	Effective Date	date				
Id	Loyalty Member Tier ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyMemberId	Loyalty Program Member ID	reference		18		
LoyaltyTierGroupId	Loyalty Tier Group ID	reference		18		
LoyaltyTierId	Loyalty Tier ID	reference		18		
Name	Name	string		255		
ReasonForChange	Reason for Change	string		255		
SystemModstamp	System Modstamp	datetime				
TierExpirationDate	Tier Expiration Date	date				

LOYALTYMEMBERTIERHISTORY

History for tracked fields of LoyaltyMemberTier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Member Tier History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyMemberTierId	Loyalty Member Tier ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYMEMBERSHIPLIFECYCLE

Represents information about a member's lifecycle in the loyalty program.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyMembershipLifecycle in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Comment	Comments	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EffectiveEndDate	Effective End Date	date				
EffectiveStartDate	Effective Start Date	date				
ExternalIdentifier	External Identifier	string		255		
Id	Loyalty Membership Lifecycle ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramMemberId	Loyalty Program Member ID	reference		18		
MembershipStatus	Membership Status	picklist		40		
MembershipType	Membership Type	picklist		40		
Name	Name	string		255		
OrderItemId	Order Product ID	reference		18		
SystemModstamp	System Modstamp	datetime				

LOYALTYMEMBERSHIPLIFECYCLEHISTORY

History for tracked fields of LoyaltyMembershipLifecycle.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Membership Lifecycle History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyMembershipLifecycleId	Loyalty Membership Lifecycle ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYPARTNERPRODUCT

Represents products and product categories offered by loyalty partners.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyPartnerProduct in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDate	End Date	date				
Id	Loyalty Partner Product ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyPartnerId	Loyalty Program Partner ID	reference		18		
Name	Name	string		255		
PartnerCategoryDerivedFieldId	Category ID	reference		18		
PartnerProductCost	Partner's Product Cost	currency			18	2
ProductDerivedFieldId	Product ID	reference		18		
ProductId	Product ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

LOYALTYPARTNERPRODUCTHISTORY

History for tracked fields of LoyaltyPartnerProduct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Partner Product History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyPartnerProductId	Loyalty Partner Product ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYPGMENGMTATTRPROM

Represents a junction between Loyalty Program Engagement Attribute and Promotion. Associate an engagement attribute with a promotion if you want to track the engagement attribute during the promotion period.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyPgmEngmtAttrProm in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Loyalty Program Engagement Attribute Promotion ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramEngmtAttrId	Loyalty Program Engagement Attribute ID	reference		18		
Name	Name	string		255		
PromotionId	Promotion ID	reference		18		
SystemModstamp	System Modstamp	datetime				

LOYALTYPGMENGMTATTRPROMHISTORY

History for tracked fields of LoyaltyPgmEngmtAttrProm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Program Engagement Attribute Promotion History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyPgmEngmtAttrPromId	Loyalty Program Engagement Attribute Promotion ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYPGMENGMTATTRIBUTE

Represents information about an engagement attribute for a loyalty program.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyPgmEngmtAttribute in the *Loyalty Management Developer Guide* and *Referral Marketing Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DefaultValue	Default Value	string		255		
Description	Description	textarea		255		
EndDate	End Date	date				
Id	Loyalty Program Engagement Attribute ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramId	Loyalty Program ID	reference		18		
MaximumResetCountPerPeriod	Maximum Reset Count Per Period	int	9			
Name	Name	string		255		
ResetValueOn	Reset Value On	string		255		
ShouldOverwriteAttrCurrVal	Overwrite Attribute Current Value	boolean				
StartDate	Start Date	date				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TargetValue	Target Value	string		255		
ValueResetFrequency	Value Reset Frequency	picklist		255		

LOYALTYPGMENGMTATTRIBUTEHISTORY

History for tracked fields of LoyaltyPgmEngmtAttribute.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Program Engagement Attribute History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyPgmEngmtAttributeId	Loyalty Program Engagement Attribute ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYPGMGROUPMBRRLNSP

Represents a junction between a Corporate or Individual type loyalty program member who is part of a group and the Group type loyalty program member.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyPgmGroupMbrRlnsp in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CanMemberRedeemFromGroup	Member can redeem group points	boolean				
ContactId	Contact ID	reference		18		
ContributionCalculationType	Contribution Calculation Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Loyalty Program Group Account Member ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramGroupMemberId	Loyalty Program Member ID	reference		18		
MemberName	Member Name	string		255		
MemberPointContributionPercent	Contribution Percentage	percent			3	0
MemberRole	Member Role	picklist		40		
Name	Name	string		255		
RelatedLoyaltyProgramMemberId	Loyalty Program Member ID	reference		18		
SystemModstamp	System Modstamp	datetime				

LOYALTYPGMGROUPMBRRLNSPHISTORY

History for tracked fields of LoyaltyPgmGroupMbrRlnsp.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Program Group Member Relationship History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyPgmGroupMbrRlnspId	Loyalty Program Group Account Member ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYPGMMBRATTRIBUTEVAL

Represents information about the value reached by a loyalty program member for an engagement attribute.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyPgmMbrAttributeVal in the *Loyalty Management Developer Guide* and *Referral Marketing Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CumulativeValue	Cumulative Value	double			18	2
CurrencyIsoCode	Currency ISO Code	picklist		3		
CurrentValue	Current Value	string		255		
EndDate	End Date	date				
Id	Loyalty Program Member Attribute Value ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastResetDate	Last Reset Date	date				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyPgmEngmtAttributeId	Loyalty Program Engagement Attribute ID	reference		18		
LoyaltyProgramMemberId	Loyalty Program Member ID	reference		18		
Name	Name	string		255		
ResetCount	Reset Count	int	9			
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

LOYALTYPGMMBRATTRIBUTEVALHISTORY

History for tracked fields of LoyaltyPgmMbrAttributeVal.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Program Member Attribute Value History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyPgmMbrAttributeValId	Loyalty Program Member Attribute Value ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYPGMMBRPROMELIGVIEW

Represents a virtual object that provides a consolidated view of the loyalty program member's eligibility for a promotion and their enrollment status in eligible promotions.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyPgmMbrPromEligView in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CurrPromotionLiabilityAmt	Current Promotion Liability Amount	currency			18	2
CurrencyIsoCode	Currency ISO Code	picklist		3		
CurrentPromotionPointsCount	Current Promotion Points Count	int	9			
DefaultVoucherDefinitionId	Voucher Definition ID	reference		18		
Description	Description	textarea		1000		
DoesPromHavePtWithFctr	Promotion Have Points with Factor	boolean				
EndDate	End Date	date				
ExternalId	External ID	string		255		
FulfillmentAction	Fulfillment Action	picklist		255		
Id	Loyalty Program Member Promotion Eligibility View ID	id		18		
IsMbrEligBsdCmpnOrSgmt	Eligible Based on Segment Or Campaign	boolean				
IsPromotionEnrollmentRqr	Enrollment Required	boolean				
IssuedPromotionVoucherCount	Issued Promotion Voucher Count	int	9			
LoyaltyProgramCurrencyId	Currency ID	reference		18		
LoyaltyProgramId	Loyalty Program ID	reference		18		
LoyaltyProgramMemberId	Loyalty Program Member ID	reference		18		
LoyaltyPromotionType	Loyalty Promotion Type	picklist		255		
MaxPromotionLiabilityAmount	Maximum Promotion Liability Amount	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaxPromotionVoucherCount	Maximum Promotion Voucher Count	int	9			
MaximumPromotionRewardValue	Maximum Promotion Reward Value	int	9			
MemberEligibilityCategory	Member Eligibility Category	picklist		255		
Objective	Objective	textarea		1000		
PromEnrollmentStartDate	Promotion Enrollment Start Date	date				
PromotionCumulativeUsageTgt	Promotion Cumulative Usage Target	int	9			
PromotionEnrollmentEndDate	Promotion Enrollment End Date	date				
PromotionId	Promotion ID	reference		18		
PromotionImageUrl	Promotion Image URL	url		255		
PromotionName	Name	string		255		
PromotionPointFactor	Promotion Point Factor	double			18	0
PromotionTrxnJournalType	Promotion Transaction Journal Type	picklist		255		
StartDate	Start Date	date				
TotalPromotionRewardPointsVal	Total Promotion Reward Points Value	int	9			

LOYALTYPGMPARTNERCURRENCY

Represents a junction between a loyalty program partner and a loyalty program currency.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyPgmPartnerCurrency in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccrualConversionFactor	Accrual Conversion Factor	double			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Loyalty Program Partner Currency ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramCurrencyId	Currency ID	reference		18		
LoyaltyProgramPartnerId	Loyalty Program Partner ID	reference		18		
Name	Name	string		40		
RedemptionConversionFactor	Redemption Conversion Factor	double			18	2
SystemModstamp	System Modstamp	datetime				

LOYALTYPGMPARTNERCURRENCYHISTORY

History for tracked fields of LoyaltyPgmPartnerCurrency.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Program Partner Currency History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyPgmPartnerCurrencyId	Loyalty Program Partner Currency ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYPGMPARTNERPROMOTION

Represents a junction between the Promotion and Loyalty Program Partner objects.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyPgmPartnerPromotion in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContributionPercentage	Contribution Percentage	percent			3	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Loyalty Program Partner Promotion ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramPartnerId	Loyalty Program Partner ID	reference		18		
Name	Name	string		40		
PromotionId	Promotion ID	reference		18		
SystemModstamp	System Modstamp	datetime				

LOYALTYPGMPARTNERPROMOTIONHISTORY

History for tracked fields of LoyaltyPgmPartnerPromotion.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Program Partner Promotion History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyPgmPartnerPromotionId	Loyalty Program Partner Promotion ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYPGMPTNRLDGRSUMMARY

Represents the aggregated ledger used by a loyalty program to credit points to or debit points from a prepaid partner's points pack. This ledger can also be used to add or deduct the monetary value of points from the postpaid partner's bill.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyPgmPtnrLdgrSummary in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivityDate	Activity Date	date				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Loyalty Program Partner Ledger Summary Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyPgmPtnrPrepaidPackId	Loyalty Program Partner Prepaid Pack ID	reference		18		
LoyaltyProgramPartnerId	Loyalty Program Partner ID	reference		18		
Name	Name	string		40		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalPoints	Total Points	double			18	2
Type	Type	picklist		255		

LOYALTYPGMPTNRPREPAIDPACK

Represents information about a prepaid set of points purchased by a loyalty program partner.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyPgmPtnrPrepaidPack in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDate	End Date	date				
Id	Loyalty Program Partner Prepaid Pack ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramPartnerId	Loyalty Program Partner ID	reference		18		
Name	Name	string		255		
OrderId	Order ID	reference		18		
PurchaseDate	Purchase Date	date				
PurchasedPoints	Purchased Points	double			18	2
RemainingPoints	Remaining Points	double			18	2
SystemModstamp	System Modstamp	datetime				

LOYALTYPGMPTNRPREPAIDPACKHISTORY

History for tracked fields of LoyaltyPgmPtnrPrepaidPack.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Program Partner Prepaid Pack History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyPgmPtnrPrepaidPackId	Loyalty Program Partner Prepaid Pack ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYPROGRAM

Represents the loyalty program within an organization. All the information related to members, tiers, tier groups, program currencies, vouchers, benefits, partners, promotions, transactions are associated with the program.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyProgram in the *Loyalty Management Developer Guide* and *Referral Marketing Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		1333		
EscrowPeriod	Escrow Period	int	9			
Id	Loyalty Program ID	id		18		
IsDeleted	Deleted	boolean				
IsPrimary	Primary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Program Name	string		255		
OwnerId	Owner ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

LOYALTYPROGRAMBADGE

Represents information about the badge that's associated with a loyalty program.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyProgramBadge in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
Id	Loyalty Program Badge ID	id		18		
ImageUrl	Image	url		1000		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramId	Loyalty Program ID	reference		18		
Name	Name	string		255		
StartDate	Start Date	date				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
ValidityDuration	Validity Duration	int	9			
ValidityDurationUnit	Validity Duration Unit	picklist		255		
ValidityEndDate	Validity End Date	date				
ValidityType	Validity Type	picklist		255		

LOYALTYPROGRAMBADGEHISTORY

History for tracked fields of LoyaltyProgramBadge.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Program Badge History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyProgramBadgeId	Loyalty Program Badge ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYPROGRAMCURRENCY

Represents qualifying and non-qualifying currencies associated with the program. Qualifying currency represents the engagement of a member with the program and it's associated with a tier group. Non-qualifying currency represent the points that the member earns for redemption.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyProgramCurrency in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CostperUnit	Cost per Unit	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
CurrencyType	Currency Type	picklist		255		
ExpiryModel	Expiration Model	picklist		255		
ExpiryPeriodFrequency	Expiration Interval	int	9			
ExpiryPeriodUnit	Expiration Interval Unit	picklist		255		
ExtendExpiration	Extend Expiration	picklist		255		
HasEscrow	Has Escrow	boolean				
Id	Currency ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsPrimary	Primary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramId	Loyalty Program ID	reference		18		
LoyaltyTierGroupId	Loyalty Tier Group ID	reference		18		
Name	Currency Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

LOYALTYPROGRAMFEED

Feed tracking for LoyaltyProgram.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

LOYALTYPROGRAMHISTORY

History for tracked fields of LoyaltyProgram.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Program History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyProgramId	Loyalty Program ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYPROGRAMMBRPROMOTION

Represents details about the promotions to be applied for a loyalty program member. Tracks the enrollment status, promotion status, and progress for a promotion of a member.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyProgramMbrPromotion in the *Loyalty Management Developer Guide* and *Referral Marketing Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CumulativeUsageCompletePercent	Cumulative Usage Complete Percentage	percent			5	2
CumulativeUsageCompleted	Cumulative Usage Completed	int	9			
CumulativeUsageTarget	Cumulative Usage Target	int	9			
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Loyalty Program Member Promotion ID	id		18		
IsDeleted	Deleted	boolean				
IsEnrollmentActive	Enrollment active	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramMemberId	Loyalty Program Member ID	reference		18		
Name	Name	string		255		
PromotionId	Promotion ID	reference		18		
SystemModstamp	System Modstamp	datetime				

LOYALTYPROGRAMMBRPROMOTIONHISTORY

History for tracked fields of LoyaltyProgramMbrPromotion.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Program Member Promotion History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyProgramMbrPromotionId	Loyalty Program Member Promotion ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYPROGRAMMEMBER

Represents information about member who belongs to a loyalty program. The member can be individual or corporate type.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyProgramMember in the *Loyalty Management Developer Guide* and *Referral Marketing Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CanReceivePartnerPromotions	Receive Partner Promotion	boolean				
CanReceivePromotions	Receive Promotion	boolean				
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EnrollmentChannel	Enrollment Channel	picklist		255		
EnrollmentDate	Enrollment Date	date				
GroupCreatedByMemberId	Loyalty Program Member ID	reference		18		
GroupName	Group Name	string		80		
Id	Loyalty Program Member ID	id		18		
IsDeleted	Deleted	boolean				
IsEligibleForTierAssessment	Eligible For Tier Assessment	boolean				
LastActivityDate	Last Activity Date	date				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MemberStatus	Member Status	picklist		40		
MemberType	Member Type	picklist		255		
MembershipEndDate	Membership End Date	date				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MembershipLastRenewalDate	Membership Last Renewal Date	date				
MembershipNumber	Membership Number	string		255		
OwnerId	Owner ID	reference		18		
ProgramId	Loyalty Program ID	reference		18		
ReferralCode	Referral Code	string		255		
ReferredById	Referred By ID	reference		18		
RelatedCorporateMembershipId	Associated Corporate Membership ID	reference		18		
StatementFrequency	Statement Frequency	picklist		255		
StatementLastGeneratedDate	Statement Last Generated Date	datetime				
StatementMethod	Statement Method	picklist		255		
SystemModstamp	System Modstamp	datetime				

LOYALTYPROGRAMMEMBERBADGE

Represents a badge that's assigned to a loyalty program member.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyProgramMemberBadge in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDate	End Date	date				
Id	Loyalty Program Member Badge ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramBadgeId	Loyalty Program Badge ID	reference		18		
LoyaltyProgramMemberId	Loyalty Program Member ID	reference		18		
Name	Number	string		255		
Reason	Reason	string		255		
StartDate	Start Date	date				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

LOYALTYPROGRAMMEMBERBADGEHISTORY

History for tracked fields of LoyaltyProgramMemberBadge.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Program Member Badge History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyProgramMemberBadgeId	Loyalty Program Member Badge ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYPROGRAMMEMBERCASE

Represents a junction between a loyalty program member and a case.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyProgramMemberCase in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CaseId	Case ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Loyalty Program Member Case ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramMemberId	Loyalty Program Member ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

LOYALTYPROGRAMMEMBERCASEHISTORY

History for tracked fields of LoyaltyProgramMemberCase.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Program Member Case History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyProgramMemberCaseId	Loyalty Program Member Case ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYPROGRAMMEMBERCASESHARE

Sharing for LoyaltyProgramMemberCase.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LOYALTYPROGRAMMEMBERHISTORY

History for tracked fields of LoyaltyProgramMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Program Member History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyProgramMemberId	Loyalty Program Member ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYPROGRAMMEMBERMERGE

Represents information about merged loyalty program memberships.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyProgramMemberMerge in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Loyalty Program Member Merge ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Reason	Reason	string		255		
SourceMemberId	Loyalty Program Member ID	reference		18		
SrcMbrDataBody	Source Member Data Body	base64				
SrcMbrDataContentType	Source Member Data Content Type	picklist		255		
SrcMbrDataLength	Source Member Data Length	int	9			
SrcMbrDataName	Source Member Data Name	string		40		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TargetMemberId	Loyalty Program Member ID	reference		18		

LOYALTYPROGRAMMEMBERMERGESHARE

Sharing for LoyaltyProgramMemberMerge.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LOYALTYPROGRAMMEMBERSHARE

Sharing for LoyaltyProgramMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LOYALTYPROGRAMPARTNER

Represents partners that are associated with a given loyalty program. Partners can be an accrual partner, a redemption partner, or both.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyProgramPartner in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccrualCostperUnit	Accrual Cost per Unit	currency			18	2
AlertValue	Alert Value	double			18	2
BillingType	Billing Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditedPoints	Credited Points	double			18	2
CurrencyIsoCode	Currency ISO Code	picklist		3		
DebitedPoints	Debited Points	double			18	2
Id	Loyalty Program Partner ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastProcessedDateTime	Last Processed Date Time	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyPartnerId	Loyalty Program Partner ID	reference		18		
LoyaltyProgramId	Loyalty Program ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PartnerCategory	Program Partnership Category	picklist		40		
PartnerIndustry	Industry	picklist		40		
PartnerStatus	Status	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PartnerType	Type	picklist		255		
PartnershipEndDate	Program Partnership End Date	date				
PartnershipStartDate	Program Partnership Start Date	date				
PointsBalance	Points Balance	double			18	2
PostpaidBillAmount	Postpaid Bill Amount	currency			18	2
PurchasedPoints	Purchased Points	double			18	2
RedemptionCostperUnit	Redemption Cost per Unit	currency			18	2
SystemModstamp	System Modstamp	datetime				

LOYALTYPROGRAMPARTNERHISTORY

History for tracked fields of LoyaltyProgramPartner.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Program Partner History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyProgramPartnerId	Loyalty Program Partner ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYPROGRAMPARTNERLEDGER

Represents the ledger used by a loyalty program to credit points to or debit points from a prepaid partner's points pack or from a postpaid partner's point balance. This ledger can also be used to add or deduct the monetary value of points from the partner's postpaid bill.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyProgramPartnerLedger in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivityDate	Activity Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Loyalty Program Partner Ledger ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LoyaltyLedgerId	Loyalty Ledger ID	reference		18		
LoyaltyProgramMemberId	Loyalty Program Member ID	reference		18		
LoyaltyProgramPartnerId	Loyalty Program Partner ID	reference		18		
Points	Points	double			18	2
PromotionId	Promotion ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TransactionJournalId	Transaction Journal ID	reference		18		
Type	Type	picklist		40		

LOYALTYPROGRAMPARTNERSHARE

Sharing for LoyaltyProgramPartner.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LOYALTYPROGRAMPROCESS

Represents information about loyalty program processes that determine how transaction journals are processed.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyProgramProcess in the *Loyalty Management Developer Guide* and *Referral Marketing Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		1000		
ExecutionType	Process Execution Method	picklist		255		
Id	Program Process ID	id		18		
IsDeleted	Deleted	boolean				
JournalSubTypeId	Journal Subtype ID	reference		18		
JournalTypeId	Journal Type ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramId	Loyalty Program ID	reference		18		
LoyaltyTierGroupId	Loyalty Tier Group ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProcessType	Process Type	picklist		40		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

LOYALTYPROGRAMPROCESSHISTORY

History for tracked fields of LoyaltyProgramProcess.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Program Process History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyProgramProcessId	Program Process ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYPROGRAMPROCESSPARAMETERHISTORY

History for tracked fields of LoyaltyProgramProcessParameter.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Program Process Parameter History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyProgramProcessParameterId	Process Parameter ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYPROGRAMPROCESSRULE

Represents the details of a rule in a loyalty program process.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyProgramProcessRule in the *Referral Marketing Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		1000		
Id	Process Rule ID	id		18		
IsDeleted	Deleted	boolean				
IsProcessEligibilityRule	Process Eligibility Rule	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramProcessId	Program Process ID	reference		18		
Name	Process Rule Name	string		255		
PromotionId	Promotion ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

LOYALTYPROGRAMPROCESSRULEHISTORY

History for tracked fields of LoyaltyProgramProcessRule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Process Rule History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyProgramProcessRuleId	Process Rule ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

LOYALTYPROGRAMPROCESSSHARE

Sharing for LoyaltyProgramProcess.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LOYALTYPROGRAMSHARE

Sharing for LoyaltyProgram.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LOYALTYPROGRAMWIDGET

Represents the configuration of a widget that a user can apply to the out-of-the-box templates and FlexCards provided by Omnistudio. The configuration helps implement custom UI changes, such as promotion type, promotion tag line, and so on for a user.

For more information, see LoyaltyProgramWidget in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomizedContent	Customized Content	textarea		128000		
Description	Description	string		255		
Id	Loyalty Program Widget ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProgramId	Loyalty Program ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TemplateName	Template Name	string		255		
TemplateVersion	Template Version	int	9			

LOYALTYPROGRAMWIDGETSHARE

Sharing for LoyaltyProgramWidget.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

LOYALTYTIER

Represents information about tiers of a loyalty program. A tier group has a set of tiers in a sequential order.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyTier in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Color	Color	string		9		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		1000		
Id	Loyalty Tier ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyTierGroupId	Loyalty Tier Group ID	reference		18		
MaximumEligibleBalance	Maximum Eligible Balance	double			18	2
MinimumEligibleBalance	Minimum Eligible Balance	double			18	2
Name	Tier Name	string		255		
SequenceNumber	Sequence Number	int	4			
SystemModstamp	System Modstamp	datetime				

LOYALTYTIERBENEFIT

A junction object that associates the loyalty benefits with the loyalty program tiers.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyTierBenefit in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitId	Benefit ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Loyalty Tier Benefit ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyTierId	Loyalty Tier ID	reference		18		
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

LOYALTYTIERGROUP

Represents information about tier groups of a loyalty program. Tier group categorizes members based on their loyalty points.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see LoyaltyTierGroup in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		1000		
ExtendExpiration	Extend Expiration	picklist		255		
Id	Loyalty Tier Group ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsHiddenToMembers	Hidden To Members	boolean				
IsPrimary	Primary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramId	Loyalty Program ID	reference		18		
Name	Tier Group Name	string		255		
QpResetDate	Qualifying Points Reset Date	date				
QpResetFrequency	Qualifying Points Reset Frequency	int	9			
QpResetPeriod	Qualifying Points Reset Period	picklist		255		
SystemModstamp	System Modstamp	datetime				
TierAssessmentCurrencyId	Currency ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`TierModel`	Tier Model	picklist		255		
`TierPeriodQuantity`	Period Quantity	int	9			
`TierPeriodUnit`	Period Duration Type	picklist		255		

LOYALTYTIERHISTORY

History for tracked fields of LoyaltyTier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Loyalty Tier History ID	id		18		
IsDeleted	Deleted	boolean				
LoyaltyTierId	Loyalty Tier ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MLFIELD

Represents a single field in a data definition.

For more information, see MLField in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Entity`	Custom Object Definition ID	picklist		255		
`Field`	Custom Field Definition ID	picklist		255		
`Id`	ML Field Id	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`SystemModstamp`	System Modstamp	datetime				

MLMODEL

Represents an AI model that can be used in Einstein Prediction Builder, Einstein Recommendation Builder, and other Einstein features. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MLModel in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApprovalStatus	Approval Status	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Dataset	Dataset Id	string		80		
Id	ML Model ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ModelType	Model Type	picklist		255		
Name	Name	string		255		
PredictionDefinitionId	ML Prediction Definition ID	reference		18		
RecommendationDefinitionId	ML Recommendation Definition ID	reference		18		
ScoringStatus	Scoring Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TrainingEndTime	Training End Time	datetime				
TrainingStartTime	Training Start Time	datetime				

MLMODELFACTOR

Represents a field value that has a positive or negative effect on the model's score. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MLModelFactor in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Correlation	Correlation	double			18	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FactorType	Factor Category	picklist		255		
Id	ML Model Factor ID	id		18		
Importance	Importance	double			18	0
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ModelId	ML Model ID	reference		18		
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				
Type	Factor Type	picklist		255		
Weight	Weight	double			18	0

MLMODELFACTORCOMPONENT

Represents information about the related MLModelFactor. For example, this object can represent a field value or a field range such as "Title = CEO" or "Annual Revenue >10000000". This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MLModelFactorComponent in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FactorLabelKey	Factor Label Key	string		255		
FeatureType	Feature Type	picklist		255		
FeatureValue	Feature Value	string		255		
Id	ML Model Factor Components ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LeftHandDerivedField	Left Hand Derived Field	string		120		
ModelFactorId	ML Model Factor ID	reference		18		
ModelId	ML Model ID	reference		18		
Name	Name	string		255		
Operator	Operator	picklist		255		
RightHandDerivedField	Right Hand Derived Field	string		120		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				
Value	Value	string		120		

MLMODELMETRIC

Represents a metric or statistic about the related model, such as accuracy, precision, or RSquared. Use a model's metrics to learn about its performance and to compare it with other models. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MLModelMetric in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BasicMetricValue	Basic Metric Value	double			24	8
ComplexMetricValue	Complex Metric Value	textarea		131072		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataSetType	Dataset Type	picklist		255		
EndTime	End Time	datetime				
GraphType	Graph Type	picklist		255		
Id	ML Model Metric ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MetricType	Metric Type	picklist		255		
ModelId	ML Model ID	reference		18		
Name	Name	string		255		
RowCount	Row Count	int	9			
Span	Metric Span	picklist		255		
StartTime	Start Time	datetime				
SystemModstamp	System Modstamp	datetime				

MLPREDICTIONDEFINITION

Represents a prediction definition that specifies details about the prediction. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MLPredictionDefinition in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationId	AI Application ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	ML Prediction Definition ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
PredictionField	Prediction Field ID	string		255		
PushbackField	Pushback Field ID	string		255		
Status	ML Prediction Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	ML Prediction Type	picklist		255		

MLRECOMMENDATIONDEFINITION

For internal use only.

For more information, see MLRecommendationDefinition in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationId	AI Application ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	ML Recommendation Definition ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
Status	ML Recommendation Definition Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

MACRO

Represents a macro, which is a set of instructions that tells the system to perform one or more tasks. This object is available in API version 32.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Macro in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		4096		
FolderId	Folder ID	reference		18		
FolderName	Folder Name	string		256		
Id	Macro ID	id		18		
IsAlohaSupported	Supports Classic	boolean				
IsDeleted	Deleted	boolean				
IsLightningSupported	Supports Lightning	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Macro Name	string		255		
OwnerId	Owner ID	reference		18		
StartingContext	Apply To	picklist		255		
SystemModstamp	System Modstamp	datetime				

MACROHISTORY

History for tracked fields of Macro.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Macro History ID	id		18		
`IsDeleted`	Deleted	boolean				
`MacroId`	Macro ID	reference		18		
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

MACROINSTRUCTION

Represents an instruction in a macro. An instruction can specify the object that the macro interacts with, the context or publisher that the macro works within, the operation or action that the macro performs, and the target of the macro's actions.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MacroInstruction in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Macro Instruction ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MacroId	Macro ID	reference		18		
Name	Macro Instruction Name	string		255		
Operation	Operation	picklist		255		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				
Target	Target	picklist		255		
Value	Value	textarea		4000		
ValueRecord	Value Record ID	string		15		

MACROSHARE

Sharing for Macro.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MACROUSAGE

Represents macro usage on a record, including which macro was used, who used it, and how they used it. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MacroUsage in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppContext	App Context	picklist		255		
ConditionCount	Condition Count	int	9			
ContextRecord	Context Record	string		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DurationInMs	Duration In Milliseconds	int	9			
ExecutedInstructionCount	Executed Instruction Count	int	9			
ExecutionEndTime	Execution End Time	datetime				
ExecutionState	Execution State	picklist		255		
FailureReason	Failure Reason	picklist		255		
FolderId	Folder ID	reference		18		
Id	Macro Usage ID	id		18		
InstructionCount	Instruction Count	int	9			
IsDeleted	Deleted	boolean				
IsFromBulk	From Bulk Execution	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MacroId	Macro ID	reference		18		
Name	Macro Usage Name	string		255		
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

MACROUSAGESHARE

Sharing for MacroUsage.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MAILMERGETEMPLATE

Represents a mail merge template (a Microsoft Word document) used for performing mail merges for your organization.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MailmergeTemplate in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Body	Body	base64				
BodyLength	Body Length	int	8			
Category	Document Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Filename	File	string		255		
Id	Mail Merge Template ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastUsedDate	Last Used Date	datetime				
Name	Name	string		80		
SecurityOptionsAttachmentHasFlash	Flash Injection was detected in the attachment	boolean				
SecurityOptionsAttachmentHasXSSThreat	XSS threat was detected in the attachment	boolean				
SecurityOptionsAttachmentScannedForXSS	Attachment has been scanned for XSS	boolean				
SecurityOptionsAttachmentScannedForFlash	Attachment has been scanned for Flash Injection	boolean				
SystemModstamp	System Modstamp	datetime				

MAINTENANCEASSET

Represents an asset covered by a maintenance plan in field service. Assets can be associated with multiple maintenance plans.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MaintenanceAsset in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
ContractLineItemId	Contract Line Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Maintenance Asset ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaintenanceAssetNumber	Maintenance Asset Number	string		255		
MaintenancePlanId	Maintenance Plan ID	reference		18		
NextSuggestedMaintenanceDate	Date of the first work order in the next batch	date				
SystemModstamp	System Modstamp	datetime				
WorkTypeId	Work Type ID	reference		18		

MAINTENANCEASSETFEED

Feed tracking for MaintenanceAsset.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

MAINTENANCEASSETHISTORY

History for tracked fields of MaintenanceAsset.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Maintenance Asset History ID	id		18		
IsDeleted	Deleted	boolean				
MaintenanceAssetId	Maintenance Asset ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MAINTENANCEPLAN

Represents a preventive maintenance schedule for one or more assets in field service.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MaintenancePlan in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
DoesAutoGenerateWorkOrders	Auto-generate work orders	boolean				
DoesGenerateUponCompletion	Generate new batch upon completion	boolean				
EndDate	End Date	date				
GenerationHorizon	Generation Horizon (Days)	int	9			
GenerationTimeframe	Generation Timeframe	int	9			
GenerationTimeframeType	Generation Timeframe Type	picklist		255		
Id	Maintenance Plan ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
MaintenancePlanNumber	Maintenance Plan Number	string		255		
MaintenancePlanTitle	Maintenance Plan Title	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaintenanceWindowEndDays	Maintenance Window End (Days)	int	9			
MaintenanceWindowStartDays	Maintenance Window Start (Days)	int	9			
NextSuggestedMaintenanceDate	Date of the first work order in the next batch	date				
OwnerId	Owner ID	reference		18		
ServiceContractId	Service Contract ID	reference		18		
StartDate	Start Date	date				
SvcApptGenerationMethod	Service Appointment Generation Method	picklist		255		
SystemModstamp	System Modstamp	datetime				
WorkOrderGenerationMethod	Work Order Generation Method	picklist		255		
WorkOrderGenerationStatus	Work Order Generation Status	picklist		255		
WorkTypeId	Work Type ID	reference		18		

MAINTENANCEPLANFEED

Feed tracking for MaintenancePlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

MAINTENANCEPLANHISTORY

History for tracked fields of MaintenancePlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Maintenance Plan History ID	id		18		
IsDeleted	Deleted	boolean				
MaintenancePlanId	Maintenance Plan ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MAINTENANCEPLANSHARE

Sharing for MaintenancePlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MAINTENANCEWORKRULE

Represents the recurrence pattern for a maintenance record. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MaintenanceWorkRule in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Maintenance Work Rule ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Maintenance Work Rule Name	string		255		
NextSuggestedMaintenanceDate	Date of the first work order in the next batch	date				
OwnerId	Owner ID	reference		18		
ParentMaintenancePlanId	Maintenance Plan ID	reference		18		
ParentMaintenanceRecordId	Maintenance Asset ID	reference		18		
RecordsetFilterCriteriaId	Recordset Filter Criteria ID	reference		18		
RecurrencePattern	Recurrence Pattern	string		255		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				
Title	Maintenance Work Rule Title	string		255		
Type	Maintenance Work Rule Type	picklist		255		
WorkTypeId	Work Type ID	reference		18		

MAINTENANCEWORKRULEFEED

Feed tracking for MaintenanceWorkRule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

MAINTENANCEWORKRULEHISTORY

History for tracked fields of MaintenanceWorkRule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Maintenance Work Rule History ID	id		18		
`IsDeleted`	Deleted	boolean				
`MaintenanceWorkRuleId`	Maintenance Work Rule ID	reference		18		
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

MAINTENANCEWORKRULESHARE

Sharing for MaintenanceWorkRule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MANAGEDCAREPROGRAMPRFM

Represents the rating and enrollee retention rate according to the plan type of an average medicare advantage plan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ManagedCareProgramPrfm in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DisclsReportingPeriodId	Disclosure Reporting Period ID	reference		18		
Id	Managed Care Program Performance ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProgramType	Program Type	picklist		40		
SystemModstamp	System Modstamp	datetime				

MANAGEDCAREPROGRAMPRFMFEED

Feed tracking for ManagedCareProgramPrfm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

MANAGEDCAREPROGRAMPRFMHISTORY

History for tracked fields of ManagedCareProgramPrfm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Managed Care Program Performance History ID	id		18		
IsDeleted	Deleted	boolean				
ManagedCareProgramPrfmId	Managed Care Program Performance ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MANAGEDCAREPROGRAMPRFMSHARE

Sharing for ManagedCareProgramPrfm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MANAGEDCONTENT

Represents managed content in a Salesforce CMS workspace for use in an Experience Cloud site or a channel. The ManagedContent object represents the complete instance of a managed content record. It provides a consistent identifier for the managed content so that variants of the content item can be created over time. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ManagedContent in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		80		
AuthoredManagedContentSpaceId	Managed Content Space ID	reference		18		
ContentKey	Content Key	string		80		
ContentTypeFullyQualifiedName	Content Type Fully Qualified Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
ExternalId	External Id	string		255		
Id	Managed Content ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
PrimaryLanguage	Primary Language	picklist		255		
SystemModstamp	System Modstamp	datetime				

MANAGEDCONTENTCHANNEL

Represents the details of a CMS channel. CMS channels correspond to managed content publishing endpoints. They deliver published content from your Salesforce CMS workspaces to an audience. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ManagedContentChannel in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CacheControlMaxAge	Cache Control Max Age	long	18			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Domain	Domain ID	picklist		255		
DomainHostName	Host name of the Domain	string		765		
Id	Managed Content Channel ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MediaCacheControlMaxAge	Media Cache Control Max Age	long	18			
Name	Managed Content Channel Name	string		255		
OptionsIsCacheControlPublic	CacheControl header for this Channel should be set to Public	boolean				
OptionsIsDomainLocked	The Domain field is editable or read only for this Channel	boolean				
OptionsIsSearchable	Content Is Searchable in this Channel	boolean				
SystemModstamp	System Modstamp	datetime				
Type	Managed Content Channel Type	picklist		255		

MANAGEDCONTENTINFO

Allows the creation of relationship to Product using ProductMedia.

For more information, see ManagedContentInfo in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	Managed Content Info ID	id		18		

MANAGEDCONTENTSPACE

Represents the complete instance of a Salesforce CMS workspace that stores managed content. Users and groups with designated permissions can access and manage the content in a CMS workspace. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ManagedContentSpace in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultLanguage	Default language	picklist		255		
Description	Description	textarea		255		
Id	Managed Content Space ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Managed Content Space Name	string		255		
SystemModstamp	System Modstamp	datetime				

MANAGEDCONTENTVARIANT

Represents a variant of a managed content item. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ManagedContentVariant in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentTypeFullyQualifiedName	Content Type Fully Qualified Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
HasLocks	Locked for Updates	boolean				
Id	Managed Content Variant ID	id		18		
IsDeleted	Deleted	boolean				
IsPrimary	Is Primary Variant	boolean				
IsPublished	Published	boolean				
IsReady	Ready to Publish	boolean				
Language	Language	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ManagedContentId	Managed Content ID	reference		18		
ManagedContentKey	Content Key	string		80		
ManagedContentVariantStatus	Status	picklist		255		
Name	Title	string		255		
SystemModstamp	System Modstamp	datetime				
UrlName	Content Slug	string		80		
VariantType	Variant Type	picklist		255		

MANUFACTURINGPROGRAM

Represents information about a manufacturing program. For example, Verican X program for Verican Account to manufacture auto components for their upcoming concept vehicle, staring from 01-Jan-2022 and valid until 01-Dec-2024.

For more information, see ManufacturingProgram in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
EndDate	End Date	date				
ExternalName	External Name	string		255		
Id	Manufacturing Program ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ManufacturingProgramTemplateId	Manufacturing Program Template ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProgramType	Program Type	picklist		40		
RelatedManufacturingProgramId	Manufacturing Program ID	reference		18		
StartDate	Start Date	date				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

MANUFACTURINGPROGRAMFEED

Feed tracking for ManufacturingProgram.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

MANUFACTURINGPROGRAMHISTORY

History for tracked fields of ManufacturingProgram.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Manufacturing Program History ID	id		18		
IsDeleted	Deleted	boolean				
ManufacturingProgramId	Manufacturing Program ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MANUFACTURINGPROGRAMSHARE

Sharing for ManufacturingProgram.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MARKETSEGMENTACTIVATIONFEED

Feed tracking for MarketSegmentActivation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

MARKETSEGMENTACTIVATIONHISTORY

History for tracked fields of MarketSegmentActivation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Activation History ID	id		18		
IsDeleted	Deleted	boolean				
MarketSegmentActivationId	Segment Activation ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MARKETSEGMENTFEED

Feed tracking for MarketSegment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

MARKETSEGMENTHISTORY

History for tracked fields of MarketSegment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Segment History ID	id		18		
IsDeleted	Deleted	boolean				
MarketSegmentId	Segment ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MATCHINGRULE

Represents a matching rule that is used to identify duplicate records. This object is available in API version 33.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MatchingRule in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BooleanFilter	Advanced Logic	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
DeveloperName	Unique Name	string		80		
Id	Matching Rule ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Rule Name	string		80		
MatchEngine	Custom Object Definition ID	picklist		255		
NamespacePrefix	Namespace Prefix	string		15		
RuleStatus	Status	picklist		255		
SobjectSubtype	Object Subtype	picklist		255		
SobjectType	Custom Object Definition ID	picklist		40		
SystemModstamp	System Modstamp	datetime				

MATCHINGRULEITEM

Represents criteria used by a matching rule to identify duplicate records. This object is available in API version 33.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MatchingRuleItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`BlankValueBehavior`	Blank Value Behavior	picklist		255		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Field`	Field	picklist		255		
`Id`	Matching Rule Item ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MatchingMethod`	Custom Object Definition ID	picklist		255		
`MatchingRuleId`	Matching Rule ID	reference		18		
`SortOrder`	Sort Order	int	9			
`SystemModstamp`	System Modstamp	datetime				

MATERIALLINEFEED

Feed tracking for MaterialLine.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

MATERIALLINEGROUPFEED

Feed tracking for MaterialLineGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

MATERIALLINEGROUPHISTORY

History for tracked fields of MaterialLineGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Material Line Group History ID	id		18		
`IsDeleted`	Deleted	boolean				
`MaterialLineGroupId`	Material Line Group ID	reference		18		
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

MATERIALLINEGROUPSHARE

Sharing for MaterialLineGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MATERIALLINEHISTORY

History for tracked fields of MaterialLine.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Material Line History ID	id		18		
IsDeleted	Deleted	boolean				
MaterialLineId	Material Line ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MEDRECONRECOMMENDATION

Stores information about a medication recommendation and associates a recommendation to a medication reconciliation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MedReconRecommendation in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Id	Medication Reconciliation Recommendation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MedicationReconciliationId	Medication Reconciliation ID	reference		18		
Name	Name	string		255		
NoteForPatient	Note for Patient	textarea		32000		
NoteForProvider	Note for Provider	textarea		32000		
Priority	Priority	picklist		40		
RecommendationReasonSubtype	Recommendation Reason Subtype	picklist		40		
RecommendationReasonType	Recommendation Reason Type	picklist		40		
RecommendationSubtype	Recommendation Subtype	picklist		40		
RecommendationType	Recommendation Type	picklist		40		
SourceSysModifiedDateTime	Source System Modified Date	datetime				
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System ID	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

MEDRECONRECOMMENDATIONFEED

Feed tracking for MedReconRecommendation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

MEDRECONRECOMMENDATIONHISTORY

History for tracked fields of MedReconRecommendation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Medication Reconciliation Recommendation History ID	id		18		
IsDeleted	Deleted	boolean				
MedReconRecommendationId	Medication Reconciliation Recommendation ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MEDRECONSTMTRECOMMENDATION

Associates a medication recommendation to a medication statement and medication reconciliation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MedReconStmtRecommendation in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Medication Reconciliation Statement Recommendation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MedReconRecommendationId	Medication Reconciliation Recommendation ID	reference		18		
MedicationReconciliationId	Medication Reconciliation ID	reference		18		
MedicationStatementId	Medication Statement ID	reference		18		
Name	Name	string		255		
SourceSysModifiedDateTime	Source System Modified Date	datetime				
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System ID	string		255		
SystemModstamp	System Modstamp	datetime				

MEDRECONSTMTRECOMMENDATIONFEED

Feed tracking for MedReconStmtRecommendation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

MEDRECONSTMTRECOMMENDATIONHISTORY

History for tracked fields of MedReconStmtRecommendation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Medication Reconciliation Statement Recommendation History ID	id		18		
IsDeleted	Deleted	boolean				
MedReconStmtRecommendationId	Medication Reconciliation Statement Recommendation ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MEDTHERAPYSTMTREVIEWISSUE

Represents a junction object between the Medication Therapy Statement Review and Clinical Detected Issue objects.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MedTherapyStmtReviewIssue in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ClinicalDetectedIssueId	Clinical Detected Issue ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Medication Therapy Statement Review Issue ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MedicationTherapyStmtReviewId	Medication Therapy Statement Review ID	reference		18		
Name	Name	string		255		
SourceSysModifiedDateTime	Source System Modified Date	datetime				
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System ID	string		255		
SystemModstamp	System Modstamp	datetime				

MEDTHERAPYSTMTREVIEWISSUEFEED

Feed tracking for MedTherapyStmtReviewIssue.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

MEDTHERAPYSTMTREVIEWISSUEHISTORY

History for tracked fields of MedTherapyStmtReviewIssue.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Medication Therapy Statement Review Issue History ID	id		18		
IsDeleted	Deleted	boolean				
MedTherapyStmtReviewIssueId	Medication Therapy Statement Review Issue ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MEDICATION

Represents detailed information about different medications. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Medication in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BatchNumber	Batch Number	int	9			
BrandNameAlternative	Brand Name Alternative	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExpirationDateTime	Expiration Date	datetime				
Id	Medication ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ManufacturerId	Account ID	reference		18		
MedicationCategory	Medication Category	picklist		40		
MedicationCodeId	Code Set Bundle ID	reference		18		
MedicationFormId	Code Set Bundle ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProductId	Product ID	reference		18		
QuantityDenominator	Quantity Denominator	double			6	2
QuantityNumerator	Quantity Numerator	double			6	2
QuantityUnitId	Unit of Measure ID	reference		18		
SourceSystem	Source System	string		64		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SourceSystemIdentifier	Source System ID	string		255		
SourceSystemModified	Source System Modified	datetime				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

MEDICATIONADMINISTRATION

Represents an instance of medication administered to a patient. This object is available in API version 64.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MedicationAdministration in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CaseId	Case ID	reference		18		
ClinicalEncounterId	Clinical Encounter ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeviceCodeId	Code Set Bundle ID	reference		18		
EndDate	End Date	datetime				
Id	Medication Administration ID	id		18		
IsDeleted	Deleted	boolean				
IsSubPotent	Sub Potent	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MedicationId	Medication ID	reference		18		
MedicationRequestId	Medication Request ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PatientId	Account ID	reference		18		
RecordedDate	Recorded Date	datetime				
StartDate	Start Date	datetime				
Status	Status	picklist		255		
StatusReasonCodeId	Code Set Bundle ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SubPotentReasonId	Code Set Bundle ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TypeId	Code Set Bundle ID	reference		18		

MEDICATIONADMINISTRATIONDTL

Represents the details of an instance of medication administered to a patient. This object is available in API version 64.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MedicationAdministrationDtl in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DetailCodeId	Detail Code ID	reference		18		
DetailRecordId	Detail Record ID	reference		18		
DetailType	Detail Type	picklist		255		
Id	Medication Administration Detail ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MedicationAdministrationId	Medication Administration ID	reference		18		
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

MEDICATIONADMINISTRATIONDTLFEED

Feed tracking for MedicationAdministrationDtl.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

MEDICATIONADMINISTRATIONDTLHISTORY

History for tracked fields of MedicationAdministrationDtl.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Medication Administration Detail History ID	id		18		
IsDeleted	Deleted	boolean				
MedicationAdministrationDtlId	Medication Administration Detail ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MEDICATIONADMINISTRATIONFEED

Feed tracking for MedicationAdministration.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

MEDICATIONADMINISTRATIONHISTORY

History for tracked fields of MedicationAdministration.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Medication Administration History ID	id		18		
IsDeleted	Deleted	boolean				
MedicationAdministrationId	Medication Administration ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MEDICATIONADMINISTRATIONSHARE

Sharing for MedicationAdministration.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MEDICATIONDISPENSE

Represents the dispense of a medication to a patient in response to a medication request or order. This object also includes the instructions for how the medication is to be administered This object is available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MedicationDispense in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CollectedById	Collected By ID	reference		18		
ContextId	Clinical Encounter ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeliveryLocationId	Delivery Location ID	reference		18		
DispenseTypeCodeId	Dispense Type Code ID	reference		18		
DispensedDateTime	Dispensed Date	datetime				
HealthcareFacilityId	Healthcare Facility ID	reference		18		
Id	Medication Dispense ID	id		18		
IsDeleted	Deleted	boolean				
IsSubstituted	Is Substituted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MedAdministrationSettingCategory	Medication Administration Setting Category	picklist		40		
MedicationCodeId	Medication Code ID	reference		18		
MedicationId	Medication ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PatientId	Account ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PreparedDateTime	Prepared Date	datetime				
PrimaryDetectedIssueId	Clinical Detected Issue ID	reference		18		
PrimaryMedicationRequestId	Medication Request ID	reference		18		
PrimaryProcedureId	Patient Medical Procedure ID	reference		18		
Quantity	Quantity	double			6	2
QuantityUnitId	Unit of Measure ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Id	string		255		
SourceSystemModifiedDateTime	Source System Modified Date	datetime				
Status	Status	picklist		40		
StatusReasonCodeId	Status Reason Code ID	reference		18		
StatusReasonRelatedIssueId	Clinical Detected Issue ID	reference		18		
SubstitutedById	Substituted By ID	reference		18		
SubstitutionReason	Substitution Reason	multipicklist		4099	0	
SubstitutionType	Substitution Type	picklist		40		
SupplyDaysCount	Supply Days Count	double			6	2
SystemModstamp	System Modstamp	datetime				

MEDICATIONDISPENSEFEED

Feed tracking for MedicationDispense.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

MEDICATIONDISPENSEHISTORY

History for tracked fields of MedicationDispense.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Medication Dispense History ID	id		18		
`IsDeleted`	Deleted	boolean				
`MedicationDispenseId`	Medication Dispense ID	reference		18		
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

MEDICATIONDISPENSESHARE

Sharing for MedicationDispense.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MEDICATIONFEED

Feed tracking for Medication.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

MEDICATIONHISTORY

History for tracked fields of Medication.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Medication History ID	id		18		
IsDeleted	Deleted	boolean				
MedicationId	Medication ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MEDICATIONRECONCILIATION

Stores information about a medication reconciliation conducted for a patient

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MedicationReconciliation in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConductedById	User ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Medication Reconciliation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PatientId	Account ID	reference		18		
ProcessEndDateTime	Process End Date	datetime				
ProcessStartDateTime	Process Start Date	datetime				
SourceSysModifiedDateTime	Source System Modified Date	datetime				
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System ID	string		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

MEDICATIONRECONCILIATIONFEED

Feed tracking for MedicationReconciliation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

MEDICATIONRECONCILIATIONHISTORY

History for tracked fields of MedicationReconciliation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Medication Reconciliation History ID	id		18		
IsDeleted	Deleted	boolean				
MedicationReconciliationId	Medication Reconciliation ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MEDICATIONRECONCILIATIONSHARE

Sharing for MedicationReconciliation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MEDICATIONREQUEST

Represents a request or order for the supply of medication, along with information about how it should be administered. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MedicationRequest in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AllowedSubstitutionTypeCodeId	Code Set Bundle ID	reference		18		
CanSubstitute	Can be Substitute	boolean				
CaseId	Case ID	reference		18		
ClinicalEncounterId	Clinical Encounter ID	reference		18		
ClinicalServiceRequestId	Clinical Service Request ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DispenseInterval	Dispense Interval	double			6	2
DispenseIntervalUnitId	Unit of Measure ID	reference		18		
DispenserId	Account ID	reference		18		
FillDurationUnitId	Unit of Measure ID	reference		18		
FillQuantityUnitId	Unit of Measure ID	reference		18		
Id	Medication Request ID	id		18		
InitialFillDuration	Initial Fill Duration	double			6	2
InitialFillQuantity	Initial Fill Quantity	double			6	2
IsDeleted	Deleted	boolean				
IsIgnored	Ignore request	boolean				
IsSecondaryInformation	Secondary Information Source	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastViewedDate	Last Viewed Date	datetime				
MedicationAdministrationContextId	Code Set Bundle ID	reference		18		
MedicationCodeId	Code Set Bundle ID	reference		18		
MedicationId	Medication ID	reference		18		
MedicationRequestGroupId	Identifier ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PatientId	Account ID	reference		18		
PerformerId	Performer ID	reference		18		
PerformerTypeId	Code Set Bundle ID	reference		18		
PrescribedDate	Prescribed Date	datetime				
PrescriptionPeriodEnd	Prescription Period End	datetime				
PrescriptionPeriodStart	Prescription Period Start	datetime				
PreviousPrescriptionId	Medication Request ID	reference		18		
Priority	Priority	picklist		40		
ReasonCodeId	Code Set Bundle ID	reference		18		
ReasonReferenceId	Reason Reference ID	reference		18		
RefillDuration	Refill Duration	double			6	2
RefillQuantity	Refill Quantity	double			6	2
RefillsAllowed	Refills Allowed	int	9			
RelatedRequestId	Medication Request ID	reference		18		
RequesterId	Requester ID	reference		18		
SecondarySourceId	Secondary Source ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System ID	string		255		
SourceSystemModified	Source System Modified	datetime				
Status	Status	picklist		40		
StatusReasonCodeId	Code Set Bundle ID	reference		18		
SubstitutionReasonCodeId	Code Set Bundle ID	reference		18		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TherapyDuration	Therapy Duration	picklist		40		
Type	Type	picklist		40		

MEDICATIONREQUESTFEED

Feed tracking for MedicationRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

MEDICATIONREQUESTHISTORY

History for tracked fields of MedicationRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Medication Request History ID	id		18		
IsDeleted	Deleted	boolean				
MedicationRequestId	Medication Request ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MEDICATIONREQUESTSHARE

Sharing for MedicationRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MEDICATIONSHARE

Sharing for Medication.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MEDICATIONSTATEMENT

Represents a record of medication that the patient is currently taking or has taken in the past. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MedicationStatement in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssertionDateTime	Assertion Time	datetime				
CareObservationId	Care Observation ID	reference		18		
CaseId	Case ID	reference		18		
ClinicalEncounterId	Clinical Encounter ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeliverySetting	Delivery Setting	picklist		40		
EndDateTime	End Date	datetime				
Id	Medication Statement ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MedicationCodeId	Code Set Bundle ID	reference		18		
MedicationId	Medication ID	reference		18		
MedicationReasonCodeId	Code Set Bundle ID	reference		18		
MedicationReasonId	Medication Reason ID	reference		18		
MedicationRequestId	Medication Request ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ParentMedicationStatementId	Medication Statement ID	reference		18		
PatientId	Account ID	reference		18		
ProcedureId	Patient Medical Procedure ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System ID	string		255		
SourceSystemModified	Source System Modified	datetime				
StartDateTime	Start Date	datetime				
StatementSourceId	Statement Source ID	reference		18		
Status	Status	picklist		40		
StatusReasonCodeId	Code Set Bundle ID	reference		18		
SystemModstamp	System Modstamp	datetime				

MEDICATIONSTATEMENTDETAIL

Represents additional information associated with MedicationStatement records. This object is available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MedicationStatementDetail in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DetailCodeId`	Detail Code ID	reference		18		
`DetailRecordId`	Detail Record ID	reference		18		
`DetailType`	Detail Type	picklist		40		
`Id`	Medication Statement Detail ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`MedicationStatementId`	Medication Statement ID	reference		18		
`Name`	Name	string		255		
`SystemModstamp`	System Modstamp	datetime				

MEDICATIONSTATEMENTDETAILFEED

Feed tracking for MedicationStatementDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

MEDICATIONSTATEMENTDETAILHISTORY

History for tracked fields of MedicationStatementDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Medication Statement Detail History ID	id		18		
IsDeleted	Deleted	boolean				
MedicationStatementDetailId	Medication Statement Detail ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MEDICATIONSTATEMENTFEED

Feed tracking for MedicationStatement.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

MEDICATIONSTATEMENTHISTORY

History for tracked fields of MedicationStatement.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Medication Statement History ID	id		18		
`IsDeleted`	Deleted	boolean				
`MedicationStatementId`	Medication Statement ID	reference		18		
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

MEDICATIONSTATEMENTSHARE

Sharing for MedicationStatement.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MEDICATIONTHERAPYREVIEW

Stores information about a medication therapy review conducted for a patient.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MedicationTherapyReview in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramId	Care Program ID	reference		18		
ConductedById	User ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Medication Therapy Review ID	id		18		
IsDeleted	Deleted	boolean				
IsPatientInLtrmCareFacility	Patient in Long Term Care Facility	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PatientId	Account ID	reference		18		
ReviewDueDateTime	Review Due Date	datetime				
ReviewEndDateTime	Review End Date	datetime				
ReviewStartDateTime	Review Start Date	datetime				
ReviewSubtype	Review Subtype	multipicklist		4099	0	
ReviewType	Review Type	picklist		255		
SourceSysModifiedDateTime	Source System Modified Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System ID	string		255		
Status	Status	picklist		255		
SurrogateDecisionMakerId	Surrogate Decision Maker ID	reference		18		
SurrogateLocationId	Surrogate Location ID	reference		18		
SurrogateType	Surrogate Type	picklist		40		
SystemModstamp	System Modstamp	datetime				

MEDICATIONTHERAPYREVIEWFEED

Feed tracking for MedicationTherapyReview.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

MEDICATIONTHERAPYREVIEWHISTORY

History for tracked fields of MedicationTherapyReview.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Medication Therapy Review History ID	id		18		
IsDeleted	Deleted	boolean				
MedicationTherapyReviewId	Medication Therapy Review ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MEDICATIONTHERAPYREVIEWSHARE

Sharing for MedicationTherapyReview.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MEDICATIONTHERAPYSTMTREVIEW

Represents a junction object between the Medication Therapy Review and Medication Statement objects.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MedicationTherapyStmtReview in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Comment	Comment	textarea		32000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Medication Therapy Statement Review ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MedicationStatementId	Medication Statement ID	reference		18		
MedicationTherapyReviewId	Medication Therapy Review ID	reference		18		
Name	Name	string		255		
SourceSysModifiedDateTime	Source System Modified Date	datetime				
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System ID	string		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

MEDICATIONTHERAPYSTMTREVIEWFEED

Feed tracking for MedicationTherapyStmtReview.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

MEDICATIONTHERAPYSTMTREVIEWHISTORY

History for tracked fields of MedicationTherapyStmtReview.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Medication Therapy Statement Review History ID	id		18		
IsDeleted	Deleted	boolean				
MedicationTherapyStmtReviewId	Medication Therapy Statement Review ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MEDICINALINGREDIENT

MedicinalIngredient is a child object of Medication that represents substances or drugs that are used as ingredients in the medication. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MedicinalIngredient in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Medicinal Ingredient ID	id		18		
IngredientId	Ingredient ID	reference		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentRecordId	Medication ID	reference		18		
StrengthDenominator	Strength Denominator	double			18	5
StrengthDenominatorUnitId	Unit of Measure ID	reference		18		
StrengthNumerator	Strength Numerator	double			18	5
StrengthNumeratorUnitId	Unit of Measure ID	reference		18		
SystemModstamp	System Modstamp	datetime				

MEDICINALINGREDIENTFEED

Feed tracking for MedicinalIngredient.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

MEDICINALINGREDIENTHISTORY

History for tracked fields of MedicinalIngredient.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Medicinal Ingredient History ID	id		18		
`IsDeleted`	Deleted	boolean				
`MedicinalIngredientId`	Medicinal Ingredient ID	reference		18		
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

MEDICINALINGREDIENTSHARE

Sharing for MedicinalIngredient.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MEMBERBENEFIT

Represents details about a benefit that's assigned to a loyalty program member and has a benefit action that's triggered.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MemberBenefit in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
BenefitId	Benefit ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		80		
EndDate	End Date	date				
Id	Member Benefit ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MemberId	Member ID	reference		18		
Name	Member Benefit Name	string		255		
PrimaryRefObjectRecord	Primary Reference Object Record	string		80		
PrimaryRefObjectRecordTitle	Primary Reference Object Record Title	string		255		
SourceType	Source Type	picklist		40		
StartDate	Start Date	date				
Status	Status	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

MEMBERBENEFITHISTORY

History for tracked fields of MemberBenefit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Member Benefit History ID	id		18		
IsDeleted	Deleted	boolean				
MemberBenefitId	Member Benefit ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MEMBERPLAN

Represents details about the insurance coverage for a member or subscriber.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MemberPlan in the *Life Sciences Cloud Developer Guide* and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Affiliation	Affiliation	string		64		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
ExternalIdentifier	External Identifier	string		255		
GroupNumber	Group Number	string		64		
Id	Member Plan ID	id		18		
IsDeleted	Deleted	boolean				
IssuerNumber	Issuer Number	string		64		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastVerification	Last Verification	date				
LastViewedDate	Last Viewed Date	datetime				
MemberId	Account ID	reference		18		
MemberNumber	Member Number	string		64		
Name	Name	string		255		
Notes	Notes	textarea		32000		
OwnerId	Owner ID	reference		18		
PayerId	Account ID	reference		18		
PayerNetworkId	Healthcare Payer Network ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PlanId	Plan ID	reference		18		
PrimaryCarePhysician	Primary Care Physician	string		255		
PrimarySecondaryTertiary	Primary/Secondary/Tertiary	picklist		40		
PriorityOrder	Priority Order	int	9			
RelationshipToSubscriber	Relationship to Subscriber	picklist		40		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
Status	Status	picklist		40		
SubscriberId	Account ID	reference		18		
SystemModstamp	System Modstamp	datetime				
VerificationStatus	Verification Status	picklist		40		

MEMBERPLANFEED

Feed tracking for MemberPlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

MEMBERPLANHISTORY

History for tracked fields of MemberPlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Member Plan History ID	id		18		
IsDeleted	Deleted	boolean				
MemberPlanId	Member Plan ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MEMBERPLANSHARE

Sharing for MemberPlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MERCHACCPAYMENTMETHODSET

Allows Payment admins to configure an ordered list of payment methods that are available to a buyer during checkout. A payment admin can configure multiple MerchAccPaymentMethodSets each designated for a specific locale, payment region, or sale channel.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MerchAccPaymentMethodSet in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DeveloperName	Payment Method Set Key	string		80		
Id	Merchant Account Payment Method Set ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MerchantAccountId	Merchant Account ID	reference		18		
PaymentMethodSetNumber	Payment Method Set Number	string		255		
PaymentMethodSummary	Payment Methods	string		255		
SystemModstamp	System Modstamp	datetime				

MERCHACCPAYMENTMETHODSETHISTORY

History for tracked fields of MerchAccPaymentMethodSet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Merchant Account Payment Method Set History ID	id		18		
`IsDeleted`	Deleted	boolean				
`MerchAccPaymentMethodSetId`	Merchant Account Payment Method Set ID	reference		18		
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		

MERCHACCPAYMENTMETHODTYPE

Refers to payment methods that are available in a MerchAccPaymentMethodSet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MerchAccPaymentMethodType in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Merchant Account Payment Method Type ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PaymentInstrumentType	Payment Instrument Type	picklist		255		
PaymentMethodSetId	Merchant Account Payment Method Set ID	reference		18		
PaymentMethodSetTypeNumber	Merchant Account Payment Method Type Name	string		255		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

MERCHACCPAYMENTMETHODTYPEHISTORY

History for tracked fields of MerchAccPaymentMethodType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Merchant Account Payment Method Type History ID	id		18		
IsDeleted	Deleted	boolean				
MerchAccPaymentMethodTypeId	Merchant Account Payment Method Type ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MERCHANTACCOUNT

A type of bank account that lets a merchant accept payments from a variety of payment methods, including credit or debit cards, or digital wallets. A Salesforce Payments merchant account is linked to an underlying payment gateway to process payments This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MerchantAccount in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountDescription	Description	textarea		32000		
CountryIsoCode	Country	string		2		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DefaultTapToPayLocation	Tap To Pay Location	string		40		
Id	Merchant Account ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Mode	Mode	picklist		255		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PaymentStatus	Payment Status	picklist		255		
PayoutStatus	Payout Status	picklist		255		
Status	Account Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

MERCHANTACCOUNTEVENT

Represents a merchant account platform event. Subscribe to these events so you can listen and respond to them when they're published. For example, create a Salesforce Flow that is triggered when one of these events is published. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MerchantAccountEvent in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ChangeType`	Merchant Account Event Change Type	picklist		255		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EventUuid`	Event UUID	string		36		
`MerchantAccountId`	Merchant Account ID	reference		18		
`ReplayId`	Replay Id	string		1000		

MERCHANTACCOUNTFEED

Feed tracking for MerchantAccount.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

MERCHANTACCOUNTHISTORY

History for tracked fields of MerchantAccount.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Merchant Account ID	id		18		
IsDeleted	Deleted	boolean				
MerchantAccountId	Merchant Account ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MERCHANTACCOUNTSHARE

Sharing for MerchantAccount.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MESSAGINGCHANNEL

Represents a communication channel that an end user can use to send a message to an agent. A communication channel can be an SMS number, a Facebook page, or another supported messaging channel. This object is available in API version 40.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MessagingChannel in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessHoursId	Business Hours ID	reference		18		
ChannelAddressIdentifier	Channel Address Identifier	string		36		
ConsentType	Consent Type	picklist		255		
ConversationEndResponse	End Conversation	textarea		65536		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		65536		
DeveloperName	Developer Name	string		80		
DoubleOptInPrompt	Double Opt-In Prompt	textarea		65536		
EngagedResponse	Start Conversation	textarea		65536		
FallbackQueueId	Queue ID	reference		18		
Id	Messaging Channel ID	id		18		
InitialResponse	Conversation Acknowledgement	textarea		65536		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsLinkedRecordOpenedAsSubTab	Open linked record as a subtab within the Messaging Session	boolean				
IsRequireDoubleOptIn	Require Double Opt-In?	boolean				
IsRestrictedToBusinessHours	Is Restricted to Business Hours	boolean				
IsoCountryCode	ISO Country Code	string		2		
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedDate	Modified On	datetime				
LinkingPreference	Select record type to link	picklist		255		
MasterLabel	Channel Name	string		80		
MessageType	Type	picklist		255		
MessagingPlatformKey	Messaging Platform Key	string		150		
OfflineAgentsResponse	Offline Agents Response	textarea		65536		
OptInPrompt	Opt-In Prompt	textarea		65536		
OutsideBusinessHoursResponse	Outside Business Hours Response	textarea		65536		
PlatformType	Platform Type	picklist		255		
RoutingConfigurationId	Routing Configuration ID	reference		18		
RoutingType	Routing Type	picklist		255		
SessionHandlerId	Routing Type ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TargetQueueId	Queue ID	reference		18		

MESSAGINGCHANNELSKILL

Junction object that represents an association between MessagingChannel and Skill. This object is available in API version 45.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MessagingChannelSkill in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Messaging Channel Skill ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Modified On	datetime				
MessagingChannelId	Messaging Channel ID	reference		18		
SkillId	Skill ID	reference		18		
SystemModstamp	System Modstamp	datetime				

MESSAGINGCHANNELUSAGE

Represents the status of an enhanced Messaging channel or of an application in a Unified Messaging channel. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MessagingChannelUsage in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConsentType	Consent Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeploymentStatus	Deployment Status	picklist		255		
DeploymentType	Deployment Type	picklist		255		
DisabledTime	Disabled Time	datetime				
ErrorDetails	Error Details	string		40		
ErrorReason	Error Reason	picklist		255		
Id	Messaging Channel Usage ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Modified On	datetime				
MessagingChannelId	Messaging Channel ID	reference		18		
RoutingOverride	Routing Override	picklist		255		
SystemModstamp	System Modstamp	datetime				

MESSAGINGCONFIGURATION

Represents the details for a Messaging configuration. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MessagingConfiguration in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Name	string		80		
`Id`	MessagingConfiguration ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Label	string		80		
`MessagingServiceUrl`	Messaging Service URL	string		255		
`ProvisioningServiceUrl`	Provisioning Service URL	string		255		
`SystemModstamp`	System Modstamp	datetime				

MESSAGINGDELIVERYERROR

Represents a log of triggered outbound failures to verify when a triggered outbound has failed. This object is available in API version 44.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MessagingDeliveryError in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CorrelationIdentifier	Correlation Identifier	string		36		
CreatedById	Created By ID	reference		18		
CreatedDate	Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DestinationPhoneNumber	Recipient Phone	string		64		
FailureReason	Error	textarea		65536		
FlowEntity	Source Record ID	string		18		
FullMessage	Message	textarea		65536		
Id	Record ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MessagingChannelId	Messaging Channel ID	reference		18		
MessagingEndUserId	Messaging User ID	reference		18		
MessagingTemplateId	Messaging Template ID	reference		18		
Name	Messaging Delivery Error Name	string		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

MESSAGINGENDUSER

Represents a single address—such as a phone number or Facebook page—communicating with a single Messaging channel. This object is available in API version 40.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MessagingEndUser in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AuthenticatedEndUserId	User ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
HasInitialResponseSent	Has Initial Response Been Sent	boolean				
Id	Messaging User ID	id		18		
IsDeleted	Deleted	boolean				
IsFullyOptedIn	Opted In	boolean				
IsoCountryCode	ISO Country Code	string		2		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LeadId	Lead ID	reference		18		
Locale	Locale	string		20		
MessageType	Message Type	picklist		255		
MessagingChannelId	Messaging Channel ID	reference		18		
MessagingConsentStatus	Messaging Consent Status	picklist		255		
MessagingPlatformKey	Messaging Platform Key	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Name	Messaging User Name	string		255		
OwnerId	Owner ID	reference		18		
ProfilePictureUrl	Profile Picture URL	url		255		
SystemModstamp	System Modstamp	datetime				

MESSAGINGENDUSERHISTORY

History for tracked fields of MessagingEndUser.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Messaging User History ID	id		18		
IsDeleted	Deleted	boolean				
MessagingEndUserId	Messaging User ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MESSAGINGENDUSERSHARE

Sharing for MessagingEndUser.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MESSAGINGLINK

Represents the link between a Messaging Channel and where it's shared. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MessagingLink in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EntityType`	Custom Object Definition ID	picklist		255		
`Id`	Messaging Link ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MessagingChannelId`	Messaging Channel ID	reference		18		
`RecordTypeId`	Record Type ID	reference		18		
`ShouldAttemptAutoLink`	Attempt to auto-link record	boolean				
`ShouldPromptCreate`	Prompt to manually create link	boolean				
`SystemModstamp`	System Modstamp	datetime				

MESSAGINGSESSION

Represents a session on a Messaging channel. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MessagingSession in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AcceptTime	Accept Time	datetime				
AgentMessageCount	Agent Message Count	int	9			
AgentType	Agent Type	picklist		255		
CaseId	Case ID	reference		18		
ChannelEndUserFormula	Concatenated Messaging Channel and Messaging User	string		50		
ChannelGroup	Group	string		255		
ChannelIntent	Intent	string		255		
ChannelKey	Channel Key	string		150		
ChannelLocale	Locale	string		255		
ChannelName	Channel Name	string		80		
ChannelType	Channel Type	picklist		255		
ConversationId	Conversation ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndTime	End Time	datetime				
EndUserAccountId	Account ID	reference		18		
EndUserContactId	Contact ID	reference		18		
EndUserLanguage	Messaging User Language	picklist		255		
EndUserMessageCount	End User Message Count	int	9			
EndedByType	Ended By Type	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	Messaging Session ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LeadId	Lead ID	reference		18		
MessagingChannelId	Messaging Channel ID	reference		18		
MessagingEndUserId	Messaging User ID	reference		18		
Name	Messaging Session Name	string		255		
OpportunityId	Opportunity ID	reference		18		
Origin	Origin	picklist		255		
OwnerId	Owner ID	reference		18		
PreviewDetails	Preview Details	string		255		
SessionKey	Session Key	string		36		
StartTime	Start Time	datetime				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TargetUserId	User ID	reference		18		

MESSAGINGSESSIONFEED

Feed tracking for MessagingSession.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

MESSAGINGSESSIONHISTORY

History for tracked fields of MessagingSession.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Messaging Session History ID	id		18		
IsDeleted	Deleted	boolean				
MessagingSessionId	Messaging Session ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MESSAGINGSESSIONMETRICS

Represents a metric gathered about a specific enhanced messaging session, such as average agent response time. This object is available starting in October 2024 in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MessagingSessionMetrics in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Messaging Session Metrics ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MessagingSessionId`	Messaging Session ID	reference		18		
`MessagingSessionMetricType`	Messaging Session Metric Type	picklist		255		
`MessagingSessionMetricValue`	Messaging Session Metric Value	int	9			
`Name`	Messaging Session Metrics Name	string		255		
`SystemModstamp`	System Modstamp	datetime				

MESSAGINGSESSIONSHARE

Sharing for MessagingSession.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MESSAGINGTEMPLATE

Represents a Messaging template used to send pre-formatted messages. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MessagingTemplate in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		4000		
DeveloperName	Developer Name	string		80		
Id	Messaging Template ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Template Name	string		80		
Message	Message	textarea		4000		
SystemModstamp	System Modstamp	datetime				

MFGPROGRAMCPNTFRCSTFACT

Represents information about the generated manufacturing program component forecast records.

For more information, see MfgProgramCpntFrcstFact in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustedForecastedQuantity	Adjusted Forecasted Quantity	double			18	0
AdjustedForecastedRevenue	Adjusted Forecasted Revenue	currency			18	0
AdvAcctForecastSetUseId	Advanced Account Forecast Set Use ID	reference		18		
CostUnitOfMeasurementId	Unit of Measure ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExpectedProfitPerUnit	Expected Profit Per Unit	currency			18	0
ExpectedProfitPercent	Expected Profit Percent	percent			3	0
ExternalReferenceNumber	External Reference Number	string		50		
ForecastedQuantity	Forecasted Quantity	double			18	0
ForecastedRevenue	Forecasted Revenue	currency			18	0
Id	Manufacturing Program Component Forecast ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ManufacturingProgramId	Manufacturing Program ID	reference		18		
Name	Manufacturing Program Component Forecast Fact Name	string		255		
OwnerId	Owner ID	reference		18		
PeriodId	Period ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PeriodStartDate	Period Start Date	date				
ProductComponentId	Product ID	reference		18		
ProductId	Product ID	reference		18		
ProductionLocationId	Location ID	reference		18		
ProductionModelId	Product ID	reference		18		
SellingPricePerUnit	Selling Price Per Unit	currency			18	0
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalCostPerUnit	Total Cost	currency			18	0
TotalFixedCostPerUnit	Total Fixed Cost Per Unit	double			18	0
VariableCostPerUnit	Variable Cost Per Unit	currency			18	0

MFGPROGRAMCPNTFRCSTFACTFEED

Feed tracking for MfgProgramCpntFrcstFact.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

MFGPROGRAMCPNTFRCSTFACTHISTORY

History for tracked fields of MfgProgramCpntFrcstFact.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Manufacturing Program Component Forecast Fact History ID	id		18		
IsDeleted	Deleted	boolean				
MfgProgramCpntFrcstFactId	Manufacturing Program Component Forecast ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MFGPROGRAMCPNTFRCSTFACTSHARE

Sharing for MfgProgramCpntFrcstFact.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MFGPROGRAMFORECASTFACT

Represents information about the generated manufacturing program forecast records.

For more information, see MfgProgramForecastFact in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustedForecastedQuantity	Adjusted Forecasted Quantity	double			18	0
AdjustedForecastedRevenue	Adjusted Forecasted Revenue	currency			18	0
AdvAcctForecastSetUseId	Advanced Account Forecast Set Use ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExpectedRevenuePerUnit	Expected Revenue Per Unit	currency			18	0
ExternalReferenceNumber	External Reference Number	string		50		
External_Id__c	External_Id	string		255		
ForecastedQuantity	Forecasted Quantity	double			18	0
ForecastedRevenue	Forecasted Revenue	currency			18	0
Id	Manufacturing Program Forecast Fact ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ManufacturingProgramId	Manufacturing Program ID	reference		18		
MarketSharePercent	Market Share Percent	percent			3	0
Name	Manufacturing Program Forecast Fact Name	string		255		
OwnerId	Owner ID	reference		18		
PeriodId	Period ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PeriodStartDate	Period Start Date	date				
PreviousPeriodProgramQuantity	Previous Period Program Quantity	double			18	0
ProductionLocationId	Location ID	reference		18		
ProductionModelId	Product ID	reference		18		
ProgramQuantity	Program Quantity	double			18	0
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

MFGPROGRAMFORECASTFACTFEED

Feed tracking for MfgProgramForecastFact.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

MFGPROGRAMFORECASTFACTHISTORY

History for tracked fields of MfgProgramForecastFact.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Manufacturing Program Forecast Fact History ID	id		18		
IsDeleted	Deleted	boolean				
MfgProgramForecastFactId	Manufacturing Program Forecast Fact ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MFGPROGRAMFORECASTFACTSHARE

Sharing for MfgProgramForecastFact.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MFGPROGRAMTEMPLATE

Represents information about the templates associated with a manufacturing program.

For more information, see MfgProgramTemplate in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Description`	Description	string		255		
`DeveloperName`	Name	string		80		
`Id`	Manufacturing Program Template ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Label	string		80		
`ProgramTemplateName`	Program Template Name	string		80		
`Status`	Status	picklist		255		
`SystemModstamp`	System Modstamp	datetime				

MFGPROGRAMTEMPLATEITEM

Represents information about the transformation type associated with a manufacturing program template.

For more information, see MfgProgramTemplateItem in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdvAccountForecastSetId	Advanced Account Forecast Set ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Manufacturing Program Template Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MfgProgramTemplateId	Manufacturing Program Template ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TemplateItemName	Template Item Name	string		80		
TransformationDisplayOrder	Transformation Display Order	int	9			
TransformationType	Transformation Type	picklist		255		

MFGPROGRAMVARIANTFRCSTFACT

Represents information about the generated manufacturing program product variant forecast records.

For more information, see MfgProgramVariantFrcstFact in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustedForecastedQuantity	Adjusted Forecasted Quantity	double			18	0
AdvAcctForecastSetUseId	Advanced Account Forecast Set Use ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalReferenceNumber	External Reference Number	string		50		
ForecastedQuantity	Forecasted Quantity	double			18	0
Id	Manufacturing Program Variant Forecast Fact ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ManufacturingProgramId	Manufacturing Program ID	reference		18		
MarketSharePercent	Market Share Percent	percent			3	0
Name	Manufacturing Program Variant Forecast Fact Name	string		255		
OwnerId	Owner ID	reference		18		
PeriodId	Period ID	reference		18		
PeriodStartDate	Period Start Date	date				
ProductId	Product ID	reference		18		
ProductionLocationId	Location ID	reference		18		
ProductionModelId	Product ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

MFGPROGRAMVARIANTFRCSTFACTFEED

Feed tracking for MfgProgramVariantFrcstFact.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

MFGPROGRAMVARIANTFRCSTFACTHISTORY

History for tracked fields of MfgProgramVariantFrcstFact.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Manufacturing Program Variant Forecast Fact History ID	id		18		
IsDeleted	Deleted	boolean				
MfgProgramVariantFrcstFactId	Manufacturing Program Variant Forecast Fact ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MFGPROGRAMVARIANTFRCSTFACTSHARE

Sharing for MfgProgramVariantFrcstFact.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MILESTONETYPE

Represents a milestone (required step in a customer support process). This object is available in API version 18.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MilestoneType in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Description`	Description	textarea		255		
`Id`	Milestone Type ID	id		18		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`Name`	Name	string		80		
`RecurrenceType`	Recurrence Type	picklist		40		
`SystemModstamp`	System Modstamp	datetime				

MKTCALCULATEDINSIGHTFEED

Feed tracking for MktCalculatedInsight.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

MKTCALCULATEDINSIGHTHISTORY

History for tracked fields of MktCalculatedInsight.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Calculated Insight History ID	id		18		
IsDeleted	Deleted	boolean				
MktCalculatedInsightId	Calculated Insight ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MKTDATATRANSFORMFEED

Feed tracking for MktDataTransform.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

MKTDATATRANSFORMHISTORY

History for tracked fields of MktDataTransform.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Data Transform History ID	id		18		
IsDeleted	Deleted	boolean				
MktDataTransformId	Data Transform ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MKTDATATRANSFORMSHARE

Sharing for MktDataTransform.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MKTMLMODELFEED

Feed tracking for MktMLModel.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

MKTMLMODELHISTORY

History for tracked fields of MktMLModel.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Model History ID	id		18		
IsDeleted	Deleted	boolean				
MktMLModelId	Model ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MKTMLMODELSHARE

Sharing for MktMLModel.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MKTMLPREDICTIONJOBFEED

Feed tracking for MktMLPredictionJob.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

MKTMLPREDICTIONJOBHISTORY

History for tracked fields of MktMLPredictionJob.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Model Prediction Job History ID	id		18		
IsDeleted	Deleted	boolean				
MktMLPredictionJobId	Prediction Job ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MLINTENTUTTERANCESUGGESTION

Represents a customer input, used for training purposes in the feedback loop process of a conversation. Admins can add these inputs to the intent training model. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MlIntentUtteranceSuggestion in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConfigId	Bot ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Intent Utterance Suggestion ID	id		18		
IntentSuggestion	Intent Suggestion	string		80		
IsDeleted	Deleted	boolean				
Language	Language	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ReviewStatus	Review Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Utterance	Utterance	string		255		
UtteranceCount	Utterance Count	int	9			

MOBSECURITYCERTPINCONFIG

Configuration of mobile security certificate pinning on the Salesforce mobile app with Enhanced Mobile Security. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MobSecurityCertPinConfig in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CertificateHash	Certificate Hash	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
DomainName	Domain Name	string		255		
Id	Mobile Security Certicate Pinning Configuration ID	id		18		
IsDeleted	Deleted	boolean				
IsEnabled	Is Enabled	boolean				
IsSubdomainIncluded	Is Subdomain Included	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
MobilePlatform	Mobile Platform	picklist		255		
MobileSecurityAssignmentId	Mobile Assignment ID	reference		18		
NamespacePrefix	Namespace Prefix	string		15		
SeverityLevel	Severity Level	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

MOBILESECURITYASSIGNMENT

Represents the assignment of mobile security policies to a profile. The policies apply to the Salesforce mobile app with Enhanced Mobile App Security enabled. This object is available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MobileSecurityAssignment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConnectedApplicationId	Application ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Mobile Assignment ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
ProfileId	Profile ID	reference		18		
SystemModstamp	System Modstamp	datetime				

MOBILESECURITYPOLICY

Enables mobile security policies on the Salesforce mobile app with Enhanced Mobile Security. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MobileSecurityPolicy in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
EffectiveDate	Effective Date	datetime				
Id	Mobile Security Policy ID	id		18		
IsDeleted	Deleted	boolean				
IsEnabled	Is Enabled	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
MobilePlatform	Mobile Platform	picklist		255		
MobileSecurityAssignmentId	Mobile Assignment ID	reference		18		
NamespacePrefix	Namespace Prefix	string		15		
RuleValue	Rule Value	string		255		
RuleValueType	Rule Value Type	picklist		255		
SeverityLevel	Severity Level	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

MOBILESECURITYUSERMETRIC

Represents the metrics for users who have Enhanced Mobile Security policies enforced. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MobileSecurityUserMetric in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Id`	Mobile Security User Metric ID	id		18		
`MetricsDate`	Metrics Date	date				
`SystemModstamp`	System Modstamp	datetime				
`UserCount`	User Count	double			18	0

MOBILESETTINGSASSIGNMENT

Represents the assignment of a particular field service mobile settings configuration to a user profile. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MobileSettingsAssignment in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FieldServiceMobileSettingsId	Field Service Mobile Settings ID	reference		18		
Id	Mobile Settings Assignment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ProfileId	Profile ID	reference		18		
SystemModstamp	System Modstamp	datetime				

MSGCHANNELLANGUAGEKEYWORD

Represents the consent configuration for a Messaging channel. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MsgChannelLanguageKeyword in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomKeywords	Custom Keywords	textarea		500		
CustomResponse	Custom Response	textarea		32000		
DoubleOptInKeywords	Double Opt-In Keywords	textarea		500		
HelpKeywords	Help Keywords	textarea		500		
HelpResponse	Help Response	textarea		65536		
Id	Messaging Channel Language Keyword ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Modified On	datetime				
MasterLanguage	Language	textarea		256		
MessagingChannelId	Messaging Channel ID	reference		18		
MessagingChannelUsageId	Messaging Channel Usage ID	reference		18		
OptInConfirmation	Opt-In Confirmation	textarea		65536		
OptInKeywords	Opt-In Keywords	textarea		500		
OptOutConfirmation	Opt-Out Confirmation	textarea		65536		
OptOutKeywords	Opt-Out Keywords	textarea		500		
SystemModstamp	System Modstamp	datetime				

MSGCHANNELUSAGEEXTERNALORG

Represents the Enterprise ID (EID) and Business Unit (MID) for Marketing Cloud connections in a Unified Messaging channel. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MsgChannelUsageExternalOrg in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`ExternalOrgIdentifier`	External Organization Identifier	string		255		
`ExternalSubOrgIdentifier`	External Sub Organization Identifier	string		255		
`Id`	Messaging Channel Usage External Org ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Modified On	datetime				
`MessagingChannelUsageId`	Messaging Channel Usage ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

MULTIPARTYINFOAUTHREQUEST

Tracks a request for multiple parties of authorization on a Data Use Purpose. For example, consent requests to share the required documents to open a joint financial account or share mortgage disclosures to loan applicants (borrower + co-borrower). This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MultipartyInfoAuthRequest in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorizationType	Authorization Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataUsePurposeId	Data Use Purpose ID	reference		18		
Id	Multiparty Information Authorization Request ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ResponseStatus	Response Status	picklist		255		
SourceRecordId	Source Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				

MULTIPARTYINFOAUTHREQUESTFEED

Feed tracking for MultipartyInfoAuthRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

MULTIPARTYINFOAUTHREQUESTHISTORY

History for tracked fields of MultipartyInfoAuthRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Multiparty Information Authorization Request History ID	id		18		
IsDeleted	Deleted	boolean				
MultipartyInfoAuthRequestId	Multiparty Information Authorization Request ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

MULTIPARTYINFOAUTHREQUESTSHARE

Sharing for MultipartyInfoAuthRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

MUTINGPERMISSIONSET

Represents a set of disabled permissions and is used in conjunction with PermissionSetGroup. This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MutingPermissionSet in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Muting Permission Set Name	string		80		
Id	MutingPermissionSet ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Muting Permission Set Label	string		80		
PermissionsADSEnabledOnFSMobile	Performance Priming for Field Service Mobile	boolean				
PermissionsAECommunityAccess	Use Assessment Envelope objects via Experience Cloud sites	boolean				
PermissionsAICreateInsightObjects	Create AI Insight Objects	boolean				
PermissionsAIViewInsightObjects	View AI Insight Objects	boolean				
PermissionsAcceptRiskForProblems	Accept Risk For Problems	boolean				
PermissionsAccessActivation	Allows user access activations	boolean				
PermissionsAccessApplicationFormObjects	Access Application Form-Related Functionality	boolean				
PermissionsAccessBankingRelationshipAssistance	Access Banking Relationship Assistance	boolean				
PermissionsAccessBankingServiceAgent	Access Banking Service Agent	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsAccessBudgetManagement	Manage Budgets	boolean				
PermissionsAccessCMC	Access Experience Management	boolean				
PermissionsAccessCdpDataExplorer	Access Data Cloud Data Explorer	boolean				
PermissionsAccessCdpProfileExplorer	Access Data Cloud Profile Explorer	boolean				
PermissionsAccessContentBuilder	Access drag-and-drop content builder	boolean				
PermissionsAccessCustomerDataCloudSetup	Allows user access Data Cloud setup menu	boolean				
PermissionsAccessDisputePrompts	Provides access to Financial Services Email prompt templates	boolean				
PermissionsAccessEinsteinAutofill	Access Einstein Autofill	boolean				
PermissionsAccessFinancialAccounts	Financial Accounts User	boolean				
PermissionsAccessGeniePlatform	Allows user access Data Cloud	boolean				
PermissionsAccessIdpCrudApi	Manage Document Processing Configurations	boolean				
PermissionsAccessIdpUi	Allow Access to Data Cloud Document AI UI	boolean				
PermissionsAccessOrchestrationObjects	Access Orchestration Objects	boolean				
PermissionsAccessPSPasCaseAgents	Access Patient Support Programs as a Case Agent	boolean				
PermissionsAccessPSPasProgramLead	Access Patient Support Programs as a Program Lead	boolean				
PermissionsAccessPolicyAgent	Access Policy Agent	boolean				
PermissionsAccessSegment	Allows user access segments	boolean				
PermissionsAccessServiceEinstein	Access Service Einstein	boolean				
PermissionsAccessSfDrive	Grant users permission to SfDrive	boolean				
PermissionsAccessToComplaintMgmt	Public Complaint Management User	boolean				
PermissionsAccessToDisputeManagement	Dispute Management User	boolean				
PermissionsAccessToServiceProcess	Service Process User	boolean				
PermissionsAccessTrialInfoGuestUser	Access Clinical Trial Information as Guest User	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsAccessWealthAdvisorAgent	Financial Advisor Assistance Agent	boolean				
PermissionsAccountSwitcherUser	Account Switcher User	boolean				
PermissionsAccsPrtSuptPgmUseEinstein	Expose patient support programs powered by Einstein generative AI	boolean				
PermissionsActionPlansUserAccess	Permission to access the Action Plans feature	boolean				
PermissionsActionableListCompUser	Actionable Segmentation Outreach	boolean				
PermissionsActionableListConfigUser	Actionable Segmentation Admin	boolean				
PermissionsActionableListCreator	Actionable Segmentation List Manager	boolean				
PermissionsActionableListUser	Actionable Segmentation Objects	boolean				
PermissionsActivateContract	Activate Contracts	boolean				
PermissionsActivateDeactivateNonSetupFlow	Activate or Deactivate Flows	boolean				
PermissionsActivateOrder	Activate Orders	boolean				
PermissionsActivateSystemModeFlows	Enable System Mode Flow Activation	boolean				
PermissionsActivitiesAccess	Access Activities	boolean				
PermissionsAddAnalyticsRemoteConnections	Add CRM Analytics Remote Connections	boolean				
PermissionsAddAsgnElmtToNonSetupFlow	Add Assignment Element to Flows	boolean				
PermissionsAddCollFltrElmtToNonSetupFlow	Add Collection Filter Element to Flows	boolean				
PermissionsAddCollSrtElmtToNonSetupFlow	Add Collection Sort Element to Flows	boolean				
PermissionsAddCreRecElmtToNonSetupFlow	Add Create Records Element to Flows	boolean				
PermissionsAddDecisionElmtNonSetupFlow	Add Decision Element to Flows	boolean				
PermissionsAddDelRecElmtToNonSetupFlow	Add Delete Records Element to Flows	boolean				
PermissionsAddDirectMessageMembers	Add People to Direct Messages	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsAddGetRecElmntToNonSetupFlow	Add Get Records Element to Flows	boolean				
PermissionsAddLoopElmntToNonSetupFlow	Add Loop Element to Flows	boolean				
PermissionsAddSbflowElmntToNonSetupFlow	Add Subflow Element to Flows	boolean				
PermissionsAddTrnfElmntToNonSetupFlow	Add Transform Element to Flows	boolean				
PermissionsAddUpdRecElmntToNonSetupFlow	Add Update Records Element to Flows	boolean				
PermissionsAddWaitToNonSetupFlow	Add Wait Element to Flows	boolean				
PermissionsAddWaveNotificationRecipients	Add Recipients to CRM Analytics Notifications	boolean				
PermissionsAdvancedCsvDataImportUser	Advanced Csv Data Import User Permission	boolean				
PermissionsAgentforceSchedulingSupervisorView	Access Agentforce Scheduling Supervisor View	boolean				
PermissionsAgentforceServiceAgentUser	Agentforce Service Agent User	boolean				
PermissionsAllowAIAccelerator	View AI Accelerator Predictions.	boolean				
PermissionsAllowEmailIC	Email-Based Identity Verification Option	boolean				
PermissionsAllowLightningLogin	Lightning Login User	boolean				
PermissionsAllowOCIAvailabilityAPIs	Use Omnichannel Inventory Availability APIs	boolean				
PermissionsAllowUniversalSearch	Knowledge One	boolean				
PermissionsAllowViewEditConvertedLeads	View and Edit Converted Leads	boolean				
PermissionsAllowViewKnowledge	Allow View Knowledge	boolean				
PermissionsAnalyticsQueryServiceConsumer	Allow the user to run queries with the Analytics Query Service	boolean				
PermissionsApexRestServices	Apex REST Services	boolean				
PermissionsApiEnabled	API Enabled	boolean				
PermissionsApiUserOnly	Api Only User	boolean				
PermissionsAppFrameworkManageApp	Access to manage the template framework apps	boolean				
PermissionsAppFrameworkManageTemplate	Access to manage the template framework templates	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsAppFrameworkViewApp	Access to view templated apps and assets	boolean				
PermissionsAppointmentBookingUserAccess	Enables the Appointment Booking feature	boolean				
PermissionsApprovalAdmin	Approval Admin	boolean				
PermissionsApprovalDesigner	Approval Designer	boolean				
PermissionsArchiveArticles	Archive Articles	boolean				
PermissionsAssessmentPlatformUser	Discovery Framework Platform User	boolean				
PermissionsAssignPermissionSets	Assign Permission Sets	boolean				
PermissionsAssignTopics	Assign Topics	boolean				
PermissionsAssignUserToSkill	Assign Chat Skills to Users	boolean				
PermissionsAssocChgRqstAndProb	Associate Change Requests and Problems	boolean				
PermissionsAssocIncAndChgRqst	Associate Incidents and Change Requests	boolean				
PermissionsAssocIncAndProb	Associate Incidents and Problems	boolean				
PermissionsAssocRelAndChgRqst	Associate Releases and Change Requests	boolean				
PermissionsAssocRelAndInc	Associate Releases and Incidents	boolean				
PermissionsAssocRelAndProb	Associate Releases and Problems	boolean				
PermissionsAssociationEngineUserAccess	User license to access Record Association Builder in Financial Services Cloud.	boolean				
PermissionsAttributionModelUser	Attribution Model User	boolean				
PermissionsAuthorApex	Author Apex	boolean				
PermissionsAuthorizePayments	Authorize Payments	boolean				
PermissionsAutomaticActivityCapture	Use Einstein Activity Capture	boolean				
PermissionsAutonomousAnalyticsPrivacy	Manage Autonomous Insights Data Privacy	boolean				
PermissionsB2BMarketingAnalyticsUser	Create B2B Marketing Analytics Apps	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsBACommunityAccess	Enable community users to access Benefit Assistance objects and features.	boolean				
PermissionsBREAlertsUserAccess	Access Record Alerts for Business Rules Engine	boolean				
PermissionsBVCommunityAccess	Use objects in the Benefit Verification data model via Experience Cloud sites	boolean				
PermissionsBenefitManagementAccess	Allows internal org users to access Programs, Benefits, and Goal objects and features.	boolean				
PermissionsBillingPaymentApiUser	Apply and Unapply Payments Using APIs	boolean				
PermissionsBillingRefundApiUser	Apply and Unapply Refunds Using APIs	boolean				
PermissionsBotManageBots	Manage Bots	boolean				
PermissionsBotManageBotsTrainingData	Manage Bots Training Data	boolean				
PermissionsBranchManagementUserAccess	User license to access Branch Management in Financial Services Cloud.	boolean				
PermissionsBroadcaster	Send One-to-Many Messages	boolean				
PermissionsBulkApiHardDelete	Bulk API Hard Delete	boolean				
PermissionsBulkMacrosAllowed	Run Macros on Multiple Records	boolean				
PermissionsBypassMFAForUiLogins	Waive Multi-Factor Authentication for Exempt Users	boolean				
PermissionsCCMCommunityAccess	Allows community users to access Composable Case Management objects and features.	boolean				
PermissionsCCUserHasBillingAccount	Manage Energy & Utilities Billing Accounts for Experience Cloud	boolean				
PermissionsCCUserHasEPandProgramAccess	EU Experience Cloud User Program Access	boolean				
PermissionsCCUserHasEUCore	Manage Energy & Utilities Objects for Experience Cloud	boolean				
PermissionsCIPartnerIntegrationUser	Conversation Insights Partner Integration User	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsCMSECEAuthoringAccess	Migrate Enablement Content	boolean				
PermissionsCallCoachingUser	Use Conversation Insights for Sales	boolean				
PermissionsCallExplorer	Einstein Question and Answer for ECI Calls	boolean				
PermissionsCampaignInfluence2	Campaign Influence	boolean				
PermissionsCanAccessCE	Access Conversation Entries	boolean				
PermissionsCanApproveFeedPost	Can Approve Feed Post and Comment	boolean				
PermissionsCanApproveUninstalledApps	Approve Uninstalled Connected Apps	boolean				
PermissionsCanDoActAsUser	Act As User	boolean				
PermissionsCanEditDataPrepRecipe	Edit Dataset Recipes	boolean				
PermissionsCanEditPrompts	Design and Deliver In-App Guidance	boolean				
PermissionsCanInitiateMessagingSessions	Initiate Messaging Sessions	boolean				
PermissionsCanInsertFeedSystemFields	Insert System Field Values for Chatter Feeds	boolean				
PermissionsCanManageMaps	Manage CRM Analytics Custom Maps	boolean				
PermissionsCanMarketingUserDebugFlow	Can Marketing User Debug Marketing Flows	boolean				
PermissionsCanSendInitialSMSToIndividual	Send Initial SMS Message to Individual	boolean				
PermissionsCanTranslateSot2Conversation	Translate Enhanced Conversations	boolean				
PermissionsCanUpdateEmailMessage	Update Email Messages	boolean				
PermissionsCanUseNewDashboardBuilder	Drag-and-Drop Dashboard Builder	boolean				
PermissionsCanVerifyComment	Verify Answers to Chatter Questions	boolean				
PermissionsCanViewDataPrepRecipe	Recipes View Only	boolean				
PermissionsCaptureAndReversePayments	Capture and Reverse Payments	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsCareManagementUserAccess	Enable the Integrated Care Management User Access in a Salesforce org.	boolean				
PermissionsCarePlansAccess	Allows internal org users to access Care Plans objects and features.	boolean				
PermissionsCaseReferralAccess	Allows internal org users to access referral feature.	boolean				
PermissionsCdpReportingCreateReports	Allow access to creating and editing reports in Data Cloud Reporting	boolean				
PermissionsCdpReportingManageFolders	Allow access to managing folders in Data Cloud Reporting	boolean				
PermissionsCdpReportingViewReports	Allow access to viewing reports in Data Cloud Reporting	boolean				
PermissionsChainOfCustodyUser	Manage Chain Of Custody Features	boolean				
PermissionsChangeDashboardColors	Change Dashboard Colors	boolean				
PermissionsChatterComposeUiCodesnippet	Allow Inclusion of Code Snippets from UI	boolean				
PermissionsChatterEditOwnPost	Edit My Own Posts	boolean				
PermissionsChatterEditOwnRecordPost	Edit Posts on Records I Own	boolean				
PermissionsChatterFileLink	Create Public Links	boolean				
PermissionsChatterInternalUser	Chatter Internal User	boolean				
PermissionsChatterInviteExternalUsers	Invite Customers To Chatter	boolean				
PermissionsChatterOwnGroups	Create and Own New Chatter Groups	boolean				
PermissionsClauseDEUser	Allows users to use clauses in Digital Experience sites	boolean				
PermissionsClauseDesigner	Allows clause designers to create and manage clauses	boolean				
PermissionsClauseUser	Allows users to use clauses within documents	boolean				
PermissionsClientSecretRotation	Allow consumer key and secret rotation	boolean				
PermissionsCloseConversations	Close Conversation Threads	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsCodeBuilderUser	Code Builder User	boolean				
PermissionsCombAuthAndCapPayments	Allow Sale Payments	boolean				
PermissionsCommerceTaxApiUser	Tax Api User	boolean				
PermissionsComplaintsManagementAccess	Provides access to Complaints Management features and objects.	boolean				
PermissionsCompleteChgRiskAssmt	Complete Change Risk Assessments	boolean				
PermissionsConfigCompliantDataSharing	Configure Compliant Data Sharing	boolean				
PermissionsConfigCustomRecs	Configure Custom Recommendations	boolean				
PermissionsConfigureCCTarget	Allow user to configure communication capping activation target.	boolean				
PermissionsConfigureCommunicationCapping	Allow user to configure communication capping.	boolean				
PermissionsConfigureDataspaceScope	Configure Dataspace Scope	boolean				
PermissionsConfigureLiveMessage	Configure Messaging	boolean				
PermissionsConnectOrgToEnvironmentHub	Connect Organization to Environment Hub	boolean				
PermissionsConsentApiUpdate	Update Consent Preferences Using REST API	boolean				
PermissionsContactInspectorUser	Access Contact Intelligence View in Partner Sites	boolean				
PermissionsContentAdministrator	Manage Salesforce CRM Content	boolean				
PermissionsContentHubUser	Files Connect Cloud	boolean				
PermissionsContentWorkspaces	Access Libraries	boolean				
PermissionsContextServiceAdmin	Context Service Admin user.	boolean				
PermissionsContextServiceEmbedAdmin	Context Service Embed Admin user.	boolean				
PermissionsContextServiceRuntime	Context Service Run time user.	boolean				
PermissionsContractorHasEUProgramAccess	Contractor Program Access	boolean				
PermissionsContractorHasWorkReportAccess	Manage Contractor Work Report	boolean				
PermissionsConvertLeads	Convert Leads	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsCoordinateClinicalTrials	Coordinate clinical trial tasks like candidate outreach programs.	boolean				
PermissionsCoordinateClnclTrialExprcUsr	Coordinate clinical trial tasks like candidate outreach programs as an Experience Cloud user.	boolean				
PermissionsCosellAuthSetupUser	Establish an Approved PRM External Integration	boolean				
PermissionsCosellExportUser	Export Vendor Records to an Authorized Partner Org	boolean				
PermissionsCreateClosePlan	Allow access to Einstein Close Plan in Einstein Copilot	boolean				
PermissionsCreateCustomizeDashboards	Create and Customize Dashboards	boolean				
PermissionsCreateCustomizeFilters	Create and Customize List Views	boolean				
PermissionsCreateCustomizeReports	Create and Customize Reports	boolean				
PermissionsCreateDPEDefinitionWithDerivedFields	Create DPE Definition With Derived Fields	boolean				
PermissionsCreateDashboardFolders	Create Dashboard Folders	boolean				
PermissionsCreateEditNonSetupFlow	Create or Edit Flows	boolean				
PermissionsCreateLtngTempFolder	Create Folders for Lightning Email Templates	boolean				
PermissionsCreateLtngTempInPub	Manage Public Lightning Email Templates	boolean				
PermissionsCreateModActTrigNonSetupFlow	Create or Modify Activation-Triggered Flows	boolean				
PermissionsCreateModDGTrigNonSetupFlow	Create or Modify Flows with Data Graph Event Triggers	boolean				
PermissionsCreatePackaging	Create AppExchange Packages	boolean				
PermissionsCreateReportFolders	Create Report Folders	boolean				
PermissionsCreateReportInLightning	Report Builder (Lightning Experience)	boolean				
PermissionsCreateTopics	Create Topics	boolean				
PermissionsCreateUpdateSDDataset	Create and Update Einstein Discovery Datasets	boolean				
PermissionsCreateUpdateSDDStory	Create and Update Einstein Discovery Models	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsCreateWorkBadgeDefinition	Create custom Badge Definitions	boolean				
PermissionsCreateWorkspaces	Create Libraries	boolean				
PermissionsCreditMemoAPIUser	Credit Memo API User	boolean				
PermissionsCustomAppsOnFSMobile	Custom Applications for Field Service Mobile	boolean				
PermissionsCustomMobileAppsAccess	Access Custom Mobile Apps	boolean				
PermissionsCustomSidebarOnAllPages	Show Custom Sidebar On All Pages	boolean				
PermissionsCustomizeApplication	Customize Application	boolean				
PermissionsDFODesignerUser	Allows user to gain Fulfillment Designer level access to DRO	boolean				
PermissionsDFOManagerOperatorUser	Allows user to gain Fulfillment Manager or Fulfillment Operator level access to DRO	boolean				
PermissionsDROrderSubmitInitiateUser	Submit Transactions User	boolean				
PermissionsDataExport	Weekly Data Export	boolean				
PermissionsDataPipelinesAppConsumer	Permission to access Data Pipelines license	boolean				
PermissionsDecimalQuantityDesigntime	Decimal Quantity Design time Access	boolean				
PermissionsDecimalQuantityRuntime	Decimal Quantity Runtime Access	boolean				
PermissionsDecisionTableExecUserAccess	Run Decision Tables	boolean				
PermissionsDelegatedPortalUserAdmin	Delegated External User Administrator	boolean				
PermissionsDelegatedTwoFactor	Manage MFA in User Interface	boolean				
PermissionsDeleteActivatedContract	Delete Activated Contracts	boolean				
PermissionsDeleteCrMemoAndInvoice	Delete Credit Memo and Invoice	boolean				
PermissionsDeleteDraftAndCanceledInvoices	Allow Draft and Canceled Invoice Deletion	boolean				
PermissionsDeleteNonSetupFlow	Delete Flows	boolean				
PermissionsDeleteRevenueRecords	Allow Revenue Records Deletion	boolean				
PermissionsDeleteTopics	Delete Topics	boolean				
PermissionsDesignContextRule	Manage Context Rules	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsDfoAdminUser	System Administrator access for DRO	boolean				
PermissionsDigitalAgentUser	Use Custom Agents	boolean				
PermissionsDigitalLendingAdminUser	Digital Lending Admin User	boolean				
PermissionsDigitalLendingEditReadOnly	Digital Lending Edit Read Only Party Related Records	boolean				
PermissionsDigitalLendingIndiaAdminUser	Digital Lending India Admin User	boolean				
PermissionsDigitalLendingUser	Digital Lending User	boolean				
PermissionsDigitalLendingWorkbench	Digital Lending Workbench	boolean				
PermissionsDisbursementUserAccess	Grant users access to Benefit Disbursement features.	boolean				
PermissionsDistributeFromPersWksp	Create Content Deliveries	boolean				
PermissionsDocGenDesigner	Enables Designers to create Document Templates.	boolean				
PermissionsDocGenRuntimeCCUser	Enables Customers and Partners to generate documents via communities.	boolean				
PermissionsDocGenRuntimeUser	Enables Business users to generate documents.	boolean				
PermissionsDocumentAutomationUserAccess	User license to access IntelligentDocumentAutomation in Financial Services Cloud.	boolean				
PermissionsDocumentChecklistUserAccess	User license to access the Document Checklist features.	boolean				
PermissionsDocumentWorkspaceCtyAccess	Permission to access Intelligent Document Workspace for community users	boolean				
PermissionsDocumentWorkspaceUserAccess	Permission to access Intelligent Document Workspace	boolean				
PermissionsDownloadPackageVersionZips	Download Package Version Zip Files	boolean				
PermissionsDynamicCommonOrchestratorUser	Dynamic Common Orchestrator User	boolean				
PermissionsEGPTSalesSummariesUser	Einstein Sales Summaries User	boolean				
PermissionsEditAccountScoreFields	View Account Scores	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsEditActivatedOrders	Edit Activated Orders	boolean				
PermissionsEditBillingInfo	Manage Billing	boolean				
PermissionsEditBrandTemplates	Manage Letterheads	boolean				
PermissionsEditCaseComments	Edit Case Comments	boolean				
PermissionsEditEvent	Edit Events	boolean				
PermissionsEditHtmlTemplates	Edit HTML Templates	boolean				
PermissionsEditKnowledge	Manage Articles	boolean				
PermissionsEditMyDashboards	Edit My Dashboards	boolean				
PermissionsEditMyReports	Edit My Reports	boolean				
PermissionsEditOppLineItemUnitPrice	Edit Opportunity Product Sales Price	boolean				
PermissionsEditPublicDocuments	Manage Public Documents	boolean				
PermissionsEditPublicFilters	Manage Public List Views	boolean				
PermissionsEditPublicTemplates	Manage Public Classic Email Templates	boolean				
PermissionsEditReadonlyFields	Edit Read Only Fields	boolean				
PermissionsEditRepricing	Edit Repricing Information	boolean				
PermissionsEditTask	Edit Tasks	boolean				
PermissionsEditTopics	Edit Topics	boolean				
PermissionsEditTranslation	Article Translation - Edit	boolean				
PermissionsEinsteinAgentPlatformBuilder	Manage AI Agents	boolean				
PermissionsEinsteinCopilotBuilder	Manage Agentforce Default Agent	boolean				
PermissionsEinsteinCopilotUser	Use Agentforce Default Agent	boolean				
PermissionsEinsteinGPTSalesEmailsUser	Use Einstein Sales Emails	boolean				
PermissionsEinsteinSalesRepFdbkUser	Use Einstein Coach	boolean				
PermissionsEmailAdministration	Email Administration	boolean				
PermissionsEmailMass	Mass Email	boolean				
PermissionsEmailSingle	Send Email	boolean				
PermissionsEmailTemplateManagement	Manage Email Templates	boolean				
PermissionsEmbeddedMessagingAgent	Messaging for In-App and Web Agent	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsEmployeeEntitiesAccess	Manage Employees	boolean				
PermissionsEnableBCTransactionPolling	Enable blockchain transaction polling API	boolean				
PermissionsEnableCommunityAppLauncher	Show App Launcher in Experience Cloud Sites	boolean				
PermissionsEnableIPFSUpload	Allow blockchain data upload	boolean				
PermissionsEnableNotifications	Send Outbound Messages	boolean				
PermissionsEngagementConfigUser	Engagement Config User	boolean				
PermissionsEnhancedSalesMobileExp	Salesforce Mobile App: Native Seller Experience	boolean				
PermissionsEntityAccessHealthCloudCommunity	Additional Objects for Health Cloud Features in Experience Cloud	boolean				
PermissionsExplainabilityCmtyAccess	Provides site users with access to Decision Explainers features and APIs.	boolean				
PermissionsExplainabilityUserAccess	Provides internal Org users with access to Decision Explainer features and APIs.	boolean				
PermissionsExportReport	Export Reports	boolean				
PermissionsExternalClientAppAdmin	View all External Client Apps, view their settings, and edit their policies	boolean				
PermissionsExternalClientAppDeveloper	Create, edit, and delete External Client Apps	boolean				
PermissionsExternalClientAppViewer	View all External Client Apps	boolean				
PermissionsFHIRCmtyAccess	Use objects in the Clinical data model via Experience Cloud sites	boolean				
PermissionsFSCAlertFrameworkUserAccess	Access Record Alerts	boolean				
PermissionsFSCArcGraphCommunityUser	Access Actionable Relationship Center for partner users	boolean				
PermissionsFSCB2BUserAccess	Grants access to B2B features	boolean				
PermissionsFSCInsClaimMgtPlatformUser	Insurance Claim Management Platform User	boolean				
PermissionsFSCInsPolicyAdminPlatformUser	Insurance Policy Administration Platform User	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsFSCInsuranceCmpCntyAccess	Access Insurance Lightning Components	boolean				
PermissionsFSCInsuranceCmpExtOnlyAccess	Access Insurance Lightning Components	boolean				
PermissionsFSCInsurancePlatformUser	Access Insurance Objects	boolean				
PermissionsFeedPinning	Pin Posts in Feeds	boolean				
PermissionsFieldMappingUser	Field Mapping Configuration User	boolean				
PermissionsFieldServiceAccess	Field Service Standard	boolean				
PermissionsFieldServiceCopilotActions	Access Agent Topics and Actions for Field Service	boolean				
PermissionsFieldServiceDispatcher	Field Service Dispatcher	boolean				
PermissionsFieldServiceLastMile	Field Service Appointment Assistant	boolean				
PermissionsFieldServiceMobileApp	Field Service Mobile	boolean				
PermissionsFieldServiceScheduling	Field Service Scheduling	boolean				
PermissionsFieldServiceVoiceToForm	Access Field Service Data Capture Voice to Form (Beta)	boolean				
PermissionsFieldServiceVoiceToRecordEdit	Access Field Service Voice to Record Edit	boolean				
PermissionsFinancialServices2UserAccess	Access Actionable Relationship Center	boolean				
PermissionsFindPastCollaborators	Allow access to Find Past Collaborators in Einstein Copilot.	boolean				
PermissionsFlowUFLRequired	Require Flow User Feature License	boolean				
PermissionsForceTwoFactor	Multi-Factor Authentication for User Interface Logins	boolean				
PermissionsFreezeUsers	Freeze Users	boolean				
PermissionsFscPlansAndGoalsUser	Plans and Goals User	boolean				
PermissionsGetProductPricing	Allow access to Get Product Pricing in Einstein Copilot	boolean				
PermissionsGetSmartDataDiscovery	View Einstein Discovery Recommendations	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsGetStartDataDiscoveryExternal	View Einstein Discovery Recommendations Via Connect API	boolean				
PermissionsGiveRecognitionBadge	Give Recognition Badges in Experience Builder Sites	boolean				
PermissionsGlobalCbpQueryAccess	Global Controlled-by-Parent Query Access	boolean				
PermissionsGovernNetworks	Manage Experiences	boolean				
PermissionsGroupMembershipCmtyUsr	Group Membership Experience Cloud User	boolean				
PermissionsGroupMembershipPsl	Group Membership	boolean				
PermissionsHasUnlimitedNBAExecutions	User Has Unlimited Next Best Action Strategy Executions	boolean				
PermissionsHcAdvancedTherapyUser	Manage Advanced Therapy Orchestration features	boolean				
PermissionsHeadlessCMSAccess	Enable Salesforce CMS Integration	boolean				
PermissionsHeadlessPublishNudges	Headless Publish Nudges User	boolean				
PermissionsHealthAgent	Health Assistive Agent	boolean				
PermissionsHealthCloudStarter	Health Cloud Starter	boolean				
PermissionsHideReadByList	Hide the Seen By List	boolean				
PermissionsIcmCmtyAccess	Enables the use of objects in the Integrated Care Management data model by Experience cloud site users.	boolean				
PermissionsIdentityConnect	Use Identity Connect	boolean				
PermissionsIdentityEnabled	Use Identity Features	boolean				
PermissionsIdentityVerificationUserAccess	Permission to access Identity Verification	boolean				
PermissionsImportCustomObjects	Import Custom Objects	boolean				
PermissionsImportLeads	Import Leads	boolean				
PermissionsImportPersonal	Import Personal Contacts	boolean				
PermissionsInboundMigrationToolsUser	Deploy Change Sets	boolean				
PermissionsIndustriesEpcNextPilot	Industries Epc Next Pilot	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsIndustryMilestonePlatformUser	Access Life Events or Business Milestones Component	boolean				
PermissionsInsightsAppAdmin	Manage CRM Analytics	boolean				
PermissionsInsightsAppDashboardEditor	Create and Edit CRM Analytics Dashboards	boolean				
PermissionsInsightsAppEltEditor	Edit CRM Analytics Dataflows	boolean				
PermissionsInsightsAppUploadUser	Upload External Data to CRM Analytics	boolean				
PermissionsInsightsAppUser	Use CRM Analytics	boolean				
PermissionsInsightsCreateApplication	Create CRM Analytics Apps	boolean				
PermissionsInsightsIntelAppUser	Use Intelligent Apps	boolean				
PermissionsInstallPackaging	Download AppExchange Packages	boolean				
PermissionsInsuranceGroupBenefitsUser	Insurance Group Benefits User	boolean				
PermissionsInteractionCalcAdminPerm	Grant administrators access to Industries Interaction Calculation features.	boolean				
PermissionsInteractionCalcUserPerm	Grant users access to Industries Interaction Calculation features.	boolean				
PermissionsInteractionObjStateDefUserPerm	Grant users access to Industries Interaction Object State Definition features.	boolean				
PermissionsInterestTaggingUserAccess	Access Interest Tags for Financial Services Cloud.	boolean				
PermissionsInvoiceOrErrorRecoveryAPI	Invoice or Recovery API	boolean				
PermissionsInvoiceSchedulerUser	Invoice Scheduler User	boolean				
PermissionsIsSsoEnabled	Is Single Sign-On Enabled	boolean				
PermissionsIsotopeAccess	Salesforce Anywhere on Mobile	boolean				
PermissionsIsotopeCToCUser	Salesforce Anywhere Integration Access	boolean				
PermissionsIsotopeLEX	Salesforce Anywhere in Lightning Experience	boolean				
PermissionsKycPlatformUser	Identity Verification and Screening User	boolean				
PermissionsMEndMessagingSessionUserPerm	End Messaging Session	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsAIOutboundMessagingUserPerm	Agent Initiated Outbound Messaging	boolean				
PermissionsLPICommunityAccess	Grant community users access to LPI features.	boolean				
PermissionsLeadInspectorUser	Access Lead Intelligence View in Partner Sites	boolean				
PermissionsLeadScoreResultPublisher	Publish Einstein Lead Scoring results	boolean				
PermissionsLeadScoreUser	Use Einstein Lead Scoring	boolean				
PermissionsLearningManager	Manage Learning	boolean				
PermissionsLifecycleManagementAPIUser	Access Customer Asset Lifecycle Management APIs	boolean				
PermissionsLightningConsoleAllowedForUser	Lightning Console User	boolean				
PermissionsLightningExperienceUser	Lightning Experience User	boolean				
PermissionsLightningOnFSMobile	Lightning SDK for Field Service Mobile	boolean				
PermissionsLightningSchedulerUserAccess	Let a user be included in appointments in Salesforce Scheduler.	boolean				
PermissionsListEmailSend	Allow sending of List Emails	boolean				
PermissionsLiveMessageAgent	Messaging Agent	boolean				
PermissionsLobbyManagementUserAccess	Let greeters access the Lobby Management tab.	boolean				
PermissionsLtngPromoReservedUserPerm	Remain in Salesforce Classic	boolean				
PermissionsMCPMetadataApi	MCPMetadataApi	boolean				
PermissionsMakePayments	Make Payments	boolean				
PermissionsManageAccessPolicies	Manage Access Policies	boolean				
PermissionsManageAgentforceServiceAgent	Manage Agentforce Service Agents	boolean				
PermissionsManageAnalyticSnapshots	Manage Reporting Snapshots	boolean				
PermissionsManageAuthProviders	Manage Auth. Providers	boolean				
PermissionsManageBusinessHourHolidays	Manage Business Hours Holidays	boolean				
PermissionsManageC2CHighVolumePriming	Manage Cross-Cloud High-Volume Priming	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageC360AConnections	Connect Org to Data Cloud	boolean				
PermissionsManageCMS	Create CMS Workspaces and Channels	boolean				
PermissionsManageCallCenters	Manage Call Centers	boolean				
PermissionsManageCases	Manage Cases	boolean				
PermissionsManageCategories	Manage Categories	boolean				
PermissionsManageCdpMlModels	Allow users to manage models in Einstein Studio	boolean				
PermissionsManageCertificates	Manage Certificates	boolean				
PermissionsManageCertificatesExpiration	Receive Certificate Expiration Notifications	boolean				
PermissionsManageChatterMessages	Manage Chatter Messages and Direct Messages	boolean				
PermissionsManageClinicalDataModel	Provides access to Clinical Data Model entities for LifeSciences Users	boolean				
PermissionsManageClinicalTrials	Design and run clinical trials.	boolean				
PermissionsManageContentLinks	Manage Content Links	boolean				
PermissionsManageContentPermissions	Manage Content Permissions	boolean				
PermissionsManageContentProperties	Manage Content Properties	boolean				
PermissionsManageContentTaxonomy	Manage Content Taxonomy	boolean				
PermissionsManageContentTypes	Manage record types and layouts for Files	boolean				
PermissionsManageConvMiningReports	View and generate Einstein Conversation Mining reports	boolean				
PermissionsManageCssUsers	Manage Customer Users	boolean				
PermissionsManageCustomDomains	Manage Custom Domains	boolean				
PermissionsManageCustomPermissions	Manage Custom Permissions	boolean				
PermissionsManageCustomReportTypes	Manage Custom Report Types	boolean				
PermissionsManageDashbdsInPubFolders	Manage Dashboards in Public Folders	boolean				
PermissionsManageDataCategories	Manage Data Categories	boolean				
PermissionsManageDataIntegrations	Manage Data Integrations	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageDataMaskPolicies	Manage Data Mask Policies	boolean				
PermissionsManageDataProcessingEngine	Allow users to access the features of Data Processing Engine to transform data that's available in your Salesforce org.	boolean				
PermissionsManageDataspaceScope	Manage Dataspace Scope	boolean				
PermissionsManageDevSandboxes	Manage Dev Sandboxes	boolean				
PermissionsManageDynamicDashboards	Manage Dynamic Dashboards	boolean				
PermissionsManageEmailClientConfig	Manage Email Client Configurations	boolean				
PermissionsManageEmailMessagingSetup	Manage Email Messaging Setup	boolean				
PermissionsManageEncryptionKeys	Manage Encryption Keys	boolean				
PermissionsManageEntitlements	Manage Entitlements	boolean				
PermissionsManageExchangeConfig	Manage Lightning Sync	boolean				
PermissionsManageExternalConnections	Allow user to modify Private Connections	boolean				
PermissionsManageFilesAndAttachments	Manage Policies' Files And Attachments	boolean				
PermissionsManageForecastingCustomData	Manage Forecasts Custom Data	boolean				
PermissionsManageHcProviderRelMgmt	Manage Health Cloud Provider Relationship Management	boolean				
PermissionsManageHealthCheck	Manage Health Check	boolean				
PermissionsManageHealthCloud	Manage Health Cloud	boolean				
PermissionsManageHealthCloudFinancialData	Manage Health Cloud Financial Data	boolean				
PermissionsManageHerokuAppLink	Manage Heroku AppLink	boolean				
PermissionsManageHubConnections	Connect Org to Customer 360 Data Manager	boolean				
PermissionsManageIndustriesVisit	Manage Industries Visit	boolean				
PermissionsManageIntegrationConnections	Manage Integration Connections	boolean				
PermissionsManageIntelligenceApp	Manage Commerce Intelligence App	boolean				
PermissionsManageInteraction	Manage Flow	boolean				
PermissionsManageInternalUsers	Manage Internal Users	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageIpAddresses	Manage IP Addresses	boolean				
PermissionsManageKnowledge	Manage Salesforce Knowledge	boolean				
PermissionsManageKnowledgeImportExport	Manage Knowledge Article Import/Export	boolean				
PermissionsManageLeads	Manage Leads	boolean				
PermissionsManageLearningReporting	Manage Learning Reporting	boolean				
PermissionsManageLoginAccessPolicies	Manage Login Access Policies	boolean				
PermissionsManageMobile	Manage Mobile Configurations	boolean				
PermissionsManageMobileAppSecurity	Manage Enhanced Mobile App Security	boolean				
PermissionsManageMyExternalUsers	Manage External Users (Limited)	boolean				
PermissionsManageNamedCredentials	Allows users to modify Named Credentials and External Credentials	boolean				
PermissionsManageNetworks	Create and Set Up Experiences	boolean				
PermissionsManageOCIRecords	Manage Omnichannel Inventory Records	boolean				
PermissionsManageOrchInstsAndWorkItems	Manage Orchestration Runs and Work Items	boolean				
PermissionsManageOrchestrationRuns	Manage Orchestration Runs	boolean				
PermissionsManageOutcomeManagement	Manage Outcomes	boolean				
PermissionsManagePartners	Manage External Users	boolean				
PermissionsManagePasswordPolicies	Manage Password Policies	boolean				
PermissionsManagePatientProgramOutcomes	Manage Patient Program Outcomes	boolean				
PermissionsManagePharmacyBenefitsVerf	Gives users access to verify and reverify pharmacy benefits.	boolean				
PermissionsManageProductCatalog	Manage Product Catalog	boolean				
PermissionsManageProductDiscovery	Manage Product Discovery	boolean				
PermissionsManageProductIndexAndSearch	Create and delete indexes for Product Catalog Management, and configure product browsing options.	boolean				
PermissionsManageProfilesPermissionsets	Manage Profiles and Permission Sets	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageProgramManagement	Advanced Program Management	boolean				
PermissionsManagePropositions	Manage Next Best Action Recommendations	boolean				
PermissionsManageProviderSearch	Manage Provider Search	boolean				
PermissionsManagePvtRptsAndDashbds	Manage All Private Reports and Dashboards	boolean				
PermissionsManageQuotas	Manage Quotas	boolean				
PermissionsManageRecommendationStrategies	Manage Next Best Action Strategies	boolean				
PermissionsManageReleaseUpdates	Manage Release Updates	boolean				
PermissionsManageRemoteAccess	Manage Connected Apps	boolean				
PermissionsManageReportsInPubFolders	Manage Reports in Public Folders	boolean				
PermissionsManageRoles	Manage Roles	boolean				
PermissionsManageSALifecycle	Manage Service Appointment Lifecycle	boolean				
PermissionsManageSandboxes	Manage Sandboxes	boolean				
PermissionsManageSearchPromotionRules	Manage Promoted Search Terms	boolean				
PermissionsManageSecurityCommandCenter	Manage Security Center	boolean				
PermissionsManageSessionPermissionSets	Manage Session Permission Set Activations	boolean				
PermissionsManageSharing	Manage Sharing	boolean				
PermissionsManageSiteManagement	Manage Site Management	boolean				
PermissionsManageSiteProfile	Manage Site and Investigator Profile	boolean				
PermissionsManageSmartDataDiscovery	Manage Einstein Discovery	boolean				
PermissionsManageSmartDataDiscoveryModel	Can Deploy and Manage Einstein Discovery predictions	boolean				
PermissionsManageSocialDeterminant	Enable access to the Manage Social Determinants Data Model for Life Sciences users in a Salesforce org.	boolean				
PermissionsManageSolutions	Manage Published Solutions	boolean				
PermissionsManageStores	Manage Stores	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageSubscriptions	Manage CRM Analytics Subscriptions	boolean				
PermissionsManageSurveys	Manage Surveys	boolean				
PermissionsManageSynonyms	Manage Synonyms	boolean				
PermissionsManageTemplatedApp	Manage CRM Analytics Templated Apps	boolean				
PermissionsManageTrialMgmtRandomization	Manage Trial Management Randomization	boolean				
PermissionsManageTrustMeasures	Manage Trust Measures	boolean				
PermissionsManageTwoFactor	Manage MFA in API	boolean				
PermissionsManageUnlistedGroups	Manage Unlisted Groups	boolean				
PermissionsManageUsers	Manage Users	boolean				
PermissionsMassInlineEdit	Mass Edits from Lists	boolean				
PermissionsMaterialLineUser	Create Material Lines	boolean				
PermissionsMergeAndSplitGroups	Merge and Split Groups	boolean				
PermissionsMergeTopics	Merge Topics	boolean				
PermissionsMetadataStudioUser	Metadata studio User	boolean				
PermissionsMicrobatching	Use Micro-Batching to Create Records	boolean				
PermissionsMngBenVerfForAssistiveAgt	Gives AI agents access to the objects and fields required to reverify benefits.	boolean				
PermissionsMngFinancialAssistanceProgram	Access PSP Financial Assistance	boolean				
PermissionsMobileAppSecurity	Enforce Enhanced Mobile App Security	boolean				
PermissionsMobileMessagingAgent	Message on Mobile	boolean				
PermissionsModerateChatter	Moderate Chatter	boolean				
PermissionsModerateNetworkFeeds	Moderate Experience Cloud Site Feeds	boolean				
PermissionsModerateNetworkFiles	Moderate Files in Experience Cloud Sites	boolean				
PermissionsModerateNetworkMessages	Moderate Chatter Messages in Experience Cloud Sites	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsModerateNetworkUsers	Moderate Experience Cloud Site Users	boolean				
PermissionsModifyAccessAllowPolicies	Modify Allow Data Governance Policies	boolean				
PermissionsModifyAccessDenyPolicies	Modify Deny Data Governance Policies	boolean				
PermissionsModifyAllData	Modify All Data	boolean				
PermissionsModifyAllDataGovClassif	Modify All Data Governance Classification Tags	boolean				
PermissionsModifyAllDataGovClsfTax	Modify All Data Governance Classification Taxonomies	boolean				
PermissionsModifyAllDataGovPolicies	Modify All Data Governance Policies	boolean				
PermissionsModifyAllDataGovTagAssign	Modify All Data Governance Tag Assignments	boolean				
PermissionsModifyAllDataGovTags	Modify All Data Governance Tags	boolean				
PermissionsModifyAllDataGovTax	Modify All Data Governance Tag Taxonomies	boolean				
PermissionsModifyAllPolicyCenterPolicies	Modify All Policy Center Policies	boolean				
PermissionsModifyDataClassification	Modify Data Classification	boolean				
PermissionsModifyMetadata	Modify Metadata Through Metadata API Functions	boolean				
PermissionsMonitorLoginHistory	Monitor Login History	boolean				
PermissionsMortgageUserAccess	User license to access Mortgage in Financial Services Cloud.	boolean				
PermissionsMultiStepSchedulingUser	Manage Multi-Step Scheduling features	boolean				
PermissionsNativeWebviewScrolling	Salesforce Mobile App: Native scrolling on webviews	boolean				
PermissionsNewReportBuilder	Report Builder	boolean				
PermissionsOmniAssistiveActionUser	OmniAssistiveActionUser	boolean				
PermissionsOmniStudioDesigner	Enables admin/developer to create new OS/DR/VIP instances.	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsOmniStudioRuntime	Enables business users to execute OmniScripts, DRs, Cards, etc, in employee facing apps.	boolean				
PermissionsOmniStudioRuntimeCC	Enables consumers and partners to execute OmniScripts, DRs, Cards through a Community or off platform.	boolean				
PermissionsOmniSupervisorManageQueue	Manage Queue Memberships	boolean				
PermissionsOmnichannelInventoryBasic	Omnichannel Inventory Basic	boolean				
PermissionsOmnichannelInventorySync	Omnichannel Inventory Sync	boolean				
PermissionsOpportunityScoreUser	Use Einstein Opportunity Scoring	boolean				
PermissionsOptOutGeoLocationTracking	Exclude Technician from Geolocation Tracking	boolean				
PermissionsOrderSubmitUser	Submit Transactions and Fulfilment User	boolean				
PermissionsOrderToBSAPIUser	Access Order to Billing Schedule API	boolean				
PermissionsOrderToInvoiceAPIUser	Access Order to Invoice API	boolean				
PermissionsOutboundMigrationToolsUser	Create and Upload Change Sets	boolean				
PermissionsOverrideForecasts	Override Forecasts	boolean				
PermissionsPRMChannelMgmtConsoleUser	View Channel Management Console	boolean				
PermissionsPackaging2	Create and Update Second-Generation Packages	boolean				
PermissionsPackaging2Delete	Delete Second-Generation Packages	boolean				
PermissionsPackaging2PromoteVersion	Promote a package version to released	boolean				
PermissionsParticipateClinicalTrials	Let external users view and enroll in research studies.	boolean				
PermissionsPasswordNeverExpires	Password Never Expires	boolean				
PermissionsPaymentSchedulerUser	Payments Scheduler User	boolean				
PermissionsPaymentsAPIUser	Payments Api User	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsPersonalizationDecisioningUser	Provides users access to the Personalization Decisions invocable action.	boolean				
PermissionsPersonalizationIntelUser	Personalization Intelligence User	boolean				
PermissionsPersonalizationPlatform	Access Personalization Platform	boolean				
PermissionsPersonalizedFinanceUserAccess	Data Cloud FlexCards for Financial Services Cloud	boolean				
PermissionsPipelineInspectorUser	Pipeline Inspection User	boolean				
PermissionsPortalSuperUser	Portal Super User	boolean				
PermissionsPreventClassicExperience	Hide Option to Switch to Salesforce Classic	boolean				
PermissionsPreviewExperienceUser	Allow access to Preview Experience	boolean				
PermissionsPreviewTestSendEmail	Send Test Email	boolean				
PermissionsPriceSheetConfiguration	Configure Price Sheets	boolean				
PermissionsPricingRuleUser	Configure price rules	boolean				
PermissionsPrismBackofficeUser	Prism Backoffice User	boolean				
PermissionsPrismPlaygroundUser	Prism Playground User	boolean				
PermissionsPrivacyDataAccess	Allow user to access privacy data	boolean				
PermissionsPrmEnhancedPortalUser	PRM Enhanced Portal User	boolean				
PermissionsPrmExtIntPrtnrAdminUser	Set Up Partner Connect for a Partner Org	boolean				
PermissionsProductAdmin	Product Admin	boolean				
PermissionsProductCatalogApiAccess	View Product Catalog via API	boolean				
PermissionsProductCatalogMgmtApiCCAccess	View Product Catalog via API for Customer Community User	boolean				
PermissionsProductCatalogMgmtApiPCAccess	View Product Catalog via API for Partner Community User	boolean				
PermissionsProductCatalogMgmtBaseCCUser	View Product Catalog for Customer Community User	boolean				
PermissionsProductCatalogMgmtBasePCUser	View Product Catalog for Partner Community User	boolean				
PermissionsProductConfigurationRuleAccess	Manage Configurator with Business Rules Engine	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsProductDiscoveryUser	Allow access to Product Discovery	boolean				
PermissionsProposeMajorIncidents	Propose Major Incidents	boolean				
PermissionsProviderSearchUserAccess	Permission to access internal entities for provider search	boolean				
PermissionsPublicSectorPlatformUserAccess	Grant users access to Public Sector features.	boolean				
PermissionsPublishArticles	Publish Articles	boolean				
PermissionsPublishPackaging	Upload AppExchange Packages	boolean				
PermissionsPublishTranslation	Article Translation - Publish	boolean				
PermissionsQRCodeGeneratorMobilePublisherPlayground	Mobile Publisher QR Code Generator Playground User	boolean				
PermissionsQueryAllFiles	Query All Files	boolean				
PermissionsQueryNonVetoedFiles	Query Non Vetoed Files	boolean				
PermissionsQuipMetricsAccess	Quip Metrics	boolean				
PermissionsQuipUserEngagementMetrics	Quip User Engagement Metrics	boolean				
PermissionsQuoteToOrderUser	Create Orders from Quotes	boolean				
PermissionsReadConfigurationItemInformation	Allows user to read CMDB associations details.	boolean				
PermissionsReassignOrchestrationWorkItems	Reassign Orchestration Work Items	boolean				
PermissionsRebookWithAgentforceFromDispatchConsole	Rebook with Agentforce from Dispatch Console	boolean				
PermissionsRecordAggregationAccess	Record Aggregation Access	boolean				
PermissionsRecordVisibilityAPI	Enable RecordVisibility API	boolean				
PermissionsRefundPayments	Refund Payments	boolean				
PermissionsRemoveDirectMessageMembers	Remove People from Direct Messages	boolean				
PermissionsReopenChangeRequests	Reopen Change Requests	boolean				
PermissionsReopenProblems	Reopen Problems	boolean				
PermissionsResetPasswords	Reset User Passwords and Unlock Users	boolean				
PermissionsResolveChgRqstAssoc	Resolve Change Request Associations	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsResolveIncAssoc	Resolve Incident Associations	boolean				
PermissionsResolveProbAssoc	Resolve Problem Associations	boolean				
PermissionsRespondToSocialInsuranceClaims	Respond to Social Insurance Claims	boolean				
PermissionsRevenueIntelligenceUser	Revenue Intelligence User	boolean				
PermissionsRevenueProductImportUser	Import Products Using Subscription Management Console	boolean				
PermissionsReviewBuyingCommittee	Allow access to Review Buying Committee in Einstein Copilot	boolean				
PermissionsReviewMyDay	Review My Day	boolean				
PermissionsRunContextRule	Run Context Rules	boolean				
PermissionsRunDecisionMatrix	Run Decision Matrices	boolean				
PermissionsRunExpressionSet	Run Expression Sets	boolean				
PermissionsRunFlow	Run Flows	boolean				
PermissionsRunReports	Run Reports	boolean				
PermissionsRunTrialMgmtRandomization	Run Trial Management Randomization	boolean				
PermissionsSCEViewAllData	View Opportunity Scoring Model Factors	boolean				
PermissionsSDCommunityAccess	Use objects in the Social Determinants data model via Experience Cloud sites	boolean				
PermissionsSalesConsole	Sales Console	boolean				
PermissionsSalesInsightsUser	Sales Insights User	boolean				
PermissionsSalesMeetingFollowUpEmail	Sales Meeting Follow-Up Emails	boolean				
PermissionsSalesforceForecastingUser	Forecast on Any Business Model	boolean				
PermissionsSalesforceIQInbox	Use Inbox	boolean				
PermissionsSalesforceIQInternal	Allows the Cloud Integration User to perform SalesforceIQ internal operations	boolean				
PermissionsSandboxTestingInCommunityApp	Test Sandboxes in Mobile Publisher for Experience Cloud	boolean				
PermissionsScheduleJob	Schedule Dashboards	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsScheduleReports	Schedule Reports	boolean				
PermissionsScoringFrameworkAdmin	Scoring Framework Admin	boolean				
PermissionsScoringFrameworkUser	Scoring Framework User	boolean				
PermissionsSegmentIntelligenceUser	Segment Intelligence User	boolean				
PermissionsSelectFilesFromSalesforce	Select Files from Salesforce	boolean				
PermissionsSendAnnouncementEmails	Send announcement emails	boolean				
PermissionsSendCustomNotifications	Send Custom Notifications	boolean				
PermissionsSendEmail	Send Unified Messaging Email	boolean				
PermissionsSendExternalEmailAvailable	Send Email through External Email Service	boolean				
PermissionsSendMeetingRequest	Permission for Send Meeting Request.	boolean				
PermissionsSendSitRequests	Send Stay-in-Touch Requests	boolean				
PermissionsServiceECIUser	Use Conversation Insights for Service	boolean				
PermissionsServiceExcellencePlatformUser	Service Excellence Platform User	boolean				
PermissionsSessionScopeContext	Provides access to create session scope context.	boolean				
PermissionsSetupAgentBuilder	Manage Agent for Setup	boolean				
PermissionsSetupAgentUser	Access Agent for Setup	boolean				
PermissionsShareFilesWithNetworks	Share Files with People in Experience Cloud sites	boolean				
PermissionsShareInternalArticles	Share internal Knowledge articles externally	boolean				
PermissionsShareSmartDataDiscoveryStory	Share Einstein Discovery Models	boolean				
PermissionsShowCompanyNameAsUserBadge	Show Company Name as Site Role	boolean				
PermissionsShowPreWorkBriefGA	Show Pre-Work Brief	boolean				
PermissionsSimpleCsvDataImportUser	Basic Csv Data Import User Permission	boolean				
PermissionsSkipIdentityConfirmation	Skip Device Activation at Login	boolean				
PermissionsSlackCibUser	Financial Services Cloud for Slack User	boolean				
PermissionsSlackRecordChannels	Access Slack Record Channels	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsSmartDataDiscoveryForCommunity	Smart Data Discovery for experience users	boolean				
PermissionsSolutionImport	Import Solutions	boolean				
PermissionsSonicConsumer	Use Data Pipeline Base	boolean				
PermissionsStageManagementDesignUser	Stage Management Designer User	boolean				
PermissionsStageManagementUser	Stage Management User	boolean				
PermissionsStoAutomaticActivityCapture	Use Einstein Activity Capture Standard	boolean				
PermissionsStoryOnDSWithPredicate	Ignore predicate when creating model from dataset	boolean				
PermissionsSubmitForTranslation	Article Translation - Submit for Translation	boolean				
PermissionsSubmitMacrosAllowed	Manage Macros Users Can't Undo	boolean				
PermissionsSubscrMgmtAmendDecreaseUser	Decrease Subscription Quantity	boolean				
PermissionsSubscrMgmtAmendIncreaseUser	Increase Subscription Quantity	boolean				
PermissionsSubscrMgmtCancelUser	Cancel Subscriptions	boolean				
PermissionsSubscrMgmtOrderItemToAssetUser	Create Assets from Order Items	boolean				
PermissionsSubscrMgmtOrderToAssetUser	Create Assets from Orders	boolean				
PermissionsSubscrMgmtPymtSchedAutomation	Automate Payment Scheduling	boolean				
PermissionsSubscrMgmtRefundAutomation	Automate Refunds	boolean				
PermissionsSubscrMgmtRenewalUser	Renew Subscriptions	boolean				
PermissionsSubscribeDashboardRolesGrps	Subscribe to Dashboards: Send to Groups and Roles	boolean				
PermissionsSubscribeDashboardToOtherUsers	Subscribe to Dashboards: Add Recipients	boolean				
PermissionsSubscribeReportRolesGrps	Subscribe to Reports: Send to Groups and Roles	boolean				
PermissionsSubscribeReportToOtherUsers	Subscribe to Reports: Add Recipients	boolean				
PermissionsSubscribeReportsRunAsUser	Subscribe to Reports: Set Running User	boolean				
PermissionsSubscribeToLightningDashboards	Subscribe to Dashboards	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsSubscribeToLightningReports	Subscribe to Reports	boolean				
PermissionsSubscriptionManagementUser	Allow access to Subscription Management	boolean				
PermissionsTerritoryOperations	Administer territory operations	boolean				
PermissionsTraceXdsQueries	Access Tracer for External Data Sources	boolean				
PermissionsTransactionSecurityExempt	Exempt from Transaction Security	boolean				
PermissionsTransactionalEmailSend	Send Non-Commercial Email	boolean				
PermissionsTransferAnyCase	Transfer Cases	boolean				
PermissionsTransferAnyEntity	Transfer Record	boolean				
PermissionsTransferAnyLead	Transfer Leads	boolean				
PermissionsTriggerDataGovAutoTagging	Enable Data Governance Suggest Tags	boolean				
PermissionsTwoFactorApi	Multi-Factor Authentication for API Logins	boolean				
PermissionsUnifiedHealthScoringUser	View and assign scores for accounts, contacts, and leads using the Unified Health Scoring feature.	boolean				
PermissionsUpdateReportTypeReferences	Update Report Type References in Semantic Search	boolean				
PermissionsUseAddOrderItemSummary	Add additional items to an order summary.	boolean				
PermissionsUseAddOrderItemSummaryAPIs	Use Order Management Add Order Item Summary APIs	boolean				
PermissionsUseAdvancedDeliveryEstimationAPI	Use Advanced Delivery Estimation Service APIs	boolean				
PermissionsUseAssistantDialog	Instant Actionable Results	boolean				
PermissionsUseCanCancelInProgressChange	Can cancel Order Management in-progress async calls.	boolean				
PermissionsUseCompliantDataSharing	Use Compliant Data Sharing	boolean				
PermissionsUseCreateCreditMemo	Create credit memos.	boolean				
PermissionsUseCreateOrderSummary	Create order summaries by using APIs.	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsUseCriteriaBasedSearchFilter	Use Criteria-Based Search and Filter	boolean				
PermissionsUseDeliveryEstimation	Use Delivery Estimation Service	boolean				
PermissionsUseDeliveryEstimationAPIs	Use Delivery Estimation Service APIs	boolean				
PermissionsUseEnsureFunds	Execute ensure funds.	boolean				
PermissionsUseExpCloudCBSF	Use Criteria-Based Search and Filter for Experience Cloud	boolean				
PermissionsUseFulfillmentAPIs	Use Order Management Fulfillment APIs	boolean				
PermissionsUseInboxSchedulingOnBehalfOf	Inbox Scheduling Proxy User	boolean				
PermissionsUseMySearch	Einstein Search	boolean				
PermissionsUseOMAnalytics	Use Order Management Analytics	boolean				
PermissionsUseOmnichannelInventoryAPIs	Use Omnichannel Inventory APIs	boolean				
PermissionsUseOrderEntry	Use Order Entry	boolean				
PermissionsUseOrderItemSummaryCancel	Cancel order item summaries.	boolean				
PermissionsUseOrderItemSummaryReturn	Execute blind returns.	boolean				
PermissionsUsePaymentCreditAPIs	Use Order Management Payment Credit APIs	boolean				
PermissionsUseQuerySuggestions	Natural Language Search	boolean				
PermissionsUseRegisterGuestBuyerAPI	Use Register Guest Buyer API	boolean				
PermissionsUseRepricing	Use Repricing Objects and APIs	boolean				
PermissionsUseReturnOrder	Use Order Management Return Order	boolean				
PermissionsUseReturnOrderAPIs	Use Order Management Return APIs	boolean				
PermissionsUseRouting	Access the Fulfillment Order routing APIs.	boolean				
PermissionsUseServicePartReturn	Manufacturing Cloud Service Part Return Management User	boolean				
PermissionsUseSmartDataDiscovery	Use Einstein Discovery	boolean				
PermissionsUseSubscriptionEmails	Subscribe to CRM Analytics Assets	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsUseTeamReassignWizards	Use Team Reassignment Wizards	boolean				
PermissionsUseTeamsForItSrvcs	Manage ITSM Teams	boolean				
PermissionsUseTemplatedApp	Use CRM Analytics Templated Apps	boolean				
PermissionsUseWebLink	Allow Access to Customized Actions	boolean				
PermissionsUserCanAccessNLPResult	View Natural Language Process Results	boolean				
PermissionsUserCanDeployStore	Users can perform the deployment operation on a store.	boolean				
PermissionsUserCanPerformNLPOperation	Manage Natural Language Process Results	boolean				
PermissionsUserHasBillingAccount	Access EU User Billing Account	boolean				
PermissionsUserHasEAndUProgramAccess	EU User Program Access	boolean				
PermissionsUserHasEUCore	Access EU Objects	boolean				
PermissionsUserHasUsageImpactAccess	EU User Impact Access	boolean				
PermissionsUserHasWorkReportAccess	Manage User Work Report	boolean				
PermissionsVideoConferenceMeetUser	Use Video Conferencing with Google Meet	boolean				
PermissionsVideoConferenceTeamsUser	Use Video Conferencing with Teams	boolean				
PermissionsVideoConferenceZoomUser	Use Video Conferencing with Zoom	boolean				
PermissionsViewAccessPolicies	View Access Policies	boolean				
PermissionsViewAgtfrceAnlytDshbrd	View Agentforce Analytics Dashboard	boolean				
PermissionsViewAllActivities	View All Activities	boolean				
PermissionsViewAllCalls	View All Voice And Video Calls	boolean				
PermissionsViewAllCustomSettings	View All Custom Settings	boolean				
PermissionsViewAllData	View All Data	boolean				
PermissionsViewAllDataGovPolicies	View All Data Governance Policies	boolean				
PermissionsViewAllDataGovTags	View All Data Governance Tags, Classifications, and Taxonomies	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsViewAllFieldsGlobal	View All Fields (Global)	boolean				
PermissionsViewAllForecasts	View All Forecasts	boolean				
PermissionsViewAllForeignKeyNames	View All Lookup Record Names	boolean				
PermissionsViewAllNonSetupFlows	View All Non-Admin Flows	boolean				
PermissionsViewAllPolicyCenterPolicies	View All Policy Center Policies	boolean				
PermissionsViewAllProfiles	View All Profiles	boolean				
PermissionsViewAllUsers	View All Users	boolean				
PermissionsViewAnomalyEvents	View Threat Detection Events	boolean				
PermissionsViewArchivedArticles	View Archived Articles	boolean				
PermissionsViewCaseAnlytDshbrd	View Case Analytics Dashboard	boolean				
PermissionsViewChangeRequestAnlytDshbrd	View Change Request Analytics Dashboard	boolean				
PermissionsViewChangeRequestDshbrd	View Change Request Dashboard	boolean				
PermissionsViewClientSecret	View External Client App Consumer Secrets in Metadata	boolean				
PermissionsViewConsumption	View Consumption	boolean				
PermissionsViewContent	View Content in Portals	boolean				
PermissionsViewContentTaxonomy	View Content Taxonomy	boolean				
PermissionsViewCustomerSentiment	View Customer Insights	boolean				
PermissionsViewDataAssessment	Access to view Data Assessment	boolean				
PermissionsViewDataCategories	View Data Categories in Setup	boolean				
PermissionsViewDataGovTab	View the Data Governance Tab	boolean				
PermissionsViewDataLeakageEvents	View Real-Time Event Monitoring Data	boolean				
PermissionsViewDeveloperName	View Developer Name	boolean				
PermissionsViewDraftArticles	View Draft Articles	boolean				
PermissionsViewEmailMessagingSetup	View Email Messaging Setup	boolean				
PermissionsViewEncryptedData	View Encrypted Data	boolean				
PermissionsViewEventLogFiles	View Event Log Files	boolean				
PermissionsViewForecastingPredictive	Use Einstein Forecasting	boolean				
PermissionsViewGlobalHeader	View Global Header	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsViewHealthCheck	View Health Check	boolean				
PermissionsViewHelpLink	View Help Link	boolean				
PermissionsViewIncidentAnlytDshbrd	View Incident Analytics Dashboard	boolean				
PermissionsViewIncidentFulfrDshbrd	View Incident Fulfiller Dashboard	boolean				
PermissionsViewIncidentMgrDshbrd	View Incident Manager Dashboard	boolean				
PermissionsViewIntelligenceApp	View Commerce Intelligence App	boolean				
PermissionsViewItLeaderAnlytDshbrd	View IT Leader Analytics Dashboard	boolean				
PermissionsViewItsmConsoleAsFulfr	View ITSM Console App as Fulfillers	boolean				
PermissionsViewItsmConsoleHmpg	View ITSM Console App Home Page	boolean				
PermissionsViewKnwlgAnlytDshbrd	View Knowledge Analytics Dashboard	boolean				
PermissionsViewMLModels	Allow users to view MLModels and related Entities	boolean				
PermissionsViewMyTeamsDashboards	View My Team's Dashboards	boolean				
PermissionsViewNonSetupFlow	View Flows	boolean				
PermissionsViewOmnichnlAnlytDshbrd	View Omnichannel Analytics Dashboard	boolean				
PermissionsViewOnlyEmbeddedAppUser	Access to View-Only Licensed Templates and Apps	boolean				
PermissionsViewOrchestrationsInAutomApp	View Orchestrations in Automation App	boolean				
PermissionsViewPayments	Use Payments or Access Payments	boolean				
PermissionsViewPlatformEvents	View Login Forensics Events	boolean				
PermissionsViewPrivateStaticResources	View Private Static Resources	boolean				
PermissionsViewProblemFulfrDshbrd	View Problem Fulfiller Dashboard	boolean				
PermissionsViewProblemMgrDshbrd	View Problem Manager Dashboard	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsViewProductCatalogObjects	View Product Catalog	boolean				
PermissionsViewPublicDashboards	View Dashboards in Public Folders	boolean				
PermissionsViewPublicReports	View Reports in Public Folders	boolean				
PermissionsViewRecommendations	View Recommendations	boolean				
PermissionsViewRelAssoc	View Release Associations	boolean				
PermissionsViewReleaseDshbrd	View Release Dashboard	boolean				
PermissionsViewRestrictionAndScopingRules	View Restriction and Scoping Rules	boolean				
PermissionsViewRoles	View Roles and Role Hierarchy	boolean				
PermissionsViewSALifecycle	View Service Appointment Lifecycle	boolean				
PermissionsViewSecurityCommandCenter	View Security Center pages	boolean				
PermissionsViewSetup	View Setup and Configuration	boolean				
PermissionsViewShieldApp	View Shield App Pages	boolean				
PermissionsViewTrustMeasures	View Trust Measures	boolean				
PermissionsViewUserPII	View Concealed Field Data	boolean				
PermissionsVoiceCoach	Access Dialer Monitoring	boolean				
PermissionsVoiceInbound	Access Dialer Inbound Calls	boolean				
PermissionsVoiceMinutes	Access Dialer Minutes	boolean				
PermissionsVoiceOutbound	Access Dialer Outbound Calls	boolean				
PermissionsVoidInvoiceAPIUser	Void Invoice API	boolean				
PermissionsWaveCommunityUser	View CRM Analytics on Experience Cloud site pages.	boolean				
PermissionsWaveManagePrivateAssetsUser	Manage CRM Analytics Private Assets	boolean				
PermissionsWaveTabularDownload	Download CRM Analytics Data	boolean				
PermissionsWaveTrendReports	Trend Report Data in CRM Analytics	boolean				
PermissionsWorkCalibrationUser	Enable WDC Calibration	boolean				
PermissionsWorkDotComUserPerm	Enable WDC	boolean				
PermissionsYourAccountCAPublishEvents	Your Account Cache Durable Architecture Publish Events	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

MYDOMAINDISCOVERABLELOGIN

Represents configuration settings when the My Domain login page type is Discovery. Login Discovery provides an identity-first login experience, where the login page contains the identifier field only. Based on the identifier entered, a handler determines how to authenticate the user. This object is available in API version 45.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see MyDomainDiscoverableLogin in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApexHandlerId	Class ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
ExecuteApexHandlerAsId	User ID	reference		18		
Id	My Domain Discoverable Login ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
SystemModstamp	System Modstamp	datetime				
UsernameLabel	Login Prompt	string		255		

NAME

Non-queryable object that provides information about foreign key traversals when the foreign key has more than one parent.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Name in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Alias	Alias	string		8		
Email	Email	email		80		
FirstName	First Name	string		40		
Id	ID	id		18		
IsActive	Active	boolean				
LastName	Last Name	string		80		
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
NameOrAlias	Name or Alias	string		80		
Phone	Phone	phone		40		
ProfileId	Profile ID	reference		18		
RecordTypeId	Record Type ID	reference		18		
Title	Title	string		80		
Type	Type	picklist		40		
UserRoleId	Role ID	reference		18		
Username	Username	string		80		

NAMEDCREDENTIAL

Represents a named credential, which specifies the URL of a callout endpoint and its required authentication parameters in one definition. A named credential can be specified as an endpoint to simplify the setup of authenticated callouts. This object is available in API version 33.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see NamedCredential in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthProviderId	Auth. Provider ID	reference		18		
AuthTokenEndpointUrl	Auth Token Endpoint URL	textarea		1000		
CalloutOptionsAllowMergeFieldsInBody	AllowMergeFieldsInBody	boolean				
CalloutOptionsAllowMergeFieldsInHeader	AllowMergeFieldsInHeader	boolean				
CalloutOptionsGenerateAuthorizationHeader	GenerateAuthorizationHeader	boolean				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	Name	string		80		
Endpoint	URL	textarea		1000		
Id	Named Credential ID	id		18		
IsDeleted	Deleted	boolean				
JwtAudience	JWT Audience(s)	textarea		1000		
JwtFormulaSubject	JWT Formula Subject	string		255		
JwtIssuer	JWT Issuer	string		255		
JwtTextSubject	JWT Text Subject	string		255		
JwtValidityPeriodSeconds	JWT Validity Period in Seconds	int	9			
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
NamespacePrefix	Namespace Prefix	string		15		
PrincipalType	Identity Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

NAMESPACEREGISTRY

Represents a namespace that you can link to scratch orgs that were created from your org's Dev Hub. You use the namespace when developing, packaging, and releasing an app. You can't create this object with the API. Use the Link Namespace action in the Dev Hub graphical interface to insert a NamespaceRegistry record. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see NamespaceRegistry in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CurrencyIsoCode`	Currency ISO Code	picklist		3		
`Id`	Namespace Registry ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`Name`	Number	string		255		
`NamespaceOrg`	Namespace Org ID	string		15		
`NamespacePrefix`	Namespace Prefix	string		15		
`SystemModstamp`	System Modstamp	datetime				

NAMESPACEREGISTRYFEED

Feed tracking for NamespaceRegistry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

NAMESPACEREGISTRYHISTORY

History for tracked fields of NamespaceRegistry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Namespace Registry History ID	id		18		
IsDeleted	Deleted	boolean				
NamespaceRegistryId	Namespace Registry ID	reference		18		
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		

NAVIGATIONLINKSET

Represents the navigation menu in an Experience Cloud site. A navigation menu consists of items that users can click to go to other parts of the site. This object is available in API version 35.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see NavigationLinkSet in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Name	string		80		
`Id`	Navigation Link Set ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Label	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`NetworkId`	Parent ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

NAVIGATIONMENUITEM

Represents a single menu item in a NavigationLinkSet. Use this object to create, delete, or update menu items in your Experience Cloud site's navigation menu. This object is available in API version 35.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see NavigationMenuItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessRestriction	Access Restriction	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultListViewId	List View ID	reference		18		
DraftRowId	Navigation Menu Item ID	reference		18		
Id	Navigation Menu Item ID	id		18		
IsDeleted	Deleted	boolean				
Label	Label	string		50		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
NavigationLinkSetId	Navigation Link Set ID	reference		18		
ParentId	Navigation Menu Item ID	reference		18		
Position	Position	int	9			
Status	Publish Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Target	Target	string		255		
TargetPrefs	Target Preferences	picklist		255		
Type	Navigation Menu Item Type	picklist		255		

NAVIGATIONMENUITEMLOCALIZATION

Represents the translated value of a navigation menu item in an Experience Cloud site.

For more information, see NavigationMenuItemLocalization in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Translation ID	id		18		
`Language`	Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`NamespacePrefix`	Namespace Prefix	string		15		
`ParentId`	Parent ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`Value`	Translation Text	textarea		32000		

NEGINVCLINEPROCESSEDEVENT

Notifies subscribers when a negative invoice line is converted to a credit memo. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see NegInvcLineProcessedEvent in the *Billing Guide* and *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CorrelationIdentifier	Correlation Identifier	string		80		
CrMemoProcessErrDtlEvents	Credit Memo Processed Error Detail Event ID	complexvalue				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ErrorDetails	Error Details	string		2000		
EventUuid	Event UUID	string		36		
InvoiceId	Invoice ID	reference		18		
IsAutomatedNegativeInvoiceLineConversion	Automated Negative Invoice Line Conversion	boolean				
IsSuccess	Success	boolean				
ReplayId	Replay ID	string		1000		
RequestIdentifier	Request Identifier	string		80		

NETWORK

Represents an Experience Cloud site. Salesforce Experience Cloud lets you create branded spaces for your employees, customers, and partners. You can customize and create experiences, whether they're communities, sites, or portals, to meet your business needs, then transition seamlessly between them. Experience Cloud sites let you share information, records, and files with coworkers and stakeholders all in one place. This object is available in API version 26.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Network in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AllowedExtensions	Allowed Extensions	textarea		1000		
CaseCommentEmailTemplateId	Email Template ID	reference		18		
ChangePasswordEmailTemplateId	Email Template ID	reference		18		
ChgEmailVerNewEmailTemplateId	Email Template ID	reference		18		
ChgEmailVerOldEmailTemplateId	Email Template ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeviceActEmailTemplateId	Email Template ID	reference		18		
EmailFooterLogoId	Document ID	reference		18		
EmailFooterText	Email Footer Text	string		1000		
EmailSenderAddress	From Email Address	email		80		
EmailSenderName	From Email Name	string		80		
FirstActivationDate	First Date Active	date				
ForgotPasswordEmailTemplateId	Email Template ID	reference		18		
HeadlessForgotPasswordTemplateId	Email Template ID	reference		18		
HeadlessRegistrationTemplateId	Email Template ID	reference		18		
Id	Network ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LockoutEmailTemplateId	Email Template ID	reference		18		
MaxFileSizeKb	Max File Size KB	int	9			
Name	Name	string		40		
NewSenderAddress	Unverified Sender Email Address	email		80		
OptionsActionOverrideEnabled	ActionOverrideEnabled	boolean				
OptionsAdvancedAuthForSiteEnabled	AdvancedAuthForSiteEnabled	boolean				
OptionsAllowInternalUserLogin	Allow Employee Login	boolean				
OptionsAllowMembersToFlag	Allow Members To Flag	boolean				
OptionsApexCDNCachingEnabled	ApexCDNCachingEnabled	boolean				
OptionsCWBannerState	CWBannerState	boolean				
OptionsDirectMessagesEnabled	Direct Messages Enabled	boolean				
OptionsDisableWorkspaceInfo	DisableWorkspaceInfo	boolean				
OptionsEinsteinAnswersEnabled	EinsteinAnswersEnabled	boolean				
OptionsEinsteinAnswersKAEnabled	EinsteinAnswersKAEnabled	boolean				
OptionsEinsteinAnswersQAEnabled	EinsteinAnswersQAEnabled	boolean				
OptionsEinsteinAnswersSnippetEnabled	EinsteinAnswersSnippetEnabled	boolean				
OptionsEmbeddedLoginEnabled	EmbeddedLoginEnabled	boolean				
OptionsEnableTalkingAboutStats	EnableTalkingAboutStats	boolean				
OptionsEnableTopicAssignmentRules	EnableTopicAssignmentRules	boolean				
OptionsExpFriendlyUrlsAsDefault	ExpFriendlyUrlsAsDefault	boolean				
OptionsExperienceBundleBasedSnaOverrideEnabled	ExperienceBundleBasedSnaOverrideEnabled	boolean				
OptionsGatherCustomerSentimentData	Gather Customer Insights Data	boolean				
OptionsGuestChatterEnabled	Guest Chatter Enabled	boolean				
OptionsGuestFileAccessEnabled	Guest File Access Enabled	boolean				
OptionsGuestMemberVisibility	GuestMemberVisibility	boolean				
OptionsHeadlessFrgtPswEnabled	HeadlessFrgtPswEnabled	boolean				
OptionsImageOptimizationCDNEnabled	ImageOptimizationCDNEnabled	boolean				
OptionsInvitationsEnabled	Invitations Enabled	boolean				
OptionsKnowledgeableEnabled	Knowledgeable Enabled	boolean				
OptionsLWRExperienceConnectedAppEnabled	LWRExperienceConnectedAppEnabled	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OptionsLWRExperienceOnManagedRuntime	LWRExperienceOnManagedRuntime	boolean				
OptionsLWRSearchGenerativeAnswersEnabled	Allow Einstein Search Answers for Knowledge	boolean				
OptionsMemberVisibility	MemberVisibility	boolean				
OptionsMobileImageOptimizationEnabled	MobileImageOptimizationEnabled	boolean				
OptionsNetworkSentimentAnalysis	Sentiment Analysis on Feed Posts and Comments	boolean				
OptionsNicknameDisplayEnabled	NicknameDisplayEnabled	boolean				
OptionsPrivateMessagesEnabled	Private Messages Enabled	boolean				
OptionsProfileBasedLayoutsForKnowledgeSearchEnabled	ProfileBasedLayoutsForKnowledgeSearchEnabled	boolean				
OptionsRecognitionBadgingEnabled	Recognition badging for Lightning Experiences	boolean				
OptionsReputationEnabled	Reputation Enabled	boolean				
OptionsReputationRecordConversationsDisabled	ReputationRecordConversationsDisabled	boolean				
OptionsSelfRegistrationEnabled	Self Registration Enabled	boolean				
OptionsSendWelcomeEmail	Send Welcome Email	boolean				
OptionsShowAllNetworkSettings	ShowAllNetworkSettings	boolean				
OptionsSiteAsContainerEnabled	Site.com as Experience Container Enabled	boolean				
OptionsThreadedDiscussionsEnabled	ThreadedDiscussionsEnabled	boolean				
OptionsTopicFilteringForKnowledgeSearchEnabled	TopicFilteringForKnowledgeSearchEnabled	boolean				
OptionsTopicSuggestionsEnabled	TopicSuggestionsEnabled	boolean				
OptionsTwilioCallbackApiEnabled	Allow Twilio Callback API	boolean				
OptionsUpDownVoteEnabled	UpDownVoteEnabled	boolean				
PwdlessRegEmailTemplateId	Email Template ID	reference		18		
SelfRegMicrobatchErrorEmailTemplateId	Email Template ID	reference		18		
SelfRegProfileId	Profile ID	reference		18		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
UrlPathPrefix	Experience URL Prefix	string		40		
VerificationEmailTemplateId	Email Template ID	reference		18		
WelcomeEmailTemplateId	Email Template ID	reference		18		

NETWORKACTIVITYAUDIT

Represents an audit trail of moderation actions in Experience Cloud sites. This object is available in API version 30.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see NetworkActivityAudit in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Action	Action	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		250		
EntityCreatedById	User ID	reference		18		
EntityId	Entity ID	reference		18		
EntityType	Audited Object Type	picklist		255		
Id	Network Activity Audit Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
NetworkId	Network ID	reference		18		
ParentEntityId	Parent Entity ID	reference		18		
ParentEntityType	Parent Type of Audited Object	picklist		255		
SystemModstamp	System Modstamp	datetime				

NETWORKAFFINITY

Represents a junction object that associates a user profile with a Network object, that is, with an Experience Cloud site. Use NetworkAffinity to assign a default Experience Cloud site to a user profile. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see NetworkAffinity in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Default Community ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`NetworkId`	Network ID	reference		18		
`ProfileId`	Profile ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

NETWORKAUTHAPISETTINGS

Represents the settings that control enablement, access, and security for the Headless Registration Flow, Headless Forgot Password Flow, Headless Passwordless Login Flow, and their associated APIs. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see NetworkAuthApiSettings in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomOtpDeliveryHandlerId	Class ID	reference		18		
DoesForgotPasswordRequireAuth	Does reset password require authentication	boolean				
DoesPasswordLoginRequireAuth	Require reCAPTCHA for Username Password	boolean				
DoesPwdlessLoginRequireAuth	Require authentication for headless passwordless login	boolean				
DoesRegistrationRequireAuth	Require authentication for registration (Is only authenticated user allowed)	boolean				
HeadlessDiscoveryExecutionUserId	User ID	reference		18		
HeadlessDiscoveryHandlerId	Class ID	reference		18		
Id	Network Auth Api Setting ID	id		18		
IsDeleted	Deleted	boolean				
IsFirstPartyAppsAllowed	Enable OAuth 2.0 for First Party Applications	boolean				
IsForgotPwdAllowed	Enable Headless Forgot Password Flow	boolean				
IsForgotPwdEmailTemplateAllowlistingEnabled	Enable forgot password email template allowlisting	boolean				
IsHeadlessUserRegistrationAllowed	Enable headless user registration	boolean				
IsPwdlessLoginAllowed	Enable headless passwordless login	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsRecaptchaRequiredForgotPwd	Require reCAPTCHA for Forgot Password	boolean				
IsRecaptchaRequiredPwdlessLogin	Require reCAPTCHA for headless passwordless login	boolean				
IsRecaptchaRequiredRgstr	Require reCAPTCHA for registration	boolean				
IsUniversalClientRgstrAllowed	Allow self-registration and passwordless login via the Universal Registration API	boolean				
IsUserDisambiguationAllowedForgotPwd	Enable User Disambiguation Handler for Forgot Password Flow	boolean				
IsUserDisambiguationAllowedUsernamePwd	Enable User Disambiguation Handler for Username Password Flow	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MaxPasswordResetAttempts	Maximum reset password attempts allowed	int	9			
NetworkId	Network ID	reference		18		
RecaptchaScoreThreshold	ReCAPTCHA score threshold	double			18	0
RecaptchaSecretKey	ReCAPTCHA secret key	encryptedstring		1020		
RegistrationExecutionUserId	User ID	reference		18		
RegistrationHandlerId	Class ID	reference		18		
RegistrationUserDefaultProfileId	Profile ID	reference		18		
SystemModstamp	System Modstamp	datetime				

NETWORKDATACATEGORY

Represents data categories in Lightning Web Runtime (LWR) Experience Cloud Sites. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see NetworkDataCategory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataCategoryGroupName`	Data Category Group Name	string		80		
`DataCategoryLabel`	Data Category Label	string		255		
`DataCategoryName`	Data Category Name	string		80		
`Description`	Description	textarea		1000		
`Id`	Network Data Category ID	id		18		
`ImageId`	Managed Content ID	reference		18		
`IsDeleted`	Deleted	boolean				
`Label`	Label	string		255		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`NetworkId`	Network ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

NETWORKDISCOVERABLELOGIN

Represents the Login Discoverable page from where customers and partners log in to an Experience Cloud site. Customers and partners are users with an External Identity license or any communities license for Experience Cloud. This object is available in API version 44.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see NetworkDiscoverableLogin in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApexHandlerId	Class ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExecuteApexHandlerAsId	User ID	reference		18		
Id	Experience Discoverable Login Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
NetworkId	Network ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UsernameLabel	Username Label	string		255		

NETWORKEMAILTMPLALLOWLIST

Represents an allowlist for the one-time password (OTP) email templates that are sent to end users during the Headless Registration Flow, the Headless Passwordless Login Flow, and the Headless Forgot Password Flow. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see NetworkEmailTmplAllowlist in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EmailTemplateId`	Email Template ID	reference		18		
`Id`	Oauth EmailTemplate AllowList for Headless Flows ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`NetworkId`	Network ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

NETWORKFEEDRESPONSEMETRIC

Represents an object that stores the date and time values of question posts. It captures information for question creation, answer creation, and when an answer is marked as best answer This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see NetworkFeedResponseMetric in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentDateTime	Best Comment Date Time	datetime				
BestCommentId	Feed Comment ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FeedItemCreatedById	Feed Item Created By ID	reference		18		
FeedItemDateTime	Feed Item Date Time	datetime				
FeedItemId	Feed Item ID	reference		18		
FirstCommentDateTime	First Comment Date Time	datetime				
FirstCommentId	Feed Comment ID	reference		18		
Id	Network Feed Response Metric Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MarkedAsBestCommentDateTime	Marked As Best Comment Date Time	datetime				
Name	Name	string		255		
NetworkId	Network ID	reference		18		
ParentRecordId	Parent Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				

NETWORKHEADLESSFGTPWD

Represents information regarding whether an Experience Cloud site user can use the Headless Forgot Password Flow and related settings.

For more information, see NetworkHeadlessFgtPwd in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Experience Headless Forgot Password Id	id		18		
`IsAuthenticationRequired`	Require Authentication For Password Resets	boolean				
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MaxAttemptsAllowed`	Maximum Attempts Allowed	int	9			
`NetworkId`	Network ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

NETWORKMEMBER

Represents a member of an Experience Cloud site. Members can be either users in your company or external users with portal profiles. This object is available in API version 26.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see NetworkMember in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultGroupNotificationFrequency	Default Notification Frequency when Joining Groups	picklist		40		
DigestFrequency	Chatter Email Highlights Frequency	picklist		40		
Id	Network Member ID	id		18		
LastChatterActivityDate	Last Chatter Activity Date	date				
MemberId	User ID	reference		18		
NetworkId	Network ID	reference		18		
PreferencesDisCommentAfterLikeEmail	DisCommentAfterLikeEmail	boolean				
PreferencesDisMentionsCommentEmail	DisMentionsCommentEmail	boolean				
PreferencesDisProfPostCommentEmail	DisProfPostCommentEmail	boolean				
PreferencesDisableAllFeedsEmail	DisableAllFeedsEmail	boolean				
PreferencesDisableBestAnswerEmail	DisableBestAnswerEmail	boolean				
PreferencesDisableBookmarkEmail	DisableBookmarkEmail	boolean				
PreferencesDisableChangeCommentEmail	DisableChangeCommentEmail	boolean				
PreferencesDisableDirectMessageEmail	DisableDirectMessageEmail	boolean				
PreferencesDisableEndorsementEmail	DisableEndorsementEmail	boolean				
PreferencesDisableFollowersEmail	DisableFollowersEmail	boolean				
PreferencesDisableItemFlaggedEmail	DisableItemFlaggedEmail	boolean				
PreferencesDisableLaterCommentEmail	DisableLaterCommentEmail	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PreferencesDisableLikeEmail	DisableLikeEmail	boolean				
PreferencesDisableMentionsPostEmail	DisableMentionsPostEmail	boolean				
PreferencesDisableMessageEmail	DisableMessageEmail	boolean				
PreferencesDisablePendingReviewEmail	DisablePendingReviewEmail	boolean				
PreferencesDisableProfilePostEmail	DisableProfilePostEmail	boolean				
PreferencesDisableSharePostEmail	DisableSharePostEmail	boolean				
ReputationPoints	Reputation Points	double			15	0
SystemModstamp	System Modstamp	datetime				

NETWORKMEMBERGROUP

Represents a group of members in an Experience Cloud site. Members can be either users in your internal org or external users assigned portal profiles. An administrator adds members to an Experience Cloud site by adding a profile or a permission set, and any user with the profile or permission set becomes a member of the site. This object is available in API version 26.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see NetworkMemberGroup in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssignmentStatus	Assignment Status	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Network Member Group ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
NetworkId	Network ID	reference		18		
ParentId	Parent ID	reference		18		
SystemModstamp	System Modstamp	datetime				

NETWORKMODERATION

Represents a flag on an item in a community. This object is available in API version 30.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see NetworkModeration in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EntityId`	Entity ID	reference		18		
`Id`	Network Moderation ID	id		18		
`ModerationType`	Moderation Type	picklist		40		
`NetworkId`	Network ID	reference		18		
`Note`	Notes	textarea		1000		
`Visibility`	Visibility	picklist		40		

NETWORKPAGEOVERRIDE

Represents information about custom pages used to override the default pages in Experience Cloud sites. You can create Experience Builder or Visualforce pages and override the default pages in a site. Using custom pages allows you to create a more personalized experience for your users. This object is available in API version 34.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see NetworkPageOverride in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Experience Page Override Id	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`NetworkId`	Network ID	reference		18		
`OverrideSetting`	Page Override Setting	picklist		255		
`OverrideType`	Page Override Type	picklist		255		
`SystemModstamp`	System Modstamp	datetime				

NETWORKREFERENCEDOBJECT

A junction object that associates the loyalty program with the Experience Cloud site.

For more information, see NetworkReferencedObject in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Network Referenced Object ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
NetworkId	Network ID	reference		18		
ReferencedObjectId	Referenced Object ID	reference		18		
SystemModstamp	System Modstamp	datetime				

NETWORKSELFREGISTRATION

Represents the account that self-registering Experience Cloud users are associated with by default. Self-registering users in an Experience Cloud site are required to be associated with an account, which the admin must specify while setting up self-registration for the site. If an account isn't specified, Salesforce creates person accounts (when enabled) for self-registering users. This object is available in API version 34.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see NetworkSelfRegistration in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ApexHandlerId	Class ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExecuteApexHandlerAsId	User ID	reference		18		
Id	Experience Self Registration Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
NetworkId	Network ID	reference		18		
OptionsDisableStandardRgstComponent	Disable the standard components for self-registration on Aura and LWR sites	boolean				
OptionsIncludePassword	IncludePassword	boolean				
OptionsShowEmail	Email	boolean				
OptionsShowFirstName	First Name	boolean				
OptionsShowLastName	Last Name	boolean				
OptionsShowMobilePhone	Mobile	boolean				
OptionsShowNickname	ShowNickname	boolean				
OptionsShowUsername	ShowUsername	boolean				
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
VerificationMethod	Verification Method	picklist		255		

NETWORKUSERHISTORYRECENT

Represents an Experience Cloud site user's history of accessed records. This object is available in API version 42.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see NetworkUserHistoryRecent in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessTimestamp	Access Timestamp	datetime				
ActionType	Action Type	picklist		255		
CombinedIdField	Combined ID field	string		45		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DomainName	Domain Name	string		255		
FeedCommentId	Feed Comment ID	reference		18		
FeedItemId	Feed Item ID	reference		18		
Id	Network User History Recent ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
NetworkId	Network ID	reference		18		
NetworkUserId	User ID	reference		18		
RecordId	Record ID	reference		18		
RecordKeyPrefix	Record Key Prefix	string		3		
SystemModstamp	System Modstamp	datetime				
Url	URL	string		255		
UserType	User Type	picklist		255		

NOTE

Represents a note, which is text associated with a custom object or a standard object, such as a Contact, Contract, or Opportunity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Note in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Body	Body	textarea		32000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Note Id	id		18		
IsDeleted	Deleted	boolean				
IsPrivate	Private	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OwnerId	Owner ID	reference		18		
ParentId	Parent ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		80		

NOTEANDATTACHMENT

This read-only object contains all notes and attachments associated with an object.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see NoteAndAttachment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Note or Attachment Id	id		18		
IsDeleted	Deleted	boolean				
IsNote	Is Note	boolean				
IsPrivate	Private	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OwnerId	Owner ID	reference		18		
ParentId	Parent ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		80		

OAUTHCUSTOMSCOPE

Represents a permission defining the protected data that a connected app can access from an external entity when Salesforce is the OAuth authorization provider.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OauthCustomScope in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	Name	string		80		
Id	OAuth Custom Scope ID	id		18		
IsDeleted	Deleted	boolean				
IsPublic	Include on well known endpoint	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

OAUTHCUSTOMSCOPEAPP

Represents the name of the connected app to which the custom scope is assigned. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OauthCustomScopeApp in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Oauth Custom Scope App ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`OauthCustomScopeId`	OAuth Custom Scope ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

OAUTHTOKEN

Represents an OAuth access token for connected app authentication. Use this object to create a user interface for token management. This object is available in API version 32.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OauthToken in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessToken	Access Token	string		255		
AppMenuItemId	AppMenuItem ID	reference		18		
AppName	Application Name	string		255		
CreatedDate	Created Date	datetime				
DeleteToken	Delete Token	string		255		
Id	Oauth Token ID	id		18		
LastUsedDate	Last Used Date	datetime				
RequestToken	Request Token	string		255		
UseCount	Use Count	int	9			
UserId	User ID	reference		18		

OAUTHTOKENEXCHHANDLERAPP

Represents the enablement settings for a specific Salesforce connected app or external client app that's enabled for the token exchange handler. A handler can be enabled for multiple apps. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OauthTokenExchHandlerApp in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApexExecutionUserId	User ID	reference		18		
ConnectedApplicationId	Connected App ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalClientApplicationId	External App ID	reference		18		
Id	Oauth Token Exchange Handler App ID	id		18		
IsDefault	Default	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OauthTokenExchangeHandlerId	Oauth Token Exchange Handler ID	reference		18		
SystemModstamp	System Modstamp	datetime				

OAUTHTOKENEXCHANGEHANDLER

Represents a token exchange handler. The token exchange handler also consists of an Apex class. During the OAuth 2.0 token exchange flow, the token exchange handler is used to validate tokens from an external identity provider and to map users to Salesforce. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OauthTokenExchangeHandler in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	Name	string		80		
Id	Oauth Token Exchange Handler ID	id		18		
IsContactCreationAllowed	Allow contact creation	boolean				
IsDeleted	Deleted	boolean				
IsEnabled	Enabled	boolean				
IsUserCreationAllowed	Allow user creation	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SupportedTokenTypesAccessToken	Access Token	boolean				
SupportedTokenTypesIdToken	ID Token	boolean				
SupportedTokenTypesJwt	JWT	boolean				
SupportedTokenTypesRefreshToken	Refresh Token	boolean				
SupportedTokenTypesSaml2	SAML 2	boolean				
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TokenHandlerApexId	Class ID	reference		18		

OBJECTDATAIMPORT

Represents the data import status of one or more object records. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ObjectDataImport in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CurrencyIsoCode`	Currency ISO Code	picklist		3		
`EndDate`	End Date	datetime				
`FileName`	File Name	string		120		
`Id`	Object Data Import ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`ObjectDataImportNumber`	Name	string		255		
`OwnerId`	Owner ID	reference		18		
`PrimaryObject`	Primary Object	picklist		255		
`Result`	Result	textarea		131072		
`Status`	Status	picklist		255		
`SystemModstamp`	System Modstamp	datetime				
`Type`	Type	picklist		255		

OBJECTDATAIMPORTREFERENCE

Represents the relationships to the associated reference objects showing the source from which the data is imported. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ObjectDataImportReference in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Object Data Import Reference ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ObjectDataImportId	Object Data Import ID	reference		18		
ObjectDataImportReferenceNumber	Name	string		255		
SystemModstamp	System Modstamp	datetime				

OBJECTDATAIMPORTSHARE

Sharing for ObjectDataImport.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

OBJECTMETADATATAG

Represents a meta tag for a store page. Meta tags in HTML documents provide structured data used by search engines for ranking and to show content in search results. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ObjectMetadataTag in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Object Metadata Tag ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Language	string		8		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`Name`	Name	string		255		
`RecordId`	Record ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`TagType`	Tag Type	picklist		255		
`Value`	Text	textarea		255		

OBJECTPERMISSIONS

Represents the enabled object permissions for the parent PermissionSet. This object is available in API version 24.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ObjectPermissions in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	ObjectPermissions ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
PermissionsCreate	Create Records	boolean				
PermissionsDelete	Delete Records	boolean				
PermissionsEdit	Edit Records	boolean				
PermissionsModifyAllRecords	Edit All Records	boolean				
PermissionsRead	Read Records	boolean				
PermissionsViewAllFields	ViewAllFields	boolean				
PermissionsViewAllRecords	Read All Records	boolean				
SobjectType	SObject Type Name	picklist		40		
SystemModstamp	System Modstamp	datetime				

OBJECTRELATEDURL

Represents a URL slug for a Product or Category page on a B2B Commerce or D2C Commerce LWR site, or a custom object, account, or contact page on an enhanced LWR Experience Cloud site. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ObjectRelatedUrl in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Object Related URL ID	id		18		
IsDeleted	Deleted	boolean				
LanguageCode	Language Code	string		8		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
ParentId	Parent ID	reference		18		
Scope	Scope	string		18		
SystemModstamp	System Modstamp	datetime				
UniqueIndex	Unique Index	string		291		
UrlName	URL Name	string		150		

OBJECTSTATEDEFINITIONFEED

Feed tracking for ObjectStateDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

OBJECTSTATEDEFINITIONHISTORY

History for tracked fields of ObjectStateDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Object State Definition History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
ObjectStateDefinitionId	Object State Definition ID	reference		18		
OldValue	Old Value	anyType		255		

OBJECTSTATEDEFINITIONSHARE

Sharing for ObjectStateDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

OBJECTSTATETRANSITIONFEED

Feed tracking for ObjectStateTransition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

OBJECTSTATETRANSITIONHISTORY

History for tracked fields of ObjectStateTransition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Object State Transition History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`ObjectStateTransitionId`	Object State Transition ID	reference		18		
`OldValue`	Old Value	anyType		255		

OBJECTSTATEVALUEFEED

Feed tracking for ObjectStateValue.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

OBJECTSTATEVALUEHISTORY

History for tracked fields of ObjectStateValue.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Object State Value History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`ObjectStateValueId`	Object State Value ID	reference		18		
`OldValue`	Old Value	anyType		255		

OBLIGATION

Represents an obligation between parties to fulfill agreed conditions, such as contractual commitments. The obligation commitment assists with a strategy to achieve the desired outcome within a set timeframe and reduce risk with compliance tracking. For example, payment due dates, contract terms, renewals. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Obligation in the *Salesforce Contracts Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssigneeUserId	User ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		5000		
EndDate	End Date	date				
Id	Obligation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OtherPartyAccountId	Account ID	reference		18		
OwnerId	Owner ID	reference		18		
Party	Party	picklist		255		
ReferenceContractId	Contract ID	reference		18		
ReferenceObjectId	Reference Object ID	reference		18		
StartDate	Start Date	date				
State	State	picklist		255		
Status	Status	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
StatusChangeReason	Status Change Reason	string		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

OBLIGATIONFEED

Feed tracking for Obligation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

OBLIGATIONHISTORY

History for tracked fields of Obligation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Obligation History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
ObligationId	Obligation ID	reference		18		
OldValue	Old Value	anyType		255		

OBLIGATIONSHARE

Sharing for Obligation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

OCRDOCUMENTSCANRESULT

Represents the contents of a document after optical character recognition (OCR) processing.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OcrDocumentScanResult in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentDocumentId	ContentDocument ID	reference		18		
ContentVersionId	ContentVersion ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DocumentRequestId	Received Document ID	reference		18		
ErrorMessage	Error Message	textarea		4000		
ExtractedItemData	Extracted Item Data	textarea		131072		
ExtractedValues	Extracted Values	textarea		131072		
ExtrctFileRefBody	Extracted File Reference Body	base64				
ExtrctFileRefContentType	Extracted File Reference Content Type	picklist		255		
ExtrctFileRefLength	Extracted File Reference Length	int	9			
ExtrctFileRefName	Extracted File Reference Name	string		40		
Id	Ocr Document Scan Result ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OcrService	Ocr Service	picklist		255		
OcrStatus	Ocr Status	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PageNumber	Page Number	int	9			
Rotation	Rotation	int	9			
SystemModstamp	System Modstamp	datetime				

OCRDOCUMENTSCANRESULTFEED

Feed tracking for OcrDocumentScanResult.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

OCRDOCUMENTSCANRESULTHISTORY

History for tracked fields of OcrDocumentScanResult.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Ocr Document Scan Result History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OcrDocumentScanResultId	Ocr Document Scan Result ID	reference		18		
OldValue	Old Value	anyType		255		

OCRSAMPLEDOCUMENT

Represents the details of a sample document or a document type that's used as a reference while extracting and mapping information from a customer document.

For more information, see OcrSampleDocument in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ApplicationType`	OCR Application Type	picklist		255		
`ContentAssetId`	Asset File ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Name	string		80		
`DocumentHeight`	Document Height	double			18	0
`DocumentTypeId`	Document Type ID	reference		18		
`Id`	OCR Sample Document ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Label	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`SystemModstamp`	System Modstamp	datetime				

OCRSAMPLEDOCUMENTFIELD

Represents the details of the field in a document whose value is extracted and mapped to a Salesforce object field.

For more information, see OcrSampleDocumentField in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CellColumnNumber	Cell Column Number	int	9			
CellColumnSpanValue	Cell Column Span Value	int	9			
CellRowNumber	Cell Row Number	int	9			
CellRowSpanValue	Cell Row Span Value	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FieldLabelMaxX	Field Label Max X Coordinate	double			18	0
FieldLabelMaxY	Field Label Max Y Coordinate	double			18	0
FieldLabelMinX	Field Label Min X Coordinate	double			18	0
FieldLabelMinY	Field Label Min Y Coordinate	double			18	0
Id	OCR Sample Document Field ID	id		18		
IsAutoExtracted	Auto Extracted	boolean				
IsDeleted	Deleted	boolean				
ItemType	Item Type	picklist		255		
KeyContent	Key Content	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OcrSampleDocumentId	OCR Sample Document ID	reference		18		
OcrSampleDocumentPageId	OCR Sample Document Page ID	reference		18		
OcrSampleDocumentPageItemId	Ocr Sample Document Page Item ID	reference		18		
SystemModstamp	System Modstamp	datetime				

OCRSAMPLEDOCUMENTPAGE

Represents the details of the fields that define a page in the OCR sample document.

For more information, see OcrSampleDocumentPage in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	OCR Sample Document Page ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`OcrSampleDocumentId`	OCR Sample Document ID	reference		18		
`PageHeight`	Page Height	double			18	0
`PageNumber`	Page Number	int	9			
`SystemModstamp`	System Modstamp	datetime				

OCRTARGETOBJFIELDMAPPING

Represents the details of how information from a document field is mapped to fields in an object.

For more information, see OcrTargetObjFieldMapping in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	OCR Target Object Field Mapping ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`OcrSampleDocFieldId`	OCR Sample Document Field ID	reference		18		
`OcrTargetObjectId`	OCR Target Object ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`TargetField`	Target Field	picklist		255		
`Type`	Type	picklist		255		

OCRTARGETOBJECT

Represents the details of the object to which information from a document is extracted and mapped.

For more information, see OcrTargetObject in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	OCR Target Object ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`OcrTemplateId`	OCR Template ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`TargetObject`	Target Object	picklist		255		
`TargetObjectRecordType`	Record Type ID	picklist		255		

OCRTEMPLATE

Represents the details of the mapping between the document and the Salesforce object using Einstein Form Reader.

For more information, see OcrTemplate in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	Name	string		80		
DocumentTypeId	Document Type ID	reference		18		
Id	OCR Template ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
PageCount	Page Count	int	9			
SystemModstamp	System Modstamp	datetime				
TemplateName	Template Name	string		255		

OCRTEMPLATESAMPLEDOCUMENT

Represents a relationship between an OCR template and an OCR sample document.

For more information, see OcrTemplateSampleDocument in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	OCR Template Sample Document ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`OcrSampleDocumentId`	OCR Sample Document ID	reference		18		
`OcrTemplateId`	OCR Template ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

OMNIASSESSMENTTASK

Represents the information about an assessment task that is associated with an OmniScript.

For more information, see OmniAssessmentTask in the *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefinitionReferenceId	Omni Assessment Task ID	reference		18		
Description	Description	textarea		32000		
EndDateTime	End Date Time	datetime				
Id	Omni Assessment Task ID	id		18		
IsDefinition	Is Definition	boolean				
IsDeleted	Deleted	boolean				
IsMandatoryTask	Is Mandatory Task	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OmniProcessId	Omni Process ID	reference		18		
OwnerId	Owner ID	reference		18		
Sequence	Sequence	int	9			
StartDateTime	Start Date Time	datetime				
Status	Status	picklist		40		
StatusCode	Status Code	picklist		255		
SystemModstamp	System Modstamp	datetime				
TaskRelationId	Task Relation ID	reference		18		

OMNIASSESSMENTTASKFEED

Feed tracking for OmniAssessmentTask.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

OMNIASSESSMENTTASKHISTORY

History for tracked fields of OmniAssessmentTask.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Omni Assessment Task History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
OmniAssessmentTaskId	Omni Assessment Task ID	reference		18		

OMNIASSESSMENTTASKSHARE

Sharing for OmniAssessmentTask.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

OMNICOMPONENTERRORLOGFEED

Feed tracking for OmniComponentErrorLog.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

OMNICOMPONENTERRORLOGSHARE

Sharing for OmniComponentErrorLog.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

OMNIDATAPACK

For internal use only.

For more information, see OmniDataPack in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionType	Action Type	picklist		255		
ActivationStatus	Activation Status	picklist		255		
AsyncApexJobIdentifier	Async Apex Job ID	string		255		
AsyncJobStatus	Async Job Status	picklist		255		
Component	Component	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Id	Omni DataPack ID	id		18		
IsAddedToMultiPack	Added to MultiPack	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MultiPackUpdatedById	User ID	reference		18		
MultiPackUpdatedDateTime	MultiPack Updated Date Time	datetime				
Name	Name	string		80		
OwnerId	Owner ID	reference		18		
ProcessStatus	Process Status	picklist		255		
Source	Source	string		255		
SystemModstamp	System Modstamp	datetime				
Version	Version	double			18	0

OMNIDATAPACKFEED

Feed tracking for OmniDataPack.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

OMNIDATAPACKSHARE

Sharing for OmniDataPack.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

OMNIDATATRANSFORM

For internal use only.

For more information, see OmniDataTransform in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BatchSize	Batch Size	double			4	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
ExpectedInputJson	Expected Input JSON	textarea		131072		
ExpectedInputOtherData	Expected Input Other Data	textarea		131072		
ExpectedInputXml	Expected Input XML	textarea		131072		
ExpectedOutputJson	Expected Output JSON	textarea		131072		
ExpectedOutputOtherData	Expected Output Other Data	textarea		131072		
ExpectedOutputXml	Expected Output XML	textarea		131072		
GlobalKey	Global Key	string		80		
Id	Omni Data Transformations ID	id		18		
InputParsingClass	Input Parsing Class	string		255		
InputType	Input Type	picklist		255		
IsActive	Active	boolean				
IsAssignmentRulesUsed	Assignment Rules Used	boolean				
IsDeleted	Deleted	boolean				
IsDeletedOnSuccess	Deleted On Success	boolean				
IsErrorIgnored	Error Ignored	boolean				
IsFieldLevelSecurityEnabled	Field Level Security Enabled	boolean				
IsNullInputsIncludedInOutput	Null Inputs Included in Output	boolean				
IsProcessSuperBulk	Process Super Bulk	boolean				
IsRollbackOnError	Rollback On Error	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsSourceObjectDefault	Source Object Default	boolean				
IsXmlDeclarationRemoved	XML Declaration Removed	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	API Name	string		80		
Namespace	Namespace	string		15		
OutputParsingClass	Output Parsing Class	string		255		
OutputType	Output Type	picklist		255		
OwnerId	Owner ID	reference		18		
PreprocessorClassName	Preprocessor Class Name	string		255		
PreviewJsonData	Preview JSON Data	textarea		131072		
PreviewOtherData	Preview Other Data	textarea		131072		
PreviewSourceObjectData	Preview Source Object Data	textarea		131072		
PreviewXmlData	Preview XML Data	textarea		131072		
RequiredPermission	Required Permission	string		255		
ResponseCacheTtlMinutes	Response Cache Time-to-Live In Minutes	double			4	0
ResponseCacheType	Response Cache Type	picklist		255		
SourceObject	Source Object	string		255		
SynchronousProcessThreshold	Synchronous Process Threshold	double			3	0
SystemModstamp	System Modstamp	datetime				
TargetOutputDocumentIdentifier	Target Output Document ID	string		80		
TargetOutputFileName	Target Output File Name	string		255		
Type	Type	picklist		255		
UniqueName	Unique Name	string		255		
VersionNumber	Version	double			18	0
XmlOutputTagsOrder	XML Output Tags Order	textarea		131072		

OMNIDATATRANSFORMITEM

For internal use only.

For more information, see OmniDataTransformItem in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultValue	Default Value	textarea		32768		
FilterDataType	Filter Data Type	picklist		255		
FilterGroup	Filter Group	double			18	0
FilterOperator	Filter Operator	picklist		255		
FilterValue	Filter Value	string		255		
FormulaConverted	Formula Converted	textarea		32768		
FormulaExpression	Formula Expression	textarea		32768		
FormulaResultPath	Formula Result Path	string		255		
FormulaSequence	Formula Sequence	double			18	0
GlobalKey	Global Key	string		80		
Id	Omni Data Transformation Item ID	id		18		
InputFieldName	Input Field Name	textarea		1000		
InputObjectName	Input Object Name	string		255		
InputObjectQuerySequence	Input Object Query Sequence	double			18	0
IsDeleted	Deleted	boolean				
IsDisabled	Disabled	boolean				
IsRequiredForUpsert	Required For Upsert	boolean				
IsUpsertKey	Upsert Key	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LinkedFieldName	Linked Field Name	string		255		
LinkedObjectSequence	Linked Object Sequence	double			18	0
LookupByFieldName	Lookup By Field Name	string		255		
LookupObjectName	Lookup Object Name	string		255		
LookupReturnedFieldName	Lookup Returned Field Name	string		255		
MigrationAttribute	Migration Attribute	string		255		
MigrationCategory	Migration Category	string		255		
MigrationGroup	Migration Group	string		255		
MigrationKey	Migration Key	string		255		
MigrationPattern	Migration Pattern	string		255		
MigrationProcess	Migration Process	string		255		
MigrationType	Migration Type	string		255		
MigrationValue	Migration Value	string		255		
Name	Omni Data Transformation API Name	string		80		
OmniDataTransformationId	Omni Data Transformations ID	reference		18		
OutputCreationSequence	Output Creation Sequence	double			18	0
OutputFieldFormat	Output Field Format	string		255		
OutputFieldName	Output Field Name	textarea		1000		
OutputObjectName	Output Object Name	string		255		
SystemModstamp	System Modstamp	datetime				
TransformValueMappings	Transform Value Mappings	textarea		32768		

OMNIDATATRANSFORMSHARE

Sharing for OmniDataTransform.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

OMNIESIGNATURETEMPLATESHARE

Sharing for OmniESignatureTemplate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

OMNIEXTTRACKINGDEF

Represents a connection between an OmniTrackingGroup in OmniAnalytics and a third-party Analytics system such as Google Analytics. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OmniExtTrackingDef in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	Name	string		80		
Id	Omni External Tracking Definition ID	id		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
OmniExtTrackingDefKey	Omni External Tracking Definition Key	string		40		
SystemModstamp	System Modstamp	datetime				
TrackingFrameworkInformation	Tracking Framework Information	textarea		32768		
TrackingServiceProvider	Tracking Service Provider	picklist		255		

OMNIEXTTRACKINGEVENTDEF

Represents a format for FlexCard or OmniScript user interaction data that a third-party Analytics system such as Google Analytics can accept. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OmniExtTrackingEventDef in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ComponentType	Component Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	Name	string		80		
Id	Omni External Tracking Event Definition ID	id		18		
InclusionRule	Inclusion Rule	textarea		32768		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
OmniExtTrackingDefId	Omni External Tracking Definition ID	reference		18		
OmniExtTrackingEventDefKey	Omni External Tracking Event Definition Key	string		40		
PayloadTemplate	Payload Template	textarea		32768		
SystemModstamp	System Modstamp	datetime				

OMNIGLOBALAUTONUMBERFEED

Feed tracking for OmniGlobalAutoNumber.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

OMNIGLOBALAUTONUMBERSHARE

Sharing for OmniGlobalAutoNumber.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

OMNIINTERACTIONACCESSCONFIG

For internal use only.

For more information, see OmniInteractionAccessConfig in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConfigName	Config Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Omni Interaction Access Configuration ID	id		18		
IsAsyncCardCachingEnabled	Enable Async Card Caching	boolean				
IsCardApexRemoteDisabled	Disable Card Apex Remote	boolean				
IsCardCacheDisabled	Disable Card Cache	boolean				
IsCardDataTfrmDisabled	Disable Card Data Transformation	boolean				
IsCardIntegrationProcDisabled	Disable Card Integration Procedure	boolean				
IsCardRestApiDisabled	Disable Card REST API	boolean				
IsCardSoqlDisabled	Disable Card SOQL Query	boolean				
IsCardSoslDisabled	Disable Card SOSL Query	boolean				
IsCardStreamingApiDisabled	Disable Card Streaming API	boolean				
IsDataTfrmEncrpFieldsDisabled	Disable Data Transform Encrypted Fields	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
NamespacePrefix	Namespace Prefix	string		15		
SetupOwnerId	ID	reference		18		
SystemModstamp	System Modstamp	datetime				

OMNIINTERACTIONCONFIG

For internal use only.

For more information, see OmniInteractionConfig in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Omni Interaction Configuration ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				
Value	Value	string		255		

OMNIPROCESS

For internal use only.

For more information, see OmniProcess in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomHtmlTemplates	Custom HTML Templates	textarea		131072		
CustomJavaScript	Custom JavaScript	textarea		131072		
Description	Description	string		255		
DesignerCustomizationType	Designer Customization Type	string		255		
ElementTypeComponentMapping	Element Type Component Mapping	textarea		131072		
Id	Omni Process ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsIntegrationProcedure	Integration Procedure	boolean				
IsMetadataCacheDisabled	Disable Metadata Cache	boolean				
IsOmniScriptEmbeddable	OmniScript Embeddable	boolean				
IsTestProcedure	Test Procedure	boolean				
IsWebCompEnabled	Web Component Enabled	boolean				
Language	Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastPreviewPage	Last Preview Page	string		255		
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		80		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Namespace	Namespace	string		15		
OmniProcessKey	Omni Process Key	string		255		
OmniProcessType	Omni Process Type	picklist		255		
OwnerId	Owner ID	reference		18		
PropertySetConfig	Property Set Configuration	textarea		32768		
RequiredPermission	Required Permission	string		255		
ResponseCacheType	Response Cache Type	picklist		255		
SubType	Sub Type	picklist		40		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		
UniqueName	Unique Name	string		255		
VersionNumber	Version Number	double			18	0
WebComponentKey	Web Component Key	string		255		

OMNIPROCESSASMTQUESTIONVER

Represents a junction between an OmniScript process and an assessment question version. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OmniProcessAsmtQuestionVer in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentQuestionVersionId	Assessment Question Version ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Omni Process Assessment Question Version ID	id		18		
IsDeleted	Deleted	boolean				
IsPrefill	Prefill	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OmniProcessElementId	Omni Process Element ID	reference		18		
OmniProcessId	Omni Process ID	reference		18		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

OMNIPROCESSASMTQUESTIONVERFEED

Feed tracking for OmniProcessAsmtQuestionVer.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

OMNIPROCESSASMTQUESTIONVERHISTORY

History for tracked fields of OmniProcessAsmtQuestionVer.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Omni Process Assessment Question Version History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
OmniProcessAsmtQuestionVerId	Omni Process Assessment Question Version ID	reference		18		

OMNIPROCESSASMTQUESTIONVERSHARE

Sharing for OmniProcessAsmtQuestionVer.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

OMNIPROCESSCOMPILATION

For internal use only.

For more information, see OmniProcessCompilation in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Content	Content	textarea		131072		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Omni Process Compilation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		80		
OmniProcessId	Omni Process ID	reference		18		
Sequence	Sequence	double			18	0
SystemModstamp	System Modstamp	datetime				

OMNIPROCESSELEMENT

For internal use only.

For more information, see OmniProcessElement in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
DesignerCustomizationType	Designer Customization Type	string		255		
EmbeddedOmniScriptKey	Embedded OmniScript Key	string		255		
Id	Omni Process Element ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsOmniScriptEmbeddable	OmniScript Embeddable	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Level	Level	double			18	0
Name	API Name	string		80		
OmniProcessId	Omni Process ID	reference		18		
OmniProcessVersionNumber	Omni Process Version Number	double			18	0
ParentElementId	Omni Process Element ID	reference		18		
ParentElementName	Parent Element Name	string		1300		
ParentElementType	Parent Element Type	picklist		255		
PropertySetConfig	Property Set Configuration	textarea		131072		
SequenceNumber	Sequence Number	double			18	0
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Type	Type	picklist		255		

OMNIPROCESSFEED

Feed tracking for OmniProcess.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

OMNIPROCESSSHARE

Sharing for OmniProcess.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

OMNIPROCESSTRANSIENTDATA

For internal use only.

For more information, see OmniProcessTransientData in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AsyncApexJobIdentifier	Async Apex Job ID	string		255		
AsyncTransactionIdentifier	Async Transaction ID	string		255		
AsyncTransactionStatus	Async Transaction Status	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ErrorMessage	Error Message	textarea		32768		
GlobalKey	Global Key	string		80		
Id	Omni Process Transient Data ID	id		18		
InputData	Input Data	textarea		131072		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		80		
OwnerId	Owner ID	reference		18		
ProcessKey	Process Key	string		255		
ProcessMetadata	Process Metadata	textarea		32768		
ProcessStatus	Process Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

OMNIPROCESSTRANSIENTDATAFEED

Feed tracking for OmniProcessTransientData.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

OMNIPROCESSTRANSIENTDATASHARE

Sharing for OmniProcessTransientData.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

OMNISCRIPTSAVEDSESSION

For internal use only.

For more information, see OmniScriptSavedSession in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	OmniScript Saved Session ID	id		18		
IsContentEncoded	Content Encoded	boolean				
IsDeleted	Deleted	boolean				
IsWebCompEnabled	Web Component Enabled	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastSavedDateTime	Last Saved Date Time	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		80		
OmniScriptId	Omni Process ID	reference		18		
OmniScriptLanguage	OmniScript Language	picklist		40		
OmniScriptLocaleCode	OmniScript Locale Code	string		80		
OmniScriptSubType	OmniScript Sub Type	picklist		40		
OmniScriptType	OmniScript Type	picklist		40		
OmniScriptVersionNumber	OmniScript Version Number	double			18	0
OwnerId	Owner ID	reference		18		
RelatedLabel	Related Object Label	string		255		
RelatedName	Related Name	string		255		
RelatedRecordIdentifier	Related Record	string		40		
RelatedType	Related Type	string		80		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RelativeResumeUrl	Relative Resume URL	textarea		1900		
ResumeUrl	Resume URL	textarea		2000		
SavedSessionKey	Saved Session Key	string		80		
Status	Status	picklist		40		
StatusCategory	Status Category	picklist		255		
SystemModstamp	System Modstamp	datetime				

OMNISCRIPTSAVEDSESSIONFEED

Feed tracking for OmniScriptSavedSession.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

OMNISCRIPTSAVEDSESSIONSHARE

Sharing for OmniScriptSavedSession.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

OMNISUPERVISORCONFIG

Represents the Omni-Channel supervisor configuration for an assigned group of supervisors. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OmniSupervisorConfig in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Developer Name	string		80		
`Id`	Omni Supervisor Configuration ID	id		18		
`IsDeleted`	Deleted	boolean				
`IsTimelineHidden`	Is Timeline Hidden	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Omni Supervisor Configuration Name	string		80		
`SkillVisibility`	Skill Visibility Type	picklist		255		
`SystemModstamp`	System Modstamp	datetime				

OMNISUPERVISORCONFIGACTION

Represents the actions available to the supervisors of an Omni-Channel supervisor configuration. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OmniSupervisorConfigAction in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DisplayOrder	Display Order	int	9			
Id	Omni Supervisor Configuration Action ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OmniSupervisorActionType	Omni Supervisor Action Type	picklist		255		
OmniSupervisorConfigId	Omni Supervisor Configuration ID	reference		18		
SystemModstamp	System Modstamp	datetime				

OMNISUPERVISORCONFIGGROUP

Represents the group of agents who are visible to the supervisors of an Omni-Channel supervisor configuration. The group, if visible, appears in the Agents tab of Omni Supervisor. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OmniSupervisorConfigGroup in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`GroupId`	Group ID	reference		18		
`Id`	Omni Supervisor Configuration for Public Group ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`OmniSupervisorConfigId`	Omni Supervisor Configuration ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

OMNISUPERVISORCONFIGPROFILE

Represents the supervisor profiles to which an Omni-Channel supervisor configuration applies. User-level configurations override profile-level configurations. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OmniSupervisorConfigProfile in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Omni Supervisor Configuration for Profile ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`OmniSupervisorConfigId`	Omni Supervisor Configuration ID	reference		18		
`ProfileId`	Profile ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

OMNISUPERVISORCONFIGQUEUE

Represents the queues that are visible to the supervisors of an Omni-Channel supervisor configuration. The queue, if visible, appears in the Queues Backlog and Assigned Work tabs of Omni Supervisor. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OmniSupervisorConfigQueue in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Omni Supervisor Configuration Queue ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`OmniSupervisorConfigId`	Omni Supervisor Configuration ID	reference		18		
`QueueId`	Queue ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

OMNISUPERVISORCONFIGSKILL

Represents the skills that are visible to the supervisors of an Omni-Channel supervisor configuration. These skills, if visible, appear in the Skills Backlog tab of Omni Supervisor. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OmniSupervisorConfigSkill in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Omni Supervisor Configuration Skill ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`OmniSupervisorConfigId`	Omni Supervisor Configuration ID	reference		18		
`SkillId`	Skill ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

OMNISUPERVISORCONFIGTAB

Represents the visible tabs specified in an Omni Supervisor configuration. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OmniSupervisorConfigTab in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DisplayOrder`	Display Order	int	9			
`Id`	Omni Supervisor Configuration Tab ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`OmniSupervisorConfigId`	Omni Supervisor Configuration ID	reference		18		
`OmniSupervisorTabType`	Omni Supervisor Tab Type	picklist		255		
`SystemModstamp`	System Modstamp	datetime				

OMNISUPERVISORCONFIGUSER

Represents the users to which an Omni-Channel supervisor configuration applies. User-level configurations override profile-level configurations. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OmniSupervisorConfigUser in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Omni Supervisor Configuration for User ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`OmniSupervisorConfigId`	Omni Supervisor Configuration ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`UserId`	User ID	reference		18		

OMNITRACKINGCOMPONENTDEF

Represents a FlexCard or OmniScript that is a member of an OmniTrackingGroup, which tracks user interactions in OmniAnalytics. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OmniTrackingComponentDef in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ComponentType	Component Type	picklist		255		
ComponentVersion	Component Version	double			18	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Omni Tracking Component Definition ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastRunDate	Last run date	datetime				
MasterLabel	Label	string		80		
MqJob	Mq job ID	string		40		
MqJobStatus	Mq job status	string		11		
OmniTrackingComponentDefKey	Omni Tracking Component Definition Key	string		40		
OmniTrackingGroupId	Omni Tracking Group ID	reference		18		
PayloadOutput	Payload output	textarea		131072		
SystemModstamp	System Modstamp	datetime				

OMNITRACKINGEVENT

Notifies subscribers about a user interaction with a FlexCard or OmniScript that's tracked for OmniAnalytics. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OmniTrackingEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ActionContainerName`	Action Container Name	string		255		
`ComponentType`	Component Type	picklist		255		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EventName`	Event Name	string		255		
`EventPayload`	EventPayload	textarea		131072		
`EventUuid`	Event Uu Id	string		36		
`ReplayId`	Replay Id	string		1000		
`Timestamp`	Timestamp	datetime				
`TrackingCategory`	Tracking Category	string		40		
`TrackingGroup`	Tracking Group	string		18		

OMNITRACKINGGROUP

Represents a group of FlexCard and OmniScript components that have their user interactions tracked together in OmniAnalytics. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OmniTrackingGroup in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	Name	string		80		
EndDate	End Date	date				
GroupType	Group Type	picklist		255		
Id	Omni Tracking Group ID	id		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
MaxAgeInDays	Max Age In Days	int	9			
OmniExtTrackingDefId	Omni External Tracking Definition ID	reference		18		
OmniTrackingGroupKey	Omni Tracking Group Key	string		40		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

OMNIUICARD

For internal use only.

For more information, see OmniUiCard in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorName	Author	string		255		
ClonedFromOmniUiCardKey	Cloned From Omni UI Card Key	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataSourceConfig	Data Source Configuration	textarea		131072		
Description	Description	textarea		255		
Id	Omni UI Card ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsTrackingEnabled	Tracking Enabled	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	API Name	string		80		
Namespace	Namespace	string		15		
OmniUiCardKey	Omni UI Card Key	string		255		
OmniUiCardType	Type	picklist		255		
OwnerId	Owner ID	reference		18		
PropertySetConfig	Property Set Configuration	textarea		131072		
SampleDataSourceResponse	Sample Data Source Response	textarea		131072		
StylingConfiguration	Styling Configuration	textarea		131072		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UniqueName	Unique Name	string		255		
VersionNumber	Version Number	double			18	0

OMNIUICARDFEED

Feed tracking for OmniUiCard.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

OMNIUICARDSHARE

Sharing for OmniUiCard.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

OPENACTIVITY

This read-only object is displayed in a related list of open activities—future events and open tasks—related to an object. It includes activities for all contacts related to the object. OpenActivity fields for phone calls are only available if your organization uses Salesforce CRM Call Center.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OpenActivity in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActivityDate	Date	date				
ActivityDateTime	Time	datetime				
ActivitySubtype	Activity Subtype	picklist		40		
ActivityType	Type	picklist		40		
AlternateDetailId	Email Message ID	reference		18		
CallDisposition	Call Result	string		255		
CallDurationInSeconds	Call Duration	int	8			
CallObject	Call Object Identifier	string		255		
CallType	Call Type	picklist		40		
CompletedDateTime	Completed Date/Time	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Comments	textarea		32000		
DurationInMinutes	Duration	int	9			
EndDateTime	End	datetime				
Id	Activity ID	id		18		
IsAllDayEvent	All-Day Event	boolean				
IsClosed	Closed	boolean				
IsDeleted	Deleted	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsHighPriority	High Priority	boolean				
IsReminderSet	Reminder Set	boolean				
IsTask	Task	boolean				
IsVisibleInSelfService	Public	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Location	Location	string		80		
OwnerId	Assigned To ID	reference		18		
Priority	Priority	picklist		20		
ReminderDateTime	Reminder Date/Time	datetime				
StartDateTime	Start	datetime				
Status	Status	picklist		255		
Subject	Subject	combobox		80		
SystemModstamp	System Modstamp	datetime				
WhatId	Related To ID	reference		18		
WhoId	Name ID	reference		18		

OPERATINGHOURS

Represents the hours in which a service territory, service resource, or account is available for work. OperatingHours is used by Field Service, Salesforce Scheduler, Salesforce Meetings, Sales Engagement, and Workforce Engagement. This object is available in API version 38.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OperatingHours in the *Field Service Developer Guide*, *Object Reference for the Salesforce Platform*, *Public Sector Solutions Developer Guide*, and *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
Id	Operating Hour ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TimeZone	Time Zone	picklist		255		

OPERATINGHOURSFEED

Feed tracking for OperatingHours.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

OPERATINGHOURSHISTORY

Represents the history of changes made to tracked fields on an operating hours record. This object is available in API version 38.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OperatingHoursHistory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Operating Hours History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`OperatingHoursId`	Operating Hour ID	reference		18		

OPERATINGHOURSHOLIDAY

Represents the day or hours for which a service territory or service resource is unavailable in Field Service, Salesforce Scheduler, Salesforce Meetings, Sales Engagement, or Workforce Engagement. This object is available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OperatingHoursHoliday in the *Field Service Developer Guide*, *Object Reference for the Salesforce Platform*, *Public Sector Solutions Developer Guide*, and *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DateAndTime	Date and Time	string		255		
HolidayId	Holiday ID	reference		18		
Id	Operating Hour ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OperatingHoursHolidayNumber	Operating Hours Holiday Number	string		255		
OperatingHoursId	Operating Hour ID	reference		18		
SystemModstamp	System Modstamp	datetime				

OPERATINGHOURSHOLIDAYFEED

Feed tracking for OperatingHoursHoliday.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

OPERATINGHOURSHOLIDAYHISTORY

History for tracked fields of OperatingHoursHoliday.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Operating Hours Holiday History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
OperatingHoursHolidayId	Operating Hour ID	reference		18		

OPERATINGHOURSSHARE

Sharing for OperatingHours.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

OPPORTUNITY

Represents an opportunity, which is a sale or pending deal.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Opportunity in the *Design Registration Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AgeInDays	Age	int	9			
Amount	Amount	currency			18	2
CampaignId	Campaign ID	reference		18		
CloseDate	Close Date	date				
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Opportunity Currency	picklist		3		
CurrentGenerators__c	Current Generator(s)	string		100		
DeliveryInstallationStatus__c	Delivery/Installation Status	picklist		255		
Description	Description	textarea		32000		
ExpectedRevenue	Expected Amount	currency			18	2
Fiscal	Fiscal Period	string		6		
FiscalQuarter	Fiscal Quarter	int	8			
FiscalYear	Fiscal Year	int	8			
ForecastCategory	Forecast Category	picklist		40		
ForecastCategoryName	Forecast Category	picklist		255		
HasOpenActivity	Has Open Activity	boolean				
HasOpportunityLineItem	Has Line Item	boolean				
HasOverdueTask	Has Overdue Task	boolean				
Id	Opportunity ID	id		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsClosed	Closed	boolean				
IsDeleted	Deleted	boolean				
IsPriorityRecord	Important	boolean				
IsPrivate	Private	boolean				
IsWon	Won	boolean				
LastActivityDate	Last Activity	date				
LastActivityInDays	Recent Activity	int	9			
LastAmountChangedHistoryId	Opportunity History ID	reference		18		
LastCloseDateChangedHistoryId	Opportunity History ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastStageChangeDate	Last Stage Change Date	datetime				
LastStageChangeInDays	Days In Stage	int	9			
LastViewedDate	Last Viewed Date	datetime				
LeadSource	Lead Source	picklist		255		
MainCompetitors__c	Main Competitor(s)	string		100		
Name	Name	string		120		
NextStep	Next Step	string		255		
OrderNumber__c	Order Number	string		8		
OwnerId	Owner ID	reference		18		
Pricebook2Id	Price Book ID	reference		18		
Probability	Probability (%)	percent			3	0
PushCount	Push Count	int	9			
StageName	Stage	picklist		255		
SyncedQuoteId	Quote ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalOpportunityQuantity	Quantity	double			18	2
TrackingNumber__c	Tracking Number	string		12		
Type	Opportunity Type	picklist		255		

OPPORTUNITYCOMPETITOR

Represents a competitor on an Opportunity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OpportunityCompetitor in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CompetitorName	Competitor Name	combobox		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Opportunity: Competitor ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OpportunityId	Opportunity ID	reference		18		
Strengths	Strengths	string		1000		
SystemModstamp	System Modstamp	datetime				
Weaknesses	Weaknesses	string		1000		

OPPORTUNITYCONTACTROLE

Represents the role that a Contact plays on an Opportunity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OpportunityContactRole in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Contact Role ID	id		18		
IsDeleted	Deleted	boolean				
IsPrimary	Primary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OpportunityId	Opportunity ID	reference		18		
Role	Role	picklist		255		
SystemModstamp	System Modstamp	datetime				

OPPORTUNITYFEED

Feed tracking for Opportunity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

OPPORTUNITYFIELDHISTORY

Represents the history of changes to the values in the fields of an opportunity. This object is available in versions 13.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OpportunityFieldHistory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Opportunity History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`OpportunityId`	Opportunity ID	reference		18		

OPPORTUNITYHISTORY

Represents the stage history of an opportunity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OpportunityHistory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
CloseDate	Close Date	date				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
ExpectedRevenue	Expected Revenue	currency			18	2
ForecastCategory	To Forecast Category	picklist		40		
Id	Opportunity History ID	id		18		
IsDeleted	Deleted	boolean				
OpportunityId	Opportunity ID	reference		18		
PrevAmount	Previous Amount	currency			18	2
PrevCloseDate	Previous Close Date	date				
Probability	Probability	percent			3	0
StageName	Stage Name	picklist		255		
SystemModstamp	System Modstamp	datetime				

OPPORTUNITYLINEITEM

Represents an opportunity line item, which is a member of the list of Product2 products associated with an Opportunity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OpportunityLineItem in the *Design Registration Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CanUseQuantitySchedule	Quantity Scheduling Enabled	boolean				
CanUseRevenueSchedule	Revenue Scheduling Enabled	boolean				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Line Description	string		255		
HasQuantitySchedule	Has Quantity Schedule	boolean				
HasRevenueSchedule	Has Revenue Schedule	boolean				
HasSchedule	Has Schedule	boolean				
Id	Line Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ListPrice	List Price	currency			18	2
Name	Opportunity Product Name	string		376		
OpportunityId	Opportunity ID	reference		18		
PricebookEntryId	Price Book Entry ID	reference		18		
Product2Id	Product ID	reference		18		
ProductCode	Product Code	string		255		
Quantity	Quantity	double			12	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ServiceDate	Date	date				
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				
TotalPrice	Total Price	currency			18	2
UnitPrice	Sales Price	currency			18	2

OPPORTUNITYLINEITEMSCHEDULE

Represents information about the quantity, revenue distribution, and delivery dates for a particular OpportunityLineItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OpportunityLineItemSchedule in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Comments	string		80		
Id	Schedule ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OpportunityLineItemId	Line Item ID	reference		18		
Quantity	Quantity	double			18	2
Revenue	Revenue	currency			18	2
ScheduleDate	Schedule Date	date				
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

OPPORTUNITYPARTNER

This object represents a partner relationship between an Account and an Opportunity. An OpportunityPartner record is created automatically when a Partner record is created for a partner relationship between an account and an opportunity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OpportunityPartner in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountToId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Opportunity Partner ID	id		18		
IsDeleted	Deleted	boolean				
IsPrimary	Primary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OpportunityId	Opportunity ID	reference		18		
ReversePartnerId	Reverse Partner ID	reference		18		
Role	Role	picklist		255		
SystemModstamp	System Modstamp	datetime				

OPPORTUNITYRELATEDDELETELOG

Represents an audit log of the deletion of opportunity-related child records, such as opportunity team members, product splits, or opportunity splits. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OpportunityRelatedDeleteLog in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DataType	Data Type	picklist		255		
DeleteLog	Opportunity Related Delete Log Name	string		255		
FieldName	Field Name	picklist		255		
Id	Opportunity Related Delete Log ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OpportunityId	Opportunity ID	reference		18		
Parent	Parent	string		18		
SobjectType	SobjectType	picklist		255		
SystemModstamp	System Modstamp	datetime				
Value	Value	anyType		255		

OPPORTUNITYSHARE

Represents a sharing entry on an Opportunity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OpportunityShare in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Id`	Opportunity Share ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`OpportunityAccessLevel`	Opportunity Access	picklist		40		
`OpportunityId`	Opportunity ID	reference		18		
`RowCause`	Row Cause	picklist		40		
`UserOrGroupId`	User/Group ID	reference		18		

OPPORTUNITYSTAGE

Represents the stage of an Opportunity in the sales pipeline, such as New Lead, Negotiating, Pending, Closed, and so on.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OpportunityStage in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultProbability	Probability (%)	percent			3	0
Description	Description	string		255		
ForecastCategory	Forecast Category	picklist		40		
ForecastCategoryName	Forecast Category Name	picklist		255		
Id	Opportunity Stage ID	id		18		
IsActive	Is Active	boolean				
IsClosed	Closed	boolean				
IsWon	Won	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

OPPORTUNITYTEAMMEMBER

Represents a User on the opportunity team of an Opportunity.

For more information, see OpportunityTeamMember in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Opportunity Team Member ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Opportunity Team Member Name	string		361		
OpportunityAccessLevel	Opportunity Access	picklist		40		
OpportunityId	Opportunity ID	reference		18		
PhotoUrl	Url for thumbnail sized photo	url		255		
SystemModstamp	System Modstamp	datetime				
TeamMemberRole	Team Role	picklist		255		
Title	Title	string		80		
UserId	User ID	reference		18		

OPPTSTAGEDESCRIPTIONSHARE

Sharing for OpptStageDescription.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ORDER

Represents an order associated with a contract or an account.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Order in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActivatedById	Activated By ID	reference		18		
ActivatedDate	Activated Date	datetime				
BillToContactId	Bill To Contact ID	reference		18		
BillingAddress	Billing Address	address				
BillingCity	Billing City	string		40		
BillingCountry	Billing Country	string		80		
BillingGeocodeAccuracy	Billing Geocode Accuracy	picklist		40		
BillingLatitude	Billing Latitude	double			18	15
BillingLongitude	Billing Longitude	double			18	15
BillingPostalCode	Billing Zip/Postal Code	string		20		
BillingState	Billing State/Province	string		80		
BillingStreet	Billing Street	textarea		255		
CompanyAuthorizedById	Company Authorized By ID	reference		18		
CompanyAuthorizedDate	Company Authorized Date	date				
ContractId	Contract ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
CustomerAuthorizedById	Customer Authorized By ID	reference		18		
CustomerAuthorizedDate	Customer Authorized Date	date				
Description	Description	textarea		32000		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
EffectiveDate	Order Start Date	date				
EndDate	Order End Date	date				
Id	Order ID	id		18		
IsDeleted	Deleted	boolean				
IsReductionOrder	Reduction Order	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Order Name	string		80		
OrderNumber	Order Number	string		30		
OrderReferenceNumber	Order Reference Number	string		80		
OriginalOrderId	Order ID	reference		18		
OwnerId	Owner ID	reference		18		
PoDate	PO Date	date				
PoNumber	PO Number	string		80		
Pricebook2Id	Price Book ID	reference		18		
RelatedOrderId	Order ID	reference		18		
RelatedOrderType	Related Order Type	picklist		40		
ShipToContactId	Ship To Contact ID	reference		18		
ShippingAddress	Shipping Address	address				
ShippingCity	Shipping City	string		40		
ShippingCountry	Shipping Country	string		80		
ShippingGeocodeAccuracy	Shipping Geocode Accuracy	picklist		40		
ShippingLatitude	Shipping Latitude	double			18	15
ShippingLongitude	Shipping Longitude	double			18	15
ShippingPostalCode	Shipping Zip/Postal Code	string		20		
ShippingState	Shipping State/Province	string		80		
ShippingStreet	Shipping Street	textarea		255		
Status	Status	picklist		100		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
StatusCode	Status Category	picklist		40		
SystemModstamp	System Modstamp	datetime				
TotalAmount	Order Amount	currency			18	2
Type	Order Type	picklist		255		

ORDERACTION

Indicates the type of order, such as a new sale or a cancellation. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderAction in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Order Action ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OrderId	Order ID	reference		18		
SourceAssetId	Asset ID	reference		18		
Subtype	Subtype	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

ORDERACTIONFEED

Feed tracking for OrderAction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ORDERACTIONHISTORY

History for tracked fields of OrderAction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Order Action History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
OrderActionId	Order Action ID	reference		18		

ORDERADJUSTMENTGROUP

Group containing a set of adjustments applied to an order. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderAdjustmentGroup in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentSource	Adjustment Source	picklist		255		
AdjustmentType	Adjustment Type	picklist		255		
AdjustmentValue	Adjustment Value	double			18	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		2000		
GrandTotalAmount	Total with Tax	currency			18	2
Id	Order Adjustment Group ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OrderId	Order ID	reference		18		
Priority	Priority	int	9			
RelatedAdjustmentGroupId	Order Adjustment Group ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalAmount	Pretax Total	currency			18	2
TotalTaxAmount	Total Tax	currency			18	2
Type	Type	picklist		255		

ORDERADJUSTMENTGROUPFEED

Feed tracking for OrderAdjustmentGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ORDERADJUSTMENTGROUPHISTORY

History for tracked fields of OrderAdjustmentGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Order Adjustment Group History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
OrderAdjustmentGroupId	Order Adjustment Group ID	reference		18		

ORDERADJUSTMENTGROUPSUMMARY

Represents the current properties and state of a group of related price adjustments. Associated with a set of OrderItemAdjustmentLineSummaries that apply to OrderItemSummaries belonging to one OrderSummary. Corresponds to one or more order adjustment group objects, consisting of an original object and any change objects applicable to it.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderAdjustmentGroupSummary in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentBasisReferenceId	Adjustment Basis Reference ID	reference		18		
AdjustmentCauseId	Adjustment Cause ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		2000		
GrandTotalAmount	Total with Tax	currency			18	2
Id	Order Adjustment Group Summary ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OrderSummaryId	Order Summary ID	reference		18		
OriginalOrderAdjGroupId	Order Adjustment Group ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalAmount	Pretax Total	currency			18	2
TotalTaxAmount	Tax	currency			18	2
Type	Type	picklist		255		

ORDERADJUSTMENTGROUPSUMMARYFEED

Feed tracking for OrderAdjustmentGroupSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ORDERCHANGELOG

Represents a log record of all change requests made to an order post activation. A log record is always one-to-one to change an order request. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderChangeLog in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChangeLineId	Change Line ID	reference		18		
ChangeLineType	Change Line Type	picklist		255		
ChangeOrderId	Order ID	reference		18		
ChangeRequest	Change Request	string		36		
ChangeSummary	Change Summary	textarea		50000		
ChangeType	Change Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Order Change Log ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
RelatedLineId	Related Line ID	reference		18		
RelatedOrderId	Order ID	reference		18		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

ORDERCHANGELOGFEED

Feed tracking for OrderChangeLog.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ORDERCHANGELOGHISTORY

History for tracked fields of OrderChangeLog.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Order Change Log History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
OrderChangeLogId	Order Change Log ID	reference		18		

ORDERDELIVERYGROUP

A group of order items that share a delivery method and address. The delivery method and address are used during the fulfillment process, such as shipping as a gift, downloading, picking up in store, or shipping to a standard address This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderDeliveryGroup in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeliverToAddress	Deliver to Address	address				
DeliverToCity	City	string		40		
DeliverToCompanyName	Deliver to Company Name	string		255		
DeliverToCountry	Country	string		80		
DeliverToFullFirstName	First Name	string		40		
DeliverToFullLastName	Last Name	string		80		
DeliverToFullName	Deliver to Full Name	string		121		
DeliverToFullSalutation	Salutation	picklist		40		
DeliverToGeocodeAccuracy	Geocode Accuracy	picklist		40		
DeliverToLatitude	Latitude	double			18	15
DeliverToLongitude	Longitude	double			18	15
DeliverToName	Deliver to Name	string		255		
DeliverToPostalCode	Zip	string		20		
DeliverToState	State/Province	string		80		
DeliverToStreet	Street	textarea		255		
DeliveryInstructions	Delivery Instructions	textarea		2000		
Description	Description	textarea		2000		
DesiredDeliveryDate	Desired Delivery Date	date				
EmailAddress	Email Address	email		80		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
GiftMessage	Gift Message	textarea		2000		
GrandTotalAmount	Total with Tax	currency			18	2
Id	Order Delivery Group ID	id		18		
IsDeleted	Deleted	boolean				
IsGift	Is Gift	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OrderDeliveryGroupNumber	Order Delivery Group Number	string		255		
OrderDeliveryMethodId	Order Delivery Method ID	reference		18		
OrderId	Order ID	reference		18		
PhoneNumber	Phone Number	phone		40		
PromisedDeliveryDate	Promised Delivery Date	date				
RelatedDeliveryGroupId	Order Delivery Group ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalAdjustmentAmount	Total Adjustment	currency			18	2
TotalAdjustmentAmtWithTax	Total Adjustment with Tax	currency			18	2
TotalAdjustmentTaxAmount	Total Adjustments Tax	currency			18	2
TotalAmount	Pretax Total	currency			18	2
TotalLineAmount	Delivery Subtotal	currency			18	2
TotalLineAmtWithTax	Delivery Subtotal with Tax	currency			18	2
TotalLineTaxAmount	Delivery Tax	currency			18	2
TotalTaxAmount	Total Tax	currency			18	2

ORDERDELIVERYGROUPFEED

Feed tracking for OrderDeliveryGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ORDERDELIVERYGROUPHISTORY

History for tracked fields of OrderDeliveryGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Order Delivery Group History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`OrderDeliveryGroupId`	Order Delivery Group ID	reference		18		

ORDERDELIVERYGROUPSUMMARY

Represents the current properties and state of a group of OrderItemSummaries, belonging to one OrderSummary, to be fulfilled using the same delivery method and delivered to the same address. A single shipment can include them all, but that isn't guaranteed. Corresponds to one or more order delivery group objects, consisting of an original object and any change objects applicable to it.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderDeliveryGroupSummary in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DeliverToAddress	Shipping Address	address				
DeliverToCity	City	string		40		
DeliverToCompanyName	Deliver to Company Name	string		255		
DeliverToCountry	Country	string		80		
DeliverToFullFirstName	First Name	string		40		
DeliverToFullLastName	Last Name	string		80		
DeliverToFullName	Deliver to Full Name	string		121		
DeliverToFullSalutation	Salutation	picklist		40		
DeliverToGeocodeAccuracy	Geocode Accuracy	picklist		255		
DeliverToLatitude	Latitude	double			18	15
DeliverToLongitude	Longitude	double			18	15
DeliverToName	Name	string		255		
DeliverToPostalCode	Zip	string		20		
DeliverToState	State/Province	string		80		
DeliverToStreet	Address	textarea		255		
DeliveryInstructions	Delivery Instructions	textarea		2000		
Description	Description	textarea		2000		
DesiredDeliveryDate	Desired Delivery Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
EmailAddress	Email Address	email		80		
GiftMessage	Gift Message	textarea		2000		
GrandTotalAmount	Total with Tax	currency			18	2
Id	Order Delivery Group Summary ID	id		18		
IsDeleted	Deleted	boolean				
IsGift	Is Gift	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OrderDeliveryGroupSummaryNumber	Name	string		255		
OrderDeliveryMethodId	Order Delivery Method ID	reference		18		
OrderSummaryId	Order Summary ID	reference		18		
OriginalOrderDeliveryGroupId	Order Delivery Group ID	reference		18		
PhoneNumber	Phone Number	phone		40		
PromisedDeliveryDate	Promised Delivery Date	datetime				
SystemModstamp	System Modstamp	datetime				
TotalAdjustmentAmount	Adjustments	currency			18	2
TotalAdjustmentAmtWithTax	Adjustments with Tax	currency			18	2
TotalAdjustmentTaxAmount	Adjustments Tax	currency			18	2
TotalAmount	Pretax Total	currency			18	2
TotalLineAmount	Subtotal	currency			18	2
TotalLineAmtWithTax	Subtotal with Tax	currency			18	2
TotalLineTaxAmount	Subtotal Tax	currency			18	2
TotalTaxAmount	Tax	currency			18	2

ORDERDELIVERYGROUPSUMMARYFEED

Feed tracking for OrderDeliveryGroupSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ORDERDELIVERYMETHOD

Shows the customizations and options that a buyer selected for their delivery method. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderDeliveryMethod in the *Object Reference for the Salesforce Platform* and *Quote and Order Capture Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Carrier	Carrier	picklist		40		
ClassOfService	Class of Service	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		2000		
Id	Order Delivery Method ID	id		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProductId	Product ID	reference		18		
ReferenceNumber	Reference Number	string		255		
SystemModstamp	System Modstamp	datetime				

ORDERDELIVERYMETHODFEED

Feed tracking for OrderDeliveryMethod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ORDERDELIVERYMETHODHISTORY

History for tracked fields of OrderDeliveryMethod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Order Delivery Method History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
OrderDeliveryMethodId	Order Delivery Method ID	reference		18		

ORDERDELIVERYMETHODSHARE

Sharing for OrderDeliveryMethod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ORDERFEED

Feed tracking for Order.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ORDERHISTORY

Represents historical information about changes that have been made to the standard fields of the associated order, or to any custom fields with history tracking enabled.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderHistory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Order History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`OrderId`	Order ID	reference		18		

ORDERITEM

Represents an order product that your organization sells.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AvailableQuantity	Available Quantity	double			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Line Description	string		255		
EndDate	End Date	date				
Id	Order Product ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ListPrice	List Price	currency			18	2
OrderId	Order ID	reference		18		
OrderItemNumber	Order Product Number	string		30		
OriginalOrderItemId	Original Order Item ID	reference		18		
PricebookEntryId	Price Book Entry ID	reference		18		
Product2Id	Product ID	reference		18		
Quantity	Quantity	double			18	2
RelatedOrderItemId	Order Product ID	reference		18		
ServiceDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				
TotalLineAmount	Product Subtotal	currency			18	2
TotalPrice	Total Price	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Type	Type	picklist		100		
TypeCode	Type Code	picklist		40		
UnitPrice	Unit Price	currency			18	2

ORDERITEMADJUSTMENTLINEITEM

An adjustment that has been made to an order item. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderItemAdjustmentLineItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentAmountScope	Adjustment Amount Scope	picklist		255		
AdjustmentSource	Adjustment Source	picklist		255		
AdjustmentType	Adjustment Type	picklist		255		
AdjustmentValue	Adjustment Value	double			18	0
Amount	Amount	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		2000		
Id	Order Product Adjustment Line Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OrderAdjustmentGroupId	Order Adjustment Group ID	reference		18		
OrderId	Order ID	reference		18		
OrderItemId	Order Product ID	reference		18		
Priority	Priority	int	9			
RelatedAdjustmentLineItemId	Order Product Adjustment Line Item ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalAmtWithTax	Total Amount with Tax	currency			18	2
TotalTaxAmount	Total Tax	currency			18	2

ORDERITEMADJUSTMENTLINEITEMFEED

Feed tracking for OrderItemAdjustmentLineItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ORDERITEMADJUSTMENTLINEITEMHISTORY

History for tracked fields of OrderItemAdjustmentLineItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Order Product Adjustment Line Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
OrderItemAdjustmentLineItemId	Order Product Adjustment Line Item ID	reference		18		

ORDERITEMADJUSTMENTLINESUMMARY

Represents the current properties and state of price adjustments on an OrderItemSummary. Corresponds to one or more order item adjustment line item objects, consisting of an original object and any change objects applicable to it.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderItemAdjustmentLineSummary in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentBasisReferenceId	Adjustment Basis Reference ID	reference		18		
AdjustmentCauseId	Adjustment Cause ID	reference		18		
Amount	Adjustment	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		2000		
Id	Order Product Adjustment Line Item Summary ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OrderAdjustmentGroupSummaryId	Order Adjustment Group Summary ID	reference		18		
OrderItemSummaryId	Order Product Summary ID	reference		18		
OrderSummaryId	Order Summary ID	reference		18		
OriginalOrderItemAdjustmentLineItemId	Order Product Adjustment Line Item ID	reference		18		
Priority	Priority	int	9			
SystemModstamp	System Modstamp	datetime				
TotalAmtWithTax	Adjustment with Tax	currency			18	2
TotalTaxAmount	Tax	currency			18	2

ORDERITEMADJUSTMENTLINESUMMARYFEED

Feed tracking for OrderItemAdjustmentLineSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ORDERITEMATTRIBUTE

Represents a virtual object which is associated with the Attribute Value Store object. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderItemAttribute in the *Quote and Order Capture Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`AttributeDefinitionId`	Attribute Definition ID	reference		18		
`AttributeName`	Name	string		255		
`AttributePicklistValueId`	Attribute Picklist Value ID	reference		18		
`AttributeValue`	Value	string		150		
`CreatedById`	User ID	reference		18		
`CreatedDate`	Created Date	datetime				
`ExternalId`	External ID	string		255		
`Id`	Order Product Attribute ID	id		18		
`LastModifiedById`	User ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`OrderItemId`	Order Product ID	reference		18		

ORDERITEMDETAIL

Represents information about the quantity and price details of an order product. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderItemDetail in the *Quote and Order Capture Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillingReference	Billing Reference	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Order Product Detail ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LineNumber	Line Number	int	9			
Name	Name	string		255		
NetUnitPrice	Net Unit Price	currency			18	2
OrderItemId	Order Product ID	reference		18		
PriceWaterfallIdentifier	Price Waterfall Identifier	string		80		
Quantity	Quantity	double			12	2
ReferenceDate	Reference Date	date				
ReferenceNumber	Reference Number	string		80		
SystemModstamp	System Modstamp	datetime				
TotalLineAmount	Product Subtotal	currency			18	2
TotalPrice	Total Price	currency			18	2
UnitPrice	Unit Price	currency			18	2

ORDERITEMDETAILFEED

Feed tracking for OrderItemDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ORDERITEMDETAILHISTORY

History for tracked fields of OrderItemDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Order Product Detail History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
OrderItemDetailId	Order Product Detail ID	reference		18		

ORDERITEMFEED

Feed tracking for OrderItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ORDERITEMGROUP

Stores the group information for line items in an order. It also stores the aggregated line field information (subtotal). It contains a parent-child relationship to order. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderItemGroup in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
EndDate	End Date	date				
Id	Order Product Group ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Order Product Group Name	string		255		
OrderId	Order ID	reference		18		
SortOrder	Sort Order	int	9			
StartDate	Start Date	date				
SummarySubtotal	Summary Subtotal	currency			18	2
SystemModstamp	System Modstamp	datetime				
Type	Order Product Group Type	picklist		255		

ORDERITEMHISTORY

History for tracked fields of OrderItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Order Product History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
OrderItemId	Order Product ID	reference		18		

ORDERITEMMATERIALLINEGROUPFEED

Feed tracking for OrderItemMaterialLineGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ORDERITEMMATERIALLINEGROUPHISTORY

History for tracked fields of OrderItemMaterialLineGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Order Product Material Line Group History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
OrderItemMaterialLineGroupId	Order Product Material Line Group ID	reference		18		

ORDERITEMRATEADJUSTMENT

Represents the negotiated rate adjustment for an order product. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderItemRateAdjustment in the *Quote and Order Capture Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentType	Adjustment Type	picklist		255		
AdjustmentValue	Adjustment Value	double			18	6
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Order Product Rate Adjustment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LowerBound	Lower Bound	double			18	3
Name	Name	string		255		
OrderItemRateCardEntryId	Order Product Rate Card Entry ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UpperBound	Upper Bound	double			18	3

ORDERITEMRATEADJUSTMENTFEED

Feed tracking for OrderItemRateAdjustment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ORDERITEMRATEADJUSTMENTHISTORY

History for tracked fields of OrderItemRateAdjustment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Order Product Rate Adjustment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
OrderItemRateAdjustmentId	Order Product Rate Adjustment ID	reference		18		

ORDERITEMRATECARDENTRY

Represents the catalog and negotiated rates of a usage metric associated with an order item that's used to charge overage consumption. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderItemRateCardEntry in the *Quote and Order Capture Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Order Product Rate Card Entry ID	id		18		
IsChosenRate	Chosen Rate	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
NegotiatedRate	Negotiated Rate	double			18	2
OrderItemId	Order Product ID	reference		18		
RateCardEntryId	Rate Card Entry ID	reference		18		
RateCardId	Rate Card ID	reference		18		
RateUnitOfMeasureId	Unit of Measure ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UsageResourceId	Usage Resource ID	reference		18		

ORDERITEMRATECARDENTRYFEED

Feed tracking for OrderItemRateCardEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ORDERITEMRATECARDENTRYHISTORY

History for tracked fields of OrderItemRateCardEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Order Product Rate Card Entry History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
OrderItemRateCardEntryId	Order Product Rate Card Entry ID	reference		18		

ORDERITEMRECIPIENT

Represents a site, employee, or other entity for which services are being ordered. This includes essential details such as the recipient's name, contact information, and the specific site or location where the services will be provided. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderItemRecipient in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Order Product Recipient ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OrderId	Order ID	reference		18		
RecipientType	Recipient Type	picklist		255		
ServiceAccountId	Account ID	reference		18		
ServiceAddrValidationDate	Service Address Validation Date	datetime				
ServiceAddrValidationMsg	Service Address Validation Message	string		255		
ServiceAddrValidationResult	Service Address Validation Result	picklist		255		
ServiceAddress	Service Address	address				
ServiceCity	Service City	string		40		
ServiceCountry	Service Country	string		80		
ServiceGeocodeAccuracy	Service Geocode Accuracy	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ServiceLatitude	Service Latitude	double			18	15
ServiceLongitude	Service Longitude	double			18	15
ServicePostalCode	Service Postal Code	string		20		
ServiceState	Service State	string		80		
ServiceStreet	Service Street	textarea		255		
ServiceabilityCheckDate	Serviceability Check Date	datetime				
ServiceabilityData	Serviceability Data	textarea		131072		
SystemModstamp	System Modstamp	datetime				

ORDERITEMRECIPIENTHISTORY

History for tracked fields of OrderItemRecipient.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Order Product Recipient History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
OrderItemRecipientId	Order Product Recipient ID	reference		18		

ORDERITEMRELATIONSHIP

Describes a relationship between order products. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderItemRelationship in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssociatedOrderItemId	Associated Order Product ID	reference		18		
AssociatedOrderItemPricing	Associated Order Product Pricing	picklist		255		
AssociatedOrderItemRole	Associated Order Product Role	picklist		255		
AssociatedQuantScaleMethod	Associated Quantity Scale Method	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Order Product Relationship ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MainOrderItemId	Main Order Product ID	reference		18		
MainOrderItemRole	Main Order Product Role	picklist		255		
Name	Name	string		255		
OrderId	Order ID	reference		18		
ProductRelatedComponentId	Product Related Component ID	reference		18		
ProductRelationshipTypeId	Product Relationship Type ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ORDERITEMRELATIONSHIPFEED

Feed tracking for OrderItemRelationship.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ORDERITEMRELATIONSHIPHISTORY

History for tracked fields of OrderItemRelationship.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Order Product Relationship History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
OrderItemRelationshipId	Order Product Relationship ID	reference		18		

ORDERITEMSUMMARY

Represents the current properties and state of a product or charge on an OrderSummary. Corresponds to one or more order item objects, consisting of an original object and any change objects applicable to it.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderItemSummary in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustedLineAmount	Adjusted Line Subtotal	currency			18	2
AdjustedLineAmtWithTax	Line Total	currency			18	2
AssetId	Asset ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
EarliestEstimatedDeliveryDate	Earliest Estimated Delivery Date	date				
EarliestEstimatedDeliveryTime	Earliest Estimated Delivery Time	time				
EndDate	End Date	date				
EstimatedDeliveryReference	Estimated Delivery Reference	string		255		
EstimatedDeliveryTimeZone	Estimated Delivery Time Zone	picklist		255		
GrossUnitPrice	Gross Unit Price	currency			18	2
Id	Order Product Summary ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LatestEstimatedDeliveryDate	Latest Estimated Delivery Date	date				
LatestEstimatedDeliveryTime	Latest Estimated Delivery Time	time				
LineNumber	Order Line Number	int	9			
ListPrice	List Price	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Name	Name	string		255		
OrderDeliveryGroupSummaryId	Order Delivery Group Summary ID	reference		18		
OrderSummaryId	Order Summary ID	reference		18		
OriginalOrderItemId	Order Product ID	reference		18		
PricebookEntryId	Price Book Entry ID	reference		18		
Product2Id	Product ID	reference		18		
ProductCode	Product Code	string		255		
Quantity	Quantity	double			18	0
QuantityAllocated	Quantity Allocated	double			18	0
QuantityAvailableToCancel	Quantity Available to Cancel	double			18	0
QuantityAvailableToFulfill	Quantity Available to Fulfill	double			18	0
QuantityAvailableToReship	Quantity Available to Reship	double			18	0
QuantityAvailableToReturn	Quantity Available to Return	double			18	0
QuantityCanceled	Quantity Canceled	double			18	0
QuantityFulfilled	Quantity Fulfilled	double			18	0
QuantityNetOrdered	Quantity Net Ordered	double			18	0
QuantityOrdered	Quantity Ordered	double			18	0
QuantityReshipped	Quantity Reshipped	double			18	0
QuantityReturnInitiated	Quantity Return Initiated	double			18	0
QuantityReturned	Quantity Returned	double			18	0
QuantityShipped	Quantity Shipped	double			18	0
ReservedAtLocationId	ReservedAtLocation ID	reference		18		
ServiceDate	Start Date	date				
Status	Status	picklist		255		
StockKeepingUnit	Product Sku	string		255		
SystemModstamp	System Modstamp	datetime				
TotalAdjustedLineTaxAmount	Adjusted Line Subtotal Tax	currency			18	2
TotalAdjustmentAmount	Adjustments	currency			18	2
TotalAdjustmentAmtWithTax	Adjustments with Tax	currency			18	2
TotalAdjustmentDistAmount	Distributed Order Adjustments	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalAdjustmentDistAmtWithTax	Distributed Order Adjustments with Tax	currency			18	2
TotalAdjustmentDistTaxAmount	Distributed Order Adjustments Tax	currency			18	2
TotalAdjustmentTaxAmount	Adjustments Tax	currency			18	2
TotalAmtWithTax	Total with Tax	currency			18	2
TotalLineAdjustmentAmount	Line Adjustments	currency			18	2
TotalLineAdjustmentAmtWithTax	Line Adjustments with Tax	currency			18	2
TotalLineAdjustmentTaxAmount	Line Adjustments Tax	currency			18	2
TotalLineAmount	Line Subtotal	currency			18	2
TotalLineAmountWithTax	Line Subtotal with Tax	currency			18	2
TotalLineTaxAmount	Line Subtotal Tax	currency			18	2
TotalPrice	Pretax Total	currency			18	2
TotalTaxAmount	Tax	currency			18	2
Type	Type	picklist		40		
TypeCode	Type Code	picklist		255		
UnitPrice	Unit Price	currency			18	2

ORDERITEMSUMMARYCHANGE

Represents a change to an OrderItemSummary, usually a reduction in quantity due to a cancel or return. Corresponds to a change order item.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderItemSummaryChange in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChangeOrderItemId	Order Product ID	reference		18		
ChangeType	Change Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Order Item Summary Change ID	id		18		
IsDeleted	Deleted	boolean				
IsPreFulfillment	Is PreFulfillment	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OrderItemSummaryChangeNumber	Name	string		255		
OrderItemSummaryId	Order Product Summary ID	reference		18		
OrderSummaryId	Order Summary ID	reference		18		
Reason	Reason	picklist		40		
ReasonText	Reason Text	string		255		
SystemModstamp	System Modstamp	datetime				

ORDERITEMSUMMARYFEED

Feed tracking for OrderItemSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ORDERITEMTAXLINEITEM

The tax amount that has been applied to an order item. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderItemTaxLineItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		2000		
Id	Order Product Tax Line Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OrderId	Order ID	reference		18		
OrderItemAdjustmentLineItemId	Order Product Adjustment Line Item ID	reference		18		
OrderItemId	Order Product ID	reference		18		
Rate	Rate	percent			5	2
RelatedTaxLineItemId	Order Product Tax Line Item ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TaxEffectiveDate	Tax Effective Date	date				
Type	Type	picklist		255		

ORDERITEMTAXLINEITEMFEED

Feed tracking for OrderItemTaxLineItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ORDERITEMTAXLINEITEMHISTORY

History for tracked fields of OrderItemTaxLineItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Order Product Tax Line Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
OrderItemTaxLineItemId	Order Product Tax Line Item ID	reference		18		

ORDERITEMTAXLINEITEMSUMMARY

Represents the current tax on an OrderItemSummary or OrderItemAdjustmentLineSummary. Corresponds to one or more order item tax line items, consisting of an original object and any change objects applicable to it.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderItemTaxLineItemSummary in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		1000		
Id	Order Product Tax Line Item Summary ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OrderItemAdjustmentLineSummaryId	Order Product Adjustment Line Item Summary ID	reference		18		
OrderItemSummaryId	Order Product Summary ID	reference		18		
OrderSummaryId	Order Summary ID	reference		18		
OriginalOrderItemTaxLineItemId	Order Product Tax Line Item ID	reference		18		
Rate	Rate	percent			5	2
SystemModstamp	System Modstamp	datetime				
TaxEffectiveDate	Tax Effective Date	date				
Type	Type	picklist		255		

ORDERITEMTAXLINEITEMSUMMARYFEED

Feed tracking for OrderItemTaxLineItemSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ORDERITEMTYPE

Shows whether the order product is a product line or charge line. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderItemType in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Order Product Type ID	id		18		
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				
TypeCode	Type Code	picklist		40		

ORDERPAYMENTSUMMARY

Represents the current properties and state of payments using a single payment method that are applied to one OrderSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderPaymentSummary in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorizationAmount	Authorized	currency			18	2
AuthorizationReversalAmount	Authorization Reversed	currency			18	2
AvailableToCaptureAmount	Available to Capture	currency			18	2
AvailableToRefundAmount	Available to Refund	currency			18	2
BalanceAmount	Balance	currency			18	2
CapturedAmount	Captured	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FullName	Full Name	string		255		
Id	Order Payment Summary ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastPaymentGatewayLogId	Payment Gateway Log ID	reference		18		
LastPaymentGatewayMessage	Last Payment Gateway Message	string		1000		
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Method	Method	string		255		
OrderSummaryId	Order Summary ID	reference		18		
OwnerId	Owner ID	reference		18		
PaymentMethodId	Payment Method ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PendingAuthorizationAmount	Pending Authorization	currency			18	2
PendingCaptureAmount	Pending Capture	currency			18	2
PendingRefundAmount	Pending Refund	currency			18	2
PendingReverseAuthAmount	Pending Authorization Reversal	currency			18	2
RefundedAmount	Refunded	currency			18	2
ReservedBalanceTotalAmount	Total Reserved Balance	currency			18	2
SystemModstamp	System Modstamp	datetime				
Type	Type	string		255		

ORDERPAYMENTSUMMARYFEED

Feed tracking for OrderPaymentSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ORDERPAYMENTSUMMARYREFERENCE

OrderPaymentSummaryReference is a junction object that allows an order payment summary to be shared with another order summary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderPaymentSummaryReference in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthorizationAmount	Authorized	currency			18	2
CapturedAmount	Captured	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Order Payment Summary Reference ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Method	Method	string		255		
OrderPaymentSummaryId	Order Payment Summary ID	reference		18		
OrderSummaryId	Order Summary ID	reference		18		
RefundedAmount	Refunded	currency			18	2
ReservedBalanceAmount	Reserved Balance	currency			18	2
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

ORDERPAYMENTSUMMARYSHARE

Sharing for OrderPaymentSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ORDERSHARE

Represents a sharing entry on an Order. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderShare in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Id`	Order Share ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`OrderAccessLevel`	Order Access Level	picklist		40		
`OrderId`	Order ID	reference		18		
`RowCause`	Apex Sharing Reason ID	picklist		40		
`UserOrGroupId`	User/Group ID	reference		18		

ORDERSTATUS

Represents the status of the order entity. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderStatus in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Order Status Value ID	id		18		
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
StatusCode	Status Code	picklist		40		
SystemModstamp	System Modstamp	datetime				

ORDERSTATUSCHANGEDEVENT

Notifies subscribers of changes to the status of an order record. Use this event to trigger flows and processes in your order workflow. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderStatusChangedEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CorrelationIdentifier`	Correlation Identifier	string		80		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EventUuid`	Event UUID	string		36		
`NewStatus`	New Status	picklist		40		
`NewStatusCode`	New Status Category	picklist		255		
`OldStatus`	Old Status	picklist		40		
`OldStatusCode`	Old Status Category	picklist		255		
`OrderId`	Order ID	reference		18		
`RelatedOrderId`	Related Order ID	reference		18		
`RelatedOrderType`	Related Order Type	picklist		255		
`ReplayId`	Replay ID	string		1000		
`RequestIdentifier`	Request Identifier	string		80		

ORDERSUMSTATUSCHANGEDEVENT

Notifies subscribers of changes to the status of an order summary record. Use this event to trigger subscribers such as flows in your order workflow.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderSumStatusChangedEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EventUuid`	Order Summary Status Changed Event Event UUID	string		36		
`NewStatus`	New Status	picklist		40		
`OldStatus`	Old Status	picklist		40		
`OrderId`	Order ID	reference		18		
`OrderSummaryId`	Order Summary ID	reference		18		
`ReplayId`	Order Summary Status Changed Event Replay Id	string		1000		

ORDERSUMMARY

Represents the current properties and state of an order. Corresponds to one or more order objects, consisting of an original object and any change objects applicable to it.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderSummary in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActiveProcessExceptionCount	Active Process Exception Count	int	9			
BillToContactId	Contact ID	reference		18		
BillingAddress	Billing Address	address				
BillingCity	City	string		40		
BillingCountry	Country	string		80		
BillingEmailAddress	Billing Email Address	email		80		
BillingGeocodeAccuracy	Geocode Accuracy	picklist		255		
BillingLatitude	Latitude	double			18	15
BillingLongitude	Longitude	double			18	15
BillingPhoneNumber	Billing Phone Number	phone		40		
BillingPostalCode	Zip	string		20		
BillingState	State/Province	string		80		
BillingStreet	Address	textarea		255		
BusinessModel	Business Model	picklist		255		
ChangeOrderId	Change Order ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		1175		
ExternalReferenceIdentifier	External Reference Identifier	string		80		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
GrandTotalAmount	Total	currency			18	2
Id	Order Summary ID	id		18		
IsDeleted	Deleted	boolean				
IsSuspended	Suspended	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OrderLifeCycleType	Order Life Cycle Type	picklist		255		
OrderNumber	Order Summary Number	string		255		
OrderProductLineCount	Order Product Line Count	int	9			
OrderedDate	Ordered Date	datetime				
OriginalOrderId	Original Order ID	reference		18		
OwnerId	Owner ID	reference		18		
PoDate	PO Date	datetime				
PoNumber	PO Number	string		80		
Pricebook2Id	Price Book ID	reference		18		
RoutingAttempts	Routing Attempts	int	9			
SalesChannelId	Sales Channel ID	reference		18		
SalesStoreId	Sales Store ID	reference		18		
SourceOrderSummaryId	Order Summary ID	reference		18		
SourceProcess	Source Process	picklist		255		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TaxLocaleType	Tax Locale Type	picklist		255		
TotalAdjDeliveryAmtWithTax	Shipping with Tax	currency			18	2
TotalAdjDistAmount	Order Adjustments	currency			18	2
TotalAdjDistAmountWithTax	Order Adjustments with Tax	currency			18	2
TotalAdjDistTaxAmount	Order Adjustments Tax	currency			18	2
TotalAdjFeeAmtWithTax	Fees with Tax	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalAdjProductAmtWithTax	Subtotal with Tax	currency			18	2
TotalAdjustedDeliveryAmount	Shipping	currency			18	2
TotalAdjustedDeliveryTaxAmount	Shipping Tax	currency			18	2
TotalAdjustedFeeAmount	Fees	currency			18	2
TotalAdjustedFeeTaxAmount	Fees Tax	currency			18	2
TotalAdjustedProductAmount	Subtotal	currency			18	2
TotalAdjustedProductTaxAmount	Subtotal Tax	currency			18	2
TotalAmount	Pretax Subtotal	currency			18	2
TotalDeliveryAdjDistAmount	Order Shipping Adjustments	currency			18	2
TotalDeliveryAdjDistAmtWithTax	Order Shipping Adjustments with Tax	currency			18	2
TotalDeliveryAdjDistTaxAmount	Order Shipping Adjustments Tax	currency			18	2
TotalDeliveryAmount	Shipping Subtotal	currency			18	2
TotalDeliveryAmountWithTax	Shipping Subtotal With Tax	currency			18	2
TotalDeliveryTaxAmount	Shipping Subtotal Tax	currency			18	2
TotalFeeAdjDistAmount	Order Fee Adjustments	currency			18	2
TotalFeeAdjDistAmtWithTax	Order Fee Adjustments with Tax	currency			18	2
TotalFeeAdjDistTaxAmount	Order Fee Adjustments Tax	currency			18	2
TotalFeeAmount	Fee Subtotal	currency			18	2
TotalFeeAmountWithTax	Fee Subtotal With Tax	currency			18	2
TotalFeeTaxAmount	Fee Subtotal Tax	currency			18	2
TotalProductAdjDistAmount	Order Product Adjustments	currency			18	2
TotalProductAdjDistAmtWithTax	Order Product Adjustments with Tax	currency			18	2
TotalProductAdjDistTaxAmount	Order Product Adjustments Tax	currency			18	2
TotalProductAmount	Product Subtotal	currency			18	2
TotalProductAmountWithTax	Product Subtotal With Tax	currency			18	2
TotalProductTaxAmount	Product Subtotal Tax	currency			18	2
TotalTaxAmount	Tax	currency			18	2

ORDERSUMMARYADDITIONALINFO

Stores information related to OrderSummary including context around the order, such as inventory reservation details, order origination, and other values that Einstein uses to perform order analysis. Only reservation details can be stored in this object.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderSummaryAdditionalInfo in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentsVersion	Adjustments Version	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Order Summary Additional Id	id		18		
InventoryReservationExtRef	Inventory Reservation External Reference	string		255		
InventoryReservationIdentifier	Inventory Reservation Identifier	string		255		
InventoryReservationMessage	Inventory Reservation Message	string		255		
InventoryReservationState	Inventory Reservation State	picklist		255		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OrderId	Order ID	reference		18		
OrderSummaryId	Order Summary ID	reference		18		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ORDERSUMMARYADDITIONALINFOFEED

Feed tracking for OrderSummaryAdditionalInfo.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ORDERSUMMARYADDITIONALINFOSHARE

Sharing for OrderSummaryAdditionalInfo.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ORDERSUMMARYCREATEDEVENT

Notifies subscribers of the creation of an order summary record. Use this event to trigger flows and processes in your order workflow.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderSummaryCreatedEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EventUuid`	Order Summary Created Event Event UUID	string		36		
`OrderId`	Order ID	reference		18		
`OrderSummaryId`	Order Summary ID	reference		18		
`ReplayId`	Order Summary Created Event Replay ID	string		1000		

ORDERSUMMARYFEED

Feed tracking for OrderSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

ORDERSUMMARYRELATIONSHIP

Junction object used to track how an original order summary (created before any exchanges have occurred) relates to other order summary objects in a chain of exchange orders.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderSummaryRelationship in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssociatedOrderSummaryId	Order Summary ID	reference		18		
AssociatedOrderSummaryStatus	Associated Order Summary Status	picklist		40		
AssociatedRelationshipType	Relationship Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Order Summary Relationship Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MainAttachedToId	Main Attached To ID	reference		18		
MainOrderSummaryId	Order Summary ID	reference		18		
Name	Name	string		255		
RootOrderSummaryId	Order Summary ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ORDERSUMMARYROUTINGSCHEDULE

Represents an attempt to route an order summary to one or more inventory locations for fulfillment. You can use it to schedule future attempts and to record completed attempts.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrderSummaryRoutingSchedule in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Order Summary Routing Schedule ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OrderSummaryId	Order Summary ID	reference		18		
OwnerId	Owner ID	reference		18		
Reason	Reason	picklist		40		
ScheduleStatus	Status	picklist		255		
ScheduledDatetime	Scheduled Date Time	datetime				
SystemModstamp	System Modstamp	datetime				

ORDERSUMMARYROUTINGSCHEDULESHARE

Sharing for OrderSummaryRoutingSchedule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ORDERSUMMARYSHARE

Sharing for OrderSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ORGDELETEREQUEST

Represents a request to delete a developer edition (DE) org. This object is available in API version 42.0 and later. It is available only in Developer and Database.com editions.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrgDeleteRequest in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CurrencyIsoCode`	Currency ISO Code	picklist		3		
`Id`	Org Delete Request ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`Name`	Name	string		255		
`OwnerId`	Owner ID	reference		18		
`RequestType`	Request Type	picklist		255		
`SystemModstamp`	System Modstamp	datetime				

ORGDELETEREQUESTSHARE

Sharing for OrgDeleteRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ORGEMAILADDRESSSECURITY

Defines the assignment of a user profile to an org-wide email address. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrgEmailAddressSecurity in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Id`	Organization Email Address Security ID	id		18		
`OrgWideEmailAddressId`	Organization-wide From Email Address ID	reference		18		
`ParentId`	Profile ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

ORGINCIDENTSUMMARY

Represents statistics according to various categories of incidents in an organization, such as non-compliance with laws, corruptions, health and safety, discrimination, marketing and labeling, and customer privacy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrgIncidentSummary in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	picklist		40		
CorrectiveActionType	Corrective Action Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
DisclsReportingPeriodId	Disclosure Reporting Period ID	reference		18		
FineAmount	Fine Amount	currency			18	0
HazardType	Hazard Type	picklist		40		
HoursWorked	Hours Worked	double			18	0
Id	Organization Incident Summary ID	id		18		
IncidentCount	Incident Count	double			18	0
IncidentSubtype	Incident Subtype	picklist		40		
IncidentType	Incident Type	picklist		40		
IsDeleted	Deleted	boolean				
IsWorkRelated	Work Related	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PenaltyType	Penalty Type	picklist		40		
SubsidiaryAccountId	Account ID	reference		18		
SystemModstamp	System Modstamp	datetime				

ORGINCIDENTSUMMARYFEED

Feed tracking for OrgIncidentSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

ORGINCIDENTSUMMARYHISTORY

History for tracked fields of OrgIncidentSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Organization Incident Summary History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`OrgIncidentSummaryId`	Organization Incident Summary ID	reference		18		

ORGINCIDENTSUMMARYSHARE

Sharing for OrgIncidentSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

ORGMETRIC

Represents a feature or metric that Salesforce Optimizer evaluates. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrgMetric in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FeatureType	Feature Type	picklist		40		
Id	Org Metric ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LatestOrgMetricScanSummaryId	Org Metric Scan ID	reference		18		
Name	Org Metric	string		255		
SystemModstamp	System Modstamp	datetime				

ORGMETRICSCANRESULT

Represents data or an item associated with a feature's results in a Salesforce Optimizer evaluation. For example, for the Custom Field Limit feature, an OrgMetricScanResult object represents an object flagged for approaching the custom field limit. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrgMetricScanResult in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Date	Date	datetime				
Flags	Flags	int	9			
Id	Org Metric Scan Result ID	id		18		
IsDeleted	Deleted	boolean				
ItemStatus	Status	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Org Metric Scan Result	string		255		
Object	Object	string		255		
OrgMetricScanSummaryId	Org Metric Scan ID	reference		18		
Profile	Profile	int	9			
Quantity	Quantity	int	9			
SystemModstamp	System Modstamp	datetime				
Type	Type	string		255		
Url	Url	url		255		
User	User	string		255		

ORGMETRICSCANSUMMARY

Represents the results summary for a specific feature in a Salesforce Optimizer evaluation. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrgMetricScanSummary in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
ErrorMessage	Error Message	picklist		40		
FeatureLimit	Limit	int	9			
Id	Org Metric Scan ID	id		18		
ImplementationEffort	Implementation Effort	picklist		40		
IsDeleted	Deleted	boolean				
ItemCount	Count	int	9			
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Org Metric Scan Summary	string		255		
OrgMetricId	Org Metric ID	reference		18		
PercentUsage	Percent Usage	percent			3	0
ScanDate	Scan Date	datetime				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
Unit	Unit	string		64		

ORGWIDEEMAILADDRESS

Represents an organization-wide email address for user profiles.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OrgWideEmailAddress in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Address`	Email Address	email		270		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DisplayName`	Display Name	string		300		
`Id`	Organization-wide From Email Address ID	id		18		
`IsAllowAllProfiles`	Allow All Profiles	boolean				
`IsVerified`	Status	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`Purpose`	Purpose	picklist		40		
`SystemModstamp`	System Modstamp	datetime				

ORGANIZATION

Represents key configuration information for an organization.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Organization in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Address	Address	address				
City	City	string		40		
ComplianceBccEmail	Compliance BCC Email	email		80		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultAccountAccess	Default Account Access	picklist		40		
DefaultCalendarAccess	Default Calendar Access	picklist		40		
DefaultCampaignAccess	Default Campaign Access	picklist		40		
DefaultCaseAccess	Default Case Access	picklist		40		
DefaultContactAccess	Default Contact Access	picklist		40		
DefaultLeadAccess	Default Lead Access	picklist		40		
DefaultLocaleSidKey	Locale	picklist		40		
DefaultOpportunityAccess	Default Opportunity Access	picklist		40		
DefaultPricebookAccess	Default Price Book Access	picklist		40		
DelegatedAuthenticationServiceUrl	Single Sign-On Gateway URL	url		255		
Division	Division	string		80		
Fax	Fax	phone		40		
FiscalYearStartMonth	Fiscal Year Starts In	int	9			
GeocodeAccuracy	Geocode Accuracy	picklist		40		
Id	Organization ID	id		18		
InstanceName	Instance Name	string		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsReadOnly	Is Read Only	boolean				
IsSandbox	Is Sandbox	boolean				
LanguageLocaleKey	Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Latitude	Latitude	double			18	15
Longitude	Longitude	double			18	15
MonthlyPageViewsEntitlement	Monthly Page Views Allowed	int	9			
MonthlyPageViewsUsed	Monthly Page Views Used	int	9			
Name	Name	string		80		
NamespacePrefix	Namespace Prefix	string		15		
NumKnowledgeService	Knowledge Licenses	int	9			
OrganizationType	Edition	picklist		40		
Phone	Phone	phone		40		
PostalCode	Zip/Postal Code	string		20		
PreferencesAutoSelectIndividualOnMerge	AutoSelectIndividualOnMerge	boolean				
PreferencesConsentManagementEnabled	ConsentManagementEnabled	boolean				
PreferencesEmailSenderIdCompliance	EmailSenderIdCompliance	boolean				
PreferencesLightningLoginEnabled	LightningLoginEnabled	boolean				
PreferencesOnlyLLPermUserAllowed	OnlyLLPermUserAllowed	boolean				
PreferencesRequireOpportunityProducts	RequireOpportunityProducts	boolean				
PreferencesTransactionSecurityPolicy	TransactionSecurityPolicy	boolean				
PrimaryContact	Primary Contact	string		80		
ReceivesAdminInfoEmails	Info Emails Admin	boolean				
ReceivesInfoEmails	Info Emails	boolean				
SignupCountryIsoCode	Signup Country	string		2		
State	State/Province	string		80		
Street	Street	textarea		255		
SystemModstamp	System Modstamp	datetime				
TimeZoneSidKey	Time Zone	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TrialExpirationDate	Trial Expiration Date	datetime				
UiSkin	UI Skin	picklist		40		
UsesStartDateAsFiscalYearName	Fiscal Year Name by Start	boolean				
WebToCaseDefaultOrigin	Web to Cases Default Origin	string		40		

OTHERCOMPONENTTASK

Represents the details of a component task performed in a visit. A component task allows customers to launch components from the task framework. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OtherComponentTask in the *Consumer Goods Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
FullyQualifiedName	Fully Qualified Name	string		255		
Id	Other Component Task ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentTaskId	Assessment Task ID	reference		18		
ParticipantRoleId	ParticipantRole ID	reference		18		
SystemModstamp	System Modstamp	datetime				

OTHERCOMPONENTTASKFEED

Feed tracking for OtherComponentTask.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

OTHERCOMPONENTTASKHISTORY

History for tracked fields of OtherComponentTask.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Other Component Task History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`OtherComponentTaskId`	Other Component Task ID	reference		18		

OTHERCOMPONENTTASKSHARE

Sharing for OtherComponentTask.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

OTHEREMSSNFCTRSET

Represents a collection of emissions and conversion factors for various data types and sources that are neither the electricity grid nor scope 3 data types.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OtherEmssnFctrSet in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Ch4GlblWarmingPot	CH4 Global Warming Potential	double			10	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmissionFactorDataSource	Emissions Factor Data Source	textarea		32000		
EmissionFactorUpdateYear	Emissions Factor Update Year	picklist		255		
ExternalIdentifier	External Identifier	string		255		
Id	Other Emissions Factor Set ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
N2oGlblWarmingPot	N2O Global Warming Potential	double			10	0
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ReferenceDataLoadLogId	Reference Data Load Log ID	reference		18		
RefrigerantLeakageRtInKgItKwh	Data Center Refrigerant Leakage Rate (kg/IT kWh)	double			18	10
RefrigerantLeakageRtInKgM2	Refrigerant Leakage Rate (kg/m2)	double			18	8
RefrigerantLeakageRtInKgSqft	Refrigerant Leakage Rate (kg/sqft)	double			18	8
SystemModstamp	System Modstamp	datetime				

OTHEREMSSNFCTRSETFEED

Feed tracking for OtherEmssnFctrSet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

OTHEREMSSNFCTRSETHISTORY

History for tracked fields of OtherEmssnFctrSet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Other Emissions Factor Set History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`OtherEmssnFctrSetId`	Other Emissions Factor Set ID	reference		18		

OTHEREMSSNFCTRSETITEM

Represents the individual entries for emissions and conversion factors for various data types and sources that are neither the electricity grid nor scope 3 data types.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OtherEmssnFctrSetItem in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CalorificValue	Calorific Value	double			16	6
CalorificValueUnit	Calorific Value Unit	picklist		255		
Ch4EmissionFactor	CH4 Emissions Factor	double			17	7
Ch4EmissionFactorUnit	CH4 Emissions Factor Unit	picklist		255		
Co2EmissionFactor	CO2 Emissions Factor	double			16	6
Co2EmissionFactorUnit	CO2 Emissions Factor Unit	picklist		255		
Co2eEmissionFactorInTco2eGj	CO2e Emissions Factor (tCO2e/GJ)	double			18	6
Co2eEmissionFactorInTco2eMwh	CO2e Emissions Factor (tCO2e/MWh)	double			18	6
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalIdentifier	External Identifier	string		255		
FuelType	Fuel Type	picklist		255		
FuelTypeRefId	Fuel Type ID	reference		18		
Id	Other Emissions Factor Set Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
N2oEmissionFactor	N2O Emissions Factor	double			17	7

Field Name	Field Label	Type	Digits	Length	Precision	Scale
N2oEmissionFactorUnit	N2O Emissions Factor Unit	picklist		255		
Name	Name	string		255		
ParentEmissionFactorId	Other Emissions Factor Set ID	reference		18		
ReferenceDataLoadLogId	Reference Data Load Log ID	reference		18		
SuppliedEmissionsFactor	Supplied CO2e Emissions Factor	double			18	6
SuppliedEmissionsFactorUnit	Supplied CO2e Emissions Factor Unit	picklist		255		
SystemModstamp	System Modstamp	datetime				

OTHEREMSSNFCTRSETITEMFEED

Feed tracking for OtherEmssnFctrSetItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

OTHEREMSSNFCTRSETITEMHISTORY

History for tracked fields of OtherEmssnFctrSetItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Other Emissions Factor Set Item History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`OtherEmssnFctrSetItemId`	Other Emissions Factor Set Item ID	reference		18		

OTHEREMSSNFCTRSETSHARE

Sharing for OtherEmssnFctrSet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

OUTOFOFFICE

Represents a user-set value on a profile that shows when the user intends to be out of the office.

For more information, see OutOfOffice in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EndDate`	End Date	datetime				
`Id`	Out Of Office ID	id		18		
`IsDeleted`	Deleted	boolean				
`IsEnabled`	Is Enabled	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`Message`	Out Of Office Message	string		60		
`StartDate`	Start Date	datetime				
`SystemModstamp`	System Modstamp	datetime				
`UserId`	User ID	reference		18		

OUTCOME

Represents information about the expected change in participants that is driven by the organization's activity. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Outcome in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		1000		
Id	Outcome ID	id		18		
IntendedDirection	Intended Direction	picklist		255		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SourceName	Source Name	string		255		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
Term	Term	picklist		40		

OUTCOMEACTIVITY

Represents a junction between Outcome and the object that's related to the activity undertaken by an organization to achieve that outcome. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OutcomeActivity in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitId	Benefit ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
GoalDefinitionId	Goal Definition ID	reference		18		
Id	Outcome Activity ID	id		18		
IndividualApplicationId	Individual Application ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OutcomeActivityType	Type	picklist		40		
OutcomeId	Outcome ID	reference		18		
OwnerId	Owner ID	reference		18		
ProgramId	Program ID	reference		18		
SystemModstamp	System Modstamp	datetime				

OUTCOMEACTIVITYFEED

Feed tracking for OutcomeActivity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

OUTCOMEACTIVITYHISTORY

History for tracked fields of OutcomeActivity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Outcome Activity History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
OutcomeActivityId	Outcome Activity ID	reference		18		

OUTCOMEACTIVITYSHARE

Sharing for OutcomeActivity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

OUTCOMEFEED

Feed tracking for Outcome.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

OUTCOMEHISTORY

History for tracked fields of Outcome.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Outcome History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
OutcomeId	Outcome ID	reference		18		

OUTCOMESHARE

Sharing for Outcome.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

OUTGOINGEMAIL

For internal use only.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OutgoingEmail in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BccAddress	BCC	string		4000		
CcAddress	CC	string		4000		
EmailTemplateId	Email Template ID	reference		18		
ExternalId	External ID	string		255		
HtmlBody	HTML Body	textarea		128000		
Id	Outgoing Email ID	id		18		
InReplyTo	In Reply To	string		4000		
MessageId	Message Id	string		4000		
References	References	string		4000		
RelatedToId	Related To ID	reference		18		
Subject	Subject	string		3000		
TextBody	Text Body	textarea		128000		
ToAddress	To	string		4000		
ValidatedFromAddress	From	picklist		255		
WhoId	Name ID	reference		18		

OUTGOINGEMAILRELATION

For internal use only.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OutgoingEmailRelation in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ExternalId`	External ID	string		255		
`Id`	Outgoing Email Relation ID	id		18		
`OutgoingEmailId`	Outgoing Email ID	string		255		
`RelationAddress`	Relation Address	string		255		
`RelationId`	Relation ID	reference		18		

OUTREACHSOURCECODEFEED

Feed tracking for OutreachSourceCode.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

OUTREACHSOURCECODEHISTORY

History for tracked fields of OutreachSourceCode.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Outreach Source Code History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`OutreachSourceCodeId`	Outreach Source Code ID	reference		18		

OUTREACHSOURCECODESHARE

Sharing for OutreachSourceCode.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

OUTREACHSUMMARYFEED

Feed tracking for OutreachSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

OUTREACHSUMMARYHISTORY

History for tracked fields of OutreachSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Outreach Summary History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
OutreachSummaryId	Outreach Summary ID	reference		18		

OUTREACHSUMMARYSHARE

Sharing for OutreachSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

OWNEDCONTENTDOCUMENT

Represents a file owned by a user. This object is available in version 30.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OwnedContentDocument in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentDocumentId	ContentDocument ID	reference		18		
ContentSize	Content Size	int	9			
ContentUrl	Content URL	url		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created	datetime				
ExternalDataSourceName	External Data Source	string		80		
ExternalDataSourceType	Class ID	picklist		80		
FileExtension	File Extension	string		40		
FileType	File Type	string		20		
Id	User Owned Content Document Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Content Modified Date	datetime				
OwnerId	Owner ID	reference		18		
Title	Title	string		255		

OWNERCHANGEOPTIONINFO

Represents default and optional actions that can be performed when a record's owner is changed. Available in API version 35.0 and later, but to query for change owner metadata, use the OwnerChangeOptionInfo object in Tooling API instead. For more information, see OwnerChangeOptionInfo in the Tooling API.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see OwnerChangeOptionInfo in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`DefaultValue`	Default Value	boolean				
`DurableId`	Durable ID	string		255		
`EntityDefinitionId`	Entity Definition ID	string		70		
`Id`	Change Owner Option ID	id		18		
`IsEditable`	Is Editable	boolean				
`Label`	Label	string		150		
`Name`	Name	string		150		
`ParentId`	Change Owner Option ID	string		70		

PACKAGELICENSE

Represents a license for an installed managed package. This object is available in API version 31.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PackageLicense in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AllowedLicenses	Allowed Licenses	int	9			
CreatedDate	Created Date	datetime				
ExpirationDate	Expiration Date	datetime				
Id	Package License ID	id		18		
IsAvailableForIntegrations	Enabled for Platform Integrations	boolean				
IsProvisioned	Is Provisioned	boolean				
LastModifiedDate	Last Modified Date	datetime				
NamespacePrefix	Namespace Prefix	string		40		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
UsedLicenses	Used Licenses	int	9			

PARTICIPANT

Represents a participant in a ConversationParticipant. An existing or new Participant is referenced each time a new ConversationParticipant is created. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Participant in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Participant ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`ParticipantAppType`	App Type	string		255		
`ParticipantRole`	Role	string		36		
`ParticipantSubject`	Subject	string		255		
`SystemModstamp`	System Modstamp	datetime				

PARTICIPANTROLE

Represents details such as the name and associated default access level for a role that a participant can have in the context of a parent record. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ParticipantRole in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultAccessLevel	Default Access Level	picklist		255		
DeveloperName	API Name	string		80		
Id	Participant Role ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Participant Role Name	string		80		
NamespacePrefix	Namespace Prefix	string		15		
ParentObject	Parent Object	picklist		255		
SystemModstamp	System Modstamp	datetime				

PARTNER

Represents a partner relationship between two Account records or between an Opportunity record and an Account record.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Partner in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountFromId	Account From ID	reference		18		
AccountToId	Account To ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Partner ID	id		18		
IsDeleted	Deleted	boolean				
IsPrimary	Primary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OpportunityId	Opportunity ID	reference		18		
ReversePartnerId	Reverse Partner ID	reference		18		
Role	Role	picklist		255		
SystemModstamp	System Modstamp	datetime				

PARTNERFUNDALLOCATION

Represents allocated funds from a partner marketing budget for channel partners. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PartnerFundAllocation in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
BudgetId	Partner Marketing Budget ID	reference		18		
ChannelPartnerId	Channel Partner ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		255		
Id	Partner Fund Allocation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Partner Fund Allocation Name	string		255		
TotalApprovedFcs	Total Approved Fund Claims	currency			18	2
TotalApprovedFrs	Total Approved Fund Requests	currency			18	2
TotalReimbursedFcs	Total Reimbursed Fund Claims	currency			18	2

PARTNERFUNDALLOCATIONFEED

Feed tracking for PartnerFundAllocation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTNERFUNDALLOCATIONHISTORY

History for tracked fields of PartnerFundAllocation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Partner Fund Allocation History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartnerFundAllocationId	Partner Fund Allocation ID	reference		18		

PARTNERFUNDALLOCATIONSHARE

Sharing for PartnerFundAllocation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PARTNERFUNDCLAIM

Represents a claim of funds from the partner marketing budget by a channel partner. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PartnerFundClaim in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AllocationId	Partner Fund Allocation ID	reference		18		
Amount	Amount	currency			18	2
BudgetId	Partner Marketing Budget ID	reference		18		
ChannelPartnerId	Channel Partner ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		255		
Id	Partner Fund Claim ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
RequestId	Partner Fund Request ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Title	Partner Fund Claim Name	string		255		

PARTNERFUNDCLAIMFEED

Feed tracking for PartnerFundClaim.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTNERFUNDCLAIMHISTORY

History for tracked fields of PartnerFundClaim.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Partner Fund Claim History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartnerFundClaimId	Partner Fund Claim ID	reference		18		

PARTNERFUNDCLAIMSHARE

Sharing for PartnerFundClaim.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PARTNERFUNDREQUEST

Represents a request for funds from the partner marketing budget by a channel partner. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PartnerFundRequest in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Activity	Activity	picklist		40		
AllocationId	Partner Fund Allocation ID	reference		18		
Amount	Amount	currency			18	2
BudgetId	Partner Marketing Budget ID	reference		18		
ChannelPartnerId	Channel Partner ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		255		
DesiredOutcome	Desired Outcome	textarea		255		
Id	Partner Fund Request ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
RequestedAmount	Requested Amount	currency			18	2
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Title	Partner Fund Request Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalApprovedFcs	Total Approved Fund Claims	currency			18	2
TotalReimbursedFcs	Total Reimbursed Fund Claims	currency			18	2

PARTNERFUNDREQUESTFEED

Feed tracking for PartnerFundRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTNERFUNDREQUESTHISTORY

History for tracked fields of PartnerFundRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Partner Fund Request History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartnerFundRequestId	Partner Fund Request ID	reference		18		

PARTNERFUNDREQUESTSHARE

Sharing for PartnerFundRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PARTNERMARKETINGBUDGET

Represents a budget that provides funds to channel partners for selling and marketing products and services. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PartnerMarketingBudget in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
ChannelPartnerId	Channel Partner ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		255		
EndDate	End Date	date				
Id	Partner Marketing Budget ID	id		18		
IsDeleted	Deleted	boolean				
IsIgnoreValidation	Ignore Validation Rules	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				
Title	Partner Marketing Budget Name	string		255		
TotalAllocatedAmount	Total Allocated Amount	currency			18	2
TotalApprovedFcs	Total Approved Fund Claims	currency			18	2
TotalApprovedFrs	Total Approved Fund Requests	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalReimbursedFcs	Total Reimbursed Fund Claims	currency			18	2
Type	Budget Type	picklist		255		

PARTNERMARKETINGBUDGETFEED

Feed tracking for PartnerMarketingBudget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTNERMARKETINGBUDGETHISTORY

History for tracked fields of PartnerMarketingBudget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Partner Marketing Budget History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartnerMarketingBudgetId	Partner Marketing Budget ID	reference		18		

PARTNERMARKETINGBUDGETSHARE

Sharing for PartnerMarketingBudget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PARTNERROLE

Represents a role for an account Partner, such as consultant, supplier, and so on.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PartnerRole in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Partner Role Value ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
ReverseRole	Reverse Role	picklist		255		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

PARTYCERTIFIEDCAPACITY

Represents the information captured from the certificate of capacity, such as the party's capacity to work, a timeline for recovery, and return to work. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PartyCertifiedCapacity in the *Financial Services Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Party Certified Capacity ID	id		18		
IsDeleted	Deleted	boolean				
IssueDate	Issue Date	date				
IssuerId	Issuer ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PartyId	Party ID	reference		18		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

PARTYCERTIFIEDCAPACITYFEED

Feed tracking for PartyCertifiedCapacity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PARTYCERTIFIEDCAPACITYHISTORY

History for tracked fields of PartyCertifiedCapacity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Party Certified Capacity History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartyCertifiedCapacityId	Party Certified Capacity ID	reference		18		

PARTYCERTIFIEDCAPACITYSHARE

Sharing for PartyCertifiedCapacity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PARTYCONSENT

Represents consent preferences for an individual. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PartyConsent in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Action	Action	picklist		255		
BusinessBrandId	Business Brand ID	reference		18		
CaptureContactPointType	Consent Captured Contact Point Type	picklist		255		
CaptureDate	Consent Captured Date Time	datetime				
CaptureSource	Consent Captured Source	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DataUsePurposeId	Data Use Purpose ID	reference		18		
Id	PartyConsent ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PartyId	Individual ID	reference		18		
PartyRoleId	Party Role ID	reference		18		
PrivacyConsentStatus	Privacy Consent Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

PARTYCONSENTFEED

Feed tracking for PartyConsent.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTYCONSENTHISTORY

History for tracked fields of PartyConsent.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Party Consent History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartyConsentId	PartyConsent ID	reference		18		

PARTYCONSENTSHARE

Sharing for PartyConsent.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PARTYCREDITPRFLFINCLACCTFEED

Feed tracking for PartyCreditPrflFinclAcct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTYCREDITPRFLFINCLACCTHISTORY

History for tracked fields of PartyCreditPrflFinclAcct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Party Credit Profile Financial Account History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartyCreditPrflFinclAcctId	Party Credit Profile Financial Account ID	reference		18		

PARTYCREDITPRFLFINCLACCTSHARE

Sharing for PartyCreditPrflFinclAcct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PARTYCREDITPROFILE

Represents the credit score details for a party. This object is available in API version 60 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PartyCreditProfile in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditBureauName	Credit Bureau Name	picklist		40		
CreditPrflReportIdentifier	Credit Profile Report Identifier	string		255		
CreditScore	Credit Score	int	9			
CreditScoreDate	Credit Score Date	date				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Party Credit Profile ID	id		18		
IsDeleted	Deleted	boolean				
IsVerified	Verified	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PartyProfileId	Party Profile ID	reference		18		
ReferenceObjectId	Reference Object ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalExposureAmount	Total Exposure Amount	currency			18	0

PARTYCREDITPROFILEALERTFEED

Feed tracking for PartyCreditProfileAlert.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTYCREDITPROFILEALERTHISTORY

History for tracked fields of PartyCreditProfileAlert.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Party Credit Profile Alert History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartyCreditProfileAlertId	Party Credit Profile Alert ID	reference		18		

PARTYCREDITPROFILEALERTSHARE

Sharing for PartyCreditProfileAlert.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PARTYCREDITPROFILEFEED

Feed tracking for PartyCreditProfile.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTYCREDITPROFILEHISTORY

History for tracked fields of PartyCreditProfile.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Party Credit ProfileHistory ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartyCreditProfileId	Party Credit Profile ID	reference		18		

PARTYCREDITPROFILEINQUIRYFEED

Feed tracking for PartyCreditProfileInquiry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTYCREDITPROFILEINQUIRYHISTORY

History for tracked fields of PartyCreditProfileInquiry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Party Credit Profile Inquiry History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartyCreditProfileInquiryId	Party Credit Profile Inquiry ID	reference		18		

PARTYCREDITPROFILEINQUIRYSHARE

Sharing for PartyCreditProfileInquiry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PARTYCREDITPROFILESHARE

Sharing for PartyCreditProfile.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PARTYEXPENSE

Represents the expense incurred by an individual or account. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PartyExpense in the *Financial Services Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationFormId	Application Form ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDateTime	End Date Time	datetime				
ExpensesAsOfDate	Expense As Of Date	date				
Id	Party Expense ID	id		18		
IsDeleted	Deleted	boolean				
IsReadOnly	Read Only	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PartyFinancialLiabilityId	Party Financial Liability ID	reference		18		
PartyId	Party ID	reference		18		
PartyProfileId	Party Profile ID	reference		18		
RecurrenceInterval	Recurrence Interval	picklist		40		
StartDateTime	Start Date Time	datetime				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalAmount	Total Amount	currency			18	2
Type	Type	picklist		40		
UsageType	Usage Type	picklist		255		
VerificationDate	Verification Date	date				
VerificationStatus	Verification Status	picklist		40		

PARTYEXPENSEFEED

Feed tracking for PartyExpense.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTYEXPENSEHISTORY

History for tracked fields of PartyExpense.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Party Expense History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartyExpenseId	Party Expense ID	reference		18		

PARTYEXPENSESHARE

Sharing for PartyExpense.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PARTYFINANCIALASSET

Represents the financial asset owned by an individual or account. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PartyFinancialAsset in the *Automotive Cloud Developer Guide*, *Financial Services Cloud Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicantId	Applicant ID	reference		18		
AssetId	Asset ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		255		
Id	Party Financial Asset ID	id		18		
IsDeleted	Deleted	boolean				
IsLienExisting	Is Lien Existing	boolean				
IsReadOnly	Is Read Only	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MakeName	Make Name	string		40		
ModelName	Model Name	string		40		
ModelYear	Model Year	string		40		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
OwnershipPercent	Ownership Percent	percent			6	3
OwnershipStartDateTime	Ownership Start Date Time	datetime				
OwnershipType	Ownership Type	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PartyId	Party ID	reference		18		
PartyProfileId	Party Profile ID	reference		18		
PayoffDueAmount	Payoff Due Amount	currency			18	2
PledgeAmount	Pledge Amount	currency			18	0
PurchaseAmount	Purchase Amount	currency			18	0
SerialNumber	Serial Number	string		40		
SourceSystemIdentifier	Source System Identifier	string		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		
UsageType	Usage Type	picklist		255		
ValuationAmount	Valuation Amount	currency			18	0
ValuationDateTime	Valuation Date Time	datetime				
VerificationDate	Verification Date	date				
VerificationStatus	Verification Status	picklist		40		

PARTYFINANCIALASSETFEED

Feed tracking for PartyFinancialAsset.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTYFINANCIALASSETHISTORY

History for tracked fields of PartyFinancialAsset.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Party Financial Asset History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartyFinancialAssetId	Party Financial Asset ID	reference		18		

PARTYFINANCIALASSETLIEN

Represents information about the lien of the financial asset owned by an individual or account. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PartyFinancialAssetLien in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Party Financial Asset Lien ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LienAmount	Lien Amount	currency			18	2
LienHolder	Lien Holder	string		255		
MaturityDate	Maturity Date	date				
Name	Name	string		255		
PartyFinancialAssetId	Party Financial Asset ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PARTYFINANCIALASSETLIENFEED

Feed tracking for PartyFinancialAssetLien.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTYFINANCIALASSETLIENHISTORY

History for tracked fields of PartyFinancialAssetLien.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Party Financial Asset Lien History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartyFinancialAssetLienId	Party Financial Asset Lien ID	reference		18		

PARTYFINANCIALASSETRELAFEED

Feed tracking for PartyFinancialAssetRela.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTYFINANCIALASSETRELAHISTORY

History for tracked fields of PartyFinancialAssetRela.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Party Financial Asset Relationship History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartyFinancialAssetRelaId	Party Financial Asset Relationship ID	reference		18		

PARTYFINANCIALASSETSHARE

Sharing for PartyFinancialAsset.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PARTYFINANCIALASSETTERMFEED

Feed tracking for PartyFinancialAssetTerm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTYFINANCIALASSETTERMHISTORY

History for tracked fields of PartyFinancialAssetTerm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Party Financial Asset Term History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartyFinancialAssetTermId	Party Financial Asset Term ID	reference		18		

PARTYFINANCIALLIABILITY

Represents information about a financial liability held by a party. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PartyFinancialLiability in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ApplicantId	Applicant ID	reference		18		
ApplicationFormId	Application Form ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EstimatedMonthlyPayment	Estimated Monthly Payment	currency			18	2
Id	Party Financial Liability ID	id		18		
InterestRate	Interest Rate	percent			5	2
IsDeleted	Deleted	boolean				
IsReadOnly	Read Only	boolean				
IsRepaymentActive	Repayment Active	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Lender	Lender	string		255		
LiabilityAccountIdentifier	Liability Account Identifier	string		255		
Name	Name	string		255		
OutstandingBalance	Outstanding Balance	currency			18	2
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PartyId	Party ID	reference		18		
PartyProfileId	Party Profile ID	reference		18		
SharePercent	Share Percent	percent			8	5
ShareType	Share Type	picklist		40		
SourceSystemIdentifier	Source System Identifier	string		255		
StartDate	Start Date	date				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
Term	Remaining Term	string		255		
Type	Type	picklist		40		
UsageType	Usage Type	picklist		255		
VerficationStatus	Verfication Status	picklist		40		
VerificationDate	Verification Date	date				

PARTYFINANCIALLIABILITYFEED

Feed tracking for PartyFinancialLiability.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTYFINANCIALLIABILITYHISTORY

History for tracked fields of PartyFinancialLiability.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Party Financial Liability History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartyFinancialLiabilityId	Party Financial Liability ID	reference		18		

PARTYFINANCIALLIABILITYSHARE

Sharing for PartyFinancialLiability.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PARTYFINCLASSETADDLOWNER

Represents an additional owner of a financial asset. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PartyFinclAssetAddlOwner in the *Automotive Cloud Developer Guide* and *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ApplicantId	Applicant ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Party Financial Asset Additional Owner ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnershipSharePercent	Ownership Share Percent	percent			8	5
PartyFinancialAssetId	Party Financial Asset ID	reference		18		
PartyProfileId	Party Profile ID	reference		18		
SourceSystemIdentifier	Source System Identifier	string		255		
SystemModstamp	System Modstamp	datetime				

PARTYFINCLASSETADDLOWNERFEED

Feed tracking for PartyFinclAssetAddlOwner.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTYFINCLASSETADDLOWNERHISTORY

History for tracked fields of PartyFinclAssetAddlOwner.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Party Financial Asset Additional Owner History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartyFinclAssetAddlOwnerId	Party Financial Asset Additional Owner ID	reference		18		

PARTYFINCLLIABADDLBRWR

Represents information about an additional party associated with a financial liability. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PartyFinclLiabAddlBrwr in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ApplicantId	Applicant ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Party Fincl Liability Addl Borrower ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
PartyFinancialLiabilityId	Party Financial Liability ID	reference		18		
PartyProfileId	Party Profile ID	reference		18		
SharePercent	Share Percent	percent			8	5
SourceSystemIdentifier	Source System Identifier	string		255		
SystemModstamp	System Modstamp	datetime				

PARTYFINCLLIABADDLBRWRFEED

Feed tracking for PartyFinclLiabAddlBrwr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTYFINCLLIABADDLBRWRHISTORY

History for tracked fields of PartyFinclLiabAddlBrwr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Party Fincl Liability Addl Borrower History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartyFinclLiabAddlBrwrId	Party Fincl Liability Addl Borrower ID	reference		18		

PARTYINCOME

Represents all income earned by an individual. The income could be from various sources such as salary, commissions, fees, rental properties, and so on.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PartyIncome in the *Financial Services Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationFormId	Application Form ID	reference		18		
CalendarYear	Calendar Year	int	4			
ClaimId	Claim ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EmployerAddress	Employer Address	textarea		255		
EmployerId	Account ID	reference		18		
EmployerName	Employer Name	string		255		
EmployerPhone	Employer Phone	phone		40		
EndDate	End Date	datetime				
Id	Party Income ID	id		18		
IncomeAmount	Income Amount	currency			18	2
IncomeAsOfDate	Income As Of Date	date				
IncomeFrequency	Income Frequency	picklist		40		
IncomeLossPercent	Income Loss Percent	percent			3	0
IncomeSourceId	Income Source ID	reference		18		
IncomeStatus	Income Status	picklist		40		
IncomeType	Income Type	picklist		40		
IsDeleted	Deleted	boolean				
IsReadOnly	Read Only	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
JobTitle	Job Title	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ModificationReason	Change/Termination Reason	string		255		
Name	Name	string		255		
NetIncome	Net Income	currency			18	2
OwnerId	Owner ID	reference		18		
PartyId	Party ID	reference		18		
PartyProfileId	Party Profile ID	reference		18		
StartDate	Start Date	datetime				
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		255		
VerificationDate	Verification Date	date				
VerificationStatus	Verification Status	picklist		40		

PARTYINCOMEFEED

Feed tracking for PartyIncome.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTYINCOMEHISTORY

History for tracked fields of PartyIncome.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Party Income History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartyIncomeId	Party Income ID	reference		18		

PARTYINCOMESHARE

Sharing for PartyIncome.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PARTYPHILANTHROPICASSESSMENT

Represents a formalized assessment of wealth when a rating takes place, such as a third-party wealth assessment, a property valuation, a financial asset assessment, or an internal assessment. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PartyPhilanthropicAssessment in the *Fundraising Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AssessmentOrganizationId	Account ID	reference		18		
AssessmentType	Assessment Type	picklist		40		
AssetLiquidationValue	Asset Liquidation Value	currency			18	2
AttributedUserId	User ID	reference		18		
BusinessOwnershipValue	Business Ownership Value	currency			18	2
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Date	Date	date				
ExtendedSummary	Extended Summary	textarea		32000		
GivingLevel	Giving Level	picklist		40		
Id	Party Philanthropic Assessment ID	id		18		
Income	Income	currency			18	2
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OtherAssetsValue	Other Assets Value	currency			18	2
OtherNonprofitGiftAmount	Other Nonprofit Gift Amount	currency			18	2
OtherNonprofitGiftCount	Other Nonprofit Gift Count	int	9			
OverallRating	Overall Rating	picklist		40		
OwnerId	Owner ID	reference		18		
RealEstateValue	Real Estate Value	currency			18	2
ResponsiblePersonId	User ID	reference		18		
RetirementSavingsAmount	Retirement Savings Amount	currency			18	2
ShortSummary	Short Summary	textarea		1000		
StockValue	Stock Value	currency			18	2
StrengthsAndOpportunities	Strengths and Opportunities	textarea		32000		
SystemModstamp	System Modstamp	datetime				
WeaknessesAndDrawbacks	Weaknesses and Drawbacks	textarea		32000		
WealthAmount	Wealth Amount	currency			18	2

PARTYPHILANTHROPICASSESSMENTFEED

Feed tracking for PartyPhilanthropicAssessment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTYPHILANTHROPICASSESSMENTHISTORY

History for tracked fields of PartyPhilanthropicAssessment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Party Philanthropic Assessment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartyPhilanthropicAssessmentId	Party Philanthropic Assessment ID	reference		18		

PARTYPHILANTHROPICASSESSMENTSHARE

Sharing for PartyPhilanthropicAssessment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PARTYPHILANTHROPICINDICATOR

Represents an unconfirmed or soft indication that highlights a person's wealth or growth potential. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PartyPhilanthropicIndicator in the *Fundraising Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AttributedUserId	User ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DateCollected	Date Collected	date				
EstimatedValue	Estimated Value	currency			18	2
Id	Party Philanthropic Indicator ID	id		18		
Indicator	Indicator	picklist		40		
IndicatorType	Indicator Type	picklist		40		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OtherSource	Other Source	string		255		
OwnerId	Owner ID	reference		18		
ParticipantId	Contact ID	reference		18		
PartyPhilanthropicOccurrenceId	Party Philanthropic Occurrence ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RelatedOrganizationId	Account ID	reference		18		
SourceId	Source ID	reference		18		
SourceType	Source Type	picklist		40		
Status	Status	picklist		255		
Summary	Summary	textarea		32000		
SystemModstamp	System Modstamp	datetime				

PARTYPHILANTHROPICINDICATORFEED

Feed tracking for PartyPhilanthropicIndicator.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTYPHILANTHROPICINDICATORHISTORY

History for tracked fields of PartyPhilanthropicIndicator.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Party Philanthropic Indicator History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartyPhilanthropicIndicatorId	Party Philanthropic Indicator ID	reference		18		

PARTYPHILANTHROPICINDICATORSHARE

Sharing for PartyPhilanthropicIndicator.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PARTYPHILANTHROPICMILESTONE

Represents philanthropic activities and financial status for a period of time. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PartyPhilanthropicMilestone in the *Fundraising Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AssetLiquidationValue	Asset Liquidation Value	currency			18	2
BusinessOwnershipValue	Business Ownership Value	currency			18	2
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Date	Date	date				
ExtendedSummary	Extended Summary	textarea		32000		
GivingLevel	Giving Level	picklist		40		
Id	Party Philanthropic Milestone ID	id		18		
Income	Income	currency			18	2
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OtherAssetsValue	Other Assets Value	currency			18	2
OtherNonprofitGiftAmount	Other Nonprofit Gift Amount	currency			18	2
OtherNonprofitGiftCount	Other Nonprofit Gift Count	int	9			
OverallRating	Overall Rating	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OwnerId	Owner ID	reference		18		
PtyPhilanthropicAsmtCnt	Party Philanthropic Assessment Count	int	9			
PtyPhilanthropicIndCnt	Party Philanthropic Indicator Count	int	9			
PtyPhilanthropicOccrCnt	Party Philanthropic Occurrence Count	int	9			
RealEstateValue	Real Estate Value	currency			18	2
ResponsiblePersonId	User ID	reference		18		
RetirementSavingsAmount	Retirement Savings Amount	currency			18	2
ShortSummary	Short Summary	textarea		1000		
StockValue	Stock Value	currency			18	2
StrengthsAndOpportunities	Strengths and Opportunities	textarea		32000		
SystemModstamp	System Modstamp	datetime				
WeaknessesAndDrawbacks	Weaknesses and Drawbacks	textarea		32000		
WealthAmount	Wealth Amount	currency			18	2

PARTYPHILANTHROPICMILESTONEFEED

Feed tracking for PartyPhilanthropicMilestone.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTYPHILANTHROPICMILESTONEHISTORY

History for tracked fields of PartyPhilanthropicMilestone.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Party Philanthropic Milestone History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartyPhilanthropicMilestoneId	Party Philanthropic Milestone ID	reference		18		

PARTYPHILANTHROPICMILESTONESHARE

Sharing for PartyPhilanthropicMilestone.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PARTYPHILANTHROPICOCCURRENCE

xxx This object is available in API version XX.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PartyPhilanthropicOccurrence in the *Fundraising Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AttributedUserId	User ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DateCollected	Date Collected	date				
EstimatedValue	Estimated Value	currency			18	2
Id	Party Philanthropic Occurrence ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OccurrenceType	Occurrence Type	picklist		40		
OtherSource	Other Source	string		255		
OwnerId	Owner ID	reference		18		
ParticipantId	Contact ID	reference		18		
PartyPhilanthropicAssessmentId	Party Philanthropic Assessment ID	reference		18		
RelatedOrganizationId	Account ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ResearchType	Research Type	picklist		40		
SourceId	Source ID	reference		18		
SourceType	Source Type	picklist		40		
Summary	Summary	textarea		32000		
SystemModstamp	System Modstamp	datetime				
VerificationType	Verification Type	picklist		255		

PARTYPHILANTHROPICOCCURRENCEFEED

Feed tracking for PartyPhilanthropicOccurrence.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTYPHILANTHROPICOCCURRENCEHISTORY

History for tracked fields of PartyPhilanthropicOccurrence.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Party Philanthropic Occurrence History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartyPhilanthropicOccurrenceId	Party Philanthropic Occurrence ID	reference		18		

PARTYPHILANTHROPICOCCURRENCESHARE

Sharing for PartyPhilanthropicOccurrence.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PARTYPROFILE

Represents information about the profile of a party, such as an account. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PartyProfile in the *Financial Services Cloud Developer Guide*, *Public Sector Solutions Developer Guide*, and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
BusLicIssAuthorityName	Business License Issuing Authority Name	string		255		
BusinessEntityCtryofInc	Business Entity Country of Incorporation	picklist		40		
BusinessEntityCtryofRgstr	Business Entity Country of Registration	picklist		40		
BusinessEntityIncDate	Business Entity Incorporation Date	date				
BusinessEntityIncNumber	Business Entity Incorporation Number	string		255		
BusinessEntityPreviousNames	Business Entity Previous Names	string		255		
BusinessEntityRgstrDate	Business Entity Registration Date	date				
BusinessEntityRgstrNumber	Business Entity Registration Number	string		255		
BusinessEntityTradeName	Business Entity Trade Name	string		255		
BusinessEntityType	Business Entity Type	picklist		40		
ContactId	Contact ID	reference		18		
CountryOfDomicile	Domicile Country	picklist		40		
CountryofBirth	Birth Country	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditScore	Credit Score	double			18	0
CreditScoreProvider	Credit Score Agency Name	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CurrencyIsoCode	Currency ISO Code	picklist		3		
CustomerReferenceNumber	Customer Reference Number	string		23		
DateOfBirth	Date of Birth	date				
EmploymentIndustry	Employment Industry	picklist		40		
EmploymentType	Employment Type	picklist		40		
FirstName	First Name	string		255		
FullName	Full Name	string		255		
FundSource	Fund Source	multipicklist		4099	0	
Gender	Gender	picklist		40		
HouseholdAccountId	Account ID	reference		18		
Id	Party Profile ID	id		18		
Industry	Industry	picklist		40		
IndustryClassificationCode	Industry Classification Code	picklist		40		
IsAged	Aged	boolean				
IsBusEntyListonStockExch	BE Listed on Stock Exchange	boolean				
IsDeleted	Deleted	boolean				
IsDisabled	Disabled	boolean				
IsFlaggedCustomer	Flagged Customer	boolean				
IsInstitutionalized	Institutionalized	boolean				
IsLowIncome	Low Income	boolean				
IsMedicaidEligible	Medicaid Eligible	boolean				
IsNetWorthHigh	High Net Worth	boolean				
IsOffBoarded	Off-Boarded	boolean				
IsRecalculationRequired	Recalculation Required	boolean				
IsVerified	Verified	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastName	Last Name	string		255		
LastProfileReviewDate	Last Profile Review Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastViewedDate	Last Viewed Date	datetime				
LeadId	Lead ID	reference		18		
LegalEntityIdentifier	Legal Entity Identifier	string		255		
MiddleName	Middle Name	string		255		
Name	Party Profile Name	string		255		
Nationality	Nationality	picklist		40		
NextProfileReviewDate	Next Profile Review Date	datetime				
OffBoardingComments	Off-Boarding Comment	textarea		1000		
OffBoardingReason	Off-Boarding Reason	picklist		40		
OwnerId	Owner ID	reference		18		
Prefix	Prefix	string		255		
PrimaryEmail	Primary Email	string		255		
PrimaryIdentificationName	Primary Identification Name	string		255		
PrimaryIdentifier	Primary Identifier	string		255		
PrimaryIdentifierType	Primary Identification Type	picklist		40		
PrimaryPhone	Primary Phone	phone		40		
RelatedPartyProfileId	Party Profile ID	reference		18		
ResidentType	Resident Type	picklist		40		
RetirementFundAccountNumber	Retirement Fund Account Number	string		255		
ReviewDecision	Review Decision	picklist		40		
Stage	Stage	picklist		40		
StockExchangeName	Stock Exchange Name	multipicklist		4099	0	
Suffix	Suffix	string		255		
SurnameAtBirth	Birth Surname	string		255		
SystemModstamp	System Modstamp	datetime				
TaxpayerIdentificationNumber	Taxpayer Identification Number	string		255		
TaxpayerIdentificationType	Taxpayer Identification Type	picklist		40		
Type	Type	picklist		255		

PARTYPROFILEFEED

Feed tracking for PartyProfile.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PARTYPROFILEHISTORY

History for tracked fields of PartyProfile.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Party Profile History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartyProfileId	Party Profile ID	reference		18		

PARTYPROFILESHARE

Sharing for PartyProfile.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PARTYRELATIONSHIPGROUP

Represents a group of people living together such as a household, or a group of people affiliated with each other. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PartyRelationshipGroup in the *Automotive Cloud Developer Guide*, *Industries Common Resources Developer Guide*, and *Nonprofit Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Category	Category	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		255		
EndDate	End Date	date				
GroupIncome	Group Income	currency			18	0
GroupSize	Group Size	int	9			
Id	Party Relationship Group ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
PrimaryAddress	Primary Address	address				
PrimaryCity	Primary Address City	string		40		
PrimaryCountry	Primary Address Country	string		80		
PrimaryGeocodeAccuracy	Primary Address Geocode Accuracy	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PrimaryLatitude	Primary Address Latitude	double			18	15
PrimaryLongitude	Primary Address Longitude	double			18	15
PrimaryPostalCode	Primary Address Postal Code	string		20		
PrimaryState	Primary Address State	string		80		
PrimaryStreet	Primary Address Street	textarea		255		
StartDate	Start Date	date				
Status	Status	picklist		255		
Subtype	Subtype	picklist		40		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

PARTYRELATIONSHIPGROUPFEED

Feed tracking for PartyRelationshipGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PARTYRELATIONSHIPGROUPHISTORY

History for tracked fields of PartyRelationshipGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Party Relationship Group History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartyRelationshipGroupId	Party Relationship Group ID	reference		18		

PARTYROLERELATION

Represents information about the type of relationship between the participants in a relationship. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PartyRoleRelation in the *Automotive Cloud Developer Guide*, *Channel Revenue Management Guide*, *Industries Common Resources Developer Guide*, *Nonprofit Cloud Developer Guide*, and *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Party Role Relationship ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Party Role Relationship Id	string		255		
OwnerId	Owner ID	reference		18		
RelatedInverseRecordId	Related Inverse Record ID	reference		18		
RelatedRoleName	Related Role Name	string		255		
RelationshipObjectName	Relationship Object Name	picklist		255		
RoleName	Role Name	string		255		
ShouldCreaInversRoleAuto	Create Inverse Role Automatically	boolean				
SystemModstamp	System Modstamp	datetime				

PARTYROLERELATIONFEED

Feed tracking for PartyRoleRelation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PARTYROLERELATIONHISTORY

History for tracked fields of PartyRoleRelation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Party Role Relationship History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PartyRoleRelationId	Party Role Relationship ID	reference		18		

PARTYROLERELATIONSHARE

Sharing for PartyRoleRelation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PATIENTHEALTHREACTION

Represents a patient's adverse reaction to an allergy, intolerance, or immunization. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PatientHealthReaction in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CausativeSubstanceId	Code Set Bundle ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Details	Details	string		255		
ExposureRouteId	Code Set Bundle ID	reference		18		
Id	Patient Health Reaction ID	id		18		
IsDeleted	Deleted	boolean				
IsSelfReported	Self-Reported	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ManifestedSymptomId	Code Set Bundle ID	reference		18		
Name	Name	string		255		
ObservationId	Care Observation ID	reference		18		
ParentId	Parent ID	reference		18		
ReactionDateTime	Reaction Date	datetime				
Severity	Severity	picklist		40		
SystemModstamp	System Modstamp	datetime				

PATIENTHEALTHREACTIONFEED

Feed tracking for PatientHealthReaction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PATIENTHEALTHREACTIONHISTORY

History for tracked fields of PatientHealthReaction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Patient Health Reaction History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PatientHealthReactionId	Patient Health Reaction ID	reference		18		

PATIENTIMMUNIZATION

Represents information about a patient's immunizations. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PatientImmunization in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareObservationId	Care Observation ID	reference		18		
ClinicalEncounterId	Clinical Encounter ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrentDose	Current Dose	string		80		
DiagnosticSummaryId	Diagnostic Summary ID	reference		18		
Dose	Dose	double			6	2
DoseUnitId	Unit of Measure ID	reference		18		
ExpirationDate	Expiration Date	datetime				
FacilityId	Healthcare Facility ID	reference		18		
HealthConditionId	Health Condition ID	reference		18		
Id	Patient Immunization ID	id		18		
ImmunizationRecommendation	Immunization Recommendation	string		80		
InformationSourceId	Code Set Bundle ID	reference		18		
IsDeleted	Deleted	boolean				
IsRecordedByVaccinator	Recorded By Vaccinator	boolean				
IsSubpotent	Subpotent	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LotNumber	Lot Number	string		80		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Manufacturer	Manufacturer	string		80		
ManufacturerAccountId	Account ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PatientId	Account ID	reference		18		
ReasonCodeId	Code Set Bundle ID	reference		18		
RecommendedDoses	Recommended Doses	string		80		
RecommendingAuthority	Recommending Authority	string		80		
RecordCreationDateTime	Record Creation Date	datetime				
RouteId	Code Set Bundle ID	reference		18		
SiteId	Code Set Bundle ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System ID	string		255		
SourceSystemModified	Source System Modified	datetime				
Status	Status	picklist		40		
StatusReasonCodeId	Code Set Bundle ID	reference		18		
SubpotencyReasonCodeId	Code Set Bundle ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TargetDiseaseCodeId	Code Set Bundle ID	reference		18		
VaccinationDate	Vaccination Date	datetime				
VaccinationPeriod	Vaccination Period	string		80		
VaccineCodeId	Code Set Bundle ID	reference		18		

PATIENTIMMUNIZATIONFEED

Feed tracking for PatientImmunization.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PATIENTIMMUNIZATIONHISTORY

History for tracked fields of PatientImmunization.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Patient Immunization History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`PatientImmunizationId`	Patient Immunization ID	reference		18		

PATIENTIMMUNIZATIONPROTOCOL

Represents the protocol followed by a provider for a patient's immunization and its related details. The protocol defines the set of recommendations that are followed while a vaccine is administered. This object is a child of the PatientImmunization object. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PatientImmunizationProtocol in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrentDose	Current Dose	string		64		
Id	Patient Immunization Protocol ID	id		18		
ImmunizationRecommendation	Immunization Recommendation	string		64		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PatientImmunizationId	Patient Immunization ID	reference		18		
RecommendedDoses	Recommended Doses	string		64		
RecommendingAuthority	Recommending Authority	string		64		
SystemModstamp	System Modstamp	datetime				
TargetDisease1CodeId	Code Set Bundle ID	reference		18		
TargetDisease2CodeId	Code Set Bundle ID	reference		18		
TargetDisease3CodeId	Code Set Bundle ID	reference		18		
TargetDisease4CodeId	Code Set Bundle ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TargetDisease5CodeId	Code Set Bundle ID	reference		18		
TargetDisease6CodeId	Code Set Bundle ID	reference		18		

PATIENTIMMUNIZATIONPROTOCOLFEED

Feed tracking for PatientImmunizationProtocol.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PATIENTIMMUNIZATIONPROTOCOLHISTORY

History for tracked fields of PatientImmunizationProtocol.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Patient Immunization Protocol History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PatientImmunizationProtocolId	Patient Immunization Protocol ID	reference		18		

PATIENTIMMUNIZATIONPROTOCOLSHARE

Sharing for PatientImmunizationProtocol.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PATIENTIMMUNIZATIONSHARE

Sharing for PatientImmunization.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PATIENTMEDICALPROCEDURE

Represents detailed information about a healthcare procedure the patient has undergone, is undergoing or will undergo. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PatientMedicalProcedure in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssertionSourceId	Assertion Source ID	reference		18		
ClinicalEncounterId	Clinical Encounter ID	reference		18		
CodeId	Code Set Bundle ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DurationTimeString	Duration	string		80		
EndDate	End Date	datetime				
FacilityId	Healthcare Facility ID	reference		18		
Id	Patient Medical Procedure ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Outcome	Outcome	picklist		40		
OwnerId	Owner ID	reference		18		
PatientId	Account ID	reference		18		
PerformedAgeRangeUnitId	Unit of Measure ID	reference		18		
PerformedAtAge	Performed At Age	double			18	0
PerformedAtAgeLowerLimit	Performed At Age Lower Limit	double			18	0

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PerformedAtAgeUnitId	Unit of Measure ID	reference		18		
PerformedAtAgeUpperLimit	Performed At Age Upper Limit	double			18	0
ReasonCodeId	Code Set Bundle ID	reference		18		
ReasonReferenceId	Reason Reference ID	reference		18		
RecordCreatorId	Record Creator ID	reference		18		
ReportId	Diagnostic Summary ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System ID	string		255		
SourceSystemModified	Source System Modified	datetime				
StartDate	Start Date	datetime				
Status	Status	picklist		40		
StatusReasonCodeId	Code Set Bundle ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TypeId	Code Set Bundle ID	reference		18		

PATIENTMEDICALPROCEDUREDETAIL

Associates records from different objects to a patient medical procedure record to add more information to the procedure record. This is a multi-object junction object. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PatientMedicalProcedureDetail in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DetailCodeId	Detail Code ID	reference		18		
DetailRecordId	Detail Record ID	reference		18		
DetailType	Detail Type	picklist		40		
Id	Patient Medical Procedure Detail ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
PatientMedicalProcedureId	Patient Medical Procedure ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PATIENTMEDICALPROCEDUREDETAILFEED

Feed tracking for PatientMedicalProcedureDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PATIENTMEDICALPROCEDUREDETAILHISTORY

History for tracked fields of PatientMedicalProcedureDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Patient Medical Procedure Detail History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PatientMedicalProcedureDetailId	Patient Medical Procedure Detail ID	reference		18		

PATIENTMEDICALPROCEDUREFEED

Feed tracking for PatientMedicalProcedure.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PATIENTMEDICALPROCEDUREHISTORY

History for tracked fields of PatientMedicalProcedure.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Patient Medical Procedure History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PatientMedicalProcedureId	Patient Medical Procedure ID	reference		18		

PATIENTMEDICALPROCEDURESHARE

Sharing for PatientMedicalProcedure.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PATIENTMEDICATIONDOSAGE

Represents dosage information for medication. This object is primarily used to add dosage information in MedicationStatement, MedicationRequest, or MedicationDispense records. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PatientMedicationDosage in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdditionalInstruction	Additional Instruction	textarea		32000		
Comments	Comments	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DosageDefinitionType	Dosage Definition Type	picklist		40		
DosageQuantityDenominator	Dosage Quantity Denominator	double			6	2
DosageQuantityNumerator	Dosage Quantity Numerator	double			6	2
DosageQuantityType	Dosage Quantity Type	picklist		40		
DosageRateDenominator	Dosage Frequency Denominator	double			6	2
DosageRateNumerator	Dosage Frequency Numerator	double			6	2
DosageRateType	Dosage Frequency Type	picklist		40		
DosageRateUnitId	Unit of Measure ID	reference		18		
DosageUnitId	Unit of Measure ID	reference		18		
DosePrerequisiteId	Code Set Bundle ID	reference		18		
Id	Patient Medication Dosage ID	id		18		
IsAsNeeded	As Needed	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MethodId	Code Set Bundle ID	reference		18		
Name	Name	string		255		
ParentRecordId	Parent Record ID	reference		18		
PatientInstruction	Patient Instruction	textarea		32000		
RouteId	Code Set Bundle ID	reference		18		
Sequence	Sequence	double			6	2
SiteId	Code Set Bundle ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System ID	string		255		
SourceSystemModified	Source System Modified	datetime				
SystemModstamp	System Modstamp	datetime				
TimingId	Activity Timing ID	reference		18		

PATIENTMEDICATIONDOSAGEFEED

Feed tracking for PatientMedicationDosage.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PATIENTMEDICATIONDOSAGEHISTORY

History for tracked fields of PatientMedicationDosage.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Patient Medication Dosage History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PatientMedicationDosageId	Patient Medication Dosage ID	reference		18		

PAYMENT

Represents a single event when a shopper makes a payment. For credit cards, this event is a payment capture or payment sale, but it doesn't appear on the shopper's credit card statement. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Payment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Amount	Amount	currency			18	2
Balance	Balance	currency			18	2
CancellationDate	Cancellation Date	datetime				
CancellationEffectiveDate	Cancellation Effective Date	datetime				
CancellationGatewayDate	Cancellation Gateway Date	datetime				
CancellationGatewayRefNumber	Cancellation Gateway Reference Number	string		255		
CancellationGatewayResultCode	Cancellation Gateway Result Code	string		64		
CancellationSfResultCode	Cancellation Salesforce Result Code	string		64		
ClientContext	Client Context	textarea		2000		
Comments	Comments	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Date	Date	datetime				
EffectiveDate	Effective Date	datetime				
Email	Audit Email	email		80		
GatewayDate	Gateway Date	datetime				
GatewayRefDetails	Gateway Reference Details	textarea		1000		
GatewayRefNumber	Gateway Reference Number	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
GatewayResultCode	Gateway Result Code	string		64		
GatewayResultCodeDescription	Gateway Result Code Description	string		255		
Id	Payment ID	id		18		
ImpactAmount	Impact Amount	currency			18	2
IpAddress	IP Address	string		39		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MacAddress	MAC Address	string		32		
NetApplied	Net Applied	currency			18	2
NetPaymentCreditApplied	Net Payment Credit Applied	currency			18	2
NetRefundApplied	Net Refund Applied	currency			18	2
PaymentAuthorizationId	Payment Authorization ID	reference		18		
PaymentGatewayId	Payment Gateway ID	reference		18		
PaymentGroupId	Payment Group ID	reference		18		
PaymentIntentGuid	Payment Intent Guid	string		255		
PaymentMethodId	Payment Method ID	reference		18		
PaymentNumber	Payment Number	string		255		
Phone	Phone	phone		40		
ProcessingMode	Processing Mode	picklist		255		
SfResultCode	Salesforce Result Code	picklist		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalApplied	Total Applied	currency			18	2
TotalPaymentCreditApplied	Total Payment Credit Applied	currency			18	2
TotalPaymentCreditUnapplied	Total Payment Credit Unapplied	currency			18	2
TotalRefundApplied	Total Refund Applied	currency			18	2
TotalRefundUnapplied	Total Refund Unapplied	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`TotalUnapplied`	Total Unapplied	currency			18	2
`Type`	Type	picklist		255		

PAYMENTAUTHADJUSTMENT

Shows information about an adjustment made to an authorized transaction. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PaymentAuthAdjustment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Amount	Amount	currency			18	2
Comments	Comments	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Date	Date	datetime				
EffectiveDate	Effective Date	datetime				
Email	Audit Email	email		80		
GatewayDate	Gateway Date	datetime				
GatewayRefDetails	Gateway Reference Details	textarea		1000		
GatewayRefNumber	Gateway Reference Number	string		255		
GatewayResultCode	Gateway Result Code	string		64		
GatewayResultCodeDescription	Gateway Result Code Description	string		255		
Id	Payment Authorization Adjustment ID	id		18		
IpAddress	IP Address	string		39		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MacAddress	MAC Address	string		32		
PaymentAuthAdjustmentNumber	Payment Authorization Adjustment Number	string		255		
PaymentAuthorizationId	Payment Authorization ID	reference		18		
Phone	Phone	phone		40		
ProcessingMode	Processing Mode	picklist		255		
SfResultCode	Salesforce Result Code	picklist		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Adjustment Type	picklist		255		

PAYMENTAUTHORIZATION

Represents a single payment authorization event where users can capture or reverse a payment against a reserve of funds. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PaymentAuthorization in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Amount	Amount	currency			18	2
Balance	Balance	currency			18	2
Comments	Comments	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Date	Date	datetime				
EffectiveDate	Effective Date	datetime				
Email	Audit Email	email		80		
ExpirationDate	Expiration Date	datetime				
GatewayAuthCode	Gateway Auth Code	string		64		
GatewayDate	Gateway Date	datetime				
GatewayRefDetails	Gateway Reference Details	textarea		1000		
GatewayRefNumber	Gateway Reference Number	string		255		
GatewayResultCode	Gateway Result Code	string		64		
GatewayResultCodeDescription	Gateway Result Code Description	string		255		
Id	Payment Authorization ID	id		18		
IpAddress	IP Address	string		39		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MacAddress	MAC Address	string		32		
PaymentAuthorizationNumber	Payment Authorization Number	string		255		
PaymentGatewayId	Payment Gateway ID	reference		18		
PaymentGroupId	Payment Group ID	reference		18		
PaymentIntentGuid	Payment Intent Guid	string		255		
PaymentMethodId	Payment Method ID	reference		18		
Phone	Phone	phone		40		
ProcessingMode	Processing Mode	picklist		255		
SfResultCode	Salesforce Result Code	picklist		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalAuthReversalAmount	Total Payment Auth Reversal Amount	currency			18	2
TotalPaymentCaptureAmount	Total Payment Capture Amount	currency			18	2

PAYMENTBATCHRUN

Represents a batch processing job that processes payments in Billing. During a payment batch run, all the payment schedules that meet the specified criteria are processed and the corresponding Payment records are created. These payments are then applied to invoices or invoice lines. This object is available in API version 64.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PaymentBatchRun in the *Billing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillingBatchSchedulerId	Billing Scheduler ID	reference		18		
Comments	Comments	textarea		1000		
CompletionTime	Completion time	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Payment Batch Run ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
PaymentBatchRunNumber	Payment Batch Run Number	string		255		
StartTime	Start time	datetime				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalFailedScheduleItems	Total Failed Schedule Items	int	9			
TotalFilteredScheduleItems	Total Filtered Schedule Items	int	9			
TotalProcessedScheduleItems	Total Processed Schedule Items	int	9			
TotalScheduleItemsApplied	Total Schedule Items Applied	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalScheduleItemsApplyFailed	Total Schedule Items Apply Failed	int	9			

PAYMENTBATCHRUNCRITERIASHARE

Sharing for PaymentBatchRunCriteria.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PAYMENTBATCHRUNSHARE

Sharing for PaymentBatchRun.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PAYMENTCREDIT

Tracks the amount of money returned to the customer. The return can be a store credit, a gift card, or another type of credit. It's linked to the original payment record and includes the total credit amount issued. This object is available in API version 65.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PaymentCredit in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Amount	Amount	currency			18	2
Balance	Balance	currency			18	2
Comments	Comments	textarea		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditMemoId	Credit Memo ID	reference		18		
CreditType	Credit Type	picklist		40		
CreditTypeCategory	Credit Type Category	picklist		255		
EffectiveDate	Effective Date	datetime				
Id	Payment Credit ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
NetApplied	Net Applied	currency			18	2
PaymentCreditNumber	Payment Credit Number	string		255		
PaymentId	Payment ID	reference		18		
ReturnOrderId	Return Order ID	reference		18		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalApplied	Total Applied	currency			18	2
TotalCreditPendingTxnAmt	Total Credit Pending Transaction Amount	currency			18	2
TotalCreditTxnAmt	Total Credit Transaction Amount	currency			18	2
TotalUnapplied	Total Unapplied	currency			18	2

PAYMENTCREDITLINEPAYMENT

A payment credit line payment. This object is available in API version 65.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PaymentCreditLinePayment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
AppliedDate	Applied Date	datetime				
AssociatedAccountId	Account ID	reference		18		
AssociatedLineId	Payment Credit Line Payment ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
HasBeenUnapplied	Has Been Unapplied	boolean				
Id	Payment Credit Line Payment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
PaymentCreditId	Payment Credit ID	reference		18		
PaymentCreditLinePaymentNumber	Payment Credit Line Payment Number	string		255		
PaymentId	Payment ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		
UnappliedDate	Unapplied Date	datetime				

PAYMENTCREDITTRANSACTION

A payment credit transaction. This object is available in API version 65.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PaymentCreditTransaction in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
AssociatedAccountId	Account ID	reference		18		
ClientContext	Client Context	textarea		2000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalReference	External Reference	string		255		
Id	Payment Credit Transaction ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
PaymentCreditId	Payment Credit ID	reference		18		
PaymentCreditTransactionNumber	Payment Credit Transaction Number	string		255		
ProcessingMode	Processing Mode	picklist		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TransactionMessage	Transaction Message	string		255		

PAYMENTFEED

Feed tracking for Payment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PAYMENTGATEWAY

Platform object that represents the connection to an external payment gateway. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PaymentGateway in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Comments	Comments	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultTapToPayLocation	Tap To Pay Location	string		40		
ExternalReference	External Reference	string		255		
Id	Payment Gateway ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MerchantCredentialId	Named Credential ID	reference		18		
PaymentGatewayName	Payment Gateway Name	string		255		
PaymentGatewayProviderId	Payment Gateway Provider ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

PAYMENTGATEWAYLOG

Stores information exchanged between the Salesforce payments platform and external payment gateways. Gateway logs can also record payloads from external payment entities. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PaymentGatewayLog in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
GatewayAuthCode	Gateway Auth Code	string		64		
GatewayAvsCode	Gateway Avs Code	string		64		
GatewayDate	Gateway Date	datetime				
GatewayMessage	Gateway Message	string		255		
GatewayRefNumber	Gateway Reference Number	string		255		
GatewayResultCode	Gateway Result Code	string		64		
GatewayResultCodeDescription	Gateway Result Code Description	string		255		
Id	Payment Gateway Log ID	id		18		
InteractionStatus	Status	picklist		255		
InteractionType	Interaction Type	picklist		255		
IsDeleted	Deleted	boolean				
IsNotification	Is Notification	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
PaymentGatewayId	Payment Gateway ID	reference		18		
PaymentGatewayLogNumber	Payment Gateway Log Number	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ReferencedEntityId	Referenced Entity ID	reference		18		
Request	Request	textarea		131072		
Response	Response	textarea		131072		
SfRefNumber	Salesforce Reference Number	string		255		
SfResultCode	Salesforce Result Code	picklist		255		
SystemModstamp	System Modstamp	datetime				

PAYMENTGATEWAYPROVIDER

Setup entity for payment gateways. Defines the connection to a payment gateway Apex adapter. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PaymentGatewayProvider in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApexAdapterId	Class ID	reference		18		
Comments	Comments	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		255		
Id	Payment Gateway Provider ID	id		18		
IdempotencySupported	Idempotency Supported	picklist		255		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MasterLabel	Label	string		255		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

PAYMENTGROUP

Top-level object that groups all payment transactions that are processed for an order or invoice. PaymentGroup is a standalone object, so it isn't required for users to execute payment transactions (authorizations, captures, refunds, and sales). This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PaymentGroup in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Payment Group ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PaymentGroupNumber	Payment Group Number	string		255		
SourceObjectId	Order ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PAYMENTINSTRUMENTFEED

Feed tracking for PaymentInstrument.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PAYMENTINSTRUMENTHISTORY

History for tracked fields of PaymentInstrument.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Payment Instrument History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PaymentInstrumentId	Payment Instrument ID	reference		18		

PAYMENTINSTRUMENTSHARE

Sharing for PaymentInstrument.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PAYMENTINTENTEVENT

Represents a payment intent platform event. Subscribe to these events so you can listen and respond to them when they're published. For example, create a Salesforce Flow that is triggered when one of these events is published.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PaymentIntentEvent in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ChangeType`	Payment Intent Event Change Type	picklist		255		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EventUuid`	Event UUID	string		36		
`PaymentIntentId`	Payment Intent ID	reference		18		
`ReplayId`	Replay Id	string		1000		

PAYMENTINTENTHISTORY

History for tracked fields of PaymentIntent.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Payment Intent History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PaymentIntentId	Payment Intent ID	reference		18		

PAYMENTLINEINVOICE

Represents a payment allocated to or unallocated from an invoice. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PaymentLineInvoice in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
AppliedDate	Applied Date	datetime				
AssociatedAccountId	Account ID	reference		18		
AssociatedPaymentLineId	Payment Line Invoice ID	reference		18		
Comments	Comments	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Date	Date	datetime				
EffectiveDate	Effective Date	datetime				
EffectiveImpactAmount	Effective Impact Amount	currency			18	2
HasBeenUnapplied	Has Been Unapplied	picklist		255		
Id	Payment Line Invoice ID	id		18		
ImpactAmount	Impact Amount	currency			18	2
InvoiceId	Invoice ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
PaymentBalance	Payment Balance	currency			18	2
PaymentId	Payment ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PaymentLineInvoiceNumber	Payment Line Invoice Number	string		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		
UnappliedDate	Unapplied Date	datetime				

PAYMENTLINEINVOICELINE

Represents information about a payment line that's applied to or unapplied from an invoice line. This object is available in API version 64.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PaymentLineInvoiceLine in the *Billing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Amount	Amount	currency			18	2
AppliedDateTime	Applied Date Time	datetime				
AppliedImpactAmount	Applied Impact Amount	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		1000		
EffectiveDateTime	Effective Date Time	datetime				
Id	Payment Line Invoice Line ID	id		18		
ImpactAmount	Impact Amount	currency			18	2
InvoiceLineBalance	Invoice Line Balance	currency			18	2
InvoiceLineId	Invoice Line ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LegalEntityAccountingPeriodId	Legal Entity Accounting Period ID	reference		18		
LegalEntityId	Legal Entity ID	reference		18		
PaymentBalance	Payment Balance	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PaymentId	Payment ID	reference		18		
PaymentLineInvoiceLineNumber	Name	string		255		
RelatedPaymentLineInvcLineId	Payment Line Invoice Line ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		
UnappliedDateTime	Unapplied Date Time	datetime				
UnappliedStatus	Unapplied Status	picklist		255		

PAYMENTLINK

A payment link that a merchant can embed into a Salesforce app. The link directs payers to a Pay Now page that shows what's being paid for, in the payers currency, and lets payers enter their payment data.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PaymentLink in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Amount	Amount	currency			18	0
CartId	Cart ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
ExpiryTime	Expiration	datetime				
Id	Payment Link ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
PaymentLinkNumber	Payment Link Number	string		255		
PaymentMethodSetId	Merchant Account Payment Method Set ID	reference		18		
PaymentUrl	Payment URL	url		255		
QrCodeImageId	ContentVersion ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TaxAmount	Tax Amount	currency			18	0
Title	Title	string		80		
Type	Type	picklist		255		
UsageType	Usage Type	picklist		255		

PAYMENTLINKEVENT

Represents a payment link platform event. Subscribe to these events so you can listen and respond to them when they're published. For example, create a Salesforce Flow that is triggered when one of these events is published.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PaymentLinkEvent in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ChangeType`	Payment Link Event Change Type	picklist		255		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EventUuid`	Event UUID	string		36		
`PaymentLinkId`	Payment Link ID	reference		18		
`ReplayId`	Replay Id	string		1000		

PAYMENTLINKSHARE

Sharing for PaymentLink.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PAYMENTMANDATE

Represents information about the payment mandates given by a customer to their bank or financial institution to authorize a third party to collect payments from their account. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PaymentMandate in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicantId	Applicant ID	reference		18		
ApplicationFormId	Application Form ID	reference		18		
ApplicationFormProductId	Application Form Product ID	reference		18		
AuthorizationType	Authorization Type	picklist		40		
BankAccountNumber	Bank Account Number	string		255		
BankAccountType	Account Type	picklist		40		
BankBranchAddress	Bank Branch Address	address				
BankBranchCity	Bank Branch City	string		40		
BankBranchCountry	Bank Branch Country	string		80		
BankBranchGeocodeAccuracy	Bank Branch Geocode Accuracy	picklist		40		
BankBranchLatitude	Bank Branch Latitude	double			18	15
BankBranchLongitude	Bank Branch Longitude	double			18	15
BankBranchName	Bank Branch Name	string		50		
BankBranchPostalCode	Bank Branch Postal Code	string		20		
BankBranchState	Bank Branch State	string		80		
BankBranchStreet	Bank Branch Street	textarea		255		
BankName	Bank Name	string		40		
BankRoutingNumber	Bank Routing Number	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
DisbursementAddress	Disbursement Address	address				
DisbursementCity	Disbursement City	string		40		
DisbursementCountry	Disbursement Country	string		80		
DisbursementGeocodeAccuracy	Disbursement Geocode Accuracy	picklist		40		
DisbursementLatitude	Disbursement Latitude	double			18	15
DisbursementLongitude	Disbursement Longitude	double			18	15
DisbursementPostalCode	Disbursement Postal Code	string		20		
DisbursementState	Disbursement State	string		80		
DisbursementStreet	Disbursement Street	textarea		255		
Id	Payment Mandate ID	id		18		
IsAccountValidated	Account Validated	boolean				
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MandateAmount	Mandate Amount	currency			18	2
MandateEffectiveDate	Mandate Effective date	date				
MandateEndDate	Mandate End Date	date				
MandateExternalIdentifier	Mandate External Identifier	string		255		
MandateFrequency	Mandate Frequency	picklist		40		
MandateInternalIdentifier	Mandate Internal Identifier	string		255		
MandateStatus	Mandate Status	picklist		40		
MandateSubmissionDate	Mandate Submission Date	date				
MandateType	Mandate Type	picklist		40		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PersonAccountId	Account ID	reference		18		
Ratio	Ratio	percent			5	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

PAYMENTMANDATEFEED

Feed tracking for PaymentMandate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PAYMENTMANDATEHISTORY

History for tracked fields of PaymentMandate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Payment Mandate History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PaymentMandateId	Payment Mandate ID	reference		18		

PAYMENTMANDATESHARE

Sharing for PaymentMandate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PAYMENTMETHOD

Represents the method that a buyer uses to compensate the seller of a good or service. Common payment methods include cash, checks, credit or debit cards, money orders, bank transfers, and online payment services. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PaymentMethod in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Comments	Comments	textarea		32000		
CompanyName	Company Name	string		255		
CreatedById	User ID	reference		18		
CreatedDate	__MISSING LABEL__ PropertyFile - val CreatedDate not found in section udd_PaymentMethod	datetime				
Id	Payment Method ID	id		18		
ImplementorType	Implementor Type	string		255		
IsAutoPayEnabled	Auto Pay	boolean				
IsDeleted	__MISSING LABEL__ PropertyFile - val IsDeleted not found in section udd_PaymentMethod	boolean				
LastModifiedById	User ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Payment Method Name	string		255		
NickName	Nickname	string		255		
PaymentMethodAddress	Payment Method Address	address				
PaymentMethodCity	City	string		40		
PaymentMethodCountry	Country	string		80		
PaymentMethodDetails	Payment Method Details	string		255		
PaymentMethodGeocodeAccuracy	Geo Code Accuracy	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PaymentMethodLatitude	Latitude	double			18	15
PaymentMethodLongitude	Longitude	double			18	15
PaymentMethodPostalCode	Postal Code	string		20		
PaymentMethodState	State	string		80		
PaymentMethodStreet	Street	textarea		255		
PaymentMethodSubType	Payment Method Sub Type	string		255		
PaymentMethodType	Payment Method Type	picklist		255		
Status	Status	picklist		255		
SystemModstamp	___MISSING LABEL___ PropertyFile - val SystemModstamp not found in section udd_PaymentMethod	datetime				

PAYMENTREQUEST

Represents a financial compensation request for goods or services provided by a third party. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PaymentRequest in the *Financial Services Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ClaimId	Claim ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DueDate	Due Date	datetime				
EndDateTime	End Date Time	datetime				
FacilityId	Facility ID	reference		18		
Id	Payment Request ID	id		18		
InsurancePolicyId	Insurance Policy ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ReceivedDate	Received Date	datetime				
ReceivedMethod	Received Method	picklist		40		
ReferenceNumber	Reference Number	string		255		
RemittanceAccountId	RemittanceAccount ID	reference		18		
ServiceProviderId	ServiceProvider ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ServiceRecipientId	ServiceRecipient ID	reference		18		
StartDateTime	Start Date Time	datetime				
Status	Status	picklist		40		
SubmissionType	Submission Type	picklist		40		
SubmittedDate	Submitted Date	datetime				
SubmittingAccountId	Account ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalAdjustmentAmount	Total Adjustment Amount	currency			18	2
TotalRequestedAmount	Total Requested Amount	currency			18	2
TotalServiceAmount	Total Service Amount	currency			18	2

PAYMENTREQUESTFEED

Feed tracking for PaymentRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PAYMENTREQUESTHISTORY

History for tracked fields of PaymentRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Payment Request History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PaymentRequestId	Payment Request ID	reference		18		

PAYMENTREQUESTLINE

Represents the line item details of the financial compensation request. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PaymentRequestLine in the *Financial Services Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentAmount	Adjustment Amount	currency			18	2
AdjustmentReason	Adjustment Reason	multipicklist		4099	0	
BenefitName	Benefit Name	string		255		
ClaimItemId	Claim Item ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DiagnosticCodeId	DiagnosticCode ID	reference		18		
EndDateTime	End Date Time	datetime				
FacilityId	Facility ID	reference		18		
Id	Payment Request Line ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
PaymentRequestId	Payment Request ID	reference		18		
Quantity	Quantity	int	9			
QuantityUnitOfMeasure	Quantity Unit Of Measure	picklist		40		
RequestedAmount	Requested Amount	currency			18	2
ServiceAmount	Service Amount	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ServiceCodeId	ServiceCode ID	reference		18		
ServiceProviderId	ServiceProvider ID	reference		18		
ServiceType	Service Type	picklist		40		
StartDateTime	Start Date Time	datetime				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
UnitPrice	Unit Price	currency			18	2

PAYMENTREQUESTLINEFEED

Feed tracking for PaymentRequestLine.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PAYMENTREQUESTLINEHISTORY

History for tracked fields of PaymentRequestLine.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Payment Request Line History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PaymentRequestLineId	Payment Request Line ID	reference		18		

PAYMENTREQUESTSHARE

Sharing for PaymentRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PAYMENTSCHEDULE

The payment schedule represents a collection of payments that a customer wants to collect at different times for a certain record. A schedule contains one or more payment schedule items, where each item represents one payment to be processed. Each of a schedule's items can have different payment configuration fields, such as payment methods, payment dates, and payment accounts. When a payment scheduler launches a payment run, the run evaluates active payment schedule items, and picks them up for payment processing if they align with the scheduler's payment criteria. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PaymentSchedule in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AvailableRequestedAmount	Available Requested Amount	currency			18	2
Comments	Comments	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DefaultPaymentAccountId	Default Payment Account ID	reference		18		
DefaultPaymentMethodId	Default Payment Method ID	reference		18		
Id	Payment Schedule ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
PaymentScheduleNumber	Payment Schedule Number	string		255		
PaymentSource	Payment Source	picklist		40		
ReferenceEntityId	Reference Entity ID	reference		18		
RemainingAmountToBeProcessed	Remaining Amount To Be Processed	currency			18	2
Status	Status	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
TotalAppliedAmount	Total Applied Amount	currency			18	2
TotalCanceledAmount	Total Canceled Amount	currency			18	2
TotalPaymentScheduleItemAmount	Total Payment Schedule Item Amount	currency			18	2
TotalPaymentsReceived	Total Payments Received	currency			18	2
TotalProcessedAmount	Total Processed Amount	currency			18	2
TotalRequestedAmount	Total Requested Amount	currency			18	2
UsageType	Usage Type	picklist		255		

PAYMENTSCHEDULEITEM

A payment schedule contains one or more payment schedule items, where each item represents one payment to be processed. Each of a schedule's items can have different payment configuration fields, such as payment methods, payment dates, and payment accounts. When a payment scheduler launches a payment run, the run evaluates active payment schedule items, and picks them up for payment processing if they align with the scheduler's payment criteria. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PaymentScheduleItem in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppliedAmount	Credited Amount	currency			18	2
Comments	Comments	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Payment Schedule Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastPaymentGatewayLogId	Payment Gateway Log ID	reference		18		
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
PaymentAccountId	Payment Account ID	reference		18		
PaymentBatchRunId	Payment Batch Run ID	reference		18		
PaymentGatewayRespStatus	Payment Gateway Response Status	picklist		255		
PaymentId	Payment ID	reference		18		
PaymentMethodId	Payment Method ID	reference		18		
PaymentProcessingMessage	Payment Processing Message	string		1000		
PaymentRunMatchingValue	Payment Run Matching Value	picklist		40		
PaymentScheduleId	Payment Schedule ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PaymentScheduleItemNumber	Payment Schedule Item Number	string		255		
PaymentSource	Payment Source	picklist		255		
PaymentsReceived	Payments Received	currency			18	2
ProcessedAmount	Processed Amount	currency			18	2
RequestedAmount	Requested Amount	currency			18	2
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TargetPaymentProcessingDate	Target Payment Processing Date	date				
UsageType	Usage Type	picklist		255		

PAYMENTSCHEDULEPOLICY

Contains configuration information for the payment schedule policy. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PaymentSchedulePolicy in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DefaultTreatmentId	Payment Schedule Treatment ID	reference		18		
Description	Description	textarea		1000		
Id	Payment Schedule Policy ID	id		18		
IsDeleted	Deleted	boolean				
IsOrgDefault	Is Org Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Status	Payment Schedule Policy Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TreatmentSelection	Payment Schedule Treatment Selection	picklist		255		

PAYMENTSCHEDULEPOLICYSHARE

Sharing for PaymentSchedulePolicy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PAYMENTSCHEDULESHARE

Sharing for PaymentSchedule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PAYMENTSCHEDULETREATMENT

Contains configuration information for the payment schedule. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PaymentScheduleTreatment in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		1000		
Id	Payment Schedule Treatment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PaymentSchedulePolicyId	Payment Schedule Policy ID	reference		18		
Status	Payment Schedule Treatment Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TriggerSource	Automation Trigger Source	picklist		255		

PAYMENTSCHEDULETREATMENTDTL

Contains configuration information for the payment schedule treatment detail. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PaymentScheduleTreatmentDtl in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DateOffset	Date Offset	int	9			
Description	Description	textarea		1000		
Id	Payment Schedule Treatment Detail ID	id		18		
InstallmentPaymentType	Installment Payment Type	picklist		255		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
PaymentMethodSelectionType	Payment Method Selection Type	picklist		255		
PaymentRunMatchingValue	Payment Run Matching Value	picklist		40		
PaymentScheduleTreatmentDetailNumber	Payment Schedule Treatment Detail Number	string		255		
PaymentScheduleTreatmentId	Payment Schedule Treatment ID	reference		18		
Percentage	Percentage	percent			3	0
ProcessingDateReference	Processing Date Reference	picklist		255		
PymtSchdDistributionMethodId	Payment Schedule Distribution Method ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PAYMENTSCHEDULETREATMENTSHARE

Sharing for PaymentScheduleTreatment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PAYMENTTERM

Defines your company's method and expectations for receiving payment. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PaymentTerm in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Id	Payment Term ID	id		18		
IsDefault	Default	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

PAYMENTTERMITEM

Defines the attributes of a payment term that your company uses. The PaymentTermItem is used to determine the due date on invoices. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PaymentTermItem in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Id	Payment Term Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
PaymentTermId	Payment Term ID	reference		18		
PaymentTimeframe	Payment Timeframe	picklist		255		
Period	Period	int	9			
PeriodUnit	Period Unit	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

PCMTEMSSNFCTRSET

Represents a collection of emission factors that are used to convert spent amounts in procurement data to carbon emissions in tonnes of carbon dioxide equivalent (tCO_2e).

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PcmtEmssnFctrSet in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyCode	Currency Code	picklist		255		
Description	Description	string		255		
EmissionFactorDataSource	Emissions Factor Data Source	textarea		32000		
EmissionFactorUpdateYear	Emissions Factor Update Year	picklist		255		
ExternalIdentifier	External Identifier	string		255		
Id	Procurement Emissions Factor Set ID	id		18		
IsComplete	Complete	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ReferenceDataLoadLogId	Reference Data Load Log ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PCMTEMSSNFCTRSETFEED

Feed tracking for PcmtEmssnFctrSet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PCMTEMSSNFCTRSETHISTORY

History for tracked fields of PcmtEmssnFctrSet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Procurement Emissions Factor Set History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PcmtEmssnFctrSetId	Procurement Emissions Factor Set ID	reference		18		

PCMTEMSSNFCTRSETITEM

Represents the individual emissions factors for scope 3 procurement analysis. Here, the environmentally extended input-output (EEIO) model outputs are used as the emission factors in units of tCO_2e per million spent (currency not specified).

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PcmtEmssnFctrSetItem in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EconomicSector	Economic Sector	string		255		
EconomicSectorCategory	Economic Sector Category	string		255		
EconomicSectorCode	Economic Sector Code	string		255		
ExternalIdentifier	External Identifier	string		255		
Id	Procurement Emissions Factor Set Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
PcmtEmssnFctrSetId	Procurement Emissions Factor Set ID	reference		18		
ReferenceDataLoadLogId	Reference Data Load Log ID	reference		18		
Scope3GhgCategory	Scope 3 GHG Category	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotScope3EmssnPerMillionSpent	Total Scope 3 Emissions per Million Spent (tCO2e)	double			18	8

PCMTEMSSNFCTRSETITEMFEED

Feed tracking for PcmtEmssnFctrSetItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PCMTEMSSNFCTRSETITEMHISTORY

History for tracked fields of PcmtEmssnFctrSetItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Procurement Emissions Factor Set Item History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`PcmtEmssnFctrSetItemId`	Procurement Emissions Factor Set Item ID	reference		18		

PCMTEMSSNFCTRSETSHARE

Sharing for PcmtEmssnFctrSet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PENDINGORDSUMPROCEVENT

Notifies subscribers that a PendingOrderSummary record was processed. If the process succeeded, an OrderSummary was created and the PendingOrderSummary can be deleted. Use this event to trigger subscribers such as flows in your order workflow. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PendingOrdSumProcEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`ErrorCode`	Error Code	string		255		
`ErrorMessage`	Error Message	string		255		
`EventUuid`	Pending Order Summary Processed Event Event UUID	string		36		
`ExternalReferenceIdentifier`	External Reference Identifier	string		255		
`IsSuccess`	Is Success	boolean				
`OrderId`	Order ID	reference		18		
`ReplayId`	Pending Order Summary Processed Event Replay ID	string		1000		

PENDINGORDERSUMMARY

Object representing a B2C Commerce order ingested via High Scale Orders before an OrderSummary is created for it. Optimized for online transaction processing (OLTP). This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PendingOrderSummary in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
BillToContactId	Contact ID	reference		18		
BillingEmailAddress	Billing Email Address	email		80		
BillingPhoneNumber	Billing Phone Number	phone		40		
CreatedById	User ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
ExternalId	External Id	string		255		
ExternalReferenceIdentifier	External Reference Identifier	string		255		
GrandTotalAmount	Grand Total Amount	currency			18	2
Id	Pending Order Summary ID	id		18		
LastModifiedById	User ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OrderNumber	Order Number	string		255		
OrderedDate	Ordered Date	datetime				
Payload	Payload	textarea		131072		
PayloadType	Payload Type	picklist		255		
ProcessingInstructions	Processing Instructions	textarea		255		
SalesStoreId	Store ID	reference		18		
ShopperName	Shopper Name	string		255		
SystemModstamp	System Modstamp	datetime				

PENDINGSERVICEROUTING

Represents the routing details of a work item that's waiting to be routed or assigned. This object is available in API version 40.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PendingServiceRouting in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BotId	Bot ID	reference		18		
BotType	Bot Type	picklist		255		
CapacityPercentage	Capacity Percentage	percent			5	2
CapacityWeight	Capacity Weight	double			10	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
CustomRequestedDateTime	Custom Requested Date	datetime				
DropAdditionalSkillsTimeout	Drop Additional Skills Time-Out	int	9			
GroupId	Group ID	reference		18		
Id	Pending Service Routing ID	id		18		
IsConference	Is Conference	boolean				
IsDeleted	Deleted	boolean				
IsInterruptible	Is Interruptible	boolean				
IsPreferredUserRequired	Is Preferred User Required	boolean				
IsPushAttempted	Is Push Attempted	boolean				
IsPushed	Is Pushed	boolean				
IsReadyForRouting	Is Ready For Routing	boolean				
IsTransfer	Is Transfer	boolean				
LastDeclinedAgentSession	Last Declined Agent Session	string		200		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PausedCapacityPercentage	Percentage of Capacity for Paused Work Items	percent			5	2
PausedCapacityWeight	Units of Capacity for Paused Work Items	double			10	2
PreferredUserId	User ID	reference		18		
PushTimeout	Push Time-Out	int	9			
QueueId	Queue ID	reference		18		
RoutingModel	Queue's Routing Model	picklist		255		
RoutingPriority	Routing Priority	int	9			
RoutingType	Routing Type	picklist		255		
Serial	Serial	int	9			
ServiceChannelId	Service Channel ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TransferRequesterId	User ID	reference		18		
WorkItemId	WorkItem ID	reference		18		

PENDINGSERVICEROUTINGINTERACTIONINFO

Represents PendingServiceRouting interaction information that's used when work is routed to an agent. For a screen pop, it specifies which records to open when work is routed to an agent from a specific channel. PendingServiceRoutingInteractionInfo is read-only. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PendingServiceRoutingInteractionInfo in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Pending Service Routing Interaction Information ID	id		18		
IsDeleted	Deleted	boolean				
IsFocused	Is Focused	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
PendingServiceRoutingId	Pending Service Routing ID	reference		18		
PrimaryRecordId	Primary Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TargetFlowName	Target Flow Name	string		255		
TargetObjectId	Target Object ID	reference		18		

PENDINGSERVICEROUTINGSHARE

Sharing for PendingServiceRouting.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PERCENTILEBSDCAREFEEAGREEMENT

Specifies the payment terms for contracts of Percentile Based Care Fee Agreement.

For more information, see PercentileBsdCareFeeAgreement in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BracketInformation	Bracket Information	string		100		
ContractPaymentAgreementId	ContractPaymentAgreement ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FifthBracketPrice	Fifth Bracket Price	currency			18	0
FirstBracketPrice	First Bracket Price	currency			18	0
FourthBracketPrice	Fourth Bracket Price	currency			18	0
Id	Percentile Based Care Fee Agreement ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ProcedureCodeDescription	Procedure Code Description	string		100		
ProcedureCodeId	Code Set Bundle ID	reference		18		
RelativeValueUnit	Relative Value Unit	double			18	0
SecondBracketPrice	Second Bracket Price	currency			18	0
StandardPrice	Standard Price	currency			18	0
SystemModstamp	System Modstamp	datetime				
ThirdBracketPrice	Third Bracket Price	currency			18	0

PERCENTILEBSDCAREFEEAGREEMENTFEED

Feed tracking for PercentileBsdCareFeeAgreement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PERCENTILEBSDCAREFEEAGREEMENTHISTORY

History for tracked fields of PercentileBsdCareFeeAgreement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Percentile Based Care Fee Agreement History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PercentileBsdCareFeeAgreementId	Percentile Based Care Fee Agreement ID	reference		18		

PERIOD

Represents a fiscal period defined in FiscalYearSettings.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Period in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
EndDate	End Date	date				
FiscalYearSettingsId	Fiscal Year Settings ID	reference		18		
FullyQualifiedLabel	Fully Qualified Label	string		80		
Id	Period ID	id		18		
IsForecastPeriod	Is Forecast Period	boolean				
Number	Number	int	9			
PeriodLabel	Period Name	picklist		255		
QuarterLabel	Quarter Name	picklist		255		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

PERMISSIONSET

Represents a set of permissions that's used to grant more access to one or more users without changing their profile or reassigning profiles. This object is available in API version 22.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PermissionSet in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
HasActivationRequired	Session Activation Required	boolean				
Id	PermissionSet ID	id		18		
IsCustom	Custom	boolean				
IsOwnedByProfile	Is Owned By Profile	boolean				
Label	Permission Set Name	string		80		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LicenseId	License ID	reference		18		
Name	API Name	string		80		
NamespacePrefix	Namespace Prefix	string		15		
PermissionSetGroupId	PermissionSetGroup ID	reference		18		
PermissionsADSEnabledOnFSMobile	Performance Priming for Field Service Mobile	boolean				
PermissionsAECommunityAccess	Use Assessment Envelope objects via Experience Cloud sites	boolean				
PermissionsAICreateInsightObjects	Create AI Insight Objects	boolean				
PermissionsAIViewInsightObjects	View AI Insight Objects	boolean				
PermissionsAcceptRiskForProblems	Accept Risk For Problems	boolean				
PermissionsAccessActivation	Allows user access activations	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsAccessApplicationFormObjects	Access Application Form-Related Functionality	boolean				
PermissionsAccessBankingRelationshipAssistance	Access Banking Relationship Assistance	boolean				
PermissionsAccessBankingServiceAgent	Access Banking Service Agent	boolean				
PermissionsAccessBudgetManagement	Manage Budgets	boolean				
PermissionsAccessCMC	Access Experience Management	boolean				
PermissionsAccessCdpDataExplorer	Access Data Cloud Data Explorer	boolean				
PermissionsAccessCdpProfileExplorer	Access Data Cloud Profile Explorer	boolean				
PermissionsAccessContentBuilder	Access drag-and-drop content builder	boolean				
PermissionsAccessCustomerDataCloudSetup	Allows user access Data Cloud setup menu	boolean				
PermissionsAccessDisputePrompts	Provides access to Financial Services Email prompt templates	boolean				
PermissionsAccessEinsteinAutofill	Access Einstein Autofill	boolean				
PermissionsAccessFinancialAccounts	Financial Accounts User	boolean				
PermissionsAccessGeniePlatform	Allows user access Data Cloud	boolean				
PermissionsAccessIdpCrudApi	Manage Document Processing Configurations	boolean				
PermissionsAccessIdpUi	Allow Access to Data Cloud Document AI UI	boolean				
PermissionsAccessOrchestrationObjects	Access Orchestration Objects	boolean				
PermissionsAccessPSPasCaseAgents	Access Patient Support Programs as a Case Agent	boolean				
PermissionsAccessPSPasProgramLead	Access Patient Support Programs as a Program Lead	boolean				
PermissionsAccessPolicyAgent	Access Policy Agent	boolean				
PermissionsAccessSegment	Allows user access segments	boolean				
PermissionsAccessServiceEinstein	Access Service Einstein	boolean				
PermissionsAccessSfDrive	Grant users permission to SfDrive	boolean				
PermissionsAccessToComplaintMgmt	Public Complaint Management User	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsAccessToDisputeManagement	Dispute Management User	boolean				
PermissionsAccessToServiceProcess	Service Process User	boolean				
PermissionsAccessTrialInfoGuestUser	Access Clinical Trial Information as Guest User	boolean				
PermissionsAccessWealthAdvisorAgent	Financial Advisor Assistance Agent	boolean				
PermissionsAccountSwitcherUser	Account Switcher User	boolean				
PermissionsAccsPntSuptPgmUseEinstein	Expose patient support programs powered by Einstein generative AI	boolean				
PermissionsActionPlansUserAccess	Permission to access the Action Plans feature	boolean				
PermissionsActionableListCompUser	Actionable Segmentation Outreach	boolean				
PermissionsActionableListConfigUser	Actionable Segmentation Admin	boolean				
PermissionsActionableListCreator	Actionable Segmentation List Manager	boolean				
PermissionsActionableListUser	Actionable Segmentation Objects	boolean				
PermissionsActivateContract	Activate Contracts	boolean				
PermissionsActivateDeactivateNonSetupFlow	Activate or Deactivate Flows	boolean				
PermissionsActivateOrder	Activate Orders	boolean				
PermissionsActivateSystemModeFlows	Enable System Mode Flow Activation	boolean				
PermissionsActivitiesAccess	Access Activities	boolean				
PermissionsAddAnalyticsRemoteConnections	Add CRM Analytics Remote Connections	boolean				
PermissionsAddAsgnElmtToNonSetupFlow	Add Assignment Element to Flows	boolean				
PermissionsAddCollFltrElmtToNonSetupFlow	Add Collection Filter Element to Flows	boolean				
PermissionsAddCollSrtElmtToNonSetupFlow	Add Collection Sort Element to Flows	boolean				
PermissionsAddCreRcdElmtToNonSetupFlow	Add Create Records Element to Flows	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsAddDecisionElmntToNonSetupFlow	Add Decision Element to Flows	boolean				
PermissionsAddDelRecElmntToNonSetupFlow	Add Delete Records Element to Flows	boolean				
PermissionsAddDirectMessageMembers	Add People to Direct Messages	boolean				
PermissionsAddGetRecElmntToNonSetupFlow	Add Get Records Element to Flows	boolean				
PermissionsAddLoopElmntToNonSetupFlow	Add Loop Element to Flows	boolean				
PermissionsAddSubflowElmntToNonSetupFlow	Add Subflow Element to Flows	boolean				
PermissionsAddTrnfElmntToNonSetupFlow	Add Transform Element to Flows	boolean				
PermissionsAddUpdRecElmntToNonSetupFlow	Add Update Records Element to Flows	boolean				
PermissionsAddWaitToNonSetupFlow	Add Wait Element to Flows	boolean				
PermissionsAddWaveNotificationRecipients	Add Recipients to CRM Analytics Notifications	boolean				
PermissionsAdvancedCsvDataImportUser	Advanced Csv Data Import User Permission	boolean				
PermissionsAgentforceSchedulingSupervisorView	Access Agentforce Scheduling Supervisor View	boolean				
PermissionsAgentforceServiceAgentUser	Agentforce Service Agent User	boolean				
PermissionsAllowAIAccelerator	View AI Accelerator Predictions.	boolean				
PermissionsAllowEmailIC	Email-Based Identity Verification Option	boolean				
PermissionsAllowLightningLogin	Lightning Login User	boolean				
PermissionsAllowOCIAvailabilityAPIs	Use Omnichannel Inventory Availability APIs	boolean				
PermissionsAllowUniversalSearch	Knowledge One	boolean				
PermissionsAllowViewEditConvertedLeads	View and Edit Converted Leads	boolean				
PermissionsAllowViewKnowledge	Allow View Knowledge	boolean				
PermissionsAnalyticsQueryServiceConsumer	Allow the user to run queries with the Analytics Query Service	boolean				
PermissionsApexRestServices	Apex REST Services	boolean				
PermissionsApiEnabled	API Enabled	boolean				
PermissionsApiUserOnly	Api Only User	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsAppFrameworkManageApp	Access to manage the template framework apps	boolean				
PermissionsAppFrameworkManageTemplate	Access to manage the template framework templates	boolean				
PermissionsAppFrameworkViewApp	Access to view templated apps and assets	boolean				
PermissionsAppointmentBookingUserAccess	Enables the Appointment Booking feature	boolean				
PermissionsApprovalAdmin	Approval Admin	boolean				
PermissionsApprovalDesigner	Approval Designer	boolean				
PermissionsArchiveArticles	Archive Articles	boolean				
PermissionsAssessmentPlatformUser	Discovery Framework Platform User	boolean				
PermissionsAssignPermissionSets	Assign Permission Sets	boolean				
PermissionsAssignTopics	Assign Topics	boolean				
PermissionsAssignUserToSkill	Assign Chat Skills to Users	boolean				
PermissionsAssocChgRqstAndProb	Associate Change Requests and Problems	boolean				
PermissionsAssocIncAndChgRqst	Associate Incidents and Change Requests	boolean				
PermissionsAssocIncAndProb	Associate Incidents and Problems	boolean				
PermissionsAssocRelAndChgRqst	Associate Releases and Change Requests	boolean				
PermissionsAssocRelAndInc	Associate Releases and Incidents	boolean				
PermissionsAssocRelAndProb	Associate Releases and Problems	boolean				
PermissionsAssociationEngineUserAccess	User license to access Record Association Builder in Financial Services Cloud.	boolean				
PermissionsAttributionModelUser	Attribution Model User	boolean				
PermissionsAuthorApex	Author Apex	boolean				
PermissionsAuthorizePayments	Authorize Payments	boolean				
PermissionsAutomaticActivityCapture	Use Einstein Activity Capture	boolean				
PermissionsAutonomousAnalyticsPrivacy	Manage Autonomous Insights Data Privacy	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsB2BMarketingAnalyticsUser	Create B2B Marketing Analytics Apps	boolean				
PermissionsBACommunityAccess	Enable community users to access Benefit Assistance objects and features.	boolean				
PermissionsBREAlertsUserAccess	Access Record Alerts for Business Rules Engine	boolean				
PermissionsBVCommunityAccess	Use objects in the Benefit Verification data model via Experience Cloud sites	boolean				
PermissionsBenefitManagementAccess	Allows internal org users to access Programs, Benefits, and Goal objects and features.	boolean				
PermissionsBillingPaymentApiUser	Apply and Unapply Payments Using APIs	boolean				
PermissionsBillingRefundApiUser	Apply and Unapply Refunds Using APIs	boolean				
PermissionsBotManageBots	Manage Bots	boolean				
PermissionsBotManageBotsTrainingData	Manage Bots Training Data	boolean				
PermissionsBranchManagementUserAccess	User license to access Branch Management in Financial Services Cloud.	boolean				
PermissionsBroadcaster	Send One-to-Many Messages	boolean				
PermissionsBulkApiHardDelete	Bulk API Hard Delete	boolean				
PermissionsBulkMacrosAllowed	Run Macros on Multiple Records	boolean				
PermissionsBypassMFAForUiLogins	Waive Multi-Factor Authentication for Exempt Users	boolean				
PermissionsCCMCommunityAccess	Allows community users to access Composable Case Management objects and features.	boolean				
PermissionsCCUserHasBillingAccount	Manage Energy & Utilities Billing Accounts for Experience Cloud	boolean				
PermissionsCCUserHasEAndUProgramAccess	EU Experience Cloud User Program Access	boolean				
PermissionsCCUserHasEUCore	Manage Energy & Utilities Objects for Experience Cloud	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsCIPartnerIntegrationUser	Conversation Insights Partner Integration User	boolean				
PermissionsCMSECEAuthoringAccess	Migrate Enablement Content	boolean				
PermissionsCallCoachingUser	Use Conversation Insights for Sales	boolean				
PermissionsCallExplorer	Einstein Question and Answer for ECI Calls	boolean				
PermissionsCampaignInfluence2	Campaign Influence	boolean				
PermissionsCanAccessCE	Access Conversation Entries	boolean				
PermissionsCanApproveFeedPost	Can Approve Feed Post and Comment	boolean				
PermissionsCanApproveUninstalledApps	Approve Uninstalled Connected Apps	boolean				
PermissionsCanDoActAsUser	Act As User	boolean				
PermissionsCanEditDataPrepRecipe	Edit Dataset Recipes	boolean				
PermissionsCanEditPrompts	Design and Deliver In-App Guidance	boolean				
PermissionsCanInitiateMessagingSessions	Initiate Messaging Sessions	boolean				
PermissionsCanInsertFeedSystemFields	Insert System Field Values for Chatter Feeds	boolean				
PermissionsCanManageMaps	Manage CRM Analytics Custom Maps	boolean				
PermissionsCanMarketingUserDebugFlow	Can Marketing User Debug Marketing Flows	boolean				
PermissionsCanSendInitialSMSToIndividual	Send Initial SMS Message to Individual	boolean				
PermissionsCanTranslateSot2Conversation	Translate Enhanced Conversations	boolean				
PermissionsCanUpdateEmailMessage	Update Email Messages	boolean				
PermissionsCanUseNewDashboardBuilder	Drag-and-Drop Dashboard Builder	boolean				
PermissionsCanVerifyComment	Verify Answers to Chatter Questions	boolean				
PermissionsCanViewDataPrepRecipe	Recipes View Only	boolean				
PermissionsCaptureAndReversePayments	Capture and Reverse Payments	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsCareManagementUserAccess	Enable the Integrated Care Management User Access in a Salesforce org.	boolean				
PermissionsCarePlansAccess	Allows internal org users to access Care Plans objects and features.	boolean				
PermissionsCaseReferralAccess	Allows internal org users to access referral feature.	boolean				
PermissionsCdpReportingCreateReports	Allow access to creating and editing reports in Data Cloud Reporting	boolean				
PermissionsCdpReportingManageFolders	Allow access to managing folders in Data Cloud Reporting	boolean				
PermissionsCdpReportingViewReports	Allow access to viewing reports in Data Cloud Reporting	boolean				
PermissionsChainOfCustodyUser	Manage Chain Of Custody Features	boolean				
PermissionsChangeDashboardColors	Change Dashboard Colors	boolean				
PermissionsChatterComposeUiCodesnippet	Allow Inclusion of Code Snippets from UI	boolean				
PermissionsChatterEditOwnPost	Edit My Own Posts	boolean				
PermissionsChatterEditOwnRecordPost	Edit Posts on Records I Own	boolean				
PermissionsChatterFileLink	Create Public Links	boolean				
PermissionsChatterInternalUser	Chatter Internal User	boolean				
PermissionsChatterInviteExternalUsers	Invite Customers To Chatter	boolean				
PermissionsChatterOwnGroups	Create and Own New Chatter Groups	boolean				
PermissionsClauseDEUser	Allows users to use clauses in Digital Experience sites	boolean				
PermissionsClauseDesigner	Allows clause designers to create and manage clauses	boolean				
PermissionsClauseUser	Allows users to use clauses within documents	boolean				
PermissionsClientSecretRotation	Allow consumer key and secret rotation	boolean				
PermissionsCloseConversations	Close Conversation Threads	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsCodeBuilderUser	Code Builder User	boolean				
PermissionsCombAuthAndCapPayments	Allow Sale Payments	boolean				
PermissionsCommerceTaxApiUser	Tax Api User	boolean				
PermissionsComplaintsManagementAccess	Provides access to Complaints Management features and objects.	boolean				
PermissionsCompleteChgRiskAssmt	Complete Change Risk Assessments	boolean				
PermissionsConfigCompliantDataSharing	Configure Compliant Data Sharing	boolean				
PermissionsConfigCustomRecs	Configure Custom Recommendations	boolean				
PermissionsConfigureCCTarget	Allow user to configure communication capping activation target.	boolean				
PermissionsConfigureCommunicationCapping	Allow user to configure communication capping.	boolean				
PermissionsConfigureDataspaceScope	Configure Dataspace Scope	boolean				
PermissionsConfigureLiveMessage	Configure Messaging	boolean				
PermissionsConnectOrgToEnvironmentHub	Connect Organization to Environment Hub	boolean				
PermissionsConsentApiUpdate	Update Consent Preferences Using REST API	boolean				
PermissionsContactInspectorUser	Access Contact Intelligence View in Partner Sites	boolean				
PermissionsContentAdministrator	Manage Salesforce CRM Content	boolean				
PermissionsContentHubUser	Files Connect Cloud	boolean				
PermissionsContentWorkspaces	Access Libraries	boolean				
PermissionsContextServiceAdmin	Context Service Admin user.	boolean				
PermissionsContextServiceEmbedAdmin	Context Service Embed Admin user.	boolean				
PermissionsContextServiceRuntime	Context Service Run time user.	boolean				
PermissionsContractorHasEUProgramAccess	Contractor Program Access	boolean				
PermissionsContractorHasWorkReportAccess	Manage Contractor Work Report	boolean				
PermissionsConvertLeads	Convert Leads	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsCoordinateClinicalTrials	Coordinate clinical trial tasks like candidate outreach programs.	boolean				
PermissionsCoordinateClnclTrialExpcUsr	Coordinate clinical trial tasks like candidate outreach programs as an Experience Cloud user.	boolean				
PermissionsCosellAuthSetupUser	Establish an Approved PRM External Integration	boolean				
PermissionsCosellExportUser	Export Vendor Records to an Authorized Partner Org	boolean				
PermissionsCreateClosePlan	Allow access to Einstein Close Plan in Einstein Copilot	boolean				
PermissionsCreateCustomizeDashboards	Create and Customize Dashboards	boolean				
PermissionsCreateCustomizeFilters	Create and Customize List Views	boolean				
PermissionsCreateCustomizeReports	Create and Customize Reports	boolean				
PermissionsCreateDPEDefinitionWithDerivedFields	Create DPE Definition With Derived Fields	boolean				
PermissionsCreateDashboardFolders	Create Dashboard Folders	boolean				
PermissionsCreateEditNonSetupFlow	Create or Edit Flows	boolean				
PermissionsCreateLtngTempFolder	Create Folders for Lightning Email Templates	boolean				
PermissionsCreateLtngTempInPub	Manage Public Lightning Email Templates	boolean				
PermissionsCreateModActTrigNonSetupFlow	Create or Modify Activation-Triggered Flows	boolean				
PermissionsCreateModDGTrigNonSetupFlow	Create or Modify Flows with Data Graph Event Triggers	boolean				
PermissionsCreatePackaging	Create AppExchange Packages	boolean				
PermissionsCreateReportFolders	Create Report Folders	boolean				
PermissionsCreateReportInLightning	Report Builder (Lightning Experience)	boolean				
PermissionsCreateTopics	Create Topics	boolean				
PermissionsCreateUpdateSDDataset	Create and Update Einstein Discovery Datasets	boolean				
PermissionsCreateUpdateSDDStory	Create and Update Einstein Discovery Models	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsCreateWorkBadgeDefinition	Create custom Badge Definitions	boolean				
PermissionsCreateWorkspaces	Create Libraries	boolean				
PermissionsCreditMemoAPIUser	Credit Memo API User	boolean				
PermissionsCustomAppsOnFSMobile	Custom Applications for Field Service Mobile	boolean				
PermissionsCustomMobileAppsAccess	Access Custom Mobile Apps	boolean				
PermissionsCustomSidebarOnAllPages	Show Custom Sidebar On All Pages	boolean				
PermissionsCustomizeApplication	Customize Application	boolean				
PermissionsDFODesignerUser	Allows user to gain Fulfillment Designer level access to DRO	boolean				
PermissionsDFOManagerOperatorUser	Allows user to gain Fulfillment Manager or Fulfillment Operator level access to DRO	boolean				
PermissionsDROrderSubmitInitiateUser	Submit Transactions User	boolean				
PermissionsDataExport	Weekly Data Export	boolean				
PermissionsDataPipelinesAppConsumer	Permission to access Data Pipelines license	boolean				
PermissionsDecimalQuantityDesigntime	Decimal Quantity Design time Access	boolean				
PermissionsDecimalQuantityRuntime	Decimal Quantity Runtime Access	boolean				
PermissionsDecisionTableExecUserAccess	Run Decision Tables	boolean				
PermissionsDelegatedPortalUserAdmin	Delegated External User Administrator	boolean				
PermissionsDelegatedTwoFactor	Manage MFA in User Interface	boolean				
PermissionsDeleteActivatedContract	Delete Activated Contracts	boolean				
PermissionsDeleteCrMemoAndInvoice	Delete Credit Memo and Invoice	boolean				
PermissionsDeleteDraftAndCanceledInvoices	Allow Draft and Canceled Invoice Deletion	boolean				
PermissionsDeleteNonSetupFlow	Delete Flows	boolean				
PermissionsDeleteRevenueRecords	Allow Revenue Records Deletion	boolean				
PermissionsDeleteTopics	Delete Topics	boolean				
PermissionsDesignContextRule	Manage Context Rules	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsDfoAdminUser	System Administrator access for DRO	boolean				
PermissionsDigitalAgentUser	Use Custom Agents	boolean				
PermissionsDigitalLendingAdminUser	Digital Lending Admin User	boolean				
PermissionsDigitalLendingEditReadOnly	Digital Lending Edit Read Only Party Related Records	boolean				
PermissionsDigitalLendingIndiaAdminUser	Digital Lending India Admin User	boolean				
PermissionsDigitalLendingUser	Digital Lending User	boolean				
PermissionsDigitalLendingWorkbench	Digital Lending Workbench	boolean				
PermissionsDisbursementUserAccess	Grant users access to Benefit Disbursement features.	boolean				
PermissionsDistributeFromPersWksp	Create Content Deliveries	boolean				
PermissionsDocGenDesigner	Enables Designers to create Document Templates.	boolean				
PermissionsDocGenRuntimeCCUser	Enables Customers and Partners to generate documents via communities.	boolean				
PermissionsDocGenRuntimeUser	Enables Business users to generate documents.	boolean				
PermissionsDocumentAutomationUserAccess	User license to access IntelligentDocumentAutomation in Financial Services Cloud.	boolean				
PermissionsDocumentChecklistUserAccess	User license to access the Document Checklist features.	boolean				
PermissionsDocumentWorkspaceCtyAccess	Permission to access Intelligent Document Workspace for community users	boolean				
PermissionsDocumentWorkspaceUserAccess	Permission to access Intelligent Document Workspace	boolean				
PermissionsDownloadPackageVersionZips	Download Package Version Zip Files	boolean				
PermissionsDynamicCommonOrchestratorUser	Dynamic Common Orchestrator User	boolean				
PermissionsEGPTSalesSummariesUser	Einstein Sales Summaries User	boolean				
PermissionsEditAccountScoreFields	View Account Scores	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsEditActivatedOrders	Edit Activated Orders	boolean				
PermissionsEditBillingInfo	Manage Billing	boolean				
PermissionsEditBrandTemplates	Manage Letterheads	boolean				
PermissionsEditCaseComments	Edit Case Comments	boolean				
PermissionsEditEvent	Edit Events	boolean				
PermissionsEditHtmlTemplates	Edit HTML Templates	boolean				
PermissionsEditKnowledge	Manage Articles	boolean				
PermissionsEditMyDashboards	Edit My Dashboards	boolean				
PermissionsEditMyReports	Edit My Reports	boolean				
PermissionsEditOppLineItemUnitPrice	Edit Opportunity Product Sales Price	boolean				
PermissionsEditPublicDocuments	Manage Public Documents	boolean				
PermissionsEditPublicFilters	Manage Public List Views	boolean				
PermissionsEditPublicTemplates	Manage Public Classic Email Templates	boolean				
PermissionsEditReadonlyFields	Edit Read Only Fields	boolean				
PermissionsEditRepricing	Edit Repricing Information	boolean				
PermissionsEditTask	Edit Tasks	boolean				
PermissionsEditTopics	Edit Topics	boolean				
PermissionsEditTranslation	Article Translation - Edit	boolean				
PermissionsEinsteinAgentPlatformBuilder	Manage AI Agents	boolean				
PermissionsEinsteinCopilotBuilder	Manage Agentforce Default Agent	boolean				
PermissionsEinsteinCopilotUser	Use Agentforce Default Agent	boolean				
PermissionsEinsteinGPTSalesEmailsUser	Use Einstein Sales Emails	boolean				
PermissionsEinsteinSalesRepFdbkUser	Use Einstein Coach	boolean				
PermissionsEmailAdministration	Email Administration	boolean				
PermissionsEmailMass	Mass Email	boolean				
PermissionsEmailSingle	Send Email	boolean				
PermissionsEmailTemplateManagement	Manage Email Templates	boolean				
PermissionsEmbeddedMessagingAgent	Messaging for In-App and Web Agent	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsEmployeeEntitiesAccess	Manage Employees	boolean				
PermissionsEnableBCTransactionPolling	Enable blockchain transaction polling API	boolean				
PermissionsEnableCommunityAppLauncher	Show App Launcher in Experience Cloud Sites	boolean				
PermissionsEnableIPFSUpload	Allow blockchain data upload	boolean				
PermissionsEnableNotifications	Send Outbound Messages	boolean				
PermissionsEngagementConfigUser	Engagement Config User	boolean				
PermissionsEnhancedSalesMobileExp	Salesforce Mobile App: Native Seller Experience	boolean				
PermissionsEntityAccessHealthCloudCommunity	Additional Objects for Health Cloud Features in Experience Cloud	boolean				
PermissionsExplainabilityCmtyAccess	Provides site users with access to Decision Explainers features and APIs.	boolean				
PermissionsExplainabilityUserAccess	Provides internal Org users with access to Decision Explainer features and APIs.	boolean				
PermissionsExportReport	Export Reports	boolean				
PermissionsExternalClientAppAdmin	View all External Client Apps, view their settings, and edit their policies	boolean				
PermissionsExternalClientAppDeveloper	Create, edit, and delete External Client Apps	boolean				
PermissionsExternalClientAppViewer	View all External Client Apps	boolean				
PermissionsFHIRCmtyAccess	Use objects in the Clinical data model via Experience Cloud sites	boolean				
PermissionsFSCAlertFrameworkUserAccess	Access Record Alerts	boolean				
PermissionsFSCArcGraphCommunityUser	Access Actionable Relationship Center for partner users	boolean				
PermissionsFSCB2BUserAccess	Grants access to B2B features	boolean				
PermissionsFSCInsClaimMgtPlatformUser	Insurance Claim Management Platform User	boolean				
PermissionsFSCInsPolicyAdminPlatformUser	Insurance Policy Administration Platform User	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsFSCInsuranceCmpCntyAccess	Access Insurance Lightning Components	boolean				
PermissionsFSCInsuranceCmpExtOnlyAccess	Access Insurance Lightning Components	boolean				
PermissionsFSCInsurancePlatformUser	Access Insurance Objects	boolean				
PermissionsFeedPinning	Pin Posts in Feeds	boolean				
PermissionsFieldMappingUser	Field Mapping Configuration User	boolean				
PermissionsFieldServiceAccess	Field Service Standard	boolean				
PermissionsFieldServiceCopilotActions	Access Agent Topics and Actions for Field Service	boolean				
PermissionsFieldServiceDispatcher	Field Service Dispatcher	boolean				
PermissionsFieldServiceLastMile	Field Service Appointment Assistant	boolean				
PermissionsFieldServiceMobileApp	Field Service Mobile	boolean				
PermissionsFieldServiceScheduling	Field Service Scheduling	boolean				
PermissionsFieldServiceVoiceToForm	Access Field Service Data Capture Voice to Form (Beta)	boolean				
PermissionsFieldServiceVoiceToRecordEdit	Access Field Service Voice to Record Edit	boolean				
PermissionsFinancialServices2UserAccess	Access Actionable Relationship Center	boolean				
PermissionsFindPastCollaborators	Allow access to Find Past Collaborators in Einstein Copilot.	boolean				
PermissionsFlowUFLRequired	Require Flow User Feature License	boolean				
PermissionsForceTwoFactor	Multi-Factor Authentication for User Interface Logins	boolean				
PermissionsFreezeUsers	Freeze Users	boolean				
PermissionsFscPlansAndGoalsUser	Plans and Goals User	boolean				
PermissionsGetProductPricing	Allow access to Get Product Pricing in Einstein Copilot	boolean				
PermissionsGetSmartDataDiscovery	View Einstein Discovery Recommendations	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsGetStartDataDiscoveryExternal	View Einstein Discovery Recommendations Via Connect API	boolean				
PermissionsGiveRecognitionBadge	Give Recognition Badges in Experience Builder Sites	boolean				
PermissionsGlobalCbpQueryAccess	Global Controlled-by-Parent Query Access	boolean				
PermissionsGovernNetworks	Manage Experiences	boolean				
PermissionsGroupMembershipCmtyUsr	Group Membership Experience Cloud User	boolean				
PermissionsGroupMembershipPsl	Group Membership	boolean				
PermissionsHasUnlimitedNBAExecutions	User Has Unlimited Next Best Action Strategy Executions	boolean				
PermissionsHcAdvancedTherapyUser	Manage Advanced Therapy Orchestration features	boolean				
PermissionsHeadlessCMSAccess	Enable Salesforce CMS Integration	boolean				
PermissionsHeadlessPublishNudges	Headless Publish Nudges User	boolean				
PermissionsHealthAgent	Health Assistive Agent	boolean				
PermissionsHealthCloudStarter	Health Cloud Starter	boolean				
PermissionsHideReadByList	Hide the Seen By List	boolean				
PermissionsIcmCmtyAccess	Enables the use of objects in the Integrated Care Management data model by Experience cloud site users.	boolean				
PermissionsIdentityConnect	Use Identity Connect	boolean				
PermissionsIdentityEnabled	Use Identity Features	boolean				
PermissionsIdentityVerificationUserAccess	Permission to access Identity Verification	boolean				
PermissionsImportCustomObjects	Import Custom Objects	boolean				
PermissionsImportLeads	Import Leads	boolean				
PermissionsImportPersonal	Import Personal Contacts	boolean				
PermissionsInboundMigrationToolsUser	Deploy Change Sets	boolean				
PermissionsIndustriesEpcNextPilot	Industries Epc Next Pilot	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsIndustryMilestonePlatformUser	Access Life Events or Business Milestones Component	boolean				
PermissionsInsightsAppAdmin	Manage CRM Analytics	boolean				
PermissionsInsightsAppDashboardEditor	Create and Edit CRM Analytics Dashboards	boolean				
PermissionsInsightsAppEltEditor	Edit CRM Analytics Dataflows	boolean				
PermissionsInsightsAppUploadUser	Upload External Data to CRM Analytics	boolean				
PermissionsInsightsAppUser	Use CRM Analytics	boolean				
PermissionsInsightsCreateApplication	Create CRM Analytics Apps	boolean				
PermissionsInsightsIntelAppUser	Use Intelligent Apps	boolean				
PermissionsInstallPackaging	Download AppExchange Packages	boolean				
PermissionsInsuranceGroupBenefitsUser	Insurance Group Benefits User	boolean				
PermissionsInteractionCalcAdminPerm	Grant administrators access to Industries Interaction Calculation features.	boolean				
PermissionsInteractionCalcUserPerm	Grant users access to Industries Interaction Calculation features.	boolean				
PermissionsInteractionObjStateDefUserPerm	Grant users access to Industries Interaction Object State Definition features.	boolean				
PermissionsInterestTaggingUserAccess	Access Interest Tags for Financial Services Cloud.	boolean				
PermissionsInvoiceOrErrorRecoveryAPI	Invoice or Recovery API	boolean				
PermissionsInvoiceSchedulerUser	Invoice Scheduler User	boolean				
PermissionsIsSsoEnabled	Is Single Sign-On Enabled	boolean				
PermissionsIsotopeAccess	Salesforce Anywhere on Mobile	boolean				
PermissionsIsotopeCToCUser	Salesforce Anywhere Integration Access	boolean				
PermissionsIsotopeLEX	Salesforce Anywhere in Lightning Experience	boolean				
PermissionsKycPlatformUser	Identity Verification and Screening User	boolean				
PermissionsMEndMessagingSessionUserPerm	End Messaging Session	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsAIOutboundMessagingUserPerm	Agent Initiated Outbound Messaging	boolean				
PermissionsLPICommunityAccess	Grant community users access to LPI features.	boolean				
PermissionsLeadInspectorUser	Access Lead Intelligence View in Partner Sites	boolean				
PermissionsLeadScoreResultPublisher	Publish Einstein Lead Scoring results	boolean				
PermissionsLeadScoreUser	Use Einstein Lead Scoring	boolean				
PermissionsLearningManager	Manage Learning	boolean				
PermissionsLifecycleManagementAPIUser	Access Customer Asset Lifecycle Management APIs	boolean				
PermissionsLightningConsoleAllowedForUser	Lightning Console User	boolean				
PermissionsLightningExperienceUser	Lightning Experience User	boolean				
PermissionsLightningOnFSMobile	Lightning SDK for Field Service Mobile	boolean				
PermissionsLightningSchedulerUserAccess	Let a user be included in appointments in Salesforce Scheduler.	boolean				
PermissionsListEmailSend	Allow sending of List Emails	boolean				
PermissionsLiveMessageAgent	Messaging Agent	boolean				
PermissionsLobbyManagementUserAccess	Let greeters access the Lobby Management tab.	boolean				
PermissionsLtngPromoReservedUserPerm	Remain in Salesforce Classic	boolean				
PermissionsMCPMetadataApi	MCPMetadataApi	boolean				
PermissionsMakePayments	Make Payments	boolean				
PermissionsManageAccessPolicies	Manage Access Policies	boolean				
PermissionsManageAgentforceServiceAgent	Manage Agentforce Service Agents	boolean				
PermissionsManageAnalyticSnapshots	Manage Reporting Snapshots	boolean				
PermissionsManageAuthProviders	Manage Auth. Providers	boolean				
PermissionsManageBusinessHourHolidays	Manage Business Hours Holidays	boolean				
PermissionsManageC2CHighVolumePriming	Manage Cross-Cloud High-Volume Priming	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageC360AConnections	Connect Org to Data Cloud	boolean				
PermissionsManageCMS	Create CMS Workspaces and Channels	boolean				
PermissionsManageCallCenters	Manage Call Centers	boolean				
PermissionsManageCases	Manage Cases	boolean				
PermissionsManageCategories	Manage Categories	boolean				
PermissionsManageCdpMlModels	Allow users to manage models in Einstein Studio	boolean				
PermissionsManageCertificates	Manage Certificates	boolean				
PermissionsManageCertificatesExpiration	Receive Certificate Expiration Notifications	boolean				
PermissionsManageChatterMessages	Manage Chatter Messages and Direct Messages	boolean				
PermissionsManageClinicalDataModel	Provides access to Clinical Data Model entities for LifeSciences Users	boolean				
PermissionsManageClinicalTrials	Design and run clinical trials.	boolean				
PermissionsManageContentLinks	Manage Content Links	boolean				
PermissionsManageContentPermissions	Manage Content Permissions	boolean				
PermissionsManageContentProperties	Manage Content Properties	boolean				
PermissionsManageContentTaxonomy	Manage Content Taxonomy	boolean				
PermissionsManageContentTypes	Manage record types and layouts for Files	boolean				
PermissionsManageConvMiningReports	View and generate Einstein Conversation Mining reports	boolean				
PermissionsManageCssUsers	Manage Customer Users	boolean				
PermissionsManageCustomDomains	Manage Custom Domains	boolean				
PermissionsManageCustomPermissions	Manage Custom Permissions	boolean				
PermissionsManageCustomReportTypes	Manage Custom Report Types	boolean				
PermissionsManageDashboardsInPubFolders	Manage Dashboards in Public Folders	boolean				
PermissionsManageDataCategories	Manage Data Categories	boolean				
PermissionsManageDataIntegrations	Manage Data Integrations	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageDataMaskPolicies	Manage Data Mask Policies	boolean				
PermissionsManageDataProcessingEngine	Allow users to access the features of Data Processing Engine to transform data that's available in your Salesforce org.	boolean				
PermissionsManageDataspaceScope	Manage Dataspace Scope	boolean				
PermissionsManageDevSandboxes	Manage Dev Sandboxes	boolean				
PermissionsManageDynamicDashboards	Manage Dynamic Dashboards	boolean				
PermissionsManageEmailClientConfig	Manage Email Client Configurations	boolean				
PermissionsManageEmailMessagingSetup	Manage Email Messaging Setup	boolean				
PermissionsManageEncryptionKeys	Manage Encryption Keys	boolean				
PermissionsManageEntitlements	Manage Entitlements	boolean				
PermissionsManageExchangeConfig	Manage Lightning Sync	boolean				
PermissionsManageExternalConnections	Allow user to modify Private Connections	boolean				
PermissionsManageFilesAndAttachments	Manage Policies' Files And Attachments	boolean				
PermissionsManageForecastingCustomData	Manage Forecasts Custom Data	boolean				
PermissionsManageHcProviderRelMgmt	Manage Health Cloud Provider Relationship Management	boolean				
PermissionsManageHealthCheck	Manage Health Check	boolean				
PermissionsManageHealthCloud	Manage Health Cloud	boolean				
PermissionsManageHealthCloudFinancialData	Manage Health Cloud Financial Data	boolean				
PermissionsManageHerokuAppLink	Manage Heroku AppLink	boolean				
PermissionsManageHubConnections	Connect Org to Customer 360 Data Manager	boolean				
PermissionsManageIndustriesVisit	Manage Industries Visit	boolean				
PermissionsManageIntegrationConnections	Manage Integration Connections	boolean				
PermissionsManageIntelligenceApp	Manage Commerce Intelligence App	boolean				
PermissionsManageInteraction	Manage Flow	boolean				
PermissionsManageInternalUsers	Manage Internal Users	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageIpAddresses	Manage IP Addresses	boolean				
PermissionsManageKnowledge	Manage Salesforce Knowledge	boolean				
PermissionsManageKnowledgeImportExport	Manage Knowledge Article Import/Export	boolean				
PermissionsManageLeads	Manage Leads	boolean				
PermissionsManageLearningReporting	Manage Learning Reporting	boolean				
PermissionsManageLoginAccessPolicies	Manage Login Access Policies	boolean				
PermissionsManageMobile	Manage Mobile Configurations	boolean				
PermissionsManageMobileAppSecurity	Manage Enhanced Mobile App Security	boolean				
PermissionsManageMyExternalUsers	Manage External Users (Limited)	boolean				
PermissionsManageNamedCredentials	Allows users to modify Named Credentials and External Credentials	boolean				
PermissionsManageNetworks	Create and Set Up Experiences	boolean				
PermissionsManageOCIRecords	Manage Omnichannel Inventory Records	boolean				
PermissionsManageOrchInstsAndWorkItems	Manage Orchestration Runs and Work Items	boolean				
PermissionsManageOrchestrationRuns	Manage Orchestration Runs	boolean				
PermissionsManageOutcomeManagement	Manage Outcomes	boolean				
PermissionsManagePartners	Manage External Users	boolean				
PermissionsManagePasswordPolicies	Manage Password Policies	boolean				
PermissionsManagePatientProgramOutcomes	Manage Patient Program Outcomes	boolean				
PermissionsManagePharmacyBenefitsVerf	Gives users access to verify and reverify pharmacy benefits.	boolean				
PermissionsManageProductCatalog	Manage Product Catalog	boolean				
PermissionsManageProductDiscovery	Manage Product Discovery	boolean				
PermissionsManageProductIndexAndSearch	Create and delete indexes for Product Catalog Management, and configure product browsing options.	boolean				
PermissionsManageProfilesPermissionsets	Manage Profiles and Permission Sets	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageProgramManagement	Advanced Program Management	boolean				
PermissionsManagePropositions	Manage Next Best Action Recommendations	boolean				
PermissionsManageProviderSearch	Manage Provider Search	boolean				
PermissionsManagePvtRptsAndDashbds	Manage All Private Reports and Dashboards	boolean				
PermissionsManageQuotas	Manage Quotas	boolean				
PermissionsManageRecommendationStrategies	Manage Next Best Action Strategies	boolean				
PermissionsManageReleaseUpdates	Manage Release Updates	boolean				
PermissionsManageRemoteAccess	Manage Connected Apps	boolean				
PermissionsManageReportsInPubFolders	Manage Reports in Public Folders	boolean				
PermissionsManageRoles	Manage Roles	boolean				
PermissionsManageSALifecycle	Manage Service Appointment Lifecycle	boolean				
PermissionsManageSandboxes	Manage Sandboxes	boolean				
PermissionsManageSearchPromotionRules	Manage Promoted Search Terms	boolean				
PermissionsManageSecurityCommandCenter	Manage Security Center	boolean				
PermissionsManageSessionPermissionSets	Manage Session Permission Set Activations	boolean				
PermissionsManageSharing	Manage Sharing	boolean				
PermissionsManageSiteManagement	Manage Site Management	boolean				
PermissionsManageSiteProfile	Manage Site and Investigator Profile	boolean				
PermissionsManageSmartDataDiscovery	Manage Einstein Discovery	boolean				
PermissionsManageSmartDataDiscoveryModel	Can Deploy and Manage Einstein Discovery predictions	boolean				
PermissionsManageSocialDeterminant	Enable access to the Manage Social Determinants Data Model for Life Sciences users in a Salesforce org.	boolean				
PermissionsManageSolutions	Manage Published Solutions	boolean				
PermissionsManageStores	Manage Stores	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageSubscriptions	Manage CRM Analytics Subscriptions	boolean				
PermissionsManageSurveys	Manage Surveys	boolean				
PermissionsManageSynonyms	Manage Synonyms	boolean				
PermissionsManageTemplatedApp	Manage CRM Analytics Templated Apps	boolean				
PermissionsManageTrialMgmtRandomization	Manage Trial Management Randomization	boolean				
PermissionsManageTrustMeasures	Manage Trust Measures	boolean				
PermissionsManageTwoFactor	Manage MFA in API	boolean				
PermissionsManageUnlistedGroups	Manage Unlisted Groups	boolean				
PermissionsManageUsers	Manage Users	boolean				
PermissionsMassInlineEdit	Mass Edits from Lists	boolean				
PermissionsMaterialLineUser	Create Material Lines	boolean				
PermissionsMergeAndSplitGroups	Merge and Split Groups	boolean				
PermissionsMergeTopics	Merge Topics	boolean				
PermissionsMetadataStudioUser	Metadata studio User	boolean				
PermissionsMicrobatching	Use Micro-Batching to Create Records	boolean				
PermissionsMngBenVerfForAssistiveAgt	Gives AI agents access to the objects and fields required to reverify benefits.	boolean				
PermissionsMngFinancialAssistanceProgram	Access PSP Financial Assistance	boolean				
PermissionsMobileAppSecurity	Enforce Enhanced Mobile App Security	boolean				
PermissionsMobileMessagingAgent	Message on Mobile	boolean				
PermissionsModerateChatter	Moderate Chatter	boolean				
PermissionsModerateNetworkFeeds	Moderate Experience Cloud Site Feeds	boolean				
PermissionsModerateNetworkFiles	Moderate Files in Experience Cloud Sites	boolean				
PermissionsModerateNetworkMessages	Moderate Chatter Messages in Experience Cloud Sites	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsModerateNetworkUsers	Moderate Experience Cloud Site Users	boolean				
PermissionsModifyAccessAllowPolicies	Modify Allow Data Governance Policies	boolean				
PermissionsModifyAccessDenyPolicies	Modify Deny Data Governance Policies	boolean				
PermissionsModifyAllData	Modify All Data	boolean				
PermissionsModifyAllDataGovClassif	Modify All Data Governance Classification Tags	boolean				
PermissionsModifyAllDataGovClsfTax	Modify All Data Governance Classification Taxonomies	boolean				
PermissionsModifyAllDataGovPolicies	Modify All Data Governance Policies	boolean				
PermissionsModifyAllDataGovTagAssign	Modify All Data Governance Tag Assignments	boolean				
PermissionsModifyAllDataGovTags	Modify All Data Governance Tags	boolean				
PermissionsModifyAllDataGovTax	Modify All Data Governance Tag Taxonomies	boolean				
PermissionsModifyAllPolicyCenterPolicies	Modify All Policy Center Policies	boolean				
PermissionsModifyDataClassification	Modify Data Classification	boolean				
PermissionsModifyMetadata	Modify Metadata Through Metadata API Functions	boolean				
PermissionsMonitorLoginHistory	Monitor Login History	boolean				
PermissionsMortgageUserAccess	User license to access Mortgage in Financial Services Cloud.	boolean				
PermissionsMultiStepSchedulingUser	Manage Multi-Step Scheduling features	boolean				
PermissionsNativeWebviewScrolling	Salesforce Mobile App: Native scrolling on webviews	boolean				
PermissionsNewReportBuilder	Report Builder	boolean				
PermissionsOmniAssistiveActionUser	OmniAssistiveActionUser	boolean				
PermissionsOmniStudioDesigner	Enables admin/developer to create new OS/DR/VIP instances.	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsOmniStudioRuntime	Enables business users to execute OmniScripts, DRs, Cards, etc, in employee facing apps.	boolean				
PermissionsOmniStudioRuntimeCC	Enables consumers and partners to execute OmniScripts, DRs, Cards through a Community or off platform.	boolean				
PermissionsOmniSupervisorManageQueue	Manage Queue Memberships	boolean				
PermissionsOmnichannelInventoryBasic	Omnichannel Inventory Basic	boolean				
PermissionsOmnichannelInventorySync	Omnichannel Inventory Sync	boolean				
PermissionsOpportunityScoreUser	Use Einstein Opportunity Scoring	boolean				
PermissionsOptOutGeoLocationTracking	Exclude Technician from Geolocation Tracking	boolean				
PermissionsOrderSubmitUser	Submit Transactions and Fulfilment User	boolean				
PermissionsOrderToBSAPIUser	Access Order to Billing Schedule API	boolean				
PermissionsOrderToInvoiceAPIUser	Access Order to Invoice API	boolean				
PermissionsOutboundMigrationToolsUser	Create and Upload Change Sets	boolean				
PermissionsOverrideForecasts	Override Forecasts	boolean				
PermissionsPRMChannelMgmtConsoleUser	View Channel Management Console	boolean				
PermissionsPackaging2	Create and Update Second-Generation Packages	boolean				
PermissionsPackaging2Delete	Delete Second-Generation Packages	boolean				
PermissionsPackaging2PromoteVersion	Promote a package version to released	boolean				
PermissionsParticipateClinicalTrials	Let external users view and enroll in research studies.	boolean				
PermissionsPasswordNeverExpires	Password Never Expires	boolean				
PermissionsPaymentSchedulerUser	Payments Scheduler User	boolean				
PermissionsPaymentsAPIUser	Payments Api User	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsPersonalizationDecisioningUser	Provides users access to the Personalization Decisions invocable action.	boolean				
PermissionsPersonalizationIntelUser	Personalization Intelligence User	boolean				
PermissionsPersonalizationPlatform	Access Personalization Platform	boolean				
PermissionsPersonalizedFinanceUserAccess	Data Cloud FlexCards for Financial Services Cloud	boolean				
PermissionsPipelineInspectorUser	Pipeline Inspection User	boolean				
PermissionsPortalSuperUser	Portal Super User	boolean				
PermissionsPreventClassicExperience	Hide Option to Switch to Salesforce Classic	boolean				
PermissionsPreviewExperienceUser	Allow access to Preview Experience	boolean				
PermissionsPreviewTestSendEmail	Send Test Email	boolean				
PermissionsPriceSheetConfiguration	Configure Price Sheets	boolean				
PermissionsPricingRuleUser	Configure price rules	boolean				
PermissionsPrismBackofficeUser	Prism Backoffice User	boolean				
PermissionsPrismPlaygroundUser	Prism Playground User	boolean				
PermissionsPrivacyDataAccess	Allow user to access privacy data	boolean				
PermissionsPrmEnhancedPortalUser	PRM Enhanced Portal User	boolean				
PermissionsPrmExtIntPrtnrAdminUser	Set Up Partner Connect for a Partner Org	boolean				
PermissionsProductAdmin	Product Admin	boolean				
PermissionsProductCatalogApiAccess	View Product Catalog via API	boolean				
PermissionsProductCatalogMgmtApiCCAccess	View Product Catalog via API for Customer Community User	boolean				
PermissionsProductCatalogMgmtApiPCAccess	View Product Catalog via API for Partner Community User	boolean				
PermissionsProductCatalogMgmtBaseCCUser	View Product Catalog for Customer Community User	boolean				
PermissionsProductCatalogMgmtBasePCUser	View Product Catalog for Partner Community User	boolean				
PermissionsProductConfigurationRuleAccess	Manage Configurator with Business Rules Engine	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsProductDiscoveryUser	Allow access to Product Discovery	boolean				
PermissionsProposeMajorIncidents	Propose Major Incidents	boolean				
PermissionsProviderSearchUserAccess	Permission to access internal entities for provider search	boolean				
PermissionsPublicSectorPlatformUserAccess	Grant users access to Public Sector features.	boolean				
PermissionsPublishArticles	Publish Articles	boolean				
PermissionsPublishPackaging	Upload AppExchange Packages	boolean				
PermissionsPublishTranslation	Article Translation - Publish	boolean				
PermissionsQRCodeGeneratorMobilePublisherPlayground	Mobile Publisher QR Code Generator Playground User	boolean				
PermissionsQueryAllFiles	Query All Files	boolean				
PermissionsQueryNonVetoedFiles	Query Non Vetoed Files	boolean				
PermissionsQuipMetricsAccess	Quip Metrics	boolean				
PermissionsQuipUserEngagementMetrics	Quip User Engagement Metrics	boolean				
PermissionsQuoteToOrderUser	Create Orders from Quotes	boolean				
PermissionsReadConfigurationItemInformation	Allows user to read CMDB associations details.	boolean				
PermissionsReassignOrchestrationWorkItems	Reassign Orchestration Work Items	boolean				
PermissionsRebookWithAgentforceFromDispatchConsole	Rebook with Agentforce from Dispatch Console	boolean				
PermissionsRecordAggregationAccess	Record Aggregation Access	boolean				
PermissionsRecordVisibilityAPI	Enable RecordVisibility API	boolean				
PermissionsRefundPayments	Refund Payments	boolean				
PermissionsRemoveDirectMessageMembers	Remove People from Direct Messages	boolean				
PermissionsReopenChangeRequests	Reopen Change Requests	boolean				
PermissionsReopenProblems	Reopen Problems	boolean				
PermissionsResetPasswords	Reset User Passwords and Unlock Users	boolean				
PermissionsResolveChgRqstAssoc	Resolve Change Request Associations	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsResolveIncAssoc	Resolve Incident Associations	boolean				
PermissionsResolveProbAssoc	Resolve Problem Associations	boolean				
PermissionsRespondToSocialInsuranceClaims	Respond to Social Insurance Claims	boolean				
PermissionsRevenueIntelligenceUser	Revenue Intelligence User	boolean				
PermissionsRevenueProductImportUser	Import Products Using Subscription Management Console	boolean				
PermissionsReviewBuyingCommittee	Allow access to Review Buying Committee in Einstein Copilot	boolean				
PermissionsReviewMyDay	Review My Day	boolean				
PermissionsRunContextRule	Run Context Rules	boolean				
PermissionsRunDecisionMatrix	Run Decision Matrices	boolean				
PermissionsRunExpressionSet	Run Expression Sets	boolean				
PermissionsRunFlow	Run Flows	boolean				
PermissionsRunReports	Run Reports	boolean				
PermissionsRunTrialMgmtRandomization	Run Trial Management Randomization	boolean				
PermissionsSCEViewAllData	View Opportunity Scoring Model Factors	boolean				
PermissionsSDCommunityAccess	Use objects in the Social Determinants data model via Experience Cloud sites	boolean				
PermissionsSalesConsole	Sales Console	boolean				
PermissionsSalesInsightsUser	Sales Insights User	boolean				
PermissionsSalesMeetingFollowUpEmail	Sales Meeting Follow-Up Emails	boolean				
PermissionsSalesforceForecastingUser	Forecast on Any Business Model	boolean				
PermissionsSalesforceIQInbox	Use Inbox	boolean				
PermissionsSalesforceIQInternal	Allows the Cloud Integration User to perform SalesforceIQ internal operations	boolean				
PermissionsSandboxTestingInCommunityApp	Test Sandboxes in Mobile Publisher for Experience Cloud	boolean				
PermissionsScheduleJob	Schedule Dashboards	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsScheduleReports	Schedule Reports	boolean				
PermissionsScoringFrameworkAdmin	Scoring Framework Admin	boolean				
PermissionsScoringFrameworkUser	Scoring Framework User	boolean				
PermissionsSegmentIntelligenceUser	Segment Intelligence User	boolean				
PermissionsSelectFilesFromSalesforce	Select Files from Salesforce	boolean				
PermissionsSendAnnouncementEmails	Send announcement emails	boolean				
PermissionsSendCustomNotifications	Send Custom Notifications	boolean				
PermissionsSendEmail	Send Unified Messaging Email	boolean				
PermissionsSendExternalEmailAvailable	Send Email through External Email Service	boolean				
PermissionsSendMeetingRequest	Permission for Send Meeting Request.	boolean				
PermissionsSendSitRequests	Send Stay-in-Touch Requests	boolean				
PermissionsServiceECIUser	Use Conversation Insights for Service	boolean				
PermissionsServiceExcellencePlatformUser	Service Excellence Platform User	boolean				
PermissionsSessionScopeContext	Provides access to create session scope context.	boolean				
PermissionsSetupAgentBuilder	Manage Agent for Setup	boolean				
PermissionsSetupAgentUser	Access Agent for Setup	boolean				
PermissionsShareFilesWithNetworks	Share Files with People in Experience Cloud sites	boolean				
PermissionsShareInternalArticles	Share internal Knowledge articles externally	boolean				
PermissionsShareSmartDataDiscoveryStory	Share Einstein Discovery Models	boolean				
PermissionsShowCompanyNameAsUserBadge	Show Company Name as Site Role	boolean				
PermissionsShowPreWorkBriefGA	Show Pre-Work Brief	boolean				
PermissionsSimpleCsvDataImportUser	Basic Csv Data Import User Permission	boolean				
PermissionsSkipIdentityConfirmation	Skip Device Activation at Login	boolean				
PermissionsSlackCibUser	Financial Services Cloud for Slack User	boolean				
PermissionsSlackRecordChannels	Access Slack Record Channels	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsSmartDataDiscoveryForCommunity	Smart Data Discovery for experience users	boolean				
PermissionsSolutionImport	Import Solutions	boolean				
PermissionsSonicConsumer	Use Data Pipeline Base	boolean				
PermissionsStageManagementDesignUser	Stage Management Designer User	boolean				
PermissionsStageManagementUser	Stage Management User	boolean				
PermissionsStoAutomaticActivityCapture	Use Einstein Activity Capture Standard	boolean				
PermissionsStoryOnDSWithPredicate	Ignore predicate when creating model from dataset	boolean				
PermissionsSubmitForTranslation	Article Translation - Submit for Translation	boolean				
PermissionsSubmitMacrosAllowed	Manage Macros Users Can't Undo	boolean				
PermissionsSubscrMgmtAmendDecreaseUser	Decrease Subscription Quantity	boolean				
PermissionsSubscrMgmtAmendIncreaseUser	Increase Subscription Quantity	boolean				
PermissionsSubscrMgmtCancelUser	Cancel Subscriptions	boolean				
PermissionsSubscrMgmtOrderItemToAssetUser	Create Assets from Order Items	boolean				
PermissionsSubscrMgmtOrderToAssetUser	Create Assets from Orders	boolean				
PermissionsSubscrMgmtPymtSchedAutomation	Automate Payment Scheduling	boolean				
PermissionsSubscrMgmtRefundAutomation	Automate Refunds	boolean				
PermissionsSubscrMgmtRenewalUser	Renew Subscriptions	boolean				
PermissionsSubscribeDashboardRolesGrps	Subscribe to Dashboards: Send to Groups and Roles	boolean				
PermissionsSubscribeDashboardToOtherUsers	Subscribe to Dashboards: Add Recipients	boolean				
PermissionsSubscribeReportRolesGrps	Subscribe to Reports: Send to Groups and Roles	boolean				
PermissionsSubscribeReportToOtherUsers	Subscribe to Reports: Add Recipients	boolean				
PermissionsSubscribeReportsRunAsUser	Subscribe to Reports: Set Running User	boolean				
PermissionsSubscribeToLightningDashboards	Subscribe to Dashboards	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsSubscribeToLightningReports	Subscribe to Reports	boolean				
PermissionsSubscriptionManagementUser	Allow access to Subscription Management	boolean				
PermissionsTerritoryOperations	Administer territory operations	boolean				
PermissionsTraceXdsQueries	Access Tracer for External Data Sources	boolean				
PermissionsTransactionSecurityExempt	Exempt from Transaction Security	boolean				
PermissionsTransactionalEmailSend	Send Non-Commercial Email	boolean				
PermissionsTransferAnyCase	Transfer Cases	boolean				
PermissionsTransferAnyEntity	Transfer Record	boolean				
PermissionsTransferAnyLead	Transfer Leads	boolean				
PermissionsTriggerDataGovAutoTagging	Enable Data Governance Suggest Tags	boolean				
PermissionsTwoFactorApi	Multi-Factor Authentication for API Logins	boolean				
PermissionsUnifiedHealthScoringUser	View and assign scores for accounts, contacts, and leads using the Unified Health Scoring feature.	boolean				
PermissionsUpdateReportTypeReferences	Update Report Type References in Semantic Search	boolean				
PermissionsUseAddOrderItemSummary	Add additional items to an order summary.	boolean				
PermissionsUseAddOrderItemSummaryAPIs	Use Order Management Add Order Item Summary APIs	boolean				
PermissionsUseAdvancedDeliveryEstimationAPI	Use Advanced Delivery Estimation Service APIs	boolean				
PermissionsUseAssistantDialog	Instant Actionable Results	boolean				
PermissionsUseCanCancelInProgressChange	Can cancel Order Management in-progress async calls.	boolean				
PermissionsUseCompliantDataSharing	Use Compliant Data Sharing	boolean				
PermissionsUseCreateCreditMemo	Create credit memos.	boolean				
PermissionsUseCreateOrderSummary	Create order summaries by using APIs.	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsUseCriteriaBasedSearchFilter	Use Criteria-Based Search and Filter	boolean				
PermissionsUseDeliveryEstimation	Use Delivery Estimation Service	boolean				
PermissionsUseDeliveryEstimationAPIs	Use Delivery Estimation Service APIs	boolean				
PermissionsUseEnsureFunds	Execute ensure funds.	boolean				
PermissionsUseExpCloudCBSF	Use Criteria-Based Search and Filter for Experience Cloud	boolean				
PermissionsUseFulfillmentAPIs	Use Order Management Fulfillment APIs	boolean				
PermissionsUseInboxSchedulingOnBehalfOf	Inbox Scheduling Proxy User	boolean				
PermissionsUseMySearch	Einstein Search	boolean				
PermissionsUseOMAnalytics	Use Order Management Analytics	boolean				
PermissionsUseOmnichannelInventoryAPIs	Use Omnichannel Inventory APIs	boolean				
PermissionsUseOrderEntry	Use Order Entry	boolean				
PermissionsUseOrderItemSummaryCancel	Cancel order item summaries.	boolean				
PermissionsUseOrderItemSummaryReturn	Execute blind returns.	boolean				
PermissionsUsePaymentCreditAPIs	Use Order Management Payment Credit APIs	boolean				
PermissionsUseQuerySuggestions	Natural Language Search	boolean				
PermissionsUseRegisterGuestBuyerAPI	Use Register Guest Buyer API	boolean				
PermissionsUseRepricing	Use Repricing Objects and APIs	boolean				
PermissionsUseReturnOrder	Use Order Management Return Order	boolean				
PermissionsUseReturnOrderAPIs	Use Order Management Return APIs	boolean				
PermissionsUseRouting	Access the Fulfillment Order routing APIs.	boolean				
PermissionsUseServicePartReturn	Manufacturing Cloud Service Part Return Management User	boolean				
PermissionsUseSmartDataDiscovery	Use Einstein Discovery	boolean				
PermissionsUseSubscriptionEmails	Subscribe to CRM Analytics Assets	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsUseTeamReassignWizards	Use Team Reassignment Wizards	boolean				
PermissionsUseTeamsForItSrvcs	Manage ITSM Teams	boolean				
PermissionsUseTemplatedApp	Use CRM Analytics Templated Apps	boolean				
PermissionsUseWebLink	Allow Access to Customized Actions	boolean				
PermissionsUserCanAccessNLPResult	View Natural Language Process Results	boolean				
PermissionsUserCanDeployStore	Users can perform the deployment operation on a store.	boolean				
PermissionsUserCanPerformNLPOperation	Manage Natural Language Process Results	boolean				
PermissionsUserHasBillingAccount	Access EU User Billing Account	boolean				
PermissionsUserHasEAndUProgramAccess	EU User Program Access	boolean				
PermissionsUserHasEUCore	Access EU Objects	boolean				
PermissionsUserHasUsageImpactAccess	EU User Impact Access	boolean				
PermissionsUserHasWorkReportAccess	Manage User Work Report	boolean				
PermissionsVideoConferenceMeetUser	Use Video Conferencing with Google Meet	boolean				
PermissionsVideoConferenceTeamsUser	Use Video Conferencing with Teams	boolean				
PermissionsVideoConferenceZoomUser	Use Video Conferencing with Zoom	boolean				
PermissionsViewAccessPolicies	View Access Policies	boolean				
PermissionsViewAgtfrceAnlytDshbrd	View Agentforce Analytics Dashboard	boolean				
PermissionsViewAllActivities	View All Activities	boolean				
PermissionsViewAllCalls	View All Voice And Video Calls	boolean				
PermissionsViewAllCustomSettings	View All Custom Settings	boolean				
PermissionsViewAllData	View All Data	boolean				
PermissionsViewAllDataGovPolicies	View All Data Governance Policies	boolean				
PermissionsViewAllDataGovTags	View All Data Governance Tags, Classifications, and Taxonomies	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsViewAllFieldsGlobal	View All Fields (Global)	boolean				
PermissionsViewAllForecasts	View All Forecasts	boolean				
PermissionsViewAllForeignKeyNames	View All Lookup Record Names	boolean				
PermissionsViewAllNonSetupFlows	View All Non-Admin Flows	boolean				
PermissionsViewAllPolicyCenterPolicies	View All Policy Center Policies	boolean				
PermissionsViewAllProfiles	View All Profiles	boolean				
PermissionsViewAllUsers	View All Users	boolean				
PermissionsViewAnomalyEvents	View Threat Detection Events	boolean				
PermissionsViewArchivedArticles	View Archived Articles	boolean				
PermissionsViewCaseAnlytDshbrd	View Case Analytics Dashboard	boolean				
PermissionsViewChangeRequestAnlytDshbrd	View Change Request Analytics Dashboard	boolean				
PermissionsViewChangeRequestDshbrd	View Change Request Dashboard	boolean				
PermissionsViewClientSecret	View External Client App Consumer Secrets in Metadata	boolean				
PermissionsViewConsumption	View Consumption	boolean				
PermissionsViewContent	View Content in Portals	boolean				
PermissionsViewContentTaxonomy	View Content Taxonomy	boolean				
PermissionsViewCustomerSentiment	View Customer Insights	boolean				
PermissionsViewDataAssessment	Access to view Data Assessment	boolean				
PermissionsViewDataCategories	View Data Categories in Setup	boolean				
PermissionsViewDataGovTab	View the Data Governance Tab	boolean				
PermissionsViewDataLeakageEvents	View Real-Time Event Monitoring Data	boolean				
PermissionsViewDeveloperName	View Developer Name	boolean				
PermissionsViewDraftArticles	View Draft Articles	boolean				
PermissionsViewEmailMessagingSetup	View Email Messaging Setup	boolean				
PermissionsViewEncryptedData	View Encrypted Data	boolean				
PermissionsViewEventLogFiles	View Event Log Files	boolean				
PermissionsViewForecastingPredictive	Use Einstein Forecasting	boolean				
PermissionsViewGlobalHeader	View Global Header	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsViewHealthCheck	View Health Check	boolean				
PermissionsViewHelpLink	View Help Link	boolean				
PermissionsViewIncidentAnlytDshbrd	View Incident Analytics Dashboard	boolean				
PermissionsViewIncidentFulfrDshbrd	View Incident Fulfiller Dashboard	boolean				
PermissionsViewIncidentMgrDshbrd	View Incident Manager Dashboard	boolean				
PermissionsViewIntelligenceApp	View Commerce Intelligence App	boolean				
PermissionsViewItLeaderAnlytDshbrd	View IT Leader Analytics Dashboard	boolean				
PermissionsViewItsmConsoleAsFulfr	View ITSM Console App as Fulfillers	boolean				
PermissionsViewItsmConsoleHmpg	View ITSM Console App Home Page	boolean				
PermissionsViewKnwlgAnlytDshbrd	View Knowledge Analytics Dashboard	boolean				
PermissionsViewMLModels	Allow users to view MLModels and related Entities	boolean				
PermissionsViewMyTeamsDashboards	View My Team's Dashboards	boolean				
PermissionsViewNonSetupFlow	View Flows	boolean				
PermissionsViewOmnichnlAnlytDshbrd	View Omnichannel Analytics Dashboard	boolean				
PermissionsViewOnlyEmbeddedAppUser	Access to View-Only Licensed Templates and Apps	boolean				
PermissionsViewOrchestrationsInAutomApp	View Orchestrations in Automation App	boolean				
PermissionsViewPayments	Use Payments or Access Payments	boolean				
PermissionsViewPlatformEvents	View Login Forensics Events	boolean				
PermissionsViewPrivateStaticResources	View Private Static Resources	boolean				
PermissionsViewProblemFulfrDshbrd	View Problem Fulfiller Dashboard	boolean				
PermissionsViewProblemMgrDshbrd	View Problem Manager Dashboard	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsViewProductCatalogObjects	View Product Catalog	boolean				
PermissionsViewPublicDashboards	View Dashboards in Public Folders	boolean				
PermissionsViewPublicReports	View Reports in Public Folders	boolean				
PermissionsViewRecommendations	View Recommendations	boolean				
PermissionsViewRelAssoc	View Release Associations	boolean				
PermissionsViewReleaseDshbrd	View Release Dashboard	boolean				
PermissionsViewRestrictionAndScopingRules	View Restriction and Scoping Rules	boolean				
PermissionsViewRoles	View Roles and Role Hierarchy	boolean				
PermissionsViewSALifecycle	View Service Appointment Lifecycle	boolean				
PermissionsViewSecurityCommandCenter	View Security Center pages	boolean				
PermissionsViewSetup	View Setup and Configuration	boolean				
PermissionsViewShieldApp	View Shield App Pages	boolean				
PermissionsViewTrustMeasures	View Trust Measures	boolean				
PermissionsViewUserPII	View Concealed Field Data	boolean				
PermissionsVoiceCoach	Access Dialer Monitoring	boolean				
PermissionsVoiceInbound	Access Dialer Inbound Calls	boolean				
PermissionsVoiceMinutes	Access Dialer Minutes	boolean				
PermissionsVoiceOutbound	Access Dialer Outbound Calls	boolean				
PermissionsVoidInvoiceAPIUser	Void Invoice API	boolean				
PermissionsWaveCommunityUser	View CRM Analytics on Experience Cloud site pages.	boolean				
PermissionsWaveManagePrivateAssetsUser	Manage CRM Analytics Private Assets	boolean				
PermissionsWaveTabularDownload	Download CRM Analytics Data	boolean				
PermissionsWaveTrendReports	Trend Report Data in CRM Analytics	boolean				
PermissionsWorkCalibrationUser	Enable WDC Calibration	boolean				
PermissionsWorkDotComUserPerm	Enable WDC	boolean				
PermissionsYourAccountCAPublishEvents	Your Account Cache Durable Architecture Publish Events	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ProfileId	Profile ID	reference		18		
PsgCount	PSG Count	int	9			
SystemModstamp	System Modstamp	datetime				
Type	Permission Set Type	picklist		255		

PERMISSIONSETASSIGNMENT

Represents a user's assignment to a permission set or permission set group. This object is available in API version 22.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PermissionSetAssignment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`AssigneeId`	Assignee ID	reference		18		
`ExpirationDate`	Expires On	datetime				
`Id`	PermissionSetAssignment ID	id		18		
`IsActive`	Is Active	boolean				
`IsRevoked`	Is Revoked	boolean				
`PermissionSetGroupId`	PermissionSetGroup ID	reference		18		
`PermissionSetId`	PermissionSet ID	reference		18		
`SystemModstamp`	Date Assigned	datetime				

PERMISSIONSETLICENSE

Represents a license that's used to enable one or more users to receive a specified permission without changing their profile or reassigning profiles. You can use permission set licenses to grant access, but not to deny access. This object is available in API version 29.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PermissionSetLicense in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Developer Name	string		80		
ExpirationDate	Expiration Date	date				
Id	Permission Set License ID	id		18		
IsAvailableForIntegrations	Is License Available for Integrations?	boolean				
IsDeleted	Deleted	boolean				
IsSupplementLicense	Is Supplement License	boolean				
Language	Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LicenseExpirationPolicy	License Expiration Policy	picklist		40		
MasterLabel	Permission Set License Label	string		80		
MaximumPermissionsADEnabledOFSMobile	Performance Priming for Field Service Mobile	boolean				
MaximumPermissionsAECommunityAccess	Use Assessment Envelope objects via Experience Cloud sites	boolean				
MaximumPermissionsAICreateInsightObjects	Create AI Insight Objects	boolean				
MaximumPermissionsAIViewInsightObjects	View AI Insight Objects	boolean				
MaximumPermissionsAcceptRiskForProblems	Accept Risk For Problems	boolean				
MaximumPermissionsAccessActivation	Allows user access activations	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsAccessApplicationFormObjects	Access Application Form-Related Functionality	boolean				
MaximumPermissionsAccessBankingRelationshipAssistance	Access Banking Relationship Assistance	boolean				
MaximumPermissionsAccessBankingServiceAgent	Access Banking Service Agent	boolean				
MaximumPermissionsAccessBudgetManagement	Manage Budgets	boolean				
MaximumPermissionsAccessCMC	Access Experience Management	boolean				
MaximumPermissionsAccessCdpDataExplorer	Access Data Cloud Data Explorer	boolean				
MaximumPermissionsAccessCdpProfileExplorer	Access Data Cloud Profile Explorer	boolean				
MaximumPermissionsAccessContentBuilder	Access drag-and-drop content builder	boolean				
MaximumPermissionsAccessCustomerDataCloudSetup	Allows user access Data Cloud setup menu	boolean				
MaximumPermissionsAccessDisputePrompts	Provides access to Financial Services Email prompt templates	boolean				
MaximumPermissionsAccessEinsteinAutofill	Access Einstein Autofill	boolean				
MaximumPermissionsAccessFinancialAccounts	Financial Accounts User	boolean				
MaximumPermissionsAccessGeniePlatform	Allows user access Data Cloud	boolean				
MaximumPermissionsAccessIdpCrudApi	Manage Document Processing Configurations	boolean				
MaximumPermissionsAccessIdpUi	Allow Access to Data Cloud Document AI UI	boolean				
MaximumPermissionsAccessOrchestrationObjects	Access Orchestration Objects	boolean				
MaximumPermissionsAccessPSPasCaseAgents	Access Patient Support Programs as a Case Agent	boolean				
MaximumPermissionsAccessPSPasProgramLead	Access Patient Support Programs as a Program Lead	boolean				
MaximumPermissionsAccessPolicyAgent	Access Policy Agent	boolean				
MaximumPermissionsAccessSegment	Allows user access segments	boolean				
MaximumPermissionsAccessServiceEinstein	Access Service Einstein	boolean				
MaximumPermissionsAccessSfDrive	Grant users permission to SfDrive	boolean				
MaximumPermissionsAccessTCComplaintMgt	Public Complaint Management User	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsAccessToDisputeManagement	Dispute Management User	boolean				
MaximumPermissionsAccessToServiceProcess	Service Process User	boolean				
MaximumPermissionsAccessTrialInfoGuestUser	Access Clinical Trial Information as Guest User	boolean				
MaximumPermissionsAccessWealthAdvisorAgent	Financial Advisor Assistance Agent	boolean				
MaximumPermissionsAccountSwitcherUser	Account Switcher User	boolean				
MaximumPermissionsAccPrtSpPgmUseEinstein	Expose patient support programs powered by Einstein generative AI	boolean				
MaximumPermissionsActionPlansUserAccess	Permission to access the Action Plans feature	boolean				
MaximumPermissionsActionableListCampUser	Actionable Segmentation Outreach	boolean				
MaximumPermissionsActionableListConfigUser	Actionable Segmentation Admin	boolean				
MaximumPermissionsActionableListCreator	Actionable Segmentation List Manager	boolean				
MaximumPermissionsActionableListUser	Actionable Segmentation Objects	boolean				
MaximumPermissionsActivateContract	Activate Contracts	boolean				
MaximumPermissionsActivateDeactivateOmniFlow	Activate or Deactivate Flows	boolean				
MaximumPermissionsActivateOrder	Activate Orders	boolean				
MaximumPermissionsActivateSystemModeFlows	Enable System Mode Flow Activation	boolean				
MaximumPermissionsActivitiesAccess	Access Activities	boolean				
MaximumPermissionsAddAnalyticsRemoteConnections	Add CRM Analytics Remote Connections	boolean				
MaximumPermissionsAddAsgnElmtToOmniFlow	Add Assignment Element to Flows	boolean				
MaximumPermissionsAddCollFltrElmtToOmniFlow	Add Collection Filter Element to Flows	boolean				
MaximumPermissionsAddCollSrtElmtToOmniFlow	Add Collection Sort Element to Flows	boolean				
MaximumPermissionsAddCreRecElmtToOmniFlow	Add Create Records Element to Flows	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsAddDecisionElmtToSetupFlow	Add Decision Element to Flows	boolean				
MaximumPermissionsAddDeleteRecElmtToSetupFlow	Add Delete Records Element to Flows	boolean				
MaximumPermissionsAddDirectMessageMembers	Add People to Direct Messages	boolean				
MaximumPermissionsAddGetRecElmtToSetupFlow	Add Get Records Element to Flows	boolean				
MaximumPermissionsAddLoopElmtToSetupFlow	Add Loop Element to Flows	boolean				
MaximumPermissionsAddSubflowElmtToSetupFlow	Add Subflow Element to Flows	boolean				
MaximumPermissionsAddTfmElmtToSetupFlow	Add Transform Element to Flows	boolean				
MaximumPermissionsAddUpdateRecElmtToSetupFlow	Add Update Records Element to Flows	boolean				
MaximumPermissionsAddWaitToSetupFlow	Add Wait Element to Flows	boolean				
MaximumPermissionsAddWaveNotificationRecipients	Add Recipients to CRM Analytics Notifications	boolean				
MaximumPermissionsAdvancedCsvDataImportUser	Advanced Csv Data Import User Permission	boolean				
MaximumPermissionsAgentforceSchedulingSupervisorView	Access Agentforce Scheduling Supervisor View	boolean				
MaximumPermissionsAgentforceServiceAgentUser	Agentforce Service Agent User	boolean				
MaximumPermissionsAllowAIAccelerator	View AI Accelerator Predictions.	boolean				
MaximumPermissionsAllowEmailIC	Email-Based Identity Verification Option	boolean				
MaximumPermissionsAllowLightningLogin	Lightning Login User	boolean				
MaximumPermissionsAllowOCIAvailabilityAPIs	Use Omnichannel Inventory Availability APIs	boolean				
MaximumPermissionsAllowUniversalSearch	Knowledge One	boolean				
MaximumPermissionsAllowViewEditConvertedLeads	View and Edit Converted Leads	boolean				
MaximumPermissionsAllowViewKnowledge	Allow View Knowledge	boolean				
MaximumPermissionsAnalyticsQueryServiceConsumer	Allow the user to run queries with the Analytics Query Service	boolean				
MaximumPermissionsApexRestServices	Apex REST Services	boolean				
MaximumPermissionsApiEnabled	API Enabled	boolean				
MaximumPermissionsApiUserOnly	Api Only User	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsAppFrameworkManageApp	Access to manage the template framework apps	boolean				
MaximumPermissionsAppFrameworkManageTemplate	Access to manage the template framework templates	boolean				
MaximumPermissionsAppFrameworkViewApp	Access to view templated apps and assets	boolean				
MaximumPermissionsAppointmentBookingUserAccess	Enables the Appointment Booking feature	boolean				
MaximumPermissionsApprovalAdmin	Approval Admin	boolean				
MaximumPermissionsApprovalDesigner	Approval Designer	boolean				
MaximumPermissionsArchiveArticles	Archive Articles	boolean				
MaximumPermissionsAssessmentPlatformUser	Discovery Framework Platform User	boolean				
MaximumPermissionsAssignPermissionSets	Assign Permission Sets	boolean				
MaximumPermissionsAssignTopics	Assign Topics	boolean				
MaximumPermissionsAssignUserToSkill	Assign Chat Skills to Users	boolean				
MaximumPermissionsAssocChgRqstAndProb	Associate Change Requests and Problems	boolean				
MaximumPermissionsAssocIncAndChgRqst	Associate Incidents and Change Requests	boolean				
MaximumPermissionsAssocIncAndProb	Associate Incidents and Problems	boolean				
MaximumPermissionsAssocRelAndChgRqst	Associate Releases and Change Requests	boolean				
MaximumPermissionsAssocRelAndInc	Associate Releases and Incidents	boolean				
MaximumPermissionsAssocRelAndProb	Associate Releases and Problems	boolean				
MaximumPermissionsAssociationEngineUserAccess	User license to access Record Association Builder in Financial Services Cloud.	boolean				
MaximumPermissionsAttributionModelUser	Attribution Model User	boolean				
MaximumPermissionsAuthorApex	Author Apex	boolean				
MaximumPermissionsAuthorizePayments	Authorize Payments	boolean				
MaximumPermissionsAutomaticActivityCapture	Use Einstein Activity Capture	boolean				
MaximumPermissionsAutonomousAnalyticsPrivacy	Manage Autonomous Insights Data Privacy	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsB2BMarketingAnalyticsUser	Create B2B Marketing Analytics Apps	boolean				
MaximumPermissionsBACommunityAccess	Enable community users to access Benefit Assistance objects and features.	boolean				
MaximumPermissionsBREAlertsUserAccess	Access Record Alerts for Business Rules Engine	boolean				
MaximumPermissionsBVCommunityAccess	Use objects in the Benefit Verification data model via Experience Cloud sites	boolean				
MaximumPermissionsBenefitManagementAccess	Allows internal org users to access Programs, Benefits, and Goal objects and features.	boolean				
MaximumPermissionsBillingPaymentApiUser	Apply and Unapply Payments Using APIs	boolean				
MaximumPermissionsBillingRefundApiUser	Apply and Unapply Refunds Using APIs	boolean				
MaximumPermissionsBotManageBots	Manage Bots	boolean				
MaximumPermissionsBotManageBotsTrainingData	Manage Bots Training Data	boolean				
MaximumPermissionsBranchManagementUserAccess	User license to access Branch Management in Financial Services Cloud.	boolean				
MaximumPermissionsBroadcaster	Send One-to-Many Messages	boolean				
MaximumPermissionsBulkApiHardDelete	Bulk API Hard Delete	boolean				
MaximumPermissionsBulkMacrosAllowed	Run Macros on Multiple Records	boolean				
MaximumPermissionsBypassMFAForUiLogins	Waive Multi-Factor Authentication for Exempt Users	boolean				
MaximumPermissionsCMCommunityAccess	Allows community users to access Composable Case Management objects and features.	boolean				
MaximumPermissionsCUserHasBillingAccount	Manage Energy & Utilities Billing Accounts for Experience Cloud	boolean				
MaximumPermissionsCUserHasEUProgramAccess	EU Experience Cloud User Program Access	boolean				
MaximumPermissionsCUserHasEUCore	Manage Energy & Utilities Objects for Experience Cloud	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsCIPartnerIntegrationUser	Conversation Insights Partner Integration User	boolean				
MaximumPermissionsMSCEAuthoringAccess	Migrate Enablement Content	boolean				
MaximumPermissionsCallCoachingUser	Use Conversation Insights for Sales	boolean				
MaximumPermissionsCallExplorer	Einstein Question and Answer for ECI Calls	boolean				
MaximumPermissionsCampaignInfluence2	Campaign Influence	boolean				
MaximumPermissionsCanAccessCE	Access Conversation Entries	boolean				
MaximumPermissionsCanApproveFeedPost	Can Approve Feed Post and Comment	boolean				
MaximumPermissionsCanApproveUninstalledApps	Approve Uninstalled Connected Apps	boolean				
MaximumPermissionsCanDoActAsUser	Act As User	boolean				
MaximumPermissionsCanEditDataPrepRecipe	Edit Dataset Recipes	boolean				
MaximumPermissionsCanEditPrompts	Design and Deliver In-App Guidance	boolean				
MaximumPermissionsCanInitiateMessagingSessions	Initiate Messaging Sessions	boolean				
MaximumPermissionsCanInsertFeedSystemFields	Insert System Field Values for Chatter Feeds	boolean				
MaximumPermissionsCanManageMaps	Manage CRM Analytics Custom Maps	boolean				
MaximumPermissionsCanMarketingUserDebugFlow	Can Marketing User Debug Marketing Flows	boolean				
MaximumPermissionsCanSendInitialSMSToIndividual	Send Initial SMS Message to Individual	boolean				
MaximumPermissionsCanTranslateSrt2Conversation	Translate Enhanced Conversations	boolean				
MaximumPermissionsCanUpdateEmailMessage	Update Email Messages	boolean				
MaximumPermissionsCanUseNewDashboardBuilder	Drag-and-Drop Dashboard Builder	boolean				
MaximumPermissionsCanVerifyComment	Verify Answers to Chatter Questions	boolean				
MaximumPermissionsCanViewDataPrepRecipe	Recipes View Only	boolean				
MaximumPermissionsCaptureAndReversePayments	Capture and Reverse Payments	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsCareManagementUserAccess	Enable the Integrated Care Management User Access in a Salesforce org.	boolean				
MaximumPermissionsCarePlansAccess	Allows internal org users to access Care Plans objects and features.	boolean				
MaximumPermissionsCaseReferralAccess	Allows internal org users to access referral feature.	boolean				
MaximumPermissionsCdReportingCreateReports	Allow access to creating and editing reports in Data Cloud Reporting	boolean				
MaximumPermissionsCdReportingManageFolders	Allow access to managing folders in Data Cloud Reporting	boolean				
MaximumPermissionsCdReportingViewReports	Allow access to viewing reports in Data Cloud Reporting	boolean				
MaximumPermissionsChainOfCustodyUser	Manage Chain Of Custody Features	boolean				
MaximumPermissionsChangeDashboardColors	Change Dashboard Colors	boolean				
MaximumPermissionsChatterComposeUiCodesnippet	Allow Inclusion of Code Snippets from UI	boolean				
MaximumPermissionsChatterEditOwnPost	Edit My Own Posts	boolean				
MaximumPermissionsChatterEditOwnRecordPost	Edit Posts on Records I Own	boolean				
MaximumPermissionsChatterFileLink	Create Public Links	boolean				
MaximumPermissionsChatterInternalUser	Chatter Internal User	boolean				
MaximumPermissionsChatterInviteExternalUsers	Invite Customers To Chatter	boolean				
MaximumPermissionsChatterOwnGroups	Create and Own New Chatter Groups	boolean				
MaximumPermissionsClauseDEUser	Allows users to use clauses in Digital Experience sites	boolean				
MaximumPermissionsClauseDesigner	Allows clause designers to create and manage clauses	boolean				
MaximumPermissionsClauseUser	Allows users to use clauses within documents	boolean				
MaximumPermissionsClientSecretRotation	Allow consumer key and secret rotation	boolean				
MaximumPermissionsCloseConversations	Close Conversation Threads	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsCodeBuilderUser	Code Builder User	boolean				
MaximumPermissionsConnectOrgPayments	Allow Sale Payments	boolean				
MaximumPermissionsCommerceTaxApiUser	Tax Api User	boolean				
MaximumPermissionsComplaintsManagementAccess	Provides access to Complaints Management features and objects.	boolean				
MaximumPermissionsCompleteChgRiskAssmt	Complete Change Risk Assessments	boolean				
MaximumPermissionsConfigCompliantDataSharing	Configure Compliant Data Sharing	boolean				
MaximumPermissionsConfigCustomRecs	Configure Custom Recommendations	boolean				
MaximumPermissionsConfigureCCTarget	Allow user to configure communication capping activation target.	boolean				
MaximumPermissionsConfigureCommunicationCapping	Allow user to configure communication capping.	boolean				
MaximumPermissionsConfigureDataspaceScope	Configure Dataspace Scope	boolean				
MaximumPermissionsConfigureLiveMessage	Configure Messaging	boolean				
MaximumPermissionsConnectOrgToEnvironmentHub	Connect Organization to Environment Hub	boolean				
MaximumPermissionsConsentApiUpdate	Update Consent Preferences Using REST API	boolean				
MaximumPermissionsContactInspectorUser	Access Contact Intelligence View in Partner Sites	boolean				
MaximumPermissionsContentAdministrator	Manage Salesforce CRM Content	boolean				
MaximumPermissionsContentHubUser	Files Connect Cloud	boolean				
MaximumPermissionsContentWorkspaces	Access Libraries	boolean				
MaximumPermissionsContextServiceAdmin	Context Service Admin user.	boolean				
MaximumPermissionsContextServiceEmbedAdmin	Context Service Embed Admin user.	boolean				
MaximumPermissionsContextServiceRuntime	Context Service Run time user.	boolean				
MaximumPermissionsContractorHubProgramAccess	Contractor Program Access	boolean				
MaximumPermissionsContractorHubWorkReportAccess	Manage Contractor Work Report	boolean				
MaximumPermissionsConvertLeads	Convert Leads	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsCoordinateClinicalTrials	Coordinate clinical trial tasks like candidate outreach programs.	boolean				
MaximumPermissionsCoordinateClnclTrialExpctSr	Coordinate clinical trial tasks like candidate outreach programs as an Experience Cloud user.	boolean				
MaximumPermissionsCoselAuthSetupUser	Establish an Approved PRM External Integration	boolean				
MaximumPermissionsCoselExportUser	Export Vendor Records to an Authorized Partner Org	boolean				
MaximumPermissionsCreateClosePlan	Allow access to Einstein Close Plan in Einstein Copilot	boolean				
MaximumPermissionsCreateCustomizeDashboards	Create and Customize Dashboards	boolean				
MaximumPermissionsCreateCustomizeFilters	Create and Customize List Views	boolean				
MaximumPermissionsCreateCustomizeReports	Create and Customize Reports	boolean				
MaximumPermissionsCreateDPEDefinitionWithDerivedFields	Create DPE Definition With Derived Fields	boolean				
MaximumPermissionsCreateDashboardFolders	Create Dashboard Folders	boolean				
MaximumPermissionsCreateEditNonSetupFlow	Create or Edit Flows	boolean				
MaximumPermissionsCreateLtngTempFolder	Create Folders for Lightning Email Templates	boolean				
MaximumPermissionsCreateLtngTempInPub	Manage Public Lightning Email Templates	boolean				
MaximumPermissionsCreateModActTrigNonSetupFlow	Create or Modify Activation-Triggered Flows	boolean				
MaximumPermissionsCreateModDGTrigNonSetupFlow	Create or Modify Flows with Data Graph Event Triggers	boolean				
MaximumPermissionsCreatePackaging	Create AppExchange Packages	boolean				
MaximumPermissionsCreateReportFolders	Create Report Folders	boolean				
MaximumPermissionsCreateReportInLightning	Report Builder (Lightning Experience)	boolean				
MaximumPermissionsCreateTopics	Create Topics	boolean				
MaximumPermissionsCreateUpdateSDDataset	Create and Update Einstein Discovery Datasets	boolean				
MaximumPermissionsCreateUpdateSDStory	Create and Update Einstein Discovery Models	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsCreateWorkBadgeDefinition	Create custom Badge Definitions	boolean				
MaximumPermissionsCreateWorkspaces	Create Libraries	boolean				
MaximumPermissionsCreditMemoAPIUser	Credit Memo API User	boolean				
MaximumPermissionsCustomAppsOnFSMobile	Custom Applications for Field Service Mobile	boolean				
MaximumPermissionsCustomMobileAppsAccess	Access Custom Mobile Apps	boolean				
MaximumPermissionsCustomSidebarOnAllPages	Show Custom Sidebar On All Pages	boolean				
MaximumPermissionsCustomizeApplication	Customize Application	boolean				
MaximumPermissionsDFCDesignerUser	Allows user to gain Fulfillment Designer level access to DRO	boolean				
MaximumPermissionsDFCManagerOperatorUser	Allows user to gain Fulfillment Manager or Fulfillment Operator level access to DRO	boolean				
MaximumPermissionsDROrderSubmitInitiateUser	Submit Transactions User	boolean				
MaximumPermissionsDataExport	Weekly Data Export	boolean				
MaximumPermissionsDataPipelinesAppConsumer	Permission to access Data Pipelines license	boolean				
MaximumPermissionsDecimalQuantityDesigntime	Decimal Quantity Design time Access	boolean				
MaximumPermissionsDecimalQuantityRuntime	Decimal Quantity Runtime Access	boolean				
MaximumPermissionsDecisionTableExecUserAccess	Run Decision Tables	boolean				
MaximumPermissionsDelegatedPortalUserAdmin	Delegated External User Administrator	boolean				
MaximumPermissionsDelegatedTwoFactor	Manage MFA in User Interface	boolean				
MaximumPermissionsDeleteActivatedContract	Delete Activated Contracts	boolean				
MaximumPermissionsDeleteCMemoAndInvoice	Delete Credit Memo and Invoice	boolean				
MaximumPermissionsDeleteDraftAndCanceledInvoices	Allow Draft and Canceled Invoice Deletion	boolean				
MaximumPermissionsDeleteNonSetupFlow	Delete Flows	boolean				
MaximumPermissionsDeleteRevenueRecords	Allow Revenue Records Deletion	boolean				
MaximumPermissionsDeleteTopics	Delete Topics	boolean				
MaximumPermissionsDesignContextRule	Manage Context Rules	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsDfoAdminUser	System Administrator access for DRO	boolean				
MaximumPermissionsDigitalAgentUser	Use Custom Agents	boolean				
MaximumPermissionsDigitalLendingAdminUser	Digital Lending Admin User	boolean				
MaximumPermissionsDigitalLendingEditReadOnly	Digital Lending Edit Read Only Party Related Records	boolean				
MaximumPermissionsDigitalLendingIndiaAdminUser	Digital Lending India Admin User	boolean				
MaximumPermissionsDigitalLendingUser	Digital Lending User	boolean				
MaximumPermissionsDigitalLendingWorkbench	Digital Lending Workbench	boolean				
MaximumPermissionsDisbursementUserAccess	Grant users access to Benefit Disbursement features.	boolean				
MaximumPermissionsDistributeFromPersWksp	Create Content Deliveries	boolean				
MaximumPermissionsDocGenDesigner	Enables Designers to create Document Templates.	boolean				
MaximumPermissionsDocGenRuntimeCUser	Enables Customers and Partners to generate documents via communities.	boolean				
MaximumPermissionsDocGenRuntimeUser	Enables Business users to generate documents.	boolean				
MaximumPermissionsDocumentAutomationUserAccess	User license to access IntelligentDocumentAutomation in Financial Services Cloud.	boolean				
MaximumPermissionsDocumentChecklistUserAccess	User license to access the Document Checklist features.	boolean				
MaximumPermissionsDocumentWorkspaceCtyAccess	Permission to access Intelligent Document Workspace for community users	boolean				
MaximumPermissionsDocumentWorkspaceUserAccess	Permission to access Intelligent Document Workspace	boolean				
MaximumPermissionsDownloadPackageVersionZips	Download Package Version Zip Files	boolean				
MaximumPermissionsDynamicCommOrchestratorUser	Dynamic Common Orchestrator User	boolean				
MaximumPermissionsEPISalesSummariesUser	Einstein Sales Summaries User	boolean				
MaximumPermissionsEditAccountScoreFields	View Account Scores	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsEditActivatedOrders	Edit Activated Orders	boolean				
MaximumPermissionsEditBillingInfo	Manage Billing	boolean				
MaximumPermissionsEditBrandTemplates	Manage Letterheads	boolean				
MaximumPermissionsEditCaseComments	Edit Case Comments	boolean				
MaximumPermissionsEditEvent	Edit Events	boolean				
MaximumPermissionsEditHtmlTemplates	Edit HTML Templates	boolean				
MaximumPermissionsEditKnowledge	Manage Articles	boolean				
MaximumPermissionsEditMyDashboards	Edit My Dashboards	boolean				
MaximumPermissionsEditMyReports	Edit My Reports	boolean				
MaximumPermissionsEditOppLineItemUnitPrice	Edit Opportunity Product Sales Price	boolean				
MaximumPermissionsEditPublicDocuments	Manage Public Documents	boolean				
MaximumPermissionsEditPublicFilters	Manage Public List Views	boolean				
MaximumPermissionsEditPublicTemplates	Manage Public Classic Email Templates	boolean				
MaximumPermissionsEditReadonlyFields	Edit Read Only Fields	boolean				
MaximumPermissionsEditRepricing	Edit Repricing Information	boolean				
MaximumPermissionsEditTask	Edit Tasks	boolean				
MaximumPermissionsEditTopics	Edit Topics	boolean				
MaximumPermissionsEditTranslation	Article Translation - Edit	boolean				
MaximumPermissionsEinsteinAgentPlatformBuilder	Manage AI Agents	boolean				
MaximumPermissionsEinsteinCopilotBuilder	Manage Agentforce Default Agent	boolean				
MaximumPermissionsEinsteinCopilotUser	Use Agentforce Default Agent	boolean				
MaximumPermissionsEinsteinGPTSalesEmailsUser	Use Einstein Sales Emails	boolean				
MaximumPermissionsEinsteinSalesRepFBUser	Use Einstein Coach	boolean				
MaximumPermissionsEmailAdministration	Email Administration	boolean				
MaximumPermissionsEmailMass	Mass Email	boolean				
MaximumPermissionsEmailSingle	Send Email	boolean				
MaximumPermissionsEmailTemplateManagement	Manage Email Templates	boolean				
MaximumPermissionsEmbeddedMessagingAgent	Messaging for In-App and Web Agent	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsEmployeeEntitiesAccess	Manage Employees	boolean				
MaximumPermissionsEnableBCTransactionPolling	Enable blockchain transaction polling API	boolean				
MaximumPermissionsEnableCommunityAppLauncher	Show App Launcher in Experience Cloud Sites	boolean				
MaximumPermissionsEnableIPFSUpload	Allow blockchain data upload	boolean				
MaximumPermissionsEnableNotifications	Send Outbound Messages	boolean				
MaximumPermissionsEngagementConfigUser	Engagement Config User	boolean				
MaximumPermissionsEnhancedSalesMobileExp	Salesforce Mobile App: Native Seller Experience	boolean				
MaximumPermissionsEntityAccessHealthCloudCommunity	Additional Objects for Health Cloud Features in Experience Cloud	boolean				
MaximumPermissionsExplainabilityCrtyAccess	Provides site users with access to Decision Explainers features and APIs.	boolean				
MaximumPermissionsExplainabilityUserAccess	Provides internal Org users with access to Decision Explainer features and APIs.	boolean				
MaximumPermissionsExportReport	Export Reports	boolean				
MaximumPermissionsExternalClientAppAdmin	View all External Client Apps, view their settings, and edit their policies	boolean				
MaximumPermissionsExternalClientAppDeveloper	Create, edit, and delete External Client Apps	boolean				
MaximumPermissionsExternalClientAppViewer	View all External Client Apps	boolean				
MaximumPermissionsFHIRCrtyAccess	Use objects in the Clinical data model via Experience Cloud sites	boolean				
MaximumPermissionsFSAlertFrameworkUserAccess	Access Record Alerts	boolean				
MaximumPermissionsFSCArcGraphCommunityUser	Access Actionable Relationship Center for partner users	boolean				
MaximumPermissionsFSCB2BUserAccess	Grants access to B2B features	boolean				
MaximumPermissionsFSCInsClaimMgtPlatformUser	Insurance Claim Management Platform User	boolean				
MaximumPermissionsFSCInsPolicyAdmPlatformUser	Insurance Policy Administration Platform User	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsFSCInsuranceCmpCtyAccess	Access Insurance Lightning Components	boolean				
MaximumPermissionsFSCInsuranceCmpUseOnlyAccess	Access Insurance Lightning Components	boolean				
MaximumPermissionsFSCInsurancePlatformUser	Access Insurance Objects	boolean				
MaximumPermissionsFeedPinning	Pin Posts in Feeds	boolean				
MaximumPermissionsFieldMappingUser	Field Mapping Configuration User	boolean				
MaximumPermissionsFieldServiceAccess	Field Service Standard	boolean				
MaximumPermissionsFieldServiceCopilotActions	Access Agent Topics and Actions for Field Service	boolean				
MaximumPermissionsFieldServiceDispatcher	Field Service Dispatcher	boolean				
MaximumPermissionsFieldServiceLastMile	Field Service Appointment Assistant	boolean				
MaximumPermissionsFieldServiceMobileApp	Field Service Mobile	boolean				
MaximumPermissionsFieldServiceScheduling	Field Service Scheduling	boolean				
MaximumPermissionsFieldServiceVoiceToForm	Access Field Service Data Capture Voice to Form (Beta)	boolean				
MaximumPermissionsFieldServiceVoiceToRecordEdit	Access Field Service Voice to Record Edit	boolean				
MaximumPermissionsFinancialServices2UserAccess	Access Actionable Relationship Center	boolean				
MaximumPermissionsFindPastCollaborators	Allow access to Find Past Collaborators in Einstein Copilot.	boolean				
MaximumPermissionsFlowUIRequired	Require Flow User Feature License	boolean				
MaximumPermissionsForceTwoFactor	Multi-Factor Authentication for User Interface Logins	boolean				
MaximumPermissionsFreezeUsers	Freeze Users	boolean				
MaximumPermissionsFscPlansAndGoalsUser	Plans and Goals User	boolean				
MaximumPermissionsGetProductPricing	Allow access to Get Product Pricing in Einstein Copilot	boolean				
MaximumPermissionsGetStartDataDiscovery	View Einstein Discovery Recommendations	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsGetSmartDataDiscoveryExtern	View Einstein Discovery Recommendations Via Connect API	boolean				
MaximumPermissionsGiveRecognitionBadge	Give Recognition Badges in Experience Builder Sites	boolean				
MaximumPermissionsGlobalCbQueryAccess	Global Controlled-by-Parent Query Access	boolean				
MaximumPermissionsGovernNetworks	Manage Experiences	boolean				
MaximumPermissionsGroupMembershipCityUs	Group Membership Experience Cloud User	boolean				
MaximumPermissionsGroupMembershipPsl	Group Membership	boolean				
MaximumPermissionsHasUnlimitedNBAExecutions	User Has Unlimited Next Best Action Strategy Executions	boolean				
MaximumPermissionsHcAdvancedTherapyUser	Manage Advanced Therapy Orchestration features	boolean				
MaximumPermissionsHeadlessCMSAccess	Enable Salesforce CMS Integration	boolean				
MaximumPermissionsHeadlessPublishNudges	Headless Publish Nudges User	boolean				
MaximumPermissionsHealthAgent	Health Assistive Agent	boolean				
MaximumPermissionsHealthCloudStarter	Health Cloud Starter	boolean				
MaximumPermissionsHideReadByList	Hide the Seen By List	boolean				
MaximumPermissionsIcmCmtyAccess	Enables the use of objects in the Integrated Care Management data model by Experience cloud site users.	boolean				
MaximumPermissionsIdentityConnect	Use Identity Connect	boolean				
MaximumPermissionsIdentityEnabled	Use Identity Features	boolean				
MaximumPermissionsIdentityVerificationUserAcces	Permission to access Identity Verification	boolean				
MaximumPermissionsImportCustomObjects	Import Custom Objects	boolean				
MaximumPermissionsImportLeads	Import Leads	boolean				
MaximumPermissionsImportPersonal	Import Personal Contacts	boolean				
MaximumPermissionsInboundMigrationToolsUser	Deploy Change Sets	boolean				
MaximumPermissionsIndustriesEpcNextPilot	Industries Epc Next Pilot	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsIndustryMilestonePlatformUser	Access Life Events or Business Milestones Component	boolean				
MaximumPermissionsInsightsAppAdmin	Manage CRM Analytics	boolean				
MaximumPermissionsInsightsAppDashboardEditor	Create and Edit CRM Analytics Dashboards	boolean				
MaximumPermissionsInsightsAppEltEditor	Edit CRM Analytics Dataflows	boolean				
MaximumPermissionsInsightsAppUploadUser	Upload External Data to CRM Analytics	boolean				
MaximumPermissionsInsightsAppUser	Use CRM Analytics	boolean				
MaximumPermissionsInsightsCreateApplication	Create CRM Analytics Apps	boolean				
MaximumPermissionsInsightsIntelAppUser	Use Intelligent Apps	boolean				
MaximumPermissionsInstallPackaging	Download AppExchange Packages	boolean				
MaximumPermissionsInsuranceGroupBenefitsUser	Insurance Group Benefits User	boolean				
MaximumPermissionsInteractionCalcAdminPerm	Grant administrators access to Industries Interaction Calculation features.	boolean				
MaximumPermissionsInteractionCalcUserPerm	Grant users access to Industries Interaction Calculation features.	boolean				
MaximumPermissionsInteractionObjStateDefUserPerm	Grant users access to Industries Interaction Object State Definition features.	boolean				
MaximumPermissionsInterestTaggingUserAccess	Access Interest Tags for Financial Services Cloud.	boolean				
MaximumPermissionsInvoiceOrErrorRecoveryAPI	Invoice or Recovery API	boolean				
MaximumPermissionsInvoiceSchedulerUser	Invoice Scheduler User	boolean				
MaximumPermissionsIsSsoEnabled	Is Single Sign-On Enabled	boolean				
MaximumPermissionsIsotopeAccess	Salesforce Anywhere on Mobile	boolean				
MaximumPermissionsIsotopeCToCUser	Salesforce Anywhere Integration Access	boolean				
MaximumPermissionsIsotopeLEX	Salesforce Anywhere in Lightning Experience	boolean				
MaximumPermissionsKycPlatformUser	Identity Verification and Screening User	boolean				
MaximumPermissionsMEMessagingSessionUserPerm	End Messaging Session	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsMOutboundMessagingUserPerm	Agent Initiated Outbound Messaging	boolean				
MaximumPermissionsLPICommunityAccess	Grant community users access to LPI features.	boolean				
MaximumPermissionsLeadInspectorUser	Access Lead Intelligence View in Partner Sites	boolean				
MaximumPermissionsLeadScoreResultPublisher	Publish Einstein Lead Scoring results	boolean				
MaximumPermissionsLeadScoreUser	Use Einstein Lead Scoring	boolean				
MaximumPermissionsLearningManager	Manage Learning	boolean				
MaximumPermissionsLifecycleManagementAPIUser	Access Customer Asset Lifecycle Management APIs	boolean				
MaximumPermissionsLightningConsoleAllowedForUser	Lightning Console User	boolean				
MaximumPermissionsLightningExperienceUser	Lightning Experience User	boolean				
MaximumPermissionsLightningOnFSMobile	Lightning SDK for Field Service Mobile	boolean				
MaximumPermissionsLightningSchedulerUserAccess	Let a user be included in appointments in Salesforce Scheduler.	boolean				
MaximumPermissionsListEmailSend	Allow sending of List Emails	boolean				
MaximumPermissionsLiveMessageAgent	Messaging Agent	boolean				
MaximumPermissionsLobbyManagementUserAccess	Let greeters access the Lobby Management tab.	boolean				
MaximumPermissionsLtngPromoReservedUserPerm	Remain in Salesforce Classic	boolean				
MaximumPermissionsMCPMetadataApi	MCPMetadataApi	boolean				
MaximumPermissionsMakePayments	Make Payments	boolean				
MaximumPermissionsManageAccessPolicies	Manage Access Policies	boolean				
MaximumPermissionsManageAgentforceServiceAgent	Manage Agentforce Service Agents	boolean				
MaximumPermissionsManageAnalyticSnapshots	Manage Reporting Snapshots	boolean				
MaximumPermissionsManageAuthProviders	Manage Auth. Providers	boolean				
MaximumPermissionsManageBusinessHourHolidays	Manage Business Hours Holidays	boolean				
MaximumPermissionsManageC2CHighVolumePriming	Manage Cross-Cloud High-Volume Priming	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsManageC360AConnections	Connect Org to Data Cloud	boolean				
MaximumPermissionsManageCMS	Create CMS Workspaces and Channels	boolean				
MaximumPermissionsManageCallCenters	Manage Call Centers	boolean				
MaximumPermissionsManageCases	Manage Cases	boolean				
MaximumPermissionsManageCategories	Manage Categories	boolean				
MaximumPermissionsManageCdpMlModels	Allow users to manage models in Einstein Studio	boolean				
MaximumPermissionsManageCertificates	Manage Certificates	boolean				
MaximumPermissionsManageCertificateExpiration	Receive Certificate Expiration Notifications	boolean				
MaximumPermissionsManageChatterMessages	Manage Chatter Messages and Direct Messages	boolean				
MaximumPermissionsManageClinicalDataModel	Provides access to Clinical Data Model entities for LifeSciences Users	boolean				
MaximumPermissionsManageClinicalTrials	Design and run clinical trials.	boolean				
MaximumPermissionsManageContentLinks	Manage Content Links	boolean				
MaximumPermissionsManageContentPermissions	Manage Content Permissions	boolean				
MaximumPermissionsManageContentProperties	Manage Content Properties	boolean				
MaximumPermissionsManageContentTaxonomy	Manage Content Taxonomy	boolean				
MaximumPermissionsManageContentTypes	Manage record types and layouts for Files	boolean				
MaximumPermissionsManageConMiningReports	View and generate Einstein Conversation Mining reports	boolean				
MaximumPermissionsManageCssUsers	Manage Customer Users	boolean				
MaximumPermissionsManageCustomDomains	Manage Custom Domains	boolean				
MaximumPermissionsManageCustomPermissions	Manage Custom Permissions	boolean				
MaximumPermissionsManageCustomReportTypes	Manage Custom Report Types	boolean				
MaximumPermissionsManageDashbdsInPubFolders	Manage Dashboards in Public Folders	boolean				
MaximumPermissionsManageDataCategories	Manage Data Categories	boolean				
MaximumPermissionsManageDataIntegrations	Manage Data Integrations	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsManageDataMaskPolicies	Manage Data Mask Policies	boolean				
MaximumPermissionsManageDataProcessingEngine	Allow users to access the features of Data Processing Engine to transform data that's available in your Salesforce org.	boolean				
MaximumPermissionsManageDataspaceScope	Manage Dataspace Scope	boolean				
MaximumPermissionsManageDevSandboxes	Manage Dev Sandboxes	boolean				
MaximumPermissionsManageDynamicDashboards	Manage Dynamic Dashboards	boolean				
MaximumPermissionsManageEmailClientConfig	Manage Email Client Configurations	boolean				
MaximumPermissionsManageEmailMessagingSetup	Manage Email Messaging Setup	boolean				
MaximumPermissionsManageEncryptionKeys	Manage Encryption Keys	boolean				
MaximumPermissionsManageEntitlements	Manage Entitlements	boolean				
MaximumPermissionsManageExchangeConfig	Manage Lightning Sync	boolean				
MaximumPermissionsManageExternalConnections	Allow user to modify Private Connections	boolean				
MaximumPermissionsManageFilesAndAttachments	Manage Policies' Files And Attachments	boolean				
MaximumPermissionsManageForecastingCustomData	Manage Forecasts Custom Data	boolean				
MaximumPermissionsManageHProviderRelMgt	Manage Health Cloud Provider Relationship Management	boolean				
MaximumPermissionsManageHealthCheck	Manage Health Check	boolean				
MaximumPermissionsManageHealthCloud	Manage Health Cloud	boolean				
MaximumPermissionsManageHealthCloudFinancialData	Manage Health Cloud Financial Data	boolean				
MaximumPermissionsManageHerokuAppLink	Manage Heroku AppLink	boolean				
MaximumPermissionsManageHiConnections	Connect Org to Customer 360 Data Manager	boolean				
MaximumPermissionsManageIndustriesVisit	Manage Industries Visit	boolean				
MaximumPermissionsManageIntegrationConnections	Manage Integration Connections	boolean				
MaximumPermissionsManageIntelligenceApp	Manage Commerce Intelligence App	boolean				
MaximumPermissionsManageInteraction	Manage Flow	boolean				
MaximumPermissionsManageInternalUsers	Manage Internal Users	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsManageIpAddresses	Manage IP Addresses	boolean				
MaximumPermissionsManageKnowledge	Manage Salesforce Knowledge	boolean				
MaximumPermissionsManageKnowledgeImportExport	Manage Knowledge Article Import/Export	boolean				
MaximumPermissionsManageLeads	Manage Leads	boolean				
MaximumPermissionsManageLearningReporting	Manage Learning Reporting	boolean				
MaximumPermissionsManageLoginAccessPolicies	Manage Login Access Policies	boolean				
MaximumPermissionsManageMobile	Manage Mobile Configurations	boolean				
MaximumPermissionsManageMobileAppSecurity	Manage Enhanced Mobile App Security	boolean				
MaximumPermissionsManageMyExternalUsers	Manage External Users (Limited)	boolean				
MaximumPermissionsManageNamedCredentials	Allows users to modify Named Credentials and External Credentials	boolean				
MaximumPermissionsManageNetworks	Create and Set Up Experiences	boolean				
MaximumPermissionsManageOCIRecords	Manage Omnichannel Inventory Records	boolean				
MaximumPermissionsManageOrchInstsAndWorkItems	Manage Orchestration Runs and Work Items	boolean				
MaximumPermissionsManageOrchestrationRuns	Manage Orchestration Runs	boolean				
MaximumPermissionsManageOutcomeManagement	Manage Outcomes	boolean				
MaximumPermissionsManagePartners	Manage External Users	boolean				
MaximumPermissionsManagePasswordPolicies	Manage Password Policies	boolean				
MaximumPermissionsManagePatientProgramOutcomes	Manage Patient Program Outcomes	boolean				
MaximumPermissionsManagePharmacyBenefitsVerif	Gives users access to verify and reverify pharmacy benefits.	boolean				
MaximumPermissionsManageProductCatalog	Manage Product Catalog	boolean				
MaximumPermissionsManageProductDiscovery	Manage Product Discovery	boolean				
MaximumPermissionsManageProductIndexAndSearch	Create and delete indexes for Product Catalog Management, and configure product browsing options.	boolean				
MaximumPermissionsManageProfilesPermissionsets	Manage Profiles and Permission Sets	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsManageProgramManagement	Advanced Program Management	boolean				
MaximumPermissionsManagePropositions	Manage Next Best Action Recommendations	boolean				
MaximumPermissionsManageProviderSearch	Manage Provider Search	boolean				
MaximumPermissionsManagePvtRptsAndDashbds	Manage All Private Reports and Dashboards	boolean				
MaximumPermissionsManageQuotas	Manage Quotas	boolean				
MaximumPermissionsManageRecommendationStrategies	Manage Next Best Action Strategies	boolean				
MaximumPermissionsManageReleaseUpdates	Manage Release Updates	boolean				
MaximumPermissionsManageRemoteAccess	Manage Connected Apps	boolean				
MaximumPermissionsManageReportsInPubFolders	Manage Reports in Public Folders	boolean				
MaximumPermissionsManageRoles	Manage Roles	boolean				
MaximumPermissionsManageSALifecycle	Manage Service Appointment Lifecycle	boolean				
MaximumPermissionsManageSandboxes	Manage Sandboxes	boolean				
MaximumPermissionsManageSearchPromotionRules	Manage Promoted Search Terms	boolean				
MaximumPermissionsManageSecurityCommandCenter	Manage Security Center	boolean				
MaximumPermissionsManageSessionPermissionSets	Manage Session Permission Set Activations	boolean				
MaximumPermissionsManageSharing	Manage Sharing	boolean				
MaximumPermissionsManageSiteManagement	Manage Site Management	boolean				
MaximumPermissionsManageSiteProfile	Manage Site and Investigator Profile	boolean				
MaximumPermissionsManageSmartDataDiscovery	Manage Einstein Discovery	boolean				
MaximumPermissionsManageSmartDataDiscoveryModel	Can Deploy and Manage Einstein Discovery predictions	boolean				
MaximumPermissionsManageSocialDeterminant	Enable access to the Manage Social Determinants Data Model for Life Sciences users in a Salesforce org.	boolean				
MaximumPermissionsManageSolutions	Manage Published Solutions	boolean				
MaximumPermissionsManageStores	Manage Stores	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsManageSubscriptions	Manage CRM Analytics Subscriptions	boolean				
MaximumPermissionsManageSurveys	Manage Surveys	boolean				
MaximumPermissionsManageSynonyms	Manage Synonyms	boolean				
MaximumPermissionsManageTemplatedApp	Manage CRM Analytics Templated Apps	boolean				
MaximumPermissionsManageTrialMgtRandomization	Manage Trial Management Randomization	boolean				
MaximumPermissionsManageTrustMeasures	Manage Trust Measures	boolean				
MaximumPermissionsManageTwoFactor	Manage MFA in API	boolean				
MaximumPermissionsManageUnlistedGroups	Manage Unlisted Groups	boolean				
MaximumPermissionsManageUsers	Manage Users	boolean				
MaximumPermissionsMassInlineEdit	Mass Edits from Lists	boolean				
MaximumPermissionsMaterialLineUser	Create Material Lines	boolean				
MaximumPermissionsMergeAndSplitGroups	Merge and Split Groups	boolean				
MaximumPermissionsMergeTopics	Merge Topics	boolean				
MaximumPermissionsMetadataStudioUser	Metadata studio User	boolean				
MaximumPermissionsMicrobatching	Use Micro-Batching to Create Records	boolean				
MaximumPermissionsMngBenVerfForAssistiveAgt	Gives AI agents access to the objects and fields required to reverify benefits.	boolean				
MaximumPermissionsMngFinancialAssistanceProgram	Access PSP Financial Assistance	boolean				
MaximumPermissionsMobileAppSecurity	Enforce Enhanced Mobile App Security	boolean				
MaximumPermissionsMobileMessagingAgent	Message on Mobile	boolean				
MaximumPermissionsModerateChatter	Moderate Chatter	boolean				
MaximumPermissionsModerateNetworkFeeds	Moderate Experience Cloud Site Feeds	boolean				
MaximumPermissionsModerateNetworkFiles	Moderate Files in Experience Cloud Sites	boolean				
MaximumPermissionsModerateNetworkMessages	Moderate Chatter Messages in Experience Cloud Sites	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsModerateNetworkUsers	Moderate Experience Cloud Site Users	boolean				
MaximumPermissionsModifyAccessAllowPolicies	Modify Allow Data Governance Policies	boolean				
MaximumPermissionsModifyAccessDenyPolicies	Modify Deny Data Governance Policies	boolean				
MaximumPermissionsModifyAllData	Modify All Data	boolean				
MaximumPermissionsModifyAllDataGovClassif	Modify All Data Governance Classification Tags	boolean				
MaximumPermissionsModifyAllDataGovClsfTax	Modify All Data Governance Classification Taxonomies	boolean				
MaximumPermissionsModifyAllDataGovPolicies	Modify All Data Governance Policies	boolean				
MaximumPermissionsModifyAllDataGovTagAssign	Modify All Data Governance Tag Assignments	boolean				
MaximumPermissionsModifyAllDataGovTags	Modify All Data Governance Tags	boolean				
MaximumPermissionsModifyAllDataGovTax	Modify All Data Governance Tag Taxonomies	boolean				
MaximumPermissionsModifyAllPolicyCenterPolicies	Modify All Policy Center Policies	boolean				
MaximumPermissionsModifyDataClassification	Modify Data Classification	boolean				
MaximumPermissionsModifyMetadata	Modify Metadata Through Metadata API Functions	boolean				
MaximumPermissionsMonitorLoginHistory	Monitor Login History	boolean				
MaximumPermissionsMortgageUserAccess	User license to access Mortgage in Financial Services Cloud.	boolean				
MaximumPermissionsMultiStepSchedulingUser	Manage Multi-Step Scheduling features	boolean				
MaximumPermissionsNativeWebviewScrolling	Salesforce Mobile App: Native scrolling on webviews	boolean				
MaximumPermissionsNewReportBuilder	Report Builder	boolean				
MaximumPermissionsOmniAssistiveActionUser	OmniAssistiveActionUser	boolean				
MaximumPermissionsOmniStudioDesigner	Enables admin/developer to create new OS/DR/VIP instances.	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsOmniStudioRuntime	Enables business users to execute OmniScripts, DRs, Cards, etc, in employee facing apps.	boolean				
MaximumPermissionsOmniStudioRuntimeCC	Enables consumers and partners to execute OmniScripts, DRs, Cards through a Community or off platform.	boolean				
MaximumPermissionsOmniSupervisorManageQueue	Manage Queue Memberships	boolean				
MaximumPermissionsOmnichannelInventoryBasic	Omnichannel Inventory Basic	boolean				
MaximumPermissionsOmnichannelInventorySync	Omnichannel Inventory Sync	boolean				
MaximumPermissionsOpportunityScoreUser	Use Einstein Opportunity Scoring	boolean				
MaximumPermissionsOptOutGeolocationTracking	Exclude Technician from Geolocation Tracking	boolean				
MaximumPermissionsOrderSubmitUser	Submit Transactions and Fulfilment User	boolean				
MaximumPermissionsOrderToBSAPIUser	Access Order to Billing Schedule API	boolean				
MaximumPermissionsOrderToInvoiceAPIUser	Access Order to Invoice API	boolean				
MaximumPermissionsOutboundMigrationToolUser	Create and Upload Change Sets	boolean				
MaximumPermissionsOverrideForecasts	Override Forecasts	boolean				
MaximumPermissionsPRMChannelMgrConsoleUser	View Channel Management Console	boolean				
MaximumPermissionsPackaging2	Create and Update Second-Generation Packages	boolean				
MaximumPermissionsPackaging2Delete	Delete Second-Generation Packages	boolean				
MaximumPermissionsPackaging2PromoteVersion	Promote a package version to released	boolean				
MaximumPermissionsParticipateClinicalTrials	Let external users view and enroll in research studies.	boolean				
MaximumPermissionsPasswordNeverExpires	Password Never Expires	boolean				
MaximumPermissionsPaymentSchedulerUser	Payments Scheduler User	boolean				
MaximumPermissionsPaymentsAPIUser	Payments Api User	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsPersonalizationDecisioningUser	Provides users access to the Personalization Decisions invocable action.	boolean				
MaximumPermissionsPersonalizationIntelUser	Personalization Intelligence User	boolean				
MaximumPermissionsPersonalizationPlatform	Access Personalization Platform	boolean				
MaximumPermissionsPersonalizedFinanceUserAccess	Data Cloud FlexCards for Financial Services Cloud	boolean				
MaximumPermissionsPipelineInspectorUser	Pipeline Inspection User	boolean				
MaximumPermissionsPortalSuperUser	Portal Super User	boolean				
MaximumPermissionsPreventClassicExperience	Hide Option to Switch to Salesforce Classic	boolean				
MaximumPermissionsPreviewExperienceUser	Allow access to Preview Experience	boolean				
MaximumPermissionsPreviewTestSendEmail	Send Test Email	boolean				
MaximumPermissionsPriceSheetConfiguration	Configure Price Sheets	boolean				
MaximumPermissionsPricingRuleUser	Configure price rules	boolean				
MaximumPermissionsPrismBackofficeUser	Prism Backoffice User	boolean				
MaximumPermissionsPrismPlaygroundUser	Prism Playground User	boolean				
MaximumPermissionsPrivacyDataAccess	Allow user to access privacy data	boolean				
MaximumPermissionsPrmEnhancedPortalUser	PRM Enhanced Portal User	boolean				
MaximumPermissionsPrmExtIntPrtnAdminUser	Set Up Partner Connect for a Partner Org	boolean				
MaximumPermissionsProductAdmin	Product Admin	boolean				
MaximumPermissionsProductCatalogApiAccess	View Product Catalog via API	boolean				
MaximumPermissionsProductCatalogMgtApiCAccess	View Product Catalog via API for Customer Community User	boolean				
MaximumPermissionsProductCatalogMgtApiPAccess	View Product Catalog via API for Partner Community User	boolean				
MaximumPermissionsProductCatalogMgtBaseCUser	View Product Catalog for Customer Community User	boolean				
MaximumPermissionsProductCatalogMgtBasePUser	View Product Catalog for Partner Community User	boolean				
MaximumPermissionsProductConfigurationRuleAccess	Manage Configurator with Business Rules Engine	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsProductDiscoveryUser	Allow access to Product Discovery	boolean				
MaximumPermissionsProposeMajorIncidents	Propose Major Incidents	boolean				
MaximumPermissionsProviderSearchUserAccess	Permission to access internal entities for provider search	boolean				
MaximumPermissionsPublicSectorPlatformUserAccess	Grant users access to Public Sector features.	boolean				
MaximumPermissionsPublishArticles	Publish Articles	boolean				
MaximumPermissionsPublishPackaging	Upload AppExchange Packages	boolean				
MaximumPermissionsPublishTranslation	Article Translation - Publish	boolean				
MaximumPermissionsQRCodeGeneratorMobilePublisherPlayground	Mobile Publisher QR Code Generator Playground User	boolean				
MaximumPermissionsQueryAllFiles	Query All Files	boolean				
MaximumPermissionsQueryNonVetoedFiles	Query Non Vetoed Files	boolean				
MaximumPermissionsQuipMetricsAccess	Quip Metrics	boolean				
MaximumPermissionsQuipUserEngagementMetrics	Quip User Engagement Metrics	boolean				
MaximumPermissionsQuoteToOrderUser	Create Orders from Quotes	boolean				
MaximumPermissionsReadConfigurationItemInformation	Allows user to read CMDB associations details.	boolean				
MaximumPermissionsReassignOrchestrationWorkItems	Reassign Orchestration Work Items	boolean				
MaximumPermissionsRebookWithAgentforceFromDispatchConsole	Rebook with Agentforce from Dispatch Console	boolean				
MaximumPermissionsRecordAggregationAccess	Record Aggregation Access	boolean				
MaximumPermissionsRecordVisibilityAPI	Enable RecordVisibility API	boolean				
MaximumPermissionsRefundPayments	Refund Payments	boolean				
MaximumPermissionsRemoveDirectMessageMembers	Remove People from Direct Messages	boolean				
MaximumPermissionsReopenChangeRequests	Reopen Change Requests	boolean				
MaximumPermissionsReopenProblems	Reopen Problems	boolean				
MaximumPermissionsResetPasswords	Reset User Passwords and Unlock Users	boolean				
MaximumPermissionsResolveChgReqAssoc	Resolve Change Request Associations	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsResolveIncAssoc	Resolve Incident Associations	boolean				
MaximumPermissionsResolveProbAssoc	Resolve Problem Associations	boolean				
MaximumPermissionsRespondSocialInsuranceClaims	Respond to Social Insurance Claims	boolean				
MaximumPermissionsRevenueIntelligenceUser	Revenue Intelligence User	boolean				
MaximumPermissionsRevenueProductImportUser	Import Products Using Subscription Management Console	boolean				
MaximumPermissionsReviewBuyingCommittee	Allow access to Review Buying Committee in Einstein Copilot	boolean				
MaximumPermissionsReviewMyDay	Review My Day	boolean				
MaximumPermissionsRunContextRule	Run Context Rules	boolean				
MaximumPermissionsRunDecisionMatrix	Run Decision Matrices	boolean				
MaximumPermissionsRunExpressionSet	Run Expression Sets	boolean				
MaximumPermissionsRunFlow	Run Flows	boolean				
MaximumPermissionsRunReports	Run Reports	boolean				
MaximumPermissionsRunTrialMgtRandomization	Run Trial Management Randomization	boolean				
MaximumPermissionsSCEViewAllData	View Opportunity Scoring Model Factors	boolean				
MaximumPermissionsSDCommunityAccess	Use objects in the Social Determinants data model via Experience Cloud sites	boolean				
MaximumPermissionsSalesConsole	Sales Console	boolean				
MaximumPermissionsSalesInsightsUser	Sales Insights User	boolean				
MaximumPermissionsSalesMeetingFollowUpEmail	Sales Meeting Follow-Up Emails	boolean				
MaximumPermissionsSalesforceForecastingUser	Forecast on Any Business Model	boolean				
MaximumPermissionsSalesforceIQInbox	Use Inbox	boolean				
MaximumPermissionsSalesforceIQInternal	Allows the Cloud Integration User to perform SalesforceIQ internal operations	boolean				
MaximumPermissionsSandboxTestingInCommunityApp	Test Sandboxes in Mobile Publisher for Experience Cloud	boolean				
MaximumPermissionsScheduleJob	Schedule Dashboards	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsScheduleReports	Schedule Reports	boolean				
MaximumPermissionsScoringFrameworkAdmin	Scoring Framework Admin	boolean				
MaximumPermissionsScoringFrameworkUser	Scoring Framework User	boolean				
MaximumPermissionsSegmentIntelligenceUser	Segment Intelligence User	boolean				
MaximumPermissionsSelectFilesFromSalesforce	Select Files from Salesforce	boolean				
MaximumPermissionsSendAnnouncementEmails	Send announcement emails	boolean				
MaximumPermissionsSendCustomNotifications	Send Custom Notifications	boolean				
MaximumPermissionsSendEmail	Send Unified Messaging Email	boolean				
MaximumPermissionsSendExternalEmailAvailable	Send Email through External Email Service	boolean				
MaximumPermissionsSendMeetingRequest	Permission for Send Meeting Request.	boolean				
MaximumPermissionsSendSitRequests	Send Stay-in-Touch Requests	boolean				
MaximumPermissionsServiceECIUser	Use Conversation Insights for Service	boolean				
MaximumPermissionsServiceExcellencePlatformUser	Service Excellence Platform User	boolean				
MaximumPermissionsSessionScopeContext	Provides access to create session scope context.	boolean				
MaximumPermissionsSetupAgentBuilder	Manage Agent for Setup	boolean				
MaximumPermissionsSetupAgentUser	Access Agent for Setup	boolean				
MaximumPermissionsShareFilesWithNetworks	Share Files with People in Experience Cloud sites	boolean				
MaximumPermissionsShareInternalArticles	Share internal Knowledge articles externally	boolean				
MaximumPermissionsShareSmartDataDiscoveryStory	Share Einstein Discovery Models	boolean				
MaximumPermissionsShowCompanyNameAsUserBadge	Show Company Name as Site Role	boolean				
MaximumPermissionsShowPreWorkBriefCA	Show Pre-Work Brief	boolean				
MaximumPermissionsSimpleCsvDataImportUser	Basic Csv Data Import User Permission	boolean				
MaximumPermissionsSkipIdentityConfirmation	Skip Device Activation at Login	boolean				
MaximumPermissionsSlackCibUser	Financial Services Cloud for Slack User	boolean				
MaximumPermissionsSlackRecordChannels	Access Slack Record Channels	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsSmartDataDiscoveryForCommunity	Smart Data Discovery for experience users	boolean				
MaximumPermissionsSolutionImport	Import Solutions	boolean				
MaximumPermissionsSonicConsumer	Use Data Pipeline Base	boolean				
MaximumPermissionsStageManagementDesignUser	Stage Management Designer User	boolean				
MaximumPermissionsStageManagementUser	Stage Management User	boolean				
MaximumPermissionsStdAutomaticActivityCapture	Use Einstein Activity Capture Standard	boolean				
MaximumPermissionsStoryOnDSWithPredicate	Ignore predicate when creating model from dataset	boolean				
MaximumPermissionsSubmitForTranslation	Article Translation - Submit for Translation	boolean				
MaximumPermissionsSubmitMacrosAllowed	Manage Macros Users Can't Undo	boolean				
MaximumPermissionsSubscriptionManagementDecreaseUser	Decrease Subscription Quantity	boolean				
MaximumPermissionsSubscriptionManagementIncreaseUser	Increase Subscription Quantity	boolean				
MaximumPermissionsSubscriptionManagementCancelUser	Cancel Subscriptions	boolean				
MaximumPermissionsSubscriptionManagementOrderItemToAssetUser	Create Assets from Order Items	boolean				
MaximumPermissionsSubscriptionManagementOrderToAssetUser	Create Assets from Orders	boolean				
MaximumPermissionsSubscriptionManagementPaymentScheduleAutomation	Automate Payment Scheduling	boolean				
MaximumPermissionsSubscriptionManagementRefundAutomation	Automate Refunds	boolean				
MaximumPermissionsSubscriptionManagementRenewalUser	Renew Subscriptions	boolean				
MaximumPermissionsSubscribeDashboardRolesGroups	Subscribe to Dashboards: Send to Groups and Roles	boolean				
MaximumPermissionsSubscribeDashboardToOtherUsers	Subscribe to Dashboards: Add Recipients	boolean				
MaximumPermissionsSubscribeReportRolesGroups	Subscribe to Reports: Send to Groups and Roles	boolean				
MaximumPermissionsSubscribeReportToOtherUsers	Subscribe to Reports: Add Recipients	boolean				
MaximumPermissionsSubscribeReportsRunAsUser	Subscribe to Reports: Set Running User	boolean				
MaximumPermissionsSubscribeToLightningDashboards	Subscribe to Dashboards	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsSubscribeToLightningReports	Subscribe to Reports	boolean				
MaximumPermissionsSubscriptionManagementUser	Allow access to Subscription Management	boolean				
MaximumPermissionsTerritoryOperations	Administer territory operations	boolean				
MaximumPermissionsTraceXdsQueries	Access Tracer for External Data Sources	boolean				
MaximumPermissionsTransactionSecurityExempt	Exempt from Transaction Security	boolean				
MaximumPermissionsTransactionalEmailSend	Send Non-Commercial Email	boolean				
MaximumPermissionsTransferAnyCase	Transfer Cases	boolean				
MaximumPermissionsTransferAnyEntity	Transfer Record	boolean				
MaximumPermissionsTransferAnyLead	Transfer Leads	boolean				
MaximumPermissionsTriggerDataGovAutoTagging	Enable Data Governance Suggest Tags	boolean				
MaximumPermissionsTwoFactorApi	Multi-Factor Authentication for API Logins	boolean				
MaximumPermissionsUnifiedHealthScoringUser	View and assign scores for accounts, contacts, and leads using the Unified Health Scoring feature.	boolean				
MaximumPermissionsUpdateReportTypeReferences	Update Report Type References in Semantic Search	boolean				
MaximumPermissionsUseAddOrderItemSummary	Add additional items to an order summary.	boolean				
MaximumPermissionsUseAddOrderItemSummaryAPIs	Use Order Management Add Order Item Summary APIs	boolean				
MaximumPermissionsUseAdvancedDeliveryEstimationAPI	Use Advanced Delivery Estimation Service APIs	boolean				
MaximumPermissionsUseAssistantDialog	Instant Actionable Results	boolean				
MaximumPermissionsUseCancelInProgressChange	Can cancel Order Management in-progress async calls.	boolean				
MaximumPermissionsUseCompliantDataSharing	Use Compliant Data Sharing	boolean				
MaximumPermissionsUseCreateCreditMemo	Create credit memos.	boolean				
MaximumPermissionsUseCreateOrderSummary	Create order summaries by using APIs.	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsUseCriteriaBasedSearchFilter	Use Criteria-Based Search and Filter	boolean				
MaximumPermissionsUseDeliveryEstimation	Use Delivery Estimation Service	boolean				
MaximumPermissionsUseDeliveryEstimationAPIs	Use Delivery Estimation Service APIs	boolean				
MaximumPermissionsUseEnsureFunds	Execute ensure funds.	boolean				
MaximumPermissionsUseExpCloudCBSF	Use Criteria-Based Search and Filter for Experience Cloud	boolean				
MaximumPermissionsUseFulfillmentAPIs	Use Order Management Fulfillment APIs	boolean				
MaximumPermissionsUseInboxSchedulingOnBehalfOf	Inbox Scheduling Proxy User	boolean				
MaximumPermissionsUseMySearch	Einstein Search	boolean				
MaximumPermissionsUseOMAnalytics	Use Order Management Analytics	boolean				
MaximumPermissionsUseOmnichannelInventoryAPIs	Use Omnichannel Inventory APIs	boolean				
MaximumPermissionsUseOrderEntry	Use Order Entry	boolean				
MaximumPermissionsUseOrderItemSummaryCancel	Cancel order item summaries.	boolean				
MaximumPermissionsUseOrderItemSummaryReturn	Execute blind returns.	boolean				
MaximumPermissionsUsePaymentCreditAPIs	Use Order Management Payment Credit APIs	boolean				
MaximumPermissionsUseQuerySuggestions	Natural Language Search	boolean				
MaximumPermissionsUseRegisterGuestBuyerAPI	Use Register Guest Buyer API	boolean				
MaximumPermissionsUseRepricing	Use Repricing Objects and APIs	boolean				
MaximumPermissionsUseReturnOrder	Use Order Management Return Order	boolean				
MaximumPermissionsUseReturnOrderAPIs	Use Order Management Return APIs	boolean				
MaximumPermissionsUseRouting	Access the Fulfillment Order routing APIs.	boolean				
MaximumPermissionsUseServicePartReturn	Manufacturing Cloud Service Part Return Management User	boolean				
MaximumPermissionsUseStartDataDiscovery	Use Einstein Discovery	boolean				
MaximumPermissionsUseSubscriptionEmails	Subscribe to CRM Analytics Assets	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsUseTeamReassignWizards	Use Team Reassignment Wizards	boolean				
MaximumPermissionsUseTeamsForItSrvcs	Manage ITSM Teams	boolean				
MaximumPermissionsUseTemplatedApp	Use CRM Analytics Templated Apps	boolean				
MaximumPermissionsUseWebLink	Allow Access to Customized Actions	boolean				
MaximumPermissionsUserCanAccessNLPResult	View Natural Language Process Results	boolean				
MaximumPermissionsUserCanDeployStore	Users can perform the deployment operation on a store.	boolean				
MaximumPermissionsUserCanPerformNLPOperation	Manage Natural Language Process Results	boolean				
MaximumPermissionsUserHasBillingAccount	Access EU User Billing Account	boolean				
MaximumPermissionsUserHasEndProgramAccess	EU User Program Access	boolean				
MaximumPermissionsUserHasEUCore	Access EU Objects	boolean				
MaximumPermissionsUserHasUsageImpactAccess	EU User Impact Access	boolean				
MaximumPermissionsUserHasWorkReportAccess	Manage User Work Report	boolean				
MaximumPermissionsVideoConferenceMeetUser	Use Video Conferencing with Google Meet	boolean				
MaximumPermissionsVideoConferenceTeamsUser	Use Video Conferencing with Teams	boolean				
MaximumPermissionsVideoConferenceZoomUser	Use Video Conferencing with Zoom	boolean				
MaximumPermissionsViewAccessPolicies	View Access Policies	boolean				
MaximumPermissionsViewAgtforceAnlytDshbrd	View Agentforce Analytics Dashboard	boolean				
MaximumPermissionsViewAllActivities	View All Activities	boolean				
MaximumPermissionsViewAllCalls	View All Voice And Video Calls	boolean				
MaximumPermissionsViewAllCustomSettings	View All Custom Settings	boolean				
MaximumPermissionsViewAllData	View All Data	boolean				
MaximumPermissionsViewAllDataGovPolicies	View All Data Governance Policies	boolean				
MaximumPermissionsViewAllDataGovTags	View All Data Governance Tags, Classifications, and Taxonomies	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsViewAllFieldsGlobal	View All Fields (Global)	boolean				
MaximumPermissionsViewAllForecasts	View All Forecasts	boolean				
MaximumPermissionsViewAllForeignKeyNames	View All Lookup Record Names	boolean				
MaximumPermissionsViewAllNonSetupFlows	View All Non-Admin Flows	boolean				
MaximumPermissionsViewAllPolicyCenterPolicies	View All Policy Center Policies	boolean				
MaximumPermissionsViewAllProfiles	View All Profiles	boolean				
MaximumPermissionsViewAllUsers	View All Users	boolean				
MaximumPermissionsViewAnomalyEvents	View Threat Detection Events	boolean				
MaximumPermissionsViewArchivedArticles	View Archived Articles	boolean				
MaximumPermissionsViewCaseAnlytDshbrd	View Case Analytics Dashboard	boolean				
MaximumPermissionsViewChangeRequestAnlytDshbrd	View Change Request Analytics Dashboard	boolean				
MaximumPermissionsViewChangeRequestDshbrd	View Change Request Dashboard	boolean				
MaximumPermissionsViewClientSecret	View External Client App Consumer Secrets in Metadata	boolean				
MaximumPermissionsViewConsumption	View Consumption	boolean				
MaximumPermissionsViewContent	View Content in Portals	boolean				
MaximumPermissionsViewContentTaxonomy	View Content Taxonomy	boolean				
MaximumPermissionsViewCustomerSentiment	View Customer Insights	boolean				
MaximumPermissionsViewDataAssessment	Access to view Data Assessment	boolean				
MaximumPermissionsViewDataCategories	View Data Categories in Setup	boolean				
MaximumPermissionsViewDataGovTab	View the Data Governance Tab	boolean				
MaximumPermissionsViewDataLeakageEvents	View Real-Time Event Monitoring Data	boolean				
MaximumPermissionsViewDeveloperName	View Developer Name	boolean				
MaximumPermissionsViewDraftArticles	View Draft Articles	boolean				
MaximumPermissionsViewEmailMessagingSetup	View Email Messaging Setup	boolean				
MaximumPermissionsViewEncryptedData	View Encrypted Data	boolean				
MaximumPermissionsViewEventLogFiles	View Event Log Files	boolean				
MaximumPermissionsViewForecastingPredictive	Use Einstein Forecasting	boolean				
MaximumPermissionsViewGlobalHeader	View Global Header	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsViewHealthCheck	View Health Check	boolean				
MaximumPermissionsViewHelpLink	View Help Link	boolean				
MaximumPermissionsViewIncidentAnlytDshbrd	View Incident Analytics Dashboard	boolean				
MaximumPermissionsViewIncidentFulfrDshbrd	View Incident Fulfiller Dashboard	boolean				
MaximumPermissionsViewIncidentMgrDshbrd	View Incident Manager Dashboard	boolean				
MaximumPermissionsViewIntelligenceApp	View Commerce Intelligence App	boolean				
MaximumPermissionsViewITLeaderAnlytDshbrd	View IT Leader Analytics Dashboard	boolean				
MaximumPermissionsViewItsmConsoleAsFulfr	View ITSM Console App as Fulfillers	boolean				
MaximumPermissionsViewItsmConsoleHpg	View ITSM Console App Home Page	boolean				
MaximumPermissionsViewKnwlgAnlytDshbrd	View Knowledge Analytics Dashboard	boolean				
MaximumPermissionsViewMLModels	Allow users to view MLModels and related Entities	boolean				
MaximumPermissionsViewMyTeamsDashboards	View My Team's Dashboards	boolean				
MaximumPermissionsViewNonSetupFlow	View Flows	boolean				
MaximumPermissionsViewOmnichnlAnlytDshbrd	View Omnichannel Analytics Dashboard	boolean				
MaximumPermissionsViewOnlyEmbeddedAppUser	Access to View-Only Licensed Templates and Apps	boolean				
MaximumPermissionsViewOrchestrationsInAutoApp	View Orchestrations in Automation App	boolean				
MaximumPermissionsViewPayments	Use Payments or Access Payments	boolean				
MaximumPermissionsViewPlatformEvents	View Login Forensics Events	boolean				
MaximumPermissionsViewPrivateStaticResources	View Private Static Resources	boolean				
MaximumPermissionsViewProblemFulfrDshbrd	View Problem Fulfiller Dashboard	boolean				
MaximumPermissionsViewProblemMgrDshbrd	View Problem Manager Dashboard	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumPermissionsViewProductCatalogObjects	View Product Catalog	boolean				
MaximumPermissionsViewPublicDashboards	View Dashboards in Public Folders	boolean				
MaximumPermissionsViewPublicReports	View Reports in Public Folders	boolean				
MaximumPermissionsViewRecommendations	View Recommendations	boolean				
MaximumPermissionsViewRelAssoc	View Release Associations	boolean				
MaximumPermissionsViewReleaseDshbrd	View Release Dashboard	boolean				
MaximumPermissionsViewRestrictionAndScopingRules	View Restriction and Scoping Rules	boolean				
MaximumPermissionsViewRoles	View Roles and Role Hierarchy	boolean				
MaximumPermissionsViewSALifecycle	View Service Appointment Lifecycle	boolean				
MaximumPermissionsViewSecurityCommandCenter	View Security Center pages	boolean				
MaximumPermissionsViewSetup	View Setup and Configuration	boolean				
MaximumPermissionsViewShieldApp	View Shield App Pages	boolean				
MaximumPermissionsViewTrustMeasures	View Trust Measures	boolean				
MaximumPermissionsViewUserPII	View Concealed Field Data	boolean				
MaximumPermissionsVoiceCoach	Access Dialer Monitoring	boolean				
MaximumPermissionsVoiceInbound	Access Dialer Inbound Calls	boolean				
MaximumPermissionsVoiceMinutes	Access Dialer Minutes	boolean				
MaximumPermissionsVoiceOutbound	Access Dialer Outbound Calls	boolean				
MaximumPermissionsVoidInvoiceAPIUser	Void Invoice API	boolean				
MaximumPermissionsWaveCommunityUser	View CRM Analytics on Experience Cloud site pages.	boolean				
MaximumPermissionsWaveManagePrivateAssetsUser	Manage CRM Analytics Private Assets	boolean				
MaximumPermissionsWaveTabularDownload	Download CRM Analytics Data	boolean				
MaximumPermissionsWaveTrendReports	Trend Report Data in CRM Analytics	boolean				
MaximumPermissionsWorkCalibrationUser	Enable WDC Calibration	boolean				
MaximumPermissionsWorkDotComUserPerm	Enable WDC	boolean				
MaximumPermissionsYourAccountCAPublishEvents	Your Account Cache Durable Architecture Publish Events	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MigratableLicenses	Licenses to Migrate	int	9			
PermissionSetLicenseKey	Permission Set License Key	string		81		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TotalLicenses	Total Licenses	int	9			
UsedLicenses	Used Licenses	int	9			

PERMISSIONSETLICENSEASSIGN

Represents the association between a User and a PermissionSetLicense. This object is available in API version 29.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PermissionSetLicenseAssign in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`AssigneeId`	User ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Permission Set License Assignment ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`PermissionSetLicenseId`	Permission Set License ID	reference		18		
`SystemModstamp`	Date Assigned	datetime				

PERMISSIONSETTABSETTING

Represents a permission set tab setting. Requires the View Setup permission. Use this object to query all tab settings of the permission set. This object is available in API version 45.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PermissionSetTabSetting in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Id`	Permission Set Tab Setting ID	id		18		
`Name`	Tab Name	string		60		
`ParentId`	Parent ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`Visibility`	Visibility	picklist		40		

PERSONACCOUNTOWNERPOWERUSER

Represents a user who can own more than 50,000 customer or partner portal accounts. Person account owner power users can own a large number of either customer or partner users. Their role can't be changed and they must be at the root of the role hierarchy. Person account owner power user objects can't be created if deferred sharing is turned on for your org. Person account owner power user objects can be created while deferred sharing is turned off for an org. Deferred sharing can be turned back on after person account owner power user objects have been created. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PersonAccountOwnerPowerUser in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Developer Name	string		80		
`Id`	Person Account Owner Power User ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Name	string		80		
`PortalType`	Portal Type	picklist		255		
`SystemModstamp`	System Modstamp	datetime				
`UserId`	User ID	reference		18		

PERSONDISABILITY

Represents information about a person's disability. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PersonDisability in the *Education Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDate	End Date	datetime				
Id	Person Disability ID	id		18		
IndividualId	Individual ID	reference		18		
IsAccommodationRequired	Accommodation Required	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Rank	Rank	int	9			
StartDate	Start Date	datetime				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		
VerificationDate	Verification Date	date				
VerifiedBy	Verified By	picklist		255		
VerifiedByOther	Verifier Information	string		255		

PERSONDISABILITYFEED

Feed tracking for PersonDisability.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PERSONDISABILITYHISTORY

History for tracked fields of PersonDisability.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Person Disability History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PersonDisabilityId	Person Disability ID	reference		18		

PERSONDISABILITYSHARE

Sharing for PersonDisability.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PERSONEDUCATION

Represents information about the professional education for a person.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PersonEducation in the *Education Cloud Developer Guide*, *Financial Services Cloud Developer Guide*, *Life Sciences Cloud Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CertificateIdentifier	Certificate ID	string		255		
CompletionDate	Completion Date	datetime				
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EducationLevel	Education Level	picklist		40		
GraduationDate	Graduation Date	datetime				
HealthcareProviderId	Healthcare Provider ID	reference		18		
Id	Person Education ID	id		18		
Identifier	Identifier	string		255		
IdentifierIssuer	Institution	string		255		
IndividualId	Individual ID	reference		18		
InstitutionAddress	Institution Address	address				
InstitutionCity	Institution City	string		40		
InstitutionCountry	Institution Country	string		80		
InstitutionGeocodeAccuracy	Institution Geocode Accuracy	picklist		40		
InstitutionLatitude	Institution Latitude	double			18	15
InstitutionLongitude	Institution Longitude	double			18	15
InstitutionPostalCode	Institution Postal Code	string		20		
InstitutionState	Institution State	string		80		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
InstitutionStreet	Institution Street	textarea		255		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Degree	string		255		
OwnerId	Owner ID	reference		18		
ProgramName	Program Name	string		255		
StartDate	Start Date	datetime				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		
VerificationStatus	Verification Status	picklist		255		
VerifiedDate	Verified On	datetime				

PERSONEDUCATIONFEED

Feed tracking for PersonEducation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PERSONEDUCATIONHISTORY

History for tracked fields of PersonEducation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Person Education History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PersonEducationId	Person Education ID	reference		18		

PERSONEDUCATIONSHARE

Sharing for PersonEducation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PERSONEMPLOYMENT

Represents information about a person's employment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PersonEmployment in the *Education Cloud Developer Guide*, *Financial Services Cloud Developer Guide*, *Life Sciences Cloud Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AnnualIncome	Annual Income	currency			18	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EmployerAddress	Employer Address	address				
EmployerCity	Employer City	string		40		
EmployerCountry	Employer Country	string		80		
EmployerGeocodeAccuracy	Employer Geocode Accuracy	picklist		40		
EmployerLatitude	Employer Latitude	double			18	15
EmployerLongitude	Employer Longitude	double			18	15
EmployerPhone	Employer Phone	phone		40		
EmployerPostalCode	Employer Postal Code	string		20		
EmployerState	Employer State	string		80		
EmployerStreet	Employer Street	textarea		255		
EmployerTaxAccountNumber	Employer Tax Account Number	string		255		
EmploymentStatus	Employment Status	picklist		40		
EmploymentType	Employment Type	picklist		40		
EndDate	End Date	date				
HourlyWage	Hourly Wage	currency			18	0
Id	Person Employment ID	id		18		
IsCurrentEmployment	Current Employment	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsDeleted	Deleted	boolean				
IsFlagged	Flagged	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Employer	string		255		
Occupation	Occupation	picklist		40		
OwnerId	Owner ID	reference		18		
Position	Position	string		255		
RelatedPersonId	Related Person ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				
VerificationDate	Verification Date	date				
VerificationStatus	Verification Status	picklist		40		
WeeklyHourCount	Weekly Hour Count	int	9			
WorkerType	Worker Type	picklist		40		

PERSONEMPLOYMENTFEED

Feed tracking for PersonEmployment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PERSONEMPLOYMENTHISTORY

History for tracked fields of PersonEmployment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Person Employment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PersonEmploymentId	Person Employment ID	reference		18		

PERSONEMPLOYMENTSHARE

Sharing for PersonEmployment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PERSONEXAMINATION

Represents the examinations taken by a person. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PersonExamination in the *Education Cloud Developer Guide*, *Emergency Response Management Object Reference*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EffectiveFrom	Effective From	datetime				
EffectiveTo	Effective To	datetime				
ExaminationDate	Examination Date	datetime				
ExaminationId	Examination ID	reference		18		
Id	Person Examination ID	id		18		
InstitutionName	Institution Name	picklist		40		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Person Examination ID	string		255		
OwnerId	Owner ID	reference		18		
Result	Result	picklist		40		
Score	Score	int	9			
SystemModstamp	System Modstamp	datetime				
VerificationDateTime	Verification Date	datetime				

PERSONEXAMINATIONFEED

Feed tracking for PersonExamination.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PERSONEXAMINATIONHISTORY

History for tracked fields of PersonExamination.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Person Examination History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PersonExaminationId	Person Examination ID	reference		18		

PERSONEXAMINATIONSHARE

Sharing for PersonExamination.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PERSONLANGUAGE

Represents the use and preference information about a person's language. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PersonLanguage in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Person Language ID	id		18		
IndividualId	Individual ID	reference		18		
IsDeleted	Deleted	boolean				
Language	Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Rank	Rank	int	4			
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemName	Source System Name	string		64		
SpeakingProficiencyLevel	Speaking Proficiency Level	picklist		40		
SystemModstamp	System Modstamp	datetime				
WritingProficiencyLevel	Writing Proficiency Level	picklist		40		

PERSONLANGUAGEFEED

Feed tracking for PersonLanguage.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PERSONLANGUAGEHISTORY

History for tracked fields of PersonLanguage.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Person Language History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PersonLanguageId	Person Language ID	reference		18		

PERSONLANGUAGESHARE

Sharing for PersonLanguage.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PERSONLIFEEVENT

Represents the life events of an individual, such as marriage, birth of a child, birthday, engagement.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PersonLifeEvent in the *Education Cloud Developer Guide*, *Financial Services Cloud Developer Guide*, *Public Sector Solutions Developer Guide*, and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EventDate	Event Date	datetime				
EventDescription	Event Description	textarea		32000		
EventLocation	Event Location	address				
EventLocationCity	Event Location City	string		40		
EventLocationCountry	Event Location Country	string		80		
EventLocationGeocodeAccuracy	Event Location Geocode Accuracy	picklist		40		
EventLocationLatitude	Event Location Latitude	double			18	15
EventLocationLongitude	Event Location Longitude	double			18	15
EventLocationPostalCode	Event Location Postal Code	string		20		
EventLocationState	Event Location State	string		80		
EventLocationStreet	Event Location Street	textarea		255		
EventType	Event Type	picklist		40		
ExpirationDate	Expiration Date	datetime				
ExpirationDescription	Expiration Description	textarea		32000		
Id	Person Life Event ID	id		18		
IsDeleted	Deleted	boolean				
IsExpired	Expired	boolean				
IsTentative	Tentative	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Event Name	string		255		
OwnerId	Owner ID	reference		18		
PrimaryPersonId	Contact ID	reference		18		
RelatedPersonId	Contact ID	reference		18		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
SystemModstamp	System Modstamp	datetime				

PERSONLIFEEVENTFEED

Feed tracking for PersonLifeEvent.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PERSONLIFEEVENTHISTORY

History for tracked fields of PersonLifeEvent.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Person Life Event History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PersonLifeEventId	Person Life Event ID	reference		18		

PERSONLIFEEVENTSHARE

Sharing for PersonLifeEvent.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PERSONNAME

Represents detailed information about a person's name. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PersonName in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveDate	Effective Date	date				
EndDate	End Date	date				
FirstName	First Name	string		255		
FullName	Full Name	string		255		
Id	Person Name ID	id		18		
IsDeleted	Deleted	boolean				
IsPrimary	Primary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastName	Last Name	string		255		
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
NameUsageType	Name Usage Type	picklist		40		
OwnerId	Owner ID	reference		18		
ParentRecordId	ParentRecord ID	reference		18		
Prefix	Prefix	string		255		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System ID	string		255		
SourceSystemModified	Source System Modified	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Suffix	Suffix	string		255		
SystemModstamp	System Modstamp	datetime				

PERSONNAMEFEED

Feed tracking for PersonName.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PERSONNAMEHISTORY

History for tracked fields of PersonName.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Person Name History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PersonNameId	Person Name ID	reference		18		

PERSONNAMESHARE

Sharing for PersonName.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PERSONALIZATIONTARGETINFO

Represents a target for an audience. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PersonalizationTargetInfo in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContainerId	Container ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DraftRowId	Personalization Target Info ID	reference		18		
GroupName	Group Name	string		255		
Id	Personalization Target Info ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PublishStatus	Publish Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TargetType	Target Type	picklist		255		
TargetValue	Target Value	string		255		

PGMBASEDHLTHRSKADJFCTR

Stores the risk adjustment factor for patients and members based on their eligibility for certain benefits programs. For instance, Medicaid in the US. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PgmBasedHlthRskAdjFctr in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CmnyFullBnftDualDisabled	Community Full-Benefit-Dual Disabled	double			10	4
CmnyPartialBenefitDualAged	Community Partial-Benefit-Dual Aged	double			10	4
CmnyPartialBnftDualDsbl	Community Partial-Benefit-Dual Disabled	double			10	4
Community	Community	double			10	4
CommunityFullBnftDualAged	Community Full-Benefit-Dual Aged	double			10	4
CommunityNonDualAged	Community Non-Dual Aged	double			10	4
CommunityNonDualDisabled	Community Non-Dual Disabled	double			10	4
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Gender	Gender	picklist		40		
Id	Program Based Risk Health Adjustment Factor ID	id		18		
Institutional	Institutional	double			10	4
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsDisabled	Disabled	boolean				
IsOriginallyDisabled	Originally Disabled	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProgramType	Program Type	picklist		40		
PublishedYear	Published Year	int	8			
SystemModstamp	System Modstamp	datetime				

PGMBASEDHLTHRSKADJFCTRFEED

Feed tracking for PgmBasedHlthRskAdjFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PGMBASEDHLTHRSKADJFCTRHISTORY

History for tracked fields of PgmBasedHlthRskAdjFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Program Based Risk Health Adjustment Factor History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PgmBasedHlthRskAdjFctrId	Program Based Risk Health Adjustment Factor ID	reference		18		

PGMBASEDHLTHRSKADJFCTRSHARE

Sharing for PgmBasedHlthRskAdjFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PGMREBATETYPBNFTMAPPING

If benefit table is extended, defines mapping of benefit field to the aggregate object fields.

For more information, see PgmRebateTypBnftMapping in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AggregateField	Aggregate Field	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Program Rebate Type Benefit Mapping ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ProgramRebateTypeId	Program Rebate Type ID	reference		18		
RebateTypeBenefitField	Custom Field Definition ID	picklist		255		
SystemModstamp	System Modstamp	datetime				

PGMREBATETYPBNFTMAPPINGFEED

Feed tracking for PgmRebateTypBnftMapping.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PGMREBATETYPBNFTMAPPINGHISTORY

History for tracked fields of PgmRebateTypBnftMapping.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Program Rebate Type Benefit MappingHistory ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PgmRebateTypBnftMappingId	Program Rebate Type Benefit Mapping ID	reference		18		

PICKTICKET

A PickTicket represents quantities of one or more products to be picked for fulfillment at a location. It can include products belonging to one or more fulfillment orders.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PickTicket in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssignedToId	User ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Pick Ticket ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
OwnerId	Owner ID	reference		18		
PickTicketNumber	Pick Ticket Number	string		255		
Status	Status	picklist		40		
StatusCategory	Status Category	picklist		255		
SystemModstamp	System Modstamp	datetime				

PICKTICKETASSIGNMENT

Represents the association of a FulfillmentOrder with a PickTicket. A PickTicket has one PickTicketAssignment for each FulfillmentOrder containing products to be picked as part of that PickTicket.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PickTicketAssignment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttachedToId	Fulfillment Order ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Pick Ticket Assignment Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PickTicketAssignmentNumber	Pick Ticket Assignment Number	string		255		
PickTicketId	Pick Ticket ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PICKTICKETFEED

Feed tracking for PickTicket.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PICKTICKETPRODUCT

Represents a quantity of a product to be picked as part of a PickTicket. It can include quantities for multiple FulfillmentOrders.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PickTicketProduct in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Pick Ticket Product ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PickTicketId	Pick Ticket ID	reference		18		
PickTicketProductNumber	Pick Ticket Product Number	string		255		
PickedQuantity	Picked Quantity	double			18	0
Product2Id	Product ID	reference		18		
ProductCode	Product Code	string		255		
Quantity	Quantity	double			18	0
RejectReason	Reject Reason	picklist		40		
RejectedQuantity	Rejected Quantity	double			18	0
StockKeepingUnit	Product SKU	string		180		
SystemModstamp	System Modstamp	datetime				

PICKTICKETPRODUCTFEED

Feed tracking for PickTicketProduct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PICKTICKETSHARE

Sharing for PickTicket.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PICKLISTVALUEINFO

Represents the active picklist values for a given picklist field. This object is available in API version 40.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PicklistValueInfo in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`DurableId`	Durable ID	string		255		
`EntityParticleId`	Entity Particle ID	string		150		
`Id`	Picklist Value Info ID	id		18		
`IsActive`	Is Active	boolean				
`IsDefaultValue`	Is Default Value	boolean				
`Label`	Label	string		70		
`ValidFor`	Valid For	string		200		
`Value`	Value	string		70		

PIPELINEINSPMETRICCONFIG

Represents the configuration of a forecast category metric that appears in the Pipeline Inspection view. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PipelineInspMetricConfig in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Pipeline Inspection Metric Configuration ID	id		18		
IsCumulative	Cumulative	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		50		
Metric	Metric	picklist		255		
SystemModstamp	System Modstamp	datetime				

PIPELINEINSPECTIONLISTVIEW

Represents a pipeline view, an intelligence view, or a saved filter. A pipeline view shows a set of opportunity records, based on specific criteria. An intelligence view shows a set of account, lead, or contact records, based on specific criteria. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PipelineInspectionListView in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChangePeriodLiteralType	Change Period Literal Type	picklist		255		
ChangePeriodStartDate	Change Period Start Date	date				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DateLiteralType	Date Literal Type	picklist		255		
EndDate	End Date	date				
Id	Pipeline Inspection List View ID	id		18		
IsDeleted	Deleted	boolean				
IsSystemManaged	System Managed	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ListViewId	List View ID	reference		18		
MarketSegments	Market Segments	textarea		131072		
StartDate	Start Date	date				
SummaryField	Custom Field Definition ID	picklist		255		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		
ViewType	View Type	picklist		255		

PIPELINEINSPECTIONSUMFIELD

Use this object to learn which field from the opportunity object is used to aggregate Pipeline Inspection metrics on a pipeline view. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PipelineInspectionSumField in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Pipeline Inspection Summary Field ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`SobjectType`	Custom Object Definition ID	picklist		255		
`SummaryField`	Custom Field Definition ID	picklist		255		
`SystemModstamp`	System Modstamp	datetime				

PLACEORDERCOMPLETEDEVENT

Notifies subscribers of an order being created or updated by invoking the Place Order API or the Place Sales Transaction API. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PlaceOrderCompletedEvent in the *Platform Events Developer Guide* and *Quote and Order Capture Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`AppUsageTypes`	Application Usage Types	string		100		
`CorrelationIdentifier`	Correlation Identifier	string		80		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EventUuid`	Event UUID	string		36		
`HasErrors`	Has Errors	boolean				
`OrderId`	Order ID	reference		18		
`ReplayId`	Replay ID	string		1000		
`RequestIdentifier`	Request Identifier	string		80		

PLANBENEFIT

Represents the standard benefits available under a plan that the purchaser offers to their members.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PlanBenefit in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitNotes	Benefit Notes	textarea		32000		
CoinsuranceNotes	Coinsurance Notes	textarea		32000		
CopayNotes	Copay Notes	textarea		32000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeductibleNotes	Deductible Notes	textarea		32000		
DocumentLocation	Document Location	string		255		
EffectiveDate	Effective Date	date				
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
EmergencyDepartmentCopay	Emergency Department Copay	currency			18	2
FamilyInNetworkDeductible	Family In-Network Deductible	currency			18	2
FamilyInNetworkOutofPocket	Family In-Network Out-of-Pocket	currency			18	2
FamilyOutofNetworkDeductible	Family Out-of-Network Deductible	currency			18	2
FamilyOutofNetworkOutofPocket	Family Out-of-Network Out-of-Pocket	currency			18	2
Id	Plan Benefit ID	id		18		
InNetworkCoinsuranceAmount	In-Network Coinsurance (Amount)	double			18	0
InNetworkCoinsurancePercentage	In-Network Coinsurance (Percentage)	double			18	0
InNetworkLifetimeMaximum	In-Network Lifetime Maximum	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IndividualInNetworkDeductible	Individual In-Network Deductible	currency			18	2
IndividualInNetworkOutofPocket	Individual In-Network Out-of-Pocket	currency			18	2
IndividualOutofNetworkDeductible	Individual Out-of-Network Deductible	currency			18	2
IndividualOutofNetworkOutofPocket	Individual Out-of-Network Out-of-Pocket	currency			18	2
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LifetimeMaximumNotes	Lifetime Maximum Notes	textarea		32000		
Name	Name	string		255		
OutofNetworkCoinsuranceAmount	Out-of-Network Coinsurance (Amount)	double			18	0
OutofNetworkCoinsurancePercentage	Out-of-Network Coinsurance (Percentage)	double			18	0
OutofNetworkLifetimeMaximum	Out-of-Network Lifetime Maximum	currency			18	2
OutofPocketNotes	Out-of-Pocket Notes	textarea		32000		
OwnerId	Owner ID	reference		18		
PrimaryCareCopay	Primary Care Copay	currency			18	2
PurchaserPlanId	Purchaser Plan ID	reference		18		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
SpecialistCopay	Specialist Copay	currency			18	2
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
UrgentCareCopay	Urgent Care Copay	currency			18	2

PLANBENEFITFEED

Feed tracking for PlanBenefit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PLANBENEFITHISTORY

History for tracked fields of PlanBenefit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Plan Benefit History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PlanBenefitId	Plan Benefit ID	reference		18		

PLANBENEFITITEM

Represents the details of a benefit available under a purchaser's plan that is offered to their members.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PlanBenefitItem in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitCategory	Benefit Category	string		255		
CoverageLevel	Coverage Level	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Plan Benefit Item ID	id		18		
InNetworkCoverage	In-Network Coverage	currency			18	2
IsDeleted	Deleted	boolean				
IsInPlanNetwork	In-Plan Network	boolean				
ItemCodeId	Item Code ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Notes	Notes	textarea		32000		
OutofNetworkCoverage	Out-of-Network Coverage	currency			18	2
OwnerId	Owner ID	reference		18		
PauthRequirementEndDate	Preauthorization Requirement End Date	datetime				
PauthRequirementStartDate	Preauthorization Requirement Start Date	datetime				
PlanBenefitId	Plan Benefit ID	reference		18		
PreauthorizationTypeCodeId	Code Set ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ServiceType	Service Type	string		64		
ServiceTypeCode	Service Type Code	string		64		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
SystemModstamp	System Modstamp	datetime				
TimePeriod	Time Period	string		32		

PLANBENEFITITEMFEED

Feed tracking for PlanBenefitItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PLANBENEFITITEMHISTORY

History for tracked fields of PlanBenefitItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Plan Benefit Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PlanBenefitItemId	Plan Benefit Item ID	reference		18		

PLANBENEFITITEMSHARE

Sharing for PlanBenefitItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PLANBENEFITSHARE

Sharing for PlanBenefit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PLATFORMACTION

PlatformAction is a virtual read-only object. It enables you to query for actions displayed in the UI, given a user, a context, device format, and a record ID. Examples include standard and custom buttons, quick actions, and productivity actions.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PlatformAction in the *Actions Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionListContext	Action List Context	picklist		255		
ActionTarget	Action Target	textarea		2048		
ActionTargetType	Action Target Type	picklist		255		
ApiName	API Name	string		255		
Category	Category	picklist		255		
ConfirmationMessage	Confirmation Message	string		255		
DeviceFormat	Device Format	picklist		255		
ExternalId	Platform Action ID	string		255		
GroupId	Group ID	reference		18		
IconContentType	Icon Content Type	string		255		
IconHeight	Icon Height	int	9			
IconUrl	Icon URL	url		255		
IconWidth	Icon Width	int	9			
Id	Not used ID	id		18		
InvocationStatus	Invocation Status	picklist		255		
InvokedByUserId	User ID	reference		18		
IsGroupDefault	Is Group Default	boolean				
IsMassAction	Is Mass Action	boolean				
Label	Label	string		255		
LastModifiedDate	Last Modified Date	datetime				
OpenType	Open Type	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PrimaryColor	Primary Color	string		255		
RelatedListRecordId	Related List Record ID	string		255		
RelatedSourceEntity	Related Source Entity	string		255		
RetrievalMode	Retrieval Mode	picklist		255		
Section	Section	picklist		255		
SourceEntity	Source Entity	string		255		
Subtype	Subtype	string		255		
TargetObject	Target Object	string		255		
TargetUrl	Target URL	string		2048		
Type	Type	picklist		255		

PLATFORMEVENTUSAGEMETRIC

Contains usage data for event publishing and delivery to CometD and Pub/Sub API clients, empApi Lightning components, and event relays. If Enhanced Usage Metrics isn't enabled, usage data is available for the last 24 hours, ending at the last hour, and for historical daily usage. In API 58.0 and later, you can enable Enhanced Usage Metrics to get usage data by event name and client for granular time intervals. PlatformEventUsageMetric contains separate usage metrics for platform events and change data capture events. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PlatformEventUsageMetric in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`EndDate`	End Date	datetime				
`ExternalId`	External ID	string		255		
`Id`	Platform Event Usage Metric ID	id		18		
`Name`	Metric Name	picklist		255		
`StartDate`	Start Date	datetime				
`Value`	Metric Value	long	18			

PLATFORMSTATUSALERTEVENT

An event related to the PlatformStatusAlertEvent object.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PlatformStatusAlertEvent in the *Object Reference for the Salesforce Platform* and *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiErrorCode	Api Error Code	string		200		
ComponentName	Component Name	string		200		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
EventUuid	Platform Event UUID	string		36		
ExtendedErrorCode	Extended Error Code	string		200		
RelatedEventIdentifier	Related Event Identifier	string		80		
ReplayId	Replay ID For Platform Event	string		1000		
RequestId	Jetty Request ID	string		22		
ServiceJobId	Service Job Id	string		100		
ServiceName	Service Name	string		200		
StatusType	Status Type	string		50		
SubComponentName	Sub Component Name	string		200		
Subject	Subject	string		1000		
UserId	User ID	reference		18		
Username	Username	string		80		

POLYGON

Represents a polygon with the polygon mapping data stored as a blob. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Polygon in the *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Data	Data	textarea		32000		
DataType	Data Type	picklist		255		
Id	Polygon ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

POLYGONFEED

Feed tracking for Polygon.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

POLYGONHISTORY

History for tracked fields of Polygon.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Polygon History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PolygonId	Polygon ID	reference		18		

POLYGONSHARE

Sharing for Polygon.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PORTALDELEGABLEPERMISSIONSET

PortalDelegablePermissionSet is a base platform object used to store permission sets that can be assigned by a delegated portal/external user admin (DPUA) to portal users. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PortalDelegablePermissionSet in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Portal Delegable Permission Set ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
PermissionSetId	PermissionSet ID	reference		18		
ProfileId	Profile ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PRELIMINARYAPPLICATIONREF

Represents the saved applications and pre-screening forms. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PreliminaryApplicationRef in the *Education Cloud Developer Guide*, *Emergency Response Management Object Reference*, *Energy and Utilities Cloud Developer Guide*, *Grantmaking Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationName	Application Name	string		255		
ApplicationStatus	Application Status	picklist		40		
ApplicationType	Application Type	picklist		255		
BusinessAccountNameId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
DynamicAttribute	Dynamic Attribute	textarea		32000		
Id	Preliminary Application Reference ID	id		18		
IsDeleted	Deleted	boolean				
IsSubmitted	Is Submitted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProgramId	Program ID	reference		18		
RejectionReason	Rejection Reason	picklist		40		
SavedApplicationUrl	Saved Application URL	url		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Score	Score	int	9			
SystemModstamp	System Modstamp	datetime				

PRELIMINARYAPPLICATIONREFFEED

Feed tracking for PreliminaryApplicationRef.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PRELIMINARYAPPLICATIONREFHISTORY

History for tracked fields of PreliminaryApplicationRef.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Preliminary Application Reference History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PreliminaryApplicationRefId	Preliminary Application Reference ID	reference		18		

PRELIMINARYAPPLICATIONREFSHARE

Sharing for PreliminaryApplicationRef.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRESENCECONFIGDECLINEREASON

Represents the settings for a decline reason that a presence user provides when declining work. This object is available in API version 37.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PresenceConfigDeclineReason in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Presence Configuration Decline Reason ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`PresenceDeclineReasonId`	Presence Decline Reason ID	reference		18		
`PresenceUserConfigId`	Presence Configuration ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

PRESENCEDECLINEREASON

Represents an Omni-Channel decline reason that agents can select when declining work requests. This object is available in API version 37.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PresenceDeclineReason in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Developer Name	string		80		
Id	Presence Decline Reason ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Presence Decline Reason Name	string		80		
SystemModstamp	System Modstamp	datetime				

PRESENCEUSERCONFIG

Represents a configuration that determines a presence user's settings. This object is available in API version 32.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PresenceUserConfig in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AcwExtensionDuration	Extension duration (seconds)	int	9			
AfterConvoWorkMaxTime	Duration (seconds)	int	9			
Capacity	Capacity	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomSoundId	Static Resource ID	reference		18		
DeveloperName	Developer Name	string		80		
HasAcwExtensionEnabled	Let agent extend timer	boolean				
HasAfterConvoWorkTimer	Give agents wrap-up time after conversations	boolean				
Id	Presence Configuration ID	id		18		
InterruptibleCapacity	Interruptible Capacity	int	9			
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Presence Configuration Name	string		80		
MaxExtensions	Max Extensions	picklist		255		
OptionsIsAllowAnyDestinationFlowForTransferEnabled	IsAllowAnyDestinationFlowForTransferEnabled	boolean				
OptionsIsAllowAnyDestinationProfileForTransferEnabled	IsAllowAnyDestinationProfileForTransferEnabled	boolean				
OptionsIsAllowAnyDestinationQueueForTransferEnabled	IsAllowAnyDestinationQueueForTransferEnabled	boolean				
OptionsIsAutoAcceptEnabled	IsAutoAcceptEnabled	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OptionsIsDeclineEnabled	IsDeclineEnabled	boolean				
OptionsIsDeclineReasonEnabled	IsDeclineReasonEnabled	boolean				
OptionsIsDisconnectSoundEnabled	IsDisconnectSoundEnabled	boolean				
OptionsIsRequestSoundEnabled	IsRequestSoundEnabled	boolean				
PresenceStatusOnDeclineId	Service Presence Status ID	reference		18		
PresenceStatusOnPushTimeoutId	Service Presence Status ID	reference		18		
SoundLength	Sound Length (Seconds)	int	9			
SystemModstamp	System Modstamp	datetime				

PRESENCEUSERCONFIGPROFILE

Represents a configuration that determines the settings that are assigned to presence users who are assigned to a specific profile. User-level configurations override profile-level configurations. This object is available in API version 32.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PresenceUserConfigProfile in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Presence Configuration for Profile ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`PresenceUserConfigId`	Presence Configuration ID	reference		18		
`ProfileId`	Profile ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

PRESENCEUSERCONFIGUSER

Represents a configuration that determines the settings that are assigned to a presence user. These user-level configurations override profile-level configurations. This object is available in API version 32.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PresenceUserConfigUser in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Presence Configuration for User ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`PresenceUserConfigId`	Presence Configuration ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`UserId`	User ID	reference		18		

PREVENTIVECAREAGREEMENT

Specifies the payment terms for contracts of Preventive Care Fee Agreement.

For more information, see PreventiveCareAgreement in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdditionalInformation	Additional Information	string		255		
BonusMeasureDescription	Bonus Measure Description	string		255		
BonusMeasureType	Bonus Measure Type	string		80		
BonusPayout	Bonus Payout	currency			18	0
ContractPaymentAgreementId	ContractPaymentAgreement ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrentMeasurePercent	Current Measure Percent	percent			5	2
Id	Preventive Care Agreement ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Preventive Care Agreement Name	string		255		
SystemModstamp	System Modstamp	datetime				
TargetMeasurePercent	Target Measure Percent	percent			5	2

PREVENTIVECAREAGREEMENTFEED

Feed tracking for PreventiveCareAgreement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PREVENTIVECAREAGREEMENTHISTORY

History for tracked fields of PreventiveCareAgreement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Preventive Care AgreementHistory ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PreventiveCareAgreementId	Preventive Care Agreement ID	reference		18		

PRICEADJUSTMENTSCHEDULE

Represents a series of discounts offered depending on your product's configuration, quantity, and when they're purchased in combination with other products. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PriceAdjustmentSchedule in the *Object Reference for the Salesforce Platform* and *Salesforce Pricing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentMethod	Adjustment Method	picklist		255		
ContractId	Contract ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		255		
EffectiveFrom	Effective from	datetime				
EffectiveTo	Effective to	datetime				
Id	Price Adjustment Schedule ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Price Adjustment Schedule Name	string		255		
OwnerId	Owner ID	reference		18		
Pricebook2Id	Price Book ID	reference		18		
ScheduleType	Schedule Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

PRICEADJUSTMENTSCHEDULEFEED

Feed tracking for PriceAdjustmentSchedule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRICEADJUSTMENTSCHEDULEHISTORY

History for tracked fields of PriceAdjustmentSchedule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Price Adjustment Schedule History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PriceAdjustmentScheduleId	Price Adjustment Schedule ID	reference		18		

PRICEADJUSTMENTSCHEDULESHARE

Sharing for PriceAdjustmentSchedule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRICEADJUSTMENTTIER

Represents a discount tier in a price adjustment schedule. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PriceAdjustmentTier in the *Object Reference for the Salesforce Platform* and *Salesforce Pricing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentType	Adjustment Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EffectiveFrom	Effective From	datetime				
EffectiveTo	Effective To	datetime				
Id	Price Adjustment Tier ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LowerBound	Lower Bound	double			18	0
Name	Price Adjustment Tier Name	string		255		
PriceAdjustmentScheduleId	Price Adjustment Schedule ID	reference		18		
PricingTerm	Pricing Term	int	9			
PricingTermUnit	Pricing Term Unit	picklist		255		
Product2Id	Product ID	reference		18		
ProductSellingModelId	Product Selling Model ID	reference		18		
ScheduleType	Schedule Type	picklist		255		
SellingModelType	Selling Model Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TierType	Tier Type	picklist		255		
TierValue	Tier Value	double			18	6
UpperBound	Upper Bound	double			18	0

PRICEADJUSTMENTTIERFEED

Feed tracking for PriceAdjustmentTier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRICEADJUSTMENTTIERHISTORY

History for tracked fields of PriceAdjustmentTier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Price Adjustment Tier History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PriceAdjustmentTierId	Price Adjustment Tier ID	reference		18		

PRICEBOOKENTRYDERIVEDPRICE

Represents the price of a product that's derived from another source such as a product or an asset. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PriceBookEntryDerivedPrice in the *Salesforce Pricing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContributingProductId	Product ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DerivedPricingScope	Derived Pricing Scope	picklist		255		
EffectiveFrom	Effective From	datetime				
EffectiveTo	Effective To	datetime				
Formula	Formula	string		256		
Id	Price Book Entry Derived Price ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Price Book Entry Derived Price Name	string		255		
OwnerId	Owner ID	reference		18		
PricebookEntryId	Price Book Entry ID	reference		18		
PricebookId	Price Book ID	reference		18		
PricingSource	Pricing Source	picklist		255		
ProductId	Product ID	reference		18		
ProductSellingModelId	Product Selling Model ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

PRICEBOOKENTRYDERIVEDPRICEFEED

Feed tracking for PriceBookEntryDerivedPrice.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRICEBOOKENTRYDERIVEDPRICEHISTORY

History for tracked fields of PriceBookEntryDerivedPrice.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Derived Price History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PriceBookEntryDerivedPriceId	Price Book Entry Derived Price ID	reference		18		

PRICEBOOKENTRYDERIVEDPRICESHARE

Sharing for PriceBookEntryDerivedPrice.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRICEBOOKRATECARD

Represents a junction between price book and rate card objects. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PriceBookRateCard in the *Rate Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Price Book Rate Card ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`PriceBookId`	Price Book ID	reference		18		
`RateCardId`	Rate Card ID	reference		18		
`RateCardType`	Rate Card Type	picklist		255		
`SystemModstamp`	System Modstamp	datetime				

PRICEBOOKRATECARDFEED

Feed tracking for PriceBookRateCard.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRICEBOOKRATECARDHISTORY

History for tracked fields of PriceBookRateCard.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Price Book Rate Card History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PriceBookRateCardId	Price Book Rate Card ID	reference		18		

PRICEBOOK2

Represents a price book that contains the list of products that your org sells.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Pricebook2 in the *Design Registration Guide*, *Field Service Developer Guide*, *Life Sciences Cloud Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CostBookId	CostBook ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
Id	Price Book ID	id		18		
IsActive	Active	boolean				
IsArchived	Archived	boolean				
IsDeleted	Deleted	boolean				
IsStandard	Is Standard Price Book	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Price Book Name	string		255		
SystemModstamp	System Modstamp	datetime				

PRICEBOOK2HISTORY

Represents historical information about changes that have been made to the standard fields of the associated Pricebook2, or to any custom fields with history tracking enabled. This object is available in API version 65.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Pricebook2History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Price Book History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`Pricebook2Id`	Price Book ID	reference		18		

PRICEBOOKENTRY

Represents a product entry (an association between a Pricebook2 and Product2) in a price book.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PricebookEntry in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Price Book Entry ID	id		18		
IsActive	Active	boolean				
IsArchived	Archived	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Product Name	string		255		
Pricebook2Id	Price Book ID	reference		18		
Product2Id	Product ID	reference		18		
ProductCode	Product Code	string		255		
ProductSellingModelId	Product Selling Model ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UnitPrice	List Price	currency			18	2
UseStandardPrice	Use Standard Price	boolean				

PRICEBOOKENTRYADJUSTMENT

Read-only junction object created when you associate a price adjustment schedule with a price book entry.

For more information, see PricebookEntryAdjustment in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Price Book Entry Adjustment ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MayEdit	May Edit	boolean				
Name	Price Book Entry Adjustment Name	string		255		
PriceAdjustmentScheduleId	Price Adjustment Schedule ID	reference		18		
PricebookEntryId	Price Book Entry ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PRICEBOOKENTRYHISTORY

History for tracked fields of PricebookEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Price Book Entry History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PricebookEntryId	Price Book Entry ID	reference		18		

PRICINGACTIONPARAMETERS

Represents a pricing action associated to a context definition and a pricing procedure. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PricingActionParameters in the *Salesforce Pricing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ContextDefinition`	Context Definition	string		255		
`ContextMapping`	Context Mapping	string		255		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Name	string		80		
`EffectiveFrom`	Effective From	datetime				
`EffectiveTo`	Effective To	datetime				
`Id`	Pricing Action Parameter ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Label	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`ObjectName`	Object Name	picklist		255		
`PricingProcedure`	Pricing Procedure	string		255		
`SystemModstamp`	System Modstamp	datetime				

PRICINGADJBATCHJOB

Represents the collective update of multiple records on their prices and other adjustments. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PricingAdjBatchJob in the *Salesforce Pricing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveFrom	Effective From	datetime				
EffectiveTo	Effective To	datetime				
Id	Pricing Adjustment Batch Job ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastTriggeredDate	Last Triggered Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProcessedRecordsCount	Processed Records Count	long	18			
RecordCount	Record Count	long	18			
RecordList	Record List	textarea		131072		
ShouldSkipBulkRetry	Should Skip Bulk Retry	string		40		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TargetObject	Target Object	picklist		255		
UpdateType	Update Type	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UpdateValue	Update Value	double			18	6

PRICINGADJBATCHJOBFEED

Feed tracking for PricingAdjBatchJob.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRICINGADJBATCHJOBHISTORY

History for tracked fields of PricingAdjBatchJob.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Pricing Adjustment Batch Job History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`PricingAdjBatchJobId`	Pricing Adjustment Batch Job ID	reference		18		

PRICINGADJBATCHJOBLOG

Represents the report that contains a list of failed adjustment requests along with an error message that describes the reason for failure. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PricingAdjBatchJobLog in the *Salesforce Pricing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustedValue	Adjusted Value	double			18	6
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveFrom	Effective From	datetime				
EffectiveTo	Effective To	datetime				
ErrorCode	Error Code	string		255		
ErrorMessage	Error Message	textarea		1000		
Id	Pricing Adjustment Batch Job Log ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
PricingAdjBatchJobId	Pricing Adjustment Batch Job ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TargetRecord	Target Record	string		25		

PRICINGADJBATCHJOBLOGFEED

Feed tracking for PricingAdjBatchJobLog.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRICINGADJBATCHJOBLOGHISTORY

History for tracked fields of PricingAdjBatchJobLog.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Pricing Adjustment Batch Job Log History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PricingAdjBatchJobLogId	Pricing Adjustment Batch Job Log ID	reference		18		

PRICINGADJBATCHJOBSHARE

Sharing for PricingAdjBatchJob.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRICINGAPIEXECUTIONFEED

Feed tracking for PricingApiExecution.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRICINGAPIEXECUTIONHISTORY

History for tracked fields of PricingApiExecution.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Pricing Api Execution History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PricingApiExecutionId	Api Execution Call ID	reference		18		

PRICINGAPIEXECUTIONSHARE

Sharing for PricingApiExecution.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRICINGPROCEDUREOUTPUTMAP

Represents the mapping of the outputs of the pricing procedures to the associated lookup tables. Each record specifies the output mapping of the associated lookup table based on the pricing component type specified in the Pricing Recipe Table Mapping object. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PricingProcedureOutputMap in the *Salesforce Pricing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Pricing Procedure Output Map ID	id		18		
IsDeleted	Deleted	boolean				
IsPricingRecipeActive	Is Pricing Recipe Active	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LookupField	Lookup Field	reference		18		
OutputFieldNameId	Output Field Name ID	reference		18		
OutputFieldNameString	Output Field Name String	string		40		
OutputType	Output Type	picklist		255		
PricingComponentType	Pricing Component Type	picklist		255		
PricingRecipeTableMappingId	Pricing Recipe Table Mapping ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PRICINGPROCESSEXECUTION

Represents a record generated during the execution of a discovery or pricing procedure. Multiple procedures may be performed within a single API call, with each recorded in a Pricing API Execution record. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PricingProcessExecution in the *Salesforce Pricing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
ExecutionKey	Execution Key	string		100		
ExecutionType	Execution Type	picklist		20		
ExecutionTypeKey	Execution Type Key	string		100		
Id	Process Execution Call ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Message	Message	textarea		2000		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Status	Status	picklist		20		
SystemModstamp	System Modstamp	datetime				

PRICINGPROCESSEXECUTIONFEED

Feed tracking for PricingProcessExecution.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRICINGPROCESSEXECUTIONHISTORY

History for tracked fields of PricingProcessExecution.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Pricing Process Execution History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PricingProcessExecutionId	Process Execution Call ID	reference		18		

PRICINGPROCESSEXECUTIONSHARE

Sharing for PricingProcessExecution.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRICINGRECIPE

Represents one out of various data models or sets of entities of a particular cloud that'll be consumed by the pricing data store during design and run time. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PricingRecipe in the *Salesforce Pricing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`BusinessVertical`	Business Vertical	picklist		255		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DefaultPricingProcedureId`	ExpressionSetDefinition ID	reference		18		
`DeveloperName`	Name	string		80		
`Id`	Pricing Recipe ID	id		18		
`IsActive`	Is Active	boolean				
`IsDeleted`	Deleted	boolean				
`IsInternal`	Is Internal	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Label	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`SystemModstamp`	System Modstamp	datetime				

PRICINGRECIPETABLEMAPPING

Represents the mapping of pricing components of a lookup table with the chosen pricing recipe. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PricingRecipeTableMapping in the *Salesforce Pricing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`FileBasedDecisionTableName`	File Based Decision Table Name	string		255		
`Id`	Pricing Recipe Table Mapping ID	id		18		
`IsDeleted`	Deleted	boolean				
`IsInternal`	Is Internal	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LookupTableId`	Lookup Table ID	reference		18		
`PricingComponentType`	Pricing Component Type	picklist		255		
`PricingRecipeId`	Pricing Recipe ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

PRIVACYJOBSESSION

Represents the status of past, ongoing, and scheduled policy jobs in Privacy Center. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PrivacyJobSession in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreationDate	Creation Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
CurrentObject	Current Object	string		128		
EndTime	End Time	datetime				
FailureLog	Failure Log	textarea		131072		
Id	Privacy Job Session ID	id		18		
IsDeleted	Deleted	boolean				
IsPreview	Preview	boolean				
JobManagementType	Job Management Type	picklist		255		
JobPolicyName	Job Policy Name	string		255		
JobStartType	Job Start Type	picklist		255		
JobStatus	Job Status	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OptionsAcknowledged	Acknowledged	boolean				
OptionsErrorBypassOccurred	ErrorBypassOccurred	boolean				
OptionsPreview	Preview	boolean				
OptionsProcessingFailed	ProcessingFailed	boolean				
OptionsTopLevelErrorBypass	TopLevelErrorBypass	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OptionsTraversalComplete	TraversalComplete	boolean				
OptionsTraversalFailed	TraversalFailed	boolean				
OwnerId	Owner ID	reference		18		
PermissionSet	Permission Set	string		255		
PolicyDescription	Policy Description	string		255		
PolicyName	Policy Name	string		255		
PolicyType	Policy Type	picklist		255		
PrivacyPolicyDefinitionId	Privacy Policy Definition ID	reference		18		
PrivacyRtbfRequestId	Privacy RTBF Request ID	reference		18		
ScheduledTime	Scheduled Time	datetime				
SerializedPolicy	Serialized Policy	textarea		131072		
StartTime	Start Time	datetime				
SystemModstamp	System Modstamp	datetime				

PRIVACYJOBSESSIONSHARE

Sharing for PrivacyJobSession.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRIVACYOBJECTSESSION

Represents the status of each object being processed in past, ongoing, and scheduled policy jobs in Privacy Center. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PrivacyObjectSession in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
CurrentEntity	Current Entity	string		128		
Id	Privacy Object Session ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
ObjectFailureLog	Object Failure Log	textarea		32000		
ObjectStatus	Object Status	picklist		255		
OwnerId	Owner ID	reference		18		
PolicyNode	Policy Node	string		128		
Position	Position	int	9			
PrivacyJobSessionObjectId	Privacy Job Session ID	reference		18		
ProcessType	Process Type	picklist		255		
ProcessedFailures	Processed Failures	int	9			
ProcessedSuccesses	Processed Successes	int	9			
ProcessedTotal	Processed Total	int	9			
Processor	Processor	string		128		
Queue	Queue	string		128		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
QueueLength	Queue Length	int	9			
RecordsAffected	Records Affected	int	9			
Retry	Retry	int	9			
SystemModstamp	System Modstamp	datetime				
TraversalEndTime	Traversal End Time	datetime				
TraversalStartTime	Traversal Start Time	datetime				
UniqueConstraint	Unique Constraint	string		128		

PRIVACYOBJECTSESSIONSHARE

Sharing for PrivacyObjectSession.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRIVACYRTBFREQUEST

Represents a Right to Be Forgotten Request made in Privacy Center. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PrivacyRTBFRequest in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
Id	Privacy RTBF Request ID	id		18		
IsDeleted	Deleted	boolean				
JobRecord	Job Record	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Request Name	string		255		
OwnerId	Owner ID	reference		18		
PolicyNameId	Privacy Policy Definition ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

PRIVACYRTBFREQUESTFEED

Feed tracking for PrivacyRTBFRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PRIVACYRTBFREQUESTHISTORY

History for tracked fields of PrivacyRTBFRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Privacy RTBF Request History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PrivacyRTBFRequestId	Privacy RTBF Request ID	reference		18		

PRIVACYRTBFREQUESTSHARE

Sharing for PrivacyRTBFRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRIVACYSESSIONRECORDFAILURE

Represents error messages encountered during policy job executions in Privacy Center. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PrivacySessionRecordFailure in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
ErrorMessage	Error Message	textarea		32000		
ErrorType	Error Type	string		128		
Id	Privacy Session Record Failure ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PrivacyObjectSessionId	Privacy Object Session ID	reference		18		
RecordIdNumber	Record Id Number	string		18		
SystemModstamp	System Modstamp	datetime				

PRIVACYSESSIONRECORDFAILURESHARE

Sharing for PrivacySessionRecordFailure.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PROBLEM

Problems represent the root cause data of one or more incidents. This object contains all the details of a problem, documenting the history of the problem from detection to closure. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Problem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created On	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
Id	Problem ID	id		18		
Impact	Impact	picklist		40		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified On	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
ParentProblemId	Parent Problem ID	reference		18		
Priority	Priority	picklist		40		
PriorityOverrideReason	Priority Override Reason	string		255		
ProblemNumber	Problem Number	string		255		
ResolutionDateTime	Resolution Date	datetime				
ResolutionSummary	Resolution Summary	textarea		32000		
ResolvedById	Resolved By ID	reference		18		
RootCauseSummary	Root Cause Summary	textarea		32000		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Status	Status	picklist		40		
StatusCode	Status Code	picklist		255		
SubCategory	Subcategory	picklist		40		
Subject	Subject	string		255		
SystemModstamp	System Modstamp	datetime				
Urgency	Urgency	picklist		40		

PROBLEMDEFRELATIONSHIP

Represents a junction between a problem definition and a related problem definition. This object is available in API version 64.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProblemDefRelationship in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Problem Definition Relationship ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ProblemDefinitionId	Problem Definition ID	reference		18		
RelatedProblemDefinitionId	Related Problem Definition ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PROBLEMDEFRELATIONSHIPFEED

Feed tracking for ProblemDefRelationship.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PROBLEMDEFRELATIONSHIPHISTORY

History for tracked fields of ProblemDefRelationship.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Problem Definition Relationship History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProblemDefRelationshipId	Problem Definition Relationship ID	reference		18		

PROBLEMDEFINITION

The definition of a care plan problem in the reusable PGI library that's a part of Integrated Care Management. When instantiated, ProblemDefinition records create HealthCondition records that serve as problems in care plans. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProblemDefinition in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BarrierTypeId	Care Barrier Type ID	reference		18		
Category	Category	picklist		40		
CodeId	Code ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Id	Problem Definition ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Priority	Priority	picklist		40		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		
UsageType	Usage Type	picklist		255		

PROBLEMDEFINITIONFEED

Feed tracking for ProblemDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PROBLEMDEFINITIONHISTORY

History for tracked fields of ProblemDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Problem Definition History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProblemDefinitionId	Problem Definition ID	reference		18		

PROBLEMDEFINITIONSHARE

Sharing for ProblemDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PROBLEMFEED

Feed tracking for Problem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROBLEMHISTORY

History for tracked fields of Problem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Problem History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`ProblemId`	Problem ID	reference		18		

PROBLEMINCIDENT

Represents a junction object that relates a Problem to an Incident. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProblemIncident in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Related Problem and Incident ID	id		18		
IsDeleted	Deleted	boolean				
IssueId	Issue ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Related Problem and Incident Number	string		255		
RelatedEntityType	Related Issue Type	picklist		255		
RelatedIssueId	Related Issue ID	reference		18		
RelationshipType	Relationship Type	picklist		40		
SystemModstamp	System Modstamp	datetime				

PROBLEMINCIDENTFEED

Feed tracking for ProblemIncident.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROBLEMINCIDENTHISTORY

History for tracked fields of ProblemIncident.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Problem Incident History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProblemIncidentId	Related Problem and Incident ID	reference		18		

PROBLEMRELATEDITEM

Represents a junction object that relates a Problem to an Asset. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProblemRelatedItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
Comment	Comment	textarea		32000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Problem Related Item ID	id		18		
ImpactLevel	Impact Level	picklist		40		
ImpactType	Impact Type	picklist		40		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Problem Related Item Number	string		255		
ProblemId	Problem ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PROBLEMRELATEDITEMFEED

Feed tracking for ProblemRelatedItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROBLEMRELATEDITEMHISTORY

History for tracked fields of ProblemRelatedItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Problem Related Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProblemRelatedItemId	Problem Related Item ID	reference		18		

PROBLEMSHARE

Sharing for Problem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PROCEDUREOUTPUTRESOLUTION

Represents the pricing resolution for an pricing element determined using strategy name and formula. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProcedureOutputResolution in the *Salesforce Pricing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`BusinessVertical`	Business Vertical	picklist		255		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Name	string		80		
`Formula`	Formula	string		255		
`Id`	Procedure Output Resolution ID	id		18		
`IsActive`	Active	boolean				
`IsDeleted`	Deleted	boolean				
`IsInternal`	Internal	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Label	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`PricingElement`	Pricing Element	picklist		255		
`SystemModstamp`	System Modstamp	datetime				

PROCESSDEFINITION

Represents the definition of a single approval process.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProcessDefinition in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
DeveloperName	Unique Name	string		80		
Id	Approval Process ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LockType	Lock Type	picklist		40		
Name	Name	string		40		
State	State	picklist		40		
SystemModstamp	System Modstamp	datetime				
TableEnumOrId	Custom Object Definition ID	picklist		40		
Type	Process Definition Type	picklist		40		

PROCESSEXCEPTION

Represents a business exception, such as a processing failure on an order summary. A separate process is required to resolve the failure that caused the process exception before processing can continue. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProcessException in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
AttachedToId	Attached To ID	reference		18		
CaseId	Case ID	reference		18		
Category	Category	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		2000		
ExternalReference	External Reference	string		255		
GroupById	Group By ID	reference		18		
Id	Process Exception ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Message	Message	string		255		
OwnerId	Owner ID	reference		18		
Priority	Priority	picklist		40		
ProcessExceptionNumber	Process Exception Number	string		255		
Severity	Severity	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SeverityCategory	Severity Category	picklist		255		
Status	Status	picklist		40		
StatusCategory	Status Category	picklist		255		
SystemModstamp	System Modstamp	datetime				

PROCESSEXCEPTIONEVENT

Notifies subscribers of errors that occur during payment processing (capture, apply, and refund) on an order summary. Use this event to trigger subscribers such as flows in your order workflow. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProcessExceptionEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
AttachedToId	Attached To ID	reference		18		
BackgroundOperationId	Background Operation ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		2000		
EventUuid	Process Exception Event Event UUID	string		36		
ExceptionType	Exception Type	picklist		40		
ExternalReference	External Reference	string		255		
GroupById	Group By ID	reference		18		
Message	Message	string		255		
ReplayId	Process Exception Event Replay ID	string		1000		
Severity	Severity	picklist		40		

PROCESSEXCEPTIONSHARE

Sharing for ProcessException.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PROCESSFLOWMIGRATION

Represents a process's migrated criteria and the resulting migrated flow. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProcessFlowMigration in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Name	string		80		
`Id`	Process Flow Migration Id	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Label	string		80		
`MigratedCriteriaLabel`	Migrated Criteria Label	string		255		
`MigratedCriteriaName`	Migrated Criteria Name	string		255		
`NamespacePrefix`	Namespace Prefix	string		15		
`SystemModstamp`	System Modstamp	datetime				

PROCESSINSTANCE

Represents an instance of a single, end-to-end approval process. Use this and the node, step, and workitem process instance objects to create approval history reports.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProcessInstance in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CompletedDate	Completed Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ElapsedTimeInDays	Elapsed Time in Days	double			7	3
ElapsedTimeInHours	Elapsed Time in Hours	double			7	2
ElapsedTimeInMinutes	Elapsed Time in Minutes	double			8	0
Id	Process Instance ID	id		18		
IsDeleted	Deleted	boolean				
LastActorId	User ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ProcessDefinitionId	Approval Process ID	reference		18		
Status	Status	picklist		40		
SubmittedById	User ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TargetObjectId	Target Object ID	reference		18		

PROCESSINSTANCEHISTORY

This read-only object shows all steps and pending approval requests associated with an approval process (ProcessInstance).

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProcessInstanceHistory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActorId	Actor ID	reference		18		
Comments	Comments	string		4000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ElapsedTimeInDays	Elapsed Time in Days	double			18	0
ElapsedTimeInHours	Elapsed Time in Hours	double			7	2
ElapsedTimeInMinutes	Elapsed Time in Minutes	double			8	0
Id	Process Instance History ID	id		18		
IsDeleted	Deleted	boolean				
IsPending	Is Pending	boolean				
OriginalActorId	Original Actor ID	reference		18		
ProcessInstanceId	Process Instance ID	reference		18		
ProcessNodeId	Process Node ID	reference		18		
RemindersSent	RemindersSent	int	9			
StepStatus	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TargetObjectId	Target Object ID	reference		18		

PROCESSINSTANCENODE

Represents a step in an instance of an approval process. Compare to ProcessNode, which describes the step in a process definition. Use this object to retrieve approval history.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProcessInstanceNode in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CompletedDate	Completed Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ElapsedTimeInDays	Elapsed Time in Days	double			7	3
ElapsedTimeInHours	Elapsed Time in Hours	double			7	2
ElapsedTimeInMinutes	Elapsed Time in Minutes	double			8	0
Id	Process Instance Node ID	id		18		
IsDeleted	Deleted	boolean				
LastActorId	User ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
NodeStatus	Node Status	picklist		255		
ProcessInstanceId	Process Instance ID	reference		18		
ProcessNodeId	Process Node ID	reference		18		
ProcessNodeName	Name	string		255		
SystemModstamp	System Modstamp	datetime				

PROCESSINSTANCESTEP

Represents one work item in an approval process (ProcessInstance).

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProcessInstanceStep in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActorId	Actor ID	reference		18		
Comments	Comments	string		4000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ElapsedTimeInDays	Elapsed Time in Days	double			18	0
ElapsedTimeInHours	Elapsed Time in Hours	double			7	2
ElapsedTimeInMinutes	Elapsed Time in Minutes	double			8	0
Id	Process Instance Step ID	id		18		
OriginalActorId	Original Actor ID	reference		18		
ProcessInstanceId	Process Instance ID	reference		18		
StepNodeId	Process Node ID	reference		18		
StepStatus	Step Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

PROCESSINSTANCEWORKITEM

Represents a user's pending approval request.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProcessInstanceWorkitem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActorId	Actor ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ElapsedTimeInDays	Elapsed Time in Days	double			7	3
ElapsedTimeInHours	Elapsed Time in Hours	double			7	2
ElapsedTimeInMinutes	Elapsed Time in Minutes	double			8	0
Id	Process Instance Workitem ID	id		18		
IsDeleted	Deleted	boolean				
OriginalActorId	Original Actor ID	reference		18		
ProcessInstanceId	Process Instance ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PROCESSNODE

Describes a step in a process definition. Compare to ProcessInstanceNode, which describes a step in a running process. This object is available in API version 31.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProcessNode in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Description	Description	textarea		1000		
DeveloperName	Unique Name	string		80		
Id	Process Node ID	id		18		
Name	Name	string		255		
ProcessDefinitionId	Approval Process ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PRODTATTRMAPPEDSCOPE

Represents a junction between the product attribute scope and the product classification attribute. This object is available in API version 65.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProdtAttrMappedScope in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssocProdtAttrId	ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Product Attribute Mapped Scope ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentMappedScopeId	Product Attribute Mapped Scope ID	reference		18		
ProdtAttrScopeId	ProdtAttrScope ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PRODTATTRMAPPEDSCOPEFEED

Feed tracking for ProdtAttrMappedScope.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODTATTRMAPPEDSCOPEHISTORY

History for tracked fields of ProdtAttrMappedScope.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Attribute Mapped Scope History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProdtAttrMappedScopeId	Product Attribute Mapped Scope ID	reference		18		

PRODTATTRMAPPEDSCOPESHARE

Sharing for ProdtAttrMappedScope.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODTATTRSCOPE

Represents the scope definition for a product attribute so that it can be used during claims processing. This object is available in API version 65.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProdtAttrScope in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	ProdtAttrScope ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		255		

PRODTATTRSCOPEFEED

Feed tracking for ProdtAttrScope.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODTATTRSCOPEHISTORY

History for tracked fields of ProdtAttrScope.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProdtAttrScopeId	ProdtAttrScope ID	reference		18		

PRODTATTRSCOPESHARE

Sharing for ProdtAttrScope.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCER

Represents an agent or an agency selling insurance.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Producer in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Producer ID	id		18		
InternalUserId	User ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Producer Identifier	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

PRODUCERCOMMISSION

Represents a producer's commission for an insurance policy. The commission can be calculated from the commissionable transactions or can be populated from an external system. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProducerCommission in the *Financial Services Cloud Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CommissionAmount	Commission Amount	currency			18	2
CommissionableAmount	Commissionable Amount	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Producer Commission ID	id		18		
InsurancePolicyAssetId	Insurance Policy Asset ID	reference		18		
InsurancePolicyCoverageId	Insurance Policy Coverage ID	reference		18		
InsurancePolicyId	Insurance Policy ID	reference		18		
InsurancePolicyTransactionId	Insurance Policy Transaction ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaxCommissionAmount	Max Commission Amount	currency			18	2
MinCommissionAmount	Min Commission Amount	currency			18	2
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentProducerCommissionId	Producer Commission ID	reference		18		
PaymentDatetime	Payment Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ProcessingProducerId	Producer ID	reference		18		
ProducerId	Producer ID	reference		18		
ProducerProductionCode	Producer Production Code	string		255		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

PRODUCERCOMMISSIONFEED

Feed tracking for ProducerCommission.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCERCOMMISSIONHISTORY

History for tracked fields of ProducerCommission.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Producer Commission History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProducerCommissionId	Producer Commission ID	reference		18		

PRODUCERCOMMISSIONSHARE

Sharing for ProducerCommission.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCERFEED

Feed tracking for Producer.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCERHISTORY

History for tracked fields of Producer.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Producer History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProducerId	Producer ID	reference		18		

PRODUCERSHARE

Sharing for Producer.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCT2

Represents a product that your company sells.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Product2 in the *Consumer Goods Cloud Developer Guide*, *Design Registration Guide*, *Field Service Developer Guide*, *Life Sciences Cloud Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AvailabilityDate	Availability Date	datetime				
BasedOnId	Product Classification ID	reference		18		
BillingPolicyId	Billing Policy ID	reference		18		
CanUseQuantitySchedule	Quantity Scheduling Enabled	boolean				
CanUseRevenueSchedule	Revenue Scheduling Enabled	boolean				
ConfigureDuringSale	Configure During Sale	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Product Description	textarea		4000		
DiscontinuedDate	Discontinued Date	datetime				
DisplayUrl	Display URL	url		1000		
EndOfLifeDate	End Of Life Date	datetime				
ExternalDataSourceId	External Data Source ID	reference		18		
ExternalId	External ID	string		255		
Family	Product Family	picklist		255		
HelpText	Help Text	textarea		32768		
Id	Product ID	id		18		
IsActive	Active	boolean				
IsArchived	Archived	boolean				
IsAssetizable	Is Assetizable	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsCommodity	Commodity Product	boolean				
IsDeleted	Deleted	boolean				
IsSerialized	Serialized	boolean				
IsSoldOnlyWithOtherProds	Sell only with other products	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Product Name	string		255		
NumberOfQuantityInstallments	Number Of Quantity Installments	int	3			
NumberOfRevenueInstallments	Number Of Revenue Installments	int	3			
ProductClass	Product Class	picklist		40		
ProductCode	Product Code	string		255		
QuantityInstallmentPeriod	Quantity Installment Period	picklist		40		
QuantityScheduleType	Quantity Schedule Type	picklist		40		
QuantityUnitOfMeasure	Quantity Unit Of Measure	picklist		255		
RevenueInstallmentPeriod	Revenue Installment Period	picklist		40		
RevenueScheduleType	Revenue Schedule Type	picklist		40		
SpecificationType	Specification Type	string		255		
StockKeepingUnit	Product SKU	string		180		
SystemModstamp	System Modstamp	datetime				
TaxPolicyId	Tax Policy ID	reference		18		
TransferRecordMode	Transfer Record Mode	picklist		40		
Type	Product Type	picklist		40		
UnitOfMeasureId	Unit of Measure ID	reference		18		

PRODUCT2FEED

Feed tracking for Product2.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCT2HISTORY

History for tracked fields of Product2.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Product Stage ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`Product2Id`	Product ID	reference		18		

PRODUCTATTRIBUTE

Represents the attributes that can be associated with a product. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductAttribute in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Product Attribute ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Product Attribute Name	string		255		
ProductId	Product ID	reference		18		
Sequence	Sequence	int	9			
SystemModstamp	System Modstamp	datetime				
VariantParentId	Product ID	reference		18		

PRODUCTATTRIBUTEDEFINITIONFEED

Feed tracking for ProductAttributeDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTATTRIBUTEDEFINITIONHISTORY

History for tracked fields of ProductAttributeDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Attribute Definition History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductAttributeDefinitionId	Product Attribute Definition ID	reference		18		

PRODUCTATTRIBUTEDEFINITIONSHARE

Sharing for ProductAttributeDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTATTRIBUTESET

Represents a group of attributes that can be associated with a product. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductAttributeSet in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Description`	Description	textarea		255		
`DeveloperName`	Developer Name	string		80		
`Id`	Product Attribute Set ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Master Label	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`SystemModstamp`	System Modstamp	datetime				

PRODUCTATTRIBUTESETITEM

Represents a set of attributes that can be associated with a product. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductAttributeSetItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Field`	Custom Field Definition ID	picklist		255		
`FieldApiName`	FieldApiName	string		40		
`Id`	Product Attribute Set Item ID	id		18		
`IsDeleted`	Deleted	boolean				
`IsGroupedBy`	Grouped By	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`ProductAttributeSetId`	Product Attribute Set ID	reference		18		
`Sequence`	Sequence	int	9			
`SystemModstamp`	System Modstamp	datetime				

PRODUCTATTRIBUTESETPRODUCT

Represents the product associated with a set of attributes. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductAttributeSetProduct in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Product Attribute Set Product ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`Name`	Product Attribute Set Product Name	string		255		
`ProductAttributeSetId`	Product Attribute Set ID	reference		18		
`ProductId`	Product ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

PRODUCTAVAILABILITYPROJECTION

Represents the projected product quantity available at an inventory location at various points in time. Records for this object are automatically created by Intelligent Sales. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductAvailabilityProjection in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Product Availability Projection ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Product2Id	Product ID	reference		18		
ProductLocationId	Location ID	reference		18		
ProjectedQuantity	Projected Quantity	double			18	0
ProjectionDate	Projection Date	date				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

PRODUCTAVAILABILITYPROJECTIONFEED

Feed tracking for ProductAvailabilityProjection.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTAVAILABILITYPROJECTIONHISTORY

History for tracked fields of ProductAvailabilityProjection.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Availability Projection History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductAvailabilityProjectionId	Product Availability Projection ID	reference		18		

PRODUCTAVAILABILITYPROJECTIONSHARE

Sharing for ProductAvailabilityProjection.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTCATALOG

The container that holds a Product Category hierarchy. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductCatalog in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CatalogType	Catalog Type	picklist		255		
Code	Code	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
EffectiveEndDate	Effective End Date	datetime				
EffectiveStartDate	Effective Start Date	datetime				
Id	Catalog ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
NumberOfCategories	Number of Categories	int	9			
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PRODUCTCATALOGFEED

Feed tracking for ProductCatalog.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTCATALOGHISTORY

History for tracked fields of ProductCatalog.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Catalog History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductCatalogId	Catalog ID	reference		18		

PRODUCTCATALOGSHARE

Sharing for ProductCatalog.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTCATEGORY

Represents the category that products are organized in.This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductCategory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CatalogId	Catalog ID	reference		18		
Code	Code	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		255		
Id	Category ID	id		18		
IsDeleted	Deleted	boolean				
IsNavigational	Show In Menu	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		200		
NumberOfProducts	Number of Products	int	9			
ParentCategoryId	Category ID	reference		18		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

PRODUCTCATEGORYDISQUAL

Represents disqualification rules for product categories. The rules determine when the product category doesn't qualify to be displayed to users. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductCategoryDisqual in the *Product Catalog Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CategoryId	Category ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EffectiveFromDate	Effective From Date	date				
EffectiveToDate	Effective To Date	date				
Id	Product Category Disqualification ID	id		18		
IsDeleted	Deleted	boolean				
IsDisqualified	Disqualified	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Reason	Reason	string		255		
SystemModstamp	System Modstamp	datetime				

PRODUCTCATEGORYDISQUALFEED

Feed tracking for ProductCategoryDisqual.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTCATEGORYDISQUALHISTORY

History for tracked fields of ProductCategoryDisqual.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Product Category Disqualification History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`ProductCategoryDisqualId`	Product Category Disqualification ID	reference		18		

PRODUCTCATEGORYDISQUALSHARE

Sharing for ProductCategoryDisqual.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTCATEGORYFEED

Feed tracking for ProductCategory.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTCATEGORYHISTORY

History for tracked fields of ProductCategory.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Category History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductCategoryId	Category ID	reference		18		

PRODUCTCATEGORYMEDIAHISTORY

History for tracked fields of ProductCategoryMedia.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Category Media History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductCategoryMediaId	Category Media ID	reference		18		

PRODUCTCATEGORYPRODUCT

Holds the relation between product and product category to assign products to a category. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductCategoryProduct in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CatalogId	Catalog ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Product Category Product ID	id		18		
IsDeleted	Deleted	boolean				
IsPrimaryCategory	Is Primary Category	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
ProductCategoryId	Category ID	reference		18		
ProductId	Product ID	reference		18		
ProductToCategory	Product/Category Concatenation	string		30		
SystemModstamp	System Modstamp	datetime				

PRODUCTCATEGORYPRODUCTHISTORY

History for tracked fields of ProductCategoryProduct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Category Product History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductCategoryProductId	Product Category Product ID	reference		18		

PRODUCTCATEGORYQUALIFICATION

Represents qualification rules for product categories. The rules determine when the product category qualifies to be displayed to users. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductCategoryQualification in the *Product Catalog Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CategoryId	Category ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EffectiveFromDate	Effective From Date	date				
EffectiveToDate	Effective To Date	date				
Id	Product Category Qualification ID	id		18		
IsDeleted	Deleted	boolean				
IsQualified	Qualified	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PRODUCTCATEGORYQUALIFICATIONFEED

Feed tracking for ProductCategoryQualification.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTCATEGORYQUALIFICATIONHISTORY

History for tracked fields of ProductCategoryQualification.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Category Qualification History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductCategoryQualificationId	Product Category Qualification ID	reference		18		

PRODUCTCATEGORYQUALIFICATIONSHARE

Sharing for ProductCategoryQualification.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTCLASSIFICATION

Represents a template that holds a collection of dynamic attributes. Product classification is used to quickly define and create multiple products that are similar yet different. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductClassification in the *Product Catalog Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Code	Code	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Product Classification ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Product Classification Name	string		80		
OwnerId	Owner ID	reference		18		
ParentProductClassificationId	Product Classification ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

PRODUCTCLASSIFICATIONATTR

Represents the relationship between a product classification and its attributes. This is the default configuration for products based on the product classification. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductClassificationAttr in the *Product Catalog Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttributeCategoryId	Attribute Category ID	reference		18		
AttributeDefinitionId	Attribute Definition ID	reference		18		
AttributeNameOverride	Attribute Name Override	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DefaultValue	Default Value	string		255		
Description	Description	textarea		32000		
DisplayType	Display Type	picklist		255		
HelpText	Help Text	textarea		32000		
Id	Product Classification Attribute ID	id		18		
IsDeleted	Deleted	boolean				
IsHidden	Is Hidden	boolean				
IsPriceImpacting	Is Price Impacting	boolean				
IsReadOnly	Is Read Only	boolean				
IsRequired	Is Required	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaximumCharacterCount	Maximum Character Count	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MaximumValue	Maximum Value	string		255		
MinimumCharacterCount	Minimum Character Count	int	9			
MinimumValue	Minimum Value	string		255		
Name	Name	string		255		
OverriddenInheritedAttributeId	Product Classification Attribute ID	reference		18		
OwnerId	Owner ID	reference		18		
ProductClassificationId	Product Classification ID	reference		18		
Sequence	Sequence	int	9			
Status	Status	picklist		255		
StepValue	Step Value	string		255		
SystemModstamp	System Modstamp	datetime				
UnitOfMeasureId	Unit of Measure ID	reference		18		
ValueDescription	Value Description	textarea		32000		

PRODUCTCLASSIFICATIONATTRFEED

Feed tracking for ProductClassificationAttr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTCLASSIFICATIONATTRHISTORY

History for tracked fields of ProductClassificationAttr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Classification Attribute History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductClassificationAttrId	Product Classification Attribute ID	reference		18		

PRODUCTCLASSIFICATIONATTRSHARE

Sharing for ProductClassificationAttr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTCLASSIFICATIONFEED

Feed tracking for ProductClassification.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTCLASSIFICATIONHISTORY

History for tracked fields of ProductClassification.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Classification History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductClassificationId	Product Classification ID	reference		18		

PRODUCTCLASSIFICATIONSHARE

Sharing for ProductClassification.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTCOMPONENTGROUP

Represents the logical grouping of associated products in a bundle and the products' arrangement policy (group cardinality). This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductComponentGroup in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Code	Code	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		4000		
Id	Product Component Group ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaxBundleComponents	Max Number of Components	int	9			
MinBundleComponents	Min Number of Components	int	9			
Name	Group Name	string		255		
OwnerId	Owner ID	reference		18		
ParentGroupId	Product Component Group ID	reference		18		
ParentProductId	Product ID	reference		18		
Sequence	Sequence	int	9			
SystemModstamp	System Modstamp	datetime				

PRODUCTCOMPONENTGROUPFEED

Feed tracking for ProductComponentGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTCOMPONENTGROUPHISTORY

History for tracked fields of ProductComponentGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Product Component Group History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`ProductComponentGroupId`	Product Component Group ID	reference		18		

PRODUCTCOMPONENTGROUPSHARE

Sharing for ProductComponentGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTCOMPONENTGRPOVERRIDE

Represents override information for a Product Component Group. The cardinality of the product component group can be overridden in the context of a product bundle. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductComponentGrpOverride in the *Product Catalog Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Product Component Grp Override ID	id		18		
IsDeleted	Deleted	boolean				
IsExcluded	Exclude	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaxBundleComponents	Maximum Bundle Components	int	9			
MinBundleComponents	Minimum Bundle Components	int	9			
Name	Name	string		255		
OverrideContextId	Override Context ID	reference		18		
OwnerId	Owner ID	reference		18		
ProductComponentGroupId	Product Component Group ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PRODUCTCOMPONENTGRPOVERRIDEFEED

Feed tracking for ProductComponentGrpOverride.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTCOMPONENTGRPOVERRIDEHISTORY

History for tracked fields of ProductComponentGrpOverride.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Component Group Override History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductComponentGrpOverrideId	Product Component Grp Override ID	reference		18		

PRODUCTCOMPONENTGRPOVERRIDESHARE

Sharing for ProductComponentGrpOverride.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTCONFIGURATIONFLOWFEED

Feed tracking for ProductConfigurationFlow.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTCONFIGURATIONFLOWHISTORY

History for tracked fields of ProductConfigurationFlow.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Configuration Flow History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductConfigurationFlowId	Product Configuration Flow ID	reference		18		

PRODUCTCONFIGURATIONFLOWSHARE

Sharing for ProductConfigurationFlow.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTCONFIGURATIONRULEFEED

Feed tracking for ProductConfigurationRule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTCONFIGURATIONRULEHISTORY

History for tracked fields of ProductConfigurationRule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Configuration Rule History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductConfigurationRuleId	Product Configuration Rule ID	reference		18		

PRODUCTCONFIGURATIONRULESHARE

Sharing for ProductConfigurationRule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTCONSUMED

Represents an item from your inventory that was used to complete a work order or work order line item in field service.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductConsumed in the *Field Service Developer Guide*, *Manufacturing Cloud Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
Discount	Discount	percent			5	2
Id	Product Consumed ID	id		18		
IsConsumed	Consumed	boolean				
IsDeleted	Deleted	boolean				
IsProduct2Serialized	Serialized	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ListPrice	List Price	currency			18	2
PricebookEntryId	Price Book Entry ID	reference		18		
Product2Id	Product ID	reference		18		
ProductConsumedNumber	Product Consumed Number	string		255		
ProductItemId	Product Item ID	reference		18		
ProductName	Product Name	string		255		
QuantityConsumed	Quantity Consumed	double			18	2
QuantityUnitOfMeasure	Quantity Unit Of Measure	picklist		40		
Subtotal	Subtotal	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
TotalPrice	Total Price	currency			18	2
UnitPrice	Unit Price	currency			18	2
WorkOrderId	Work Order ID	reference		18		
WorkOrderLineItemId	Work Order Line Item ID	reference		18		

PRODUCTCONSUMEDFEED

Feed tracking for ProductConsumed.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PRODUCTCONSUMEDHISTORY

History for tracked fields of ProductConsumed.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Consumed History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductConsumedId	Product Consumed ID	reference		18		

PRODUCTCONSUMEDSTATE

Represents the status of an item from your inventory that was used to complete a work order or work order line item in Field Service. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductConsumedState in the *Field Service Developer Guide* and *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConsumedState	Consumed State	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Product Consumed State Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Product Consumed State Number	string		255		
ProductConsumedId	Product Consumed ID	reference		18		
SerializedProductId	Serialized Product ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PRODUCTCONSUMEDSTATEHISTORY

History for tracked fields of ProductConsumedState.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Consumed State History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductConsumedStateId	Product Consumed State Item ID	reference		18		

PRODUCTDISQUALIFICATION

Represents disqualification rules for products. The rules determine when the product doesn't qualify to be displayed to users. The rules are based on user context. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductDisqualification in the *Product Catalog Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EffectiveFromDate	Effective From	date				
EffectiveToDate	Effective To	date				
Id	Product Disqualification ID	id		18		
IsDeleted	Deleted	boolean				
IsDisqualified	Disqualified	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentProductId	Product ID	reference		18		
ProductId	Product ID	reference		18		
Reason	Reason	textarea		3200		
RootProductId	Product ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PRODUCTDISQUALIFICATIONFEED

Feed tracking for ProductDisqualification.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTDISQUALIFICATIONHISTORY

History for tracked fields of ProductDisqualification.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Disqualification History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductDisqualificationId	Product Disqualification ID	reference		18		

PRODUCTDISQUALIFICATIONSHARE

Sharing for ProductDisqualification.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTEMISSIONSFACTOR

Represents information about the emissions factors used in quantifying the emissions by a product in the supply-chain.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductEmissionsFactor in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmssnFctrDataSource	Emissions Factor Data Source	textarea		32000		
EmssnFctrDataSourceType	Emissions Factor Data Source Type	picklist		40		
EmssnFctrUpdateYear	Emissions Factor Update Year	picklist		255		
ExternalIdentifier	External Identifier	string		255		
Id	Product Emissions Factor ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProductId	Product ID	reference		18		
ReferenceDataLoadLogId	Reference Data Load Log ID	reference		18		
SupplierId	Supplier ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalEmissionsValue	Total Emissions Value (tCO2e/UoM)	double			18	8
UnitOfMeasure	Unit of Measure	picklist		255		

PRODUCTEMISSIONSFACTORFEED

Feed tracking for ProductEmissionsFactor.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PRODUCTEMISSIONSFACTORHISTORY

History for tracked fields of ProductEmissionsFactor.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Emissions Factor History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductEmissionsFactorId	Product Emissions Factor ID	reference		18		

PRODUCTEMISSIONSFACTORSHARE

Sharing for ProductEmissionsFactor.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTENTITLEMENTTEMPLATE

Represents predefined terms of customer support (Entitlement) that users can add to products (Product2).

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductEntitlementTemplate in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EntitlementTemplateId`	Entitlement Template ID	reference		18		
`Id`	Product Entitlement Template ID	id		18		
`Product2Id`	Product ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

PRODUCTFEE

Represents the base fee associated with a product. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductFee in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Frequency	Frequency	picklist		40		
Id	Product Fee ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProductId	Product ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		
ValidEndDate	Valid End Date	date				
ValidStartDate	Valid Start Date	date				

PRODUCTFEEFEED

Feed tracking for ProductFee.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTFEEHISTORY

History for tracked fields of ProductFee.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Fee History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductFeeId	Product Fee ID	reference		18		

PRODUCTFEESHARE

Sharing for ProductFee.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTFULFILLMENTLOCATION

Associates a business account and a product inventory with the responsible field rep. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductFulfillmentLocation in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FulfillmentLocationId	Location ID	reference		18		
Id	Product Fulfillment Location ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
Name	Product Fulfillment Location Name	string		255		
OwnerId	Owner ID	reference		18		
ProductId	Product ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

PRODUCTFULFILLMENTLOCATIONFEED

Feed tracking for ProductFulfillmentLocation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTFULFILLMENTLOCATIONHISTORY

History for tracked fields of ProductFulfillmentLocation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Fulfillment Location History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductFulfillmentLocationId	Product Fulfillment Location ID	reference		18		

PRODUCTFULFILLMENTLOCATIONSHARE

Sharing for ProductFulfillmentLocation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTITEM

Represents the stock of a particular product at a particular location in field service, such as all bolts stored in your main warehouse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductItem in the *Field Service Developer Guide*, *Life Sciences Cloud Developer Guide*, *Manufacturing Cloud Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Product Item ID	id		18		
IsDeleted	Deleted	boolean				
IsProduct2Serialized	Serialized	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
OwnerId	Owner ID	reference		18		
Product2Id	Product ID	reference		18		
ProductItemNumber	Product Item Number	string		255		
ProductName	Product Name	string		255		
QuantityOnHand	Quantity On Hand	double			18	2
QuantityUnitOfMeasure	Quantity Unit Of Measure	picklist		40		
SerialNumber	Serial Number	string		80		
SystemModstamp	System Modstamp	datetime				

PRODUCTITEMFEED

Feed tracking for ProductItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PRODUCTITEMHISTORY

History for tracked fields of ProductItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductItemId	Product Item ID	reference		18		

PRODUCTITEMSHARE

Sharing for ProductItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTITEMTRANSACTION

Represents an action taken on a product item in field service. Product item transactions are auto-generated records that help you track when a product item is replenished, consumed, or adjusted.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductItemTransaction in the *Field Service Developer Guide*, *Life Sciences Cloud Developer Guide*, *Manufacturing Cloud Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
Id	Product Item Transaction ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ProductItemId	Product Item ID	reference		18		
ProductItemTransactionNumber	Product Item Transaction Number	string		255		
Quantity	Quantity	double			18	2
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TransactionType	Transaction Type	picklist		255		

PRODUCTITEMTRANSACTIONFEED

Feed tracking for ProductItemTransaction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PRODUCTITEMTRANSACTIONHISTORY

History for tracked fields of ProductItemTransaction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Item Transaction History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductItemTransactionId	Product Item Transaction ID	reference		18		

PRODUCTLISTRATE

Represents the list rate of the product. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductListRate in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Product List Rate ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ListRate	List Rate	percent			5	2
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProductId	Product ID	reference		18		
SystemModstamp	System Modstamp	datetime				
ValidEndDate	Valid End Date	date				
ValidStartDate	Valid Start Date	date				

PRODUCTLISTRATEFEED

Feed tracking for ProductListRate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTLISTRATEHISTORY

History for tracked fields of ProductListRate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product List Rate History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductListRateId	Product List Rate ID	reference		18		

PRODUCTLISTRATESHARE

Sharing for ProductListRate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTMEDIA

Represents the rich media, including images and attachments, that can be added to products.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductMedia in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
ElectronicMediaGroupId	Electronic Media Group ID	reference		18		
ElectronicMediaId	ElectronicMedia ID	reference		18		
Id	Product Media ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Product Media Name	string		255		
ProductId	Product ID	reference		18		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

PRODUCTMEDIAHISTORY

History for tracked fields of ProductMedia.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Media History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductMediaId	Product Media ID	reference		18		

PRODUCTQUALIFICATION

Represents qualification rules for products. The rules determine when the product qualifies to be displayed to users. The rules are based on user context. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductQualification in the *Product Catalog Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EffectiveFromDate	Effective From	date				
EffectiveToDate	Effective To	date				
Id	Product Qualification ID	id		18		
IsDeleted	Deleted	boolean				
IsQualified	Qualified	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentProductId	Product ID	reference		18		
ProductId	Product ID	reference		18		
RootProductId	Product ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PRODUCTQUALIFICATIONFEED

Feed tracking for ProductQualification.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTQUALIFICATIONHISTORY

History for tracked fields of ProductQualification.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Qualification History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductQualificationId	Product Qualification ID	reference		18		

PRODUCTQUALIFICATIONSHARE

Sharing for ProductQualification.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTRAMPSEGMENT

Represents the ramp period within a ramp deal where terms, volumes, and other commitments change over time. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductRampSegment in the *Product Catalog Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DurationType	Duration Type	picklist		255		
Id	Product Ramp Segment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProductId	Product ID	reference		18		
ProductSellingModelId	Product Selling Model ID	reference		18		
SegmentType	Segment Type	picklist		255		
SystemModstamp	System Modstamp	datetime				
TrialDuration	Trial Duration	int	9			

PRODUCTRAMPSEGMENTFEED

Feed tracking for ProductRampSegment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTRAMPSEGMENTHISTORY

History for tracked fields of ProductRampSegment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Product Ramp Segment History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`ProductRampSegmentId`	Product Ramp Segment ID	reference		18		

PRODUCTRAMPSEGMENTSHARE

Sharing for ProductRampSegment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTRELCOMPONENTOVERRIDE

Represents the cardinality overrides for product components in a bundle. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductRelComponentOverride in the *Product Catalog Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DoesBundlePriceIncludeChild	Price includes component	boolean				
Id	Product Related Component Override ID	id		18		
IsComponentRequired	Require this component	boolean				
IsDefaultComponent	Include component by default	boolean				
IsDeleted	Deleted	boolean				
IsExcluded	Exclude	boolean				
IsQuantityEditable	Allow quantity changes	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaxQuantity	Max Quantity	double			18	2
MinQuantity	Min Quantity	double			18	2
Name	Name	string		255		
OverrideContextId	Override Context ID	reference		18		
OwnerId	Owner ID	reference		18		
ProductRelatedComponentId	Product Related Component ID	reference		18		
Quantity	Quantity	double			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
QuantityScaleMethod	Quantity Scaling Method	picklist		255		
SystemModstamp	System Modstamp	datetime				
UnitOfMeasureId	Unit of Measure ID	reference		18		

PRODUCTRELCOMPONENTOVERRIDEFEED

Feed tracking for ProductRelComponentOverride.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTRELCOMPONENTOVERRIDEHISTORY

History for tracked fields of ProductRelComponentOverride.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Related Component Override History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductRelComponentOverrideId	Product Related Component Override ID	reference		18		

PRODUCTRELCOMPONENTOVERRIDESHARE

Sharing for ProductRelComponentOverride.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTRELATEDCOMPONENT

Represents a product that is included in a product bundle, a set, or a product and an add-on. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductRelatedComponent in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChildProductClassificationId	Product Classification ID	reference		18		
ChildProductId	Product ID	reference		18		
ChildProductRole	Child Product Role	picklist		255		
ChildSellingModelId	Product Selling Model ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DoesBundlePriceIncludeChild	Price includes component	boolean				
Id	Product Related Component ID	id		18		
IsComponentRequired	Require this component	boolean				
IsDefaultComponent	Include component by default	boolean				
IsDeleted	Deleted	boolean				
IsQuantityEditable	Allow quantity changes	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaxQuantity	Max Quantity	double			18	2
MinQuantity	Min Quantity	double			18	2
Name	Product Related Component Name	string		255		
ParentProductId	Product ID	reference		18		
ParentProductRole	Parent Product Role	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ParentSellingModelId	Product Selling Model ID	reference		18		
ProductComponentGroupId	Product Component Group ID	reference		18		
ProductRelationshipTypeId	Product Relationship Type ID	reference		18		
Quantity	Quantity	double			18	2
QuantityScaleMethod	Quantity Scaling Method	picklist		255		
Sequence	Sequence	int	9			
SystemModstamp	System Modstamp	datetime				
UnitOfMeasureId	Unit of Measure ID	reference		18		

PRODUCTRELATEDMATERIAL

Represents information about the components of a product.

For more information, see ProductRelatedMaterial in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
EffectiveEndDate	Effective End Date	date				
EffectiveStartDate	Effective Start Date	date				
Id	Product Related Material ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LeadTime	Lead Time	double			18	2
LeadTimeUomId	Unit of Measure ID	reference		18		
ManufacturingProgramId	Manufacturing Program ID	reference		18		
MinimumEligibleQuantity	Minimum Eligible Quantity	double			18	2
MinimumEligibleQuantityUomId	Unit of Measure ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProductComponentId	Product ID	reference		18		
ProductCpntPricebookId	Price Book ID	reference		18		
ProductId	Product ID	reference		18		
QuantityPerProductUnit	Quantity Per Product Unit	double			18	2
QuantityUomId	Unit of Measure ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
UsageCategory	Usage Category	picklist		40		

PRODUCTRELATEDMATERIALFEED

Feed tracking for ProductRelatedMaterial.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTRELATEDMATERIALHISTORY

History for tracked fields of ProductRelatedMaterial.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Related Material History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductRelatedMaterialId	Product Related Material ID	reference		18		

PRODUCTRELATEDMATERIALSHARE

Sharing for ProductRelatedMaterial.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTRELATEDSERVICEPROCESSFEED

Feed tracking for ProductRelatedServiceProcess.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PRODUCTRELATEDSERVICEPROCESSHISTORY

History for tracked fields of ProductRelatedServiceProcess.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Related Service Process History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductRelatedServiceProcessId	Product Related Service Process ID	reference		18		

PRODUCTRELATEDSERVICEPROCESSSHARE

Sharing for ProductRelatedServiceProcess.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTRELATIONSHIPTYPE

Defines the relationship between two sales transaction items. For example, defines a relationship between a bundle and a bundle component. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductRelationshipType in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssociatedProductRoleCat	Associated Product Role Category	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Product Relationship Type ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MainProductRoleCat	Main Product Role Category	picklist		255		
Name	Product Relationship Type Name	string		255		
SystemModstamp	System Modstamp	datetime				

PRODUCTREQUEST

Represents an order for a part or parts in field service.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductRequest in the *Field Service Developer Guide*, *Life Sciences Cloud Developer Guide*, *Manufacturing Cloud Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	ID	reference		18		
CareProgramEnrolleeId	Care Program Enrollee ID	reference		18		
CaseId	ID	reference		18		
CreatedById	ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
DestinationLocationId	Destination Location ID	reference		18		
Id	Product Request ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
NeedByDate	Need By Date	datetime				
OwnerId	Product Request Owner ID	reference		18		
ProductRequestNumber	Product Request Number	string		255		
ShipToAddress	Ship To Address	address				
ShipToCity	City	string		40		
ShipToCountry	Country	string		80		
ShipToGeocodeAccuracy	Geocode Accuracy	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ShipToLatitude	Latitude	double			18	15
ShipToLongitude	Longitude	double			18	15
ShipToPostalCode	Zip/Postal Code	string		20		
ShipToState	State/Province	string		80		
ShipToStreet	Address	textarea		255		
ShipmentType	Shipment Type	picklist		40		
SourceLocationId	Source Location ID	reference		18		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
WorkOrderId	Work Order ID	reference		18		
WorkOrderLineItemId	Work Order Line Item ID	reference		18		

PRODUCTREQUESTFEED

Feed tracking for ProductRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTREQUESTHISTORY

History for tracked fields of ProductRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Request History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductRequestId	Product Request ID	reference		18		

PRODUCTREQUESTLINEITEM

Represents a request for a part in field service. Product request line items are components of product requests.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductRequestLineItem in the *Field Service Developer Guide*, *Life Sciences Cloud Developer Guide*, *Manufacturing Cloud Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	ID	reference		18		
CareProgramEnrolleeId	Care Program Enrollee ID	reference		18		
CaseId	ID	reference		18		
CreatedById	ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
DestinationLocationId	Destination Location ID	reference		18		
Id	Product Request Line Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
NeedByDate	Need By Date	datetime				
ParentId	Product Request ID	reference		18		
Product2Id	ID	reference		18		
ProductRequestLineItemNumber	Product Request Line Item Number	string		255		
QuantityRequested	Quantity Requested	double			18	2
QuantityUnitOfMeasure	Quantity Unit Of Measure	picklist		40		
ShipToAddress	Ship To Address	address				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ShipToCity	City	string		40		
ShipToCountry	Country	string		80		
ShipToGeocodeAccuracy	Geocode Accuracy	picklist		40		
ShipToLatitude	Latitude	double			18	15
ShipToLongitude	Longitude	double			18	15
ShipToPostalCode	Zip/Postal Code	string		20		
ShipToState	State/Province	string		80		
ShipToStreet	Address	textarea		255		
ShipmentType	Shipment Type	picklist		40		
SourceLocationId	Source Location ID	reference		18		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
WorkOrderId	Work Order ID	reference		18		
WorkOrderLineItemId	Work Order Line Item ID	reference		18		

PRODUCTREQUESTLINEITEMFEED

Feed tracking for ProductRequestLineItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTREQUESTLINEITEMHISTORY

History for tracked fields of ProductRequestLineItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Request Line Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductRequestLineItemId	Product Request Line Item ID	reference		18		

PRODUCTREQUESTSHARE

Sharing for ProductRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTREQUIRED

Represents a product that is needed to complete a work order or work order line item in field service.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductRequired in the *Field Service Developer Guide*, *Manufacturing Cloud Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Product Required ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ParentRecordId	Parent Record ID	reference		18		
ParentRecordType	Parent Record Type	string		50		
Product2Id	Product ID	reference		18		
ProductName	Product Name	string		255		
ProductRequiredNumber	Product Required Number	string		255		
QuantityRequired	Quantity Required	double			18	2
QuantityUnitOfMeasure	Quantity Unit Of Measure	picklist		40		
SystemModstamp	System Modstamp	datetime				

PRODUCTREQUIREDFEED

Feed tracking for ProductRequired.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PRODUCTREQUIREDHISTORY

History for tracked fields of ProductRequired.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Required History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductRequiredId	Product Required ID	reference		18		

PRODUCTSELLINGMODEL

Defines one method by which a product can be sold; for example, as a one-time sale, an evergreen subscription, or a term-defined subscription. If the product is sold on subscription, this object defines the subscription's term. A product can have multiple product selling models. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductSellingModel in the *Object Reference for the Salesforce Platform* and *Salesforce Pricing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Product Selling Model ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Product Selling Model Name	string		255		
PricingTerm	Pricing Term	int	9			
PricingTermUnit	Pricing Term Unit	picklist		255		
SellingModelType	Selling Model Type	picklist		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

PRODUCTSELLINGMODELFEED

Feed tracking for ProductSellingModel.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTSELLINGMODELHISTORY

History for tracked fields of ProductSellingModel.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Selling Model History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductSellingModelId	Product Selling Model ID	reference		18		

PRODUCTSELLINGMODELOPTION

A junction object between Product Selling Model and Product2. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductSellingModelOption in the *Object Reference for the Salesforce Platform* and *Salesforce Pricing Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Product Selling Model Option ID	id		18		
IsDefault	Default	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Product Selling Model Option Name	string		255		
Product2Id	Product ID	reference		18		
ProductSellingModelId	Product Selling Model ID	reference		18		
ProrationPolicyId	Proration Policy ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PRODUCTSERVICECAMPAIGN

Represents a set of activities to be performed on a product service campaign asset, such as a product recall for safety issues or product defects. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductServiceCampaign in the *Field Service Developer Guide*, *Manufacturing Cloud Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
EndDate	End Date	date				
Id	Product Service Campaign ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
Priority	Priority	picklist		40		
Product2Id	Product ID	reference		18		
ProductServiceCampaignName	Product Service Campaign Name	string		255		
StartDate	Start Date	date				
Status	Status	picklist		40		
StatusCategory	Status Category	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		
WorkTypeId	Work Type ID	reference		18		

PRODUCTSERVICECAMPAIGNFEED

Feed tracking for ProductServiceCampaign.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PRODUCTSERVICECAMPAIGNHISTORY

History for tracked fields of ProductServiceCampaign.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Service Campaign History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductServiceCampaignId	Product Service Campaign ID	reference		18		

PRODUCTSERVICECAMPAIGNITEM

Represents a product service campaign's asset. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductServiceCampaignItem in the *Field Service Developer Guide*, *Manufacturing Cloud Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Product Service Campaign Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Product2Id	Product ID	reference		18		
ProductServiceCampaignId	Product Service Campaign ID	reference		18		
ProductServiceCampaignItemNumber	Product Service Campaign Item Number	string		255		
SerializedProductId	Serialized Product ID	reference		18		
Status	Status	picklist		40		
StatusCategory	Status Category	picklist		255		
SystemModstamp	System Modstamp	datetime				

PRODUCTSERVICECAMPAIGNITEMFEED

Feed tracking for ProductServiceCampaignItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PRODUCTSERVICECAMPAIGNITEMHISTORY

History for tracked fields of ProductServiceCampaignItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Service Campaign Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductServiceCampaignItemId	Product Service Campaign Item ID	reference		18		

PRODUCTSERVICECAMPAIGNITEMSTATUS

Represents a status for a product service campaign item in field service. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductServiceCampaignItemStatus in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Product Service Campaign Item Status ID	id		18		
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
StatusCode	Status Code	picklist		40		
SystemModstamp	System Modstamp	datetime				

PRODUCTSERVICECAMPAIGNSHARE

Sharing for ProductServiceCampaign.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTSERVICECAMPAIGNSTATUS

Represents a status for a product service campaign in field service. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductServiceCampaignStatus in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Product Service Campaign Status ID	id		18		
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
StatusCode	Status Code	picklist		40		
SystemModstamp	System Modstamp	datetime				

PRODUCTSPECIFICATIONRECTYPE

Represents the relationship between industry-specific product specifications and the product record type. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductSpecificationRecType in the *Product Catalog Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Product Specification Record Type ID	id		18		
IsCommercial	Is Commercial	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
ProductSpecificationType	Product Specification Type ID	picklist		255		
RecordTypeId	Record Type ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PRODUCTSPECIFICATIONTYPE

Represents the type of product specification provided by the user to make the product terminology unique to an industry. A product specification type is associated with a product specification record type. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductSpecificationType in the *Product Catalog Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Description`	Description	textarea		32000		
`DeveloperName`	Name	string		80		
`Id`	Product Specification Type ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Label	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`SystemModstamp`	System Modstamp	datetime				

PRODUCTTRANSFER

Represents the transfer of inventory between locations in field service.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductTransfer in the *Field Service Developer Guide*, *Life Sciences Cloud Developer Guide*, *Manufacturing Cloud Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
DestinationLocationId	Destination Location ID	reference		18		
ExpectedPickupDate	Expected Pickup Date	datetime				
Id	Product Transfer ID	id		18		
IsDeleted	Deleted	boolean				
IsProduct2Serialized	Serialized	boolean				
IsReceived	Received	boolean				
IsSent	Sent	boolean				
LastModifiedById	ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	ID	reference		18		
Product2Id	ID	reference		18		
Product2TransferRecordMode	Transfer Record Mode	picklist		255		
ProductRequestId	Product Request ID	reference		18		
ProductRequestLineItemId	Product Request Line Item ID	reference		18		
ProductTransferNumber	Product Transfer Number	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
QuantityReceived	Quantity Received	double			18	2
QuantitySent	Quantity Sent	double			18	2
QuantityUnitOfMeasure	Quantity Unit Of Measure	picklist		40		
ReceivedById	Received by ID	reference		18		
ReturnOrderId	ID	reference		18		
ReturnOrderLineItemId	ID	reference		18		
ShipmentExpectedDeliveryDate	Shipment Expected Delivery Date	datetime				
ShipmentId	Shipment ID	reference		18		
ShipmentStatus	Shipment Status	picklist		40		
ShipmentTrackingNumber	Shipment Tracking Number	string		255		
ShipmentTrackingUrl	Shipment Tracking URL	url		255		
SourceLocationId	Source Location ID	reference		18		
SourceProductItemId	Source Product Item ID	reference		18		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

PRODUCTTRANSFERFEED

Feed tracking for ProductTransfer.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PRODUCTTRANSFERHISTORY

History for tracked fields of ProductTransfer.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Transfer History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductTransferId	Product Transfer ID	reference		18		

PRODUCTTRANSFERSHARE

Sharing for ProductTransfer.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTTRANSFERSTATE

Represents an action taken to associate a serialized product with a product transfer. The new state is a result of the action. A product transfer state record is created when serialized products are attached to the product transfer. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductTransferState in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Action`	Action	picklist		255		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CurrencyIsoCode`	Currency ISO Code	picklist		3		
`Id`	Product Transfer State Item ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`Name`	Product Transfer State Number	string		255		
`ProductTransferId`	Product Transfer ID	reference		18		
`SerializedProductId`	Serialized Product ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`TransferState`	Transfer State	picklist		255		

PRODUCTTRANSFERSTATEHISTORY

History for tracked fields of ProductTransferState.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Product Transfer State History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`ProductTransferStateId`	Product Transfer State Item ID	reference		18		

PRODUCTUSAGEGRANT

Represents the details of a grant associated with a resource, product, or service, such as the purchased quantity, renewal and rollover policy, and validity of the grant. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductUsageGrant in the *Usage Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DrawdownOrder	Drawdown Order	picklist		255		
EffectiveEndDate	Effective End Date	datetime				
EffectiveStartDate	Effective Start Date	datetime				
Id	Product Usage Grant ID	id		18		
IsDeleted	Deleted	boolean				
Label	Label	string		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OverageChargeable	Overage Chargeable	picklist		255		
OwnerId	Owner ID	reference		18		
ProductOfferId	Product ID	reference		18		
ProductUsageGrantNum	Name	string		255		
ProductUsageResourceId	Product Usage Resource ID	reference		18		
Quantity	Quantity	double			18	2
RenewalPolicyId	Usage Grant Refresh Policy ID	reference		18		
RolloverPolicyId	Usage Grant Rollover Policy ID	reference		18		
Status	Status	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		
UnitOfMeasureClassId	Unit of Measure Class ID	reference		18		
UnitOfMeasureId	Unit of Measure ID	reference		18		
UsageDefinitionProductId	Product ID	reference		18		
UsageResourceId	Usage Resource ID	reference		18		
ValidityPeriodTerm	Validity Period Term	int	9			
ValidityPeriodUnit	Validity Period Unit	picklist		255		

PRODUCTUSAGEGRANTFEED

Feed tracking for ProductUsageGrant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTUSAGEGRANTHISTORY

History for tracked fields of ProductUsageGrant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Usage Grant History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductUsageGrantId	Product Usage Grant ID	reference		18		

PRODUCTUSAGEGRANTSHARE

Sharing for ProductUsageGrant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTUSAGERESOURCE

Represents the mapping of a product and its usage resources. This object is available in API version 64.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductUsageResource in the *Usage Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveEndDate	Effective End Date	datetime				
EffectiveStartDate	Effective Start Date	datetime				
Id	Product Usage Resource ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
ProductId	Product ID	reference		18		
ProductUsageResourceNum	Name	string		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
UsageResourceId	Usage Resource ID	reference		18		

PRODUCTUSAGERESOURCEFEED

Feed tracking for ProductUsageResource.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PRODUCTUSAGERESOURCEHISTORY

History for tracked fields of ProductUsageResource.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Usage Resource History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductUsageResourceId	Product Usage Resource ID	reference		18		

PRODUCTUSAGERESOURCESHARE

Sharing for ProductUsageResource.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PRODUCTWARRANTYTERM

Defines the relationship between a product or product family and warranty term. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProductWarrantyTerm in the *Automotive Cloud Developer Guide*, *Field Service Developer Guide*, *Manufacturing Cloud Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CoveredProductFamily	Covered Product Family	picklist		40		
CoveredProductId	Product ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Product Warranty Term ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ProductWarrantyTermNumber	Product Warranty Term Number	string		255		
SystemModstamp	System Modstamp	datetime				
WarrantyTermId	Warranty Term ID	reference		18		

PRODUCTWARRANTYTERMFEED

Feed tracking for ProductWarrantyTerm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PRODUCTWARRANTYTERMHISTORY

History for tracked fields of ProductWarrantyTerm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Product Warranty Term History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProductWarrantyTermId	Product Warranty Term ID	reference		18		

PROFILE

Represents a profile, which defines a set of permissions to perform different operations. Operations can include creating a custom profile or querying, adding, updating, or deleting information.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Profile in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Profile ID	id		18		
IsSsoEnabled	Is Single Sign-On Enabled	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
PermissionsADSEnabledOnFSMobile	Performance Priming for Field Service Mobile	boolean				
PermissionsAECommunityAccess	Use Assessment Envelope objects via Experience Cloud sites	boolean				
PermissionsAICreateInsightObjects	Create AI Insight Objects	boolean				
PermissionsAIViewInsightObjects	View AI Insight Objects	boolean				
PermissionsAcceptRiskForProblems	Accept Risk For Problems	boolean				
PermissionsAccessActivation	Allows user access activations	boolean				
PermissionsAccessApplicationFormObjects	Access Application Form-Related Functionality	boolean				
PermissionsAccessBankingRelationshipAssistance	Access Banking Relationship Assistance	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsAccessBankingServiceAgent	Access Banking Service Agent	boolean				
PermissionsAccessBudgetManagement	Manage Budgets	boolean				
PermissionsAccessCMC	Access Experience Management	boolean				
PermissionsAccessCdpDataExplorer	Access Data Cloud Data Explorer	boolean				
PermissionsAccessCdpProfileExplorer	Access Data Cloud Profile Explorer	boolean				
PermissionsAccessContentBuilder	Access drag-and-drop content builder	boolean				
PermissionsAccessCustomerDataCloudSetup	Allows user access Data Cloud setup menu	boolean				
PermissionsAccessDisputePrompts	Provides access to Financial Services Email prompt templates	boolean				
PermissionsAccessEinsteinAutofill	Access Einstein Autofill	boolean				
PermissionsAccessFinancialAccounts	Financial Accounts User	boolean				
PermissionsAccessGeniePlatform	Allows user access Data Cloud	boolean				
PermissionsAccessIdpCrudApi	Manage Document Processing Configurations	boolean				
PermissionsAccessIdpUi	Allow Access to Data Cloud Document AI UI	boolean				
PermissionsAccessOrchestrationObjects	Access Orchestration Objects	boolean				
PermissionsAccessPSPasCaseAgents	Access Patient Support Programs as a Case Agent	boolean				
PermissionsAccessPSPasProgramLead	Access Patient Support Programs as a Program Lead	boolean				
PermissionsAccessPolicyAgent	Access Policy Agent	boolean				
PermissionsAccessSegment	Allows user access segments	boolean				
PermissionsAccessServiceEinstein	Access Service Einstein	boolean				
PermissionsAccessSfDrive	Grant users permission to SfDrive	boolean				
PermissionsAccessToComplaintMgmt	Public Complaint Management User	boolean				
PermissionsAccessToDisputeManagement	Dispute Management User	boolean				
PermissionsAccessToServiceProcess	Service Process User	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsAccessTrialInfoGuestUser	Access Clinical Trial Information as Guest User	boolean				
PermissionsAccessWealthAdvisorAgent	Financial Advisor Assistance Agent	boolean				
PermissionsAccountSwitcherUser	Account Switcher User	boolean				
PermissionsAccsPrtSuptPgmUseEinstein	Expose patient support programs powered by Einstein generative AI	boolean				
PermissionsActionPlansUserAccess	Permission to access the Action Plans feature	boolean				
PermissionsActionableListCompUser	Actionable Segmentation Outreach	boolean				
PermissionsActionableListConfigUser	Actionable Segmentation Admin	boolean				
PermissionsActionableListCreator	Actionable Segmentation List Manager	boolean				
PermissionsActionableListUser	Actionable Segmentation Objects	boolean				
PermissionsActivateContract	Activate Contracts	boolean				
PermissionsActivateDeactivateNonSetupFlow	Activate or Deactivate Flows	boolean				
PermissionsActivateOrder	Activate Orders	boolean				
PermissionsActivateSystemModeFlows	Enable System Mode Flow Activation	boolean				
PermissionsActivitiesAccess	Access Activities	boolean				
PermissionsAddAnalyticsRemoteConnections	Add CRM Analytics Remote Connections	boolean				
PermissionsAddAsgnElmtToNonSetupFlow	Add Assignment Element to Flows	boolean				
PermissionsAddCollFltrElmtToNonSetupFlow	Add Collection Filter Element to Flows	boolean				
PermissionsAddCollSrtElmtToNonSetupFlow	Add Collection Sort Element to Flows	boolean				
PermissionsAddCreaRecElmtToNonSetupFlow	Add Create Records Element to Flows	boolean				
PermissionsAddDecisionElmtNonSetupFlow	Add Decision Element to Flows	boolean				
PermissionsAddDelRecElmtToNonSetupFlow	Add Delete Records Element to Flows	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsAddDirectMessageMembers	Add People to Direct Messages	boolean				
PermissionsAddGetRecElmtToNonSetupFlow	Add Get Records Element to Flows	boolean				
PermissionsAddLoopElmtToNonSetupFlow	Add Loop Element to Flows	boolean				
PermissionsAddSubflowElmtToNonSetupFlow	Add Subflow Element to Flows	boolean				
PermissionsAddTrnfElmtToNonSetupFlow	Add Transform Element to Flows	boolean				
PermissionsAddUpdRecElmtToNonSetupFlow	Add Update Records Element to Flows	boolean				
PermissionsAddWaitToNonSetupFlow	Add Wait Element to Flows	boolean				
PermissionsAddWaveNotificationRecipients	Add Recipients to CRM Analytics Notifications	boolean				
PermissionsAdvancedCsvDataImportUser	Advanced Csv Data Import User Permission	boolean				
PermissionsAgentforceSchedulingSupervisView	Access Agentforce Scheduling Supervisor View	boolean				
PermissionsAgentforceServiceAgentUser	Agentforce Service Agent User	boolean				
PermissionsAllowAIAccelerator	View AI Accelerator Predictions.	boolean				
PermissionsAllowEmailIC	Email-Based Identity Verification Option	boolean				
PermissionsAllowLightningLogin	Lightning Login User	boolean				
PermissionsAllowOCIAvailabilityAPIs	Use Omnichannel Inventory Availability APIs	boolean				
PermissionsAllowUniversalSearch	Knowledge One	boolean				
PermissionsAllowViewEditConvertedLeads	View and Edit Converted Leads	boolean				
PermissionsAllowViewKnowledge	Allow View Knowledge	boolean				
PermissionsAnalyticsQueryServiceConsumer	Allow the user to run queries with the Analytics Query Service	boolean				
PermissionsApexRestServices	Apex REST Services	boolean				
PermissionsApiEnabled	API Enabled	boolean				
PermissionsApiUserOnly	Api Only User	boolean				
PermissionsAppFrameworkManageApp	Access to manage the template framework apps	boolean				
PermissionsAppFrameworkManageTemplate	Access to manage the template framework templates	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsAppFrameworkViewApp	Access to view templated apps and assets	boolean				
PermissionsAppointmentBookingUserAccess	Enables the Appointment Booking feature	boolean				
PermissionsApprovalAdmin	Approval Admin	boolean				
PermissionsApprovalDesigner	Approval Designer	boolean				
PermissionsArchiveArticles	Archive Articles	boolean				
PermissionsAssessmentPlatformUser	Discovery Framework Platform User	boolean				
PermissionsAssignPermissionSets	Assign Permission Sets	boolean				
PermissionsAssignTopics	Assign Topics	boolean				
PermissionsAssignUserToSkill	Assign Chat Skills to Users	boolean				
PermissionsAssocChgRqstAndProb	Associate Change Requests and Problems	boolean				
PermissionsAssocIncAndChgRqst	Associate Incidents and Change Requests	boolean				
PermissionsAssocIncAndProb	Associate Incidents and Problems	boolean				
PermissionsAssocRelAndChgRqst	Associate Releases and Change Requests	boolean				
PermissionsAssocRelAndInc	Associate Releases and Incidents	boolean				
PermissionsAssocRelAndProb	Associate Releases and Problems	boolean				
PermissionsAssociationEngineUserAccess	User license to access Record Association Builder in Financial Services Cloud.	boolean				
PermissionsAttributionModelUser	Attribution Model User	boolean				
PermissionsAuthorApex	Author Apex	boolean				
PermissionsAuthorizePayments	Authorize Payments	boolean				
PermissionsAutomaticActivityCapture	Use Einstein Activity Capture	boolean				
PermissionsAutonomousAnalyticsPrivacy	Manage Autonomous Insights Data Privacy	boolean				
PermissionsB2BMarketingAnalyticsUser	Create B2B Marketing Analytics Apps	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsBACommunityAccess	Enable community users to access Benefit Assistance objects and features.	boolean				
PermissionsBREAlertsUserAccess	Access Record Alerts for Business Rules Engine	boolean				
PermissionsBVCommunityAccess	Use objects in the Benefit Verification data model via Experience Cloud sites	boolean				
PermissionsBenefitManagementAccess	Allows internal org users to access Programs, Benefits, and Goal objects and features.	boolean				
PermissionsBillingPaymentApiUser	Apply and Unapply Payments Using APIs	boolean				
PermissionsBillingRefundApiUser	Apply and Unapply Refunds Using APIs	boolean				
PermissionsBotManageBots	Manage Bots	boolean				
PermissionsBotManageBotsTrainingData	Manage Bots Training Data	boolean				
PermissionsBranchManagementUserAccess	User license to access Branch Management in Financial Services Cloud.	boolean				
PermissionsBroadcaster	Send One-to-Many Messages	boolean				
PermissionsBulkApiHardDelete	Bulk API Hard Delete	boolean				
PermissionsBulkMacrosAllowed	Run Macros on Multiple Records	boolean				
PermissionsBypassMFAForUiLogins	Waive Multi-Factor Authentication for Exempt Users	boolean				
PermissionsCCMCommunityAccess	Allows community users to access Composable Case Management objects and features.	boolean				
PermissionsCCUserHasBillingAccount	Manage Energy & Utilities Billing Accounts for Experience Cloud	boolean				
PermissionsCCUserHasEPandProgramAccess	EU Experience Cloud User Program Access	boolean				
PermissionsCCUserHasEUCore	Manage Energy & Utilities Objects for Experience Cloud	boolean				
PermissionsCIPartnerIntegrationUser	Conversation Insights Partner Integration User	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsCMSECEAuthoringAccess	Migrate Enablement Content	boolean				
PermissionsCallCoachingUser	Use Conversation Insights for Sales	boolean				
PermissionsCallExplorer	Einstein Question and Answer for ECI Calls	boolean				
PermissionsCampaignInfluence2	Campaign Influence	boolean				
PermissionsCanAccessCE	Access Conversation Entries	boolean				
PermissionsCanApproveFeedPost	Can Approve Feed Post and Comment	boolean				
PermissionsCanApproveUninstalledApps	Approve Uninstalled Connected Apps	boolean				
PermissionsCanDoActAsUser	Act As User	boolean				
PermissionsCanEditDataPrepRecipe	Edit Dataset Recipes	boolean				
PermissionsCanEditPrompts	Design and Deliver In-App Guidance	boolean				
PermissionsCanInitiateMessagingSessions	Initiate Messaging Sessions	boolean				
PermissionsCanInsertFeedSystemFields	Insert System Field Values for Chatter Feeds	boolean				
PermissionsCanManageMaps	Manage CRM Analytics Custom Maps	boolean				
PermissionsCanMarketingUserDebugFlow	Can Marketing User Debug Marketing Flows	boolean				
PermissionsCanSendInitialSMSToIndividual	Send Initial SMS Message to Individual	boolean				
PermissionsCanTranslateSot2Conversation	Translate Enhanced Conversations	boolean				
PermissionsCanUpdateEmailMessage	Update Email Messages	boolean				
PermissionsCanUseNewDashboardBuilder	Drag-and-Drop Dashboard Builder	boolean				
PermissionsCanVerifyComment	Verify Answers to Chatter Questions	boolean				
PermissionsCanViewDataPrepRecipe	Recipes View Only	boolean				
PermissionsCaptureAndReversePayments	Capture and Reverse Payments	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsCareManagementUserAccess	Enable the Integrated Care Management User Access in a Salesforce org.	boolean				
PermissionsCarePlansAccess	Allows internal org users to access Care Plans objects and features.	boolean				
PermissionsCaseReferralAccess	Allows internal org users to access referral feature.	boolean				
PermissionsCdpReportingCreateReports	Allow access to creating and editing reports in Data Cloud Reporting	boolean				
PermissionsCdpReportingManageFolders	Allow access to managing folders in Data Cloud Reporting	boolean				
PermissionsCdpReportingViewReports	Allow access to viewing reports in Data Cloud Reporting	boolean				
PermissionsChainOfCustodyUser	Manage Chain Of Custody Features	boolean				
PermissionsChangeDashboardColors	Change Dashboard Colors	boolean				
PermissionsChatterComposeUiCodesnippet	Allow Inclusion of Code Snippets from UI	boolean				
PermissionsChatterEditOwnPost	Edit My Own Posts	boolean				
PermissionsChatterEditOwnRecordPost	Edit Posts on Records I Own	boolean				
PermissionsChatterFileLink	Create Public Links	boolean				
PermissionsChatterInternalUser	Chatter Internal User	boolean				
PermissionsChatterInviteExternalUsers	Invite Customers To Chatter	boolean				
PermissionsChatterOwnGroups	Create and Own New Chatter Groups	boolean				
PermissionsClauseDEUser	Allows users to use clauses in Digital Experience sites	boolean				
PermissionsClauseDesigner	Allows clause designers to create and manage clauses	boolean				
PermissionsClauseUser	Allows users to use clauses within documents	boolean				
PermissionsClientSecretRotation	Allow consumer key and secret rotation	boolean				
PermissionsCloseConversations	Close Conversation Threads	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsCodeBuilderUser	Code Builder User	boolean				
PermissionsCombAuthAndCapPayments	Allow Sale Payments	boolean				
PermissionsCommerceTaxApiUser	Tax Api User	boolean				
PermissionsComplaintsManagementAccess	Provides access to Complaints Management features and objects.	boolean				
PermissionsCompleteChgRiskAssmt	Complete Change Risk Assessments	boolean				
PermissionsConfigCompliantDataSharing	Configure Compliant Data Sharing	boolean				
PermissionsConfigCustomRecs	Configure Custom Recommendations	boolean				
PermissionsConfigureCCTarget	Allow user to configure communication capping activation target.	boolean				
PermissionsConfigureCommunicationCapping	Allow user to configure communication capping.	boolean				
PermissionsConfigureDataspaceScope	Configure Dataspace Scope	boolean				
PermissionsConfigureLiveMessage	Configure Messaging	boolean				
PermissionsConnectOrgToEnvironmentHub	Connect Organization to Environment Hub	boolean				
PermissionsConsentApiUpdate	Update Consent Preferences Using REST API	boolean				
PermissionsContactInspectorUser	Access Contact Intelligence View in Partner Sites	boolean				
PermissionsContentAdministrator	Manage Salesforce CRM Content	boolean				
PermissionsContentHubUser	Files Connect Cloud	boolean				
PermissionsContentWorkspaces	Access Libraries	boolean				
PermissionsContextServiceAdmin	Context Service Admin user.	boolean				
PermissionsContextServiceEmbedAdmin	Context Service Embed Admin user.	boolean				
PermissionsContextServiceRuntime	Context Service Run time user.	boolean				
PermissionsContractorHasEUProgramAccess	Contractor Program Access	boolean				
PermissionsContractorHasWorkReportAccess	Manage Contractor Work Report	boolean				
PermissionsConvertLeads	Convert Leads	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsCoordinateClinicalTrials	Coordinate clinical trial tasks like candidate outreach programs.	boolean				
PermissionsCoordinateClnclTrialExprclUsr	Coordinate clinical trial tasks like candidate outreach programs as an Experience Cloud user.	boolean				
PermissionsCosellAuthSetupUser	Establish an Approved PRM External Integration	boolean				
PermissionsCosellExportUser	Export Vendor Records to an Authorized Partner Org	boolean				
PermissionsCreateClosePlan	Allow access to Einstein Close Plan in Einstein Copilot	boolean				
PermissionsCreateCustomizeDashboards	Create and Customize Dashboards	boolean				
PermissionsCreateCustomizeFilters	Create and Customize List Views	boolean				
PermissionsCreateCustomizeReports	Create and Customize Reports	boolean				
PermissionsCreateDPEDefinitionWithDerivedFields	Create DPE Definition With Derived Fields	boolean				
PermissionsCreateDashboardFolders	Create Dashboard Folders	boolean				
PermissionsCreateEditNonSetupFlow	Create or Edit Flows	boolean				
PermissionsCreateLtngTempFolder	Create Folders for Lightning Email Templates	boolean				
PermissionsCreateLtngTempInPub	Manage Public Lightning Email Templates	boolean				
PermissionsCreateModActTrigNonSetupFlow	Create or Modify Activation-Triggered Flows	boolean				
PermissionsCreateModDGTrigNonSetupFlow	Create or Modify Flows with Data Graph Event Triggers	boolean				
PermissionsCreateMultiforce	Create AppExchange Packages	boolean				
PermissionsCreateReportFolders	Create Report Folders	boolean				
PermissionsCreateReportInLightning	Report Builder (Lightning Experience)	boolean				
PermissionsCreateTopics	Create Topics	boolean				
PermissionsCreateUpdateSDDataset	Create and Update Einstein Discovery Datasets	boolean				
PermissionsCreateUpdateSDDStory	Create and Update Einstein Discovery Models	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsCreateWorkBadgeDefinition	Create custom Badge Definitions	boolean				
PermissionsCreateWorkspaces	Create Libraries	boolean				
PermissionsCreditMemoAPIUser	Credit Memo API User	boolean				
PermissionsCustomAppsOnFSMobile	Custom Applications for Field Service Mobile	boolean				
PermissionsCustomMobileAppsAccess	Access Custom Mobile Apps	boolean				
PermissionsCustomSidebarOnAllPages	Show Custom Sidebar On All Pages	boolean				
PermissionsCustomizeApplication	Customize Application	boolean				
PermissionsDFODesignerUser	Allows user to gain Fulfillment Designer level access to DRO	boolean				
PermissionsDFOManagerOperatorUser	Allows user to gain Fulfillment Manager or Fulfillment Operator level access to DRO	boolean				
PermissionsDROrderSubmitInitiateUser	Submit Transactions User	boolean				
PermissionsDataExport	Weekly Data Export	boolean				
PermissionsDataPipelinesAppConsumer	Permission to access Data Pipelines license	boolean				
PermissionsDecimalQuantityDesigntime	Decimal Quantity Design time Access	boolean				
PermissionsDecimalQuantityRuntime	Decimal Quantity Runtime Access	boolean				
PermissionsDecisionTableExecUserAccess	Run Decision Tables	boolean				
PermissionsDelegatedPortalUserAdmin	Delegated External User Administrator	boolean				
PermissionsDelegatedTwoFactor	Manage MFA in User Interface	boolean				
PermissionsDeleteActivatedContract	Delete Activated Contracts	boolean				
PermissionsDeleteCrMemoAndInvoice	Delete Credit Memo and Invoice	boolean				
PermissionsDeleteDraftAndCanceledInvoices	Allow Draft and Canceled Invoice Deletion	boolean				
PermissionsDeleteNonSetupFlow	Delete Flows	boolean				
PermissionsDeleteRevenueRecords	Allow Revenue Records Deletion	boolean				
PermissionsDeleteTopics	Delete Topics	boolean				
PermissionsDesignContextRule	Manage Context Rules	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsDfoAdminUser	System Administrator access for DRO	boolean				
PermissionsDigitalAgentUser	Use Custom Agents	boolean				
PermissionsDigitalLendingAdminUser	Digital Lending Admin User	boolean				
PermissionsDigitalLendingEditReadOnly	Digital Lending Edit Read Only Party Related Records	boolean				
PermissionsDigitalLendingIndiaAdminUser	Digital Lending India Admin User	boolean				
PermissionsDigitalLendingUser	Digital Lending User	boolean				
PermissionsDigitalLendingWorkbench	Digital Lending Workbench	boolean				
PermissionsDisbursementUserAccess	Grant users access to Benefit Disbursement features.	boolean				
PermissionsDistributeFromPersWksp	Create Content Deliveries	boolean				
PermissionsDocGenDesigner	Enables Designers to create Document Templates.	boolean				
PermissionsDocGenRuntimeCCUser	Enables Customers and Partners to generate documents via communities.	boolean				
PermissionsDocGenRuntimeUser	Enables Business users to generate documents.	boolean				
PermissionsDocumentAutomationUserAccess	User license to access IntelligentDocumentAutomation in Financial Services Cloud.	boolean				
PermissionsDocumentChecklistUserAccess	User license to access the Document Checklist features.	boolean				
PermissionsDocumentWorkspaceCrtyAccess	Permission to access Intelligent Document Workspace for community users	boolean				
PermissionsDocumentWorkspaceUserAccess	Permission to access Intelligent Document Workspace	boolean				
PermissionsDownloadPackageVersionZips	Download Package Version Zip Files	boolean				
PermissionsDynamicCommonOrchestratorUser	Dynamic Common Orchestrator User	boolean				
PermissionsEGPTSalesSummariesUser	Einstein Sales Summaries User	boolean				
PermissionsEditAccountScoreFields	View Account Scores	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsEditActivatedOrders	Edit Activated Orders	boolean				
PermissionsEditBillingInfo	Manage Billing	boolean				
PermissionsEditBrandTemplates	Manage Letterheads	boolean				
PermissionsEditCaseComments	Edit Case Comments	boolean				
PermissionsEditEvent	Edit Events	boolean				
PermissionsEditHtmlTemplates	Edit HTML Templates	boolean				
PermissionsEditKnowledge	Manage Articles	boolean				
PermissionsEditMyDashboards	Edit My Dashboards	boolean				
PermissionsEditMyReports	Edit My Reports	boolean				
PermissionsEditOppLineItemUnitPrice	Edit Opportunity Product Sales Price	boolean				
PermissionsEditPublicDocuments	Manage Public Documents	boolean				
PermissionsEditPublicFilters	Manage Public List Views	boolean				
PermissionsEditPublicTemplates	Manage Public Classic Email Templates	boolean				
PermissionsEditReadonlyFields	Edit Read Only Fields	boolean				
PermissionsEditRepricing	Edit Repricing Information	boolean				
PermissionsEditTask	Edit Tasks	boolean				
PermissionsEditTopics	Edit Topics	boolean				
PermissionsEditTranslation	Article Translation - Edit	boolean				
PermissionsEinsteinAgentPlatformBuilder	Manage AI Agents	boolean				
PermissionsEinsteinCopilotBuilder	Manage Agentforce Default Agent	boolean				
PermissionsEinsteinCopilotUser	Use Agentforce Default Agent	boolean				
PermissionsEinsteinGPTSalesEmailsUser	Use Einstein Sales Emails	boolean				
PermissionsEinsteinSalesRepFdbkUser	Use Einstein Coach	boolean				
PermissionsEmailAdministration	Email Administration	boolean				
PermissionsEmailMass	Mass Email	boolean				
PermissionsEmailSingle	Send Email	boolean				
PermissionsEmailTemplateManagement	Manage Email Templates	boolean				
PermissionsEmbeddedMessagingAgent	Messaging for In-App and Web Agent	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsEmployeeEntitiesAccess	Manage Employees	boolean				
PermissionsEnableBCTransactionPolling	Enable blockchain transaction polling API	boolean				
PermissionsEnableCommunityAppLauncher	Show App Launcher in Experience Cloud Sites	boolean				
PermissionsEnableIPFSUpload	Allow blockchain data upload	boolean				
PermissionsEnableNotifications	Send Outbound Messages	boolean				
PermissionsEngagementConfigUser	Engagement Config User	boolean				
PermissionsEnhancedSalesMobileExp	Salesforce Mobile App: Native Seller Experience	boolean				
PermissionsEntityAccessHealthCloudCommunity	Additional Objects for Health Cloud Features in Experience Cloud	boolean				
PermissionsExplainabilityCmtyAccess	Provides site users with access to Decision Explainers features and APIs.	boolean				
PermissionsExplainabilityUserAccess	Provides internal Org users with access to Decision Explainer features and APIs.	boolean				
PermissionsExportReport	Export Reports	boolean				
PermissionsExternalClientAppAdmin	View all External Client Apps, view their settings, and edit their policies	boolean				
PermissionsExternalClientAppDeveloper	Create, edit, and delete External Client Apps	boolean				
PermissionsExternalClientAppViewer	View all External Client Apps	boolean				
PermissionsFHIRCmtyAccess	Use objects in the Clinical data model via Experience Cloud sites	boolean				
PermissionsFSCAlertFrameworkUserAccess	Access Record Alerts	boolean				
PermissionsFSCArcGraphCommunityUser	Access Actionable Relationship Center for partner users	boolean				
PermissionsFSCB2BUserAccess	Grants access to B2B features	boolean				
PermissionsFSCInsClaimMgtPlatformUser	Insurance Claim Management Platform User	boolean				
PermissionsFSCInsPolicyAdminPlatformUser	Insurance Policy Administration Platform User	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsFSCInsuranceCmpCntyAccess	Access Insurance Lightning Components	boolean				
PermissionsFSCInsuranceCmpExtOnlyAccess	Access Insurance Lightning Components	boolean				
PermissionsFSCInsurancePlatformUser	Access Insurance Objects	boolean				
PermissionsFeedPinning	Pin Posts in Feeds	boolean				
PermissionsFieldMappingUser	Field Mapping Configuration User	boolean				
PermissionsFieldServiceAccess	Field Service Standard	boolean				
PermissionsFieldServiceCopilotActions	Access Agent Topics and Actions for Field Service	boolean				
PermissionsFieldServiceDispatcher	Field Service Dispatcher	boolean				
PermissionsFieldServiceLastMile	Field Service Appointment Assistant	boolean				
PermissionsFieldServiceMobileApp	Field Service Mobile	boolean				
PermissionsFieldServiceScheduling	Field Service Scheduling	boolean				
PermissionsFieldServiceVoiceToForm	Access Field Service Data Capture Voice to Form (Beta)	boolean				
PermissionsFieldServiceVoiceToRecordEdit	Access Field Service Voice to Record Edit	boolean				
PermissionsFinancialServices2UserAccess	Access Actionable Relationship Center	boolean				
PermissionsFindPastCollaborators	Allow access to Find Past Collaborators in Einstein Copilot.	boolean				
PermissionsFlowUFLRequired	Require Flow User Feature License	boolean				
PermissionsForceTwoFactor	Multi-Factor Authentication for User Interface Logins	boolean				
PermissionsFreezeUsers	Freeze Users	boolean				
PermissionsFscPlansAndGoalsUser	Plans and Goals User	boolean				
PermissionsGetProductPricing	Allow access to Get Product Pricing in Einstein Copilot	boolean				
PermissionsGetSmartDataDiscovery	View Einstein Discovery Recommendations	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsGetStartDataDiscoveryExternal	View Einstein Discovery Recommendations Via Connect API	boolean				
PermissionsGiveRecognitionBadge	Give Recognition Badges in Experience Builder Sites	boolean				
PermissionsGlobalCbpQueryAccess	Global Controlled-by-Parent Query Access	boolean				
PermissionsGovernNetworks	Manage Experiences	boolean				
PermissionsGroupMembershipCmtyUsr	Group Membership Experience Cloud User	boolean				
PermissionsGroupMembershipPsl	Group Membership	boolean				
PermissionsHasUnlimitedNBAExecutions	User Has Unlimited Next Best Action Strategy Executions	boolean				
PermissionsHcAdvancedTherapyUser	Manage Advanced Therapy Orchestration features	boolean				
PermissionsHeadlessCMSAccess	Enable Salesforce CMS Integration	boolean				
PermissionsHeadlessPublishNudges	Headless Publish Nudges User	boolean				
PermissionsHealthAgent	Health Assistive Agent	boolean				
PermissionsHealthCloudStarter	Health Cloud Starter	boolean				
PermissionsHideReadByList	Hide the Seen By List	boolean				
PermissionsIcmCmtyAccess	Enables the use of objects in the Integrated Care Management data model by Experience cloud site users.	boolean				
PermissionsIdentityConnect	Use Identity Connect	boolean				
PermissionsIdentityEnabled	Use Identity Features	boolean				
PermissionsIdentityVerificationUserAccess	Permission to access Identity Verification	boolean				
PermissionsImportCustomObjects	Import Custom Objects	boolean				
PermissionsImportLeads	Import Leads	boolean				
PermissionsImportPersonal	Import Personal Contacts	boolean				
PermissionsInboundMigrationToolsUser	Deploy Change Sets	boolean				
PermissionsIndustriesEpcNextPilot	Industries Epc Next Pilot	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsIndustryMilestonePlatformUser	Access Life Events or Business Milestones Component	boolean				
PermissionsInsightsAppAdmin	Manage CRM Analytics	boolean				
PermissionsInsightsAppDashboardEditor	Create and Edit CRM Analytics Dashboards	boolean				
PermissionsInsightsAppEltEditor	Edit CRM Analytics Dataflows	boolean				
PermissionsInsightsAppUploadUser	Upload External Data to CRM Analytics	boolean				
PermissionsInsightsAppUser	Use CRM Analytics	boolean				
PermissionsInsightsCreateApplication	Create CRM Analytics Apps	boolean				
PermissionsInsightsIntelAppUser	Use Intelligent Apps	boolean				
PermissionsInstallMultiforce	Download AppExchange Packages	boolean				
PermissionsInsuranceGroupBenefitsUser	Insurance Group Benefits User	boolean				
PermissionsInteractionCalcAdminPerm	Grant administrators access to Industries Interaction Calculation features.	boolean				
PermissionsInteractionCalcUserPerm	Grant users access to Industries Interaction Calculation features.	boolean				
PermissionsInteractionObjStateDefUserPerm	Grant users access to Industries Interaction Object State Definition features.	boolean				
PermissionsInterestTaggingUserAccess	Access Interest Tags for Financial Services Cloud.	boolean				
PermissionsInvoiceOrErrorRecoveryAPI	Invoice or Recovery API	boolean				
PermissionsInvoiceSchedulerUser	Invoice Scheduler User	boolean				
PermissionsIsSsoEnabled	Is Single Sign-On Enabled	boolean				
PermissionsIsotopeAccess	Salesforce Anywhere on Mobile	boolean				
PermissionsIsotopeCToCUser	Salesforce Anywhere Integration Access	boolean				
PermissionsIsotopeLEX	Salesforce Anywhere in Lightning Experience	boolean				
PermissionsKycPlatformUser	Identity Verification and Screening User	boolean				
PermissionsMEndMessagingSessionUserPerm	End Messaging Session	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsIOutboundMessagingUserPerm	Agent Initiated Outbound Messaging	boolean				
PermissionsLPICommunityAccess	Grant community users access to LPI features.	boolean				
PermissionsLeadInspectorUser	Access Lead Intelligence View in Partner Sites	boolean				
PermissionsLeadScoreResultPublisher	Publish Einstein Lead Scoring results	boolean				
PermissionsLeadScoreUser	Use Einstein Lead Scoring	boolean				
PermissionsLearningManager	Manage Learning	boolean				
PermissionsLifecycleManagementAPIUser	Access Customer Asset Lifecycle Management APIs	boolean				
PermissionsLightningConsoleAllowedForUser	Lightning Console User	boolean				
PermissionsLightningExperienceUser	Lightning Experience User	boolean				
PermissionsLightningOnFSMobile	Lightning SDK for Field Service Mobile	boolean				
PermissionsLightningSchedulerUserAccess	Let a user be included in appointments in Salesforce Scheduler.	boolean				
PermissionsListEmailSend	Allow sending of List Emails	boolean				
PermissionsLiveMessageAgent	Messaging Agent	boolean				
PermissionsLobbyManagementUserAccess	Let greeters access the Lobby Management tab.	boolean				
PermissionsLtngPromoReservedUserPerm	Remain in Salesforce Classic	boolean				
PermissionsMCPMetadataApi	MCPMetadataApi	boolean				
PermissionsMakePayments	Make Payments	boolean				
PermissionsManageAccessPolicies	Manage Access Policies	boolean				
PermissionsManageAgentforceServiceAgent	Manage Agentforce Service Agents	boolean				
PermissionsManageAnalyticSnapshots	Manage Reporting Snapshots	boolean				
PermissionsManageAuthProviders	Manage Auth. Providers	boolean				
PermissionsManageBusinessHourHolidays	Manage Business Hours Holidays	boolean				
PermissionsManageC2CHighVolumePriming	Manage Cross-Cloud High-Volume Priming	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageC360AConnections	Connect Org to Data Cloud	boolean				
PermissionsManageCMS	Create CMS Workspaces and Channels	boolean				
PermissionsManageCallCenters	Manage Call Centers	boolean				
PermissionsManageCases	Manage Cases	boolean				
PermissionsManageCategories	Manage Categories	boolean				
PermissionsManageCdpMlModels	Allow users to manage models in Einstein Studio	boolean				
PermissionsManageCertificates	Manage Certificates	boolean				
PermissionsManageCertificatesExpiration	Receive Certificate Expiration Notifications	boolean				
PermissionsManageChatterMessages	Manage Chatter Messages and Direct Messages	boolean				
PermissionsManageClinicalDataModel	Provides access to Clinical Data Model entities for LifeSciences Users	boolean				
PermissionsManageClinicalTrials	Design and run clinical trials.	boolean				
PermissionsManageContentLinks	Manage Content Links	boolean				
PermissionsManageContentPermissions	Manage Content Permissions	boolean				
PermissionsManageContentProperties	Manage Content Properties	boolean				
PermissionsManageContentTaxonomy	Manage Content Taxonomy	boolean				
PermissionsManageContentTypes	Manage record types and layouts for Files	boolean				
PermissionsManageConvMiningReports	View and generate Einstein Conversation Mining reports	boolean				
PermissionsManageCssUsers	Manage Customer Users	boolean				
PermissionsManageCustomDomains	Manage Custom Domains	boolean				
PermissionsManageCustomPermissions	Manage Custom Permissions	boolean				
PermissionsManageCustomReportTypes	Manage Custom Report Types	boolean				
PermissionsManageDashbdsInPubFolders	Manage Dashboards in Public Folders	boolean				
PermissionsManageDataCategories	Manage Data Categories	boolean				
PermissionsManageDataIntegrations	Manage Data Integrations	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageDataMaskPolicies	Manage Data Mask Policies	boolean				
PermissionsManageDataProcessingEngine	Allow users to access the features of Data Processing Engine to transform data that's available in your Salesforce org.	boolean				
PermissionsManageDataspaceScope	Manage Dataspace Scope	boolean				
PermissionsManageDevSandboxes	Manage Dev Sandboxes	boolean				
PermissionsManageDynamicDashboards	Manage Dynamic Dashboards	boolean				
PermissionsManageEmailClientConfig	Manage Email Client Configurations	boolean				
PermissionsManageEmailMessagingSetup	Manage Email Messaging Setup	boolean				
PermissionsManageEncryptionKeys	Manage Encryption Keys	boolean				
PermissionsManageEntitlements	Manage Entitlements	boolean				
PermissionsManageExchangeConfig	Manage Lightning Sync	boolean				
PermissionsManageExternalConnections	Allow user to modify Private Connections	boolean				
PermissionsManageFilesAndAttachments	Manage Policies' Files And Attachments	boolean				
PermissionsManageForecastingCustomData	Manage Forecasts Custom Data	boolean				
PermissionsManageHcProviderRelMgmt	Manage Health Cloud Provider Relationship Management	boolean				
PermissionsManageHealthCheck	Manage Health Check	boolean				
PermissionsManageHealthCloud	Manage Health Cloud	boolean				
PermissionsManageHealthCloudFinancialData	Manage Health Cloud Financial Data	boolean				
PermissionsManageHerokuAppLink	Manage Heroku AppLink	boolean				
PermissionsManageHubConnections	Connect Org to Customer 360 Data Manager	boolean				
PermissionsManageIndustriesVisit	Manage Industries Visit	boolean				
PermissionsManageIntegrationConnections	Manage Integration Connections	boolean				
PermissionsManageIntelligenceApp	Manage Commerce Intelligence App	boolean				
PermissionsManageInteraction	Manage Flow	boolean				
PermissionsManageInternalUsers	Manage Internal Users	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageIpAddresses	Manage IP Addresses	boolean				
PermissionsManageKnowledge	Manage Salesforce Knowledge	boolean				
PermissionsManageKnowledgeImportExport	Manage Knowledge Article Import/Export	boolean				
PermissionsManageLeads	Manage Leads	boolean				
PermissionsManageLearningReporting	Manage Learning Reporting	boolean				
PermissionsManageLoginAccessPolicies	Manage Login Access Policies	boolean				
PermissionsManageMobile	Manage Mobile Configurations	boolean				
PermissionsManageMobileAppSecurity	Manage Enhanced Mobile App Security	boolean				
PermissionsManageMyExternalUsers	Manage External Users (Limited)	boolean				
PermissionsManageNamedCredentials	Allows users to modify Named Credentials and External Credentials	boolean				
PermissionsManageNetworks	Create and Set Up Experiences	boolean				
PermissionsManageOCIRecords	Manage Omnichannel Inventory Records	boolean				
PermissionsManageOrchInstsAndWorkItems	Manage Orchestration Runs and Work Items	boolean				
PermissionsManageOrchestrationRuns	Manage Orchestration Runs	boolean				
PermissionsManageOutcomeManagement	Manage Outcomes	boolean				
PermissionsManagePartners	Manage External Users	boolean				
PermissionsManagePasswordPolicies	Manage Password Policies	boolean				
PermissionsManagePatientProgramOutcomes	Manage Patient Program Outcomes	boolean				
PermissionsManagePharmacyBenefitsVerf	Gives users access to verify and reverify pharmacy benefits.	boolean				
PermissionsManageProductCatalog	Manage Product Catalog	boolean				
PermissionsManageProductDiscovery	Manage Product Discovery	boolean				
PermissionsManageProductIndexAndSearch	Create and delete indexes for Product Catalog Management, and configure product browsing options.	boolean				
PermissionsManageProfilesPermissionsets	Manage Profiles and Permission Sets	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageProgramManagement	Advanced Program Management	boolean				
PermissionsManagePropositions	Manage Next Best Action Recommendations	boolean				
PermissionsManageProviderSearch	Manage Provider Search	boolean				
PermissionsManagePvtRptsAndDashbds	Manage All Private Reports and Dashboards	boolean				
PermissionsManageQuotas	Manage Quotas	boolean				
PermissionsManageRecommendationStrategies	Manage Next Best Action Strategies	boolean				
PermissionsManageReleaseUpdates	Manage Release Updates	boolean				
PermissionsManageRemoteAccess	Manage Connected Apps	boolean				
PermissionsManageReportsInPubFolders	Manage Reports in Public Folders	boolean				
PermissionsManageRoles	Manage Roles	boolean				
PermissionsManageSALifecycle	Manage Service Appointment Lifecycle	boolean				
PermissionsManageSandboxes	Manage Sandboxes	boolean				
PermissionsManageSearchPromotionRules	Manage Promoted Search Terms	boolean				
PermissionsManageSecurityCommandCenter	Manage Security Center	boolean				
PermissionsManageSessionPermissionSets	Manage Session Permission Set Activations	boolean				
PermissionsManageSharing	Manage Sharing	boolean				
PermissionsManageSiteManagement	Manage Site Management	boolean				
PermissionsManageSiteProfile	Manage Site and Investigator Profile	boolean				
PermissionsManageSmartDataDiscovery	Manage Einstein Discovery	boolean				
PermissionsManageSmartDataDiscoveryModel	Can Deploy and Manage Einstein Discovery predictions	boolean				
PermissionsManageSocialDeterminant	Enable access to the Manage Social Determinants Data Model for Life Sciences users in a Salesforce org.	boolean				
PermissionsManageSolutions	Manage Published Solutions	boolean				
PermissionsManageStores	Manage Stores	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageSubscriptions	Manage CRM Analytics Subscriptions	boolean				
PermissionsManageSurveys	Manage Surveys	boolean				
PermissionsManageSynonyms	Manage Synonyms	boolean				
PermissionsManageTemplatedApp	Manage CRM Analytics Templated Apps	boolean				
PermissionsManageTrialMgmtRandomization	Manage Trial Management Randomization	boolean				
PermissionsManageTrustMeasures	Manage Trust Measures	boolean				
PermissionsManageTwoFactor	Manage MFA in API	boolean				
PermissionsManageUnlistedGroups	Manage Unlisted Groups	boolean				
PermissionsManageUsers	Manage Users	boolean				
PermissionsMassInlineEdit	Mass Edits from Lists	boolean				
PermissionsMaterialLineUser	Create Material Lines	boolean				
PermissionsMergeAndSplitGroups	Merge and Split Groups	boolean				
PermissionsMergeTopics	Merge Topics	boolean				
PermissionsMetadataStudioUser	Metadata studio User	boolean				
PermissionsMicrobatching	Use Micro-Batching to Create Records	boolean				
PermissionsMngBenVerfForAssistiveAgt	Gives AI agents access to the objects and fields required to reverify benefits.	boolean				
PermissionsMngFinancialAssistanceProgram	Access PSP Financial Assistance	boolean				
PermissionsMobileAppSecurity	Enforce Enhanced Mobile App Security	boolean				
PermissionsMobileMessagingAgent	Message on Mobile	boolean				
PermissionsModerateChatter	Moderate Chatter	boolean				
PermissionsModerateNetworkFeeds	Moderate Experience Cloud Site Feeds	boolean				
PermissionsModerateNetworkFiles	Moderate Files in Experience Cloud Sites	boolean				
PermissionsModerateNetworkMessages	Moderate Chatter Messages in Experience Cloud Sites	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsModerateNetworkUsers	Moderate Experience Cloud Site Users	boolean				
PermissionsModifyAccessAllowPolicies	Modify Allow Data Governance Policies	boolean				
PermissionsModifyAccessDenyPolicies	Modify Deny Data Governance Policies	boolean				
PermissionsModifyAllData	Modify All Data	boolean				
PermissionsModifyAllDataGovClassif	Modify All Data Governance Classification Tags	boolean				
PermissionsModifyAllDataGovClsfTax	Modify All Data Governance Classification Taxonomies	boolean				
PermissionsModifyAllDataGovPolicies	Modify All Data Governance Policies	boolean				
PermissionsModifyAllDataGovTagAssign	Modify All Data Governance Tag Assignments	boolean				
PermissionsModifyAllDataGovTags	Modify All Data Governance Tags	boolean				
PermissionsModifyAllDataGovTax	Modify All Data Governance Tag Taxonomies	boolean				
PermissionsModifyAllPolicyCenterPolicies	Modify All Policy Center Policies	boolean				
PermissionsModifyDataClassification	Modify Data Classification	boolean				
PermissionsModifyMetadata	Modify Metadata Through Metadata API Functions	boolean				
PermissionsMonitorLoginHistory	Monitor Login History	boolean				
PermissionsMortgageUserAccess	User license to access Mortgage in Financial Services Cloud.	boolean				
PermissionsMultiStepSchedulingUser	Manage Multi-Step Scheduling features	boolean				
PermissionsNativeWebviewScrolling	Salesforce Mobile App: Native scrolling on webviews	boolean				
PermissionsNewReportBuilder	Report Builder	boolean				
PermissionsOmniAssistiveActionUser	OmniAssistiveActionUser	boolean				
PermissionsOmniStudioDesigner	Enables admin/developer to create new OS/DR/VIP instances.	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsOmniStudioRuntime	Enables business users to execute OmniScripts, DRs, Cards, etc, in employee facing apps.	boolean				
PermissionsOmniStudioRuntimeCC	Enables consumers and partners to execute OmniScripts, DRs, Cards through a Community or off platform.	boolean				
PermissionsOmniSupervisorManageQueue	Manage Queue Memberships	boolean				
PermissionsOmnichannelInventoryBasic	Omnichannel Inventory Basic	boolean				
PermissionsOmnichannelInventorySync	Omnichannel Inventory Sync	boolean				
PermissionsOpportunityScoreUser	Use Einstein Opportunity Scoring	boolean				
PermissionsOptOutGeoLocationTracking	Exclude Technician from Geolocation Tracking	boolean				
PermissionsOrderSubmitUser	Submit Transactions and Fulfilment User	boolean				
PermissionsOrderToBSAPIUser	Access Order to Billing Schedule API	boolean				
PermissionsOrderToInvoiceAPIUser	Access Order to Invoice API	boolean				
PermissionsOutboundMigrationToolsUser	Create and Upload Change Sets	boolean				
PermissionsOverrideForecasts	Override Forecasts	boolean				
PermissionsPRMChannelMgmtConsoleUser	View Channel Management Console	boolean				
PermissionsPackaging2	Create and Update Second-Generation Packages	boolean				
PermissionsPackaging2Delete	Delete Second-Generation Packages	boolean				
PermissionsPackaging2PromoteVersion	Promote a package version to released	boolean				
PermissionsParticipateClinicalTrials	Let external users view and enroll in research studies.	boolean				
PermissionsPasswordNeverExpires	Password Never Expires	boolean				
PermissionsPaymentSchedulerUser	Payments Scheduler User	boolean				
PermissionsPaymentsAPIUser	Payments Api User	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsPersonalizationDecisioningUser	Provides users access to the Personalization Decisions invocable action.	boolean				
PermissionsPersonalizationIntelUser	Personalization Intelligence User	boolean				
PermissionsPersonalizationPlatform	Access Personalization Platform	boolean				
PermissionsPersonalizedFinanceUserAccess	Data Cloud FlexCards for Financial Services Cloud	boolean				
PermissionsPipelineInspectorUser	Pipeline Inspection User	boolean				
PermissionsPortalSuperUser	Portal Super User	boolean				
PermissionsPreventClassicExperience	Hide Option to Switch to Salesforce Classic	boolean				
PermissionsPreviewExperienceUser	Allow access to Preview Experience	boolean				
PermissionsPreviewTestSendEmail	Send Test Email	boolean				
PermissionsPriceSheetConfiguration	Configure Price Sheets	boolean				
PermissionsPricingRuleUser	Configure price rules	boolean				
PermissionsPrismBackofficeUser	Prism Backoffice User	boolean				
PermissionsPrismPlaygroundUser	Prism Playground User	boolean				
PermissionsPrivacyDataAccess	Allow user to access privacy data	boolean				
PermissionsPrmEnhancedPortalUser	PRM Enhanced Portal User	boolean				
PermissionsPrmExtIntPrtnrAdminUser	Set Up Partner Connect for a Partner Org	boolean				
PermissionsProductAdmin	Product Admin	boolean				
PermissionsProductCatalogApiAccess	View Product Catalog via API	boolean				
PermissionsProductCatalogMgmtApiCCAccess	View Product Catalog via API for Customer Community User	boolean				
PermissionsProductCatalogMgmtApiPCAccess	View Product Catalog via API for Partner Community User	boolean				
PermissionsProductCatalogMgmtBaseCCUser	View Product Catalog for Customer Community User	boolean				
PermissionsProductCatalogMgmtBasePCUser	View Product Catalog for Partner Community User	boolean				
PermissionsProductConfigurationRuleAccess	Manage Configurator with Business Rules Engine	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsProductDiscoveryUser	Allow access to Product Discovery	boolean				
PermissionsProposeMajorIncidents	Propose Major Incidents	boolean				
PermissionsProviderSearchUserAccess	Permission to access internal entities for provider search	boolean				
PermissionsPublicSectorPlatformUserAccess	Grant users access to Public Sector features.	boolean				
PermissionsPublishArticles	Publish Articles	boolean				
PermissionsPublishMultiforce	Upload AppExchange Packages	boolean				
PermissionsPublishTranslation	Article Translation - Publish	boolean				
PermissionsQRCodeGeneratorMobilePublisherPlayground	Mobile Publisher QR Code Generator Playground User	boolean				
PermissionsQueryAllFiles	Query All Files	boolean				
PermissionsQueryNonVetoedFiles	Query Non Vetoed Files	boolean				
PermissionsQuipMetricsAccess	Quip Metrics	boolean				
PermissionsQuipUserEngagementMetrics	Quip User Engagement Metrics	boolean				
PermissionsQuoteToOrderUser	Create Orders from Quotes	boolean				
PermissionsReadConfigurationItemInformation	Allows user to read CMDB associations details.	boolean				
PermissionsReassignOrchestrationWorkItems	Reassign Orchestration Work Items	boolean				
PermissionsRebookWithAgentforceFromDispatchConsole	Rebook with Agentforce from Dispatch Console	boolean				
PermissionsRecordAggregationAccess	Record Aggregation Access	boolean				
PermissionsRecordVisibilityAPI	Enable RecordVisibility API	boolean				
PermissionsRefundPayments	Refund Payments	boolean				
PermissionsRemoveDirectMessageMembers	Remove People from Direct Messages	boolean				
PermissionsReopenChangeRequests	Reopen Change Requests	boolean				
PermissionsReopenProblems	Reopen Problems	boolean				
PermissionsResetPasswords	Reset User Passwords and Unlock Users	boolean				
PermissionsResolveChgRqstAssoc	Resolve Change Request Associations	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsResolveIncAssoc	Resolve Incident Associations	boolean				
PermissionsResolveProbAssoc	Resolve Problem Associations	boolean				
PermissionsRespondToSocialInsuranceClaims	Respond to Social Insurance Claims	boolean				
PermissionsRevenueIntelligenceUser	Revenue Intelligence User	boolean				
PermissionsRevenueProductImportUser	Import Products Using Subscription Management Console	boolean				
PermissionsReviewBuyingCommittee	Allow access to Review Buying Committee in Einstein Copilot	boolean				
PermissionsReviewMyDay	Review My Day	boolean				
PermissionsRunContextRule	Run Context Rules	boolean				
PermissionsRunDecisionMatrix	Run Decision Matrices	boolean				
PermissionsRunExpressionSet	Run Expression Sets	boolean				
PermissionsRunFlow	Run Flows	boolean				
PermissionsRunReports	Run Reports	boolean				
PermissionsRunTrialMgmtRandomization	Run Trial Management Randomization	boolean				
PermissionsSCEViewAllData	View Opportunity Scoring Model Factors	boolean				
PermissionsSDCommunityAccess	Use objects in the Social Determinants data model via Experience Cloud sites	boolean				
PermissionsSalesConsole	Sales Console	boolean				
PermissionsSalesInsightsUser	Sales Insights User	boolean				
PermissionsSalesMeetingFollowUpEmail	Sales Meeting Follow-Up Emails	boolean				
PermissionsSalesforceForecastingUser	Forecast on Any Business Model	boolean				
PermissionsSalesforceIQInbox	Use Inbox	boolean				
PermissionsSalesforceIQInternal	Allows the Cloud Integration User to perform SalesforceIQ internal operations	boolean				
PermissionsSandboxTestingInCommunityApp	Test Sandboxes in Mobile Publisher for Experience Cloud	boolean				
PermissionsScheduleJob	Schedule Dashboards	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsScheduleReports	Schedule Reports	boolean				
PermissionsScoringFrameworkAdmin	Scoring Framework Admin	boolean				
PermissionsScoringFrameworkUser	Scoring Framework User	boolean				
PermissionsSegmentIntelligenceUser	Segment Intelligence User	boolean				
PermissionsSelectFilesFromSalesforce	Select Files from Salesforce	boolean				
PermissionsSendAnnouncementEmails	Send announcement emails	boolean				
PermissionsSendCustomNotifications	Send Custom Notifications	boolean				
PermissionsSendEmail	Send Unified Messaging Email	boolean				
PermissionsSendExternalEmailAvailable	Send Email through External Email Service	boolean				
PermissionsSendMeetingRequest	Permission for Send Meeting Request.	boolean				
PermissionsSendSitRequests	Send Stay-in-Touch Requests	boolean				
PermissionsServiceECIUser	Use Conversation Insights for Service	boolean				
PermissionsServiceExcellencePlatformUser	Service Excellence Platform User	boolean				
PermissionsSessionScopeContext	Provides access to create session scope context.	boolean				
PermissionsSetupAgentBuilder	Manage Agent for Setup	boolean				
PermissionsSetupAgentUser	Access Agent for Setup	boolean				
PermissionsShareFilesWithNetworks	Share Files with People in Experience Cloud sites	boolean				
PermissionsShareInternalArticles	Share internal Knowledge articles externally	boolean				
PermissionsShareSmartDataDiscoveryStory	Share Einstein Discovery Models	boolean				
PermissionsShowCompanyNameAsUserBadge	Show Company Name as Site Role	boolean				
PermissionsShowPreWorkBriefGA	Show Pre-Work Brief	boolean				
PermissionsSimpleCsvDataImportUser	Basic Csv Data Import User Permission	boolean				
PermissionsSkipIdentityConfirmation	Skip Device Activation at Login	boolean				
PermissionsSlackCibUser	Financial Services Cloud for Slack User	boolean				
PermissionsSlackRecordChannels	Access Slack Record Channels	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsSmartDataDiscoveryForCommunity	Smart Data Discovery for experience users	boolean				
PermissionsSolutionImport	Import Solutions	boolean				
PermissionsSonicConsumer	Use Data Pipeline Base	boolean				
PermissionsStageManagementDesignUser	Stage Management Designer User	boolean				
PermissionsStageManagementUser	Stage Management User	boolean				
PermissionsStdAutomaticActivityCapture	Use Einstein Activity Capture Standard	boolean				
PermissionsStoryOnDSWithPredicate	Ignore predicate when creating model from dataset	boolean				
PermissionsSubmitForTranslation	Article Translation - Submit for Translation	boolean				
PermissionsSubmitMacrosAllowed	Manage Macros Users Can't Undo	boolean				
PermissionsSubscrMgmtAmendDecreaseUser	Decrease Subscription Quantity	boolean				
PermissionsSubscrMgmtAmendIncreaseUser	Increase Subscription Quantity	boolean				
PermissionsSubscrMgmtCancelUser	Cancel Subscriptions	boolean				
PermissionsSubscrMgmtOrderItemToAssetUser	Create Assets from Order Items	boolean				
PermissionsSubscrMgmtOrderToAssetUser	Create Assets from Orders	boolean				
PermissionsSubscrMgmtPymtSchedAutomation	Automate Payment Scheduling	boolean				
PermissionsSubscrMgmtRefundAutomation	Automate Refunds	boolean				
PermissionsSubscrMgmtRenewalUser	Renew Subscriptions	boolean				
PermissionsSubscribeDashboardRolesGrps	Subscribe to Dashboards: Send to Groups and Roles	boolean				
PermissionsSubscribeDashboardToOtherUsers	Subscribe to Dashboards: Add Recipients	boolean				
PermissionsSubscribeReportRolesGrps	Subscribe to Reports: Send to Groups and Roles	boolean				
PermissionsSubscribeReportToOtherUsers	Subscribe to Reports: Add Recipients	boolean				
PermissionsSubscribeReportsRunAsUser	Subscribe to Reports: Set Running User	boolean				
PermissionsSubscribeToLightningDashboards	Subscribe to Dashboards	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsSubscribeToLightningReports	Subscribe to Reports	boolean				
PermissionsSubscriptionManagementUser	Allow access to Subscription Management	boolean				
PermissionsTerritoryOperations	Administer territory operations	boolean				
PermissionsTraceXdsQueries	Access Tracer for External Data Sources	boolean				
PermissionsTransactionSecurityExempt	Exempt from Transaction Security	boolean				
PermissionsTransactionalEmailSend	Send Non-Commercial Email	boolean				
PermissionsTransferAnyCase	Transfer Cases	boolean				
PermissionsTransferAnyEntity	Transfer Record	boolean				
PermissionsTransferAnyLead	Transfer Leads	boolean				
PermissionsTriggerDataGovAutoTagging	Enable Data Governance Suggest Tags	boolean				
PermissionsTwoFactorApi	Multi-Factor Authentication for API Logins	boolean				
PermissionsUnifiedHealthScoringUser	View and assign scores for accounts, contacts, and leads using the Unified Health Scoring feature.	boolean				
PermissionsUpdateReportTypeReferences	Update Report Type References in Semantic Search	boolean				
PermissionsUseAddOrderItemSummary	Add additional items to an order summary.	boolean				
PermissionsUseAddOrderItemSummaryAPIs	Use Order Management Add Order Item Summary APIs	boolean				
PermissionsUseAdvancedDeliveryEstimationAPI	Use Advanced Delivery Estimation Service APIs	boolean				
PermissionsUseAssistantDialog	Instant Actionable Results	boolean				
PermissionsUseCanCancelInProgressChange	Can cancel Order Management in-progress async calls.	boolean				
PermissionsUseCompliantDataSharing	Use Compliant Data Sharing	boolean				
PermissionsUseCreateCreditMemo	Create credit memos.	boolean				
PermissionsUseCreateOrderSummary	Create order summaries by using APIs.	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsUseCriteriaBasedSearchFilter	Use Criteria-Based Search and Filter	boolean				
PermissionsUseDeliveryEstimation	Use Delivery Estimation Service	boolean				
PermissionsUseDeliveryEstimationAPIs	Use Delivery Estimation Service APIs	boolean				
PermissionsUseEnsureFunds	Execute ensure funds.	boolean				
PermissionsUseExpCloudCBSF	Use Criteria-Based Search and Filter for Experience Cloud	boolean				
PermissionsUseFulfillmentAPIs	Use Order Management Fulfillment APIs	boolean				
PermissionsUseInboxSchedulingOnBehalfOf	Inbox Scheduling Proxy User	boolean				
PermissionsUseMySearch	Einstein Search	boolean				
PermissionsUseOMAnalytics	Use Order Management Analytics	boolean				
PermissionsUseOmnichannelInventoryAPIs	Use Omnichannel Inventory APIs	boolean				
PermissionsUseOrderEntry	Use Order Entry	boolean				
PermissionsUseOrderItemSummaryCancel	Cancel order item summaries.	boolean				
PermissionsUseOrderItemSummaryReturn	Execute blind returns.	boolean				
PermissionsUsePaymentCreditAPIs	Use Order Management Payment Credit APIs	boolean				
PermissionsUseQuerySuggestions	Natural Language Search	boolean				
PermissionsUseRegisterGuestBuyerAPI	Use Register Guest Buyer API	boolean				
PermissionsUseRepricing	Use Repricing Objects and APIs	boolean				
PermissionsUseReturnOrder	Use Order Management Return Order	boolean				
PermissionsUseReturnOrderAPIs	Use Order Management Return APIs	boolean				
PermissionsUseRouting	Access the Fulfillment Order routing APIs.	boolean				
PermissionsUseServicePartReturn	Manufacturing Cloud Service Part Return Management User	boolean				
PermissionsUseSmartDataDiscovery	Use Einstein Discovery	boolean				
PermissionsUseSubscriptionEmails	Subscribe to CRM Analytics Assets	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsUseTeamReassignWizards	Use Team Reassignment Wizards	boolean				
PermissionsUseTeamsForItSrvcs	Manage ITSM Teams	boolean				
PermissionsUseTemplatedApp	Use CRM Analytics Templated Apps	boolean				
PermissionsUseWebLink	Allow Access to Customized Actions	boolean				
PermissionsUserCanAccessNLPResult	View Natural Language Process Results	boolean				
PermissionsUserCanDeployStore	Users can perform the deployment operation on a store.	boolean				
PermissionsUserCanPerformNLPOperation	Manage Natural Language Process Results	boolean				
PermissionsUserHasBillingAccount	Access EU User Billing Account	boolean				
PermissionsUserHasEAndUProgramAccess	EU User Program Access	boolean				
PermissionsUserHasEUCore	Access EU Objects	boolean				
PermissionsUserHasUsageImpactAccess	EU User Impact Access	boolean				
PermissionsUserHasWorkReportAccess	Manage User Work Report	boolean				
PermissionsVideoConferenceMeetUser	Use Video Conferencing with Google Meet	boolean				
PermissionsVideoConferenceTeamsUser	Use Video Conferencing with Teams	boolean				
PermissionsVideoConferenceZoomUser	Use Video Conferencing with Zoom	boolean				
PermissionsViewAccessPolicies	View Access Policies	boolean				
PermissionsViewAgtfrceAnlytDshbrd	View Agentforce Analytics Dashboard	boolean				
PermissionsViewAllActivities	View All Activities	boolean				
PermissionsViewAllCalls	View All Voice And Video Calls	boolean				
PermissionsViewAllCustomSettings	View All Custom Settings	boolean				
PermissionsViewAllData	View All Data	boolean				
PermissionsViewAllDataGovPolicies	View All Data Governance Policies	boolean				
PermissionsViewAllDataGovTags	View All Data Governance Tags, Classifications, and Taxonomies	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsViewAllFieldsGlobal	View All Fields (Global)	boolean				
PermissionsViewAllForecasts	View All Forecasts	boolean				
PermissionsViewAllForeignKeyNames	View All Lookup Record Names	boolean				
PermissionsViewAllNonSetupFlows	View All Non-Admin Flows	boolean				
PermissionsViewAllPolicyCenterPolicies	View All Policy Center Policies	boolean				
PermissionsViewAllProfiles	View All Profiles	boolean				
PermissionsViewAllUsers	View All Users	boolean				
PermissionsViewAnomalyEvents	View Threat Detection Events	boolean				
PermissionsViewArchivedArticles	View Archived Articles	boolean				
PermissionsViewCaseAnlytDshbrd	View Case Analytics Dashboard	boolean				
PermissionsViewChangeRequestAnlytDshbrd	View Change Request Analytics Dashboard	boolean				
PermissionsViewChangeRequestDshbrd	View Change Request Dashboard	boolean				
PermissionsViewClientSecret	View External Client App Consumer Secrets in Metadata	boolean				
PermissionsViewConsumption	View Consumption	boolean				
PermissionsViewContent	View Content in Portals	boolean				
PermissionsViewContentTaxonomy	View Content Taxonomy	boolean				
PermissionsViewCustomerSentiment	View Customer Insights	boolean				
PermissionsViewDataAssessment	Access to view Data Assessment	boolean				
PermissionsViewDataCategories	View Data Categories in Setup	boolean				
PermissionsViewDataGovTab	View the Data Governance Tab	boolean				
PermissionsViewDataLeakageEvents	View Real-Time Event Monitoring Data	boolean				
PermissionsViewDeveloperName	View Developer Name	boolean				
PermissionsViewDraftArticles	View Draft Articles	boolean				
PermissionsViewEmailMessagingSetup	View Email Messaging Setup	boolean				
PermissionsViewEncryptedData	View Encrypted Data	boolean				
PermissionsViewEventLogFiles	View Event Log Files	boolean				
PermissionsViewForecastingPredictive	Use Einstein Forecasting	boolean				
PermissionsViewGlobalHeader	View Global Header	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsViewHealthCheck	View Health Check	boolean				
PermissionsViewHelpLink	View Help Link	boolean				
PermissionsViewIncidentAnlytDshbrd	View Incident Analytics Dashboard	boolean				
PermissionsViewIncidentFulfrDshbrd	View Incident Fulfiller Dashboard	boolean				
PermissionsViewIncidentMgrDshbrd	View Incident Manager Dashboard	boolean				
PermissionsViewIntelligenceApp	View Commerce Intelligence App	boolean				
PermissionsViewItLeaderAnlytDshbrd	View IT Leader Analytics Dashboard	boolean				
PermissionsViewItsmConsoleAsFulfr	View ITSM Console App as Fulfillers	boolean				
PermissionsViewItsmConsoleHmpg	View ITSM Console App Home Page	boolean				
PermissionsViewKnwlgAnlytDshbrd	View Knowledge Analytics Dashboard	boolean				
PermissionsViewMLModels	Allow users to view MLModels and related Entities	boolean				
PermissionsViewMyTeamsDashboards	View My Team's Dashboards	boolean				
PermissionsViewNonSetupFlow	View Flows	boolean				
PermissionsViewOmnichnlAnlytDshbrd	View Omnichannel Analytics Dashboard	boolean				
PermissionsViewOnlyEmbeddedAppUser	Access to View-Only Licensed Templates and Apps	boolean				
PermissionsViewOrchestrationsInAutomApp	View Orchestrations in Automation App	boolean				
PermissionsViewPayments	Use Payments or Access Payments	boolean				
PermissionsViewPlatformEvents	View Login Forensics Events	boolean				
PermissionsViewPrivateStaticResources	View Private Static Resources	boolean				
PermissionsViewProblemFulfrDshbrd	View Problem Fulfiller Dashboard	boolean				
PermissionsViewProblemMgrDshbrd	View Problem Manager Dashboard	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsViewProductCatalogObjects	View Product Catalog	boolean				
PermissionsViewPublicDashboards	View Dashboards in Public Folders	boolean				
PermissionsViewPublicReports	View Reports in Public Folders	boolean				
PermissionsViewRecommendations	View Recommendations	boolean				
PermissionsViewRelAssoc	View Release Associations	boolean				
PermissionsViewReleaseDshbrd	View Release Dashboard	boolean				
PermissionsViewRestrictionAndScopingRules	View Restriction and Scoping Rules	boolean				
PermissionsViewRoles	View Roles and Role Hierarchy	boolean				
PermissionsViewSALifecycle	View Service Appointment Lifecycle	boolean				
PermissionsViewSecurityCommandCenter	View Security Center pages	boolean				
PermissionsViewSetup	View Setup and Configuration	boolean				
PermissionsViewShieldApp	View Shield App Pages	boolean				
PermissionsViewTrustMeasures	View Trust Measures	boolean				
PermissionsViewUserPII	View Concealed Field Data	boolean				
PermissionsVoiceCoach	Access Dialer Monitoring	boolean				
PermissionsVoiceInbound	Access Dialer Inbound Calls	boolean				
PermissionsVoiceMinutes	Access Dialer Minutes	boolean				
PermissionsVoiceOutbound	Access Dialer Outbound Calls	boolean				
PermissionsVoidInvoiceAPIUser	Void Invoice API	boolean				
PermissionsWaveCommunityUser	View CRM Analytics on Experience Cloud site pages.	boolean				
PermissionsWaveManagePrivateAssetsUser	Manage CRM Analytics Private Assets	boolean				
PermissionsWaveTabularDownload	Download CRM Analytics Data	boolean				
PermissionsWaveTrendReports	Trend Report Data in CRM Analytics	boolean				
PermissionsWorkCalibrationUser	Enable WDC Calibration	boolean				
PermissionsWorkDotComUserPerm	Enable WDC	boolean				
PermissionsYourAccountCAPublishEvents	Your Account Cache Durable Architecture Publish Events	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
UserLicenseId	User License ID	reference		18		
UserType	User Type	picklist		40		

PROFILESKILL

Represents a profile skill, which describes a user's professional knowledge. This is a global record for the organization, and users are associated through the ProfileSkillUser object.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProfileSkill in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Skill Description	textarea		4000		
Id	Skill ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Skill Name	string		99		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UserCount	People With Skill	int	9			

PROFILESKILLENDORSEMENT

Represents a detail relationship of ProfileSkillUser. An endorsement of a profile skill shows approval and support of another user's publicly declared skill.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProfileSkillEndorsement in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Added Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Endorsement ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Endorsement Name	string		255		
ProfileSkillUserId	Skill User ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

PROFILESKILLENDORSEMENTFEED

Feed tracking for ProfileSkillEndorsement.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PROFILESKILLENDORSEMENTHISTORY

History for tracked fields of ProfileSkillEndorsement.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Endorsement History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProfileSkillEndorsementId	Endorsement ID	reference		18		

PROFILESKILLFEED

Feed tracking for ProfileSkill.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PROFILESKILLHISTORY

History for tracked fields of ProfileSkill.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Skill History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`ProfileSkillId`	Skill ID	reference		18		

PROFILESKILLSHARE

Represents a sharing entry on a ProfileSkill.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProfileSkillShare in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PROFILESKILLUSER

Represents a detail relationship of User. The object connects profile skills with users.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProfileSkillUser in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Added Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndorsementCount	Endorsements	int	9			
Id	Skill User ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Skill User Name	string		255		
ProfileSkillId	Skill ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

PROFILESKILLUSERFEED

Feed tracking for ProfileSkillUser.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PROFILESKILLUSERHISTORY

History for tracked fields of ProfileSkillUser.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Skill User History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProfileSkillUserId	Skill User ID	reference		18		

PROGRAM

Represents information about the enrollment and disbursement of benefits in a program.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Program in the *Education Cloud Developer Guide*, *Energy and Utilities Cloud Developer Guide*, *Net Zero Cloud Developer Guide*, *Program Management Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActiveEnrolleeCount	Active Enrollee Count	double			18	0
AdditionalContext	Additional Context	textarea		5000		
ApplicationFormTemplateId	Application Form Template ID	reference		18		
BusinessSector	Business Sector	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
CurrentMonthDisbCount	Current Month Disbursed Count	double			8	2
CurrentYearDisbCount	Current Year Disbursed Count	double			8	2
DefaultImageComment	Default Image Comment	string		255		
DefaultImageUrl	Default Image Url	url		1000		
EffectiveYear	Effective Year	string		4		
EndDate	End Date	date				
Id	Program ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsRegulatoryProgram	Regulatory Program	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentProgramId	Program ID	reference		18		
PreviousMonthDisbCount	Previous Month Disbursed Count	double			8	2
PreviousYearDisbCount	Previous Year Disbursed Count	double			8	2
ProgramDeliveryType	Program Delivery Type	picklist		40		
ProgramManagerId	User ID	reference		18		
ProgramType	Program Type	picklist		40		
RegulatoryProgramName	Regulatory Program Name	string		255		
ShortForm	Short Form	string		255		
Stakeholder	Stakeholder	picklist		40		
StartDate	Start Date	date				
Status	Status	picklist		40		
Summary	Summary	string		100		
SystemModstamp	System Modstamp	datetime				
TotalEnrolleeCount	Total Enrollee Count	double			18	0
UsageType	Usage Type	picklist		255		

PROGRAMAPPLNFORMTEMPLATE

Represents an application form template used to enroll in a program. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProgramApplnFormTemplate in the *Energy and Utilities Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationFormTemplateId	Application Form Template ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Program Application Form Template ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProgramId	Program ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PROGRAMAPPLNFORMTEMPLATEFEED

Feed tracking for ProgramAppInFormTemplate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROGRAMAPPLNFORMTEMPLATEHISTORY

History for tracked fields of ProgramApplnFormTemplate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Program Application Form Template History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProgramApplnFormTemplateId	Program Application Form Template ID	reference		18		

PROGRAMAPPLNFORMTEMPLATESHARE

Sharing for ProgramAppInFormTemplate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PROGRAMCOHORTFEED

Feed tracking for ProgramCohort.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PROGRAMCOHORTHISTORY

History for tracked fields of ProgramCohort.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Program Cohort History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProgramCohortId	Program Cohort ID	reference		18		

PROGRAMCOHORTMEMBERFEED

Feed tracking for ProgramCohortMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PROGRAMCOHORTMEMBERHISTORY

History for tracked fields of ProgramCohortMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Program Cohort Member History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProgramCohortMemberId	Program Cohort Member ID	reference		18		

PROGRAMCOHORTMEMBERSHARE

Sharing for ProgramCohortMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PROGRAMENROLLMENT

Represents details of enrollment for benefits in a program. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProgramEnrollment in the *Energy and Utilities Cloud Developer Guide*, *Life Sciences Cloud Developer Guide*, *Net Zero Cloud Developer Guide*, *Program Management Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ApplicationDate	Application Date	date				
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
CurrentMonthDisbCount	Current Month Disbursed Count	double			8	2
CurrentYearDisbCount	Current Year Disbursed Count	double			8	2
EndDate	End Date	date				
EnrolleeRole	Enrollee Role	picklist		255		
Id	Program Enrollment ID	id		18		
IndividualApplicationId	Individual Application ID	reference		18		
IsActive	Is Active	boolean				
IsAnonymous	Is Anonymous	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PreviousMonthDisbCount	Previous Month Disbursed Count	double			8	2
PreviousYearDisbCount	Previous Year Disbursed Count	double			8	2
ProgramId	Program ID	reference		18		
StartDate	Start Date	date				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

PROGRAMENROLLMENTFEED

Feed tracking for ProgramEnrollment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROGRAMENROLLMENTHISTORY

History for tracked fields of ProgramEnrollment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Program Enrollment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProgramEnrollmentId	Program Enrollment ID	reference		18		

PROGRAMENROLLMENTSHARE

Sharing for ProgramEnrollment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PROGRAMFEED

Feed tracking for Program.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROGRAMHISTORY

History for tracked fields of Program.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Program History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProgramId	Program ID	reference		18		

PROGRAMPRODUCT

Represents a junction between Program and Product2. This will hold Product2 values related to a Program. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProgramProduct in the *Energy and Utilities Cloud Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Program Product ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProductId	Product ID	reference		18		
ProgramId	Program ID	reference		18		
RequiredDocuments	Required Documents	multipicklist		4099	0	
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

PROGRAMPRODUCTFEED

Feed tracking for ProgramProduct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROGRAMPRODUCTHISTORY

History for tracked fields of ProgramProduct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Program Product History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProgramProductId	Program Product ID	reference		18		

PROGRAMPRODUCTSHARE

Sharing for ProgramProduct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PROGRAMREBATETYPPAYOUTSRC

The rebate amount and the tier applied calculated for each row in the aggregate. There is a 1 to 1 relation between payout source and aggregate.

For more information, see ProgramRebateTypPayoutSrc in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccrualRate	Accrual Rate	double			18	2
AccruedAmount	Accrued Amount	currency			18	2
AggregateIdentifierId	Aggregate Source ID	reference		18		
BenefitQualifierValue	Benefit Qualifier Value	double			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Program Rebate Type Payout Source ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MeasureValue	Measure Value	double			18	2
MemberId	Rebate Program Member ID	reference		18		
Name	Name	string		255		
ProgramRebateTypeBenefitId	Rebate Type Benefit ID	reference		18		
ProgramRebateTypePayoutId	Program Rebate Type Payout ID	reference		18		
RebateAmount	Rebate Amount	currency			18	2
SystemModstamp	System Modstamp	datetime				

PROGRAMREBATETYPPAYOUTSRCFEED

Feed tracking for ProgramRebateTypPayoutSrc.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PROGRAMREBATETYPPAYOUTSRCHISTORY

History for tracked fields of ProgramRebateTypPayoutSrc.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Program Rebate Type Payout SourceHistory ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProgramRebateTypPayoutSrcId	Program Rebate Type Payout Source ID	reference		18		

PROGRAMREBATETYPE

Provide the rebate types that are part of this program. For example, volume rebate, revenue rebate, or rebate on every transaction.

For more information, see ProgramRebateType in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccrualRate	Accrual Rate	double			18	2
AggregateObjectName	Custom Object Definition ID	picklist		255		
BenefitQualifierField	Custom Field Definition ID	picklist		255		
CalcObjectId	Batch Calculation Job Definition ID	reference		18		
CalculationBasis	Calculation Basis	picklist		255		
CalculationMethod	Calculation Method	picklist		255		
CalculationType	Calculation Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FilterAction	Filter Action	picklist		255		
FilterCriteria	Filter Criteria	textarea		4000		
FilterLogic	Filter Logic	string		255		
Id	Program Rebate Type ID	id		18		
IsDeleted	Deleted	boolean				
IsIntegratable	Integratable	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MeasureField	Custom Field Definition ID	picklist		255		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ProductFilterType	Product Filter Type	picklist		255		
RebateMeasureType	Measure Type	picklist		255		
RebateProgramId	Rebate Program ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
UnitOfMeasureId	Unit of Measure ID	reference		18		

PROGRAMREBATETYPEBENEFIT

Defines the benefit matrix for the rebate type. For example, 5% or $200.

For more information, see ProgramRebateTypeBenefit in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenefitValue	Applied Benefit	double			18	4
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveEndDate	Effective End Date	date				
EffectiveStartDate	Effective Start Date	date				
Id	Rebate Type Benefit ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaximumMeasureFieldValue	Maximum Measure Field Value	double			18	2
MaximumQualifyingValue	Maximum Range Value	double			18	2
MinimumQualifyingValue	Minimum Range Value	double			18	2
Name	Name	string		255		
ProductId	Product ID	reference		18		
ProgramRebateTypeId	Program Rebate Type ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

PROGRAMREBATETYPEBENEFITFEED

Feed tracking for ProgramRebateTypeBenefit.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PROGRAMREBATETYPEBENEFITHISTORY

History for tracked fields of ProgramRebateTypeBenefit.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Program Rebate Type BenefitHistory ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProgramRebateTypeBenefitId	Rebate Type Benefit ID	reference		18		

PROGRAMREBATETYPEFEED

Feed tracking for ProgramRebateType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PROGRAMREBATETYPEFILTER

The definition that filters the transaction journals eligible for a rebate type. This filter definition is used in the rebates data processing engines.

For more information, see ProgramRebateTypeFilter in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`FilterField`	Custom Field Definition ID	picklist		255		
`Id`	Program Rebate Type Filter ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`Operator`	Operator	picklist		255		
`ProgramRebateTypeId`	Program Rebate Type ID	reference		18		
`Sequence`	Sequence	int	9			
`SystemModstamp`	System Modstamp	datetime				
`Value`	Value	string		255		

PROGRAMREBATETYPEFILTERFEED

Feed tracking for ProgramRebateTypeFilter.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PROGRAMREBATETYPEFILTERHISTORY

History for tracked fields of ProgramRebateTypeFilter.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Program Rebate Type FilterHistory ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProgramRebateTypeFilterId	Program Rebate Type Filter ID	reference		18		

PROGRAMREBATETYPEHISTORY

History for tracked fields of ProgramRebateType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Program Rebate TypeHistory ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProgramRebateTypeId	Program Rebate Type ID	reference		18		

PROGRAMREBATETYPEPAYOUT

The payout given to a member for a particular rebate type. For example, volume rebate payout in Jan'19 for ABC enterprises is $560, petrol engine payout for ABC in Jan'19 is $440.

For more information, see ProgramRebateTypePayout in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccruedAmount	Accrued Amount	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Program Rebate Type Payout ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ProgramRebateTypeId	Program Rebate Type ID	reference		18		
RebateAmount	Rebate Amount	currency			18	2
RebateProgramMemberPayoutId	Rebate Program Member Payout ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalBenefitQualifierValue	Total Benefit Qualifier Value	double			18	2
TotalMeasureValue	Total Measure Value	double			18	2

PROGRAMREBATETYPEPAYOUTFEED

Feed tracking for ProgramRebateTypePayout.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PROGRAMREBATETYPEPAYOUTHISTORY

History for tracked fields of ProgramRebateTypePayout.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Program Rebate Type PayoutHistory ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProgramRebateTypePayoutId	Program Rebate Type Payout ID	reference		18		

PROGRAMREBATETYPEPRODUCT

Represents a junction between a program rebate type and a product.

For more information, see ProgramRebateTypeProduct in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Program Rebate Type Product ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`ProductId`	Product ID	reference		18		
`ProgramRebateTypeId`	Program Rebate Type ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

PROGRAMREBATETYPEPRODUCTFEED

Feed tracking for ProgramRebateTypeProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PROGRAMREBATETYPEPRODUCTHISTORY

History for tracked fields of ProgramRebateTypeProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Program Rebate Type ProductHistory ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProgramRebateTypeProductId	Program Rebate Type Product ID	reference		18		

PROGRAMREBATETYPEREFERENCE

Represents the association between the contract, opportunity, or any eligible standard or custom object, and rebate type.

For more information, see ProgramRebateTypeReference in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Program Rebate Type Reference ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`OwnerId`	Owner ID	reference		18		
`ProgramRebateTypeId`	Program Rebate Type ID	reference		18		
`ProgramRebateTypeSrcId`	Program Rebate Type ID	reference		18		
`ReferenceObjectId`	Reference Object ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

PROGRAMREBATETYPEREFERENCEFEED

Feed tracking for ProgramRebateTypeReference.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PROGRAMREBATETYPEREFERENCEHISTORY

History for tracked fields of ProgramRebateTypeReference.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Program Rebate Type ReferenceHistory ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProgramRebateTypeReferenceId	Program Rebate Type Reference ID	reference		18		

PROGRAMREBATETYPEREFERENCESHARE

Sharing for ProgramRebateTypeReference.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PROGRAMREBATETYPESHARE

Sharing for ProgramRebateType.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PROGRAMSHARE

Sharing for Program.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PROMOTION

Represents a promotion for B2B or D2C stores. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Promotion in the *Consumer Goods Cloud Developer Guide*, *Loyalty Management Developer Guide*, *Object Reference for the Salesforce Platform*, and *Referral Marketing Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
DisplayName	Display Name	string		255		
EndDateTime	End Datetime	datetime				
ExclusivityType	Exclusivity Type	picklist		255		
Id	Promotion ID	id		18		
IsActive	Active	boolean				
IsAutomatic	Automatic	boolean				
IsCommercePromotion	Commerce Promotion	boolean				
IsDeleted	Deleted	boolean				
IsQualCriteriaNotRequiredPerApplication	Qualifying Criteria Not Required Per Application	boolean				
IsTiered	Tiered Promotion	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaximumUsageCount	Maximum Applications Per Cart	int	9			
Name	Name	string		255		
Objective	Objective	textarea		1000		
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PriorityNumber	Priority Number	int	9			
QualifierCriteria	Qualifier Criteria	picklist		255		
StartDateTime	Start Datetime	datetime				
SystemModstamp	System Modstamp	datetime				
TermsAndConditions	Terms and Conditions	textarea		4000		

PROMOTIONFEED

Feed tracking for Promotion.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROMOTIONHISTORY

History for tracked fields of Promotion.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Promotion History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PromotionId	Promotion ID	reference		18		

PROMOTIONLINEITEMRULE

Lists compound conditions about a promotion. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PromotionLineItemRule in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssociatedReferenceId	Associated Reference ID	reference		18		
AssociatedType	Associated Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Promotion Line Item Rule ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Promotion Line Item Rule Name	string		255		
OperatorType	Operator Type	picklist		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		
TypeReferenceId	Type Reference ID	reference		18		
TypeValue	Type Value	string		255		

PROMOTIONLINEITEMRULESHARE

Sharing for PromotionLineItemRule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PROMOTIONLOYALTYPTNRPRODT

Represents a relationship between a promotion and a loyalty partner product. It indicates the products or product categories that are applied to a particular promotion.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PromotionLoyaltyPtnrProdt in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Promotion Loyalty Partner Product ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyPartnerId	Loyalty Program Partner ID	reference		18		
LoyaltyPartnerProductId	Loyalty Partner Product ID	reference		18		
LoyaltyProductId	Product ID	reference		18		
Name	Name	string		255		
ProductCategoryId	Category ID	reference		18		
PromotionId	Promotion ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PROMOTIONLOYALTYPTNRPRODTFEED

Feed tracking for PromotionLoyaltyPtnrProdt.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROMOTIONLOYALTYPTNRPRODTHISTORY

History for tracked fields of PromotionLoyaltyPtnrProdt.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Promotion Loyalty Partner Product History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PromotionLoyaltyPtnrProdtId	Promotion Loyalty Partner Product ID	reference		18		

PROMOTIONMARKETSEGMENT

Represents a market segment within B2B Commerce that promotions can be assigned to. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PromotionMarketSegment in the *Loyalty Management Developer Guide*, *Object Reference for the Salesforce Platform*, and *Referral Marketing Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Promotion Market Segment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
PromotionId	Promotion ID	reference		18		
PromotionSegmentId	Promotion Segment ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PROMOTIONMARKETSEGMENTFEED

Feed tracking for PromotionMarketSegment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROMOTIONMARKETSEGMENTHISTORY

History for tracked fields of PromotionMarketSegment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Promotion Market Segment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PromotionMarketSegmentId	Promotion Market Segment ID	reference		18		

PROMOTIONQUALIFIER

Represents the product, product category, or order that you want to target with your promotion qualifier in a B2B or D2C store. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PromotionQualifier in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApproachingDiscountThreshold	Approaching Discount Threshold	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Promotion Qualifier ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MinimumAmount	Minimum Amount	currency			18	2
MinimumQuantity	Minimum Quantity	double			18	4
Name	Promotion Qualifier Name	string		255		
PromotionId	Promotion ID	reference		18		
PromotionTierId	Promotion Tier ID	reference		18		
QualifierId	Qualifier ID	reference		18		
QualifierOperator	Qualifier Operator	picklist		255		
QualifierProductCategoryName	Qualifier Category Name	string		200		
QualifierProductName	Qualifier Product Name	string		255		
QualifierProductSku	Qualifier Product SKU	string		180		
QualifierRuleCriteriaType	Qualifier Rule Criteria Type	picklist		255		
QualifierType	Qualifier Type	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

PROMOTIONQUALIFIERFEED

Feed tracking for PromotionQualifier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROMOTIONQUALIFIERHISTORY

History for tracked fields of PromotionQualifier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Promotion Qualifier History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`PromotionQualifierId`	Promotion Qualifier ID	reference		18		

PROMOTIONRULETEMPLATE

Represents the configuration of a promotion rule template.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PromotionRuleTemplate in the *Loyalty Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ApiName`	API Name	string		255		
`Category`	Category	string		255		
`Description`	Description	textarea		1000		
`ExternalId`	External ID	string		255		
`IconUrl`	Icon URL	url		255		
`Id`	Promotion Rule Template ID	id		18		
`JournalTypeId`	Journal Type ID	reference		18		
`Label`	Label	string		255		
`RuleConfiguration`	Rule Configuration	textarea		131072		
`RuleRewardConfiguration`	Rule Reward Configuration	textarea		131072		

PROMOTIONSEGMENT

Represents a promotion segment, which you can assign to different stores or buyer groups, allowing them to access the promotion. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PromotionSegment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Promotion Segment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Promotion Segment Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PROMOTIONSEGMENTBUYERGROUP

Represents a promotion segment, associated with a buyer group, and used for B2B Commerce. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PromotionSegmentBuyerGroup in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BuyerGroupId	Buyer Group ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Promotion Segment Buyer Group ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Promotion Segment Buyer Group Name	string		255		
PromotionSegmentId	Promotion Segment ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PROMOTIONSEGMENTBUYERGROUPFEED

Feed tracking for PromotionSegmentBuyerGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROMOTIONSEGMENTBUYERGROUPHISTORY

History for tracked fields of PromotionSegmentBuyerGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Promotion Segment Buyer Group History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PromotionSegmentBuyerGroupId	Promotion Segment Buyer Group ID	reference		18		

PROMOTIONSEGMENTFEED

Feed tracking for PromotionSegment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROMOTIONSEGMENTHISTORY

History for tracked fields of PromotionSegment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Promotion Segment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PromotionSegmentId	Promotion Segment ID	reference		18		

PROMOTIONSEGMENTSALESSTORE

Represents a promotion segment, associated with a store, and used for B2B Commerce. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PromotionSegmentSalesStore in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Promotion Segment Sales Store ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Promotion Segment Sales Store Name	string		255		
PromotionSegmentId	Promotion Segment ID	reference		18		
SalesStoreId	Sales Store ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PROMOTIONSEGMENTSALESSTOREFEED

Feed tracking for PromotionSegmentSalesStore.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROMOTIONSEGMENTSALESSTOREHISTORY

History for tracked fields of PromotionSegmentSalesStore.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Promotion Segment Sales Store History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PromotionSegmentSalesStoreId	Promotion Segment Sales Store ID	reference		18		

PROMOTIONSEGMENTSHARE

Sharing for PromotionSegment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PROMOTIONSHARE

Sharing for Promotion.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PROMOTIONTARGET

Represents the product, product category, or order that you want to target with your promotion in a B2B Store or D2C store. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PromotionTarget in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentAmount	Adjustment Amount	currency			18	2
AdjustmentPercent	Adjustment Percent	percent			5	2
AdjustmentType	Adjustment Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Promotion Target ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Promotion Target Name	string		255		
PromotionId	Promotion ID	reference		18		
PromotionTierId	Promotion Tier ID	reference		18		
RestrictionQuantity	Quantity Limit	double			18	0
SystemModstamp	System Modstamp	datetime				
TargetId	Target ID	reference		18		
TargetOperator	Target Operator	picklist		255		
TargetProductCategoryName	Target Category Name	string		200		
TargetProductName	Target Product Name	string		255		
TargetProductSku	Target Product SKU	string		180		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TargetRuleCriteriaType	Target Rule Criteria Type	picklist		255		
TargetStandardShippingRateName	Target Standard Shipping Rate Name	string		180		
TargetType	Target Type	picklist		255		

PROMOTIONTARGETFEED

Feed tracking for PromotionTarget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROMOTIONTARGETHISTORY

History for tracked fields of PromotionTarget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Promotion Target History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PromotionTargetId	Promotion Target ID	reference		18		

PROMOTIONTIER

Represents a tier of a promotion that includes multiple tiers. A promotion can have up to 10 tiers. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PromotionTier in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Promotion Tier ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Promotion Tier Name	string		255		
PromotionId	Promotion ID	reference		18		
Rank	Rank	int	9			
SystemModstamp	System Modstamp	datetime				

PROMOTIONTIERFEED

Feed tracking for PromotionTier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROMOTIONTIERHISTORY

History for tracked fields of PromotionTier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Promotion Tier History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PromotionTierId	Promotion Tier ID	reference		18		

PROMPT

Represents record details about an in-app guidance prompt or walkthrough. Available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Prompt in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Name	string		80		
`Id`	Prompt ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Prompt Label	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`SystemModstamp`	System Modstamp	datetime				

PROMPTACTION

Represents how the user interacted with the in-app guidance prompt or walkthrough. Available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PromptAction in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Prompt Action ID	id		18		
IsDeleted	Deleted	boolean				
LastDisplayDate	Last Display Date	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastResult	Last Result	picklist		255		
LastResultDate	Last Result Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PromptVersionId	Prompt Version ID	reference		18		
SnoozeUntil	Snooze Until	datetime				
StepCount	Step Count	int	9			
StepNumber	Step Number	int	9			
SystemModstamp	System Modstamp	datetime				
TimesActionTaken	Times Action Taken	int	9			
TimesDismissed	Times Dismissed	int	9			
TimesDisplayed	Times Displayed	int	9			
TimesSnoozed	Times Snoozed	int	9			
UserId	User ID	reference		18		

PROMPTACTIONSHARE

Represents a sharing entry on a prompt action record. Available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PromptActionShare in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PROMPTERROR

Represents the error or warning associated with the PromptAction. Available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PromptError in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Prompt Error ID	id		18		
IsDeleted	Deleted	boolean				
IsError	Is Error	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PromptActionId	Prompt Action ID	reference		18		
StepNumber	Error Step Number	int	9			
SystemModstamp	System Modstamp	datetime				
Type	Error Type	picklist		255		

PROMPTERRORSHARE

Sharing for PromptError.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PROMPTLOCALIZATION

Represents the translated value of a label for record details about in-app guidance when the Translation Workbench is enabled for your org.

For more information, see PromptLocalization in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Translation ID	id		18		
`Language`	Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`NamespacePrefix`	Namespace Prefix	string		15		
`ParentId`	Parent ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`Value`	Translation Text	textarea		32000		

PROMPTVERSION

Represents an in-app guidance prompt or walkthrough. Available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PromptVersion in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionButtonLabel	Action Button Label	string		25		
ActionButtonLink	Action Button URL	url		1000		
Body	Body	textarea		4000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DelayDays	Days In Between Displays	int	9			
Description	Description	string		255		
DismissButtonLabel	Dismiss Button Label	string		15		
DisplayPosition	Position	picklist		255		
DisplayType	Type	picklist		255		
ElementRelativePosition	Element Relative Position	picklist		255		
EndDate	End Date	date				
Experience	Experience	picklist		255		
ExperienceContextId	ExperienceContext ID	reference		18		
Header	Header	string		36		
Id	Prompt Version ID	id		18		
ImageAltText	Image Alt Text	string		255		
ImageId	Asset File ID	reference		18		
ImageLink	Image URL	url		1000		
ImageLocation	Image Location	picklist		255		
IndexWithIsPublished	Index Formula Field With Is Published Data	string		400		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IndexWithoutIsPublished	Index Formula Field Without Is Published Data	string		400		
IsDeleted	Deleted	boolean				
IsPublished	Is Active	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		80		
ParentId	Prompt ID	reference		18		
PublishedByUserId	User ID	reference		18		
PublishedDate	Active Date	date				
ReferenceElementContext	Reference Element Context	textarea		50000		
ShouldDisplayActionButton	Display Action Button	boolean				
ShouldIgnoreGlobalDelay	Ignore Global Delay	boolean				
StartDate	Start Date	date				
StepNumber	Step Number	int	9			
SystemModstamp	System Modstamp	datetime				
TargetAppDeveloperName	Target Application Developer Name	string		80		
TargetAppNamespacePrefix	Target Application Namespace Prefix	string		15		
TargetPageKey1	Target Page Key 1	string		80		
TargetPageKey1Ref	Target Page Key 1 Reference	picklist		255		
TargetPageKey2	Target Page Key 2	string		80		
TargetPageKey3	Target Page Key 3	string		255		
TargetPageKey4	Target Page Key 4	string		255		
TargetPageType	Target Page Type	string		80		
TargetRecordTypeId	Record Type ID	reference		18		
ThemeColor	Theme Color	picklist		255		
ThemeSaturation	Theme Saturation	picklist		255		
TimesToDisplay	Number Of Times To Repeat	int	9			
Title	Title Label	string		36		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UserAccess	Access Permissions	picklist		255		
UserProfileAccess	Access Profiles	picklist		255		
VersionNumber	Version Number	int	9			
VideoLink	Video URL	url		1000		

PROMPTVERSIONLOCALIZATION

Represents the translated value of a label for-app guidance when the Translation Workbench is enabled for your org.

For more information, see PromptVersionLocalization in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Translation ID	id		18		
`Language`	Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`NamespacePrefix`	Namespace Prefix	string		15		
`ParentId`	Parent ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`Value`	Translation Text	textarea		32000		

PRORATIONPOLICY

Defines how the price of a subscription is divided into time periods and how the price is calculated for each time period. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProrationPolicy in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ArePartialPeriodsAllowed	Allow partial proration periods	boolean				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Proration Policy ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Proration Policy Name	string		255		
ProrationPolicyType	Proration Policy Type	picklist		255		
RemainderStrategy	Remainder Strategy	picklist		255		
SystemModstamp	System Modstamp	datetime				

PROVIDERNETWORKCONTRACT

Represents a provider and a network bound together by a contract.

For more information, see ProviderNetworkContract in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContractId	Contract ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDate	End Date	date				
HealthcarePayerNetworkId	Healthcare Payer Network ID	reference		18		
HealthcareProviderId	Healthcare Provider ID	reference		18		
Id	Provider Network Contract ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

PROVIDERNETWORKCONTRACTFEED

Feed tracking for ProviderNetworkContract.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROVIDERNETWORKCONTRACTHISTORY

History for tracked fields of ProviderNetworkContract.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Provider Network Contract History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProviderNetworkContractId	Provider Network Contract ID	reference		18		

PROVIDERNETWORKTIER

Represents unique tiers for each provider network.

For more information, see ProviderNetworkTier in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Provider Network Tier ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ProviderNetworkId	Healthcare Payer Network ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PROVIDERNETWORKTIERFEED

Feed tracking for ProviderNetworkTier.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PROVIDERNETWORKTIERHISTORY

History for tracked fields of ProviderNetworkTier.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Provider Network Tier History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProviderNetworkTierId	Provider Network Tier ID	reference		18		

PROVIDERSEARCHSYNCLOG

Represents a log with information about the provider search data sync status of a healthcare provider record. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ProviderSearchSyncLog in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FacilityId	Account ID	reference		18		
Id	Provider Search Sync Log ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastSync	Last Sync	datetime				
LastViewedDate	Last Viewed Date	datetime				
Message	Message	string		255		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProviderId	Healthcare Provider ID	reference		18		
ProviderName	Provider Name	string		255		
SyncStatus	Sync Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

PROVIDERSEARCHSYNCLOGFEED

Feed tracking for ProviderSearchSyncLog.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PROVIDERSEARCHSYNCLOGHISTORY

History for tracked fields of ProviderSearchSyncLog.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Provider Search Sync Log History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ProviderSearchSyncLogId	Provider Search Sync Log ID	reference		18		

PROVIDERSEARCHSYNCLOGSHARE

Sharing for ProviderSearchSyncLog.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PTYCRPRFLFINCLACCTACTVTYFEED

Feed tracking for PtyCrPrflFinclAcctActvty.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PTYCRPRFLFINCLACCTACTVTYHISTORY

History for tracked fields of PtyCrPrflFinclAcctActvty.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Party Credit Profile Financial Account Activity History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`PtyCrPrflFinclAcctActvtyId`	Party Credit Profile Financial Account Activity ID	reference		18		

PUBLICAPPLICATIONPARTICIPANT

Represents a junction between an individual application or business license application, and an account or a contact. This object stores the details of the participants associated with an application. This participant could be the applicant, co-applicant, a household, or even a business account that is added to an application. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PublicApplicationParticipant in the *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationId	Application ID	reference		18		
BenefitEligibilityStatus	Benefit Eligibility Status	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Public Application Participant ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParticipantId	Participant ID	reference		18		
RelationshipType	Relationship Type	picklist		40		
Role	Role	picklist		40		
SystemModstamp	System Modstamp	datetime				

PUBLICAPPLICATIONPARTICIPANTFEED

Feed tracking for PublicApplicationParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PUBLICAPPLICATIONPARTICIPANTHISTORY

History for tracked fields of PublicApplicationParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Public Application Participant History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PublicApplicationParticipantId	Public Application Participant ID	reference		18		

PUBLICCOMPLAINT

Represents the complaints submitted by public users. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PublicComplaint in the *Case Management Guide*, *Emergency Response Management Object Reference*, *Object Reference for the Salesforce Platform*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
BusinessAddress	Business Address	textarea		1000		
BusinessName	Business Name	string		255		
CauseSubtype	Cause Subtype	picklist		40		
CauseType	Cause Type	picklist		40		
Comments	Comments	textarea		65000		
CompensationAmount	Compensation Amount	currency			18	0
ComplaintCaseId	Case ID	reference		18		
ComplaintCaseStatus	Complaint Case Status	picklist		40		
ComplaintSubType	Subtype	picklist		40		
ComplaintType	Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		20000		
Email	Email ID	email		80		
EscalationCause	Escalation Cause	picklist		40		
FirstName	First Name	string		255		
Id	Public Complaint ID	id		18		
IncidentDate	Incident Date	date				
IsComplainantAuthorized	Is Complainant Authorized	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsDeleted	Deleted	boolean				
IsReporterConfidential	Is Reporter Confidential	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastName	Last Name	string		255		
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MobileNumber	Mobile Number	phone		40		
Name	Complaint ID	string		255		
OwnerId	Owner ID	reference		18		
Priority	Priority	picklist		40		
ProductType	Product Type	picklist		40		
ReceivedDate	Received Date	date				
ReporterAddress	Reporter Address	textarea		1000		
ReporterCategory	Reporter Category	picklist		40		
ReporterOrganization	Reporter Organization	string		255		
ShouldInclInRegulatoryRpt	Include In Regulatory Report	boolean				
SourceType	Source Type	picklist		40		
Status	Status	picklist		40		
Subject	Subject	string		255		
SystemModstamp	System Modstamp	datetime				

PUBLICCOMPLAINTFEED

Feed tracking for PublicComplaint.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

PUBLICCOMPLAINTHISTORY

History for tracked fields of PublicComplaint.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Public Complaint History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PublicComplaintId	Public Complaint ID	reference		18		

PUBLICCOMPLAINTSHARE

Sharing for PublicComplaint.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PURCHASEQUANTITYRULEFEED

Feed tracking for PurchaseQuantityRule.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PURCHASEQUANTITYRULEHISTORY

History for tracked fields of PurchaseQuantityRule.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Purchase Quantity Rule History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PurchaseQuantityRuleId	Quantity Rule ID	reference		18		

PURCHASEQUANTITYRULESHARE

Sharing for PurchaseQuantityRule.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PURCHASERPLAN

Represents the payer plan that a purchaser makes available to its members and members' dependents.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PurchaserPlan in the *Life Sciences Cloud Developer Guide* and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Affiliation	Affiliation	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveFrom	Effective From	date				
EffectiveTo	Effective To	date				
Id	Purchaser Plan ID	id		18		
IsDeleted	Deleted	boolean				
IsVerifiable	Verifiable	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LineOfBusiness	Line Of Business	picklist		40		
Name	Name	string		255		
Notes	Notes	textarea		32000		
OwnerId	Owner ID	reference		18		
PayerId	Account ID	reference		18		
PlanNumber	Plan Number	string		64		
PlanStatus	Plan Status	picklist		40		
PlanType	Plan Type	picklist		40		
ServiceType	Service Type	string		32		
SourceSystem	Source System	string		64		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
SponsorType	Sponsor Type	picklist		40		
SystemModstamp	System Modstamp	datetime				

PURCHASERPLANASSN

Represents a junction object that associates the purchaser to the plans they offer to members.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PurchaserPlanAssn in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Purchaser Plan Association Internal ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Purchaser Plan Association ID	string		255		
OwnerId	Owner ID	reference		18		
PurchaserId	Account ID	reference		18		
PurchaserPlanId	Purchaser Plan ID	reference		18		
Role	Role	picklist		40		
SourceSystem	Source System	string		64		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				

PURCHASERPLANASSNFEED

Feed tracking for PurchaserPlanAssn.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PURCHASERPLANASSNHISTORY

History for tracked fields of PurchaserPlanAssn.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Purchaser Plan Association History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`PurchaserPlanAssnId`	Purchaser Plan Association Internal ID	reference		18		

PURCHASERPLANASSNSHARE

Sharing for PurchaserPlanAssn.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PURCHASERPLANFEED

Feed tracking for PurchaserPlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

PURCHASERPLANHISTORY

History for tracked fields of PurchaserPlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Purchaser Plan History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
PurchaserPlanId	Purchaser Plan ID	reference		18		

PURCHASERPLANSHARE

Sharing for PurchaserPlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

PUSHTOPIC

Represents a query that is the basis for notifying Streaming API clients of changes to records in an org. This object is available in API version 21.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PushTopic in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiVersion	API Version	double			18	1
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		400		
Id	Push Topic ID	id		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Topic Name	string		25		
NotifyForFields	Notify For Fields	picklist		40		
NotifyForOperationCreate	Create	boolean				
NotifyForOperationDelete	Delete	boolean				
NotifyForOperationUndelete	Undelete	boolean				
NotifyForOperationUpdate	Update	boolean				
NotifyForOperations	Notify For Operations	picklist		40		
Query	SOQL Query	string		1300		
SystemModstamp	System Modstamp	datetime				

PYMTSCHDDISTRIBUTIONMETHOD

Indicates how the total payment is divided into partial payments. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see PymtSchdDistributionMethod in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		1000		
DistributionCount	Distribution Count	int	9			
DistributionMethodType	Distribution Method Type	picklist		255		
Id	Payment Schedule Distribution Method ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

PYMTSCHDDISTRIBUTIONMETHODSHARE

Sharing for PymtSchdDistributionMethod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

QUESTION

Represents a question in a zone that users can view and reply to.

For more information, see Question in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestReplyId	Best Reply ID	reference		18		
BestReplySelectedById	User ID	reference		18		
Body	Question Body	textarea		32000		
CommunityId	Zone ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreatorFullPhotoUrl	Url of Creator's Profile Photo	string		255		
CreatorName	Name of Creator	string		121		
CreatorSmallPhotoUrl	Url of Creator's Thumbnail Photo	string		255		
HasSingleFieldForContent	Has Single Field For Content	boolean				
Id	Question ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastReplyDate	Last Reply Date	datetime				
LastReplyId	Last Reply ID	reference		18		
LastViewedDate	Last Viewed Date	datetime				
MostReportAbusesOnReply	Most Report Abuses on Reply	int	9			
NumReplies	Number of Replies	int	9			
NumReportAbuses	Number of Report Abuses	int	9			
NumSubscriptions	Number of Question Subscriptions	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Origin	Question Origin	picklist		40		
Priority	Question Priority	picklist		255		
RecordTypeId	Record Type ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Question Title	string		255		
UpVotes	Up Votes	int	9			
VoteScore	Vote Score	double			18	4

QUESTIONDATACATEGORYSELECTION

A data category selection represents a data category that classifies a question.

For more information, see QuestionDataCategorySelection in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataCategoryGroupName`	Selected Data Category Group's Developer Name	[illegible]	0	80	0	0
`DataCategoryName`	Selected Data Category's Developer Name	[illegible]	0	80	0	0
`Id`	Entity Data Category Selection ID	id		18		
`IsDeleted`	Deleted	boolean				
`ParentId`	Question ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

QUESTIONREPORTABUSE

Represents a user-reported abuse on a Question in a Chatter Answers zone.

For more information, see QuestionReportAbuse in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Question Report Abuse ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`Name`	Question Report Abuse	string		255		
`QuestionId`	Question ID	reference		18		
`Reason`	Reason	picklist		255		
`SystemModstamp`	System Modstamp	datetime				

QUESTIONSUBSCRIPTION

Represents a subscription for a user following a Question.

For more information, see QuestionSubscription in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CommunityId`	Zone ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Question Subscription ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`Name`	Question Subscription	string		255		
`QuestionCreatedDate`	Question Created Date	datetime				
`QuestionId`	Question ID	reference		18		
`SubscriberId`	User ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

QUEUEROUTINGCONFIG

Represents the settings that determine how work items are routed to agents. This object is available in API version 32.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see QueueRoutingConfig in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CapacityPercentage	Percentage of Capacity	percent			5	2
CapacityWeight	Units of Capacity	double			10	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Developer Name	string		80		
DropAdditionalSkillsTimeout	Drop Additional Skills Time-Out (seconds)	int	9			
Id	Routing Configuration ID	id		18		
IsAttributeBased	Use with Skills-Based Routing Rules	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Routing Configuration Name	string		80		
OverflowAssigneeId	OverflowAssignee ID	reference		18		
PushTimeout	Push Time-Out (seconds)	int	9			
RoutingModel	Routing Model	picklist		255		
RoutingPriority	Routing Priority	int	9			
SystemModstamp	System Modstamp	datetime				

QUEUESOBJECT

Represents the mapping between a queue Group and the types associated with the queue, including custom objects.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see QueueSobject in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`Id`	Queue sObject ID	id		18		
`QueueId`	Group ID	reference		18		
`SobjectType`	sObject Type	picklist		40		
`SystemModstamp`	System Modstamp	datetime				

QUICKTEXT

This object stores a snippet of text that allows users to send a quick response to a customer. Use quick text to create greetings, answers to common questions, short notes, and more. This object is available in API version 24.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see QuickText in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	picklist		40		
Channel	Channel	multipicklist		4099	0	
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FolderId	Folder ID	reference		18		
FolderName	Folder Name	string		256		
Id	Quick Text ID	id		18		
IsDeleted	Deleted	boolean				
IsInsertable	Include in selected channels	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Message	Message	textarea		4096		
Name	Quick Text Name	string		255		
OwnerId	Owner ID	reference		18		
SourceType	Source Entity Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

QUICKTEXTHISTORY

History for tracked fields of QuickText.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Quick Text History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
QuickTextId	Quick Text ID	reference		18		

QUICKTEXTSHARE

Sharing for QuickText.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

QUICKTEXTUSAGE

Represents the usage of quick text on a record, including which quick text was used, who used it, and how they used it. Quick text is a snippet of text that allows users to send a quick response to a customer. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see QuickTextUsage in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppContext	App Context	picklist		255		
Channel	Channel	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FolderId	Folder ID	reference		18		
Id	Quick Text Usage ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LaunchSource	Launch Source	picklist		255		
LoggedTime	Logged Time	datetime				
Name	Quick Text Usage Name	string		255		
OwnerId	Owner ID	reference		18		
QuickTextId	Quick Text ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

QUICKTEXTUSAGESHARE

Sharing for QuickTextUsage.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

QUOTE

Represents a quote, which is a record showing proposed prices for products and services. Available in API version 18.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Quote in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AdditionalAddress	Additional To	address				
AdditionalCity	Additional To City	string		40		
AdditionalCountry	Additional To Country	string		80		
AdditionalGeocodeAccuracy	Additional To Geocode Accuracy	picklist		40		
AdditionalLatitude	Additional To Latitude	double			18	15
AdditionalLongitude	Additional To Longitude	double			18	15
AdditionalName	Additional To Name	string		255		
AdditionalPostalCode	Additional To Zip/Postal Code	string		20		
AdditionalState	Additional To State/Province	string		80		
AdditionalStreet	Additional To Street	textarea		255		
BillingAddress	Bill To	address				
BillingCity	Bill To City	string		40		
BillingCountry	Bill To Country	string		80		
BillingGeocodeAccuracy	Bill To Geocode Accuracy	picklist		40		
BillingLatitude	Bill To Latitude	double			18	15
BillingLongitude	Bill To Longitude	double			18	15
BillingName	Bill To Name	string		255		
BillingPostalCode	Bill To Zip/Postal Code	string		20		
BillingState	Bill To State/Province	string		80		
BillingStreet	Bill To Street	textarea		255		
CanCreateQuoteLineItems	Can Create Quote Line Items	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactId	Contact ID	reference		18		
ContractId	Contract ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
Discount	Discount	percent			5	2
Email	Email	email		80		
ExpirationDate	Expiration Date	date				
Fax	Fax	phone		40		
GrandTotal	Grand Total	currency			18	2
Id	Quote ID	id		18		
IsDeleted	Deleted	boolean				
IsSyncing	Syncing	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LineItemCount	Line Items	int	9			
Name	Quote Name	string		255		
OpportunityId	Opportunity ID	reference		18		
OwnerId	Owner ID	reference		18		
Phone	Phone	phone		40		
Pricebook2Id	Price Book ID	reference		18		
QuoteNumber	Quote Number	string		30		
QuoteToAddress	Quote To	address				
QuoteToCity	Quote To City	string		40		
QuoteToCountry	Quote To Country	string		80		
QuoteToGeocodeAccuracy	Quote To Geocode Accuracy	picklist		40		
QuoteToLatitude	Quote To Latitude	double			18	15

Field Name	Field Label	Type	Digits	Length	Precision	Scale
QuoteToLongitude	Quote To Longitude	double			18	15
QuoteToName	Quote To Name	string		255		
QuoteToPostalCode	Quote To Zip/Postal Code	string		20		
QuoteToState	Quote To State/Province	string		80		
QuoteToStreet	Quote To Street	textarea		255		
RelatedWorkId	Work Order ID	reference		18		
ShippingAddress	Ship To	address				
ShippingCity	Ship To City	string		40		
ShippingCountry	Ship To Country	string		80		
ShippingGeocodeAccuracy	Ship To Geocode Accuracy	picklist		40		
ShippingHandling	Shipping and Handling	currency			18	2
ShippingLatitude	Ship To Latitude	double			18	15
ShippingLongitude	Ship To Longitude	double			18	15
ShippingName	Ship To Name	string		255		
ShippingPostalCode	Ship To Zip/Postal Code	string		20		
ShippingState	Ship To State/Province	string		80		
ShippingStreet	Ship To Street	textarea		255		
Status	Status	picklist		40		
Subtotal	Subtotal	currency			18	2
SystemModstamp	System Modstamp	datetime				
Tax	Tax	currency			18	2
TotalPrice	Total Price	currency			18	2

QUOTEACTION

Indicates the type of sales transaction that's being quoted; for example, a renewal sale. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see QuoteAction in the *Object Reference for the Salesforce Platform* and *Quote and Order Capture Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Quote Action ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
QuoteId	Quote ID	reference		18		
SourceAssetId	Asset ID	reference		18		
Subtype	Subtype	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

QUOTEACTIONFEED

Feed tracking for QuoteAction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

QUOTEACTIONHISTORY

History for tracked fields of QuoteAction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Quote Action History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
QuoteActionId	Quote Action ID	reference		18		

QUOTEDOCUMENT

Represents a quote in document format. Available in API version 18.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see QuoteDocument in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentVersionDocumentId	ContentVersion ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Discount	Discount	percent			5	2
Document	PDF Document	base64				
GrandTotal	Grand Total	currency			18	2
Id	Quote PDF ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		270		
QuoteId	Quote ID	reference		18		
SystemModstamp	System Modstamp	datetime				

QUOTEFEED

Feed tracking for Quote.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

QUOTEHISTORY

History for tracked fields of Quote.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Quote History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
QuoteId	Quote ID	reference		18		

QUOTEITEMTAXITEM

The tax that is applied to a quote line item. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see QuoteItemTaxItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		2000		
Id	Quote Item Tax Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Tax Name	string		255		
QuoteLineItemId	Quote Line Item ID	reference		18		
Rate	Rate	percent			5	2
SystemModstamp	System Modstamp	datetime				
TaxEffectiveDate	Effective Date	date				
Type	Type	picklist		255		

QUOTELINEDETAIL

Represents information about the quantity and price detail of a quote line item. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see QuoteLineDetail in the *Quote and Order Capture Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillingReference	Billing Reference	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Quote Line Detail ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LineNumber	Line Number	int	9			
Name	Name	string		255		
NetUnitPrice	Net Unit Price	currency			18	2
PriceWaterfallIdentifier	Price Waterfall Identifier	string		80		
Quantity	Quantity	double			12	2
QuoteLineItemId	Quote Line Item ID	reference		18		
ReferenceDate	Reference Date	date				
ReferenceNumber	Reference Number	string		80		
SystemModstamp	System Modstamp	datetime				
TotalLineAmount	Total Line Amount	currency			18	2
TotalPrice	Total Price	currency			18	2
UnitPrice	Sales Price	currency			18	2

QUOTELINEDETAILFEED

Feed tracking for QuoteLineDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

QUOTELINEDETAILHISTORY

History for tracked fields of QuoteLineDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Quote Line Detail History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
QuoteLineDetailId	Quote Line Detail ID	reference		18		

QUOTELINEGROUP

Stores the group information for line items in a quote. It also stores the aggregated line field information (subtotal). It contains a parent-child relationship to quote. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see QuoteLineGroup in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
EndDate	End Date	date				
Id	Quote Line Group ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Quote Line Group Name	string		255		
QuoteId	Quote ID	reference		18		
SortOrder	Sort Order	int	9			
StartDate	Start Date	date				
SummarySubtotal	Summary Subtotal	currency			18	2
SystemModstamp	System Modstamp	datetime				
Type	Quote Line Group Type	picklist		255		

QUOTELINEITEM

Represents a quote line item, which is a member of the list of Product2 products associated with a Quote, along with other information about those line items on that quote. Available in API version 18.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see QuoteLineItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Line Item Description	string		255		
Discount	Discount (Percentage)	percent			5	2
HasQuantitySchedule	Has Quantity Schedule	boolean				
HasRevenueSchedule	Has Revenue Schedule	boolean				
HasSchedule	Schedule	boolean				
Id	Quote Line Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LineNumber	Line Item Number	string		255		
ListPrice	List Price	currency			18	2
OpportunityLineItemId	Line Item ID	reference		18		
ParentQuoteLineItemId	Quote Line Item ID	reference		18		
PricebookEntryId	Price Book Entry ID	reference		18		
Product2Id	Product ID	reference		18		
Quantity	Quantity	double			12	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
QuoteId	Quote ID	reference		18		
ServiceDate	Date	date				
SortOrder	Sort Order	int	9			
Status	Status	picklist		40		
Subtotal	Subtotal	currency			18	2
SystemModstamp	System Modstamp	datetime				
TotalPrice	Total Price	currency			18	2
UnitPrice	Sales Price	currency			18	2

QUOTELINEITEMGROUPCLASS

Represents the association of a Quote Line Item to GroupClass. Use this entity for large group quoting process when multiple group classes are attributed on a single quote line item. Child object of Quote.

For more information, see QuoteLineItemGroupClass in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`GroupClassId`	Group Class ID	reference		18		
`Id`	Quote Line Item Group Class ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`QuoteLineItemId`	Quote Line Item ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

QUOTELINEITEMGROUPCLASSFEED

Feed tracking for QuoteLineItemGroupClass.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

QUOTELINEITEMGROUPCLASSHISTORY

History for tracked fields of QuoteLineItemGroupClass.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Quote Line Item Group Class History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
QuoteLineItemGroupClassId	Quote Line Item Group Class ID	reference		18		

QUOTELINEITEMHISTORY

History for tracked fields of QuoteLineItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	QuoteLineItem History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
QuoteLineItemId	Quote Line Item ID	reference		18		

QUOTELINEITEMRECIPIENT

Represents a site, employee, or other entity for which services are being quoted. This could include details such as the recipient's name, contact information, associated site or location, and any specific requirements or preferences for the quoted services. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see QuoteLineItemRecipient in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Quote Line Item Recipient ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
QuoteId	Quote ID	reference		18		
RecipientType	Recipient Type	picklist		255		
ServiceAccountId	Account ID	reference		18		
ServiceAddrValidationDate	Service Address Validation Date	datetime				
ServiceAddrValidationMsg	Service Address Validation Message	string		255		
ServiceAddrValidationResult	Service Address Validation Result	picklist		255		
ServiceAddress	Service Address	address				
ServiceCity	Service City	string		40		
ServiceCountry	Service Country	string		80		
ServiceGeocodeAccuracy	Service Geocode Accuracy	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ServiceLatitude	Service Latitude	double			18	15
ServiceLongitude	Service Longitude	double			18	15
ServicePostalCode	Service Postal Code	string		20		
ServiceState	Service State	string		80		
ServiceStreet	Service Street	textarea		255		
ServiceabilityCheckDate	Serviceability Check Date	datetime				
ServiceabilityData	Serviceability Data	textarea		131072		
SystemModstamp	System Modstamp	datetime				

QUOTELINEITEMRECIPIENTHISTORY

History for tracked fields of QuoteLineItemRecipient.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Quote Line Item Recipient History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
QuoteLineItemRecipientId	Quote Line Item Recipient ID	reference		18		

QUOTELINEMATERIALLINEGROUPFEED

Feed tracking for QuoteLineMaterialLineGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

QUOTELINEMATERIALLINEGROUPHISTORY

History for tracked fields of QuoteLineMaterialLineGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Quote Line Material Line Group History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
QuoteLineMaterialLineGroupId	Quote Line Material Line Group ID	reference		18		

QUOTELINERATEADJUSTMENT

Represents the negotiated rate adjustment for a quote line item. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see QuoteLineRateAdjustment in the *Quote and Order Capture Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentType	Adjustment Type	picklist		255		
AdjustmentValue	Adjustment Value	double			18	6
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Quote Line Rate Adjustment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LowerBound	Lower Bound	double			18	3
Name	Name	string		255		
QuoteLineRateCardEntryId	Quote Line Rate Card Entry ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UpperBound	Upper Bound	double			18	3

QUOTELINERATEADJUSTMENTFEED

Feed tracking for QuoteLineRateAdjustment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

QUOTELINERATEADJUSTMENTHISTORY

History for tracked fields of QuoteLineRateAdjustment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Quote Line Rate Adjustment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
QuoteLineRateAdjustmentId	Quote Line Rate Adjustment ID	reference		18		

QUOTELINERATECARDENTRY

Represents the catalog and negotiated rates of a usage resource associated with a quote line item that's used to charge overage consumption. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see QuoteLineRateCardEntry in the *Quote and Order Capture Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Quote Line Rate Card Entry ID	id		18		
IsChosenRate	Chosen Rate	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
NegotiatedRate	Negotiated Rate	double			18	2
QuoteLineItemId	Quote Line Item ID	reference		18		
RateCardEntryId	Rate Card Entry ID	reference		18		
RateCardId	Rate Card ID	reference		18		
RateUnitOfMeasureId	Unit of Measure ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UsageResourceId	Usage Resource ID	reference		18		

QUOTELINERATECARDENTRYFEED

Feed tracking for QuoteLineRateCardEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

QUOTELINERATECARDENTRYHISTORY

History for tracked fields of QuoteLineRateCardEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Quote Line Rate Card Entry History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
QuoteLineRateCardEntryId	Quote Line Rate Card Entry ID	reference		18		

QUOTELINERELATIONSHIP

Describes the relationship between quote line items, such as items in a bundle. When you create a QuoteLineRelationship object, it's immutable: it can't be edited or removed. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see QuoteLineRelationship in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssociatedQuantScaleMethod	Associated Quantity Scale Method	picklist		255		
AssociatedQuoteLineId	Quote Line Item ID	reference		18		
AssociatedQuoteLinePricing	Associated Quote Line Item Pricing	picklist		255		
AssociatedQuoteLineRole	Associated Quote Line Item Role	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Quote Line Relationship ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MainQuoteLineId	Quote Line Item ID	reference		18		
MainQuoteLineRole	Main Quote Line Item Role	picklist		255		
Name	Quote Line Relationship Name	string		255		
ProductRelatedComponentId	Product Related Component ID	reference		18		
ProductRelationshipTypeId	Product Relationship Type ID	reference		18		
QuoteId	Quote ID	reference		18		
SystemModstamp	System Modstamp	datetime				

QUOTELINERELATIONSHIPFEED

Feed tracking for QuoteLineRelationship.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

QUOTELINERELATIONSHIPHISTORY

History for tracked fields of QuoteLineRelationship.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Quote Line RelationshipHistory ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
QuoteLineRelationshipId	Quote Line Relationship ID	reference		18		

QUOTERECIPIENTGROUP

Represents a recipient group for which offers or products with the same configuration are being added. This also includes reusing these groups to add or remove recipients. This object is available in API version 64.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see QuoteRecipientGroup in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualMemberCount	Actual Member Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
ExpectedMemberCount	Expected Member Count	int	9			
Id	Quote Recipient Group ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
QuoteId	Quote ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

QUOTERECIPIENTGROUPHISTORY

History for tracked fields of QuoteRecipientGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Quote Recipient Group History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
QuoteRecipientGroupId	Quote Recipient Group ID	reference		18		

QUOTERECIPIENTGROUPMEMBER

Represents a junction between a quote line item recipient and a quote recipient group. This object is available in API version 64.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see QuoteRecipientGroupMember in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Quote Recipient Group Member ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
QuoteLineItemRecipientId	Quote Line Item Recipient ID	reference		18		
QuoteRecipientGroupId	Quote Recipient Group ID	reference		18		
SystemModstamp	System Modstamp	datetime				

QUOTERECIPIENTGROUPMEMBERHISTORY

History for tracked fields of QuoteRecipientGroupMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Quote Recipient Group Member History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
QuoteRecipientGroupMemberId	Quote Recipient Group Member ID	reference		18		

QUOTERECIPIENTGROUPMEMBERSHARE

Sharing for QuoteRecipientGroupMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

QUOTESAVEEVENT

Notifies subscribers that the process started by the /actions/standard/quotesaveevent request is complete. If the process is successful, use this event to learn about the updated quote. If the request isn't successful, use this event to learn about the errors and how to fix them. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see QuoteSaveEvent in the *Platform Events Developer Guide* and *Quote and Order Capture Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CorrelationIdentifier`	Correlation Identifier	string		80		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EventUuid`	Event UUID	string		36		
`HasErrors`	Has Errors	boolean				
`QuoteId`	Reference Entity ID	reference		18		
`ReplayId`	Replay ID	string		1000		
`RequestIdentifier`	Request Identifier	string		80		

QUOTESHARE

Sharing for Quote.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

QUOTETOORDERCOMPLETEDEVENT

Notifies subscribers when the /actions/standard/createOrderFromQuote REST request is complete. If the request is successful, use this event to learn about the Order record. If the request isn't successful, use this event to learn about the errors associated with the request. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see QuoteToOrderCompletedEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CorrelationIdentifier	Correlation Identifier	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EventUuid	Event UUID	string		36		
HasErrors	Has Errors	boolean				
OrderId	Order ID	reference		18		
OrderNumber	Order Number	string		255		
QuoteToOrderErrorDetailEvents	Quote To Order Error Detail Event ID	complexvalue				
ReplayId	Replay ID	string		1000		
RequestIdentifier	Request Identifier	string		80		

QUOTETOORDERERRDTLEVENT

Contains information about any errors that occurred while processing the /actions/standard/createOrderFromQuote REST request. One QuoteToOrderErrDtlEvent record is created for each error that occurred. This object is included in an `QuoteToOrderCompletedEvent` message. You can't subscribe to `QuoteToOrderErrDtlEvent` directly. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see QuoteToOrderErrDtlEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`ErrorCode`	Error Code	string		255		
`ErrorMessage`	Error Message	textarea		2000		
`EventUuid`	Event UUID	string		36		
`PrimaryRecordId`	Primary Record ID	reference		18		
`RelatedRecordId`	Related Record ID	reference		18		
`ReplayId`	Replay ID	string		1000		
`RevenueTransactionErrLogId`	Revenue Transaction Error Log ID	reference		18		

RATEADJUSTMENTBYATTRIBUTE

Represents the adjustments that determine the rate of a resource based on its rate-impacting attributes. These attributes are linked to the usage product record. Rates are then influenced by conditions specified in the Attribute Based Adjustment Condition object. Finally, the charge rate is determined by using the Attribute Based Adjustment Rule object. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RateAdjustmentByAttribute in the *Rate Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentType	Adjustment Type	picklist		255		
AdjustmentValue	Adjustment Value	double			18	6
AttributeAdjConditionsHash	Attribute Adjustment Conditions Hash	string		255		
AttributeBasedAdjRuleId	Attribute Based Adjustment Rule ID	reference		18		
AttributeCount	Attribute Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveFrom	Effective From	datetime				
EffectiveTo	Effective To	datetime				
Id	Rate Adjustment By Attribute ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ProductId	Product ID	reference		18		
ProductSellingModelId	Product Selling Model ID	reference		18		
RateCardEntryId	Rate Card Entry ID	reference		18		
RateCardEntryStatus	Rate Card Entry Status	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RateCardId	Rate Card ID	reference		18		
RateUnitOfMeasureId	Unit of Measure ID	reference		18		
RateUnitOfMeasureName	Rate Unit Of Measure Name	string		40		
SystemModstamp	System Modstamp	datetime				
UsageResourceId	Usage Resource ID	reference		18		

RATEADJUSTMENTBYATTRIBUTEFEED

Feed tracking for RateAdjustmentByAttribute.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RATEADJUSTMENTBYATTRIBUTEHISTORY

History for tracked fields of RateAdjustmentByAttribute.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Rate Adjustment By Attribute History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RateAdjustmentByAttributeId	Rate Adjustment By Attribute ID	reference		18		

RATEADJUSTMENTBYTIER

Represents the adjustments for the rate of a resource that's determined based on the specified tiers. This object stores information about the type of adjustment used, the value of the adjustment type, and any applicable boundaries. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RateAdjustmentByTier in the *Rate Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentType	Adjustment Type	picklist		255		
AdjustmentValue	Adjustment Value	double			18	6
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveFrom	Effective From	datetime				
EffectiveTo	Effective To	datetime				
Id	Rate Adjustment By Tier ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LowerBound	Lower Bound	double			18	6
Name	Name	string		255		
ProductId	Product ID	reference		18		
ProductSellingModelId	Product Selling Model ID	reference		18		
RateCardEntryId	Rate Card Entry ID	reference		18		
RateCardEntryStatus	Rate Card Entry Status	picklist		255		
RateCardId	Rate Card ID	reference		18		
RateUnitOfMeasureId	Unit of Measure ID	reference		18		
RateUnitOfMeasureName	Rate Unit Of Measure Name	string		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
UpperBound	Upper Bound	double			18	6
UsageResourceId	Usage Resource ID	reference		18		

RATEADJUSTMENTBYTIERFEED

Feed tracking for RateAdjustmentByTier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RATEADJUSTMENTBYTIERHISTORY

History for tracked fields of RateAdjustmentByTier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Rate Adjustment By Tier History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RateAdjustmentByTierId	Rate Adjustment By Tier ID	reference		18		

RATECARD

Represents the rules used to rate the consumption of a group of resources within a product. Usage of a resource is billed at a specified rate if the user consumes more than their allowance for a time period. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RateCard in the *Rate Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
EffectiveFrom	Effective From	datetime				
EffectiveTo	Effective To	datetime				
Id	Rate Card ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Rate Card Type	picklist		255		

RATECARDENTRY

Represents a rule that determines the charge rate for using a product's resource. Each entry is linked to one rate card exclusively, and its activation or deactivation can be controlled by assigning effective dates. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RateCardEntry in the *Rate Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultUnitOfMeasureClassId	Unit of Measure Class ID	reference		18		
DefaultUnitOfMeasureId	Unit of Measure ID	reference		18		
EffectiveFrom	Effective From	datetime				
EffectiveTo	Effective To	datetime				
Id	Rate Card Entry ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ProductId	Product ID	reference		18		
ProductSellingModelId	Product Selling Model ID	reference		18		
Rate	Rate	double			18	6
RateCardId	Rate Card ID	reference		18		
RateCardType	Rate Card Type	picklist		255		
RateNegotiation	Rate Negotiation	picklist		255		
RateUnitOfMeasureClassId	Unit of Measure Class ID	reference		18		
RateUnitOfMeasureId	Unit of Measure ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RateUnitOfMeasureName	Rate Unit Of Measure Name	string		40		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
UsageProductId	Product ID	reference		18		
UsageResourceId	Usage Resource ID	reference		18		

RATECARDENTRYFEED

Feed tracking for RateCardEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RATECARDENTRYHISTORY

History for tracked fields of RateCardEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Rate Card Entry History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RateCardEntryId	Rate Card Entry ID	reference		18		

RATECARDFEED

Feed tracking for RateCard.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RATECARDHISTORY

History for tracked fields of RateCard.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Rate Card History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`RateCardId`	Rate Card ID	reference		18		

RATECARDSHARE

Sharing for RateCard.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

RATINGFREQUENCYPOLICY

Represents the policy that defines the frequency at which rating is triggered for the ratable summary records. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RatingFrequencyPolicy in the *Rate Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Rating Frequency Policy ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProductId	Product ID	reference		18		
RatingDelayDuration	Rating Delay Duration	int	9			
RatingPeriod	Rating Period	picklist		255		
SystemModstamp	System Modstamp	datetime				
UsageResourceId	Usage Resource ID	reference		18		

RATINGFREQUENCYPOLICYFEED

Feed tracking for RatingFrequencyPolicy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RATINGFREQUENCYPOLICYHISTORY

History for tracked fields of RatingFrequencyPolicy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Rating Frequency Policy History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RatingFrequencyPolicyId	Rating Frequency Policy ID	reference		18		

RATINGFREQUENCYPOLICYSHARE

Sharing for RatingFrequencyPolicy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

RATINGREQUEST

Represents the common run-time parameters, such as context definition and rating procedure for a set of records in the rateable summary table. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RatingRequest in the *Rate Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContextDefinition	Context Definition	string		60		
ContextMapping	Context Mapping	string		60		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DoesExcludeWaterfall	Exclude Waterfall	boolean				
Id	Rating Request ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RatingProcedureName	Rating Procedure Name	string		60		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

RATINGREQUESTBATCHJOB

Represents a junction between the rating request and batch job objects. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RatingRequestBatchJob in the *Rate Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BatchJobId	Run ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ErrorCode	Error Code	picklist		255		
ErrorMessage	Error Message	string		255		
Id	Rating Request Batch Job ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
RatingRequestId	Rating Request ID	reference		18		
SystemModstamp	System Modstamp	datetime				

RATINGREQUESTBATCHJOBFEED

Feed tracking for RatingRequestBatchJob.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RATINGREQUESTBATCHJOBHISTORY

History for tracked fields of RatingRequestBatchJob.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Rating Request Batch Job History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RatingRequestBatchJobId	Rating Request Batch Job ID	reference		18		

RATINGREQUESTFEED

Feed tracking for RatingRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RATINGREQUESTHISTORY

History for tracked fields of RatingRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Rating Request History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RatingRequestId	Rating Request ID	reference		18		

RATINGREQUESTSHARE

Sharing for RatingRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

REBATECLAIM

Represents Information about the claim submitted by the end customer or distributor for a ship and debit rebate program.

For more information, see RebateClaim in the *Automotive Cloud Developer Guide*, and *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ClaimAmount	Claim Amount	currency			18	2
ClaimDate	Claim Date	datetime				
ClaimedByAccountId	Account ID	reference		18		
ClaimedByAccountNumber	Claimed By Account Number	string		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
Id	Rebate Claim ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Claim Number	string		255		
OwnerId	Owner ID	reference		18		
ParticipatingAccountId	Account ID	reference		18		
ParticipatingAccountNumber	Participating Account Number	string		40		
ProcessingStatus	Processing Status	picklist		40		
ProcessingStatusMessage	Processing Status Message	string		1333		
ProductCode	Product Code	string		40		
ProductId	Product ID	reference		18		
ProgramReferenceNumber	Program Reference Number	string		40		
Quantity	Quantity	double			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ReferencePricePerUnit	Reference Price Per Unit	currency			16	2
ResalePricePerUnit	Resale Price Per Unit	currency			16	2
SalePricePerUnit	Sale Price Per Unit	currency			16	2
SystemModstamp	System Modstamp	datetime				

REBATECLAIMFEED

Feed tracking for RebateClaim.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

REBATECLAIMHISTORY

History for tracked fields of RebateClaim.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Rebate ClaimHistory ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RebateClaimId	Rebate Claim ID	reference		18		

REBATECLAIMSHARE

Sharing for RebateClaim.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

REBATEMEMBERAGGREGATEITEM

Represents a junction between a rebate member product aggregate and a transaction journal.

For more information, see RebateMemberAggregateItem in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	RebateMemberAggregateItem ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RebateAmount	Rebate Amount	currency			18	2
RebateMemberProductAggregateId	Rebate Aggregate Object ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TransactionAmount	Transaction Amount	currency			18	2
TransactionJournalId	Transaction Journal ID	reference		18		
TransactionQuantity	Transaction Quantity	double			18	2

REBATEMEMBERAGGREGATEITEMFEED

Feed tracking for RebateMemberAggregateItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

REBATEMEMBERAGGREGATEITEMHISTORY

History for tracked fields of RebateMemberAggregateItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Rebate Member Aggregate ItemHistory ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RebateMemberAggregateItemId	RebateMemberAggregateItem ID	reference		18		

REBATEMEMBERAGGREGATEITEMSHARE

Sharing for RebateMemberAggregateItem.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

REBATEMEMBERPRODUCTAGGREGATE

Stores the post calculation summary of journal transactions by member, period, and rebate type. For example, ABC enterprises for May 2021 against Vol Rebate on Radius category, did a total quantity of 150 units and transaction amount of $80,000.

For more information, see RebateMemberProductAggregate in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AggregateReferenceNumber	Aggregate Reference Number	string		50		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
GrowthAmount	Growth Amount	currency			18	2
GrowthAmountPercent	Growth Amount Percent	percent			16	2
GrowthQuantity	Growth Quantity	double			18	2
GrowthQuantityPercent	Growth Quantity Percent	percent			16	2
Id	Rebate Aggregate Object ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PriorTotalQuantity	Prior Total Quantity	double			18	2
PriorTotalTransactionAmount	Prior Total Transaction Amount	currency			18	2
ProductId	Product ID	reference		18		
ProgramRebateTypeId	Program Rebate Type ID	reference		18		
RebateProgramMemberId	Rebate Program Member ID	reference		18		
RebateProgramPayoutPeriodId	Rebate Program Payout Period ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RollupProgramMemberId	Rollup Program Member ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalQuantity	Total Quantity	double			18	2
TotalTransactionAmount	Total Transaction Amount	currency			18	2
TransactionJournalId	Transaction Journal ID	reference		18		

REBATEMEMBERPRODUCTAGGREGATEFEED

Feed tracking for RebateMemberProductAggregate.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

REBATEMEMBERPRODUCTAGGREGATEHISTORY

History for tracked fields of RebateMemberProductAggregate.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Rebate Member Product AggregateHistory ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RebateMemberProductAggregateId	Rebate Aggregate Object ID	reference		18		

REBATEMEMBERPRODUCTAGGREGATESHARE

Sharing for RebateMemberProductAggregate.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

REBATEPAYMENT

Tracks if the payment has been generated for this member for back end processing.

For more information, see RebatePayment in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Rebate Payment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PaymentDate	Payment Date	date				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

REBATEPAYMENTFEED

Feed tracking for RebatePayment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

REBATEPAYMENTHISTORY

History for tracked fields of RebatePayment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Rebate PaymentHistory ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RebatePaymentId	Rebate Payment ID	reference		18		

REBATEPAYMENTSHARE

Sharing for RebatePayment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

REBATEPAYOUTADJUSTMENT

Rebate amount adjustment that needs to be given manually. An adjustment is an amount added or subtracted to the calculated rebate amount.

For more information, see RebatePayoutAdjustment in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentAmount	Adjustment Amount	currency			18	2
ApprovedDate	Approval Date	date				
Comments	Comments	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Rebate Payout Adjustment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
RebateProgramMemberPayoutId	Rebate Program Member Payout ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

REBATEPAYOUTADJUSTMENTFEED

Feed tracking for RebatePayoutAdjustment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

REBATEPAYOUTADJUSTMENTHISTORY

History for tracked fields of RebatePayoutAdjustment.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Rebate Payout AdjustmentHistory ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RebatePayoutAdjustmentId	Rebate Payout Adjustment ID	reference		18		

REBATEPROGRAM

The rebate program your organization runs with a single account, all accounts, or specific list of accounts.

For more information, see RebateProgram in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
EndDate	End Date	date				
Frequency	Frequency	picklist		255		
GracePeriodDayCount	Transaction Grace Days	int	9			
Id	Rebate Program ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PayoutCalculationDayCount	Payout Calculation Days	int	9			
ProgramReferenceNumber	Program Reference Number	string		30		
RebateProgramUrl	Link to Program Details	url		255		
StartDate	Start Date	date				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

REBATEPROGRAMFEED

Feed tracking for RebateProgram.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

REBATEPROGRAMHISTORY

History for tracked fields of RebateProgram.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Rebate ProgramHistory ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RebateProgramId	Rebate Program ID	reference		18		

REBATEPROGRAMMEMBER

The member of a rebate program. By virtue of being a member, the partner or business account is eligible to get rebate payments. For example, ABC Enterprises and HVAC Corp are members of GoldStone Volume Rebate Program.

For more information, see RebateProgramMember in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CumulativePayoutAmount	Cumulative Payout Amount	currency			18	2
Id	Rebate Program Member ID	id		18		
IsDeleted	Deleted	boolean				
IsPayoutCalcSkipped	Skip Payout Calculation	boolean				
LastActivationDate	Last Activation Date	date				
LastDeactivationDate	Last Deactivation Date	date				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MemberStatus	Status	picklist		255		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RebateProgramId	Rebate Program ID	reference		18		
ShipToAccountId	Account ID	reference		18		
SystemModstamp	System Modstamp	datetime				

REBATEPROGRAMMEMBERFEED

Feed tracking for RebateProgramMember.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

REBATEPROGRAMMEMBERHISTORY

History for tracked fields of RebateProgramMember.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Rebate Program MemberHistory ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RebateProgramMemberId	Rebate Program Member ID	reference		18		

REBATEPROGRAMMEMBERPAYOUT

The payout calculated for a member for the period. For example, $1000 Jan'21 payout for ABC enterprises.

For more information, see RebateProgramMemberPayout in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccruedAmount	Accrued Amount	currency			18	2
CalculatedRebateAmount	Calculated Rebate Amount	currency			18	2
CalculationDate	Calculation Date	date				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Rebate Program Member Payout ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MemberId	Rebate Program Member ID	reference		18		
Name	Name	string		255		
PaymentId	Rebate Payment ID	reference		18		
PeriodId	Rebate Program Payout Period ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalApprovedAdjustmentAmount	Total Approved Adjustment Amount	currency			18	2
TotalRebateAmount	Total Rebate Amount	currency			18	2

REBATEPROGRAMMEMBERPAYOUTFEED

Feed tracking for RebateProgramMemberPayout.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

REBATEPROGRAMMEMBERPAYOUTHISTORY

History for tracked fields of RebateProgramMemberPayout.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Rebate Program Member PayoutHistory ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RebateProgramMemberPayoutId	Rebate Program Member Payout ID	reference		18		

REBATEPROGRAMMEMBERSHARE

Sharing for RebateProgramMember.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

REBATEPROGRAMPAYOUTPERIOD

The period of the payout calculation. For example, 1st to 31st Jan, or 1st Dec to 14th Dec.

For more information, see RebateProgramPayoutPeriod in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDate	End Date	date				
Id	Rebate Program Payout Period ID	id		18		
IsDeleted	Deleted	boolean				
LastCalculationDate	Last Calculation Date	date				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MemberPayoutCount	Number of Member Payouts	int	9			
Name	Name	string		255		
PayoutCalculationDate	Payout Calculation Date	date				
RebateProgramId	Rebate Program ID	reference		18		
StartDate	Start Date	date				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalApprovedAmount	Total Approved Amount	currency			18	2
TotalRejectedAmount	Total Rejected Amount	currency			18	2
TransactionGracePeriodDate	Transaction Grace Date	date				

REBATEPROGRAMPAYOUTPERIODFEED

Feed tracking for RebateProgramPayoutPeriod.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

REBATEPROGRAMPAYOUTPERIODHISTORY

History for tracked fields of RebateProgramPayoutPeriod.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Rebate Program Payout PeriodHistory ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RebateProgramPayoutPeriodId	Rebate Program Payout Period ID	reference		18		

REBATEPROGRAMSHARE

Sharing for RebateProgram.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

RECALRTDATASRCEXPSETDEF

Represents information about the data source for a record alert and the association with an expression set definition. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RecAlrtDataSrcExpSetDef in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Name	string		80		
`ExpressionSetDefinitionId`	Expression Set Definition ID	reference		18		
`ExpressionSetObject`	Expression Set Object	picklist		255		
`Id`	Record Alert Data Source Expression Set Definition ID	id		18		
`IsActive`	Active	boolean				
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Label	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`RecordAlertDataSourceId`	Record Alert Data Source ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

RECEIVEDDOCUMENT

Contains a request for an operation to be performed on a document, such as rotating, splitting, or text extraction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ReceivedDocument in the *Channel Revenue Management Guide*, *Life Sciences Cloud Developer Guide*, *Public Sector Solutions Developer Guide*, and *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Direction	Direction	picklist		255		
DocumentNumber	Document Number	string		225		
Id	Received Document ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Priority	Priority	picklist		255		
Source	Source	string		225		
Status	Status	picklist		255		
StatusReason	Status Reason	textarea		4000		
SystemModstamp	System Modstamp	datetime				

RECEIVEDDOCUMENTFEED

Feed tracking for ReceivedDocument.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RECEIVEDDOCUMENTHISTORY

History for tracked fields of ReceivedDocument.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Received Document History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ReceivedDocumentId	Received Document ID	reference		18		

RECEIVEDDOCUMENTSHARE

Sharing for ReceivedDocument.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

RECEIVEDDOCUMENTTYPE

Represents a junction object between Received Document and Document Type. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ReceivedDocumentType in the *Life Sciences Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CurrencyIsoCode`	Currency ISO Code	picklist		3		
`DocumentTypeId`	Document Type ID	reference		18		
`Id`	Received Document Type ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		40		
`PageNumber`	Page Number	int	9			
`ReceivedDocumentId`	Received Document ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

RECEIVEDDOCUMENTTYPEFEED

Feed tracking for ReceivedDocumentType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RECEIVEDDOCUMENTTYPEHISTORY

History for tracked fields of ReceivedDocumentType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Received Document Type History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`ReceivedDocumentTypeId`	Received Document Type ID	reference		18		

RECENTFIELDCHANGE

Use this virtual object to see how an opportunity has changed in the past seven days. Learn the previous value of a field, who made the change, and when the change was made. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RecentFieldChange in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ChangeDate`	Change Date	datetime				
`CurrencyIsoCode`	Currency ISO Code	picklist		3		
`FieldName`	Field Name	string		255		
`Id`	Recent Change ID	id		18		
`ParentId`	Opportunity ID	reference		18		
`PreviousCurrencyValue`	Previous Currency Value	currency			18	2
`PreviousDateOnlyValue`	Previous Date Only Value	date				
`PreviousNumberValue`	Previous Number Value	double			18	2
`PreviousTextValue`	Previous Text Value	string		255		
`ValueChangedById`	User ID	reference		18		

RECENTLYVIEWED

Represents records or list views that the current user has recently viewed or referenced (by viewing a related record). List views are available in API version 29.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RecentlyViewed in the *Object Reference for the Salesforce Platform* and *Salesforce Knowledge Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Alias	Alias	string		8		
Email	Email	email		80		
FirstName	First Name	string		40		
Id	Recently Viewed ID	id		18		
IsActive	Active	boolean				
Language	Language	picklist		40		
LastName	Last Name	string		80		
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
NameOrAlias	Name or Alias	string		80		
NetworkId	Network ID	reference		18		
Phone	Phone	phone		40		
ProfileId	Profile ID	reference		18		
RecordTypeId	Record Type ID	reference		18		
Title	Title	string		80		
Type	Type	picklist		40		
UserRoleId	Role ID	reference		18		

RECOMMENDATION

Represents the recommendations surfaced as offers and actions for Einstein Next Best Action. This object is available in API version 45.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Recommendation in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AcceptanceLabel	Acceptance Label	string		80		
ActionReference	Action	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
ExternalId	External Id	string		255		
Id	Recommendation ID	id		18		
ImageId	Asset File ID	reference		18		
IsActionActive	Is Action Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		80		
NetworkId	Network ID	reference		18		
RecommendationKey	RecommendationResponse Identifier	string		255		
RejectionLabel	Rejection Label	string		80		
SystemModstamp	System Modstamp	datetime				

RECOMMENDATIONRESPONSE

Represents the user responses to a presented offer or recommendation for Einstein Next Best Action. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RecommendationResponse in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionReference	Action Name at Time of Response	string		255		
ContextRecord	Context Record ID	string		15		
ContextRecordName	Context Record Name at Time of Response	string		255		
ContextRecordType	Context Object	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Recommendation Response ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
NetworkId	Network ID	reference		18		
OnBehalfOf	On Behalf of ID	string		15		
OnBehalfOfName	On Behalf of Name at Time of Response	string		255		
OnBehalfOfType	On Behalf of Object	string		255		
RecommendationKey	Recommendation Key	string		255		
RecommendationName	Recommendation Name at Time of Response	string		255		
RecommendationType	Recommendation Object	string		255		
Response	Response	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
StrategyReference	Strategy Name at Time of Response	string		255		
StrategyVersion	Strategy Version at Time of Response	string		255		
SystemModstamp	System Modstamp	datetime				

RECORDACTION

Represents a relationship between a record and an action, such as a flow. Create a RecordAction for every action that you want to associate with a particular record. Available in API version 42.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RecordAction in the *Life Sciences Cloud Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionDefinition	Action Definition	picklist		255		
ActionType	Action Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FlowDefinition	Interaction Definition ID	picklist		255		
FlowInterviewId	FlowInterview ID	reference		18		
Id	RecordAction ID	id		18		
IsDeleted	Deleted	boolean				
IsMandatory	Is Mandatory	boolean				
IsUiRemoveHidden	Hide Remove Action in UI	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Order	Order	int	9			
ParticipantRoleId	ParticipantRole ID	reference		18		
Pinned	Pinned	picklist		255		
RecordId	Parent Record ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

RECORDACTIONHISTORY

Represents the lifecycle of a RecordAction as it goes through different states. Available in API version 44.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RecordActionHistory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionDefinitionApiName	Action Definition API Name	string		255		
ActionDefinitionLabel	Action Definition Label	string		255		
ActionType	Action Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	RecordActionHistory ID	id		18		
IsMandatory	Is Mandatory	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LoggedTime	Logged Time	datetime				
ParentRecordId	Parent Record ID	reference		18		
Pinned	Pinned	picklist		255		
RecordActionId	RecordAction Id	string		18		
State	State	picklist		255		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

RECORDACTNSELITEMEXTRCSHARE

Sharing for RecordActnSelItemExtrc.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`AccessLevel`	Custom Object Access	picklist		40		
`Id`	Custom Object Share ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`ParentId`	Parent ID	reference		18		
`RowCause`	Row Cause	picklist		40		
`UserOrGroupId`	User/Group ID	reference		18		

RECORDAGGREGATIONRESULT

Represents a data aggregation from one record to another record based on the record aggregation definition for the corresponding objects. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RecordAggregationResult in the *Record Rollup Definitions Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AggregateFromRecordId	Aggregate From Record ID	reference		18		
AggregateToRecordId	Aggregate To Record ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Record Aggregation Result Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RecordAggregationDefinitionId	Record Aggregation Definition ID	reference		18		
SystemModstamp	System Modstamp	datetime				

RECORDAGGREGATIONRESULTSHARE

Sharing for RecordAggregationResult.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

RECORDALERT

Represents an alert message about a specific record and tracks the status and active period of the alert. This object is available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RecordAlert in the *Industries Common Resources Developer Guide* and *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
EffectiveDate	Effective Start Date	datetime				
Id	Record Alert ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentId	Parent Record ID	reference		18		
RecordAlertCategoryId	Record Alert Category ID	reference		18		
Severity	Severity	picklist		40		
SnoozeUntilDate	Snooze Until Date	datetime				
SourceSystemIdentifier	Source System ID	string		255		
Subject	Subject	string		255		
SystemModstamp	System Modstamp	datetime				
ValidUntilDate	Valid Until Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`WhatId`	What Record ID	reference		18		

RECORDALERTACTIONABLETARGET

Represents the action associated with the parent record alert. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RecordAlertActionableTarget in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Record Alert Actionable Target ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`RecordAlertId`	Record Alert ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`TargetObjectName`	Target Object Name	string		255		
`TargetRecordIdentifier`	Target Record ID	string		255		
`Type`	Type	picklist		255		

RECORDALERTACTIONABLETARGETFEED

Feed tracking for RecordAlertActionableTarget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RECORDALERTACTIONABLETARGETHISTORY

History for tracked fields of RecordAlertActionableTarget.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Record Alert Actionable Target History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RecordAlertActionableTargetId	Record Alert Actionable Target ID	reference		18		

RECORDALERTCATEGORY

Represents a category to group and present record alerts. This object is available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RecordAlertCategory in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Description`	Description	string		255		
`DeveloperName`	Name	string		80		
`Id`	Record Alert Category ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Label	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`Severity`	Severity	picklist		40		
`SystemModstamp`	System Modstamp	datetime				

RECORDALERTDATASOURCE

Represents an internal or external source for record alert data. This object is available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RecordAlertDataSource in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApexClassId	Class ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Data Source Name	string		80		
Id	Record Alert Data Source ID	id		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Data Source Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

RECORDALERTFEED

Feed tracking for RecordAlert.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RECORDALERTHISTORY

History for tracked fields of RecordAlert.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Record Alert History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RecordAlertId	Record Alert ID	reference		18		

RECORDALERTSHARE

Sharing for RecordAlert.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

RECORDALERTTEMPLATE

A template that is shown in the Alerts FlexCard when the expression set requirements are met. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RecordAlertTemplate in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	Record Alert Template Name	string		80		
Id	Record Alert Template ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Record Alert Template Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
RecordAlertCategoryId	Record Alert Category ID	reference		18		
Subject	Subject	string		255		
SystemModstamp	System Modstamp	datetime				

RECORDTYPE

Represents a record type.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RecordType in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessProcessId	Business Process ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	Record Type Name	string		80		
Id	Record Type ID	id		18		
IsActive	Active	boolean				
IsPersonType	Is Person Type	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SobjectType	SObject Type Name	picklist		40		
SystemModstamp	System Modstamp	datetime				

RECORDTYPELOCALIZATION

Represents the translated value of a label for a record type when the Translation Workbench is enabled for your organization.

For more information, see RecordTypeLocalization in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Translation ID	id		18		
`Language`	Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`NamespacePrefix`	Namespace Prefix	string		15		
`ParentId`	Parent ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`Value`	Translation Text	textarea		32000		

RECORDSETFILTERCRITERIA

Represents a set of filters that can be used to match service appointments or assets based on your criteria fields. For example, you can create recordset filter criteria so that only service appointments that satisfy the filter criteria are matched to the filtered shifts, and likewise only maintenance work rules that satisfy your criteria are matched to assets. This object is available in API version 50.0 and later. Assets and maintenance work rules are available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RecordsetFilterCriteria in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
CustomLogic	Custom Logic	string		50		
Description	Description	textarea		32000		
FilteredObject	Filtered Object	picklist		255		
Id	Recordset Filter Criteria ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LogicalOperator	Logical Operator	picklist		255		
Name	Recordset Filter Criteria Name	string		255		
OwnerId	Owner ID	reference		18		
SourceObject	Source Object	picklist		255		
SystemModstamp	System Modstamp	datetime				

RECORDSETFILTERCRITERIAFEED

Feed tracking for RecordsetFilterCriteria.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

RECORDSETFILTERCRITERIAHISTORY

History for tracked fields of RecordsetFilterCriteria.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Recordset Filter Criteria History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RecordsetFilterCriteriaId	Recordset Filter Criteria ID	reference		18		

RECORDSETFILTERCRITERIARULE

Represents a rule using fields from the designated source object to create filters on the filtered, or target, object. RecordsetFilterCriteriaRule is associated with the RecordsetFilterCriteria object. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RecordsetFilterCriteriaRule in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CriteriaField	Criteria Field	picklist		255		
CurrencyIsoCode	Currency ISO Code	picklist		3		
FirstOccurrence	First Occurrence	string		255		
Frequency	Frequency	string		255		
Id	Recordset Filter Criteria Rule ID	id		18		
Index	Index	int	9			
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastOccurrence	Last Occurrence	string		255		
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
NextOccurrenceField	Next Occurrence Field	picklist		255		
Operator	Operator	picklist		255		
RecordsetFilterCriteriaId	Recordset Filter Criteria ID	reference		18		
RecordsetFilterCriteriaRuleNumber	Recordset Filter Criteria Rule Number	string		255		
SystemModstamp	System Modstamp	datetime				
Type	Recordset Filter Criteria Type	picklist		255		
UsageRateField	Usage Rate Field	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UsageRateUnit	Usage Rate Unit	picklist		255		
Value	Value	textarea		256		

RECORDSETFILTERCRITERIASHARE

Sharing for RecordsetFilterCriteria.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`AccessLevel`	Custom Object Access	picklist		40		
`Id`	Custom Object Share ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`ParentId`	Parent ID	reference		18		
`RowCause`	Row Cause	picklist		40		
`UserOrGroupId`	User/Group ID	reference		18		

RECORDSETFLTRCRITMONITOR

Monitors whether the value of an asset attribute is within the threshold of a recordset filter criteria (RFC). You can monitor one or more RFCs for an Asset. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RecordsetFltrCritMonitor in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
Id	Recordset Filter Criteria Monitor ID	id		18		
IsDeleted	Deleted	boolean				
IsWithinThreshold	Within Threshold	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
RecordsetFilterCriteriaId	Recordset Filter Criteria ID	reference		18		
SystemModstamp	System Modstamp	datetime				

RECORDSETFLTRCRITMONITORFEED

Feed tracking for RecordsetFltrCritMonitor.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

RECORDSETFLTRCRITMONITORHISTORY

History for tracked fields of RecordsetFltrCritMonitor.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Recordset Filter Criteria Monitor History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RecordsetFltrCritMonitorId	Recordset Filter Criteria Monitor ID	reference		18		

RECURRENCESCHEDULE

Represents the recurrence schedule for a benefit schedule. This object is available with Program Management in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RecurrenceSchedule in the *Education Cloud Developer Guide*, *Program Management Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CompletedScheduleCount	Completed Schedule Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDate	End Date	date				
Id	Recurrence Schedule ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
NextScheduleDateTime	Next Schedule Date Time	datetime				
OwnerId	Owner ID	reference		18		
ProcessName	Process Name	picklist		255		
ReferenceRecordId	ReferenceRecord ID	reference		18		
ScheduleDayValue	Schedule Day Value	int	9			
ScheduleFrequency	Schedule Frequency	picklist		255		
StartDate	Start Date	datetime				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalRecurrencesCount	Total Recurrences Count	int	9			

RECURRENCESCHEDULESHARE

Sharing for RecurrenceSchedule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

REDIRECTWHITELISTURL

Represents a trusted URL for external user redirections. Redirections to a different Salesforce org, including its publicly served pages and content, are allowed from your Salesforce org only when the URL is a RedirectWhitelistUrl. For non-Salesforce URLs, a session setting controls whether redirections from pages and components built in Salesforce Classic are restricted to RedirectWhitelistUrl objects. Except for cross-org redirections, you can't restrict redirections that originate from pages and components built with Lightning Experience. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RedirectWhitelistUrl in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Name	string		80		
`Id`	Trusted URL for Redirects ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Label	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`SystemModstamp`	System Modstamp	datetime				
`Url`	URL	string		255		

REFERENCEDATALOADLOGFEED

Feed tracking for ReferenceDataLoadLog.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REFERENCEDATALOADLOGHISTORY

History for tracked fields of ReferenceDataLoadLog.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Reference Data Load Log History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ReferenceDataLoadLogId	Reference Data Load Log ID	reference		18		

REFERENCEDATALOADLOGSHARE

Sharing for ReferenceDataLoadLog.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

REFERRAL

Represents the information on client referrals in an organization. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Referral in the *Case Management Guide*, *Public Sector Solutions Developer Guide*, and *Referral Marketing Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CaseId	Case ID	reference		18		
Category	Category	picklist		40		
ClientEmail	Client Email	email		80		
ClientId	Account ID	reference		18		
ClientLanguage	Client Language	multipicklist		4099	0	
ClientName	Client Name	string		255		
ClientPhone	Client Phone	phone		40		
Comments	Comments	textarea		5000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		5000		
Id	Referral ID	id		18		
IsDeleted	Deleted	boolean				
IsSelfReferred	Self Referred	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OutboundSourceId	Referral Outbound Source ID	reference		18		
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Priority	Priority	picklist		40		
ProgramId	Referral Program ID	reference		18		
ProviderEmail	Provider Email	email		80		
ProviderId	Provider ID	reference		18		
ProviderName	Provider Name	string		255		
ProviderOrg	Provider Org	string		255		
ProviderPhone	Provider Phone	phone		40		
ReferralDate	Referral Date	date				
ReferralType	Referral Type	picklist		255		
ReferrerEmail	Referrer Email	email		80		
ReferrerId	Referrer ID	reference		18		
ReferrerName	Referrer Name	string		255		
ReferrerOrg	Referrer Org	string		255		
ReferrerPhone	Referrer Phone	phone		40		
Result	Result	textarea		1000		
ResultCategory	Result Category	picklist		40		
Source	Source	picklist		40		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
UsageType	Usage Type	picklist		40		

REFERRALFEED

Feed tracking for Referral.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REFERRALHISTORY

History for tracked fields of Referral.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Referral History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ReferralId	Referral ID	reference		18		

REFERRALSHARE

Sharing for Referral.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

REFRIGERANTEMSSNFCTR

Represents the global warming potential values for individual refrigerants. Global warming potential compares the atmospheric radiative forcing of one molecule of refrigerant to that of carbon dioxide.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RefrigerantEmssnFctr in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmissionFactorDataSource	Emissions Factor Data Source	textarea		32000		
EmissionFactorUpdateYear	Emissions Factor Update Year	picklist		255		
ExternalIdentifier	External Identifier	string		255		
GlblWarmingPotInKgCo2eKg	Global Warming Potential	double			18	0
Id	Refrigerant Emissions Factor ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ReferenceDataLoadLogId	Reference Data Load Log ID	reference		18		
SystemModstamp	System Modstamp	datetime				

REFRIGERANTEMSSNFCTRFEED

Feed tracking for RefrigerantEmssnFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REFRIGERANTEMSSNFCTRHISTORY

History for tracked fields of RefrigerantEmssnFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Refrigerant Emissions Factor History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RefrigerantEmssnFctrId	Refrigerant Emissions Factor ID	reference		18		

REFRIGERANTEMSSNFCTRSHARE

Sharing for RefrigerantEmssnFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

REFUND

Represents a refund made against a payment. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Refund in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Amount	Amount	currency			18	2
Balance	Balance	currency			18	2
CancellationDate	Cancellation Date	datetime				
CancellationEffectiveDate	Cancellation Effective Date	datetime				
CancellationGatewayDate	Cancellation Gateway Date	datetime				
CancellationGatewayRefNumber	Cancellation Gateway Reference Number	string		255		
CancellationGatewayResultCode	Cancellation Gateway Result Code	string		64		
CancellationSfResultCode	Cancellation Salesforce Result Code	string		64		
ClientContext	Client Context	textarea		2000		
Comments	Comments	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Date	Date	datetime				
EffectiveDate	Effective Date	datetime				
Email	Audit Email	email		80		
GatewayDate	Gateway Date	datetime				
GatewayRefNumber	Gateway Reference Number	string		255		
GatewayResultCode	Gateway Result Code	string		64		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
GatewayResultCodeDescription	Gateway Result Code Description	string		255		
Id	Refund ID	id		18		
ImpactAmount	Impact Amount	currency			18	2
IpAddress	IP Address	string		39		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MacAddress	MAC Address	string		32		
NetApplied	Net Applied	currency			18	2
PaymentGatewayId	Payment Gateway ID	reference		18		
PaymentGroupId	Payment Group ID	reference		18		
PaymentMethodId	Payment Method ID	reference		18		
Phone	Phone	phone		40		
ProcessingMode	Processing Mode	picklist		255		
RefundNumber	Refund Number	string		255		
SfResultCode	Salesforce Result Code	picklist		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalApplied	Total Applied	currency			18	2
TotalUnapplied	Total Unapplied	currency			18	2
Type	Type	picklist		255		

REFUNDLINEPAYMENT

A refund line that has been applied to a payment. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RefundLinePayment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
AppliedDate	Applied Date	datetime				
AssociatedAccountId	Account ID	reference		18		
AssociatedRefundLinePaymentId	Refund Line Payment ID	reference		18		
Comments	Comments	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Date	Date	datetime				
EffectiveDate	Effective Date	datetime				
EffectiveImpactAmount	Effective Impact Amount	currency			18	2
HasBeenUnapplied	Has Been Unapplied	picklist		255		
Id	Refund Line Payment ID	id		18		
ImpactAmount	Impact Amount	currency			18	2
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PaymentBalance	Payment Balance	currency			18	2
PaymentId	Payment ID	reference		18		
RefundBalance	Refund Balance	currency			18	2
RefundId	Refund ID	reference		18		
RefundLinePaymentNumber	Refund Line Payment Number	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		
UnappliedDate	Unapplied Date	datetime				

REGAUTHORIZATIONTYPEPRODUCT

Represents the association of authorization type and product. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RegAuthorizationTypeProduct in the *Emergency Response Management Object Reference*, *Emergency Response Management for Public Health Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Regulatory Authorization Type Product ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RegulatoryAuthorizationTypeId	Regulatory Authorization Type ID	reference		18		
SystemModstamp	System Modstamp	datetime				

REGAUTHORIZATIONTYPEPRODUCTFEED

Feed tracking for RegAuthorizationTypeProduct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REGAUTHORIZATIONTYPEPRODUCTHISTORY

History for tracked fields of RegAuthorizationTypeProduct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Regulatory Authorization Type Product History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RegAuthorizationTypeProductId	Regulatory Authorization Type Product ID	reference		18		

REGAUTHORIZATIONTYPEPRODUCTSHARE

Sharing for RegAuthorizationTypeProduct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

REGISTEREDEXTERNALSERVICE

Represents a registered external service used for checkout integrations by data integrators.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RegisteredExternalService in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConfigUrl	Configure Url	url		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	Name	string		80		
DocumentationUrl	Documentation Url	url		1000		
ExtensionPointName	Extension Point Name	picklist		255		
ExternalServiceProviderId	Class ID	reference		18		
ExternalServiceProviderType	External Service Provider Type	picklist		255		
IconUri	Icon Uri	url		1000		
Id	Registered External Service ID	id		18		
IsApplication	Is Application	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

REGULATORYAUTHORITY

Represents an organization or government agency that provides authorization. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RegulatoryAuthority in the *Emergency Response Management Object Reference*, *Emergency Response Management for Public Health Developer Guide*, *Process Compliance Navigator Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
Id	Regulatory Authority ID	id		18		
IsDeleted	Deleted	boolean				
JurisdictionRegion	Jurisdiction Region	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

REGULATORYAUTHORITYFEED

Feed tracking for RegulatoryAuthority.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REGULATORYAUTHORITYHISTORY

History for tracked fields of RegulatoryAuthority.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Regulatory Authority History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RegulatoryAuthorityId	Regulatory Authority ID	reference		18		

REGULATORYAUTHORITYSHARE

Sharing for RegulatoryAuthority.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

REGULATORYAUTHORIZATIONTYPE

Represents the authorization issued by the regulatory body.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RegulatoryAuthorizationType in the *Emergency Response Management Object Reference*, *Emergency Response Management for Public Health Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
DurationType	Duration Type	picklist		255		
Id	Regulatory Authorization Type ID	id		18		
IsDeleted	Deleted	boolean				
IssuingDepartmentId	Regulatory Authority ID	reference		18		
Jurisdiction	Jurisdiction	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProcessingDuration	Processing Duration	string		255		
RegulatoryAuthCategory	Regulatory Authorization Category	picklist		40		
RegulatoryAuthCode	Regulatory Authorization Code	string		255		
SystemModstamp	System Modstamp	datetime				

REGULATORYAUTHORIZATIONTYPEFEED

Feed tracking for RegulatoryAuthorizationType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REGULATORYAUTHORIZATIONTYPEHISTORY

History for tracked fields of RegulatoryAuthorizationType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Regulatory Authorization Type History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RegulatoryAuthorizationTypeId	Regulatory Authorization Type ID	reference		18		

REGULATORYAUTHORIZATIONTYPESHARE

Sharing for RegulatoryAuthorizationType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

REGULATORYCODE

Represents the regulation code enforced by the regulatory body. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RegulatoryCode in the *Education Cloud Developer Guide*, *Emergency Response Management Object Reference*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
EffectiveFrom	Effective From	datetime				
EffectiveTo	Effective To	datetime				
ExternalUrl	External Url	url		255		
Id	Regulatory Code ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParentCodeId	Parent Code ID	reference		18		
RegulatoryAuthorityId	Regulatory Authority ID	reference		18		
Subject	Subject	string		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

REGULATORYCODEASSESSMENTINDFEED

Feed tracking for RegulatoryCodeAssessmentInd.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REGULATORYCODEASSESSMENTINDHISTORY

History for tracked fields of RegulatoryCodeAssessmentInd.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Regulatory Code Assessment Indicator History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RegulatoryCodeAssessmentIndId	Regulatory Code Assessment Indicator ID	reference		18		

REGULATORYCODEFEED

Feed tracking for RegulatoryCode.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REGULATORYCODEHISTORY

History for tracked fields of RegulatoryCode.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Regulatory Code History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RegulatoryCodeId	Regulatory Code ID	reference		18		

REGULATORYCODEVIOLATION

Represents the transactional violation data that has been identified during an inspection. This entity ties the inspection question that is violated, violation reason and the regulatory code details. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RegulatoryCodeViolation in the *Emergency Response Management Object Reference* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ComplianceDueDate	Compliance Due Date	datetime				
CorrectiveActionDescription	Corrective Action Description	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DateCreated	Date Created	datetime				
DateResolved	Date Resolved	datetime				
DaysOpen	Days Open	int	9			
Description	Description	string		255		
Id	Regulatory Code Violation ID	id		18		
InspectionAssmntIndId	Inspection Assessment Indicator ID	reference		18		
InspectionId	Visit ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Violation ID	string		255		
OwnerId	Owner ID	reference		18		
Priority	Priority	picklist		40		
RecurrenceCount	Recurrence	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RegulatoryCodeId	Regulatory Code ID	reference		18		
ResolutionNotes	Resolution Notes	textarea		1000		
ResponseContextId	Response Context ID	reference		18		
ResponseId	Response ID	reference		18		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
ViolationTypeId	Violation Type ID	reference		18		

REGULATORYCODEVIOLATIONFEED

Feed tracking for RegulatoryCodeViolation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REGULATORYCODEVIOLATIONHISTORY

History for tracked fields of RegulatoryCodeViolation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Regulatory Code Violation History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RegulatoryCodeViolationId	Regulatory Code Violation ID	reference		18		

REGULATORYCODEVIOLATIONSHARE

Sharing for RegulatoryCodeViolation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

REGULATORYTRXNFEE

Represents the association of regulatory transaction fees with your applications, inspections, or violations. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RegulatoryTrxnFee in the *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CalculationDate	Calculation Date	datetime				
Comments	Comments	textarea		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DueDate	Due Date	datetime				
Id	Regulatory Transaction Fee ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Regulatory Transaction Fee Id	string		255		
OwnerId	Owner ID	reference		18		
ParentRecordId	Parent Record ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

REGULATORYTRXNFEEFEED

Feed tracking for RegulatoryTrxnFee.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REGULATORYTRXNFEEHISTORY

History for tracked fields of RegulatoryTrxnFee.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Regulatory Transaction Fee History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RegulatoryTrxnFeeId	Regulatory Transaction Fee ID	reference		18		

REGULATORYTRXNFEEITEM

Represents the storage of specific fee items associated with your regulatory transaction fees. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RegulatoryTrxnFeeItem in the *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CalculationInfo	Calculation Information	string		255		
Comments	Comments	textarea		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FeeAmount	Fee Amount	currency			18	2
Id	Regulatory Transaction Fee Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
RegulatoryTrxnFeeId	Regulatory Transaction Fee ID	reference		18		
SystemModstamp	System Modstamp	datetime				

REGULATORYTRXNFEEITEMFEED

Feed tracking for RegulatoryTrxnFeeItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REGULATORYTRXNFEEITEMHISTORY

History for tracked fields of RegulatoryTrxnFeeItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Regulatory Transaction Fee Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RegulatoryTrxnFeeItemId	Regulatory Transaction Fee Item ID	reference		18		

REGULATORYTRXNFEESHARE

Sharing for RegulatoryTrxnFee.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

RELATEDLISTCOLUMNDEFINITION

Represents information about a column in a related list. A related list specifies a set of records for a related object, based on specific criteria. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RelatedListColumnDefinition in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Alias`	Related List Column Definition Alias	string		255		
`ColumnSoql`	Related List Column Definition SOQL String	string		255		
`DataType`	Data Type	string		255		
`DurableId`	Durable Id	string		255		
`FieldDefinitionId`	Field Definition ID	string		70		
`Id`	Related List Column Definition Id	id		18		
`IsDefault`	Is Default	boolean				
`IsDescribable`	Is Describe Enabled	boolean				
`Label`	Label	string		255		
`LookupId`	Lookup Id	string		255		
`RelatedListDefinitionId`	Related List Definition Id	string		70		

RELATEDLISTDEFINITION

Represents information about a related list. A related list specifies a set of records for a related object, based on specific criteria. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RelatedListDefinition in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
DefaultSort	Related List Default Sort	string		255		
DurableId	Durable Id	string		255		
EntityDefinitionId	Entity Definition ID	string		70		
Id	Related List Definition Id	id		18		
IsCustomizable	Is Customizable	boolean				
IsDescribable	Is Describe Enabled	boolean				
IsLayoutable	Is Layout Enabled	boolean				
Label	Label	string		255		
ParentEntityDefinitionId	Entity Definition ID	string		70		
RelatedListId	Related List Definition Id	string		255		
RelatedListName	Related List Definition Name	string		255		

RELATEDRECORDASSOCCRITERIA

Defines criteria for automatically linking records like accounts, leads, opportunities, and cases with the branches that work with them. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RelatedRecordAssocCriteria in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssociationHandlerApexClassId	Class ID	reference		18		
AssociationType	Association Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	Name	string		80		
EventType	Event Type	picklist		255		
Id	Related Record Association ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
PreCondition	Precondition	string		255		
ReferenceObject	Reference Object	picklist		255		
SelectedOwnerField	Selected Owner Field	string		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

REMOTEKEYCALLOUTEVENT

An event related to the RemoteKeyCalloutEvent object.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RemoteKeyCalloutEvent in the *Object Reference for the Salesforce Platform* and *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Details`	Details	textarea		32000		
`EventUuid`	Event UUID	string		36		
`ReplayId`	Replay ID	string		1000		
`RequestIdentifier`	Request Identifier	string		255		
`StatusCode`	Status Code	picklist		255		

RENTALCAREMSSNFCTR

Represents the emissions factors for scope 3 rental car usage.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RentalCarEmssnFctr in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
EmissionFactorDataSource	Emissions Factor Data Source	textarea		32000		
EmissionFactorUpdateYear	Emissions Factor Update Year	picklist		255		
ExternalIdentifier	External Identifier	string		255		
FuelEfficiency	Fuel Efficiency	double			18	2
FuelEfficiencyInMpg	Fuel Efficiency (mpg)	double			18	2
FuelEfficiencyUnit	Fuel Efficiency Unit	picklist		255		
Id	Rental Car Emissions Factor ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OtherEmssnFctrId	Other Emissions Factor Set ID	reference		18		
OwnerId	Owner ID	reference		18		
ReferenceDataLoadLogId	Reference Data Load Log ID	reference		18		
SystemModstamp	System Modstamp	datetime				

RENTALCAREMSSNFCTRFEED

Feed tracking for RentalCarEmssnFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

RENTALCAREMSSNFCTRHISTORY

History for tracked fields of RentalCarEmssnFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Rental Car Emissions Factor History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`RentalCarEmssnFctrId`	Rental Car Emissions Factor ID	reference		18		

RENTALCAREMSSNFCTRSHARE

Sharing for RentalCarEmssnFctr.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

RENTALCARENRGYUSE

Represents the energy consumption related to rental cars.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RentalCarEnrgyUse in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CarbonFootprintReportDate	Carbon Footprint Report Date	date				
Ch4EmissionsInKg	CH4 Emissions (kg)	double			16	6
Co2EmissionsInKg	CO2 Emissions (kg)	double			16	6
CostCenter	Cost Center	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Distance	Distance	double			18	2
DistanceUnit	Distance Unit	picklist		255		
EndDate	End Date	date				
FuelEfficiencyInLkm	Fuel Efficiency (L/100 km)	double			18	2
FuelEfficiencyInMpg	Fuel Efficiency (mpg)	double			18	2
FuelType	Fuel Type	picklist		255		
Id	Rental Car Energy Use ID	id		18		
IsDeleted	Deleted	boolean				
IsRecordLocked	Record Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
N2oEmissionsInKg	N2O Emissions (kg)	double			16	6
Name	Name	string		255		
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RentalCarCompanyCode	Rental Car Company Code	string		100		
RentalCarCompanyName	Rental Car Company Name	string		255		
RentalCarEmssnFctrId	Rental Car Emissions Factor ID	reference		18		
Scope3CrbnFtprntId	Scope 3 Carbon Footprint ID	reference		18		
Scope3EmissionsInTco2e	Scope 3 Emissions (tCO2e)	double			18	4
Scope3EmssnSrcId	Scope 3 Emissions Source ID	reference		18		
Scope3GhgCategory	Scope 3 GHG Category	picklist		255		
StartDate	Start Date	date				
SuplScope3Emissions	Supplemental Scope 3 Emissions	double			18	5
SupplierId	Supplier ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalFuelConsumptionInGal	Total Fuel Consumption (US Gallons)	double			18	2
TotalFuelConsumptionInLiter	Total Fuel Consumption (Liters)	double			18	2
TravelerName	Traveler Name	string		255		
VendorProvidedEmissionsInTco2e	Vendor-Provided Emissions (tCO2e)	double			16	6

RENTALCARENRGYUSEFEED

Feed tracking for RentalCarEnrgyUse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

RENTALCARENRGYUSEHISTORY

History for tracked fields of RentalCarEnrgyUse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Rental Car Energy Use History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RentalCarEnrgyUseId	Rental Car Energy Use ID	reference		18		

RENTALCARENRGYUSESHARE

Sharing for RentalCarEnrgyUse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

REPLY

Represents a reply that a user has submitted to a question in an answers zone.

For more information, see Reply in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Body	Reply Body	textarea		32000		
CommunityId	Zone ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreatorFullPhotoUrl	Url of Creator's Profile Photo	string		255		
CreatorName	Name of Creator	string		121		
CreatorSmallPhotoUrl	Url of Creator's Thumbnail Photo	string		255		
DownVotes	Down Votes	int	9			
Id	Reply ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
NumReportAbuses	Number of Report Abuses	int	9			
QuestionId	Question ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UpVotes	Up Votes	int	9			
VoteTotal	Vote Total	double			18	0

REPLYEMAILSETTINGS

Represents a reply mail management configuration, which is used to configure emails that are received by an email sending domain. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ReplyEmailSettings in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AutoReplyMessage	Auto Reply Message Value	textarea		131072		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
DomainName	Domain Name Value	string		255		
FwdEmailAddress	Fwd Email Address Value	string		254		
Id	Generic Reply Email Setting Result ID	id		18		
IsAutoReplyEnabled	AutoReply Enabled Value	boolean				
IsDeleteAutoRepliesEnabled	Delete AutoReplies Enabled Value	boolean				
IsDeleted	Deleted	boolean				
IsEmailForwardingEnabled	Email Forwarding Enabled Value	boolean				
IsUnsubscribeManualRequestsEnabled	Unsubscribe Manual Requests Enabled Value	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
SystemModstamp	System Modstamp	datetime				
UnsubscribeTerms	Unsubscribe Terms Value	string		255		

REPLYREPORTABUSE

Represents a user-reported abuse on a Reply in a Chatter Answers zone.

For more information, see ReplyReportAbuse in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Reply Report Abuse ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`Name`	Reply Report Abuse	string		255		
`Reason`	Reason	picklist		255		
`ReplyId`	Reply ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

REPORT

Represents a report, a set of data that meets certain criteria, displayed in an organized way. Access is read-only. This object is available in API version 20.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Report in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	Report Unique Name	string		80		
FolderName	Folder Name	string		256		
Format	Format	picklist		40		
Id	Report ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastRunDate	Last Run	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Report Name	string		40		
NamespacePrefix	Namespace Prefix	string		15		
OwnerId	Owner ID	reference		18		
ReportTypeApiName	Report Type API Name	string		50		
SystemModstamp	System Modstamp	datetime				

REPORTANOMALYEVENT

Tracks anomalies in how users run or export reports, including unsaved reports. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ReportAnomalyEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event ID	string		80		
EventUuid	Event UUID	string		36		
LoginKey	Login Key	string		24		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
ReplayId	Replay ID	string		1000		
Report	Report ID	string		18		
Score	Score	double			12	6
SecurityEventData	Event Data	textarea		10000		
SessionKey	Session Key	string		24		
SourceIp	Source IP Address	string		255		
Summary	Summary	textarea		1000		
UserId	User ID	reference		18		
Username	Username	string		255		

REPORTANOMALYEVENTSTORE

Tracks anomalies in how users run or export reports, including unsaved reports. ReportAnomalyEventStore is an object that stores the event data of ReportAnomalyEvent. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ReportAnomalyEventStore in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event ID	string		80		
Id	Report Anomaly Event Store ID	id		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoginKey	Login Key	string		24		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
Report	Report ID	string		18		
ReportAnomalyEventNumber	Event Name	string		255		
Score	Score	double			12	6
SecurityEventData	Event Data	textarea		10000		
SessionKey	Session Key	string		24		
SourceIp	Source IP Address	string		255		
Summary	Summary	textarea		1000		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		
Username	Username	string		255		

REPORTANOMALYEVENTSTOREFEED

Feed tracking for ReportAnomalyEventStore.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

REPORTEVENT

Tracks when reports are run in your org. You can use ReportEvent in a transaction security policy. ReportEvent is a big object that stores the event data of ReportEventStream. This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ReportEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionName	Action Name	string		255		
BotSessionIdentifier	Bot Session Identifier	string		255		
ColumnHeaders	Name of Columns	string		10000		
CreatedDate	Created Date	datetime				
DashboardId	Dashboard ID	reference		18		
DashboardName	Dashboard Name	string		80		
Description	Description	string		255		
DisplayedFieldEntities	Displayed Field Entities	string		10000		
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
EventSource	Event Source	picklist		255		
ExecutionIdentifier	Execution Identifier	string		80		
ExportFileFormat	Export File Format	string		80		
Format	Format	picklist		255		
GroupedColumnHeaders	Name of Grouped Columns	string		10000		
Id	Report Event ID	id		18		
IsScheduled	Is Scheduled	boolean				
LoginHistoryId	Login History ID	reference		18		
LoginKey	Login Key	string		24		
Name	Name	string		80		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
NumberOfColumns	Number of Columns	int	9			
Operation	Operation	picklist		255		
OwnerId	Owner ID	reference		18		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
QueriedEntities	Queried Entities	string		1000		
Records	Records	json		250000		
RelatedEventIdentifier	Related Event Identifier	string		80		
ReportId	Report ID	reference		18		
RowsProcessed	Rows Processed	double			18	0
Scope	Scope	string		80		
Sequence	Sequence	int	9			
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
UserId	User ID	reference		18		
Username	Username	string		255		

REPORTEVENTSTREAM

Tracks report-related actions, such as when a user runs or exports a report. This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ReportEventStream in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionName	Action Name	string		255		
BotId	Bot ID	string		18		
BotSessionIdentifier	Bot Session Identifier	string		255		
ColumnHeaders	Name of Columns	string		10000		
CreatedDate	Created Date	datetime				
DashboardId	Dashboard ID	string		18		
DashboardName	Dashboard Name	string		80		
Description	Description	string		255		
DisplayedFieldEntities	Displayed Field Entities	string		10000		
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
EventSource	Event Source	picklist		255		
EventUuid	Event UUID	string		36		
ExecutionIdentifier	Execution Identifier	string		80		
ExportFileFormat	Export File Format	string		80		
Format	Format	picklist		255		
GroupedColumnHeaders	Name of Grouped Columns	string		10000		
IsScheduled	Is Scheduled	boolean				
LoginHistoryId	Login History ID	reference		18		
LoginKey	Login Key	string		24		
Name	Name	string		80		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
NumberOfColumns	Number of Columns	int	9			
Operation	Operation	picklist		255		
OwnerId	Owner ID	string		18		
PlannerId	Planner ID	string		18		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
QueriedEntities	Queried Entities	string		1000		
Records	Records	json		250000		
RelatedEventIdentifier	Related Event Identifier	string		80		
ReplayId	Replay ID	string		1000		
ReportId	Report ID	string		18		
RowsProcessed	Rows Processed	double			18	0
Scope	Scope	string		80		
Sequence	Sequence	int	9			
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
UserId	User ID	reference		18		
Username	Username	string		255		

REPORTFEED

Feed tracking for Report.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

REPUTATIONLEVEL

Represents a reputation level defined for an Experience Cloud site. This object is available in API version 32.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ReputationLevel in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Reputation Level ID	id		18		
`IsDeleted`	Deleted	boolean				
`Label`	Level Name	string		50		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LevelNumber`	Level Number	int	9			
`ParentId`	Parent ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`Threshold`	Point Threshold	double			15	0

REPUTATIONLEVELLOCALIZATION

Represents the translated value of a reputation level. Reputation level localization only applies for reputation levels in Experience Cloud sites.

For more information, see ReputationLevelLocalization in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Translation ID	id		18		
`Language`	Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`NamespacePrefix`	Namespace Prefix	string		15		
`ParentId`	Parent ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`Value`	Translation Text	textarea		32000		

REPUTATIONPOINTSRULE

Represents the reputation point rules for an Experience Cloud site. Each rule specifies an action that members can earn points from and the points associated with those actions in a particular site. This object is available in API version 32.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ReputationPointsRule in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Reputation Points Rule ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
Points	Points	int	6			
SystemModstamp	System Modstamp	datetime				
Type	Event Type	picklist		255		

RESEARCHSTDYCMPRGROUPCNDT

Represents the junction between a research study control group and a research study candidate. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ResearchStdyCmprGroupCndt in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CandidateAllocSourceId	Candidate Allocation Source ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Research Study Comparison Group Candidate ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ResearchStudyCandidateId	Research Study Candidate ID	reference		18		
ResearchStudyCmprGroupId	Research Study Comparison Group ID	reference		18		
SystemModstamp	System Modstamp	datetime				

RESEARCHSTDYCMPRGROUPCNDTFEED

Feed tracking for ResearchStdyCmprGroupCndt.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RESEARCHSTDYCMPRGROUPCNDTHISTORY

History for tracked fields of ResearchStdyCmprGroupCndt.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Research Study Comparison Group Candidate History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ResearchStdyCmprGroupCndtId	Research Study Comparison Group Candidate ID	reference		18		

RESEARCHSTDYCMPRGROUPCNDTSHARE

Sharing for ResearchStdyCmprGroupCndt.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

RESEARCHSTDYCNDTSTATUSPRD

Represents the time duration during which a research study candidate is assigned a specific status. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ResearchStdyCndtStatusPrd in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveEndDateTime	Effective End Date	datetime				
EffectiveStartDateTime	Effective Start Date	datetime				
Id	Research Study Candidate Status Period ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ResearchStudyCandidateId	Research Study Candidate ID	reference		18		
Status	Status	picklist		40		
StatusReason	Status Reason	string		255		
SystemModstamp	System Modstamp	datetime				

RESEARCHSTDYCNDTSTATUSPRDFEED

Feed tracking for ResearchStdyCndtStatusPrd.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RESEARCHSTDYCNDTSTATUSPRDHISTORY

History for tracked fields of ResearchStdyCndtStatusPrd.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Research Study Candidate Status Period History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ResearchStdyCndtStatusPrdId	Research Study Candidate Status Period ID	reference		18		

RESEARCHSTDYRANDOMIZATION

Represents the randomization algorithm configuration defined for a research study. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ResearchStdyRandomization in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AlgorithmFlowDefinition	Algorithm Flow Definition	string		255		
AlgorithmType	Algorithm Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DoesAsgnCandidatesToGroups	Randomization Assigns Candidates To Groups	boolean				
DoesGenerateBlockOnDemand	Generate Block On Demand	boolean				
Id	Research Study Randomization ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaximumBlockSizeMultiplier	Maximum Block Size Multiplier	int	9			
MinimumBlockSizeMultiplier	Minimum Block Size Multiplier	int	9			
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RandomizationLevel	Randomization Level	picklist		255		
ResearchStudyId	Research Study ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

RESEARCHSTDYRANDOMIZATIONFEED

Feed tracking for ResearchStdyRandomization.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RESEARCHSTDYRANDOMIZATIONHISTORY

History for tracked fields of ResearchStdyRandomization.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Research Study Randomization History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ResearchStdyRandomizationId	Research Study Randomization ID	reference		18		

RESEARCHSTDYRANDOMIZATIONSHARE

Sharing for ResearchStdyRandomization.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

RESEARCHSTDYSEARCHABLEFIELD

Represents a common dataset that includes multiple fields and values from multiple objects and serves as the basis for searches related to research studies. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ResearchStdySearchableField in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrentEnrolleeCount	Current Enrollee Count	int	9			
Description	Description	textarea		4000		
DoesAcceptHealthyCandidates	Does Accept Healthy Candidates	boolean				
EligibleGender	Eligible Gender	string		255		
EndDateTime	End Date Time	datetime				
Focus	Focus	textarea		4000		
Id	Research Study Searchable Fields ID	id		18		
Intent	Intent	string		255		
IsDeleted	Deleted	boolean				
Keywords	Keywords	textarea		4000		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaximumEligibleAge	Maximum Eligible Age	int	9			
MinimumEligibleAge	Minimum Eligible Age	int	9			
Name	Name	string		255		
OmniProcess	Omni Process	string		255		
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Phase	Phase	string		255		
PrimaryConditionArea	Primary Condition Area	textarea		4000		
ResearchStudyId	Research Study ID	reference		18		
ResearchStudyNumber	Research Study Number	string		255		
ResearchStudyType	Research Study Type	string		255		
SiteCount	Number Of Sites	int	9			
Sponsor	Sponsor	string		255		
StartDateTime	Start Date Time	datetime				
Status	Status	string		255		
Summary	Summary	textarea		4000		
SystemModstamp	System Modstamp	datetime				
TargetEnrolleeCount	Target Enrollee Count	int	9			
Title	Title	textarea		4000		

RESEARCHSTDYSEARCHABLEFIELDFEED

Feed tracking for ResearchStdySearchableField.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RESEARCHSTDYSEARCHABLEFIELDHISTORY

History for tracked fields of ResearchStdySearchableField.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Research Study Searchable Field History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ResearchStdySearchableFieldId	Research Study Searchable Fields ID	reference		18		

RESEARCHSTDYSEARCHABLEFIELDSHARE

Sharing for ResearchStdySearchableField.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

RESEARCHSTUDY

Represents the details of a research study that include its design, execution, and oversight. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ResearchStudy in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BiospecRetention	Biospec Retention	picklist		40		
BlindingTypeCodeId	Blinding Type ID	reference		18		
CareProgramId	Care Program ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		5000		
DiscontinuationReason	Discontinuation Reason	picklist		40		
EligibleGender	Eligible Gender	picklist		40		
EligibleMaximumAge	Eligible Maximum Age	int	9			
EligibleMinimumAge	Eligible Minimum Age	int	9			
EndDate	End Date	datetime				
Id	Research Study ID	id		18		
InclusionExclusionCriteria	Inclusion And Exclusion Criteria	textarea		32000		
IntentType	Intent Type	picklist		40		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Phase	Phase	picklist		40		
PrimaryContactInformationId	Contact Point Phone ID	reference		18		
ProtocolDocumentId	Protocol Document ID	reference		18		
PublicationStatus	Publication Status	picklist		40		
ResearchStudyNumber	Research Study Number	string		40		
ShouldAcptHealthyCandidates	Accept Healthy Candidates	boolean				
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
StartDate	Start Date	datetime				
Summary	Summary	textarea		5000		
SystemModstamp	System Modstamp	datetime				
Title	Title	textarea		5000		
Type	Type	picklist		40		
UniformResourceIdentifier	Uniform Resource Identifier	url		255		

RESEARCHSTUDYCANDIDATE

Represents the details of the research participant which includes the associated account and the status of the subject. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ResearchStudyCandidate in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CandidateId	Candidate ID	reference		18		
CareProgramSiteId	Care Program Site ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Research Study Candidate ID	id		18		
IsASmoker__c	IsASmoker	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MatchedExclusionCritCount	Matched Exclusion Criteria Count	int	9			
MatchedInclusionCritCount	Matched Inclusion Criteria Count	int	9			
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ResearchStudyId	Research Study ID	reference		18		
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
SourceSystemModified	Source System Modified	datetime				
SourceType	Source Type	picklist		40		
Status	Status	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

RESEARCHSTUDYCANDIDATEFEED

Feed tracking for ResearchStudyCandidate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RESEARCHSTUDYCANDIDATEHISTORY

History for tracked fields of ResearchStudyCandidate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Research Study Candidate History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ResearchStudyCandidateId	Research Study Candidate ID	reference		18		

RESEARCHSTUDYCANDIDATESHARE

Sharing for ResearchStudyCandidate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

RESEARCHSTUDYCMPRGROUP

Represents the details of a research study comparison group. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ResearchStudyCmprGroup in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AllocationRatioValue	Allocation Ratio Value	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Research Study Comparison Group ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ResearchStudyId	Research Study ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TypeCodeId	Type Code ID	reference		18		

RESEARCHSTUDYCMPRGROUPFEED

Feed tracking for ResearchStudyCmprGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RESEARCHSTUDYCMPRGROUPHISTORY

History for tracked fields of ResearchStudyCmprGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Research Study Comparison Group History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ResearchStudyCmprGroupId	Research Study Comparison Group ID	reference		18		

RESEARCHSTUDYCMPRGROUPSHARE

Sharing for ResearchStudyCmprGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

RESEARCHSTUDYFEED

Feed tracking for ResearchStudy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RESEARCHSTUDYHISTORY

History for tracked fields of ResearchStudy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Research Study History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ResearchStudyId	Research Study ID	reference		18		

RESEARCHSTUDYPROTOCOLINFO

Represents details of the research study protocol document. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ResearchStudyProtocolInfo in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Content	Content	textarea		5000		
ContentType	Content Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Research Study Protocol Info ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ResearchStudyId	Research Study ID	reference		18		
SystemModstamp	System Modstamp	datetime				

RESEARCHSTUDYPROTOCOLINFOFEED

Feed tracking for ResearchStudyProtocolInfo.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RESEARCHSTUDYPROTOCOLINFOHISTORY

History for tracked fields of ResearchStudyProtocolInfo.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Research Study Protocol Information History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ResearchStudyProtocolInfoId	Research Study Protocol Info ID	reference		18		

RESEARCHSTUDYRELATION

Represents different related research studies. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ResearchStudyRelation in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Research Study Relation ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`RelatedResearchStudyId`	Research Study ID	reference		18		
`ResearchStudyId`	Research Study ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

RESEARCHSTUDYRELATIONFEED

Feed tracking for ResearchStudyRelation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RESEARCHSTUDYRELATIONHISTORY

History for tracked fields of ResearchStudyRelation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Research Study Relation History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ResearchStudyRelationId	Research Study Relation ID	reference		18		

RESEARCHSTUDYRNDMBLOCKSLOT

Represents the individual randomization block items corresponding to a Research Study Randomization Block This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ResearchStudyRndmBlockSlot in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Research Study Randomization Block Slot ID	id		18		
IsDeleted	Deleted	boolean				
ItemAssignmentStatus	Item Assignment Status	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ResearchStudyCmprGroupId	Research Study Comparison Group ID	reference		18		
RsrchStdyRandomizationBlkId	Research Study Randomization Block ID	reference		18		
SequenceNumber	Sequence Number	int	9			
SystemModstamp	System Modstamp	datetime				

RESEARCHSTUDYRNDMBLOCKSLOTFEED

Feed tracking for ResearchStudyRndmBlockSlot.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RESEARCHSTUDYRNDMBLOCKSLOTHISTORY

History for tracked fields of ResearchStudyRndmBlockSlot.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Research Study Randomization Block Slot History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ResearchStudyRndmBlockSlotId	Research Study Randomization Block Slot ID	reference		18		

RESEARCHSTUDYSHARE

Sharing for ResearchStudy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

RESIDENTIALLOANAPPLICATION

Represents details about a loan application from the lender. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ResidentialLoanApplication in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AmortizationTerm	Loan Duration in Months	double			18	0
AmortizationType	Amortization Type	picklist		40		
ApplicationExtIdentifier	External Application ID	string		255		
BalloonTermMonths	Balloon Term Months	double			18	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EstateHoldType	Lender's Lien Type	picklist		40		
HasOtherLoanFeature	Other Loan Feature	boolean				
HasPrepaymentPenalty	Penalty for Prepayment	boolean				
Id	Residential Loan Application ID	id		18		
ImprovementCost	Cost of Construction or Improvement	currency			18	2
InitialBuydownRate	Initial Buydown Rate	double			18	3
IntOnlyTermMonthCount	Interest-Only Term Months	double			18	0
InterestRate	Interest Rate	double			18	3
IsBalloon	Balloon	boolean				
IsBorrowerCommPropState	Borrower Lives in Community Property State	boolean				
IsConstructionConversion	Construction-Conversion or Construction-to-Permanent	boolean				
IsContractConversion	Conversion of Contract for Deed or Land Contract	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsDeleted	Deleted	boolean				
IsEnergyRelImprovement	Energy-Related Improvement	boolean				
IsInterestOnly	Interest Only	boolean				
IsNegativeAmortization	Allows Negative Amortization	boolean				
IsPropertyCommPropState	Property in Community Property State	boolean				
IsRenovation	Renovation	boolean				
IsSingleClosing	Single Closing	boolean				
IsSubjectToPriorityLien	Subject to Priority Lien	boolean				
IsTempIntRateBuydown	Temporary Interest Rate Buydown	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LeaseHoldExpirationDate	Leasehold Expiration	datetime				
LoanPurpose	Loan Purpose	picklist		255		
LotAcquiredDate	Date Acquired	datetime				
LotOriginalCost	Original Cost	currency			18	2
MonthsBeforeFirstAdj	Initial Period Prior to First Adjustment in months	double			18	0
MonthsBetweenAdjustments	Subsequent Adjustment Period in months	double			18	0
MortgageLienType	Mortgage Lien Type	picklist		40		
MortgageProgramType	Mortgage Program Type	picklist		255		
Name	Name	string		255		
NativeLandTenure	Indian Country Land Tenure	picklist		40		
OpportunityId	Opportunity ID	reference		18		
OtherAmortizationType	Other Amortization Type Description	string		255		
OtherLoanFeature	Other Loan Feature Description	string		255		
OtherLoanPurpose	Other Loan Purpose	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OtherMortgageProgramType	Other Mortgage Program Type Description	string		255		
OtherRefinanceProgType	Other Refinance Program Type	string		255		
OwnerId	Owner ID	reference		18		
PrepayPenaltyTermMonth	Prepayment Penalty Term Months	double			18	0
ProjectType	Project Type	picklist		40		
RefinanceProgramType	Refinance Program Type	picklist		40		
RefinanceType	Refinance Type	picklist		40		
Status	Application Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TitleType	Title Hold Method	picklist		40		
TotalFinLiabilityMonthlyAmt	Total Monthly Financial Liabilities	currency			18	2
TotalFinancialAssetAmount	Total Financial Assets	currency			18	2
TotalOtherAssetAmount	Total Other Assets	currency			18	2
TotalOtherFinLiabilityMonthlyAmt	Total Monthly Other Liabilities	currency			18	2
TrustTitleType	Title Held in Trust	picklist		40		

RESIDENTIALLOANAPPLICATIONFEED

Feed tracking for ResidentialLoanApplication.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RESIDENTIALLOANAPPLICATIONHISTORY

History for tracked fields of ResidentialLoanApplication.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Residential Loan Application History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ResidentialLoanApplicationId	Residential Loan Application ID	reference		18		

RESIDENTIALLOANAPPLICATIONSHARE

Sharing for ResidentialLoanApplication.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

RESOURCEABSENCE

Represents a time period in which a service resource is unavailable to work in Field Service, Salesforce Scheduler, or Workforce Engagement. This object is available in API version 38.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ResourceAbsence in the *Energy and Utilities Cloud Developer Guide*, *Field Service Developer Guide*, *Object Reference for the Salesforce Platform*, and *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AbsenceNumber	Absence Number	string		255		
Address	Address	address				
City	City	string		40		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
End	End Time	datetime				
GeocodeAccuracy	Geocode Accuracy	picklist		40		
Id	Absence ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
Longitude	Longitude	double			18	15
PostalCode	Zip/Postal Code	string		20		
ResourceId	Resource ID	reference		18		
Start	Start Time	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
State	State/Province	string		80		
Street	Address	textarea		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

RESOURCEABSENCEFEED

Feed tracking for ResourceAbsence.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RESOURCEABSENCEHISTORY

History for tracked fields of ResourceAbsence.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Resource Absence History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`ResourceAbsenceId`	Absence ID	reference		18		

RESOURCEPREFERENCE

Represents an account's preference for a specified service resource on field service work.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ResourcePreference in the *Field Service Developer Guide*, *Object Reference for the Salesforce Platform*, and *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Resource Preference ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
PreferenceType	Preference Type	picklist		255		
RelatedRecordId	Related Record ID	reference		18		
ResourcePreferenceNumber	Resource Preference Number	string		255		
ServiceResourceId	Resource ID	reference		18		
SystemModstamp	System Modstamp	datetime				

RESOURCEPREFERENCEFEED

Feed tracking for ResourcePreference.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RESOURCEPREFERENCEHISTORY

History for tracked fields of ResourcePreference.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Resource Preference History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`ResourcePreferenceId`	Resource Preference ID	reference		18		

RETRIEVALSUMMARYDEFFIELD

Represents a table that stores the fields to retrieve from the target object of a rollup definition. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RetrievalSummaryDefField in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Field	Custom Field Definition ID	picklist		255		
Id	Retrieval Summary Definition ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RetrievalSummaryDefOrObjectId	Retrieval Summary Definition Or Object ID	reference		18		
SequenceNumber	Sequence Number	int	9			
SystemModstamp	System Modstamp	datetime				

RETRIEVALSUMMARYDEFOBJECT

Represents a table that stores the rollup definitions of a retrieval definition. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RetrievalSummaryDefObject in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Retrieval Summary Definition Object ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RecordAggregationDefinitionId	Record Aggregation Definition ID	reference		18		
RetrievalSummaryDefinitionId	Retrieval Summary Definition ID	reference		18		
SequenceNumber	Sequence Number	int	9			
SystemModstamp	System Modstamp	datetime				

RETRIEVALSUMMARYDEFINITION

Represents a table that stores the header information of a retrieval definition. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RetrievalSummaryDefinition in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Name	string		80		
`Id`	Retrieval Summary Definition ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Label	string		80		
`NamespacePrefix`	Namespace Prefix	string		15		
`RootObject`	Custom Object Definition ID	picklist		255		
`SystemModstamp`	System Modstamp	datetime				

RETURNORDER

Represents the return or repair of inventory or products in Field Service, or the return of order products in Order Management. This object is available in API version 42.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ReturnOrder in the *Field Service Developer Guide*, *Manufacturing Cloud Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CaseId	Case ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
DestinationLocationId	Destination Location ID	reference		18		
ExpectedArrivalDate	Expected Arrival Date	datetime				
ExpirationDate	Expiration Date	datetime				
GrandTotalAmount	Total with Tax	currency			18	2
Id	Return Order ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LifeCycleType	Life Cycle Type	picklist		255		
OrderId	Order ID	reference		18		
OwnerId	Owner ID	reference		18		
ProductRequestId	Product Request ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ProductServiceCampaignId	Product Service Campaign ID	reference		18		
RefundInstructionsHint	Refund Instructions Hint	textarea		131072		
ReturnOrderNumber	Return Order Number	string		255		
ReturnedById	Returned By ID	reference		18		
ShipFromAddress	Ship From Address	address				
ShipFromCity	City	string		40		
ShipFromCountry	Country	string		80		
ShipFromGeocodeAccuracy	Geocode Accuracy	picklist		40		
ShipFromLatitude	Latitude	double			18	15
ShipFromLongitude	Longitude	double			18	15
ShipFromPostalCode	Zip/Postal Code	string		20		
ShipFromState	State/Province	string		80		
ShipFromStreet	Address	textarea		255		
ShipmentType	Shipment Type	picklist		40		
SourceLocationId	Source Location ID	reference		18		
Status	Status	picklist		40		
StatusCategory	Status Category	picklist		255		
SystemModstamp	System Modstamp	datetime				
TaxLocaleType	Tax Locale Type	picklist		255		
TotalAmount	Pretax Total	currency			18	2
TotalDeliveryAdjustAmount	Shipping Adjustments	currency			18	2
TotalDeliveryAdjustAmtWithTax	Shipping Adjustments with Tax	currency			18	2
TotalDeliveryAdjustTaxAmount	Shipping Adjustments Tax	currency			18	2
TotalDeliveryAmount	Shipping Subtotal	currency			18	2
TotalDeliveryAmtWithTax	Shipping Subtotal with Tax	currency			18	2
TotalDeliveryTaxAmount	Shipping Subtotal Tax	currency			18	2
TotalFeeAdjustAmount	Fee Adjustments	currency			18	2
TotalFeeAdjustAmtWithTax	Fee Adjustments with Tax	currency			18	2
TotalFeeAdjustTaxAmount	Fee Adjustments Tax	currency			18	2
TotalFeeAmount	Fee Subtotal	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalFeeAmtWithTax	Fee Subtotal with Tax	currency			18	2
TotalFeeTaxAmount	Fee Subtotal Tax	currency			18	2
TotalProductAdjustAmount	Product Adjustments	currency			18	2
TotalProductAdjustAmtWithTax	Product Adjustments with Tax	currency			18	2
TotalProductAdjustTaxAmount	Product Adjustments Tax	currency			18	2
TotalProductAmount	Product Subtotal	currency			18	2
TotalProductAmtWithTax	Product Subtotal with Tax	currency			18	2
TotalProductTaxAmount	Product Subtotal Tax	currency			18	2
TotalTaxAmount	Tax	currency			18	2

RETURNORDERFEED

Feed tracking for ReturnOrder.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

RETURNORDERHISTORY

History for tracked fields of ReturnOrder.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Return Order History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ReturnOrderId	Return Order ID	reference		18		

RETURNORDERITEMADJUSTMENT

Represents a price adjustment on a return order line item. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ReturnOrderItemAdjustment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Adjustment	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1175		
Id	Return Order Item Adjustment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ReturnOrderId	Return Order ID	reference		18		
ReturnOrderItemAdjustmentNumber	Return Order Item Adjustment Number	string		255		
ReturnOrderLineItemId	Return Order Line Item ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalAmtWithTax	Adjustment with Tax	currency			18	2
TotalTaxAmount	Tax	currency			18	2

RETURNORDERITEMTAX

Represents the tax on a return order line item or return order item adjustment. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ReturnOrderItemTax in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Amount	Amount	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		2000		
Id	Return Order Item Tax ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Rate	Rate	percent			5	2
ReturnOrderId	Return Order ID	reference		18		
ReturnOrderItemAdjustmentId	Return Order Item Adjustment ID	reference		18		
ReturnOrderItemTaxNumber	Return Order Item Tax Number	string		255		
ReturnOrderLineItemId	Return Order Line Item ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TaxEffectiveDate	Tax Effective Date	date				
Type	Type	picklist		255		

RETURNORDERLINEITEM

Represents a specific product that is returned or repaired as part of a return order in Field service, or a specific order item that is returned as part of a return order in Order Management. This object is available in API version 42.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ReturnOrderLineItem in the *Field Service Developer Guide*, *Manufacturing Cloud Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
ChangeOrderItemId	Order Product ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
DestinationLocationId	Destination Location ID	reference		18		
GrossUnitPrice	Gross Unit Price	currency			18	2
Id	Return Order Line Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OrderItemId	Order Product ID	reference		18		
ProcessingPlan	Processing Plan	picklist		40		
Product2Id	Product ID	reference		18		
ProductItemId	Product Item ID	reference		18		
ProductRequestLineItemId	Product Request Line Item ID	reference		18		
ProductServiceCampaignId	Product Service Campaign ID	reference		18		
ProductServiceCampaignItemId	Product Service Campaign Item ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
QuantityExpected	Quantity Expected	double			18	0
QuantityReceived	Quantity Received	double			18	0
QuantityRejected	Quantity Rejected	double			18	0
QuantityReturned	Quantity Returned	double			18	2
QuantityUnitOfMeasure	Quantity Unit Of Measure	picklist		40		
ReasonForChangeText	Reason for Change Text	string		255		
ReasonForRejection	Reason for Rejection	picklist		40		
ReasonForReturn	Reason For Return	picklist		40		
RepaymentMethod	Repayment Method	picklist		40		
ReturnOrderId	Return Order ID	reference		18		
ReturnOrderLineItemNumber	Return Order Line Item Number	string		255		
SourceLocationId	Source Location ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalAdjustmentAmount	Adjustments	currency			18	2
TotalAdjustmentAmountWithTax	Adjustments with Tax	currency			18	2
TotalAdjustmentTaxAmount	Adjustments Tax	currency			18	2
TotalAmount	Total with Tax	currency			18	2
TotalLineAmount	Line Subtotal	currency			18	2
TotalLineAmountWithTax	Line Subtotal with Tax	currency			18	2
TotalLineTaxAmount	Line Subtotal Tax	currency			18	2
TotalPrice	Pretax Total	currency			18	2
TotalTaxAmount	Tax	currency			18	2
Type	Type	picklist		40		
TypeCode	Type Code	picklist		255		
UnitPrice	Unit Price	currency			18	2

RETURNORDERLINEITEMFEED

Feed tracking for ReturnOrderLineItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

RETURNORDERLINEITEMHISTORY

History for tracked fields of ReturnOrderLineItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Return Order Line Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ReturnOrderLineItemId	Return Order Line Item ID	reference		18		

RETURNORDERSHARE

Sharing for ReturnOrder.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

REVENUEASYNCOPERATION

Represents the status of an asynchronous process initiated by a REST request in Subscription Management. This object is available in API versions 57.0 to 59.0. Use AsyncOperationTracker instead of RevenueSyncOperation in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RevenueAsyncOperation in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AsyncOperationNumber	Async Operation Number	string		255		
CorrelationIdentifier	Correlation Identifier	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExpiresAt	Expires At	datetime				
FailedJobItems	Failed Job Items	int	9			
FinishedAt	Finished At	datetime				
Id	Revenue Async Operation ID	id		18		
IsDeleted	Deleted	boolean				
JobType	Job Type	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ParentOperationId	Revenue Async Operation ID	reference		18		
ReferenceEntityId	Reference Entity ID	reference		18		
Response	Response	textarea		131072		
StartedAt	Started At	datetime				
Status	Status	picklist		255		
SubmittedAt	Submitted At	datetime				
SuccessfulJobItems	Successful Job Items	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
TotalJobItems	Total Job Items	int	9			

REVENUETRANSACTIONERRORLOG

Contains information about errors that occurred while processing a request. The error record persists until another error with the same category, primary record, and (optionally) related record occurs. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RevenueTransactionErrorLog in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AsyncOperationTrackerId	Revenue Async Operation ID	reference		18		
BillingScheduleGroupId	Billing Schedule Group ID	reference		18		
Category	Category	picklist		255		
ConfiguratorErrorMessage	Configurator Error Message	textarea		131072		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ErrorCode	Error Code	string		255		
ErrorLogNumber	Error Log Number	string		255		
ErrorMessage	Error Message	textarea		2000		
Id	Revenue Transaction Error Log ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OwnerId	Owner ID	reference		18		
PrimaryRecord2Id	Primary Record 2 ID	reference		18		
PrimaryRecordId	Primary Record ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
Request	Request	textarea		131072		
RequestIdentifier	Request Identifier	string		255		
Severity	Severity	picklist		255		
SystemModstamp	System Modstamp	datetime				

REVENUETRANSACTIONERRORLOGSHARE

Sharing for RevenueTransactionErrorLog.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

RSRCHSTDYRANDOMIZATIONBLOCK

Represents the details of a block that's generated through the parameters specified in the research study randomization. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RsrchStdyRandomizationBlock in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrentBlockItemSeqNumber	Current Block Item Sequence Number	int	9			
Id	Research Study Randomization Block ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ResearchStdyRandomizationId	Research Study Randomization ID	reference		18		
RsrchStdyRndmCriteriaSrcId	Research Study Randomization Criteria Source ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

RSRCHSTDYRANDOMIZATIONBLOCKFEED

Feed tracking for RsrchStdyRandomizationBlock.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RSRCHSTDYRANDOMIZATIONBLOCKHISTORY

History for tracked fields of RsrchStdyRandomizationBlock.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Research Study Randomization Block History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RsrchStdyRandomizationBlockId	Research Study Randomization Block ID	reference		18		

RSRCHSTDYRANDOMIZATIONBLOCKSHARE

Sharing for RsrchStdyRandomizationBlock.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

RSRCHSTDYRANDOMIZATIONCRIT

Represents the criteria definition for grouping the candidates participating in the research study. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see RsrchStdyRandomizationCrit in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareProgramSiteId	Care Program Site ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Gender__c	Gender	picklist		255		
Id	Research Study Randomization Criteria ID	id		18		
IsASmoker__c	IsASmoker	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ResearchStdyRandomizationId	Research Study Randomization ID	reference		18		
SystemModstamp	System Modstamp	datetime				

RSRCHSTDYRANDOMIZATIONCRITFEED

Feed tracking for RsrchStdyRandomizationCrit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RSRCHSTDYRANDOMIZATIONCRITHISTORY

History for tracked fields of RsrchStdyRandomizationCrit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Research Study Randomization Criteria History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RsrchStdyRandomizationCritId	Research Study Randomization Criteria ID	reference		18		

RSRCHSTDYRANDOMIZATIONCRITSHARE

Sharing for RsrchStdyRandomizationCrit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

RULELIBRARYFEED

Feed tracking for RuleLibrary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RULELIBRARYHISTORY

History for tracked fields of RuleLibrary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Rule Library History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RuleLibraryId	Rule Library ID	reference		18		

RULELIBRARYSHARE

Sharing for RuleLibrary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

RULELIBRARYVERSIONFEED

Feed tracking for RuleLibraryVersion.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

RULELIBRARYVERSIONHISTORY

History for tracked fields of RuleLibraryVersion.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Rule Library Version History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
RuleLibraryVersionId	Rule Library Version ID	reference		18		

SALESAGREEMENT

Represents a long-term agreement between a buyer and a seller to negotiate price and volume of products.

For more information, see SalesAgreement in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActivatedDate	Activated Date	datetime				
ActualsCalculationMode	Actuals Calculation Mode	picklist		255		
AgreementType	Agreement Type	picklist		255		
ApprovedById	User ID	reference		18		
ApprovedDate	Approved Date	datetime				
CancellationDate	Cancellation Date	datetime				
CancellationReason	Cancellation Reason	picklist		40		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		2000		
EndDate	End Date	date				
Id	Sales Agreement ID	id		18		
IsDeleted	Deleted	boolean				
LastActualsCalculatedDate	Last Actuals Calculated Date	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PricebookId	Price Book ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ProductLevel	Product Level	picklist		255		
RenewedFromAgreementId	Sales Agreement ID	reference		18		
RenewedToAgreementId	Sales Agreement ID	reference		18		
ScheduleCount	Schedule Count	int	9			
ScheduleFrequency	Schedule Frequency	picklist		255		
StartDate	Start Date	date				
Status	Status	picklist		40		
StatusCode	Status Code	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalAgreementAmount	Total Agreement Amount	currency			18	2
TotalProposedAgreementAmount	Total Proposed Agreement Amount	currency			18	2

SALESAGREEMENTFEED

Feed tracking for SalesAgreement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SALESAGREEMENTHISTORY

History for tracked fields of SalesAgreement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Sales Agreement History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SalesAgreementId	Sales Agreement ID	reference		18		

SALESAGREEMENTPRODUCT

Represents the total quantity or amount and the default pricing information of a product or category across the total time period of the sales agreement.

For more information, see SalesAgreementProduct in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DiscountPercentage	Discount Percentage	percent			5	2
Id	Sales Agreement Product ID	id		18		
InitialPlannedAmount	Initial Planned Amount	currency			18	2
InitialPlannedQuantity	Initial Total Quantity	int	9			
IsAddedAfterActivation	Added After Activation	boolean				
IsDeleted	Deleted	boolean				
IsUnderRevision	Under Revision	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ListPrice	List Price	currency			18	2
Name	Name	string		255		
PricebookEntryId	Price Book Entry ID	reference		18		
ProductCategoryId	Category ID	reference		18		
ProductId	Product ID	reference		18		
SalesAgreementId	Sales Agreement ID	reference		18		
SalesPrice	Sales Price	currency			18	2
SystemModstamp	System Modstamp	datetime				
TotalActualAmount	Total Actual Amount	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalActualQuantity	Total Actual Quantity	int	9			
TotalForecastedAmount	Total Forecasted Amount	currency			18	2
TotalForecastedQuantity	Total Forecasted Quantity	int	9			
TotalPlannedAmount	Total Planned Amount	currency			18	2
TotalPlannedQuantity	Total Planned Quantity	int	9			
TotalProposedPlannedAmount	Total Proposed Planned Amount	currency			18	2
TotalProposedPlannedQuantity	Total Proposed Planned Quantity	int	9			

SALESAGREEMENTPRODUCTFEED

Feed tracking for SalesAgreementProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SALESAGREEMENTPRODUCTHISTORY

History for tracked fields of SalesAgreementProduct.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Sales Agreement Product History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SalesAgreementProductId	Sales Agreement Product ID	reference		18		

SALESAGREEMENTPRODUCTSCHEDULE

Represents the quantity or amount and the pricing information of a product or category for a particular schedule of the sales agreement.

For more information, see SalesAgreementProductSchedule in the *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualAmount	Actual Amount	currency			18	0
ActualQuantity	Actual Quantity	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DerivedPlannedAmount	Planned Amount	currency			18	2
DiscountPercentage	Discount Percentage	percent			5	2
EndDate	End Date	date				
ForecastedAmount	Forecasted Amount	currency			18	0
ForecastedQuantity	Forecasted Quantity	int	9			
Id	Sales Agreement Product Schedule ID	id		18		
IsDeleted	Deleted	boolean				
IsUnderRevision	Under Revision	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
PlannedAmount	Planned Amount	currency			18	2
PlannedQuantity	Planned Quantity	int	9			
ProposedDerivedPlannedAmount	Proposed Derived Planned Amount	currency			18	2
ProposedDiscountPercentage	Proposed Discount Percentage	percent			5	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ProposedPlannedAmount	Proposed Planned Amount	currency			18	2
ProposedPlannedQuantity	Proposed Planned Quantity	int	9			
ProposedSalesPrice	Proposed Sales Price	currency			18	2
SalesAgreementProductId	Sales Agreement Product ID	reference		18		
SalesPrice	Sales Price	currency			18	2
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

SALESAGREEMENTPRODUCTSCHEDULEFEED

Feed tracking for SalesAgreementProductSchedule.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SALESAGREEMENTPRODUCTSCHEDULEHISTORY

History for tracked fields of SalesAgreementProductSchedule.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Sales Agreement Product Schedule History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SalesAgreementProductScheduleId	Sales Agreement Product Schedule ID	reference		18		

SALESAGREEMENTSHARE

Sharing for SalesAgreement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SALESCHANNEL

Represents the origin of an order. For example, a web storefront, physical store, marketplace, or mobile app. If you integrate Salesforce Order Management with Salesforce B2C Commerce, set up a SalesChannel corresponding to each Site in your B2C Commerce implementation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SalesChannel in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		2000		
ExternalChannelNumber	External Channel Number	string		255		
Id	Sales Channel ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
SalesChannelName	Sales Channel Name	string		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		
TypeCategory	Type Category	picklist		255		

SALESCHANNELFEED

Feed tracking for SalesChannel.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SALESCHANNELSHARE

Sharing for SalesChannel.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SALESSTORECATALOG

Represents the catalog associated with a store.

For more information, see SalesStoreCatalog in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Id`	Sales Store Catalog ID	id		18		
`ImplementorType`	Implementor Type	string		255		
`ProductCatalogId`	Catalog ID	reference		18		
`SalesStoreId`	Sales Store ID	reference		18		

SALESTRANSACTIONTYPE

Represents the type of the sales transaction. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SalesTransactionType in the *Quote and Order Capture Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Sales Transaction Type Description	textarea		255		
Id	Sales Transaction Type ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Sales Transaction Type Name	string		255		
OwnerId	Owner ID	reference		18		
PricingProcedureId	ExpressionSetDefinition ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SALESTRANSACTIONTYPESHARE

Sharing for SalesTransactionType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SALESTRXNDELETEEVENT

Represents the platform event that triggers the deletion of sales transaction fulfillment request records when the corresponding reference records are deleted. This object is available in API version 64.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SalesTrxnDeleteEvent in the *Dynamic Revenue Orchestrator Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EventUuid`	Event UUID	string		36		
`ReferenceObjectIdentifier`	Reference Object Identifier	string		20		
`ReplayId`	Replay ID	string		1000		

SALESWORKQUEUESETTINGS

Represents settings used to customize work queue options for third-party scoring. Third-party scoring enables custom number fields on person accounts, contacts, and leads. You must be a Sales Engagement customer to update this object. Previously, you could only use the Einstein Intelligence Score for third-party scoring.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SalesWorkQueueSettings in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FeatureName	Feature Name	string		75		
Id	SalesWorkQueueSettings ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				
TargetEntity	Custom Object Definition ID	picklist		255		
TargetField	Custom Field Definition ID	picklist		255		

SAMLSSOCONFIG

Represents a SAML Single Sign-On configuration.This object is available in API version 32.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SamlSsoConfig in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttributeFormat	Name ID Format	string		255		
AttributeName	Attribute Name	string		255		
Audience	Entity ID	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
ErrorUrl	Custom Error URL	string		500		
ExecutionUserId	User ID	reference		18		
Id	SAML Single Sign-On Setting ID	id		18		
IdentityLocation	SAML Identity Location	picklist		255		
IdentityMapping	SAML Identity Type	picklist		255		
IsDeleted	Deleted	boolean				
Issuer	Issuer	string		255		
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LoginUrl	Identity Provider Login URL	string		1500		
LogoutUrl	Identity Provider Logout URL	string		1500		
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
OptionsRequireMfaSaml	RequireMfaSaml	boolean				
OptionsSpInitBinding	SpInitBinding	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OptionsUseConfigRequestMethod	UseConfigRequestMethod	boolean				
OptionsUseSameDigestAlgoForSigning	UseSameDigestAlgoForSigning	boolean				
OptionsUserProvisioning	UserProvisioning	boolean				
RequestSignatureMethod	Request Signature Method	picklist		255		
SamlJitHandlerId	Class ID	reference		18		
SingleLogoutBinding	Single Logout Request Binding	picklist		255		
SingleLogoutUrl	Identity Provider Single Logout URL	string		255		
SystemModstamp	System Modstamp	datetime				
ValidationCert	Identity Provider Certificate	string		4000		
Version	SAML Version	picklist		255		

SAVEDPAYMENTMETHOD

Represents a payment method saved by an authenticated customer. This object is available in API version 58.0 and later

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SavedPaymentMethod in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountHolderEmail	Account Holder Email	string		255		
AccountHolderName	Account Holder Name	string		255		
BankAccountHolderType	Account Ownership Type	picklist		255		
BankAccountType	Bank Account Type	string		25		
BankCode	Bank Code	string		255		
BankName	Bank Name	string		255		
BillingAddress	Billing Address	address				
BillingCity	Bill To City	string		40		
BillingCountry	Bill To Country	string		80		
BillingGeocodeAccuracy	Bill To Geocode Accuracy	picklist		40		
BillingLatitude	Bill To Latitude	double			18	15
BillingLongitude	Bill To Longitude	double			18	15
BillingPostalCode	Bill To Zip/Postal Code	string		20		
BillingState	Bill To State/Province	string		80		
BillingStreet	Bill To Street	textarea		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExpiryMonth	Expiration Month	int	9			
ExpiryYear	Expiration Year	int	9			
GatewayReference	Gateway Reference	string		255		
GatewayToken	Gateway Token	encryptedstring		175		
Id	Saved Payment Method ID	id		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsDefault	Default	boolean				
IsDeleted	Deleted	boolean				
IsMerchantCreated	Saved By Merchant	boolean				
IsSharedWithinSameAccount	Shared within same Account	boolean				
Issuer	Issuer	string		255		
Last4	Last 4 Characters	string		4		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MerchantAccountId	Merchant Account ID	reference		18		
Name	Saved Payment Method Name	string		255		
Network	Network	string		255		
NickName	Saved Payment Method Nick Name	string		255		
PaymentGatewayId	Payment Gateway ID	reference		18		
ReferenceOwnerId	Reference Owner ID	reference		18		
StandardEntryClassCode	Standard Entry Class Code (ACH)	picklist		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		
UsageType	Usage Type	picklist		255		

SAVEDPAYMENTMETHODEVENT

Represents a saved payment method platform event. Subscribe to these events so you can listen and respond to them when they're published. For example, create a Salesforce Flow that is triggered when one of these events is published. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SavedPaymentMethodEvent in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ChangeType`	Saved Payment Method Event Change Type	picklist		255		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EventUuid`	Event UUID	string		36		
`ReplayId`	Replay Id	string		1000		
`SavedPaymentMethodId`	Saved Payment Method ID	reference		18		

SCHEDULINGCONSTRAINT

Represents scheduling constraints on each service resource. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SchedulingConstraint in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Constraint ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaxNonstandardShiftsPerMonth	Maximum Non-Standard Shifts Per Month	int	9			
MaxShiftsPerDay	Maximum Shifts Per Day	int	9			
MaxShiftsPerMonth	Maximum Shifts Per Month	int	9			
MaxShiftsPerWeek	Maximum Shifts Per Week	int	9			
MaxWorkingHoursPerDay	Maximum Working Hours Per Day	double			10	2
MaxWorkingHoursPerMonth	Maximum Working Hours Per Month	double			10	2
MaxWorkingHoursPerWeek	Maximum Working Hours Per Week	double			10	2
Name	Name	string		200		
OwnerId	Owner ID	reference		18		
RestTimeMinutes	Rest Time in Minutes	int	9			
SystemModstamp	System Modstamp	datetime				

SCHEDULINGCONSTRAINTSHARE

Sharing for SchedulingConstraint.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SCHEDULINGOBJECTIVE

Represents business goals that the scheduling tools consider. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SchedulingObjective in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		500		
DeveloperName	Developer Name	string		100		
Id	Scheduling Objective ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Name	string		100		
SchedulingCategory	Objective Category	picklist		255		
SchedulingObjectiveType	Objective Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

SCHEDULINGRULE

Represents scheduling rules that are hard constraints in the scheduling logic engine. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SchedulingRule in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		500		
DeveloperName	Developer Name	string		100		
Id	Scheduling Rule ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Name	string		100		
SchedulingCategory	Rule Category	picklist		255		
SchedulingRuleType	Rule Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

SCHEDULINGRULEPARAMETER

Represents scheduling rule parameters associated with a scheduling rule. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SchedulingRuleParameter in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Scheduling Rule Parameter ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`SchedulingParameterKey`	Key	picklist		255		
`SchedulingRuleId`	Scheduling Rule ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`Value`	Value	string		255		

SCHEDULINGWORKSPACEFEED

Feed tracking for SchedulingWorkspace.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SCHEDULINGWORKSPACESHARE

Sharing for SchedulingWorkspace.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SCHEDULINGWORKSPACETERRITORYFEED

Feed tracking for SchedulingWorkspaceTerritory.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SCONTROL

A custom s-control, which is custom content that is hosted by the system but executed by the client application.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Scontrol in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Binary	Binary	base64				
BodyLength	Binary Length	int	8			
ContentSource	Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	S-Control Name	string		80		
EncodingKey	Encoding	picklist		40		
Filename	Filename	string		255		
HtmlWrapper	HTML Body	textarea		1048576		
Id	Custom S-Control ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SupportsCaching	Prebuild In Page	boolean				
SystemModstamp	System Modstamp	datetime				

SCONTROLLOCALIZATION

The translated value of the field label for an s-control.

For more information, see ScontrolLocalization in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Scontrol Localization ID	id		18		
`Language`	Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`NamespacePrefix`	Namespace Prefix	string		15		
`ScontrolId`	Custom S-Control ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`Value`	Translation Text	string		1000		

SCOPE3CRBNFTPRNT

Represents the total carbon emissions from scope 3 activities. Carbon footprint quantifies the effect of atmospheric warming, which is represented in metric tonnes of carbon dioxide equivalent (tCO_2e).

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Scope3CrbnFtprnt in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AnnualEmssnInventoryId	Annual Emissions Inventory ID	reference		18		
AuditApprovalStatus	Audit Approval Status	picklist		40		
CarbonInventoryRecordCount	Carbon Inventory Record Count	double			16	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDate	End Date	date				
FootprintStage	Footprint Stage	picklist		40		
Id	Scope 3 Carbon Footprint ID	id		18		
IsDeleted	Deleted	boolean				
IsRecordLocked	Record Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ReportingDate	Reporting Date	date				
ReportingYear	Reporting Year	picklist		255		
Scope3EmssnSrcId	Scope 3 Emissions Source ID	reference		18		
Scp3EmssnCapitalGood	Scope 3 Emissions from Capital Goods (tCO2e)	double			18	5

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Scp3EmssnDnstrmLeasedAsset	Scope 3 Emissions from Downstream Leased Asset (tCO2e)	double			18	5
Scp3EmssnDnstrmTrnspDistr	Scope 3 Emissions from Downstream Transportation Distribution (tCO2e)	double			18	5
Scp3EmssnEmployeeCommuting	Scope 3 Emissions from Employee Commuting (tCO2e)	double			18	5
Scp3EmssnEndLifeSoldProdt	Scope 3 Emissions from End-Life Treatment of Sold Product (tCO2e)	double			18	5
Scp3EmssnFranchise	Scope 3 Emissions from Franchise (tCO2e)	double			18	5
Scp3EmssnFuelEnergyActivity	Scope 3 Emissions from Fuel and Energy-Related Activity (tCO2e)	double			18	5
Scp3EmssnInvestment	Scope 3 Emissions from Investments (tCO2e)	double			18	5
Scp3EmssnProcSoldProduct	Scope 3 Emissions from Processing Sold Products (tCO2e)	double			18	5
Scp3EmssnPurchGoodsService	Scope 3 Emissions from Purchased Goods Services (tCO2e)	double			18	5
Scp3EmssnUpstrmLeasedAsset	Scope 3 Emissions from Upstream Leased Assets (tCO2e)	double			18	5
Scp3EmssnUpstrmTrnspDistr	Scope 3 Emissions from Scope 3 Upstream Transportation Distribution (tCO2e)	double			18	5
Scp3EmssnUseOfSoldProduct	Scope 3 Emissions from Use of Sold Products (tCO2e)	double			18	5
Scp3UncatgEmissions	Scope 3 Uncategorized Emissions (tCO2e)	double			18	5
Scp3WasteGenInOper	Scope 3 Emissions from Waste Generated in Operations (tCO2e)	double			18	5
StartDate	Start Date	date				
StnryAssetEnvrSrcId	Stationary Asset Environmental Source ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SuplScope3Emission	Supplemental Scope 3 Emissions (tCO2e)	double			18	5
SupplDnstrmLsdAst	Supplemental Scope 3 Emissions from Downstream Leased Assets (tCO2e)	double			18	5
SupplEndLifeTreatSoldPrdct	Supplemental Scope 3 Emissions from End-Life Treatment of Sold Products (tCO2e)	double			18	5
SupplFuelEnrgyRelaActv	Supplemental Scope 3 Emissions from Fuel and Energy-Related Activities (tCO2e)	double			18	5
SupplProcessingSoldPrdct	Supplemental Scope 3 Emissions from Processing of Sold Products (tCO2e)	double			18	5
SupplPurchGoodSrvcs	Supplemental Scope 3 Emissions from Purchased Goods Services (tCO2e)	double			18	5
SupplScp3EmssnBizTravl	Supplemental Scope 3 Emissions from Business Travel (tCO2e)	double			18	5
SupplScp3EmssnCptlGoods	Supplemental Scope 3 Emissions from Capital Goods (tCO2e)	double			18	5
SupplScp3EmssnDnstrmTrnspDstr	Supplemental Scope 3 Emissions from Downstream Transportation and Distribution (tCO2e)	double			18	5
SupplScp3EmssnEmpComut	Supplemental Scope 3 Emissions from Employee Commuting (tCO2e)	double			18	5
SupplScp3EmssnFranch	Supplemental Scope 3 Emissions from Franchises (tCO2e)	double			18	5
SupplScp3EmssnInvestments	Supplemental Scope 3 Emissions from Investments (tCO2e)	double			18	5
SupplScp3EmssnWstGenOper	Supplemental Scope 3 Emissions from Waste Generated in Operations (tCO2e)	double			18	5
SupplScp3UncatgEmssn	Supplemental Scope 3 Uncategorized Emissions (tCO2e)	double			18	5

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SupplUpstrmLsdAst	Supplemental Scope 3 Emissions from Upstream Leased Assets (tCO2e)	double			18	5
SupplUpstrmTrnspDstr	Supplemental Scope 3 Emissions from Upstream Transportation Distribution (tCO2e)	double			18	5
SupplUseSoldPrdct	Supplemental Scope 3 Emissions from Use of Sold Products (tCO2e)	double			18	5
SystemModstamp	System Modstamp	datetime				
TotScope3EmissionsInTco2e	Total Scope 3 Emissions (tCO2e)	double			18	5
TotalScp3DnstrmEmissions	Total Scope 3 Downstream Emissions (tCO2e)	double			18	5
TotalScp3EmssnBusTrvl	Total Scope 3 Emissions from Business Travel (tCO2e)	double			18	5
TotalScp3UpstrmEmissions	Total Scope 3 Upstream Emissions (tCO2e)	double			18	5

SCOPE3CRBNFTPRNTFEED

Feed tracking for Scope3CrbnFtprnt.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SCOPE3CRBNFTPRNTHISTORY

History for tracked fields of Scope3CrbnFtprnt.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Scope 3 Carbon Footprint History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
Scope3CrbnFtprntId	Scope 3 Carbon Footprint ID	reference		18		

SCOPE3CRBNFTPRNTSHARE

Sharing for Scope3CrbnFtprnt.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SCOPE3EMSSNSRC

Represents scope 3 activities that are the source of greenhouse gas emissions.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Scope3EmssnSrc in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AirTravelEmssnFctrId	Air Travel Emissions Factor ID	reference		18		
BusinessRegion	Business Region	picklist		40		
City	City	string		255		
Country	Country	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
FrgtHaulingEmssnFctrId	Freight Hauling Emissions Factor ID	reference		18		
GroundTravelEmssnFctrId	Ground Travel Emissions Factor ID	reference		18		
HotelStayEmssnFctrId	Hotel Stay Emissions Factor ID	reference		18		
Id	Scope 3 Emissions Source ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentEmissionSourceId	Scope 3 Emissions Source ID	reference		18		
PostalCode	Postal Code	string		20		
RentalCarEmssnFctrId	Rental Car Emissions Factor ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Scope3EmissionSourceType	Scope 3 Emissions Source Type	string		255		
State	State	string		128		
SystemModstamp	System Modstamp	datetime				

SCOPE3EMSSNSRCFEED

Feed tracking for Scope3EmssnSrc.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SCOPE3EMSSNSRCHISTORY

History for tracked fields of Scope3EmssnSrc.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Scope 3 Emissions Source History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
Scope3EmssnSrcId	Scope 3 Emissions Source ID	reference		18		

SCOPE3EMSSNSRCSHARE

Sharing for Scope3EmssnSrc.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SCOPE3PCMTITEM

Represents the procurement (corporate spending) entry records. Procurement is considered as the amount that the organization spends on goods and services.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Scope3PcmtItem in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CalculatedScope3EmssnInTco2e	Scope 3 Spend-Based Emissions (tCO2e)	double			18	5
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Scope 3 Procurement Item ID	id		18		
IsDeleted	Deleted	boolean				
IsRecordLocked	Record Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
PcmtEmssnFctrSetItemId	Procurement Emissions Factor Set Item ID	reference		18		
ProcurementSummaryId	Scope 3 Procurement Summary ID	reference		18		
ProductEmissionsFactorId	Product Emissions Factor ID	reference		18		
ProductId	Product ID	reference		18		
PurchaseQuantity	Purchase Quantity	double			18	5
ReportDate	Report Date	date				
Scope3EmissionsCalculationType	Scope 3 Emissions Calculation Type	picklist		255		
Scope3EmissionsInTco2	Final Scope 3 Emissions (tCO2e)	double			18	5

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Scope3GhgCategory	Scope 3 GHG Category	picklist		255		
Scp3QtyBsdEmssnInTco2e	Scope 3 Quantity-Based Emissions (tCO2e)	double			18	5
Scp3UncatgEmissions	Scope 3 Uncategorized Emissions (tCO2e)	double			18	5
SpendingCategory1	Spending Category 1	string		255		
SpendingCategory2	Spending Category 2	string		255		
SpendingCategory3	Spending Category 3	string		255		
SpentAmount	Spent Amount	double			18	2
SpentDate	Spent Date	date				
SupplierId	Supplier ID	reference		18		
SustainabilityScorecardId	Sustainability Scorecard ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotScpe3EmssnPerMillionSpent	Total Scope 3 Emissions per Million Spent (tCO2e)	double			18	8
UnitOfMeasure	Unit of Measure	picklist		255		
VendorPrvdScope3EmssnInTco2e	Scope 3 Emissions Override (tCO2e)	double			18	5

SCOPE3PCMTITEMFEED

Feed tracking for Scope3PcmtItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SCOPE3PCMTITEMHISTORY

History for tracked fields of Scope3PcmtItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Scope 3 Procurement Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
Scope3PcmtItemId	Scope 3 Procurement Item ID	reference		18		

SCOPE3PCMTSUMMARY

Represents the amount that the organization spends for an individual procurement category. Scope 3 procurement summary quantifies the effect on atmospheric warming, represented in tonnes of carbon dioxide equivalent (tCO_2e) by using a matched emission factor from an associated Procurement Emission Factor Item record.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Scope3PcmtSummary in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CalendarYear	Calendar Year	picklist		255		
CarbonFootprintReportDate	Carbon Footprint Report Date	date				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyCode	Currency Code	picklist		255		
Description	Description	textarea		32000		
Id	Scope 3 Procurement Summary ID	id		18		
InflationRate	Inflation Rate	percent			16	4
InflationRateCalculated	Current Inflation Rate	percent			16	4
InflationRateOverride	Inflation Rate Override	percent			16	4
IsComplete	Complete	boolean				
IsDeleted	Deleted	boolean				
IsRecordLocked	Record Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PcmtEmssnFctrId	Procurement Emissions Factor Set ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Scope3CrbnFtprntId	Scope 3 Carbon Footprint ID	reference		18		
Scope3EmssnSrcId	Scope 3 Emissions Source ID	reference		18		
Scp3EmssnBusinessTravel	Scope 3 Emissions from Business Travel (tCO2e)	double			18	5
Scp3EmssnCapitalGood	Scope 3 Emissions from Capital Goods (tCO2e)	double			18	5
Scp3EmssnDnstrmLeasedAsset	Scope 3 Emissions from Downstream Leased Asset (tCO2e)	double			18	5
Scp3EmssnDnstrmTrnspDistr	Scope 3 Emissions from Downstream Transportation Distribution (tCO2e)	double			18	5
Scp3EmssnEndLifeSoldProdt	Scope 3 Emissions from End-Life Treatment of Sold Product (tCO2e)	double			18	5
Scp3EmssnFranchise	Scope 3 Emissions from Franchise (tCO2e)	double			18	5
Scp3EmssnFuelEnergyActivity	Scope 3 Emissions from Fuel and Energy-Related Activity (tCO2e)	double			18	5
Scp3EmssnInvestment	Scope 3 Emissions from Investment (tCO2e)	double			18	5
Scp3EmssnProcSoldProduct	Scope 3 Emissions from Processing Sold Product (tCO2e)	double			18	5
Scp3EmssnPurchGoodsService	Scope 3 Emissions from Purchased Goods Services (tCO2e)	double			18	5
Scp3EmssnUpstrmLeasedAsset	Scope 3 Emissions from Upstream Leased Asset (tCO2e)	double			18	5
Scp3EmssnUpstrmTrnspDistr	Scope 3 Emissions from Upstream Transportation Distribution (tCO2e)	double			18	5
Scp3EmssnUseOfSoldProduct	Scope 3 Emissions from Use of Sold Product (tCO2e)	double			18	5
Scp3UncatgEmissions	Scope 3 Uncategorized Emissions (tCO2e)	double			18	5
Scp3WasteGenInOper	Scope 3 Emissions from Waste Generated in Operations (tCO2e)	double			18	5

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ScpEmssnEmployeeCommuting	Scope 3 Emissions from Employee Commuting (tCO2e)	double			18	5
StnryAssetEnvrSrcId	Stationary Asset Environmental Source ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalScp3DnstrmEmissions	Total Scope 3 Downstream Emissions (tCO2e)	double			18	5
TotalScp3Emissions	Total Scope 3 Emissions (tCO2e)	double			18	5
TotalScp3UpstrmEmissions	Total Scope 3 Upstream Emissions (tCO2e)	double			18	5
TotalSpentAmount	Total Spent Amount	double			18	5

SCOPE3PCMTSUMMARYFEED

Feed tracking for Scope3PcmtSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SCOPE3PCMTSUMMARYHISTORY

History for tracked fields of Scope3PcmtSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Scope 3 Procurement Summary History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
Scope3PcmtSummaryId	Scope 3 Procurement Summary ID	reference		18		

SCOPE3PCMTSUMMARYSHARE

Sharing for Scope3PcmtSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SCORECARD

Use scorecards to measure partner performance and establish benchmarks for channel programs within Experience Cloud. Display any report summary results that your channel account manager or executive team wants to see. This object is available in API version 40.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Scorecard in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		255		
Id	Scorecard Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TargetEntity	Target Entity	picklist		255		

SCORECARDASSOCIATION

Represents a connection between a specific scorecard and the associated account, channel program, or channel program level. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ScorecardAssociation in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Scorecard Association Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ScorecardId	Scorecard ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TargetEntityId	Target Entity ID	reference		18		

SCORECARDMETRIC

Stores information about a Salesforce report that is run and summarized to get a single value. The stored value is added as a metric to the related Scorecard object. This object is available in API version 40.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ScorecardMetric in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		255		
Id	Scorecard Metric Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
ReportId	Report ID	reference		18		
ScorecardId	Scorecard ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SCORECARDSHARE

Sharing for Scorecard.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SCRATCHORGINFO

Represents a scratch org and its audit log. Use this object to create a scratch org and keep a log of its creation and deletion. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ScratchOrgInfo in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdminEmail	Requested Admin Email	email		80		
AuthCode	Connected App Authorization Code	string		120		
ConnectedAppCallbackUrl	Connected App Callback URL	textarea		2000		
ConnectedAppConsumerKey	Connected App Consumer Key	string		120		
Country	Requested Country	string		3		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DeletedBy	Deleted By	string		15		
DeletedDate	Deleted Date	date				
Description	Description	textarea		2000		
DurationDays	Requested Duration In Days	int	9			
Edition	Edition	picklist		255		
ErrorCode	Error Code	string		8		
ExpirationDate	Expiration Date	date				
Features	Features	textarea		10000		
HasSampleData	Has Sample Data	boolean				
Id	Scratch Org Info ID	id		18		
IsDeleted	Deleted	boolean				
Language	Requested Language	picklist		255		
LastLoginDate	Last Login Date	date				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoginUrl	Login Url	textarea		2000		
Name	Number	string		255		
Namespace	Namespace	string		15		
OrgName	Org Name	string		80		
OwnerId	Owner ID	reference		18		
Package2AncestorIds	Requested Package2 Ancestor IDs	textarea		2000		
Release	Release	picklist		255		
ScratchOrg	Scratch Org ID	string		15		
SignupCountry	Signup Country	string		3		
SignupEmail	Signup Email	email		80		
SignupInstance	Signup Instance	string		15		
SignupLanguage	Signup Language	picklist		255		
SignupTrialDays	Signup Trial Days	int	9			
SignupUsername	Signup Username	string		80		
SourceOrg	Shape Source Org	string		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Username	Requested Username	string		80		

SCRATCHORGINFOFEED

Feed tracking for ScratchOrgInfo.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SCRATCHORGINFOHISTORY

History for tracked fields of ScratchOrgInfo.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Scratch Org Info History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ScratchOrgInfoId	Scratch Org Info ID	reference		18		

SCRATCHORGINFOSHARE

Sharing for ScratchOrgInfo.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SEARCHACTIVITY

Represents search activity on a Knowledge article. Also known as KnowledgeSearchActivity. This object is available in API version 38.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SearchActivity in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AvgNumResults	Number of Results	double			18	4
ClickRank	Average Click Rank	double			18	4
ClickedRecordId	Clicked Article ID	reference		18		
ClickedRecordName	Clicked Article Title	string		255		
CountQueries	Number of Searches	int	9			
CountUsers	Number of Users	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Search Activity Id	id		18		
IsDeleted	Deleted	boolean				
KbChannel	Channel	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Search Activity Name	string		255		
Period	Duration	picklist		255		
QueryDate	Search Date	date				
QueryLanguage	Language	picklist		255		
SearchTerm	Search Term	string		100		
SystemModstamp	System Modstamp	datetime				

SEARCHINDEXJOBSTATUSEVENT

Notifies subscribers of changes to the status of the Data Cloud search index job, such as index refresh status and index run-time status. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SearchIndexJobStatusEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Search Index API Name	string		4000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ErrorCode	Error code for last run	string		4000		
EventCreationDate	Event creation date	datetime				
EventPublishDate	Event publish date	datetime				
EventType	Type of the event	string		4000		
EventUuid	Event UUID	string		36		
IndexRefreshedOn	Last Refreshed Date	datetime				
ReplayId	Replay ID	string		1000		
RuntimeStatus	Last Run Status	string		4000		
SchemaVersion	Schema version of event	string		4000		

SEARCHLAYOUT

Represents a search layout defined for an object. This object is available in API version 35.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SearchLayout in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ButtonsDisplayed	Buttons Displayed	complexvalue				
DurableId	Durable ID	string		255		
EntityDefinitionId	Entity Definition ID	string		70		
FieldsDisplayed	Fields Displayed	complexvalue				
Id	Search Layout ID	id		18		
Label	Label	string		255		
LastModifiedById	User ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LayoutType	Layout Type	string		30		
ListLayout	List Layout	string		15		
Profile	Profile ID	string		15		
ProfileName	Profile Name	string		255		

SEARCHPROMOTIONRULE

Represents a promoted search term, which is one or more keywords that you associate with a Salesforce Knowledge article. When a user's search query includes these keywords, the associated article is returned first in search results. This object is available in API version 31.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SearchPromotionRule in the *Object Reference for the Salesforce Platform* and *Salesforce Knowledge Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Promoted Term Id	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`PromotedEntityId`	Promoted Entity ID	reference		18		
`Query`	Term	string		100		
`SystemModstamp`	System Modstamp	datetime				

SECURITIESHOLDING

Represents the securities associated with an insurance policy. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SecuritiesHolding in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetCategory	Asset Category	picklist		40		
AssetCategoryName	Asset Category Name	picklist		40		
AssetClass	Asset Class	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
GainLoss	Gain/Loss	currency			18	2
HouseholdId	Account ID	reference		18		
Id	Securities Holding ID	id		18		
InsurancePolicyId	Insurance Policy ID	reference		18		
InvestmentEndDate	Investment End Date	date				
InvestmentStartDate	Investment Start Date	date				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastUpdated	Last Updated	datetime				
LastViewedDate	Last Viewed Date	datetime				
MarketValue	Market Value	currency			18	2
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PercentChange	Percent Change	percent			16	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Price	Price	currency			12	2
PrimaryOwnerId	Account ID	reference		18		
PurchasePrice	Purchase Price	currency			12	2
Sector	Sector	picklist		40		
Shares	Shares	double			14	4
SourceSystem	Source System	string		255		
SourceSystemIdentifier	Source System Identifier	string		255		
SystemModstamp	System Modstamp	datetime				

SECURITIESHOLDINGFEED

Feed tracking for SecuritiesHolding.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SECURITIESHOLDINGHISTORY

History for tracked fields of SecuritiesHolding.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Securities Holding History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`SecuritiesHoldingId`	Securities Holding ID	reference		18		

SECURITIESHOLDINGSHARE

Sharing for SecuritiesHolding.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SECURITYCUSTOMBASELINE

Provides the ability to read, create, and delete user-defined custom security baselines, which define an org's security standards. This object is available in API version 39.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SecurityCustomBaseline in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Baseline	Baseline	textarea		32000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Id	Security Custom Baseline ID	id		18		
IsDefault	Is Default Baseline	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

SELLER

Represents the seller role of an individual with respect to a particular company or organization. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Seller in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActiveFromDate	Active From Date	date				
ActiveToDate	Active To Date	date				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Seller ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PartyId	Individual ID	reference		18		
SalesAmount	Sales Amount	int	9			
SellerTier	Seller Tier	picklist		255		
SellerType	Seller Type	picklist		255		
SystemModstamp	System Modstamp	datetime				

SELLERHISTORY

History for tracked fields of Seller.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Seller History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SellerId	Seller ID	reference		18		

SELLERSHARE

Sharing for Seller.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SENDEREMAILADDRESS

Represents a From address in a marketing email. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SenderEmailAddress in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DisplayName	Display Name	string		40		
EmailDomainKeyId	Email Domain Key ID	reference		18		
Id	Sender Email Address Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Username	Username	string		255		

SENDEREMAILADDRESSSHARE

Sharing for SenderEmailAddress.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SERIALIZEDPRODUCT

Records serial numbers for each individual product in an inventory. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SerializedProduct in the *Field Service Developer Guide*, *Life Sciences Cloud Developer Guide*, and *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
ExpirationDate	Expiration Date	date				
Id	Serialized Product ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Product2Id	Product ID	reference		18		
ProductItemId	Product Item ID	reference		18		
SerialNumber	Serial Number	string		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

SERIALIZEDPRODUCTFEED

Feed tracking for SerializedProduct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SERIALIZEDPRODUCTHISTORY

History for tracked fields of SerializedProduct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Serialized Product History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SerializedProductId	Serialized Product ID	reference		18		

SERIALIZEDPRODUCTSHARE

Sharing for SerializedProduct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SERIALIZEDPRODUCTTRANSACTION

Represents transactions performed on a serialized product. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SerializedProductTransaction in the *Field Service Developer Guide* and *Manufacturing Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CurrencyIsoCode`	Currency ISO Code	picklist		3		
`Id`	Serialized Product Transaction ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`RelatedRecordId`	related record ID	reference		18		
`SerializedProductId`	Serialized Product ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`TransactionType`	Transaction Type	picklist		255		

SERIALIZEDPRODUCTTRANSACTIONFEED

Feed tracking for SerializedProductTransaction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SERIALIZEDPRODUCTTRANSACTIONHISTORY

History for tracked fields of SerializedProductTransaction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Serialized Product Transaction History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SerializedProductTransactionId	Serialized Product Transaction ID	reference		18		

SERVICEAPPOINTMENT

Represents an appointment to complete work for a customer in Field Service, Lightning Scheduler,Intelligent Appointment Management, and Virtual Care.This object is available in API version 38.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ServiceAppointment in the *Automotive Cloud Developer Guide*, *Field Service Developer Guide*, *Object Reference for the Salesforce Platform*, *Salesforce Scheduler Developer Guide*, and *Work.com Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActualDuration	Actual Duration (Minutes)	double			18	2
ActualEndTime	Actual End	datetime				
ActualStartTime	Actual Start	datetime				
AdditionalInformation	Additional Information	string		255		
Address	Address	address				
AppointmentCategoryId	Appointment Category ID	reference		18		
AppointmentInvitationId	Appointment Invitation ID	reference		18		
AppointmentMode	Appointment Mode	picklist		255		
AppointmentNumber	Appointment Number	string		255		
AppointmentType	Appointment Type	picklist		40		
ApptBookingInfoUrl	Appointment Booking URL	textarea		4000		
ArrivalWindowEndTime	Arrival Window End	datetime				
ArrivalWindowStartTime	Arrival Window Start	datetime				
AttendeeCount	Attendee Count	int	9			
AttendeeLimit	Attendee Limit	int	9			
BundlePolicyId	Appointment Bundle Policy ID	reference		18		
CancellationReason	Cancellation Reason	string		255		
CheckedInTime	Checked In Time	datetime				
City	City	string		40		
Comments	Comment	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactId	Contact ID	reference		18		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
DueDate	Due Date	datetime				
Duration	Duration	double			18	2
DurationInMinutes	Duration in Minutes	double			18	2
DurationType	Duration Type	picklist		255		
EarliestStartTime	Earliest Start Permitted	datetime				
Email	Email	email		80		
EngagementChannelTypeId	Engagement Channel Type ID	reference		18		
GeocodeAccuracy	Geocode Accuracy	picklist		40		
GroupAppointmentAccessType	Group Appointment Access Type	picklist		255		
Id	Service Appointment ID	id		18		
IsAnonymousBooking	Anonymous Booking	boolean				
IsBundle	Bundle	boolean				
IsBundleMember	Bundle Member	boolean				
IsDeleted	Deleted	boolean				
IsManuallyBundled	Manually Bundled	boolean				
IsOffsiteAppointment	Offsite Appointment	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
Longitude	Longitude	double			18	15
OwnerId	Owner ID	reference		18		
ParentRecordId	Parent Record ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ParentRecordStatusCategory	Parent Record Status Category	picklist		255		
ParentRecordType	Parent Record Type	string		50		
Phone	Phone	phone		40		
PostalCode	Zip/Postal Code	string		20		
ReceiptOrderId	Order ID	reference		18		
RelatedBundleId	Related Bundle ID	reference		18		
SchedEndTime	Scheduled End	datetime				
SchedStartTime	Scheduled Start	datetime				
ServiceNote	Service Note	textarea		32000		
ServiceTerritoryId	Territory ID	reference		18		
State	State/Province	string		80		
Status	Status	picklist		40		
StatusCategory	Status Category	picklist		255		
Street	Street	textarea		255		
Subject	Subject	string		255		
SystemModstamp	System Modstamp	datetime				
TimeZone	Time Zone	picklist		255		
Transaction	Transaction	string		255		
WorkTypeId	Work Type ID	reference		18		

SERVICEAPPOINTMENTATTENDEE

Represents a Lead, Contact, or Person Account who is associated with the Service Appointment of type Group. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ServiceAppointmentAttendee in the *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttendeeId	Attendee ID	reference		18		
AttendeeIdentifier	Attendee Identifier	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Email	Email	email		80		
Id	Service Appointment Attendee ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
ServiceAppointmentId	Service Appointment ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SERVICEAPPOINTMENTATTENDEEFEED

Feed tracking for ServiceAppointmentAttendee.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SERVICEAPPOINTMENTATTENDEEHISTORY

History for tracked fields of ServiceAppointmentAttendee.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Service Appointment Attendee History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceAppointmentAttendeeId	Service Appointment Attendee ID	reference		18		

SERVICEAPPOINTMENTATTENDEESHARE

Sharing for ServiceAppointmentAttendee.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SERVICEAPPOINTMENTCAPACITYUSAGEFEED

Feed tracking for ServiceAppointmentCapacityUsage.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SERVICEAPPOINTMENTCAPACITYUSAGEHISTORY

History for tracked fields of ServiceAppointmentCapacityUsage.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Service Appointment Capacity Usage History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceAppointmentCapacityUsageId	Service Appointment Capacity Usage ID	reference		18		

SERVICEAPPOINTMENTEVENT

Notifies subscribers of the service appointment details that are generated from the event platform. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ServiceAppointmentEvent in the *Platform Events Developer Guide* and *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`AsgnRsrcApptSchdDtlEvent`	Assigned Resource Appointment Scheduling Event ID	complexvalue				
`ChangeType`	Change Type	string		6		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`EventUuid`	Event UUID	string		36		
`ReplayId`	Replay ID	string		1000		
`ServiceApptSchduleEvent`	Service Appointment Scheduling Event ID	complexvalue				

SERVICEAPPOINTMENTFEED

Feed tracking for ServiceAppointment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SERVICEAPPOINTMENTGROUP

Stores information about a group of related service appointments. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ServiceAppointmentGroup in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Description`	Description	string		255		
`Id`	Service Appointment Group ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Service Appointment Group Name	string		255		
`OwnerId`	Owner ID	reference		18		
`ReferenceRecordId`	Reference Record ID	reference		18		
`Status`	Status	picklist		40		
`SystemModstamp`	System Modstamp	datetime				
`WorkProcedureId`	Work Procedure ID	reference		18		

SERVICEAPPOINTMENTGROUPFEED

Feed tracking for ServiceAppointmentGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SERVICEAPPOINTMENTGROUPHISTORY

History for tracked fields of ServiceAppointmentGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Service Appointment Group History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`ServiceAppointmentGroupId`	Service Appointment Group ID	reference		18		

SERVICEAPPOINTMENTGROUPSHARE

Sharing for ServiceAppointmentGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SERVICEAPPOINTMENTHISTORY

History for tracked fields of ServiceAppointment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Service Appointment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceAppointmentId	Service Appointment ID	reference		18		

SERVICEAPPOINTMENTSHARE

Sharing for ServiceAppointment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SERVICEAPPOINTMENTSTATUS

Represents a possible status of a service appointment in field service.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ServiceAppointmentStatus in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Service Appointment Status Value ID	id		18		
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
StatusCode	Status Code	picklist		40		
SystemModstamp	System Modstamp	datetime				

SERVICECHANNEL

Represents a channel of work items that are received from your organization—for example, cases, chats, or leads. This object is available in API version 32.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ServiceChannel in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AcwExtensionDuration	Extension duration (seconds)	int	9			
AfterConvoWorkMaxTime	Duration (seconds)	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomSoundId	Static Resource ID	reference		18		
DeveloperName	Developer Name	string		80		
DoesMinimizeWidgetOnAccept	Minimize Omni-Channel component when work is accepted	boolean				
DoesOverridePresenceAudio	Override agents' audio settings	boolean				
HasAcwExtensionEnabled	Let agent extend timer	boolean				
HasAfterConvoWorkTimer	Override After Conversation Work settings in presence configuration	boolean				
HasAutoAcceptEnabled	Automatically accept work requests	boolean				
Id	Service Channel ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Service Channel Name	string		80		
MaxExtensions	Max Extensions	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RelatedEntity	Custom Object Definition ID	picklist		255		
RoutingConfigurationId	Routing Configuration ID	reference		18		
SoundLength	Sound Length (Seconds)	int	9			
SystemModstamp	System Modstamp	datetime				

SERVICECHANNELSTATUS

Represents the status that's associated with a specific service channel. This object is available in API version 32.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ServiceChannelStatus in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Service Channel Status ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`ServiceChannelId`	Service Channel ID	reference		18		
`ServicePresenceStatusId`	Service Presence Status ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

SERVICECHANNELSTATUSFIELD

Represents the values that you use to indicate completed and in-progress work item status for the status field in the Status-Based Capacity routing model.

For more information, see ServiceChannelStatusField in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Service Channel Status Field ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`ServiceChannelId`	Service Channel ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`Type`	Type	picklist		255		
`Value`	Value	string		255		

SERVICECONTRACT

Represents a customer support contract (business agreement). This object is available in API version 18.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ServiceContract in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActivationDate	Activation Date	datetime				
AdditionalDiscount	Additional Discount	percent			5	2
ApprovalStatus	Approval Status	picklist		40		
BillingAddress	Billing Address	address				
BillingCity	Billing City	string		40		
BillingCountry	Billing Country	string		80		
BillingGeocodeAccuracy	Billing Geocode Accuracy	picklist		40		
BillingLatitude	Billing Latitude	double			18	15
BillingLongitude	Billing Longitude	double			18	15
BillingPostalCode	Billing Zip	string		20		
BillingState	Billing State	string		80		
BillingStreet	Billing Street	textarea		255		
ContactId	Contact ID	reference		18		
ContractNumber	Contract Number	string		30		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
Discount	Discount	percent			5	2
EndDate	End Date	date				
GrandTotal	Grand Total	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	Service Contract ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LineItemCount	Line Items	int	9			
Name	Contract Name	string		255		
OwnerId	Owner ID	reference		18		
ParentServiceContractId	Parent Service Contract ID	reference		18		
Pricebook2Id	Price Book ID	reference		18		
RootServiceContractId	Root Service Contract ID	reference		18		
ShippingAddress	Shipping Address	address				
ShippingCity	Shipping City	string		40		
ShippingCountry	Shipping Country	string		80		
ShippingGeocodeAccuracy	Shipping Geocode Accuracy	picklist		40		
ShippingHandling	Shipping and Handling	currency			18	2
ShippingLatitude	Shipping Latitude	double			18	15
ShippingLongitude	Shipping Longitude	double			18	15
ShippingPostalCode	Shipping Zip	string		20		
ShippingState	Shipping State	string		80		
ShippingStreet	Shipping Street	textarea		255		
SpecialTerms	Special Terms	textarea		32000		
StartDate	Start Date	date				
Status	Status	picklist		255		
Subtotal	Subtotal	currency			18	2
SystemModstamp	System Modstamp	datetime				
Tax	Tax	currency			18	2
Term	Term (months)	int	9			
TotalPrice	Total Price	currency			18	2

SERVICECONTRACTFEED

Feed tracking for ServiceContract.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SERVICECONTRACTHISTORY

History for tracked fields of ServiceContract.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Service Contract History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceContractId	Service Contract ID	reference		18		

SERVICECONTRACTSHARE

Sharing for ServiceContract.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SERVICECREW

Represents a group of service resources who can be assigned to service appointments as a unit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ServiceCrew in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CrewSize	Crew Size	int	9			
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Service Crew ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SERVICECREWFEED

Feed tracking for ServiceCrew.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SERVICECREWHISTORY

History for tracked fields of ServiceCrew.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Service Crew History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceCrewId	Service Crew ID	reference		18		

SERVICECREWMEMBER

Represents a technician service resource that belongs to a service crew.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ServiceCrewMember in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDate	End Date	datetime				
Id	Service Crew Member ID	id		18		
IsDeleted	Deleted	boolean				
IsLeader	Leader	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ServiceCrewId	Service Crew ID	reference		18		
ServiceCrewMemberNumber	Name	string		255		
ServiceResourceId	Resource ID	reference		18		
StartDate	Start Date	datetime				
SystemModstamp	System Modstamp	datetime				

SERVICECREWMEMBERFEED

Feed tracking for ServiceCrewMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SERVICECREWMEMBERHISTORY

History for tracked fields of ServiceCrewMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Service Crew Member History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceCrewMemberId	Service Crew Member ID	reference		18		

SERVICECREWSHARE

Sharing for ServiceCrew.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SERVICEPOINT

Represents an entry point for services to a premises. The service provided to each service point is separately metered (or measured). Useful for energy services including electricity, water and gas services. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ServicePoint in the *Energy and Utilities Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivationDate	Activation Date	date				
AirPressureArea	Air Pressure Area	string		255		
AverageMonthlyUsage	Average Monthly Usage	int	9			
CalorificValueDistrict	CV District	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DisconnectDate	Disconnect Date	date				
DisconnectReason	Disconnect Reason	string		255		
DistributionArea	Distribution Area	picklist		40		
Distributor	Distributor	string		255		
ExternalIdentifier	External Identifier	string		255		
FieldServiceClass	Field Service Class	picklist		40		
GasPressureArea	Gas Pressure Area	string		255		
Id	Service Point ID	id		18		
InstallationType	Installation Type	picklist		40		
IsDeleted	Deleted	boolean				
IsOkToEnter	Ok to Enter	boolean				
IsPremisesInfoOverridden	Premises Info Overridden	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoadProfile	Load Profile	picklist		40		
MarketIdentifier	Market Identifier	string		255		
MeterReadInstructions	Meter Read Instructions	string		255		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PremisesId	Location ID	reference		18		
ReconnectDate	Reconnect Date	date				
ReconnectReason	Reconnect Reason	string		255		
ServiceType	Service Type	picklist		40		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TemperatureArea	Temperature Area	string		255		
UtilityProvider	Utility Provider	string		255		
VoltageLevel	Voltage Level	string		255		
WaterPressureArea	Water Pressure Area	string		255		

SERVICEPOINTFEED

Feed tracking for ServicePoint.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SERVICEPOINTHISTORY

History for tracked fields of ServicePoint.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Service Point History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServicePointId	Service Point ID	reference		18		

SERVICEPOINTSHARE

Sharing for ServicePoint.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SERVICEPRESENCESTATUS

Represents a presence status that can be assigned to a service channel. This object is available in API version 32.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ServicePresenceStatus in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Developer Name	string		80		
`Id`	Service Presence Status ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Status Name	string		80		
`SystemModstamp`	System Modstamp	datetime				

SERVICEREPORT

Represents a report that summarizes a work order, work order line item, or service appointment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ServiceReport in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContentVersionDocumentId	ContentVersion ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DocumentBody	Document Body	base64				
DocumentContentType	Document Content Type	picklist		255		
DocumentLength	Document Length	int	9			
DocumentName	Document Name	string		40		
Id	Service Report ID	id		18		
IsDeleted	Deleted	boolean				
IsSigned	Signed	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
ServiceReportLanguage	Service Report Language	picklist		255		
ServiceReportNumber	Service Report Name	string		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Template	Service Report Template	string		255		

SERVICEREPORTHISTORY

History for tracked fields of ServiceReport.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Service Report History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceReportId	Service Report ID	reference		18		

SERVICEREPORTLAYOUT

Represents a service report template in field service.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ServiceReportLayout in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Name	string		80		
`Id`	Service Report Layout ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`MasterLabel`	Label	string		80		
`SystemModstamp`	System Modstamp	datetime				
`TemplateType`	Template Type	picklist		255		

SERVICERESOURCE

Represents a service technician or service crew in Field Service and Salesforce Scheduler, or an agent in Workforce Engagement. This object is available in API version 38.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ServiceResource in the *Field Service Developer Guide*, *Object Reference for the Salesforce Platform*, *Salesforce Scheduler Developer Guide*, and *Work.com Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AssetId	Asset ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
Id	Resource ID	id		18		
IsActive	Active	boolean				
IsCapacityBased	Capacity-Based	boolean				
IsOptimizationCapable	Include in Scheduling Optimization	boolean				
IsPrimary	Main	boolean				
LastKnownLatitude	Last Known Latitude	double			18	15
LastKnownLocation	Last Known Location	location	0	0	0	0
LastKnownLocationDate	Last Known Location Date	datetime				
LastKnownLongitude	Last Known Longitude	double			18	15
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RelatedRecordId	User ID	reference		18		
ResourceType	Resource Type	picklist		255		
SchedulingConstraintId	Constraint ID	reference		18		
ServiceCrewId	Service Crew ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SERVICERESOURCECAPACITY

Represents the maximum number of scheduled hours or number of service appointments that a capacity-based service resource can complete within a specific time period. This object is available in API version 38.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ServiceResourceCapacity in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CapacityInHours	Hours per Time Period	double			18	2
CapacityInWorkItems	Work Items per Time Period	int	9			
CapacityNumber	Resource Capacity Number	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDate	End Date	date				
Id	Resource Capacity ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ServiceResourceId	Resource ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				
TimePeriod	Time Period	picklist		255		

SERVICERESOURCECAPACITYFEED

Feed tracking for ServiceResourceCapacity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SERVICERESOURCECAPACITYHISTORY

Represents the history of changes made to tracked fields on a service resource capacity record. This object is available in API version 38.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ServiceResourceCapacityHistory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Resource Capacity History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`ServiceResourceCapacityId`	Resource Capacity ID	reference		18		

SERVICERESOURCEFEED

Feed tracking for ServiceResource.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SERVICERESOURCEHISTORY

History for tracked fields of ServiceResource.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Service Resource History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceResourceId	Resource ID	reference		18		

SERVICERESOURCEPREFERENCE

Represents the service resource scheduling preferences that are considered as a business objective in the scheduling logic engine. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ServiceResourcePreference in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDate	End Date	date				
Id	Service Resource Preference ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OperatingHoursId	Operating Hour ID	reference		18		
OwnerId	Owner ID	reference		18		
ServiceResourceId	Resource ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				

SERVICERESOURCEPREFERENCEFEED

Feed tracking for ServiceResourcePreference.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SERVICERESOURCEPREFERENCEHISTORY

History for tracked fields of ServiceResourcePreference.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Service Resource Preference History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceResourcePreferenceId	Service Resource Preference ID	reference		18		

SERVICERESOURCEPREFERENCESHARE

Sharing for ServiceResourcePreference.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SERVICERESOURCESHARE

Sharing for ServiceResource.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SERVICERESOURCESKILL

Represents a skill that a service resource possesses in Field Service and Lightning Scheduler. This object is available in API version 38.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ServiceResourceSkill in the *Automotive Cloud Developer Guide*, *Field Service Developer Guide*, *Object Reference for the Salesforce Platform*, and *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EffectiveEndDate	End Date	datetime				
EffectiveStartDate	Start Date	datetime				
Id	Resource Skill ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ServiceResourceId	Resource ID	reference		18		
SkillId	Skill ID	reference		18		
SkillLevel	Skill Level	double			4	2
SkillNumber	Resource Skill Number	string		255		
SystemModstamp	System Modstamp	datetime				

SERVICERESOURCESKILLFEED

Feed tracking for ServiceResourceSkill.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SERVICERESOURCESKILLHISTORY

History for tracked fields of ServiceResourceSkill.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Service Resource Skill History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceResourceSkillId	Resource Skill ID	reference		18		

SERVICESETUPPROVISIONING

Represents a task completed by the Service Setup Assistant. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ServiceSetupProvisioning in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttemptOrdinal	Attempt Ordinal	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Service Setup Provisioning Id	id		18		
IsDeleted	Deleted	boolean				
JobName	Job Name	string		125		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TaskAction	Task Action	string		125		
TaskActionContext	Task Action Context	string		255		
TaskContext	Task Context	textarea		32000		
TaskName	Task Name	string		125		

SERVICETERRITORY

Represents a geographic or functional region in which work can be performed in Field Service, Salesforce Scheduler, or Workforce Engagement. This object is available in API version 38.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ServiceTerritory in the *Automotive Cloud Developer Guide*, *Field Service Developer Guide*, *Object Reference for the Salesforce Platform*, *Salesforce Scheduler Developer Guide*, and *Work.com Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Address	Address	address				
AvgTravelTime	Average Travel Time (in minutes)	int	9			
City	City	string		40		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
GeocodeAccuracy	Geocode Accuracy	picklist		40		
Id	Territory ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
Longitude	Longitude	double			18	15
Name	Name	string		255		
OperatingHoursId	Operating Hour ID	reference		18		
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ParentTerritoryId	Parent Territory ID	reference		18		
PostalCode	Zip/Postal Code	string		20		
SchedulingConstraintId	Constraint ID	reference		18		
SelfCheckInUrl	Self Check In URL	url		1000		
ServiceAppointmentLimitType	Service Appointment Limit Type	picklist		255		
State	State/Province	string		80		
Street	Address	textarea		255		
SystemModstamp	System Modstamp	datetime				
TopLevelTerritoryId	Top-Level Territory ID	reference		18		
TravelModeId	Travel Mode ID	reference		18		
TravelTimeBuffer	Travel Time Buffer (in minutes)	int	9			
TypicalInTerritoryTravelTime	Typical In-Territory Travel Time (Minutes)	double			18	2

SERVICETERRITORYFEED

Feed tracking for ServiceTerritory.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SERVICETERRITORYHISTORY

History for tracked fields of ServiceTerritory.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Service Territory History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceTerritoryId	Territory ID	reference		18		

SERVICETERRITORYLOCATION

Represents a location associated with a particular service territory in field service.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ServiceTerritoryLocation in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Service Territory Location ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LocationId	Location ID	reference		18		
ServiceTerritoryId	Territory ID	reference		18		
ServiceTerritoryLocationNumber	Service Territory Location Number	string		255		
SystemModstamp	System Modstamp	datetime				

SERVICETERRITORYLOCATIONFEED

Feed tracking for ServiceTerritoryLocation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SERVICETERRITORYLOCATIONHISTORY

History for tracked fields of ServiceTerritoryLocation.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Territory Location History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceTerritoryLocationId	Service Territory Location ID	reference		18		

SERVICETERRITORYMEMBER

Represents a service resource who can be assigned in a service territory in Field Service, Salesforce Scheduler, or Workforce Engagement. This object is available in API version 38.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ServiceTerritoryMember in the *Automotive Cloud Developer Guide*, *Education Cloud Developer Guide*, *Field Service Developer Guide*, *Object Reference for the Salesforce Platform*, and *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Address	Address	address				
City	City	string		40		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EffectiveEndDate	End Date	datetime				
EffectiveStartDate	Start Date	datetime				
GeocodeAccuracy	Geocode Accuracy	picklist		40		
Id	Resource Territory ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
Longitude	Longitude	double			18	15
MemberNumber	Member Number	string		255		
OperatingHoursId	Operating Hour ID	reference		18		
PostalCode	Zip/Postal Code	string		20		
Role	Role	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ServiceResourceId	Resource ID	reference		18		
ServiceTerritoryId	Territory ID	reference		18		
State	State/Province	string		80		
Street	Address	textarea		255		
SystemModstamp	System Modstamp	datetime				
TerritoryType	Territory Type	picklist		255		
TravelModeId	Travel Mode ID	reference		18		

SERVICETERRITORYMEMBERFEED

Feed tracking for ServiceTerritoryMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SERVICETERRITORYMEMBERHISTORY

History for tracked fields of ServiceTerritoryMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Service Territory Member History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceTerritoryMemberId	Resource Territory ID	reference		18		

SERVICETERRITORYRELATIONSHIP

Represent the relationship between service territories based on work types performed. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ServiceTerritoryRelationship in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Service Territory Relationship ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Service Territory Relationship	string		255		
OwnerId	Owner ID	reference		18		
RelatedServiceTerritoryId	Territory ID	reference		18		
ServiceTerritoryId	Territory ID	reference		18		
SystemModstamp	System Modstamp	datetime				
WorkTypeId	Work Type ID	reference		18		

SERVICETERRITORYRELATIONSHIPFEED

Feed tracking for ServiceTerritoryRelationship.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SERVICETERRITORYRELATIONSHIPHISTORY

History for tracked fields of ServiceTerritoryRelationship.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Service Territory Relationship History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceTerritoryRelationshipId	Service Territory Relationship ID	reference		18		

SERVICETERRITORYRELATIONSHIPSHARE

Sharing for ServiceTerritoryRelationship.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SERVICETERRITORYSHARE

Sharing for ServiceTerritory.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SERVICETERRITORYWORKTYPE

Represents the relationship between a ServiceTerritory object and a WorkType object for Salesforce Scheduler appointments. This object is available in API version 45.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ServiceTerritoryWorkType in the *Object Reference for the Salesforce Platform* and *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Service Territory Work Type ID	id		18		
IsDeleted	Deleted	boolean				
IsSlotPublished	Slot Published	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Service Territory Work Type Name	string		255		
ServiceTerritoryId	Territory ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TeamId	Team ID	reference		18		
WorkTypeId	Work Type ID	reference		18		

SERVICETERRITORYWORKTYPEFEED

Feed tracking for ServiceTerritoryWorkType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SERVICETERRITORYWORKTYPEHISTORY

History for tracked fields of ServiceTerritoryWorkType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Service Territory Work Type History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ServiceTerritoryWorkTypeId	Service Territory Work Type ID	reference		18		

SESSIONHIJACKINGEVENT

Tracks when unauthorized users gain ownership of a Salesforce user's session with a stolen session identifier. To detect such an event, Salesforce evaluates how significantly a user's current browser fingerprint diverges from the previously known fingerprint using a probabilistically inferred significance of change. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SessionHijackingEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
CurrentIp	Current IP Address	string		39		
CurrentPlatform	Current Platform	string		255		
CurrentScreen	Current Screen	string		255		
CurrentUserAgent	Current User Agent	textarea		1000		
CurrentWindow	Current Window	string		255		
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event ID	string		80		
EventUuid	Event UUID	string		36		
LoginKey	Login Key	string		24		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
PreviousIp	Previous IP Address	string		39		
PreviousPlatform	Previous Platform	string		255		
PreviousScreen	Previous Screen	string		255		
PreviousUserAgent	Previous User Agent	textarea		1000		
PreviousWindow	Previous Window	string		255		
ReplayId	Replay ID	string		1000		
Score	Score	double			12	6
SecurityEventData	Event Data	textarea		10000		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SessionKey	Session Key	string		24		
SourceIp	Source IP Address	string		255		
Summary	Summary	textarea		1000		
UserId	User ID	reference		18		
Username	Username	string		255		

SESSIONHIJACKINGEVENTSTORE

Tracks when unauthorized users gain ownership of a Salesforce user's session with a stolen session identifier. To detect such an event, Salesforce evaluates how significantly a user's current browser fingerprint diverges from the previously known fingerprint using a probabilistically inferred significance of change. SessionHijackingEventStore is an object that stores the event data of SessionHijackingEvent. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SessionHijackingEventStore in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
CurrentIp	Current IP Address	string		39		
CurrentPlatform	Current Platform	string		255		
CurrentScreen	Current Screen	string		255		
CurrentUserAgent	Current User Agent	textarea		1000		
CurrentWindow	Current Window	string		255		
EvaluationTime	Evaluation Time	double			18	0
EventDate	Event Date	datetime				
EventIdentifier	Event ID	string		80		
Id	Session Hijacking Event Store ID	id		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoginKey	Login Key	string		24		
PolicyId	Transaction Security Policy ID	reference		18		
PolicyOutcome	Policy Outcome	picklist		255		
PreviousIp	Previous IP Address	string		39		
PreviousPlatform	Previous Platform	string		255		
PreviousScreen	Previous Screen	string		255		
PreviousUserAgent	Previous User Agent	textarea		1000		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PreviousWindow	Previous Window	string		255		
Score	Score	double			12	6
SecurityEventData	Event Data	textarea		10000		
SessionHijackingEventNumber	Event Name	string		255		
SessionKey	Session Key	string		24		
SourceIp	Source IP Address	string		255		
Summary	Summary	textarea		1000		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		
Username	Username	string		255		

SESSIONHIJACKINGEVENTSTOREFEED

Feed tracking for SessionHijackingEventStore.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SESSIONPERMSETACTIVATION

The SessionPermSetActivation object represents a permission set assignment activated during an individual user session. When a SessionPermSetActivation object is inserted into a permission set, an activation event fires, allowing the permission settings to apply to the user's specific session. This object is available in API versions 37.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SessionPermSetActivation in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthSessionId	Auth Session ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Id	SessionPermSetActivation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
PermissionSetGroupId	PermissionSetGroup ID	reference		18		
PermissionSetId	PermissionSet ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

SETUPAUDITTRAIL

Represents changes you or other admins made in your org's Setup area for at least the last 180 days. This object is available in API version 15.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SetupAuditTrail in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Action`	Action	string		120		
`CreatedByContext`	Created By Context	string		80		
`CreatedById`	Created By ID	reference		18		
`CreatedByIssuer`	Created By Issuer	string		80		
`CreatedDate`	Created Date	datetime				
`DelegateUser`	Delegate User	string		80		
`Display`	Display	string		1000		
`Id`	Setup Audit Trail ID	id		18		
`ResponsibleNamespacePrefix`	Source Namespace Prefix	string		15		
`Section`	Section	string		40		

SETUPDATASYNCHRONIZATIONSHARE

Sharing for SetupDataSynchronization.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SETUPENTITYACCESS

Represents the enabled setup entity access settings (such as for Apex classes) for the parent PermissionSet. This object is available in API version 25.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SetupEntityAccess in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Id`	SetupEntityAccess ID	id		18		
`ParentId`	Parent ID	reference		18		
`SetupEntityId`	Setup Entity ID	reference		18		
`SetupEntityType`	Setup Entity Type	picklist		40		
`SystemModstamp`	System Modstamp	datetime				

SHAREDSAVINGPAYMENTAGREEMENT

Specifies the payment terms for contracts of Shared Saving Payment Agreement type.

For more information, see SharedSavingPaymentAgreement in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BenchmarkEndDateTime	Benchmark End Date	datetime				
BenchmarkStartDateTime	Benchmark Start Date	datetime				
BenchmarkedExpenditureAmount	Benchmarked Expenditure Amount	currency			18	0
ContractPaymentAgreementId	ContractPaymentAgreement ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ForecastedExpenditureAmount	Forecasted Expenditure Amount	currency			18	0
Id	Shared Saving Payment Agreement ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LossPlanDescription	Loss Plan Description	textarea		32000		
Name	Name	string		255		
ProfitPlanDescription	Profit Plan Description	textarea		32000		
QualifyingProfitPercentage	Qualifying Profit Percentage	percent			5	2
SystemModstamp	System Modstamp	datetime				

SHAREDSAVINGPAYMENTAGREEMENTFEED

Feed tracking for SharedSavingPaymentAgreement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SHAREDSAVINGPAYMENTAGREEMENTHISTORY

History for tracked fields of SharedSavingPaymentAgreement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Shared Saving Payment Agreement History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SharedSavingPaymentAgreementId	Shared Saving Payment Agreement ID	reference		18		

SHARINGRECORDCOLLECTION

Represents a collection of records. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SharingRecordCollection in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		250		
GroupId	Group ID	reference		18		
Id	Record Collection ID	id		18		
IsDeleted	Deleted	boolean				
LastAdded	Last Added	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
NumberOfRecords	Number of records	int	9			
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SHARINGRECORDCOLLECTIONITEM

Represents a single record in a collection of records. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SharingRecordCollectionItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CollectionId`	Record Collection ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Description`	Description	string		250		
`Id`	Record Collection Item ID	id		18		
`IsDeleted`	Deleted	boolean				
`ItemId`	Item ID	reference		18		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`Name`	Record Collection Item Name	string		255		
`SystemModstamp`	System Modstamp	datetime				

SHARINGRECORDCOLLECTIONMEMBER

Represents a user with access to a collection of records. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SharingRecordCollectionMember in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Access Level	picklist		255		
CollectionId	Record Collection ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Record Collection Member ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				
UserOrGroupId	User Or Group ID	reference		18		

SHARINGRECORDCOLLECTIONSHARE

Sharing for SharingRecordCollection.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SHIFT

Represents a shift for service resource scheduling. Available in API versions 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Shift in the *Emergency Response Management Object Reference*, *Emergency Response Management for Public Health Developer Guide*, *Field Service Developer Guide*, *Object Reference for the Salesforce Platform*, *Salesforce Scheduler Developer Guide*, and *Work.com Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppointmentCategoryId	Appointment Category ID	reference		18		
BackgroundColor	Background Color	string		7		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndTime	End Time	datetime				
Id	Shift ID	id		18		
IsDeleted	Deleted	boolean				
IsHolidayShift	Holiday Shift	boolean				
IsNonStandard	Non-Standard	boolean				
JobProfileId	Job Profile ID	reference		18		
Label	Label	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
RecordsetFilterCriteriaId	Recordset Filter Criteria ID	reference		18		
RecurrenceEndDate	Recurrence End Date	date				
RecurrencePattern	Recurrence Pattern	string		255		
RecurrenceStartDate	Recurrence Start Date	date				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ServiceResourceId	Service Resource ID	reference		18		
ServiceTerritoryId	Service Territory ID	reference		18		
ShiftNumber	Shift Number	string		255		
ShiftTemplateId	Shift Template ID	reference		18		
StartTime	Start Time	datetime				
Status	Status	picklist		40		
StatusCategory	Status Category	picklist		255		
SystemModstamp	System Modstamp	datetime				
TimeSlotType	Time Slot Type	picklist		255		
Type	Type	picklist		255		
WorkTypeGroupId	Work Type Group ID	reference		18		
WorkTypeId	Work Type ID	reference		18		

SHIFTENGAGEMENTCHANNEL

Represents the relationship between a Shift object and an Engagement Channel Type object for Salesforce Scheduler. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ShiftEngagementChannel in the *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AreAllEngmtChnlSupported	All Engagement Channels Supported	boolean				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EngagementChannelTypeId	Engagement Channel Type ID	reference		18		
Id	Shift Engagement Channel ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Shift Engagement Channel Number	string		255		
ShiftId	Shift ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SHIFTENGAGEMENTCHANNELFEED

Feed tracking for ShiftEngagementChannel.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SHIFTENGAGEMENTCHANNELHISTORY

History for tracked fields of ShiftEngagementChannel.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Shift Engagement Channel History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ShiftEngagementChannelId	Shift Engagement Channel ID	reference		18		

SHIFTFEED

Feed tracking for Shift.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SHIFTHISTORY

Represents the history of changes made to tracked fields on a time sheet. Available in API versions 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ShiftHistory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Shift History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`ShiftId`	Shift ID	reference		18		

SHIFTPATTERN

Represents a pattern of templates for creating shifts. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ShiftPattern in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
Id	Shift Pattern ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Shift Pattern Name	string		255		
OwnerId	Owner ID	reference		18		
PatternLength	Pattern Length	int	9			
SystemModstamp	System Modstamp	datetime				

SHIFTPATTERNENTRY

ShiftPatternEntry links a shift template to a shift pattern. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ShiftPatternEntry in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DayOrder	Day Position	int	9			
Id	Shift Pattern Entry ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ShiftPatternId	Shift Pattern ID	reference		18		
ShiftTemplateId	Shift Template ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SHIFTPATTERNENTRYFEED

Feed tracking for ShiftPatternEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SHIFTPATTERNENTRYHISTORY

History for tracked fields of ShiftPatternEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Shift Pattern Entry History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ShiftPatternEntryId	Shift Pattern Entry ID	reference		18		

SHIFTPATTERNFEED

Feed tracking for ShiftPattern.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SHIFTPATTERNHISTORY

History for tracked fields of ShiftPattern.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Shift Pattern History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ShiftPatternId	Shift Pattern ID	reference		18		

SHIFTPATTERNSHARE

Sharing for ShiftPattern.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SHIFTSHARE

Represents a sharing entry on a field service shift. Available in API versions 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ShiftShare in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SHIFTSTATUS

Represents a shift, such as Tentative, Published, or Confirmed. Available in API versions 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ShiftStatus in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Shift Status Value ID	id		18		
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
StatusCode	Status Code	picklist		40		
SystemModstamp	System Modstamp	datetime				

SHIFTTEMPLATE

Represents a template for creating shifts. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ShiftTemplate in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BackgroundColor	Background Color	string		7		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Duration	Duration	double			6	2
Id	Shift Template ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsNonStandard	Non-Standard	boolean				
JobProfileId	Job Profile ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Shift Template Name	string		50		
OwnerId	Owner ID	reference		18		
RecordsetFilterCriteriaId	Recordset Filter Criteria ID	reference		18		
ShiftTemplateDurationType	Duration Type	picklist		255		
StartTime	Start Time	time				
SystemModstamp	System Modstamp	datetime				
TimeSlotType	Time Slot Type	picklist		255		

SHIFTTEMPLATESHARE

Sharing for ShiftTemplate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SHIFTWORKTOPIC

Represents the relationship between a Shift object and a Work Type or Work Type Group object for Salesforce Scheduler. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ShiftWorkTopic in the *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AreAllTopicsSupported	All Topics Supported	boolean				
AttendeeLimit	Attendee Limit	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Shift Work Topic ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaxAppointments	Maximum Concurrent Appointments	int	9			
Name	Name	string		255		
ServiceAppointmentLimit	Maximum Appointment Capacity	int	9			
ShiftId	Shift ID	reference		18		
SystemModstamp	System Modstamp	datetime				
WorkTypeGroupId	Work Type Group ID	reference		18		
WorkTypeId	Work Type ID	reference		18		

SHIFTWORKTOPICFEED

Feed tracking for ShiftWorkTopic.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SHIFTWORKTOPICHISTORY

History for tracked fields of ShiftWorkTopic.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Shift Work Topic History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ShiftWorkTopicId	Shift Work Topic ID	reference		18		

SHIPMENT

Represents the transport of inventory in field service or a shipment of order items in Order Management.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Shipment in the *Field Service Developer Guide*, *Manufacturing Cloud Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActualDeliveryDate	Actual Delivery Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DeliveredToId	Delivered To ID	reference		18		
Description	Description	textarea		32000		
DestinationLocationId	Destination Location ID	reference		18		
ExpectedDeliveryDate	Expected Delivery Date	datetime				
Id	Shipment ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
Provider	Shipping Provider	picklist		40		
ReturnOrderId	Return Order ID	reference		18		
ShipFromAddress	Ship From Address	address				
ShipFromCity	Ship From City	string		40		
ShipFromCountry	Ship From Country	string		80		
ShipFromGeocodeAccuracy	Ship From Geocode Accuracy	picklist		40		
ShipFromLatitude	Ship From Latitude	double			18	15

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ShipFromLongitude	Ship From Longitude	double			18	15
ShipFromPostalCode	Ship From Zip/Postal Code	string		20		
ShipFromState	Ship From State/Province	string		80		
ShipFromStreet	Ship From Street	textarea		255		
ShipToAddress	Ship To Address	address				
ShipToCity	Ship To City	string		40		
ShipToCountry	Ship To Country	string		80		
ShipToGeocodeAccuracy	Ship To Geocode Accuracy	picklist		40		
ShipToLatitude	Ship To Latitude	double			18	15
ShipToLongitude	Ship To Longitude	double			18	15
ShipToName	Ship To Name	string		255		
ShipToPostalCode	Ship To Zip/Postal Code	string		20		
ShipToState	Ship To State/Province	string		80		
ShipToStreet	Ship To Street	textarea		255		
ShipmentNumber	Shipment Number	string		255		
SourceLocationId	Source Location ID	reference		18		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TotalItemsQuantity	Total Items Quantity	double			18	2
TrackingNumber	Tracking Number	string		255		
TrackingUrl	Tracking URL	url		255		

SHIPMENTFEED

Feed tracking for Shipment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SHIPMENTHISTORY

History for tracked fields of Shipment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Shipment History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ShipmentId	Shipment ID	reference		18		

SHIPMENTITEM

Represents an order item included in a shipment. This object is available in API version 51.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ShipmentItem in the *Manufacturing Cloud Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
ExpectedDeliveryDate	Expected Delivery Date	datetime				
Id	Shipment Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Product2Id	Product ID	reference		18		
Quantity	Quantity	double			18	2
ShipmentId	Shipment ID	reference		18		
ShipmentItemNumber	Shipment Item Number	string		255		
SystemModstamp	System Modstamp	datetime				
TrackingNumber	Tracking Number	string		255		
TrackingUrl	Tracking URL	url		255		

SHIPMENTITEMFEED

Feed tracking for ShipmentItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SHIPMENTITEMHISTORY

History for tracked fields of ShipmentItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Shipment Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ShipmentItemId	Shipment Item ID	reference		18		

SHIPMENTSHARE

Sharing for Shipment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SHIPPINGCARRIER

Shipping company or carrier responsible for transporting goods or packages. Examples include UPS, FedEx, and USPS. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ShippingCarrier in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalReference	External Reference	string		255		
Id	Shipping Carrier ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SHIPPINGCARRIERFEED

Feed tracking for ShippingCarrier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SHIPPINGCARRIERHISTORY

History for tracked fields of ShippingCarrier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Shipping Carrier History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ShippingCarrierId	Shipping Carrier ID	reference		18		

SHIPPINGCARRIERMETHOD

Shipping service provided by a shipping carrier. Examples include Ground, 2Day, and NextDay. Service depends on the range of transit times available for each carrier. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ShippingCarrierMethod in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalReference	External Reference	string		255		
Id	Shipping Carrier Method ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaxTransitTime	Maximum Transit Time	int	9			
MinTransitTime	Minimum Transit Time	int	9			
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ShippingCarrierId	Shipping Carrier ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TransitTimeUnit	Transit Time Unit	picklist		255		

SHIPPINGCARRIERMETHODFEED

Feed tracking for ShippingCarrierMethod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SHIPPINGCARRIERMETHODHISTORY

History for tracked fields of ShippingCarrierMethod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Shipping Carrier Method History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ShippingCarrierMethodId	Shipping Carrier Method ID	reference		18		

SHIPPINGCARRIERMETHODSHARE

Sharing for ShippingCarrierMethod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SHIPPINGCARRIERSHARE

Sharing for ShippingCarrier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SHIPPINGCONFIGURATIONSET

Shipping configuration for a set of products in a store. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ShippingConfigurationSet in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Shipping Profile ID	id		18		
IsDefault	Is Default	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Shipping Profile Name	string		255		
OwnerId	Owner ID	reference		18		
ProcessTime	Order Processing Time	int	9			
ProcessTimeUnit	Unit of Order Processing Time	picklist		255		
SystemModstamp	System Modstamp	datetime				
TargetRecordId	Store ID	reference		18		

SHIPPINGCONFIGURATIONSETSHARE

Sharing for ShippingConfigurationSet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SHIPPINGRATEAREA

A designated geographical area that's available for shipping. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ShippingRateArea in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Countries	Countries	textarea		2000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Shipping Zone ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Shipping Zone Name	string		255		
Regions	Regions	textarea		8000		
ShippingRateGroupId	Shipping Rate Group ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SHIPPINGRATEGROUP

Available shipping rates based on shipping destination. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ShippingRateGroup in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Shipping Rate Group ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Shipping Rate Group Name	string		255		
ShippingProfileId	Shipping Profile ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SIGNATURETASK

Represents the signature-related information that a visitor captures as part of a visit. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SignatureTask in the *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
Id	Signature Task ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParentTaskId	Assessment Task ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SIGNATURETASKFEED

Feed tracking for SignatureTask.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SIGNATURETASKHISTORY

History for tracked fields of SignatureTask.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Signature Task History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SignatureTaskId	Signature Task ID	reference		18		

SIGNATURETASKLINEITEM

Represents a junction between a signature task and a digital signature captured in a visit. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SignatureTaskLineItem in the *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DigitalSignatureId	Digital Signature ID	reference		18		
Id	Signature Task Line Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParentId	Parent ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SIGNATURETASKLINEITEMFEED

Feed tracking for SignatureTaskLineItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SIGNATURETASKLINEITEMHISTORY

History for tracked fields of SignatureTaskLineItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Signature Task Line Item History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`SignatureTaskLineItemId`	Signature Task Line Item ID	reference		18		

SIGNUPREQUEST

Represents a request for a new sign-up.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SignupRequest in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AuthCode	Connected App Authorization Code	string		120		
Company	Company	string		80		
ConnectedAppCallbackUrl	Connected App Callback URL	textarea		2000		
ConnectedAppConsumerKey	Connected App Consumer Key	string		120		
Country	Country	string		3		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreatedOrgId	Created Org	string		15		
CreatedOrgInstance	Created Org Instance	string		10		
CurrencyIsoCode	Currency ISO Code	picklist		3		
Edition	Edition	picklist		255		
EmailBrandId	Email Brand Id	string		15		
ErrorCode	Error Code	string		8		
FirstName	First Name	string		40		
Id	Signup Request ID	id		18		
IsDeleted	Deleted	boolean				
IsSignupEmailSuppressed	Suppress signup email	boolean				
IsTso	Apply TSO Licensing	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastName	Last Name	string		80		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LoginBrandId	Login Brand Id	string		15		
Name	Number	string		255		
OwnerId	Owner ID	reference		18		
PreferredLanguage	Preferred Language	picklist		255		
ResolvedTemplateId	Resolved Template Id	string		15		
ShouldConnectToEnvHub	Connect to Environment Hub	boolean				
SignupEmail	Email	email		80		
SignupSource	Signup Source Description	string		60		
Status	Status	picklist		255		
Subdomain	Subdomain	string		40		
SystemModstamp	System Modstamp	datetime				
TemplateDescription	Template Description	string		255		
TemplateId	Template	string		15		
TrialDays	Trial Days	int	9			
TrialSourceOrgId	Source Org	string		15		
Username	Username	string		80		

SIGNUPREQUESTFEED

Feed tracking for SignupRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SIGNUPREQUESTHISTORY

History for tracked fields of SignupRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Signup Request History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SignupRequestId	Signup Request ID	reference		18		

SIGNUPREQUESTSHARE

Sharing for SignupRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SITE

Represents a public website that is integrated with an org. This object is available in API version 16.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Site in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdminId	User ID	reference		18		
AnalyticsTrackingCode	Analytics Tracking Code	string		40		
ArchiveStatus	Archived Status	picklist		40		
ArchivedById	User ID	reference		18		
ArchivedDate	Archived Date	datetime				
ClickjackProtectionLevel	Clickjack Protection Level	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DailyBandwidthLimit	Daily Bandwidth Limit (MB)	int	9			
DailyBandwidthUsed	Daily Bandwidth Used	int	9			
DailyRequestTimeLimit	Daily Request Time Limit (min)	int	9			
DailyRequestTimeUsed	Daily Request Time Used	int	9			
Description	Site Description	textarea		1000		
GuestRecordDefaultOwnerId	User ID	reference		18		
GuestUserId	User ID	reference		18		
Id	Site ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Site Label	string		255		
MonthlyPageViewsEntitlement	Monthly Page Views Allowed	int	9			
Name	Site Name	string		80		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OptionsAllowGuestPaymentsApi	Guest Access to the Payments API	boolean				
OptionsAllowGuestSupportApi	Guest Access to the Support API	boolean				
OptionsAllowHomePage	Enable Standard Home Page	boolean				
OptionsAllowStandardAnswersPages	Enable Standard Answers Pages	boolean				
OptionsAllowStandardIdeasPages	Enable Standard Ideas Pages	boolean				
OptionsAllowStandardLookups	Enable Standard Search Pages	boolean				
OptionsAllowStandardPortalPages	Allow Access to Standard Salesforce Pages	boolean				
OptionsAllowStandardSearch	Enable Standard Lookup Pages	boolean				
OptionsBrowserXssProtection	Enable Browser Cross Site Scripting Protection	boolean				
OptionsCachePublicVfPagesInProxies	Cache public Visualforce pages	boolean				
OptionsContentSniffingProtection	Enable Content Sniffing Protection	boolean				
OptionsCookieConsent	Enforce Cookie Consent	boolean				
OptionsEnableFeeds	Enable Feeds	boolean				
OptionsHasStoredPathPrefix	HasStoredPathPrefix	boolean				
OptionsIsSiteConsentBannerIntegrationEnabled	IsSiteConsentBannerIntegrationEnabled	boolean				
OptionsIsSiteConsentBannerIntegrationMigrated	isSiteConsentBannerIntegrationMigrated	boolean				
OptionsIsSiteDataCloudIntegrationEnabled	IsSiteDataCloudIntegrationEnabled	boolean				
OptionsIsSiteDataCloudIntegrationMigrated	isSiteDataCloudIntegrationMigrated	boolean				
OptionsIsSiteGAIntegrationEnabled	IsSiteGAIntegrationEnabled	boolean				
OptionsIsSiteGAIntegrationMigrated	isSiteGAIntegrationMigrated	boolean				
OptionsIsSiteGAIntegrationMigratedV2	isSiteGAIntegrationMigratedV2	boolean				
OptionsIsSiteGRecaptchaIntegrationEnabled	IsSiteGRecaptchaIntegrationEnabled	boolean				
OptionsIsSlashSRemovedSite	isSlashSRemovedSite	boolean				
OptionsRedirectToCustomDomain	Redirect to custom domain	boolean				
OptionsReferrerPolicyOriginWhenCrossOrigin	Referrer URL Protection	boolean				
OptionsUseGuestUserLanguage	Use the guest user's language for unauthenticated users	boolean				
SiteType	Site Type	picklist		40		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Status`	Site Status	picklist		40		
`Subdomain`	Site Subdomain Prefix	string		80		
`SystemModstamp`	System Modstamp	datetime				
`UrlPathPrefix`	Default Web Address	string		40		

SITEDETAIL

Represents the details of a Salesforce site or Experience Cloud site. Available in API Version 38.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SiteDetail in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`DurableId`	Site ID	string		255		
`Id`	Site Detail ID	id		18		
`IsRegistrationEnabled`	Self-Registration Enabled	boolean				
`SecureUrl`	Secure Url	url		255		

SITEFEED

Feed tracking for Site.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SITEHISTORY

Represents the history of changes to the values in the fields of a site. This object is generally available in API version 18.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SiteHistory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Custom Site ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`SiteId`	Site ID	reference		18		

SITEREDIRECTMAPPING

Represents a site redirect from an external site to an Experience Cloud site. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SiteRedirectMapping in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Action	Redirect Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Site Redirect Mapping ID	id		18		
IsActive	Active	boolean				
IsDynamic	Dynamic	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SiteId	Site ID	reference		18		
Source	Source URL	url		2048		
SystemModstamp	System Modstamp	datetime				
Target	Target URL	url		2048		

SKILL

Represents a category or group of Chat users or service resources in Field Service or Workforce Engagement. This object is available in API version 24.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Skill in the *Automotive Cloud Developer Guide*, *Field Service Developer Guide*, *Object Reference for the Salesforce Platform*, and *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
DeveloperName	Developer Name	string		80		
Id	Skill ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MasterLabel	Name	string		80		
SystemModstamp	System Modstamp	datetime				
TypeId	Skill Type ID	reference		18		

SKILLPROFILE

Represents a join between Skill and Profile. This object is available in API version 24.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SkillProfile in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Skill Profile ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`ProfileId`	Profile ID	reference		18		
`SkillId`	Skill ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

SKILLREQUIREMENT

Represents a skill that is required to complete a particular task in Field Service, Omni-Channel, Salesforce Scheduler, or Workforce Engagement. Skill requirements can be added to pending service routing objects in Omni-Channel. They can be added to work types, work orders, and work order line items in Field Service and Lightning Scheduler. And they can be added to job profiles in Workforce Engagement. This object is available in API version 38.0 and later. You also can add skill requirements to work items in Omni-Channel skills-based routing using API version 42.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SkillRequirement in the *Automotive Cloud Developer Guide*, *Field Service Developer Guide*, *Object Reference for the Salesforce Platform*, and *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CurrencyIsoCode`	Currency ISO Code	picklist		3		
`Id`	Skill Requirement ID	id		18		
`IsAdditionalSkill`	Is Additional Skill	boolean				
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`RelatedRecordId`	Required For ID	reference		18		
`SkillId`	Skill ID	reference		18		
`SkillLevel`	Skill Level	double			4	2
`SkillNumber`	Skill Requirement Number	string		255		
`SkillPriority`	Skill Priority	int	9			
`SystemModstamp`	System Modstamp	datetime				

SKILLREQUIREMENTFEED

Feed tracking for SkillRequirement.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SKILLREQUIREMENTHISTORY

History for tracked fields of SkillRequirement.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Skill Requirement History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`SkillRequirementId`	Skill Requirement ID	reference		18		

SKILLTYPE

Represents the broader type or category that a skill belongs to. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SkillType in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Developer Name	string		80		
`Id`	Skill Type ID	id		18		
`IsDeleted`	Deleted	boolean				
`Language`	Master Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MasterLabel`	Name	string		80		
`SystemModstamp`	System Modstamp	datetime				

SKILLUSER

Represents a join between Skill and User. This object is available in API version 24.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SkillUser in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Skill User ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SkillId	Skill ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

SLAPROCESS

Represents an entitlement process associated with an Entitlement. This object is available in API version 19.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SlaProcess in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessHoursId	Business Hours ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Id	Entitlement Process ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Entitlement Process Name	string		120		
NameNorm	Name	string		240		
SobjectType	Entitlement Process Type	picklist		40		
StartDateField	Custom Field Definition ID	picklist		40		
SystemModstamp	System Modstamp	datetime				

SOCIALCONTRIBUTIONSUM

Represents information about social contributions made to political and non-political organizations belonging to financial and non-financial categories.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SocialContributionSum in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	picklist		40		
ContribOrganizationName	Contributing Organization Name	string		255		
Country	Country	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
DisclsReportingPeriodId	Disclosure Reporting Period ID	reference		18		
Id	Social Contribution Summary ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
NonMonetaryCtrb	Non-Monetary Contribution	double			13	3
NonMonetaryCtrbType	Non-Monetary Contribution Type	picklist		40		
OwnerId	Owner ID	reference		18		
RecipientName	Recipient Name	string		255		
SubsidiaryAccountId	Account ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalAmount	Total Amount	currency			14	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Type	Type	picklist		40		

SOCIALCONTRIBUTIONSUMFEED

Feed tracking for SocialContributionSum.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SOCIALCONTRIBUTIONSUMHISTORY

History for tracked fields of SocialContributionSum.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Social Contribution Summary History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`SocialContributionSumId`	Social Contribution Summary ID	reference		18		

SOCIALCONTRIBUTIONSUMSHARE

Sharing for SocialContributionSum.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SOCIALPERSONA

Represents a snapshot of a contact's profile on a social network such as Facebook or Twitter. This object is available in API version 22.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SocialPersona in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AreWeFollowing	Are we following	boolean				
AuthorLabels	Author Labels	string		255		
AvatarUrl	Avatar URL	string		1024		
Bio	Bio	textarea		32000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
ExternalId	Social Persona Provider External Id	string		255		
ExternalPictureURL	Provider External Picture URL	url		255		
Followers	Followers	int	9			
Following	Following	int	9			
Id	Social Persona ID	id		18		
InfluencerScore	Influencer Score	int	9			
IsBlacklisted	Blocklisted	boolean				
IsDefault	Default	boolean				
IsDeleted	Deleted	boolean				
IsFollowingUs	Is following us	boolean				
IsVerified	Verified	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastViewedDate	Last Viewed Date	datetime				
ListedCount	Listed Count	int	9			
MediaProvider	Social Studio Media Provider	string		255		
MediaType	Social Studio Media Type	string		255		
Name	Social Handle	string		255		
NumberOfFriends	Number Of Friends	int	9			
NumberOfTweets	Number Of Tweets	int	9			
ParentId	Parent ID	reference		18		
ProfileType	Profile Type	picklist		255		
ProfileUrl	Profile URL	url		255		
Provider	Social Network	picklist		255		
R6SourceId	Social Studio Source Id	string		255		
RealName	Real Name	string		255		
SourceApp	Source App	string		255		
SystemModstamp	System Modstamp	datetime				
TopicType	Topic Type	string		255		

SOCIALPERSONAHISTORY

History for tracked fields of SocialPersona.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Social Persona History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SocialPersonaId	Social Persona ID	reference		18		

SOCIALPOST

Represents a snapshot of a post on a social network such as a Facebook or Twitter. This object is available in API version 23.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SocialPost in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AnalyzerScore	Analyzer Score	double			18	3
AssignedTo	Assigned To	string		255		
AttachmentType	Attachment Type	picklist		255		
AttachmentUrl	Attachment URL	url		255		
Classification	Classification	picklist		40		
CommentCount	Comment Count	int	9			
Content	Message	textarea		32000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DeletedById	Deleted By ID	reference		18		
EngagementLevel	Engagement Level	picklist		40		
ExternalPostId	External Post Id	string		255		
Handle	Social Handle	string		255		
HarvestDate	Harvest Date	datetime				
Headline	Headline	string		255		
HiddenById	Hidden By ID	reference		18		
Id	Social Post ID	id		18		
InboundLinkCount	Inbound Link Count	int	9			
IsDeleted	Deleted	boolean				
IsOutbound	Is Outbound	boolean				
KeywordGroupName	Keyword Group Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Language	Language	string		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LikedBy	Liked By	string		255		
LikesAndVotes	Likes and Votes	int	9			
MediaProvider	Social Studio Media Provider	string		255		
MediaType	Social Studio Media Type	string		255		
MessageType	Message Type	picklist		255		
Name	Name	string		255		
Notes	Notes	textarea		32000		
OutboundSocialAccountId	Managed Social Account ID	reference		18		
OwnerId	Owner ID	reference		18		
ParentId	Parent ID	reference		18		
PersonaId	Social Persona ID	reference		18		
PostPriority	Post Priority	string		255		
PostTags	Post Tags	textarea		32000		
PostUrl	Post URL	url		255		
Posted	Posted Date	datetime				
Provider	Social Network	picklist		255		
R6PostId	Social Studio Post Id	string		255		
R6SourceId	Social Studio Source Id	string		255		
R6TopicId	Social Studio Topic Id	string		255		
Recipient	Recipient	string		255		
RecipientType	Recipient Type	string		255		
ReplyToId	In Reply To ID	reference		18		
ResponseContextExternalId	Response Context	string		255		
ReviewScale	Review Scale	double			18	2
ReviewScore	Review Score	double			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ReviewedStatus	Reviewed Status	picklist		40		
Sentiment	Sentiment	picklist		255		
Shares	Shares	int	9			
SourceTags	Source Tags	textarea		32000		
SpamRating	Spam Rating	picklist		255		
Status	Status	picklist		255		
StatusMessage	Status Message	textarea		255		
SystemModstamp	System Modstamp	datetime				
ThreadSize	Thread Size	int	9			
TopicProfileName	Topic Profile Name	string		255		
TopicType	Topic Type	picklist		255		
TruncatedContent	Message Clipping	string		255		
UniqueCommentors	Unique Commentors	int	9			
ViewCount	View Count	int	9			
WhoId	Who ID	reference		18		

SOCIALPOSTFEED

Feed tracking for SocialPost.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SOCIALPOSTHISTORY

History for tracked fields of SocialPost.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Social Post History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SocialPostId	Social Post ID	reference		18		

SOCIALPOSTSHARE

Sharing for SocialPost.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SOLUTION

Represents a detailed description of a customer issue and the resolution of that issue.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Solution in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Solution ID	id		18		
IsDeleted	Deleted	boolean				
IsHtml	Is Html	boolean				
IsPublished	Public	boolean				
IsPublishedInPublicKb	Visible in Public Knowledge Base	boolean				
IsReviewed	Reviewed	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
SolutionName	Title	string		255		
SolutionNote	Description	textarea		32000		
SolutionNumber	Solution Number	string		30		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TimesUsed	Num Related Cases	int	9			

SOLUTIONFEED

Feed tracking for Solution.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SOLUTIONHISTORY

History for tracked fields of Solution.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Solution History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`SolutionId`	Solution ID	reference		18		

SOLUTIONSTATUS

Represents the status of a Solution, such as Draft, Reviewed, and so on.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SolutionStatus in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Solution Status Value ID	id		18		
IsDefault	Is Default	boolean				
IsReviewed	Is Reviewed	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

SPECIMEN

Represents a sample used for analysis. This object is available in API version 64.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Specimen in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BodySiteId	Code Set ID	reference		18		
CaseId	Case ID	reference		18		
CollectionDeviceCodeId	Code Set ID	reference		18		
CollectionDuration	Collection Duration	double			18	5
CollectionDurationUomId	Unit of Measure ID	reference		18		
CollectionEndDate	Collection End Date	datetime				
CollectionMethodCodeId	Code Set ID	reference		18		
CollectionQuantity	Collection Quantity	double			18	5
CollectionQuantityUomId	Unit of Measure ID	reference		18		
CollectionStartDate	Collection Start Date	datetime				
CollectorId	Collector ID	reference		18		
ConditionCodeId	Code Set Bundle ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FastingDuration	Fasting Duration	double			18	5
FastingDurationUomId	Unit of Measure ID	reference		18		
FastingStatusCodeId	Code Set ID	reference		18		
FeatureCodeId	Code Set Bundle ID	reference		18		
GroupingMethod	Grouping Method	picklist		255		
Id	Specimen ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ReceivedDate	Received Date	datetime				
SourceReferenceRecordId	Source Reference Record ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TypeId	Code Set ID	reference		18		
UsageCodeId	Code Set Bundle ID	reference		18		

SPECIMENFEED

Feed tracking for Specimen.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SPECIMENHISTORY

History for tracked fields of Specimen.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Specimen History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SpecimenId	Specimen ID	reference		18		

SPECIMENSHARE

Sharing for Specimen.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SRCPREDJOBSTATUSCHGEVENT

Notifies subscribers that the Data Cloud prediction job's status is changed. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SrcPredJobStatusChgEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`ErrorCode`	Error code for last run	string		4000		
`EventCreationDate`	Event creation date	datetime				
`EventPublishDate`	Event publish date	datetime				
`EventType`	Type of the event	string		4000		
`EventUuid`	Event Uuid	string		36		
`LastRefreshDate`	Last Refreshed Date	datetime				
`LastRunStatus`	Last Run Status	string		4000		
`LastRunTime`	Last Run Time	datetime				
`OutputDloName`	Api Name of the output DLO	string		4000		
`PredictionApiName`	Prediction Api Name	string		4000		
`ReplayId`	Replay Id	string		1000		
`RowsProcessed`	Number of rows last processed	long	18			
`RowsUpdated`	Number of rows last updated	long	18			
`SchemaVersion`	Schema version of event	string		4000		

STAGETRANSITIONENTRY

Represents the information about the runtime instance of the object stage transition. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see StageTransitionEntry in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FromStageValueId	Stage Value ID	reference		18		
FulfillmentPlanId	Fulfillment Plan ID	reference		18		
Id	Stage Transition Entry ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ReferenceRecord	Reference Record ID	string		18		
StageTransitionId	Stage Transition ID	reference		18		
StageTransitionPlanStatus	Stage Transition Plan Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
ToStageValueId	Stage Value ID	reference		18		

STAGETRANSITIONENTRYFEED

Feed tracking for StageTransitionEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

STAGETRANSITIONENTRYHISTORY

History for tracked fields of StageTransitionEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Stage Transition Entry History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`StageTransitionEntryId`	Stage Transition Entry ID	reference		18		

STAGETRANSITIONENTRYSHARE

Sharing for StageTransitionEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

STAMP

Represents a User Specialty. This object is available in API version 39.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Stamp in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Stamp ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		50		
ParentId	Parent ID	reference		18		
SystemModstamp	System Modstamp	datetime				

STAMPASSIGNMENT

Represents assignment of a User Specialty to a user. This object is available in API version 39.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see StampAssignment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	StampAssignment ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`StampId`	Stamp ID	reference		18		
`SubjectId`	User ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

STANDARDCAREFEEAGREEMENT

Specifies the payment terms for contracts of Standard Care Fee Agreement type.

For more information, see StandardCareFeeAgreement in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContractPaymentAgreementId	ContractPaymentAgreement ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FacilityPrice	Facility Price	currency			18	0
Id	Standard Care Fee Agreement ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
NonFacilityPrice	Non-Facility Price	currency			18	0
ProcedureCodeDescription	Procedure Code Description	string		255		
ProcedureCodeId	Code Set Bundle ID	reference		18		
StdCareFeeAgreementKey	Standard Care Fee Agreement Key	string		255		
SystemModstamp	System Modstamp	datetime				

STANDARDCAREFEEAGREEMENTFEED

Feed tracking for StandardCareFeeAgreement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

STANDARDCAREFEEAGREEMENTHISTORY

History for tracked fields of StandardCareFeeAgreement.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Standard Care Fee Agreement History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
StandardCareFeeAgreementId	Standard Care Fee Agreement ID	reference		18		

STANDARDINVOCABLEACTIONTYPE

Represents a collection of fields to set up granular user permissions for access to a standard invocable action in Flow Builder. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see StandardInvocableActionType in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Developer Name	string		80		
Id	Standard Invocable Action Type ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
Namespace	Namespace	string		255		
SystemModstamp	System Modstamp	datetime				

STANDARDSHIPPINGRATE

Standard shipping rate for a store. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see StandardShippingRate in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConditionFactor	Condition Factor	picklist		255		
ConditionRangeMax	Condition Range Max	double			18	0
ConditionRangeMin	Condition Range Min	double			18	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Standard Shipping Rate ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Standard Shipping Rate Name	string		255		
Price	Price	currency			18	0
ShippingCarrierMethodId	Shipping Carrier Method ID	reference		18		
ShippingZoneId	Shipping Zone ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TransitTimeMax	Maximum Transit Time	int	9			
TransitTimeMin	Minimum Transit Time	int	9			
TransitTimeUnit	Unit of Transit Time	picklist		255		
WeightUnit	Unit of Weight	picklist		255		

STATICRESOURCE

Represents a static resource that can be used in Visualforce markup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see StaticResource in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Body	Body	base64				
BodyLength	Size	int	8			
CacheControl	Cache Control	picklist		40		
ContentType	MIME Type	string		120		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		255		
Id	Static Resource ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

STGDEFINITIONASSIGNEDRECORDFEED

Feed tracking for StgDefinitionAssignedRecord.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

STGDEFINITIONASSIGNEDRECORDHISTORY

History for tracked fields of StgDefinitionAssignedRecord.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Stage Definition Assigned Record History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
StgDefinitionAssignedRecordId	Stage Definition Assigned Record ID	reference		18		

STGDEFINITIONASSIGNEDRECORDSHARE

Sharing for StgDefinitionAssignedRecord.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

STNRYASSETANNUALFACT

Represents the information about stationary assets and their types, which is used to quantify the related intensity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see StnryAssetAnnualFact in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicableYear	Applicable Year	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
EmployeeCount	Employee Count	int	9			
Id	Stationary Asset Annual Fact ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OccupiedFloorArea	Occupied Floor Area	double			18	2
OccupiedFloorAreaUnit	Occupied Floor Area Unit	picklist		255		
Revenue	Revenue	double			18	2
StnryAssetEnvrSrcId	Stationary Asset Environmental Source ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalFloorArea	Total Floor Area	double			18	2
TotalFloorAreaUnit	Total Floor Area Unit	picklist		255		
TotalUnitsManufactured	Total Units Manufactured	double			18	2

STNRYASSETANNUALFACTFEED

Feed tracking for StnryAssetAnnualFact.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

STNRYASSETANNUALFACTHISTORY

History for tracked fields of StnryAssetAnnualFact.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Stationary Asset Annual Fact History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
StnryAssetAnnualFactId	Stationary Asset Annual Fact ID	reference		18		

STNRYASSETCRBNFTPRNT

Represents the total carbon emissions and other environmental attributes from stationary assets. Carbon footprint quantifies the effect of atmospheric warming, which is represented in metric tonnes of carbon dioxide equivalent (tCO_2e). Additionally, it also quantifies various aspects of the energy performance of the asset.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see StnryAssetCrbnFtprnt in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AllocatedRenewableEnergyInKwh	Allocated Renewable Energy (kWh)	double			18	2
AllocationStatus	Allocation Status	picklist		40		
AnnualEmssnInventoryId	Annual Emissions Inventory ID	reference		18		
AuditApprovalStatus	Audit Approval Status	picklist		40		
AvgDataCenterPue	Average Data Center Power Usage Effectiveness	double			18	2
AvgMonthlyElectrCnsmpInKwh	Average Monthly Electricity Consumption (kWh)	double			18	2
BuildingEnergyIntensityId	Building Energy Intensity ID	reference		18		
CarbonInventoryRecordCount	Carbon Inventory Record Count	double			16	0
Ch4EmissionsInKg	CH4 Emissions (kg)	double			16	6
Co2EmissionsInKg	CO2 Emissions (kg)	double			16	6
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataCtrItDieselCnsmpIntensity	Data Center IT Diesel Consumption Intensity (kWh/IT kWh)	double			18	6
DataGapStatus	Data Gap Status	picklist		40		
ElectricityIntensityVarPct	Electricity Intensity Variance Percentage	percent			18	2
EndDate	End Date	date				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
EnrgyCnsmpIntensityInKbtuM2	Energy Consumption Intensity (kBtu/m2)	double			18	4
EnrgyCnsmpIntensityInKbtuSqft	Energy Consumption Intensity (kBtu/sqft)	double			18	4
EnrgyCnsmpIntensityInKwhM2	Energy Consumption Intensity (kWh/m2)	double			18	4
EnrgyCnsmpIntensityInKwhSqft	Energy Consumption Intensity (kWh/sqft)	double			18	4
EnrgyIntensityVariancePct	Energy Intensity Variance Percentage	percent			18	2
FootprintStage	Footprint Stage	picklist		40		
Id	Stationary Asset Carbon Footprint ID	id		18		
IsDeleted	Deleted	boolean				
IsRecordLocked	Record Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocBasedElectrFrOthrFuelInKwh	Location-Based Electricity from Other Fuel (kWh)	double			18	2
LocBasedElectrFromBiomassInKwh	Location-Based Electricity from Biomass (kWh)	double			18	2
LocBasedElectrFromCoalInKwh	Location-Based Electricity from Coal (kWh)	double			18	2
LocBasedElectrFromGasInKwh	Location-Based Electricity from Gas (kWh)	double			18	2
LocBasedElectrFromHydroInKwh	Location-Based Electricity from Hydro (kWh)	double			18	2
LocBasedElectrFromNuclearInKwh	Location-Based Electricity from Nuclear (kWh)	double			18	2
LocBasedElectrFromOilInKwh	Location-Based Electricity from Oil (kWh)	double			18	2
LocBasedElectrFromSolarInKwh	Location-Based Electricity from Solar (kWh)	double			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LocBasedElectrFromWindInKwh	Location-Based Electricity from Wind (kWh)	double			18	2
LocBsdElectrFrGeothermalInKwh	Location-Based Electricity from Geothermal (kWh)	double			18	2
LocBsdElectrOthrFossilFuelKwh	Location-Based Electricity from Other Fossil Fuel (kWh)	double			18	2
MaxVarianceAboveAvgElectrCnsmp	Maximum Variance Above Average Electricity Consumption	percent			18	1
MaxVarianceBelowAvgElectrCnsmp	Maximum Variance Below Average Electricity Consumption	percent			18	1
MktBsdElectrFrBiomassInKwh	Market-Based Electricity from Biomass (kWh)	double			18	2
MktBsdElectrFrFromCoalInKwh	Market-Based Electricity from Coal (kWh)	double			18	2
MktBsdElectrFrGasInKwh	Market-Based Electricity from Gas (kWh)	double			18	2
MktBsdElectrFrGeothermalInKwh	Market-Based Electricity from Geothermal (kWh)	double			18	2
MktBsdElectrFrHydroInKwh	Market-Based Electricity from Hydro (kWh)	double			18	2
MktBsdElectrFrNuclearInKwh	Market-Based Electricity from Nuclear (kWh)	double			18	2
MktBsdElectrFrOilInKwh	Market-Based Electricity from Oil (kWh)	double			18	2
MktBsdElectrFrOthrFuelInKwh	Market-Based Electricity from Other Fuel (kWh)	double			18	2
MktBsdElectrFrSolarInKwh	Market-Based Electricity from Solar (kWh)	double			18	2
MktBsdElectrFrWindInKwh	Market-Based Electricity from Wind (kWh)	double			18	2
MktBsdElectrOthrFossilFuelKwh	Market-Based Electricity from Other Fossil Fuel (kWh)	double			18	2
N2oEmissionsInKg	N2O Emissions (kg)	double			16	6
Name	Name	string		255		
OccupiedFloorArea	Occupied Floor Area	double			18	0
OccupiedFloorAreaUnit	Occupied Floor Area Unit	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OwnerId	Owner ID	reference		18		
PrevYrAnnlCarbonFootprintId	Stationary Asset Carbon Footprint ID	reference		18		
PrevYrDataCenterPue	Previous Year Data Center Power Usage Effectiveness	double			18	2
PrevYrEnrgyIntensityKbtuM2	Previous Year Energy Consumption Intensity (kBtu/m2)	double			18	4
PrevYrEnrgyIntensityKbtuSqft	Previous Year Energy Consumption Intensity (kBtu/sqft)	double			18	4
PrevYrEnrgyIntensityKwhM2	Previous Year Energy Consumption Intensity (kWh/m2)	double			18	4
PrevYrEnrgyIntensityKwhSqft	Previous Year Energy Consumption Intensity (kWh/sqft)	double			18	4
RegionalBldgEnergyIntensityId	Building Energy Intensity ID	reference		18		
ReportingDate	Reporting Date	date				
ReportingYear	Reporting Year	picklist		255		
RgnlElectrCnsmpIntensity	Regional Electricity Consumption Intensity (kWh/sqft)	double			7	2
RgnlEnrgyCnsmpIntensity	Regional Energy Consumption Intensity (kBtu/sqft)	double			18	2
Scope3EmssnDnstrmLsdAst	Scope 3 Emissions from Downstream Leased Assets (tCO2e)	double			18	2
Scp3EmssnCptlGoods	Scope 3 Emissions from Capital Goods (tCO2e)	double			18	2
Scp3EmssnFranchises	Scope 3 Emissions from Franchises (tCO2e)	double			18	2
Scp3EmssnInvestments	Scope 3 Emissions from Investments (tCO2e)	double			18	2
Scp3EmssnProcSoldPrdct	Scope 3 Emissions from Processing Sold Products (tCO2e)	double			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Scp3EmssnPurchGoodsSrvcs	Scope 3 Emissions from Purchased Goods Services (tCO2e)	double			18	2
Scp3EmssnUpstrmLsdAst	Scope 3 Emissions from Upstream Leased Assets (tCO2e)	double			18	2
Scp3EmssnUseOfSoldPrdct	Scope 3 Emissions from Use of Sold Products (tCO2e)	double			18	2
Scp3EmssnWstGenInOper	Scope 3 Emissions from Waste Generated in Operations (tCO2e)	double			18	2
Scp3EndLifeTreatSoldPrdct	Scope 3 Emissions from End-Life Treatment of Sold Products (tCO2e)	double			18	2
Scp3FuelEnrgyRelaActv	Scope 3 Emissions from Fuel and Energy-Related Activities (tCO2e)	double			18	2
Scp3UncategorizedEmssn	Scope 3 Uncategorized Emissions (tCO2e)	double			18	2
StartDate	Start Date	date				
StnryAssetEnvrSrcId	Stationary Asset Environmental Source ID	reference		18		
SuplScope1Emissions	Supplemental Scope 1 Emissions	double			18	5
SuplScope2LocationBasedEmssn	Supplemental Scope 2 Location-Based Emissions	double			18	5
SuplScope2MarketBasedEmssn	Supplemental Scope 2 Market-Based Emissions	double			18	5
SuplScope3DnstrmEmissions	Supplemental Scope 3 Downstream Emissions	double			18	5
SuplScope3UpstrmEmissions	Supplemental Scope 3 Upstream Emissions	double			18	5
SystemModstamp	System Modstamp	datetime				
TotBldgIndirectEnrgyCnsmpInMwh	Total Building Indirect Energy Consumption (MWh)	double			18	2
TotEnergyConsumptionInGj	Total Energy Consumption (GJ)	double			18	2
TotEnergyConsumptionInKwh	Total Energy Consumption (kWh)	double			18	2
TotEnergyConsumptionInMwh	Total Energy Consumption (MWh)	double			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotRnwlEnrgyExclHydroInKwh	Total Renewable Energy Excluding Hydro (kWh)	double			18	2
TotRnwlEnrgyExclHydroPct	Total Renewable Energy Percentage Excluding Hydro	percent			18	2
TotScope1EmissionsInTco2e	Total Scope 1 Emissions (tCO2e)	double			18	2
TotScope2LocBasedEmissions	Total Scope 2 Location-Based Emissions	double			18	2
TotScope2MktBasedEmissions	Total Scope 2 Market-based Emissions	double			18	2
TotalFloorArea	Total Floor Area	double			18	0
TotalFloorAreaUnit	Total Floor Area Unit	picklist		255		
TotalRenewableEnergyInKwh	Total Renewable Energy (kWh)	double			18	2
TotalRenewableEnergyPct	Total Renewable Energy Percentage	percent			18	2
TotalScp3DnstrmEmissions	Total Scope 3 Downstream Emissions (tCO2e)	double			18	2
TotalScp3UpstrmEmissions	Total Scope 3 Upstream Emissions (tCO2e)	double			18	2
YearOverYearPueVariancePct	Year over Year Power Usage Effectiveness Variance Percentage	percent			18	2

STNRYASSETCRBNFTPRNTFEED

Feed tracking for StnryAssetCrbnFtprnt.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

STNRYASSETCRBNFTPRNTHISTORY

History for tracked fields of StnryAssetCrbnFtprnt.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Stationary Asset Carbon Footprint History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`StnryAssetCrbnFtprntId`	Stationary Asset Carbon Footprint ID	reference		18		

STNRYASSETCRBNFTPRNTITM

Represents the total tCO_2e emissions of individual fuel types, which are the child records of the stationary asset carbon footprint record.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see StnryAssetCrbnFtprntItm in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EnergyIntensityVariancePct	Energy Intensity Variance Percentage	percent			18	2
EnrgyCnsmpIntensityInKwhM2	Energy Consumption Intensity (kWh/m2)	double			18	2
EnrgyCnsmpIntensityInKwhSqft	Energy Consumption Intensity (kWh/sqft)	double			18	2
FuelType	Fuel Type	picklist		255		
Id	Stationary Asset Carbon Footprint Item ID	id		18		
IsDeleted	Deleted	boolean				
IsRecordLocked	Record Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParentCarbonFootprintId	Stationary Asset Carbon Footprint ID	reference		18		
PrevYearCarbonFootprintItemId	Stationary Asset Carbon Footprint Item ID	reference		18		
PrevYrEnrgyIntensityKwhM2	Previous Year Energy Consumption Intensity (kWh/m2)	double			18	0

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PrevYrEnrgyIntensityKwhSqft	Previous Year Energy Consumption Intensity (kWh/sqft)	double			18	0
SystemModstamp	System Modstamp	datetime				
TotalEmissionsInTco2e	Total Emissions (tCO2e)	double			18	2
TotalEnergyConsumptionInGj	Total Energy Consumption (GJ)	double			18	2
TotalEnergyConsumptionInKwh	Total Energy Consumption (kWh)	double			18	2

STNRYASSETCRBNFTPRNTITMFEED

Feed tracking for StnryAssetCrbnFtprntItm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

STNRYASSETCRBNFTPRNTITMHISTORY

History for tracked fields of StnryAssetCrbnFtprntItm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Stationary Asset Carbon Footprint Item History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`StnryAssetCrbnFtprntItmId`	Stationary Asset Carbon Footprint Item ID	reference		18		

STNRYASSETCRBNFTPRNTSHARE

Sharing for StnryAssetCrbnFtprnt.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

STNRYASSETENRGYUSE

Represents the energy consumption related to stationary assets across multiple fuel types.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see StnryAssetEnrgyUse in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AllocatedRenewableEnergyInKwh	Allocated Renewable Energy Override (kWh)	double			18	2
CarbonFootprintReportDate	Carbon Footprint Report Date	date				
Ch4EmissionsInKg	CH4 Emissions (kg)	double			16	6
Co2EmissionsInKg	CO2 Emissions (kg)	double			16	6
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataGapFillingMethodName	Data Gap Filling Method Name	picklist		255		
ElectricityEmissionFactorsId	Electricity Emissions Factor Set ID	reference		18		
EndDate	End Date	date				
FinalEnergyConsumption	Final Energy Consumption	double			18	2
FuelConsumption	Fuel Consumption	double			18	2
FuelConsumptionInGigajoule	Fuel Consumption (GJ)	double			18	4
FuelConsumptionInKwh	Fuel Consumption (kWh)	double			18	4
FuelConsumptionUnit	Fuel Consumption Unit	picklist		255		
FuelConsumptionUnitRefId	Sustainability Unit of Measure ID	reference		18		
FuelType	Fuel Type	picklist		255		
FuelTypeRefId	Fuel Type ID	reference		18		
Id	Stationary Asset Energy Use ID	id		18		
IsCompanyOwnedAsset	Company-Owned Asset	boolean				
IsDeleted	Deleted	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsPueMonthlyRange	Power Usage Effectiveness Monthly Range	boolean				
IsRecordLocked	Record Locked	boolean				
IsSystemGeneratedRecord	System Generated Record	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocBasedElectrFrBiomassInKwh	Location-Based Electricity from Biomass (kWh)	double			18	4
LocBasedElectrFrNuclearInKwh	Location-Based Electricity from Nuclear (kWh)	double			18	4
LocBasedElectrFrOthrFuelInKwh	Location-Based Electricity from Other Fuel (kWh)	double			18	4
LocBasedElectrFromCoalInKwh	Location-Based Electricity from Coal (kWh)	double			18	4
LocBasedElectrFromGasInKwh	Location-Based Electricity from Gas (kWh)	double			18	4
LocBasedElectrFromHydroInKwh	Location-Based Electricity from Hydro (kWh)	double			18	4
LocBasedElectrFromOilInKwh	Location-Based Electricity from Oil (kWh)	double			18	4
LocBasedElectrFromSolarInKwh	Location-Based Electricity from Solar (kWh)	double			18	4
LocBasedElectrFromWindInKwh	Location-Based Electricity from Wind (kWh)	double			18	4
LocBsdElectrFrGeothermalInKwh	Location-Based Electricity from Geothermal (kWh)	double			18	4
LocBsdElectrFrNonRenewablesKwh	Location-Based Electricity from Non-Renewables (kWh)	double			18	4
LocBsdElectrOthrFossilFuelKwh	Location-Based Electricity from Other Fossil Fuel (kWh)	double			18	4
MktBasedElectrFrBiomassInKwh	Market-Based Electricity from Biomass (kWh)	double			18	4
MktBasedElectrFrNuclearInKwh	Market-Based Electricity from Nuclear (kWh)	double			18	4

Field Name	Field Label	Type	Digits	Length	Precision	Scale
MktBasedElectrFromCoalInKwh	Market-Based Electricity from Coal (kWh)	double			18	4
MktBasedElectrFromGasInKwh	Market-Based Electricity from Gas (kWh)	double			18	4
MktBasedElectrFromHydroInKwh	Market-Based Electricity from Hydro (kWh)	double			18	4
MktBasedElectrFromOilInKwh	Market-Based Electricity from Oil (kWh)	double			18	4
MktBasedElectrFromSolarInKwh	Market-Based Electricity from Solar (kWh)	double			18	4
MktBasedElectrFromWindInKwh	Market-Based Electricity from Wind (kWh)	double			18	4
MktBasedElectrOthrFuelInKwh	Market-Based Electricity from Other Fuel (kWh)	double			18	4
MktBsdElectrFrGeothermalInKwh	Market-Based Electricity from Geothermal (kWh)	double			18	4
MktBsdElectrFrNonRenewablesKwh	Market-Based Electricity from Non-Renewables (kWh)	double			18	4
MktBsdElectrOthrFossilFuelKwh	Market-Based Electricity from Other Fossil Fuel (kWh)	double			18	4
N2oEmissionsInKg	N2O Emissions (kg)	double			16	6
Name	Name	string		255		
NormalizedMoElectrCnsmpInKwh	Normalized Monthly Electricity Consumption (kWh)	double			18	2
OccupiedFloorArea	Occupied Floor Area	double			18	0
OccupiedFloorAreaInSqft	Occupied Floor Area (sqft)	double			18	0
OccupiedFloorAreaUnit	Occupied Floor Area Unit	picklist		255		
OtherEmssnFctrId	Other Emissions Factor Set ID	reference		18		
OwnerId	Owner ID	reference		18		
PowerUsageEffectiveness	Power Usage Effectiveness	double			12	2
ProposedEnergyConsumption	Proposed Energy Consumption	double			18	2
RefrigerantEmssnFctrId	Refrigerant Emissions Factor ID	reference		18		
RenewableEnergyType	Renewable Energy Type Override	picklist		255		
Scope1EmissionsInTco2e	Scope 1 Emissions (tCO2e)	double			18	4

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Scope2LocBasedEmssnInTco2e	Scope 2 Location-Based Emissions (tCO2e)	double			18	4
Scope2MktBasedEmssnInTco2e	Scope 2 Market-Based Emissions (tCO2e)	double			18	4
Scope3DnstrmEmissionsInTco2e	Scope 3 Downstream Emissions (tCO2e)	double			18	5
Scope3GhgCategory	Scope 3 GHG Category	picklist		255		
Scope3UpstrmEmissionsInTco2e	Scope 3 Upstream Emissions (tCO2e)	double			18	5
StartDate	Start Date	date				
StnryAssetCrbnFtprntId	Stationary Asset Carbon Footprint ID	reference		18		
StnryAssetEnvrSrcId	Stationary Asset Environmental Source ID	reference		18		
SuplScope1Emissions	Supplemental Scope 1 Emissions	double			18	5
SuplScope2LocationBasedEmssn	Supplemental Scope 2 Location-Based Emissions	double			18	5
SuplScope2MarketBasedEmssn	Supplemental Scope 2 Market-Based Emissions	double			18	5
SuplScope3DnstrmEmissions	Supplemental Scope 3 Downstream Emissions	double			18	5
SuplScope3UpstrmEmissions	Supplemental Scope 3 Upstream Emissions	double			18	5
SupplierId	Supplier ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotRnwlEnrgyExclHydroInKwh	Total Renewable Energy Excluding Hydro (kWh)	double			18	4
TotalFloorArea	Total Floor Area	double			18	5
TotalFloorAreaInSqft	Total Floor Area (sqft)	double			18	0
TotalFloorAreaUnit	Total Floor Area Unit	picklist		255		
TotalFuelConsumptionInKwh	Total Fuel Consumption (kWh)	double			18	2
TotalRenewableEnergyInKwh	Total Renewable Energy (kWh)	double			18	4

STNRYASSETENRGYUSEFEED

Feed tracking for StnryAssetEnrgyUse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

STNRYASSETENRGYUSEHISTORY

History for tracked fields of StnryAssetEnrgyUse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Stationary Asset Energy Use History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`StnryAssetEnrgyUseId`	Stationary Asset Energy Use ID	reference		18		

STNRYASSETENRGYUSESHARE

Sharing for StnryAssetEnrgyUse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

STNRYASSETENVRSRC

Represents assets that are stationary in nature, use energy that can be recorded, and are the source of greenhouse gas emissions.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see StnryAssetEnvrSrc in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessRegion	Business Region	picklist		40		
City	City	string		255		
Country	Country	picklist		255		
CrbnEmssnScopeAllocId	Carbon Emissions Scope Allocation ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
ElectricityEmssnFctrId	Electricity Emissions Factor Set ID	reference		18		
EnvironmentalRiskId	Environmental Risk ID	reference		18		
Id	Stationary Asset Environmental Source ID	id		18		
IsCompanyOwnedAsset	Company-Owned Asset	boolean				
IsDeleted	Deleted	boolean				
IsLeedCertified	LEED Certified	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LeaseExpirationDate	Lease Expiration Date	date				
LeaseIdentifier	Lease ID	string		100		
Name	Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OccupiedFloorArea	Occupied Floor Area	double			18	0
OccupiedFloorAreaUnit	Occupied Floor Area Unit	picklist		255		
OtherEmssnFctrId	Other Emissions Factor Set ID	reference		18		
OwnerId	Owner ID	reference		18		
ParentEnvironmentalSourceId	Stationary Asset Environmental Source ID	reference		18		
PostalCode	Postal Code	string		20		
PremiseIdentifier	Premise ID	string		255		
RefrigerantEmssnFctrId	Refrigerant Emissions Factor ID	reference		18		
RegionalBldgEnergyIntensityId	Building Energy Intensity ID	reference		18		
State	State	string		128		
StationaryAssetIdentifier	Stationary Asset ID	string		255		
StationaryAssetType	Stationary Asset Type	picklist		40		
StreetAddress	Street Address	string		255		
StreetAddress2	Street Address 2	string		255		
SystemModstamp	System Modstamp	datetime				
TotalFloorArea	Total Floor Area	double			18	0
TotalFloorAreaUnit	Total Floor Area Unit	picklist		255		

STNRYASSETENVRSRCFEED

Feed tracking for StnryAssetEnvrSrc.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

STNRYASSETENVRSRCHISTORY

History for tracked fields of StnryAssetEnvrSrc.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Stationary Asset Environmental Source History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
StnryAssetEnvrSrcId	Stationary Asset Environmental Source ID	reference		18		

STNRYASSETENVRSRCSHARE

Sharing for StnryAssetEnvrSrc.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

STNRYASSETWATERACTVTY

Represents information about the water activities, such as withdrawal, consumption, or discharge that are related to the stationary assets.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see StnryAssetWaterActvty in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivitySourceType	Activity Source Type	picklist		255		
ActivityType	Activity Type	picklist		255		
CostCenter	Cost Center	string		255		
CostPerUnit	Cost Per Unit (Cost/m3)	currency			10	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataGapFillingMethodName	Data Gap Filling Method Name	picklist		255		
Description	Description	textarea		32000		
EndDate	End Date	date				
EnvironmentalRiskId	Environmental Risk ID	reference		18		
FinalWaterQuantity	Final Water Quantity	double			18	2
Id	Stationary Asset Water Activity ID	id		18		
IsDeleted	Deleted	boolean				
IsRecordLocked	Record Locked	boolean				
IsSystemGeneratedRecord	System Generated Record	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ProposedWaterQuantity	Proposed Water Quantity	double			18	2
Quantity	Quantity	double			15	5
QuantityInM3	Quantity (m3)	double			15	5
QuantityUnit	Quantity Unit	picklist		255		
ServiceProviderId	Supplier ID	reference		18		
StartDate	Start Date	date				
StnryAssetEnvrSrcId	Stationary Asset Environmental Source ID	reference		18		
StnryAssetWaterFtprntId	Stationary Asset Water Footprint ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalCost	Total Cost	currency			12	2
TreatmentType	Treatment Type	picklist		255		
WaterFtprntReportDate	Water Footprint Report Date	date				

STNRYASSETWATERACTVTYFEED

Feed tracking for StnryAssetWaterActvty.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

STNRYASSETWATERACTVTYHISTORY

History for tracked fields of StnryAssetWaterActvty.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Stationary Asset Water Activity History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
StnryAssetWaterActvtyId	Stationary Asset Water Activity ID	reference		18		

STNRYASSETWATERACTVTYSHARE

Sharing for StnryAssetWaterActvty.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

STNRYASSETWATERFTPRNT

Represents information about the total volume of water from the water activities, such as withdrawal, consumption, or discharge that are related to the stationary assets.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see StnryAssetWaterFtprnt in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CnsmpIntsVariancePct	Consumption Intensity Variance Percentage	percent			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DchgIntsVariancePct	Discharge Intensity Variance Percentage	percent			18	2
EmployeeCnsmpIntsInM3	Employee Consumption Intensity (m3/employee)	double			18	4
EmployeeCount	Employee Count	double			18	2
EmployeeDchgIntsInM3	Employee Discharge Intensity (m3/employee)	double			18	4
EmployeeWdrwIntsInM3	Employee Withdrawal Intensity (m3/employee)	double			18	4
EndDate	End Date	date				
ExtremeStressCnsmpPct	Extreme Stress Consumption Percentage	percent			18	2
ExtremeStressWdrwPct	Extreme Stress Withdrawal Percentage	percent			18	2
FlAreaCnsmpIntsInM3M2	Floor Area Consumption Intensity (m3/m2)	double			18	4
FlAreaCnsmpIntsInM3Sqft	Floor Area Consumption Intensity (m3/sqft)	double			18	4
FlAreaDchgIntsInM3M2	Floor Area Discharge Intensity (m3/m2)	double			18	4
FlAreaDchgIntsInM3Sqft	Floor Area Discharge Intensity (m3/sqft)	double			18	4

Field Name	Field Label	Type	Digits	Length	Precision	Scale
FlAreaWdrwIntsInM3M2	Floor Area Withdrawal Intensity (m3/m2)	double			18	4
FlAreaWdrwIntsInM3Sqft	Floor Area Withdrawal Intensity (m3/sqft)	double			18	4
FootprintStage	Footprint Stage	picklist		40		
HighStressCnsmpPct	High Stress Consumption Percentage	percent			18	2
HighStressWdrwPct	High Stress Withdrawal Percentage	percent			18	2
Id	Stationary Asset Water Footprint ID	id		18		
IsDeleted	Deleted	boolean				
IsRecordLocked	Record Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OccupiedFloorArea	Occupied Floor Area	double			18	2
OccupiedFloorAreaUnit	Occupied Floor Area Unit	picklist		255		
OwnerId	Owner ID	reference		18		
PreviousYearWaterFtprntId	Stationary Asset Water Footprint ID	reference		18		
ProdtVolumeCnsmpIntsInM3	Production Volume Consumption Intensity (m3/product)	double			18	4
ProdtVolumeDchgIntsInM3	Production Volume Discharge Intensity (m3/product)	double			18	4
ProdtVolumeWdrwIntsInM3	Production Volume Withdrawal Intensity (m3/product)	double			18	4
ReportingYear	Reporting Year	picklist		255		
StartDate	Start Date	date				
StnryAssetEnvrSrcId	Stationary Asset Environmental Source ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
TotalConsumptionInMl	Total Consumption (Ml)	double			18	4
TotalCost	Total Cost	currency			12	2
TotalDischargeInMl	Total Discharge (Ml)	double			18	4
TotalFloorArea	Total Floor Area	double			18	2
TotalFloorAreaUnit	Total Floor Area Unit	picklist		255		
TotalStorageInMl	Total Storage (Ml)	double			18	4
TotalUnitsManufactured	Total Units Manufactured	double			18	2
TotalWithdrawalInMl	Total Withdrawal (Ml)	double			18	4
WaterInventoryRecCount	Water Inventory Record Count	double			16	0
WdrwIntsVariancePct	Withdrawal Intensity Variance Percentage	percent			18	2

STNRYASSETWATERFTPRNTFEED

Feed tracking for StnryAssetWaterFtprnt.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

STNRYASSETWATERFTPRNTHISTORY

History for tracked fields of StnryAssetWaterFtprnt.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Stationary Asset Water Footprint History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
StnryAssetWaterFtprntId	Stationary Asset Water Footprint ID	reference		18		

STNRYASSETWATERFTPRNTSHARE

Sharing for StnryAssetWaterFtprnt.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

STNRYASSETWTRFTPRNTITM

Represents information about the total volume of water from each water activity, such as withdrawal, consumption, or discharge related to the stationary assets. Each water activity is a child record of the stationary asset water footprint object.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see StnryAssetWtrFtprntItm in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivitySourceType	Activity Source Type	picklist		255		
ActivityType	Activity Type	picklist		255		
BaselineWaterStress	Baseline Water Stress	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Stationary Asset Water Footprint Item ID	id		18		
IsDeleted	Deleted	boolean				
IsRecordLocked	Record Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParentWaterFootprintId	Stationary Asset Water Footprint ID	reference		18		
PrevYearWtrFtprntItemId	Stationary Asset Water Footprint Item ID	reference		18		
QuantityInMl	Quantity (Ml)	double			14	4
SystemModstamp	System Modstamp	datetime				
TotalCost	Total Cost	currency			12	2
TreatmentType	Treatment Type	picklist		255		
WaterActivityPct	Water Activity Percentage	percent			10	2

STNRYASSETWTRFTPRNTITMFEED

Feed tracking for StnryAssetWtrFtprntItm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

STNRYASSETWTRFTPRNTITMHISTORY

History for tracked fields of StnryAssetWtrFtprntItm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Stationary Asset Water Footprint Item History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`StnryAssetWtrFtprntItmId`	Stationary Asset Water Footprint Item ID	reference		18		

STOREINTEGRATEDSERVICE

Represents an association between an integration and a store.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see StoreIntegratedService in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`CurrencyIsoCode`	Currency ISO Code	picklist		3		
`Id`	Store Integrated Service ID	id		18		
`Integration`	Integration ID	picklist		255		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`ServiceProviderType`	Service Provider Type	picklist		255		
`StoreId`	Store ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

STREAMINGCHANNEL

Represents a channel that is the basis for notifying listeners of generic Streaming API events. This object is available in API version 29.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see StreamingChannel in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
Id	Streaming Channel Id	id		18		
IsDeleted	Is Deleted	boolean				
IsDynamic	Is Dynamically Created	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Streaming Channel Name	string		80		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

STREAMINGCHANNELSHARE

Sharing for StreamingChannel.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SUGGESTEDASSESSMENTDEF

Stores information about suggested assessments. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SuggestedAssessmentDef in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentDefinitionRefId	Assessment Definition Reference ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Suggested Assessment Definition ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PartyId	Party ID	reference		18		
SourceContextId	Source Context ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

SUGGESTEDASSESSMENTDEFFEED

Feed tracking for SuggestedAssessmentDef.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SUGGESTEDASSESSMENTDEFHISTORY

History for tracked fields of SuggestedAssessmentDef.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Suggested Assessment Definition History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SuggestedAssessmentDefId	Suggested Assessment Definition ID	reference		18		

SUGGESTEDASSESSMENTDEFSHARE

Sharing for SuggestedAssessmentDef.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SUGGESTEDASSESSMENTREASON

Stores the reasons for a suggested assessment. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SuggestedAssessmentReason in the *Industries Common Resources Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Suggested Assessment Reason ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
PrimaryAsmtQuestionResponseId	Assessment Question Response ID	reference		18		
PrimaryAssessmentId	Assessment ID	reference		18		
SuggestedAssessmentDefId	Suggested Assessment Definition ID	reference		18		
SuggestionSourceType	Suggestion Source Type	picklist		40		
SystemModstamp	System Modstamp	datetime				

SUGGESTEDASSESSMENTREASONFEED

Feed tracking for SuggestedAssessmentReason.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SUGGESTEDASSESSMENTREASONHISTORY

History for tracked fields of SuggestedAssessmentReason.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Suggested Assessment Reason History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SuggestedAssessmentReasonId	Suggested Assessment Reason ID	reference		18		

SUPPLIER

Represents information about the supplier that's related to a climate-committed company.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Supplier in the *Manufacturing Cloud Developer Guide* and *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CompanyRelationshipType	Company Relationship Type	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
Id	Supplier ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

SUPPLIERFEED

Feed tracking for Supplier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SUPPLIERHISTORY

History for tracked fields of Supplier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Supplier History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SupplierId	Supplier ID	reference		18		

SUPPLIERPRODUCT

Represents information that's used to track the products that are purchased from a supplier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SupplierProduct in the *Manufacturing Cloud Developer Guide* and *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttributeEndDate	Attribute End Date	date				
AttributeStartDate	Attribute Start Date	date				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultProductEmssnFctrId	Product Emissions Factor ID	reference		18		
Id	Supplier Product ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProductId	Product ID	reference		18		
SourcingAllocPercentage	Sourcing Allocation Percentage	percent			3	0
SupplierId	Supplier ID	reference		18		
SupplierRank	Supplier Rank	double			18	0
SystemModstamp	System Modstamp	datetime				

SUPPLIERPRODUCTFEED

Feed tracking for SupplierProduct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SUPPLIERPRODUCTHISTORY

History for tracked fields of SupplierProduct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Supplier Product History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SupplierProductId	Supplier Product ID	reference		18		

SUPPLIERPRODUCTSHARE

Sharing for SupplierProduct.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SURVEY

Represents a survey.

For more information, see Survey in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActiveVersionId	Survey Version ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		65535		
DeveloperName	Developer Name	string		80		
Id	Survey ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LatestVersionId	Survey Version ID	reference		18		
Name	Name	string		255		
NamespacePrefix	Namespace Prefix	string		255		
OwnerId	Owner ID	reference		18		
SurveyType	Type	picklist		255		
SystemModstamp	System Modstamp	datetime				
TotalVersionsCount	Number of Versions	int	9			

SURVEYEMAILBRANDING

Represents the configuration settings for invitation emails sent to survey participants for a particular survey.

For more information, see SurveyEmailBranding in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Body	Email Body	textarea		4000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
FooterImageId	Asset File ID	reference		18		
FromEmailAddress	Email From Address	email		80		
HeaderImageId	Asset File ID	reference		18		
Id	Survey Email Branding ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
Subject	Email Subject	string		255		
SystemModstamp	System Modstamp	datetime				

SURVEYENGAGEMENTCONTEXT

Represents the context based on which a survey invitation was sent or a survey response was received.

For more information, see SurveyEngagementContext in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContextType	Context Type	string		250		
ContextValue	Context Value	string		250		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Survey Engagement Context ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SurveyInvitationId	Survey Invitation ID	reference		18		
SurveyResponseId	Survey Response ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SURVEYENGAGEMENTCONTEXTSHARE

Sharing for SurveyEngagementContext.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SURVEYFEED

Feed tracking for Survey.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

SURVEYINVITATION

Represents the invitation sent to a participant to complete the survey.

For more information, see SurveyInvitation in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CommunityId	Network ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmailBrandingId	Survey Email Branding ID	reference		18		
Id	Survey Invitation ID	id		18		
InvitationLink	Invitation Link	url		255		
InviteExpiryDateTime	Invitation Expires On	datetime				
IsDefault	Is Default	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LeadId	Lead ID	reference		18		
Name	Name	string		255		
OptionsAllowGuestUserResponse	Let Guests Respond	boolean				
OptionsAllowParticipantAccessTheirResponse	Can See Their Response	boolean				
OptionsCollectAnonymousResponse	Can Respond Anonymously	boolean				
OwnerId	Owner ID	reference		18		
ParticipantId	Participant ID	reference		18		
ResponseStatus	Response Status	picklist		255		
SurveyId	Survey ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
UUID	UUID	string		36		
UserId	User ID	reference		18		

SURVEYINVITATIONSHARE

Sharing for SurveyInvitation.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SURVEYPAGE

Represents a page, such as the title page or a question page, in a survey.

For more information, see SurveyPage in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DeveloperName`	Developer Name	string		80		
`DisplayOrder`	Display Order	int	9			
`Id`	Survey Page ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`Name`	Name	string		255		
`SurveyVersionId`	Survey Version ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

SURVEYQUESTION

Represents a question in a survey.

For more information, see SurveyQuestion in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Developer Name	string		80		
Id	Survey Question ID	id		18		
IsDeleted	Deleted	boolean				
IsDeprecated	Is Deprecated	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
PageDisplayOrder	Page Display Order	int	9			
PageName	Survey Page Name	string		80		
QuestionName	Question Name	textarea		4000		
QuestionOrder	Display Order	int	9			
QuestionType	Question Type	picklist		255		
SurveyPageId	Survey Page ID	reference		18		
SurveyVersionId	Survey Version ID	reference		18		
SystemModstamp	System Modstamp	datetime				
ValidationType	Validation Type	picklist		255		

SURVEYQUESTIONCHOICE

Represents an answer choice that a participant can select for a survey question.

For more information, see SurveyQuestionChoice in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Developer Name	string		80		
Id	Survey Question Choice ID	id		18		
IsDeleted	Deleted	boolean				
IsDeprecated	Is Deprecated	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
QuestionId	Survey Question ID	reference		18		
SurveyVersionId	Survey Version ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SURVEYQUESTIONRESPONSE

Represents a participant's answer to a specific question.

For more information, see SurveyQuestionResponse in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChoiceValue	Choice Value	textarea		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Datatype	Data Type	picklist		255		
DateTimeValue	Date Time Value	datetime				
DateValue	Date Value	date				
Id	Survey Question Response ID	id		18		
InvitationId	Survey Invitation ID	reference		18		
IsDeleted	Deleted	boolean				
IsTrueOrFalse	True or False	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
NumberValue	Number Value	int	9			
QuestionChoiceId	Survey Question Choice ID	reference		18		
QuestionId	Survey Question ID	reference		18		
Rank	Rank	int	9			
ResponseId	Survey Response ID	reference		18		
ResponseShortText	Name	string		255		
ResponseValue	Response Value	textarea		32000		
SurveyVersionId	Survey Version ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SURVEYQUESTIONSCORE

Represents the aggregate of responses for the following question types: date, multiple choice, picklist, radio, ranking, rating, scoring, slider, and Net Promoter Score® (NPS®).

For more information, see SurveyQuestionScore in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CumulativeScore	Cumulative Score	double			18	0
DateResponse	Date Response	date				
Id	Question Score ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
QuestionChoiceId	Survey Question Choice ID	reference		18		
QuestionDeveloperName	Question Developer Name	string		255		
QuestionId	Survey Question ID	reference		18		
QuestionName	Question Name	textarea		4000		
QuestionSkippedCount	Question Skipped Count	int	9			
ResponseCount	Response Count	int	9			
ResponseValue	Response Value	double			18	0
Score	Score	double			18	0
ScoreType	Question Score Type	picklist		255		
SurveyId	Survey ID	reference		18		
SurveyInvitationId	Survey Invitation ID	reference		18		
SurveyVersionId	Survey Version ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SURVEYRESPONSE

Represents information about a participant's response to a survey, such as the status of the response, the participant's location, and when the survey was completed.

For more information, see SurveyResponse in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CompletionDateTime`	Response Completion Date and Time	datetime				
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Survey Response ID	id		18		
`InterviewGuid`	Interview GUID	string		255		
`InterviewId`	Interview ID	reference		18		
`InvitationId`	Survey Invitation ID	reference		18		
`IpAddress`	Response IP Address	string		39		
`IsDeleted`	Deleted	boolean				
`Language`	Response Language	picklist		255		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Latitude`	Response Latitude	double			18	15
`Location`	Response Location	location	0	0	0	0
`Longitude`	Response Longitude	double			18	15
`Name`	Response Name	string		255		
`Status`	Response Status	picklist		255		
`SubmitterId`	Response Submitter ID	reference		18		
`SurveyId`	Survey ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SurveyVersionId	Survey Version ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SURVEYSHARE

Sharing for Survey.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SURVEYSUBJECT

Represents a relationship between a survey and another object, such as an account or a case.

For more information, see SurveySubject in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Object Relationship ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Record Name	string		255		
ParentId	Parent ID	reference		18		
SubjectEntityType	Related Object	picklist		255		
SubjectId	Subject ID	reference		18		
SurveyId	Survey ID	reference		18		
SurveyInvitationId	Survey Invitation ID	reference		18		
SurveyResponseId	Survey Response ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SURVEYVERSION

Represents a version of a survey.

For more information, see SurveyVersion in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BrandingSetId	Branding Set ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		65535		
Id	Survey Version ID	id		18		
IsDeleted	Deleted	boolean				
IsTemplate	Template	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SurveyId	Survey ID	reference		18		
SurveyStatus	Survey Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
VersionNumber	Version Number	int	9			

SURVEYVERSIONADDLINFO

Represents additional information about a survey version. This information defines the default settings of a survey version.

For more information, see SurveyVersionAddlInfo in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmailSender	Email Sender	textarea		400		
EmailTemplateId	Email Template ID	reference		18		
EngagementContextMetadata	Engagement Context Metadata	string		255		
Id	Survey Version Additional Info ID	id		18		
InvitationSharingRole	Invitation Sharing Role	picklist		255		
IsDeleted	Deleted	boolean				
Language	Language	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
SurveyQuestionId	Survey Question ID	reference		18		
SurveyVersionId	Survey Version ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SUSTAINABILITYCREDIT

Represents information about the sustainability credits that are a part of a sustainability purchase.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SustainabilityCredit in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CostPerUnit	Cost Per Unit	currency			18	0
CrbnCreditProjectId	Carbon Credit Project ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CreditsAllocated	Credits Allocated	double			18	2
CreditsAvailable	Credits Available	double			18	2
CreditsIssueDate	Credits Issue Date	date				
CreditsPurchased	Credits Purchased	double			18	0
CreditsRetiredDate	Credits Retired Date	date				
CreditsUnit	Credits Unit	picklist		255		
Description	Description	string		255		
ExternalIdentifier	External Identifier	string		80		
Id	Sustainability Credit ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PurchaseDate	Purchase Date	date				
Status	Status	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SupplierId	Supplier ID	reference		18		
SustainabilityPurchaseId	Sustainability Purchase ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalCost	Total Spend	currency			18	0
VintageYear	Vintage Year	string		80		

SUSTAINABILITYCREDITFEED

Feed tracking for SustainabilityCredit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SUSTAINABILITYCREDITHISTORY

History for tracked fields of SustainabilityCredit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Sustainability Credit History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SustainabilityCreditId	Sustainability Credit ID	reference		18		

SUSTAINABILITYCREDITSHARE

Sharing for SustainabilityCredit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SUSTAINABILITYPURCHASE

Represents information related to the sustainability credits purchases such as carbon credits.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SustainabilityPurchase in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BillingAddress	Billing Address	address				
BillingCity	Billing City	string		40		
BillingCountry	Billing Country	string		80		
BillingGeocodeAccuracy	Geocode Accuracy	picklist		255		
BillingLatitude	Latitude	double			18	15
BillingLongitude	Longitude	double			18	15
BillingPostalCode	Billing Postal Code	string		20		
BillingState	Billing State	string		80		
BillingStreet	Billing Street	textarea		255		
BrokerId	Supplier ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
ExternalIdentifier	External Identifier	string		80		
Id	Sustainability Purchase ID	id		18		
InvoiceNumber	Invoice Number	string		80		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OwnerId	Owner ID	reference		18		
PurchaseOrderNumber	Purchase Order Number	string		80		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

SUSTAINABILITYPURCHASEFEED

Feed tracking for SustainabilityPurchase.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SUSTAINABILITYPURCHASEHISTORY

History for tracked fields of SustainabilityPurchase.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Sustainability Purchase History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SustainabilityPurchaseId	Sustainability Purchase ID	reference		18		

SUSTAINABILITYPURCHASESHARE

Sharing for SustainabilityPurchase.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SUSTAINABILITYSCORECARD

Represents information about the annual sustainability scorecard of third-party organizations whose data is used to calculate scope 3 emissions.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SustainabilityScorecard in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AllocationStatus	Allocation Status	picklist		255		
CompanyAnnualExpenditure	Total Spent Amount	double			18	2
CompanyAnnualExpenditureEmssn	Annual Spend Based Scope 3 Emissions	double			18	2
CompanyEmissionsAllocationPct	Company Emissions Allocation Percentage	percent			3	0
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
EmissionAllocationType	Supplier-Provided Emissions Type	picklist		255		
EndDate	End Date	date				
FinalScorecardEmissions	Final Scorecard Emissions	double			18	2
Id	Sustainability Scorecard ID	id		18		
IsCurrentSupplierScorecard	Current Supplier Scorecard	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PercentageBasedEmissions	Percentage Based Emissions	double			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ReportingDueDate	Reporting Due Date	date				
ScienceBasedTargetStatus	Science Based Target Status	picklist		40		
Scope1Emissions	Scope 1 Emissions (tCO2e)	double			18	2
Scope2LocationBasedEmissions	Scope 2 Location-Based Emissions (tCO2e)	double			18	2
Scope2MarkedBasedEmissions	Scope 2 Market-Based Emissions (tCO2e)	double			18	2
Scope3Emissions	Scope 3 Emissions (tCO2e)	double			18	2
Scope3EmssnCalculationMeasure	Scope 3 Emissions Calculation Measure	picklist		255		
ScopestoIncludeinCalc	Scopes to Include in Calculation	picklist		255		
StartDate	Start Date	date				
Status	Status	picklist		40		
SupplierAnnualRevenue	Supplier Annual Revenue	double			18	2
SupplierAnnualRevenueEmissions	Supplier Annual Revenue Emissions	double			18	2
SupplierClassification	Supplier Classification	picklist		40		
SupplierContactId	Contact ID	reference		18		
SupplierEmssnRdctnCmtType	Supplier Emissions Reduction Commitment Type	picklist		40		
SupplierId	Supplier ID	reference		18		
SupplierProvidedEmissions	Supplier Provided Emissions	double			18	2
SupplierReportingScope	Supplier Reporting Scope	picklist		40		
SupplierTier	Supplier Tier	picklist		40		
SystemModstamp	System Modstamp	datetime				

SUSTAINABILITYSCORECARDFEED

Feed tracking for SustainabilityScorecard.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SUSTAINABILITYSCORECARDHISTORY

History for tracked fields of SustainabilityScorecard.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Sustainability Scorecard History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SustainabilityScorecardId	Sustainability Scorecard ID	reference		18		

SUSTAINABILITYSCORECARDSHARE

Sharing for SustainabilityScorecard.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SUSTAINABILITYUOM

Represents information about the additional unit of measure values defined by a customer.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SustainabilityUom in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
DeveloperName	Developer Name	string		80		
Id	Sustainability Unit of Measure ID	id		18		
IsDeleted	Deleted	boolean				
IsProductUom	Product Unit of Measure	boolean				
IsStationaryAssetUom	Stationary Asset Unit of Measure	boolean				
IsVehicleAssetUom	Vehicle Asset Unit of Measure	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Unit of Measure Name	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				
UnitType	Unit Type	picklist		255		

SUSTNUOMCONVERSION

Represents information about the unit of measure conversion for the additional fuel types defined by a customer.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SustnUomConversion in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConversionFactor	Conversion Factor	double			18	7
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Developer Name	string		80		
FuelType	Fuel Type ID	picklist		255		
Id	Sustainability Unit of Measure Conversion ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SourceUom	Sustainability Unit of Measure ID	picklist		255		
SystemModstamp	System Modstamp	datetime				
TargetUom	Sustainability Unit of Measure ID	picklist		255		
UomsKey	Uoms Key	string		256		

SVCAPPTSCHDEVENT

Represents the service appointment event. This object is included in a streamed notification received on the channels for the parent platform events. You can't subscribe to the SvcApptSchdEvent channel directly. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SvcApptSchdEvent in the *Platform Events Developer Guide* and *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdditionalInformation	Additional Information	string		80		
Address	Address	string		255		
AppointmentType	Appointment Type	string		30		
ChangedFields	Changed Fields	complexvalue				
Comments	Comment	string		80		
ContactId	Contact ID	string		30		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DurationInMinutes	Duration in Minutes	double			18	0
Email	Email	string		30		
EventUuid	Event UUID	string		36		
ParentRecordId	Parent Record ID	string		30		
Phone	Phone	string		30		
ScheduledEndTime	Scheduled End	datetime				
ScheduledStartTime	Scheduled Start	datetime				
ServiceAppointmentId	Service Appointment ID	string		30		
ServiceTerritoryId	Territory ID	string		30		
Status	Status	string		30		
StatusCategory	Status Category	string		30		
Subject	Subject	string		80		
WorkTypeBlockTimeAfterAppointment	Work Type Post-Appointment Time Buffer	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
WorkTypeBlockTimeAfterUnit	Work Type Post-Appointment Time Buffer Unit	string		30		
WorkTypeBlockTimeBeforeAppointment	Work Type Pre-Appointment Time Buffer	int	9			
WorkTypeBlockTimeBeforeUnit	Work Type Pre-Appointment Time Buffer Unit	string		30		
WorkTypeId	Work Type ID	string		30		

SVCCATALOGITEMATTRIBUTE

Represents pre-filled fulfillment flow inputs and user questions to ask to users in the context of a service catalog item version. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SvcCatalogItemAttribute in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AttributeType	Attribute Type	picklist		255		
BaseObjectApiName	Base Object API Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Data Type	picklist		255		
Description	Description	string		255		
DeveloperName	Developer Name	string		80		
Id	Service Catalog Item Attribute ID	id		18		
InputVariable	Input Variable	string		80		
InputVariableValue	Input Variable Value	textarea		32000		
IsAttrValueDerivAtRuntime	Is Attribute Value Derived At Runtime	boolean				
IsDeleted	Deleted	boolean				
IsRequired	Required	boolean				
ItemVersionStatus	Item Version Status	picklist		255		
Label	Label	string		80		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentAttributeId	Parent Attribute ID	reference		18		
ReferenceObjectApiName	Reference Object API Name	string		255		
SortOrder	Sort Order	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
StandardFieldApiName	Standard Field Api Name	string		255		
SvcCatalogItemDefId	Service Catalog Item Definition ID	reference		18		
SvcCatalogItemGroupId	Svc Catalog Item Group ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SVCCATALOGITEMDEF

Represents a service catalog item that can be requested by a service catalog user. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SvcCatalogItemDef in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		4000		
DeveloperName	Name	string		80		
Id	Service Catalog Item Definition ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
ShortDescription	Short Description	string		255		
ShouldHideEmptyAttributes	Should Hide Empty Attributes	boolean				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		255		

SVCCATALOGITEMDEPENDENCY

Represents a collection of records that indicate the dependencies of a service process. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SvcCatalogItemDependency in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DependencyReferenceId`	DependencyReference ID	reference		18		
`Id`	Service Catalog Item Dependency Id	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`ProcessStepName`	Type	picklist		255		
`SystemModstamp`	System Modstamp	datetime				
`Type`	Type	picklist		255		

SVCCATALOGREQRELATEDITEM

Represents an item related to a Service Catalog Request.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SvcCatalogReqRelatedItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Service Catalog Request Related Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Service Catalog Request Related Item Name	string		255		
RelatedExternalId	Related External ID	string		255		
RelatedInternalRecordId	Related Internal Record ID	reference		18		
SvcCatalogRequestId	Service Catalog Request ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SVCCATALOGREQUEST

Represents a request made by a user using the Service Catalog. Catalog builders use this object to report on Service Catalog activity. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SvcCatalogRequest in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CaseId	Case ID	reference		18		
CatalogItemDescription	Catalog Item Description	textarea		4000		
CatalogItemName	Catalog Item Name	string		80		
CatalogItemVersion	Catalog Item Version	string		128		
ClosedDate	Closed Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Service Catalog Request ID	id		18		
IsClosed	Closed	boolean				
IsDeleted	Deleted	boolean				
ItemFlowVersion	Item Flow Version ID	string		128		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Service Catalog Request Number	string		255		
OwnerId	Owner ID	reference		18		
Status	Status	picklist		255		
SubmitterId	User ID	reference		18		
SvcCatalogItemDefinitionId	Service Catalog Item Definition ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
TargetCustomerId	Target Customer ID	reference		18		

SVCCATALOGREQUESTHISTORY

History for tracked fields of SvcCatalogRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Service Catalog Request History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SvcCatalogRequestId	Service Catalog Request ID	reference		18		

SVCCATALOGREQUESTSHARE

Sharing for SvcCatalogRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SVCPROCPRODCATGPRODEXTRCSHARE

Sharing for SvcProcProdCatgProdExtrc.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SWARM

Represents a team of agents, Salesforce users, or Slack users in a Slack channel or thread dedicated to solving a problem. This problem can be related to a support case, incident, sales opportunity, or change request. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Swarm in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ChannelType	Channel Type	picklist		255		
CollaborationRoomId	Collaboration Room ID	reference		18		
CollaborationTool	Collaboration Tool	picklist		255		
CollaborationUrl	Collaboration URL	url		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndedDateTime	Ended Date Time	datetime				
HelpNeeded	Swarm Description	textarea		32000		
Id	Swarm ID	id		18		
IsDedicatedChannel	Dedicated Channel	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MessageKey	Message Timestamp	string		254		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RelatedRecordId	RelatedRecord ID	reference		18		
StartedDateTime	Started Date Time	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		255		

SWARMFEED

Feed tracking for Swarm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SWARMHISTORY

History for tracked fields of Swarm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Swarm History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SwarmId	Swarm ID	reference		18		

SWARMMEMBER

Represents a Salesforce member, such as an agent, of a swarm. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see SwarmMember in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssignedDateTime	Assigned Date Time	datetime				
CompletedDateTime	Completed Date Time	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
HelpNeeded	Swarm Description	textarea		32000		
Id	Swarm Member ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Details	string		255		
OwnerId	Owner ID	reference		18		
RelatedRecordId	RelatedRecord ID	reference		18		
Status	Status	picklist		40		
SwarmId	Swarm ID	reference		18		
SystemModstamp	System Modstamp	datetime				

SWARMMEMBERFEED

Feed tracking for SwarmMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

SWARMMEMBERHISTORY

History for tracked fields of SwarmMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Swarm Member History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
SwarmMemberId	Swarm Member ID	reference		18		

SWARMMEMBERSHARE

Sharing for SwarmMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

SWARMSHARE

Sharing for Swarm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

TABDEFINITION

Represents a custom tab. Returns only the tabs that the current user has access to. This object is available in API version 43.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TabDefinition in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
DurableId	Tab Definition Durable ID	string		255		
Id	Tab Definition ID	id		18		
IsAvailableInAloha	Is Available In Aloha	boolean				
IsAvailableInDesktop	Is Available In Desktop	boolean				
IsAvailableInLightning	Is Available In Lightning	boolean				
IsAvailableInMobile	Is Available In Mobile	boolean				
IsCustom	Is Custom	boolean				
Label	Label	string		255		
MobileUrl	Mobile URL	string		255		
Name	Name	string		255		
SobjectName	sObject Name	string		255		
Url	URL	string		255		

TABLEAUHOSTMAPPINGSHARE

Sharing for TableauHostMapping.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

TAGCATEGORY

Group similar interest tags together into tag categories.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TagCategory in the *Financial Services Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
Icon	Icon	picklist		255		
Id	Tag Category ID	id		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Level	Level	int	9			
Name	Category Name	string		255		
OwnerId	Owner ID	reference		18		
ParentCategoryId	Tag Category ID	reference		18		
SystemModstamp	System Modstamp	datetime				

TAGCATEGORYFEED

Feed tracking for TagCategory.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

TAGCATEGORYHISTORY

History for tracked fields of TagCategory.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Tag Category History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
TagCategoryId	Tag Category ID	reference		18		

TAGCATEGORYSHARE

Sharing for TagCategory.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

TASK

Represents a business activity such as making a phone call or other to-do items. In the user interface, Task and Event records are collectively referred to as activities.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Task in the *Consumer Goods Cloud Developer Guide*, *Object Reference for the Salesforce Platform*, *Revenue Cloud Developer Guide*, and *Work.com Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActivityDate	Due Date Only	date				
CallDisposition	Call Result	string		255		
CallDurationInSeconds	Call Duration	int	8			
CallObject	Call Object Identifier	string		255		
CallType	Call Type	picklist		40		
CompletedDateTime	Completed Date/Time	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
Id	Activity ID	id		18		
IsArchived	Archived	boolean				
IsClosed	Closed	boolean				
IsDeleted	Deleted	boolean				
IsHighPriority	High Priority	boolean				
IsRecurrence	Create Recurring Series of Tasks	boolean				
IsReminderSet	Reminder Set	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OwnerId	Assigned To ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Priority	Priority	picklist		20		
RecurrenceActivityId	Recurrence Activity ID	reference		18		
RecurrenceDayOfMonth	Recurrence Day of Month	int	9			
RecurrenceDayOfWeekMask	Recurrence Day of Week Mask	int	9			
RecurrenceEndDateOnly	Recurrence End	date				
RecurrenceInstance	Recurrence Instance	picklist		40		
RecurrenceInterval	Recurrence Interval	int	9			
RecurrenceMonthOfYear	Recurrence Month of Year	picklist		40		
RecurrenceRegeneratedType	Repeat This Task	picklist		40		
RecurrenceStartDateOnly	Recurrence Start	date				
RecurrenceTimeZoneSidKey	Recurrence Time Zone	picklist		40		
RecurrenceType	Recurrence Type	picklist		40		
ReminderDateTime	Reminder Date/Time	datetime				
Status	Status	picklist		255		
Subject	Subject	combobox		255		
SystemModstamp	System Modstamp	datetime				
TaskSubtype	Task Subtype	picklist		40		
WhatId	Related To ID	reference		18		
WhoId	Name ID	reference		18		

TASKFEED

Feed tracking for Task.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

TASKPRIORITY

Represents the importance or urgency of a task, such as High, Normal, or Low.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TaskPriority in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Task Priority Value ID	id		18		
IsDefault	Is Default	boolean				
IsHighPriority	Is High Priority	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

TASKRELATION

Represents the relationship between a task and a lead, contacts, and other objects related to the task. If Shared Activities is enabled, this object doesn't support triggers, workflow, or data validation rules.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TaskRelation in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Task Relation ID	id		18		
IsDeleted	Deleted	boolean				
IsWhat	Is What	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RelationId	Relation ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TaskId	Task ID	reference		18		

TASKSTATUS

Represents the status of a task, such as Not Started, Completed, or Closed.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TaskStatus in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Task Status Value ID	id		18		
IsClosed	Is Closed	boolean				
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

TASKWHORELATION

Represents the relationship between a task and a lead or contacts.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TaskWhoRelation in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Task Relation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RelationId	Relation ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TaskId	Task ID	reference		18		
Type	Type	string		50		

TAXDISCLOSURESUMMARY

Represents statistics about the disclosure of business entity information to all tax jurisdictions.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TaxDisclosureSummary in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomerTaxCollected	Customer Tax Collected	currency			14	2
Description	Description	textarea		32000		
DisclosedBy	Disclosed By	string		255		
DisclsReportingPeriodId	Disclosure Reporting Period ID	reference		18		
EmployeeCount	Employee Count	double			10	0
EmployeeTaxWithheld	Employee Tax Withheld	currency			14	2
EmployeeTotalIncome	Employee Total Income	currency			14	2
Id	Tax Disclosure Summary ID	id		18		
IncomeTaxAccrued	Income Tax Accrued	currency			14	2
IncomeTaxPaid	Income Tax Paid	currency			14	2
IndustryTaxDue	Industry Tax Due	currency			14	2
IntraCompanyDebt	Intra Company Debt	currency			14	2
IntraGroupTrxnRev	Intra-Group Transaction Revenue	currency			14	2
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PrimaryActivity	Primary Activity	textarea		4000		
ProfitLossBeforeTax	Profit Loss Before Tax	currency			14	2
SubsidiaryAccountId	Account ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TangibleAssetValue	Tangible Asset Value	currency			14	2
TaxJurisdiction	Tax Jurisdiction	string		255		
ThirdPartySalesRevenue	Third Party Sales Revenue	currency			14	2
UncertainTaxPositionVal	Uncertain Tax Position Value	currency			14	2

TAXDISCLOSURESUMMARYFEED

Feed tracking for TaxDisclosureSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

TAXDISCLOSURESUMMARYHISTORY

History for tracked fields of TaxDisclosureSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Tax Disclosure Summary History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
TaxDisclosureSummaryId	Tax Disclosure Summary ID	reference		18		

TAXDISCLOSURESUMMARYSHARE

Sharing for TaxDisclosureSummary.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

TAXENGINE

A tax engine represents both an instance of a tax engine provider as well as the merchant credentials for that specific instance. When Subscription Management calculates tax on an order item, it sends a request through Subscription Management Tax Calculation API to an external tax engine. The Salesforce tax engine record contains information passed to the external tax engine, such as This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TaxEngine in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
ExternalReference	External Reference	string		255		
Id	Tax Engine ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MerchantCredentialId	Named Credential ID	reference		18		
SellerCode	Seller Code	string		255		
Status	Tax Engine Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TaxEngineAddress	Tax Engine Address	address				
TaxEngineCity	City	string		40		
TaxEngineCountry	Country	string		80		
TaxEngineGeocodeAccuracy	Geocode Accuracy	picklist		40		
TaxEngineLatitude	Latitude	double			18	15
TaxEngineLongitude	Longitude	double			18	15

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TaxEngineName	Tax Engine Name	string		255		
TaxEnginePostalCode	Postal Code	string		20		
TaxEngineProviderId	Tax Engine Provider ID	reference		18		
TaxEngineState	State	string		80		
TaxEngineStreet	Street	textarea		255		
TaxPrvdAccountIdentifier	Tax Provider Account Identifier	string		255		
Type	Type	picklist		255		

TAXENGINEINTERACTIONLOG

A record of a communication with an external tax engine following a tax calculation request. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TaxEngineInteractionLog in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
DocumentCode	Document Code	string		64		
EffectiveDate	Effective Date	datetime				
Id	Tax Engine Interaction Log ID	id		18		
InteractionHttpStatusCode	Interaction HTTP Status Code Tax	int	9			
InteractionType	Interaction Type	picklist		255		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ReferenceEntity	Reference Entity	string		32		
RequestBody	Request Body	base64				
RequestContentType	Request Content Type	picklist		255		
RequestLength	Request Length	int	9			
RequestName	Request Name	string		40		
RequestTaxTransactionType	Request Tax Transaction Type	picklist		255		
ResponseBody	Response Body	base64				
ResponseContentType	Response Content Type	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ResponseLength	Response Length	int	9			
ResponseName	Response Name	string		40		
ResponseTaxTransactionType	Response Tax Transaction Type	picklist		255		
ResultCode	Result Code	picklist		255		
SystemModstamp	System Modstamp	datetime				
TaxEngineInteractionLogNumber	Tax Engine Interaction Log Number	string		255		

TAXENGINEPROVIDER

Represents general information about a service that manages a tax engine, such as the ID of the tax adapter Apex class in Salesforce, and the engine's namespace prefix. Tax engine providers have a one-to-many relationship with tax engines, where the tax engine record represents a specific configuration of a tax engine that can be assigned to multiple order items. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TaxEngineProvider in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApexAdapterId	Class ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomMetadataTypeApiName	Custom Metadata Type API Name	string		255		
Description	Description	textarea		1000		
DeveloperName	Name	string		255		
Id	Tax Engine Provider ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		255		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

TAXPOLICY

A tax policy contains a group of tax treatments, where each treatment represents parameters to determine how a particular product is taxed for a transaction line item. Tax policies are related to products, which pass the policy on to the resulting order items. When you activate an order, Subscription Management assigns a tax treatment to each order item based on the tax policy's DefaultTaxTreatmentId, then uses the tax treatment to calculate tax. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TaxPolicy in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultTaxTreatmentId	Tax Treatment ID	reference		18		
Description	Description	textarea		1000		
Id	Tax Policy ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Tax Policy Name	string		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TreatmentSelection	Treatment Selection	picklist		255		

TAXTREATMENT

A tax treatment contains details about how Salesforce and external engines calculate taxes, and the tax engine to use for tax calculation. The IsTaxable field determines whether tax is calculated for the product in the transaction. The tax code, tax engine, and product code are sent via API to the external tax calculation service. When you invoice an order item that has a tax treatment, the invoice line inherits the tax treatment from the order item's related billing schedule. The invoice line's TaxCode field is populated based on the code that the tax engine used for calculation. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TaxTreatment in the *Billing Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
Id	Tax Treatment ID	id		18		
IsDeleted	Deleted	boolean				
IsTaxable	Is Taxable	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LegalEntityId	Legal Entity ID	reference		18		
Name	Tax Treatment Name	string		255		
ProductCode	Product Code	string		80		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TaxCode	Tax Code	string		80		
TaxPolicyId	Tax Policy ID	reference		18		

TEAM

Represents the team of members associated with an organization. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Team in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Team ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Name	string		255		
`OwnerId`	Owner ID	reference		18		
`Status`	Status	picklist		40		
`SystemModstamp`	System Modstamp	datetime				

TEAMFEED

Feed tracking for Team.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

TEAMHISTORY

History for tracked fields of Team.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Team History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
TeamId	Team ID	reference		18		

TEAMMEMBER

Represents the member associated with a team. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TeamMember in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Team Member ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MemberId	Member ID	reference		18		
Name	Name	string		255		
RoleId	Participant Role ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TeamId	Team ID	reference		18		

TEAMMEMBERFEED

Feed tracking for TeamMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

TEAMMEMBERHISTORY

History for tracked fields of TeamMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Team Member History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
TeamMemberId	Team Member ID	reference		18		

TEAMSHARE

Sharing for Team.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

TENANTUSAGEENTITLEMENT

Represents a data structure that contains information about the features or functionalities that a Salesforce org has access to. This object is available in API version 28.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TenantUsageEntitlement in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AmountUsed	Amount Used	double			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrentAmountAllowed	Current Amount Allowed	double			18	0
EndDate	End Date	date				
Frequency	Frequency	picklist		255		
HasRollover	Has Rollover	boolean				
Id	Tenant Usage Entitlement ID	id		18		
IsDeleted	Deleted	boolean				
IsPersistentResource	Is Persistent Resource	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Setting Label	string		255		
OverageGrace	Overage Grace	percent			5	2
ResourceGroupKey	Resource Group Key	string		120		
Setting	Setting	string		120		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				
UsageDate	Usage Date	datetime				

TERM

Represents a term or a condition offered to the customer. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Term in the *Financial Services Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		40		
EffectiveFromDate	Effective From Date	date				
EffectiveToDate	Effective To Date	date				
Id	Term ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Subtype	Subtype	picklist		40		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

TERMFEED

Feed tracking for Term.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

TERMHISTORY

History for tracked fields of Term.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Term History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
TermId	Term ID	reference		18		

TERMSHARE

Sharing for Term.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

TESTSUITEMEMBERSHIP

Associates an Apex class with an ApexTestSuite. This object is available in API version 36.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TestSuiteMembership in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApexClassId	Class ID	reference		18		
ApexTestSuiteId	Test Suite ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Test Suite Membership ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				

THIRDPARTYACCOUNTLINK

Represents the list of external users who authenticated using an authentication provider. This object is available in API version 32.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ThirdPartyAccountLink in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Handle`	External User Handle	string		375		
`Id`	Third Party Account Link ID	id		18		
`IsNotSsoUsable`	Is Not SSO Usable	boolean				
`Provider`	Provider	string		128		
`RemoteIdentifier`	External User Id	string		128		
`SsoProviderId`	Auth. Provider ID	reference		18		
`SsoProviderName`	Single Sign-On Provider Name	string		255		
`ThirdPartyAccountLinkKey`	Third Party Account Link Unique Key	string		255		
`UserId`	User ID	reference		18		

THREATDETECTIONFEEDBACK

Represents feedback provided by a user about a Threat Detection event that occurred in your org. The feedback specifies whether the event was malicious, suspicious, not a threat, or unknown. Each ThreatDetectionFeedback object is associated with one of these Threat Detection storage events: ApiAnomalyEventStore, CredentialStuffingEventStore, ReportAnomalyEventStore, or SessionHijackingEventStore. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ThreatDetectionFeedback in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Threat Detection Feedback ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Updated Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Response	Response	picklist		255		
SystemModstamp	System Modstamp	datetime				
ThreatDetectionEventId	Associated Threat Detection Event ID	reference		18		
ThreatDetectionFeedbackNumber	Threat Detection Feedback Name	string		255		
UserId	User ID	reference		18		
Username	Username	string		255		

THREATDETECTIONFEEDBACKFEED

Feed tracking for ThreatDetectionFeedback.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

TIMEPERIOD

Represents the time period that's used to calculate the indicator performance and result. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TimePeriod in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDate	End Date	datetime				
Id	Time Period ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
StartDate	Start Date	datetime				
SystemModstamp	System Modstamp	datetime				

TIMEPERIODFEED

Feed tracking for TimePeriod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

TIMEPERIODHISTORY

History for tracked fields of TimePeriod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Time Period History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
TimePeriodId	Time Period ID	reference		18		

TIMEPERIODSHARE

Sharing for TimePeriod.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

TIMESHEET

Represents a schedule of a service resource's time in Field Service or Workforce Engagement. This object is available in API v47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TimeSheet in the *Energy and Utilities Cloud Developer Guide*, *Field Service Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDate	Time Sheet End Date	date				
Id	Time Sheet ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
ServiceResourceId	Resource ID	reference		18		
StartDate	Time Sheet Start Date	date				
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TimeSheetEntryCount	Time Sheet Entry Count	int	9			
TimeSheetNumber	Name	string		255		
TotalDurationInHours	Total Duration (In Hours)	double			18	2
TotalDurationInMinutes	Total Duration (In Minutes)	int	9			

TIMESHEETENTRY

Represents a span of time that a service resource spends on a field service task. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TimeSheetEntry in the *Energy and Utilities Cloud Developer Guide*, *Field Service Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
DurationInMinutes	Duration (In Minutes)	int	9			
EndTime	End Time	datetime				
Id	Time Sheet Entry ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationTimeZone	Location Time Zone	picklist		255		
StartTime	Start Time	datetime				
Status	Status	picklist		40		
Subject	Subject	string		255		
SystemModstamp	System Modstamp	datetime				
TimeSheetEntryNumber	Name	string		255		
TimeSheetId	Time Sheet ID	reference		18		
Type	Type	picklist		40		
WorkOrderId	Work Order ID	reference		18		
WorkOrderLineItemId	Work Order Line Item ID	reference		18		

TIMESHEETENTRYFEED

Feed tracking for TimeSheetEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

TIMESHEETENTRYHISTORY

History for tracked fields of TimeSheetEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Time Sheet Entry History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
TimeSheetEntryId	Time Sheet Entry ID	reference		18		

TIMESHEETFEED

Feed tracking for TimeSheet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

TIMESHEETHISTORY

History for tracked fields of TimeSheet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Time Sheet History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
TimeSheetId	Time Sheet ID	reference		18		

TIMESHEETSHARE

Sharing for TimeSheet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

TIMESLOT

Represents a period of time on a specified day of the week during which work can be performed in Field Service, Salesforce Scheduler, or Workforce Engagement. Operating hours consist of one or more time slots. This object is available in API version 38.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TimeSlot in the *Automotive Cloud Developer Guide*, *Field Service Developer Guide*, *Object Reference for the Salesforce Platform*, *Public Sector Solutions Developer Guide*, and *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DayOfWeek	Day of Week	picklist		255		
EndTime	End Time	time				
Id	Time Slot ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaxAppointments	Maximum Appointments	int	9			
OperatingHoursId	Operating Hour ID	reference		18		
RecordsetFilterCriteriaId	Recordset Filter Criteria ID	reference		18		
StartTime	Start Time	time				
SystemModstamp	System Modstamp	datetime				
TimeSlotNumber	Name	string		255		
Type	Type	picklist		255		
WorkTypeGroupId	Work Type Group ID	reference		18		

TIMESLOTHISTORY

Represents the history of changes made to tracked fields on a time slot. This object is available in API version 38.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TimeSlotHistory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Time Slot History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`TimeSlotId`	Time Slot ID	reference		18		

TIMELINEOBJECTDEFINITION

Stores timeline configurations. This object is available in API version 55.0 and later.

For more information, see TimelineObjectDefinition in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BaseObject	Custom Object Definition ID	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Definition	Definition	textarea		131072		
DeveloperName	Name	string		80		
Id	Timeline Object Definition ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
NamespacePrefix	Namespace Prefix	string		15		
SystemModstamp	System Modstamp	datetime				

TODAYGOAL

Sets the quarterly sales goal on the performance chart. This object is available in API version 35.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TodayGoal in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Goal ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		
Value	Value	currency			18	0

TODAYGOALSHARE

Sharing for TodayGoal.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

TOPIC

Represents a topic on a Chatter post or record. This object is available in API version 28.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Topic in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Description`	Description	string		1000		
`Id`	Topic ID	id		18		
`ManagedTopicType`	Enabled For	string		99		
`Name`	Name	string		99		
`NetworkId`	Network ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`TalkingAbout`	Talking About	int	9			

TOPICASSIGNMENT

Represents the assignment of a topic to a specific feed item, record, or file. This object is available in API version 28.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TopicAssignment in the *Object Reference for the Salesforce Platform* and *Salesforce Knowledge Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EntityId	Entity ID	reference		18		
EntityKeyPrefix	Record Key Prefix	string		3		
EntityType	Object Type	string		80		
Id	Topic Assignment ID	id		18		
IsDeleted	Deleted	boolean				
NetworkId	Network ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TopicId	Topic ID	reference		18		

TOPICFEED

Feed tracking for Topic.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

TOPICLOCALIZATION

Represents the translated version of a topic name. Topic localization applies only to navigational and featured topics in Experience Cloud sites.

For more information, see TopicLocalization in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Translation ID	id		18		
`Language`	Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`NamespacePrefix`	Namespace Prefix	string		15		
`ParentId`	Parent ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`Value`	Translation Text	textarea		32000		

TOPICUSEREVENT

Represents an action (such as comment, post, like, or share) made by a user on a topic. This object is available in API version 42.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TopicUserEvent in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ActionEnum`	Action	picklist		40		
`CreatedDate`	Create Date	datetime				
`Id`	Event ID	id		18		
`NetworkId`	Network ID	reference		18		
`TopicId`	Topic ID	reference		18		
`UserId`	User ID	reference		18		

TRACKEDCOMMUNICATION

Stores information request or communication details sent from payer to provider on a member's authorization request.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TrackedCommunication in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CommunicatorReferenceId	Communicator Reference ID	reference		18		
ContextReferenceId	Context Reference ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Tracked Communication ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OccurrenceEndDateTime	Occurrence End Date	datetime				
OccurrenceStartDateTime	Occurrence Start Date	datetime				
OwnerId	Owner ID	reference		18		
Priority	Priority	picklist		40		
RequesterReferenceId	Requester Reference ID	reference		18		
Status	Status	picklist		40		
StatusReason	Status Reason	picklist		40		
SubjectId	Subject ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

TRACKEDCOMMUNICATIONDETAIL

Stores additional information associated with TrackedCommunication records.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TrackedCommunicationDetail in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DetailCodeId	Detail Code ID	reference		18		
DetailRecordId	Detail Record ID	reference		18		
DetailType	Detail Type	picklist		40		
Id	Tracked Communication Detail ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				
TrackedCommunicationId	Tracked Communication ID	reference		18		

TRACKEDCOMMUNICATIONDETAILFEED

Feed tracking for TrackedCommunicationDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

TRACKEDCOMMUNICATIONDETAILHISTORY

History for tracked fields of TrackedCommunicationDetail.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Tracked Communication Detail History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
TrackedCommunicationDetailId	Tracked Communication Detail ID	reference		18		

TRACKEDCOMMUNICATIONFEED

Feed tracking for TrackedCommunication.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

TRACKEDCOMMUNICATIONHISTORY

History for tracked fields of TrackedCommunication.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Tracked Communication History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`TrackedCommunicationId`	Tracked Communication ID	reference		18		

TRACKEDCOMMUNICATIONSHARE

Sharing for TrackedCommunication.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

TRAININGCOURSEPARTICIPANT

Represents the trainings completed by a person. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TrainingCourseParticipant in the *Emergency Response Management Object Reference* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactId	Contact ID	reference		18		
CourseOfferingId	Course Offering ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Training Course Participant ID	id		18		
InstitutionName	Institution Name	picklist		40		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Participant ID	string		255		
OwnerId	Owner ID	reference		18		
Result	Result	picklist		40		
SystemModstamp	System Modstamp	datetime				
VerificationDateTime	Verification Date	datetime				
VerificationStatus	Verification Status	picklist		40		

TRAININGCOURSEPARTICIPANTFEED

Feed tracking for TrainingCourseParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

TRAININGCOURSEPARTICIPANTHISTORY

History for tracked fields of TrainingCourseParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Training Course Participant History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
TrainingCourseParticipantId	Training Course Participant ID	reference		18		

TRAININGCOURSEPARTICIPANTSHARE

Sharing for TrainingCourseParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

TRANSACTIONJOURNAL

Represents information about journal records. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TransactionJournal in the *Accounting Subledger Developer Guide*, *Automotive Cloud Developer Guide*, *Loyalty Management Developer Guide*, *Public Sector Solutions Developer Guide*, *Rebate Management Developer Guide*, *Referral Marketing Developer Guide*, and *Usage Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActivityDate	Activity Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Credit	Credit	currency			18	2
CreditGeneralLedgerAccountId	General Ledger Account ID	reference		18		
CurrencyIsoCode	Currency ISO Code	picklist		3		
Debit	Debit	currency			18	2
DebitGeneralLedgerAccountId	General Ledger Account ID	reference		18		
GeneralLedgerAcctAsgntRuleId	General Ledger Account Assignment Rule ID	reference		18		
Id	Transaction Journal ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LegalEntityId	Legal Entity ID	reference		18		
LegalEntyAccountingPeriodId	Legal Entity Accounting Period ID	reference		18		
Name	Name	string		30		
ReferenceRecordId	Reference Record ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ReferenceTransactionRecordId	Reference Transaction Record ID	reference		18		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TransactionType	Transaction Type	picklist		40		
UniqueIdentifier	Unique Identifier	string		80		
UsageResourceId	Usage Resource ID	reference		18		
UsageType	Usage Type	picklist		40		

TRANSACTIONSECURITYPOLICY

Represents a transaction security policy definition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TransactionSecurityPolicy in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionConfig	Action Configuration	textarea		4000		
ApexPolicyId	Class ID	reference		18		
BlockMessage	Block Message	string		1000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomEmailContent	Custom Email Content	string		1333		
Description	Description	string		1000		
DeveloperName	Name	string		80		
EventName	Event Name	picklist		255		
EventType	Event Type	picklist		255		
ExecutionUserId	User ID	reference		18		
Id	Transaction Security Policy ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Name	string		80		
NamespacePrefix	Namespace Prefix	string		15		
ResourceName	Resource Name	string		100		
State	State	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Policy Type	picklist		255		

TRANSLATION

The Translation object represents the languages enabled for translation in your Salesforce org. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Translation in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CanManage`	Can Manage	boolean				
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Translation ID	id		18		
`IsActive`	Active	boolean				
`Language`	Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`SystemModstamp`	System Modstamp	datetime				

TRAVELMODE

Represents a travel mode used for travel time calculations. The records include information about the type of transportation (such as Car or Walking), whether a vehicle can take toll roads, and whether a vehicle is transporting hazardous materials. This object is available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TravelMode in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CanUseTollRoads	Can Use Toll Roads	boolean				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Travel Mode ID	id		18		
IsDeleted	Deleted	boolean				
IsTransportingHazmat	Is Transporting Hazmat	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TransportType	Transport Type	picklist		255		

TRAVELMODEFEED

Feed tracking for TravelMode.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

TRAVELMODESHARE

Sharing for TravelMode.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

TRNCOURSE

Represents information about the authorized trainings that qualify a license or permit. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see TrnCourse in the *Emergency Response Management Object Reference* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		255		
Id	Training Course ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TotalCredits	Total Credits	double			18	2
TotalHours	Total Hours	double			18	2

TRNCOURSEFEED

Feed tracking for TrnCourse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

TRNCOURSEHISTORY

History for tracked fields of TrnCourse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Training Course History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
TrnCourseId	Training Course ID	reference		18		

TRNCOURSESHARE

Sharing for TrnCourse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

UIFORMULACRITERION

Represents a filter that helps define component visibility on a Lightning page. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UiFormulaCriterion in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Ui Formula Criterion ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LeftHandSide`	Left Value	string		255		
`OperatorId`	Formula Operator ID	string		40		
`ParentKeyPrefix`	Parent Key Prefix	string		3		
`RightHandSide`	Right Value	string		255		
`RuleId`	Ui Formula Rule ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

UIFORMULARULE

Represents a set of one or more filters that define the conditions under which a component displays on a Lightning page. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UiFormulaRule in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssociatedElementId	Associated Element ID	reference		18		
BooleanFilter	Boolean Filter	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Formula	Formula	textarea		4000		
Id	Ui Formula Rule ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
ParentKeyPrefix	Parent Key Prefix	string		3		
SystemModstamp	System Modstamp	datetime				

UNDECIDEDEVENTRELATION

Represents event participants (invitees or attendees) with the status Not Responded for a given event. This object is available in API versions 29.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UndecidedEventRelation in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EventId	Event ID	reference		18		
Id	Event Relation ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
RelationId	Relation ID	reference		18		
RespondedDate	Response Date	datetime				
Response	Response	string		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	string		50		

UNIFIEDACTIVITY

Represents an activity that is automatically captured from Einstein Activity Capture (EAC) or other activity data, such as calls, manually logged tasks, and emails. This object consists of fields common to all types of activity-related objects such as Event, Task, EmailMessage, VoiceCall, VideoCall, and so on. This object is available for reports and dashboards in the Winter '24 release and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UnifiedActivity in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ActivityDateTime`	Activity Date and Time	datetime				
`ActivitySubType`	Activity Subtype	picklist		255		
`ActivityType`	Activity Type	picklist		255		
`DetailId`	Additional Detail ID	reference		18		
`Id`	Unified Activity ID	id		18		
`InternalEventKey`	Internal Event Key	string		255		
`IsInsightAvailable`	Insight Available	boolean				
`Snippet`	Snippet	string		255		
`Subject`	Subject	string		255		

UNIFIEDACTIVITYINSIGHT

Represents an insight related to a unified activity. This object is available for reports and dashboards in the Winter '24 release and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UnifiedActivityInsight in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivityId	Unified Activity ID	reference		18		
AggregatedKeywordOccurrences	Aggregated Keyword Occurrences	int	9			
CreatedDate	Created Date	datetime				
ExternalId	External ID	string		255		
Id	Unified Activity Insight ID	id		18		
InsightType	Insight Type	string		255		
LastModifiedDate	Last Modified Date	datetime				
OwnerId	User ID	reference		18		
Scope	Scope	picklist		255		

UNIFIEDACTIVITYPARTICIPANT

Represents a participant in an activity. For example, a participant in a voice call is someone who initiated the call or someone who received the call.This object is available for reports and dashboards in the Winter '24 release and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UnifiedActivityParticipant in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ActivityId`	Unified Activity ID	reference		18		
`ChannelAddress`	Email Address or Phone Number	string		255		
`Id`	Unified Activity Participant ID	id		18		
`ParticipantType`	Participant Type	picklist		255		
`PersonId`	Person ID	reference		18		

UNIFIEDACTIVITYRELATION

Represents a relationship between an activity and a related record that's a target or topic of the activity. For example, a related record can be an opportunity, account, and so on. This object is available for reports and dashboards in the Winter '24 release and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UnifiedActivityRelation in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ActivityId`	Unified Activity ID	reference		18		
`Id`	Unified Activity Relation ID	id		18		
`RelatedId`	Related Record ID	reference		18		

UNIFIEDACTVTYINSIGHTKEYWORD

Represents a keyword in a communication that triggered the activity insight. This object is available for reports and dashboards in the Winter '24 release and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UnifiedActvtyInsightKeyword in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ExternalId`	External ID	string		255		
`Id`	Unified Activity Insight Keyword ID	id		18		
`InsightId`	Unified Activity Insight ID	reference		18		
`Keyword`	Keyword	string		80		
`Occurrences`	Occurrences	int	9			

UNIFIEDVIDEOCALL

Represents a video call that is captured or synced from the VideoCall or Task record. This object is available for reports and dashboards in the Winter '24 release and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UnifiedVideoCall in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivityDateTime	Activity Date and Time	datetime				
ActivitySubType	Activity Subtype	picklist		255		
ActivityType	Activity Type	picklist		255		
CallDurationInSeconds	Call Duration	int	8			
DetailId	Video Call ID	reference		18		
Id	Unified Video Call ID	id		18		
InternalEventKey	Internal Event Key	string		255		
IsInsightAvailable	Insight Available	boolean				
Snippet	Snippet	string		255		
Subject	Subject	string		255		

UNIFIEDVIDEOCALLPARTICIPANT

Represents a participant in a video call. This object is available for reports and dashboards in the Winter '24 release and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UnifiedVideoCallParticipant in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ActivityId`	Unified Video Call ID	reference		18		
`ChannelAddress`	Email Address or Phone Number	string		255		
`Id`	Unified Video Call Participant ID	id		18		
`ListenRatio`	Listen Ratio	double			18	0
`ParticipantType`	Participant Type	picklist		255		
`PersonId`	Person ID	reference		18		
`TalkRatio`	Talk Ratio	double			18	0

UNIFIEDVOICECALL

Represents a voice call that is captured or synced from a VoiceCall or Task record. This object is available for reports and dashboards in the Winter '24 release and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UnifiedVoiceCall in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivityDateTime	Activity Date and Time	datetime				
ActivitySubType	Activity Subtype	picklist		255		
ActivityType	Activity Type	picklist		255		
CallDurationInSeconds	Call Duration	int	8			
DetailId	Voice Call ID	reference		18		
Id	Unified Voice Call ID	id		18		
InternalEventKey	Internal Event Key	string		255		
IsInsightAvailable	Insight Available	boolean				
Snippet	Snippet	string		255		
Subject	Subject	string		255		

UNIFIEDVOICECALLPARTICIPANT

Represents a participant in a voice call. This object is available for reports and dashboards in the Winter '24 release and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UnifiedVoiceCallParticipant in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ActivityId`	Unified Voice Call ID	reference		18		
`ChannelAddress`	Email Address or Phone Number	string		255		
`Id`	Unified Voice Call Participant ID	id		18		
`ListenRatio`	Listen Ratio	double			18	0
`ParticipantType`	Participant Type	picklist		255		
`PersonId`	Person ID	reference		18		
`TalkRatio`	Talk Ratio	double			18	0

UNITOFMEASURE

Defines the units and systems of units used to express and account for quantities. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UnitOfMeasure in the *Life Sciences Cloud Developer Guide*, *Object Reference for the Salesforce Platform*, *Outcome Management Guide*, *Salesforce Health Cloud Developer Guide*, and *Usage Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
Id	Unit of Measure ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RoundingMethod	RoundingMethod	picklist		255		
Scale	Scale	int	9			
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		
UnitCode	Unit Code	string		255		

UNITOFMEASURECLASS

Represents a standard unit of measure dimension. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UnitOfMeasureClass in the *Usage Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BaseUnitOfMeasureId	Unit of Measure ID	reference		18		
Code	Code	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultUnitOfMeasureId	Unit of Measure ID	reference		18		
Description	Description	string		255		
Id	Unit of Measure Class ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

UNITOFMEASURECLASSFEED

Feed tracking for UnitOfMeasureClass.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

UNITOFMEASURECLASSHISTORY

History for tracked fields of UnitOfMeasureClass.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Unit of Measure Class History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
UnitOfMeasureClassId	Unit of Measure Class ID	reference		18		

UNITOFMEASURECONVERSION

Represents the information used to convert a measurement value from a unit of measure to another.

For more information, see UnitOfMeasureConversion in the *Rebate Management Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConversionFactor	Conversion Factor	double			18	6
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FromUnitOfMeasureId	Unit of Measure ID	reference		18		
Id	Unit of Measure ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
ToUnitOfMeasureId	Unit of Measure ID	reference		18		

UNITOFMEASURECONVERSIONFEED

Feed tracking for UnitOfMeasureConversion.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

UNITOFMEASURECONVERSIONHISTORY

History for tracked fields of UnitOfMeasureConversion.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Unit of Measure ConversionHistory ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
UnitOfMeasureConversionId	Unit of Measure ID	reference		18		

UNITOFMEASURECONVERSIONSHARE

Sharing for UnitOfMeasureConversion.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

UNITOFMEASURESHARE

Sharing for UnitOfMeasure.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

URIEVENT

Detects when a user creates, accesses, updates, or deletes a record in Salesforce Classic only. Doesn't detect record operations done through a Visualforce page or Visualforce page views. UriEvent and is a big object that stores the event data of UriEventStream. This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UriEvent in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
Id	URI Event ID	id		18		
LoginKey	Login Key	string		24		
Message	Message	string		10000		
Name	Name	string		255		
Operation	Operation	picklist		255		
OperationStatus	Operation Status	picklist		255		
QueriedEntities	Queried Entities	string		1000		
RecordId	Record ID	reference		18		
RelatedEventIdentifier	Related Event Identifier	string		80		
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
UserId	User ID	reference		18		
UserType	User Type	picklist		255		
Username	Username	string		255		

URIEVENTSTREAM

Detects when a user creates, accesses, updates, or deletes a record in Salesforce Classic only. Doesn't detect record operations done through a Visualforce page or Visualforce page views. This object is available in API version 46.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UriEventStream in the *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
EventDate	Event Date	datetime				
EventIdentifier	Event Identifier	string		80		
EventUuid	Event UUID	string		36		
LoginKey	Login Key	string		24		
Message	Message	string		10000		
Name	Name	string		255		
Operation	Operation	picklist		255		
OperationStatus	Operation Status	picklist		255		
QueriedEntities	Queried Entities	string		1000		
RecordId	Record ID	string		18		
RelatedEventIdentifier	Related Event Identifier	string		80		
ReplayId	Replay ID	string		1000		
SessionKey	Session Key	string		24		
SessionLevel	Session Level	picklist		255		
SourceIp	Source IP	string		255		
UserId	User ID	reference		18		
UserType	User Type	picklist		255		
Username	Username	string		255		

USAGECMTASSETRELATEDOBJ

Represents the relation between an asset for the commitment-based usage product and an asset, account, contract, or custom object. This object is available in API version 64.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UsageCmtAssetRelatedObj in the *Usage Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssetId	Asset ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EffectiveEndDateTime	Effective End Date Time	datetime				
EffectiveStartDateTime	Effective Start Date Time	datetime				
Id	Usage Commitment Asset Related Object ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
RelatedObjectId	Related Object ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UsageCmtAssetRelatedObjNumber	Name	string		255		

USAGECMTASSETRELATEDOBJFEED

Feed tracking for UsageCmtAssetRelatedObj.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

USAGECMTASSETRELATEDOBJHISTORY

History for tracked fields of UsageCmtAssetRelatedObj.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Usage Commitment Asset Related Object History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
UsageCmtAssetRelatedObjId	Usage Commitment Asset Related Object ID	reference		18		

USAGEGRANTRENEWALPOLICY

Represents a policy about the rollover of a usage grant. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UsageGrantRenewalPolicy in the *Usage Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Code	Code	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Usage Grant Refresh Policy ID	id		18		
IsDeleted	Deleted	boolean				
IsRenewalAllowed	Refresh Allowed	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
RenewalFrequency	Renewal Frequency	int	9			
RenewalFrequencyUnit	Renewal Frequency Unit	picklist		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

USAGEGRANTRENEWALPOLICYFEED

Feed tracking for UsageGrantRenewalPolicy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

USAGEGRANTRENEWALPOLICYHISTORY

History for tracked fields of UsageGrantRenewalPolicy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Usage Grant Refresh Policy History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
UsageGrantRenewalPolicyId	Usage Grant Refresh Policy ID	reference		18		

USAGEGRANTROLLOVERPOLICY

Represents a policy about the rollover of a usage grant.This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UsageGrantRolloverPolicy in the *Usage Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Code	Code	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Usage Grant Rollover Policy ID	id		18		
IsDeleted	Deleted	boolean				
IsRolloverAllowed	Rollover Allowed	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MaximumRolloverCount	Maximum Rollover Count	int	9			
Name	Name	string		255		
ShouldAllowRolloverExpiry	Allow Rollover Expiry	boolean				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

USAGEGRANTROLLOVERPOLICYFEED

Feed tracking for UsageGrantRolloverPolicy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

USAGEGRANTROLLOVERPOLICYHISTORY

History for tracked fields of UsageGrantRolloverPolicy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Usage Grant Rollover Policy History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
UsageGrantRolloverPolicyId	Usage Grant Rollover Policy ID	reference		18		

USAGEIMPACTFACTOR

Represents a collection of fields to set up the Usage Impact Factors used across jurisdictions and programs.This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UsageImpactFactor in the *Energy and Utilities Cloud Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Usage Impact Factor ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ShortForm	Short Form	string		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

USAGEIMPACTFACTORFEED

Feed tracking for UsageImpactFactor.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

USAGEIMPACTFACTORHISTORY

History for tracked fields of UsageImpactFactor.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Usage Impact Factor History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
UsageImpactFactorId	Usage Impact Factor ID	reference		18		

USAGEIMPACTFACTORSHARE

Sharing for UsageImpactFactor.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

USAGEIMPACTGROUP

Represents a collection of fields to set up the Usage Impact Groups used across jurisdictions and programs. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UsageImpactGroup in the *Energy and Utilities Cloud Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
Id	Usage Impact Group ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ShortForm	Short Form	string		255		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

USAGEIMPACTGROUPFACTOR

Represents a junction between an Usage Impact Group version and Usage Impact Factor. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UsageImpactGroupFactor in the *Energy and Utilities Cloud Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FactorValue	FactorValue	double			18	0
Id	Usage Impact Group Factor ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				
UnitOfMeasureId	Unit of Measure ID	reference		18		
UsageImpactFactorId	Usage Impact Factor ID	reference		18		
UsageImpactGroupVersionId	Usage Impact Group Version ID	reference		18		

USAGEIMPACTGROUPFACTORFEED

Feed tracking for UsageImpactGroupFactor.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

USAGEIMPACTGROUPFACTORHISTORY

History for tracked fields of UsageImpactGroupFactor.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Usage Impact Group Factor History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
UsageImpactGroupFactorId	Usage Impact Group Factor ID	reference		18		

USAGEIMPACTGROUPFEED

Feed tracking for UsageImpactGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

USAGEIMPACTGROUPHISTORY

History for tracked fields of UsageImpactGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Usage Impact Group History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`UsageImpactGroupId`	Usage Impact Group ID	reference		18		

USAGEIMPACTGROUPPGMMEASURE

Represents a junction between the program, product, and Usage Impact Group version. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UsageImpactGroupPgmMeasure in the *Energy and Utilities Cloud Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
Id	Usage Impact Group Program Measure ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Product2Id	Product ID	reference		18		
ProgramId	Program ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UsageImpactGroupVersionId	Usage Impact Group Version ID	reference		18		

USAGEIMPACTGROUPPGMMEASUREFEED

Feed tracking for UsageImpactGroupPgmMeasure.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

USAGEIMPACTGROUPPGMMEASUREHISTORY

History for tracked fields of UsageImpactGroupPgmMeasure.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Usage Impact Group Program Measure History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
UsageImpactGroupPgmMeasureId	Usage Impact Group Program Measure ID	reference		18		

USAGEIMPACTGROUPSHARE

Sharing for UsageImpactGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

USAGEIMPACTGROUPVERSION

Represents a collection of fields to set up the versions of Usage Impact Groups. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UsageImpactGroupVersion in the *Energy and Utilities Cloud Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApprovedMeasureExtlid	Approved Measure Extl ID	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
EndDate	End Date	date				
Id	Usage Impact Group Version ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				
TechResourceManualCode	Tech Resource Manual Code	string		255		
UsageImpactGroupId	Usage Impact Group ID	reference		18		
Version	Version	int	9			

USAGEIMPACTGROUPVERSIONFEED

Feed tracking for UsageImpactGroupVersion.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

USAGEIMPACTGROUPVERSIONHISTORY

History for tracked fields of UsageImpactGroupVersion.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Usage Impact Group Version History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
UsageImpactGroupVersionId	Usage Impact Group Version ID	reference		18		

USAGEIMPACTGROUPVERSIONSHARE

Sharing for UsageImpactGroupVersion.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

USAGEPRDGRANTBINDINGPOLICY

Represents the association of a usage resource's grants with a sellable product. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UsagePrdGrantBindingPolicy in the *Usage Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`GrantBindingTargetType`	Grant Binding Target	picklist		255		
`GrantBindingType`	Grant Binding Type	picklist		255		
`Id`	Usage Product Grant Binding Policy ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`Name`	Usage Product Grant Binding Policy Name	string		255		
`Product2Id`	Product ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

USAGEPRDGRANTBINDINGPOLICYFEED

Feed tracking for UsagePrdGrantBindingPolicy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

USAGEPRDGRANTBINDINGPOLICYHISTORY

History for tracked fields of UsagePrdGrantBindingPolicy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Usage Product Grant Binding Policy History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
UsagePrdGrantBindingPolicyId	Usage Product Grant Binding Policy ID	reference		18		

USAGERESOURCE

Represents an entitlement granted to a user or party by a provider, such as data storage, computing power, bandwidth, or any other product or service. Additionally, this object is used to represent resources consumed over time. This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UsageResource in the *Usage Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Category	Category	picklist		255		
Code	Code	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultUnitOfMeasureId	Unit of Measure ID	reference		18		
Description	Description	string		255		
Id	Usage Resource ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
UnitOfMeasureClassId	Unit of Measure Class ID	reference		18		
UsageDefinitionProductId	Product ID	reference		18		
UsageResourceBillingPolicyId	Usage Aggregation Policy ID	reference		18		

USAGERESOURCEBILLINGPOLICY

Represents information about how the usage is accumulated before rating a usage resource.This object is available in API version 62.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UsageResourceBillingPolicy in the *Usage Management Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Code	Code	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Usage Aggregation Policy ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
UsageAccumulationMethod	Usage Accumulation Method	picklist		255		
UsageAccumulationPeriod	Usage Accumulation Period	picklist		255		

USAGERESOURCEBILLINGPOLICYFEED

Feed tracking for UsageResourceBillingPolicy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

USAGERESOURCEBILLINGPOLICYHISTORY

History for tracked fields of UsageResourceBillingPolicy.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Usage Aggregation Policy History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
UsageResourceBillingPolicyId	Usage Aggregation Policy ID	reference		18		

USAGERESOURCEFEED

Feed tracking for UsageResource.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

USAGERESOURCEHISTORY

History for tracked fields of UsageResource.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Usage Resource History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
UsageResourceId	Usage Resource ID	reference		18		

USAGERESOURCESHARE

Sharing for UsageResource.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

USECASEMETER__SHARE

Sharing for UsecaseMeter__.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

USECASE__SHARE

Sharing for Usecase__.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

USER

Represents a user in your organization.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see User in the *Consumer Goods Cloud Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AboutMe	About Me	textarea		1000		
AccountId	Account ID	reference		18		
Address	Address	address				
Alias	Alias	string		8		
BadgeText	User Photo badge text overlay	string		80		
BannerPhotoUrl	Url for banner photo	url		1024		
CallCenterId	Call Center ID	reference		18		
City	City	string		40		
CommunityNickname	Nickname	string		40		
CompanyName	Company Name	string		80		
ContactId	Contact ID	reference		18		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DefaultCurrencyIsoCode	Default Currency ISO Code	picklist		3		
DefaultGroupNotificationFrequency	Default Notification Frequency when Joining Groups	picklist		40		
DelegatedApproverId	Delegated Approver ID	reference		18		
Department	Department	string		80		
DigestFrequency	Chatter Email Highlights Frequency	picklist		40		
Division	Division	string		80		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Email	Email	email		128		
EmailEncodingKey	Email Encoding	picklist		40		
EmailPreferencesAutoBcc	AutoBcc	boolean				
EmailPreferencesAutoBccStayInTouch	AutoBccStayInTouch	boolean				
EmailPreferencesStayInTouchReminder	StayInTouchReminder	boolean				
EmployeeNumber	Employee Number	string		20		
EndDay	End of Day	picklist		40		
Extension	Extension	phone		40		
Fax	Fax	phone		40		
FederationIdentifier	SAML Federation ID	string		512		
FirstName	First Name	string		40		
ForecastEnabled	Allow Forecasting	boolean				
FullPhotoUrl	Url for full-sized Photo	url		1024		
GeocodeAccuracy	Geocode Accuracy	picklist		40		
HasUserVerifiedEmail	User Verified Email	boolean				
HasUserVerifiedPhone	User Verified Mobile Number	boolean				
Id	User ID	id		18		
IndividualId	Individual ID	reference		18		
IsActive	Active	boolean				
IsExtIndicatorVisible	Show external indicator	boolean				
IsPartner	Is Partner	boolean				
IsPortalEnabled	Is Portal Enabled	boolean				
IsProfilePhotoActive	Has Profile Photo	boolean				
JigsawImportLimitOverride	Data.com Monthly Addition Limit	int	9			
LanguageLocaleKey	Language	picklist		40		
LastLoginDate	Last Login	datetime				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastName	Last Name	string		80		
LastPasswordChangeDate	Last Password Change or Reset	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
LocaleSidKey	Locale	picklist		40		
Longitude	Longitude	double			18	15
ManagerId	Manager ID	reference		18		
MediumBannerPhotoUrl	Url for Android banner photo	url		1024		
MediumPhotoUrl	Url for medium profile photo	url		1024		
MobilePhone	Mobile	phone		40		
Name	Full Name	string		121		
NumberOfFailedLogins	Failed Login Attempts	int	9			
OfflinePdaTrialExpirationDate	Sales Anywhere Trial Expiration Date	datetime				
OfflineTrialExpirationDate	Offline Edition Trial Expiration Date	datetime				
OutOfOfficeMessage	Out of office message	string		40		
PasswordExpirationDate	Password Expiration Date	datetime				
Phone	Phone	phone		40		
PortalRole	Portal Role Level	picklist		40		
PostalCode	Zip/Postal Code	string		20		
ProfileId	Profile ID	reference		18		
ReceivesAdminInfoEmails	Admin Info Emails	boolean				
ReceivesInfoEmails	Info Emails	boolean				
SenderEmail	Email Sender Address	email		80		
SenderName	Email Sender Name	string		80		
Signature	Email Signature	textarea		1333		
SmallBannerPhotoUrl	Url for IOS banner photo	url		1024		
SmallPhotoUrl	Photo	url		1024		
StartDay	Start of Day	picklist		40		
State	State/Province	string		80		
StayInTouchNote	Stay-in-Touch Email Note	string		512		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
StayInTouchSignature	Stay-in-Touch Email Signature	textarea		512		
StayInTouchSubject	Stay-in-Touch Email Subject	string		80		
Street	Street	textarea		255		
SuAccessExpirationDate	SU Access Expiration Date	date				
SystemModstamp	System Modstamp	datetime				
TimeZoneSidKey	Time Zone	picklist		40		
Title	Title	string		80		
UserPermissionsAvantgoUser	AvantGo User	boolean				
UserPermissionsCallCenterAutoLogin	Auto-login To Call Center	boolean				
UserPermissionsInteractionUser	Flow User	boolean				
UserPermissionsJigsawProspectingUser	Data.com User	boolean				
UserPermissionsKnowledgeUser	Knowledge User	boolean				
UserPermissionsLiveAgentUser	Chat User	boolean				
UserPermissionsMarketingUser	Marketing User	boolean				
UserPermissionsOfflineUser	Offline User	boolean				
UserPermissionsSFContentUser	Salesforce CRM Content User	boolean				
UserPermissionsSiteforceContributorUser	Site.com Contributor User	boolean				
UserPermissionsSiteforcePublisherUser	Site.com Publisher User	boolean				
UserPermissionsSupportUser	Service Cloud User	boolean				
UserPermissionsWorkDotComUserFeature	WDC User	boolean				
UserPreferencesActionLauncherEinsteinGptConsent	ActionLauncherEinsteinGptConsent	boolean				
UserPreferencesActivityRemindersPopup	ActivityRemindersPopup	boolean				
UserPreferencesAllowConversationReminders	AllowConversationReminders	boolean				
UserPreferencesApexPagesDeveloperMode	ApexPagesDeveloperMode	boolean				
UserPreferencesAssistiveActionsEnabledInActionLauncher	AssistiveActionsEnabledInActionLauncher	boolean				
UserPreferencesAutoForwardCall	AutoForwardCall	boolean				
UserPreferencesAutoLogCallAsTask	AutoLogCallAsTask	boolean				
UserPreferencesBRELookupTableWelcomeMat	BRELookupTableWelcomeMat	boolean				
UserPreferencesCacheDiagnostics	CacheDiagnostics	boolean				
UserPreferencesContentEmailAsAndWhen	ContentEmailAsAndWhen	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UserPreferencesContentNoEmail	ContentNoEmail	boolean				
UserPreferencesCreateLEXAppsWTShown	CreateLEXAppsWTShown	boolean				
UserPreferencesDisCommentAfterLikeEmail	DisCommentAfterLikeEmail	boolean				
UserPreferencesDisMentionsCommentEmail	DisMentionsCommentEmail	boolean				
UserPreferencesDisProfPostCommentEmail	DisProfPostCommentEmail	boolean				
UserPreferencesDisableAllFeedsEmail	DisableAllFeedsEmail	boolean				
UserPreferencesDisableBookmarkEmail	DisableBookmarkEmail	boolean				
UserPreferencesDisableChangeCommentEmail	DisableChangeCommentEmail	boolean				
UserPreferencesDisableEndorsementEmail	DisableEndorsementEmail	boolean				
UserPreferencesDisableFeedbackEmail	DisableFeedbackEmail	boolean				
UserPreferencesDisableFileShareNotificationsForApi	DisableFileShareNotificationsForApi	boolean				
UserPreferencesDisableFollowersEmail	DisableFollowersEmail	boolean				
UserPreferencesDisableLaterCommentEmail	DisableLaterCommentEmail	boolean				
UserPreferencesDisableLikeEmail	DisableLikeEmail	boolean				
UserPreferencesDisableMentionsPostEmail	DisableMentionsPostEmail	boolean				
UserPreferencesDisableMessageEmail	DisableMessageEmail	boolean				
UserPreferencesDisableProfilePostEmail	DisableProfilePostEmail	boolean				
UserPreferencesDisableSharePostEmail	DisableSharePostEmail	boolean				
UserPreferencesDisableWorkEmail	DisableWorkEmail	boolean				
UserPreferencesDismissPersonalSpaceLegalMessage	DismissPersonalSpaceLegalMessage	boolean				
UserPreferencesEnableAutoSubForFeeds	EnableAutoSubForFeeds	boolean				
UserPreferencesEnableLwrLexPilot	EnableLwrLexPilot	boolean				
UserPreferencesEnableVoiceCallRecording	EnableVoiceCallRecording	boolean				
UserPreferencesEventRemindersCheckboxDefault	EventRemindersCheckboxDefault	boolean				
UserPreferencesExcludeMailAppAttachments	ExcludeMailAppAttachments	boolean				
UserPreferencesFavoritesShowTopFavorites	FavoritesShowTopFavorites	boolean				
UserPreferencesFavoritesWTShown	FavoritesWTShown	boolean				
UserPreferencesForecastAnythingAggrEnabled	ForecastAnythingAggrEnabled	boolean				
UserPreferencesGlobalNavBarWTShown	GlobalNavBarWTShown	boolean				
UserPreferencesGlobalNavGridMenuWTShown	GlobalNavGridMenuWTShown	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UserPreferencesHasCelebrationBadge	HasCelebrationBadge	boolean				
UserPreferencesHasSentWarningEmail	HasSentWarningEmail	boolean				
UserPreferencesHasSentWarningEmail238	HasSentWarningEmail238	boolean				
UserPreferencesHasSentWarningEmail240	HasSentWarningEmail240	boolean				
UserPreferencesHideBiggerPhotoCallout	HideBiggerPhotoCallout	boolean				
UserPreferencesHideBrowseProductRedirectConfirmation	HideBrowseProductRedirectConfirmation	boolean				
UserPreferencesHideCSNDesktopTask	HideCSNDesktopTask	boolean				
UserPreferencesHideCSNGetChatterMobileTask	HideCSNGetChatterMobileTask	boolean				
UserPreferencesHideChatterOnboardingSplash	HideChatterOnboardingSplash	boolean				
UserPreferencesHideEndUserOnboardingAssistantModal	HideEndUserOnboardingAssistantModal	boolean				
UserPreferencesHideLightningMigrationModal	HideLightningMigrationModal	boolean				
UserPreferencesHideManagedEcaMobilePubModal	HideManagedEcaMobilePubModal	boolean				
UserPreferencesHideOnlineSalesAppTabVisibilityRequirementsModal	HideOnlineSalesAppTabVisibilityRequirementsModal	boolean				
UserPreferencesHideOnlineSalesAppWelcomeMat	HideOnlineSalesAppWelcomeMat	boolean				
UserPreferencesHideS1BrowserUI	HideS1BrowserUI	boolean				
UserPreferencesHideSecondChatterOnboardingSplash	HideSecondChatterOnboardingSplash	boolean				
UserPreferencesHideSfxWelcomeMat	HideSfxWelcomeMat	boolean				
UserPreferencesJigsawListUser	JigsawListUser	boolean				
UserPreferencesLightningExperiencePreferred	LightningExperiencePreferred	boolean				
UserPreferencesLiveAgentMiawSetupDeflection	LiveAgentMiawSetupDeflection	boolean				
UserPreferencesNativeEmailClient	NativeEmailClient	boolean				
UserPreferencesNewLightningReportRunPageEnabled	NewLightningReportRunPageEnabled	boolean				
UserPreferencesOutboundBridge	OutboundBridge	boolean				
UserPreferencesPathAssistantCollapsed	PathAssistantCollapsed	boolean				
UserPreferencesPreviewCustomTheme	PreviewCustomTheme	boolean				
UserPreferencesPreviewLightning	PreviewLightning	boolean				
UserPreferencesReceiveNoNotificationsAsApprover	ReceiveNoNotificationsAsApprover	boolean				
UserPreferencesReceiveNotificationsAsDelegatedApprover	ReceiveNotificationsAsDelegatedApprover	boolean				
UserPreferencesRecordHomeReservedWTShown	RecordHomeReservedWTShown	boolean				
UserPreferencesRecordHomeSectionCollapseWTShown	RecordHomeSectionCollapseWTShown	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UserPreferencesReminderSoundOff	ReminderSoundOff	boolean				
UserPreferencesReverseOpenActivitiesView	ReverseOpenActivitiesView	boolean				
UserPreferencesSRHOverrideActivities	SRHOverrideActivities	boolean				
UserPreferencesSendListEmailThroughExternalService	SendListEmailThroughExternalService	boolean				
UserPreferencesShowCityToExternalUsers	ShowCityToExternalUsers	boolean				
UserPreferencesShowCityToGuestUsers	ShowCityToGuestUsers	boolean				
UserPreferencesShowCountryToExternalUsers	ShowCountryToExternalUsers	boolean				
UserPreferencesShowCountryToGuestUsers	ShowCountryToGuestUsers	boolean				
UserPreferencesShowEmailToExternalUsers	ShowEmailToExternalUsers	boolean				
UserPreferencesShowEmailToGuestUsers	ShowEmailToGuestUsers	boolean				
UserPreferencesShowFaxToExternalUsers	ShowFaxToExternalUsers	boolean				
UserPreferencesShowFaxToGuestUsers	ShowFaxToGuestUsers	boolean				
UserPreferencesShowForecastingChangeSignals	ShowForecastingChangeSignals	boolean				
UserPreferencesShowForecastingRoundedAmounts	ShowForecastingRoundedAmounts	boolean				
UserPreferencesShowManagerToExternalUsers	ShowManagerToExternalUsers	boolean				
UserPreferencesShowManagerToGuestUsers	ShowManagerToGuestUsers	boolean				
UserPreferencesShowMobilePhoneToExternalUsers	ShowMobilePhoneToExternalUsers	boolean				
UserPreferencesShowMobilePhoneToGuestUsers	ShowMobilePhoneToGuestUsers	boolean				
UserPreferencesShowPostalCodeToExternalUsers	ShowPostalCodeToExternalUsers	boolean				
UserPreferencesShowPostalCodeToGuestUsers	ShowPostalCodeToGuestUsers	boolean				
UserPreferencesShowProfilePicToGuestUsers	ShowProfilePicToGuestUsers	boolean				
UserPreferencesShowStateToExternalUsers	ShowStateToExternalUsers	boolean				
UserPreferencesShowStateToGuestUsers	ShowStateToGuestUsers	boolean				
UserPreferencesShowStreetAddressToExternalUsers	ShowStreetAddressToExternalUsers	boolean				
UserPreferencesShowStreetAddressToGuestUsers	ShowStreetAddressToGuestUsers	boolean				
UserPreferencesShowTerritoryTimeZoneShifts	ShowTerritoryTimeZoneShifts	boolean				
UserPreferencesShowTitleToExternalUsers	ShowTitleToExternalUsers	boolean				
UserPreferencesShowTitleToGuestUsers	ShowTitleToGuestUsers	boolean				
UserPreferencesShowWorkPhoneToExternalUsers	ShowWorkPhoneToExternalUsers	boolean				
UserPreferencesShowWorkPhoneToGuestUsers	ShowWorkPhoneToGuestUsers	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UserPreferencesSortFeedByComment	SortFeedByComment	boolean				
UserPreferencesSuppressEventSFXReminders	SuppressEventSFXReminders	boolean				
UserPreferencesSuppressTaskSFXReminders	SuppressTaskSFXReminders	boolean				
UserPreferencesTaskRemindersCheckboxDefault	TaskRemindersCheckboxDefault	boolean				
UserPreferencesUserDebugModePref	UserDebugModePref	boolean				
UserRoleId	Role ID	reference		18		
UserType	User Type	picklist		40		
Username	Username	string		80		

USERAPPINFO

Stores the last Lightning app logged in to. If the user hasn't logged into Salesforce or if the user lost access to the last accessed app, the UserAppInfo object stores a Null value. This object is available in API version 38.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserAppInfo in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppDefinitionId	App Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FormFactor	Form Factor	picklist		255		
Id	Last Used App ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

USERAPPMENUCUSTOMIZATION

Represents an individual user's settings for items in the app menu or App Launcher. This object is available in API version 35.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserAppMenuCustomization in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationId	Application ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	UserAppMenuCustomization ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OwnerId	Owner ID	reference		18		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				

USERAPPMENUCUSTOMIZATIONSHARE

Sharing for UserAppMenuCustomization.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

USERAPPMENUITEM

Represents the organization-wide settings for items in the app menu or App Launcher that the requesting user has access to in Setup. This object is available in API version 35.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserAppMenuItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppMenuItemId	AppMenuItem ID	string		255		
ApplicationId	Application ID	reference		18		
Description	Description	string		250		
IconUrl	Icon Url	url		255		
Id	Application ID	id		18		
InfoUrl	Info URL	url		255		
IsUsingAdminAuthorization	IsUsingAdminAuthorization	boolean				
IsVisible	Is Visible	boolean				
Label	Name	string		80		
LogoUrl	Logo Image URL	url		255		
MobileStartUrl	Mobile Start Url	url		255		
Name	Developer Name	string		250		
SortOrder	Sort Order	int	9			
StartUrl	Start Url	url		255		
Type	App Type	picklist		255		
UserSortOrder	User Sort Order	int	9			

USERCONFIGTRANSFERBUTTON

Represents the association between a Chat configuration and a live chat button. This association allows users associated with a specific configuration to transfer chats to a button queue.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserConfigTransferButton in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	UserConfigTransferButton ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LiveChatButtonId	Chat Button ID	reference		18		
LiveChatUserConfigId	Chat Agent Configuration ID	reference		18		
SystemModstamp	System Modstamp	datetime				

USERCONFIGTRANSFERSKILL

Represents the association between a Chat configuration and a skill. This association allows users associated with a specific configuration to transfer chats to agents who have that skill.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserConfigTransferSkill in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	UserConfigTransferSkill ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LiveChatUserConfigId`	Chat Agent Configuration ID	reference		18		
`SkillId`	Skill ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

USERCUSTOMBADGE

Represents a custom badge for a user. This object is available in API version 38.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserCustomBadge in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BadgeType	Badge Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CustomText	Custom Text	string		50		
Id	User Custom Badge ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
SystemModstamp	System Modstamp	datetime				

USERCUSTOMBADGELOCALIZATION

Represents the translated version of a custom badge for a user.

For more information, see UserCustomBadgeLocalization in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Translation ID	id		18		
`Language`	Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`NamespacePrefix`	Namespace Prefix	string		15		
`ParentId`	Parent ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`Value`	Translation Text	textarea		32000		

USERDAILYMETRIC

Represents the daily engagement metrics for a user.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserDailyMetric in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AllCallsCallBackLater	All Calls Call Back Later Count	int	9			
AllCallsLeftVoicemail	All Calls Left Voicemail Count	int	9			
AllCallsMeaningfulConnect	All Calls Meaningful Connect Count	int	9			
AllCallsNotInterested	All Calls Not Interested Count	int	9			
AllCallsUncategorized	All Calls Uncategorized Count	int	9			
AllCallsUnqualified	All Calls Unqualified Count	int	9			
AllEmailsBouncedCount	All Emails Bounced Count	int	9			
AllEmailsDeliveredCount	All Emails Delivered Count	int	9			
AllEmailsHardBouncedCount	All Emails Hard Bounced Count	int	9			
AllEmailsNotDeliveredCount	All Emails Not Delivered Count	int	9			
AllEmailsOutOfOfficeCount	All Emails Out of Office Count	int	9			
AllEmailsSentCount	All Emails Sent Count	int	9			
AllEmailsSoftBouncedCount	All Emails Soft Bounced Count	int	9			
AllEmailsTrackedSentCount	All Emails Tracked Sent Count	int	9			
AllEmailsUntrackedSentCount	All Emails Untracked Sent Count	int	9			
AllTotalCallsCount	All Total Calls Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DailyCutOffTimeStamp	Daily Cutoff Time	datetime				
Date	Date	date				
DateInt	Date Int	int	9			

Field Name	Field Label	Type	Digits	Length	Precision	Scale
HardBounceTrackableSends	Hard Bounce Trackable Sends	int	9			
Id	User Daily Metric ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LinkClickTrackableSends	Link Click Trackable Sends	int	9			
OpenTrackableSends	Open Trackable Sends	int	9			
OutOfOfficeTrackableSends	Out Of Office Trackable Sends	int	9			
OwnerId	Owner ID	reference		18		
RecipientReplies	Recipient Replies	int	9			
RecipientSends	Recipient Sends	int	9			
ReplyTrackableRecipientSends	Reply Trackable Recipient Sends	int	9			
ReplyTrackableSends	Reply Trackable Sends	int	9			
SoftBounceTrackableSends	Soft Bounce Trackable Sends	int	9			
SomeEmailsDeliveredCount	Some Emails Delivered Count	int	9			
SomeEmailsDeliveredRate	Some Emails Delivered Rate	percent			5	2
SystemModstamp	System Modstamp	datetime				
TrackableRecipientSendReplyRt	Trackable Recipient Send Reply Rate	percent			5	2
TrackableSendHardBounceRate	Trackable Send Hard Bounce Rate	percent			5	2
TrackableSendLinkClickRate	Trackable Send Link Click Rate	percent			5	2
TrackableSendOpenRate	Trackable Send Open Rate	percent			5	2
TrackableSendOutOfOfficeRate	Trackable Send Out Of Office Rate	percent			5	2
TrackableSendReplyRate	Trackable Send Reply Rate	percent			5	2
TrackableSendSoftBounceRate	Trackable Send Soft Bounce Rate	percent			5	2
UniqueEmailsLinkClickedCount	Unique Emails Link Clicked Count	int	9			
UniqueEmailsOpenedCount	Unique Emails Opened Count	int	9			
UniqueEmailsRepliedCount	Unique Emails Replied Count	int	9			
UserId	User ID	reference		18		

USERDAILYMETRICSHARE

Sharing for UserDailyMetric.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

USERDEFINEDLABEL

Represents a label created by a user to help organize, track, and find records. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserDefinedLabel in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Color	Color	string		7		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Label ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Label Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TotalAssignments	Total Label Assignments	int	9			
Type	Type	picklist		255		

USERDEFINEDLABELASSIGNMENT

Represents a relationship between a record label and the item the user assigned it to. This object is available in API version 61.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserDefinedLabelAssignment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EntityType	Object Type	string		40		
Id	Label Assignment ID	id		18		
IsDeleted	Deleted	boolean				
ItemId	Item ID	reference		18		
LabelId	Label ID	reference		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OwnerId	Owner ID	reference		18		
SortOrder	Sort Order	int	9			
SubjectOrName	Item Name	string		255		
SystemModstamp	System Modstamp	datetime				

USERDEFINEDLABELASSIGNMENTSHARE

Sharing for UserDefinedLabelAssignment.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

USERDEFINEDLABELSHARE

Sharing for UserDefinedLabel.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

USEREMAILCALENDARSYNC

Represents the user assignments of an Einstein Activity Capture configuration.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserEmailCalendarSync in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`AssignedId`	Assigned Id	string		18		
`ConfigurationId`	Configuration Id	string		18		
`ExternalId`	External Id	string		255		
`Id`	UserEmailCalendarSync Id	id		18		

USEREMAILPREFERREDPERSON

Represents a mapping for a user's preferred record for an email address when multiple records match an email field.This object is available in API version 44.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserEmailPreferredPerson in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Email	Email	email		80		
Id	User Email Preferred Person ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	User Email Preferred Person Name	string		255		
OwnerId	Owner ID	reference		18		
PersonRecordId	Person Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				

USEREMAILPREFERREDPERSONSHARE

Represents a sharing entry on a UserEmailPreferredPerson object. Sharing is not customizable for UserEmailPreferredPerson records.This object is available in API version 44.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserEmailPreferredPersonShare in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

USERESIGNVENDORIDENTIFIER

Used for integrating eSignature users. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserEsignVendorIdentifier in the *Salesforce Contracts Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
ExternalUserIdentifier	External User Identifier	string		255		
Id	User Esignature Vendor Identifier ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		
Vendor	Vendor	picklist		255		
VendorType	Vendor Type	picklist		255		

USERESIGNVENDORIDENTIFIERFEED

Feed tracking for UserEsignVendorIdentifier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

USERESIGNVENDORIDENTIFIERHISTORY

History for tracked fields of UserEsignVendorIdentifier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	User Esignature Vendor Identifier History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
UserEsignVendorIdentifierId	User Esignature Vendor Identifier ID	reference		18		

USERESIGNVENDORIDENTIFIERSHARE

Sharing for UserEsignVendorIdentifier.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

USERFEED

Feed tracking for User.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

USERHISTORY

History for tracked fields of User.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	User History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
UserId	User ID	reference		18		

USERLICENSE

Represents a user license in your organization. A user license entitles a user to specific functionality and determines the profiles and permission sets available to the user.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserLicense in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedDate	Created Date	datetime				
Id	User License ID	id		18		
LastModifiedDate	Last Modified Date	datetime				
LicenseDefinitionKey	License Def. ID	string		40		
MasterLabel	Master Label	string		80		
Name	Name	string		40		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
TotalLicenses	Total Licenses	int	9			
UsedLicenses	Used Licenses	int	9			
UsedLicensesLastUpdated	Used Licenses Last Updated	datetime				

USERLISTVIEW

Represents the customizations a user made to a list view. This object is available in API version 32.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserListView in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	User List View Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastViewedChart	List View Chart ID	picklist		255		
ListViewId	List View ID	reference		18		
SobjectType	Custom Object Definition ID	picklist		255		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		

USERLISTVIEWCRITERION

Represents the criterion for a user's customized list view. The criterion consists of the filters or sort order a user added to a list view for the Salesforce Mobile app. This object is available in API version 32.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserListViewCriterion in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ColumnName	Column Name	string		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	User List View Criteria Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Operation	Operation	picklist		255		
SortOrder	Sort Order	int	9			
SystemModstamp	System Modstamp	datetime				
UserListViewId	User List View ID	reference		18		
Value	Value	string		85		

USERLOCALWEBSERVERIDENTITYSHARE

Sharing for UserLocalWebServerIdentity.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

USERLOCATIONASSIGNMENT

Represents the assignment between a location and a user.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserLocationAssignment in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssignedToId	User ID	reference		18		
AssignmentType	Assignment Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	User Location Assignment Id	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UserLocationAssignmentNumber	User Location Assignment Number	string		255		
Username	Username	string		80		

USERLOGIN

Represents the settings that affect a user's ability to log into an organization. To access this object, you need the UserPermissions.ManageUsers permission. This object is available in API version 29.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserLogin in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Id`	User Login ID	id		18		
`IsFrozen`	Is Frozen	boolean				
`IsPasswordLocked`	Is Password Locked	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`UserId`	User ID	reference		18		

USERMONTHLYMETRIC

Represents the monthly engagement metrics for a user.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserMonthlyMetric in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AllCallsCallBackLater	All Calls Call Back Later Count	int	9			
AllCallsLeftVoicemail	All Calls Left Voicemail Count	int	9			
AllCallsMeaningfulConnect	All Calls Meaningful Connect Count	int	9			
AllCallsNotInterested	All Calls Not Interested Count	int	9			
AllCallsUncategorized	All Calls Uncategorized Count	int	9			
AllCallsUnqualified	All Calls Unqualified Count	int	9			
AllEmailsBouncedCount	All Emails Bounced Count	int	9			
AllEmailsDeliveredCount	All Emails Delivered Count	int	9			
AllEmailsHardBouncedCount	All Emails Hard Bounced Count	int	9			
AllEmailsLinkClickedCount	All Emails Link Clicked Count	int	9			
AllEmailsNotDeliveredCount	All Emails Not Delivered Count	int	9			
AllEmailsOpenedCount	All Emails Opened Count	int	9			
AllEmailsOutOfOfficeCount	All Emails Out of Office Count	int	9			
AllEmailsRepliedCount	All Emails Replied Count	int	9			
AllEmailsSentCount	All Emails Sent Count	int	9			
AllEmailsSoftBouncedCount	All Emails Soft Bounced Count	int	9			
AllEmailsTrackedSentCount	All Emails Tracked Sent Count	int	9			
AllEmailsUntrackedSentCount	All Emails Untracked Sent Count	int	9			
AllTotalCallsCount	All Total Calls Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
DeliveredRecipientCount	Delivered Recipient Count	int	9			
DeliveredRecipientRate	Delivered Recipient Rate	percent			5	2
HardBounceTrackableSends	Hard Bounce Trackable Sends	int	9			
HrdBncTrackableRecipientSends	Hard Bounce Trackable Recipient Sends	int	9			
Id	User Monthly Metric ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LinkClickTrackableSends	Link Click Trackable Sends	int	9			
LinkClkTrackableRecipientSends	Link Click Trackable Recipient Sends	int	9			
Month	Month	date				
MonthInt	Month Int	int	9			
OooTrackableRecipientSends	Out Of Office Trackable Recipient Sends	int	9			
OpenTrackableRecipientSends	Open Trackable Recipient Sends	int	9			
OpenTrackableSends	Open Trackable Sends	int	9			
OutOfOfficeTrackableSends	Out Of Office Trackable Sends	int	9			
OwnerId	Owner ID	reference		18		
RecipientReplies	Recipient Replies	int	9			
RecipientSends	Recipient Sends	int	9			
RecipientsHardBounced	Recipients Hard Bounced	int	9			
RecipientsOutOfOffice	Recipients Out Of Office	int	9			
RecipientsSoftBounced	Recipients Soft Bounced	int	9			
ReplyTrackableRecipientSends	Reply Trackable Recipient Sends	int	9			
ReplyTrackableSends	Reply Trackable Sends	int	9			
SftBncTrackableRecipientSends	Soft Bounce Trackable Recipient Sends	int	9			
SoftBounceTrackableSends	Soft Bounce Trackable Sends	int	9			
SomeEmailsDeliveredCount	Some Emails Delivered Count	int	9			
SomeEmailsDeliveredRate	Some Emails Delivered Rate	percent			5	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				
TrackableRecipientSendHrdBncRt	Trackable Recipient Send Hard Bounce Rate	percent			5	2
TrackableRecipientSendOooRate	Trackable Recipient Send Out of Office Rate	percent			5	2
TrackableRecipientSendReplyRt	Trackable Recipient Send Reply Rate	percent			5	2
TrackableRecipientSendSftBncRt	Trackable Recipient Send Soft Bounce Rate	percent			5	2
TrackableSendHardBounceRate	Trackable Send Hard Bounce Rate	percent			5	2
TrackableSendLinkClickRate	Trackable Send Link Click Rate	percent			5	2
TrackableSendOpenRate	Trackable Send Open Rate	percent			5	2
TrackableSendOutOfOfficeRate	Trackable Send Out Of Office Rate	percent			5	2
TrackableSendReplyRate	Trackable Send Reply Rate	percent			5	2
TrackableSendSoftBounceRate	Trackable Send Soft Bounce Rate	percent			5	2
UniqueEmailsLinkClickedCount	Unique Emails Link Clicked Count	int	9			
UniqueEmailsOpenedCount	Unique Emails Opened Count	int	9			
UniqueEmailsRepliedCount	Unique Emails Replied Count	int	9			
UserId	User ID	reference		18		

USERMONTHLYMETRICSHARE

Sharing for UserMonthlyMetric.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

USERPACKAGELICENSE

Represents a license for an installed managed package, assigned to a specific user. This object is available in API version 31.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserPackageLicense in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	User Package License ID	id		18		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`PackageLicenseId`	Package License ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`UserId`	Assigned User ID	reference		18		

USERPERMISSIONACCESS

Represents the permissions accessibility for a current user. Available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserPermissionAccess in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	UserPermissionAccess ID	id		18		
LastCacheUpdate	Last Cache Update	datetime				
PermissionsADSEnabledOnFSMobile	Performance Priming for Field Service Mobile	boolean				
PermissionsAECommunityAccess	Use Assessment Envelope objects via Experience Cloud sites	boolean				
PermissionsAICreateInsightObjects	Create AI Insight Objects	boolean				
PermissionsAIViewInsightObjects	View AI Insight Objects	boolean				
PermissionsAcceptRiskForProblems	Accept Risk For Problems	boolean				
PermissionsAccessActivation	Allows user access activations	boolean				
PermissionsAccessApplicationFormObjects	Access Application Form-Related Functionality	boolean				
PermissionsAccessBankingRelationshipAssistance	Access Banking Relationship Assistance	boolean				
PermissionsAccessBankingServiceAgent	Access Banking Service Agent	boolean				
PermissionsAccessBudgetManagement	Manage Budgets	boolean				
PermissionsAccessCMC	Access Experience Management	boolean				
PermissionsAccessCdpDataExplorer	Access Data Cloud Data Explorer	boolean				
PermissionsAccessCdpProfileExplorer	Access Data Cloud Profile Explorer	boolean				
PermissionsAccessContentBuilder	Access drag-and-drop content builder	boolean				
PermissionsAccessCustomerDataCloudSetup	Allows user access Data Cloud setup menu	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsAccessDisputePrompts	Provides access to Financial Services Email prompt templates	boolean				
PermissionsAccessEinsteinAutofill	Access Einstein Autofill	boolean				
PermissionsAccessFinancialAccounts	Financial Accounts User	boolean				
PermissionsAccessGeniePlatform	Allows user access Data Cloud	boolean				
PermissionsAccessIdpCrudApi	Manage Document Processing Configurations	boolean				
PermissionsAccessIdpUi	Allow Access to Data Cloud Document AI UI	boolean				
PermissionsAccessOrchestrationObjects	Access Orchestration Objects	boolean				
PermissionsAccessPSPasCaseAgents	Access Patient Support Programs as a Case Agent	boolean				
PermissionsAccessPSPasProgramLead	Access Patient Support Programs as a Program Lead	boolean				
PermissionsAccessPolicyAgent	Access Policy Agent	boolean				
PermissionsAccessSegment	Allows user access segments	boolean				
PermissionsAccessServiceEinstein	Access Service Einstein	boolean				
PermissionsAccessSfDrive	Grant users permission to SfDrive	boolean				
PermissionsAccessToComplaintMgmt	Public Complaint Management User	boolean				
PermissionsAccessToDisputeManagement	Dispute Management User	boolean				
PermissionsAccessToServiceProcess	Service Process User	boolean				
PermissionsAccessTrialInfoGuestUser	Access Clinical Trial Information as Guest User	boolean				
PermissionsAccessWealthAdvisorAgent	Financial Advisor Assistance Agent	boolean				
PermissionsAccountSwitcherUser	Account Switcher User	boolean				
PermissionsAcsPrtSuptPgmUseEinstein	Expose patient support programs powered by Einstein generative AI	boolean				
PermissionsActionPlansUserAccess	Permission to access the Action Plans feature	boolean				
PermissionsActionableListCompUser	Actionable Segmentation Outreach	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsActionableListConfigUser	Actionable Segmentation Admin	boolean				
PermissionsActionableListCreator	Actionable Segmentation List Manager	boolean				
PermissionsActionableListUser	Actionable Segmentation Objects	boolean				
PermissionsActivateContract	Activate Contracts	boolean				
PermissionsActivateDeactivateNonSetupFlow	Activate or Deactivate Flows	boolean				
PermissionsActivateOrder	Activate Orders	boolean				
PermissionsActivateSystemModeFlows	Enable System Mode Flow Activation	boolean				
PermissionsActivitiesAccess	Access Activities	boolean				
PermissionsAddAnalyticsRemoteConnections	Add CRM Analytics Remote Connections	boolean				
PermissionsAddAsgnElmtToNonSetupFlow	Add Assignment Element to Flows	boolean				
PermissionsAddCollFltrElmtToNonSetupFlow	Add Collection Filter Element to Flows	boolean				
PermissionsAddCollSrtElmtToNonSetupFlow	Add Collection Sort Element to Flows	boolean				
PermissionsAddCreaReElmtToNonSetupFlow	Add Create Records Element to Flows	boolean				
PermissionsAddDecisionElmtNonSetupFlow	Add Decision Element to Flows	boolean				
PermissionsAddDelReElmtToNonSetupFlow	Add Delete Records Element to Flows	boolean				
PermissionsAddDirectMessageMembers	Add People to Direct Messages	boolean				
PermissionsAddGetReElmtToNonSetupFlow	Add Get Records Element to Flows	boolean				
PermissionsAddLoopElmtToNonSetupFlow	Add Loop Element to Flows	boolean				
PermissionsAddSbflowElmtToNonSetupFlow	Add Subflow Element to Flows	boolean				
PermissionsAddTrnfElmtToNonSetupFlow	Add Transform Element to Flows	boolean				
PermissionsAddUpdReElmtToNonSetupFlow	Add Update Records Element to Flows	boolean				
PermissionsAddWaitToNonSetupFlow	Add Wait Element to Flows	boolean				
PermissionsAddWaveNotificationRecipients	Add Recipients to CRM Analytics Notifications	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsAdvancedCsvDataImportUser	Advanced Csv Data Import User Permission	boolean				
PermissionsAgentforceSchedulingSupervisorView	Access Agentforce Scheduling Supervisor View	boolean				
PermissionsAgentforceServiceAgentUser	Agentforce Service Agent User	boolean				
PermissionsAllowAIAccelerator	View AI Accelerator Predictions.	boolean				
PermissionsAllowEmailIC	Email-Based Identity Verification Option	boolean				
PermissionsAllowLightningLogin	Lightning Login User	boolean				
PermissionsAllowOCIAvailabilityAPIs	Use Omnichannel Inventory Availability APIs	boolean				
PermissionsAllowUniversalSearch	Knowledge One	boolean				
PermissionsAllowViewEditConvertedLeads	View and Edit Converted Leads	boolean				
PermissionsAllowViewKnowledge	Allow View Knowledge	boolean				
PermissionsAnalyticsQueryServiceConsumer	Allow the user to run queries with the Analytics Query Service	boolean				
PermissionsApexRestServices	Apex REST Services	boolean				
PermissionsApiEnabled	API Enabled	boolean				
PermissionsApiUserOnly	Api Only User	boolean				
PermissionsAppFrameworkManageApp	Access to manage the template framework apps	boolean				
PermissionsAppFrameworkManageTemplate	Access to manage the template framework templates	boolean				
PermissionsAppFrameworkViewApp	Access to view templated apps and assets	boolean				
PermissionsAppointmentBookingUserAccess	Enables the Appointment Booking feature	boolean				
PermissionsApprovalAdmin	Approval Admin	boolean				
PermissionsApprovalDesigner	Approval Designer	boolean				
PermissionsArchiveArticles	Archive Articles	boolean				
PermissionsAssessmentPlatformUser	Discovery Framework Platform User	boolean				
PermissionsAssignPermissionSets	Assign Permission Sets	boolean				
PermissionsAssignTopics	Assign Topics	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsAssignUserToSkill	Assign Chat Skills to Users	boolean				
PermissionsAssocChgRqstAndProb	Associate Change Requests and Problems	boolean				
PermissionsAssocIncAndChgRqst	Associate Incidents and Change Requests	boolean				
PermissionsAssocIncAndProb	Associate Incidents and Problems	boolean				
PermissionsAssocRelAndChgRqst	Associate Releases and Change Requests	boolean				
PermissionsAssocRelAndInc	Associate Releases and Incidents	boolean				
PermissionsAssocRelAndProb	Associate Releases and Problems	boolean				
PermissionsAssociationEngineUserAccess	User license to access Record Association Builder in Financial Services Cloud.	boolean				
PermissionsAttributionModelUser	Attribution Model User	boolean				
PermissionsAuthorApex	Author Apex	boolean				
PermissionsAuthorizePayments	Authorize Payments	boolean				
PermissionsAutomaticActivityCapture	Use Einstein Activity Capture	boolean				
PermissionsAutonomousAnalyticsPrivacy	Manage Autonomous Insights Data Privacy	boolean				
PermissionsB2BMarketingAnalyticsUser	Create B2B Marketing Analytics Apps	boolean				
PermissionsBACommunityAccess	Enable community users to access Benefit Assistance objects and features.	boolean				
PermissionsBREAlertsUserAccess	Access Record Alerts for Business Rules Engine	boolean				
PermissionsBVCommunityAccess	Use objects in the Benefit Verification data model via Experience Cloud sites	boolean				
PermissionsBenefitManagementAccess	Allows internal org users to access Programs, Benefits, and Goal objects and features.	boolean				
PermissionsBillingPaymentApiUser	Apply and Unapply Payments Using APIs	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsBillingRefundApiUser	Apply and Unapply Refunds Using APIs	boolean				
PermissionsBotManageBots	Manage Bots	boolean				
PermissionsBotManageBotsTrainingData	Manage Bots Training Data	boolean				
PermissionsBranchManagementUserAccess	User license to access Branch Management in Financial Services Cloud.	boolean				
PermissionsBroadcaster	Send One-to-Many Messages	boolean				
PermissionsBulkApiHardDelete	Bulk API Hard Delete	boolean				
PermissionsBulkMacrosAllowed	Run Macros on Multiple Records	boolean				
PermissionsBypassMFAForUiLogins	Waive Multi-Factor Authentication for Exempt Users	boolean				
PermissionsCCMCommunityAccess	Allows community users to access Composable Case Management objects and features.	boolean				
PermissionsCCUserHasBillingAccount	Manage Energy & Utilities Billing Accounts for Experience Cloud	boolean				
PermissionsCCUserHasEAndUProgramAccess	EU Experience Cloud User Program Access	boolean				
PermissionsCCUserHasEUCore	Manage Energy & Utilities Objects for Experience Cloud	boolean				
PermissionsCIPartnerIntegrationUser	Conversation Insights Partner Integration User	boolean				
PermissionsCMSECEAuthoringAccess	Migrate Enablement Content	boolean				
PermissionsCallCoachingUser	Use Conversation Insights for Sales	boolean				
PermissionsCallExplorer	Einstein Question and Answer for ECI Calls	boolean				
PermissionsCampaignInfluence2	Campaign Influence	boolean				
PermissionsCanAccessCE	Access Conversation Entries	boolean				
PermissionsCanApproveFeedPost	Can Approve Feed Post and Comment	boolean				
PermissionsCanApproveUninstalledApps	Approve Uninstalled Connected Apps	boolean				
PermissionsCanDoActAsUser	Act As User	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsCanEditDataPrepRecipe	Edit Dataset Recipes	boolean				
PermissionsCanEditPrompts	Design and Deliver In-App Guidance	boolean				
PermissionsCanInitiateMessagingSessions	Initiate Messaging Sessions	boolean				
PermissionsCanInsertFeedSystemFields	Insert System Field Values for Chatter Feeds	boolean				
PermissionsCanManageMaps	Manage CRM Analytics Custom Maps	boolean				
PermissionsCanMarketingUserDebugFlow	Can Marketing User Debug Marketing Flows	boolean				
PermissionsCanSendInitialSMSToIndividual	Send Initial SMS Message to Individual	boolean				
PermissionsCanTranslateSot2Conversation	Translate Enhanced Conversations	boolean				
PermissionsCanUpdateEmailMessage	Update Email Messages	boolean				
PermissionsCanUseNewDashboardBuilder	Drag-and-Drop Dashboard Builder	boolean				
PermissionsCanVerifyComment	Verify Answers to Chatter Questions	boolean				
PermissionsCanViewDataPrepRecipe	Recipes View Only	boolean				
PermissionsCaptureAndReversePayments	Capture and Reverse Payments	boolean				
PermissionsCareManagementUserAccess	Enable the Integrated Care Management User Access in a Salesforce org.	boolean				
PermissionsCarePlansAccess	Allows internal org users to access Care Plans objects and features.	boolean				
PermissionsCaseReferralAccess	Allows internal org users to access referral feature.	boolean				
PermissionsCdpReportingCreateReports	Allow access to creating and editing reports in Data Cloud Reporting	boolean				
PermissionsCdpReportingManageFolders	Allow access to managing folders in Data Cloud Reporting	boolean				
PermissionsCdpReportingViewReports	Allow access to viewing reports in Data Cloud Reporting	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsChainOfCustodyUser	Manage Chain Of Custody Features	boolean				
PermissionsChangeDashboardColors	Change Dashboard Colors	boolean				
PermissionsChatterComposeUiCodesnippet	Allow Inclusion of Code Snippets from UI	boolean				
PermissionsChatterEditOwnPost	Edit My Own Posts	boolean				
PermissionsChatterEditOwnRecordPost	Edit Posts on Records I Own	boolean				
PermissionsChatterFileLink	Create Public Links	boolean				
PermissionsChatterInternalUser	Chatter Internal User	boolean				
PermissionsChatterInviteExternalUsers	Invite Customers To Chatter	boolean				
PermissionsChatterOwnGroups	Create and Own New Chatter Groups	boolean				
PermissionsClauseDEUser	Allows users to use clauses in Digital Experience sites	boolean				
PermissionsClauseDesigner	Allows clause designers to create and manage clauses	boolean				
PermissionsClauseUser	Allows users to use clauses within documents	boolean				
PermissionsClientSecretRotation	Allow consumer key and secret rotation	boolean				
PermissionsCloseConversations	Close Conversation Threads	boolean				
PermissionsCodeBuilderUser	Code Builder User	boolean				
PermissionsComboAuthAndCapPayments	Allow Sale Payments	boolean				
PermissionsCommerceTaxApiUser	Tax Api User	boolean				
PermissionsComplaintsManagementAccess	Provides access to Complaints Management features and objects.	boolean				
PermissionsCompleteChgRiskAssmt	Complete Change Risk Assessments	boolean				
PermissionsConfigCompliantDataSharing	Configure Compliant Data Sharing	boolean				
PermissionsConfigCustomRecs	Configure Custom Recommendations	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsConfigureCCTarget	Allow user to configure communication capping activation target.	boolean				
PermissionsConfigureCommunicationCapping	Allow user to configure communication capping.	boolean				
PermissionsConfigureDataspaceScope	Configure Dataspace Scope	boolean				
PermissionsConfigureLiveMessage	Configure Messaging	boolean				
PermissionsConnectOrgToEnvironmentHub	Connect Organization to Environment Hub	boolean				
PermissionsConsentApiUpdate	Update Consent Preferences Using REST API	boolean				
PermissionsContactInspectorUser	Access Contact Intelligence View in Partner Sites	boolean				
PermissionsContentAdministrator	Manage Salesforce CRM Content	boolean				
PermissionsContentHubUser	Files Connect Cloud	boolean				
PermissionsContentWorkspaces	Access Libraries	boolean				
PermissionsContextServiceAdmin	Context Service Admin user.	boolean				
PermissionsContextServiceEmbedAdmin	Context Service Embed Admin user.	boolean				
PermissionsContextServiceRuntime	Context Service Run time user.	boolean				
PermissionsContractorHasEUProgramAccess	Contractor Program Access	boolean				
PermissionsContractorHasWorkReportAccess	Manage Contractor Work Report	boolean				
PermissionsConvertLeads	Convert Leads	boolean				
PermissionsCoordinateClinicalTrials	Coordinate clinical trial tasks like candidate outreach programs.	boolean				
PermissionsCoordinateClnclTrialExpcUsr	Coordinate clinical trial tasks like candidate outreach programs as an Experience Cloud user.	boolean				
PermissionsCosellAuthSetupUser	Establish an Approved PRM External Integration	boolean				
PermissionsCosellExportUser	Export Vendor Records to an Authorized Partner Org	boolean				
PermissionsCreateClosePlan	Allow access to Einstein Close Plan in Einstein Copilot	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsCreateCustomizeDashboards	Create and Customize Dashboards	boolean				
PermissionsCreateCustomizeFilters	Create and Customize List Views	boolean				
PermissionsCreateCustomizeReports	Create and Customize Reports	boolean				
PermissionsCreateDPEDefinitionWithDerivedFields	Create DPE Definition With Derived Fields	boolean				
PermissionsCreateDashboardFolders	Create Dashboard Folders	boolean				
PermissionsCreateEditNonSetupFlow	Create or Edit Flows	boolean				
PermissionsCreateLtngTempFolder	Create Folders for Lightning Email Templates	boolean				
PermissionsCreateLtngTempInPub	Manage Public Lightning Email Templates	boolean				
PermissionsCreateModActTrigNonSetupFlow	Create or Modify Activation-Triggered Flows	boolean				
PermissionsCreateModDGTrigNonSetupFlow	Create or Modify Flows with Data Graph Event Triggers	boolean				
PermissionsCreatePackaging	Create AppExchange Packages	boolean				
PermissionsCreateReportFolders	Create Report Folders	boolean				
PermissionsCreateReportInLightning	Report Builder (Lightning Experience)	boolean				
PermissionsCreateTopics	Create Topics	boolean				
PermissionsCreateUpdateSDDataset	Create and Update Einstein Discovery Datasets	boolean				
PermissionsCreateUpdateSDDStory	Create and Update Einstein Discovery Models	boolean				
PermissionsCreateWorkBadgeDefinition	Create custom Badge Definitions	boolean				
PermissionsCreateWorkspaces	Create Libraries	boolean				
PermissionsCreditMemoAPIUser	Credit Memo API User	boolean				
PermissionsCustomAppsOnFSMobile	Custom Applications for Field Service Mobile	boolean				
PermissionsCustomMobileAppsAccess	Access Custom Mobile Apps	boolean				
PermissionsCustomSidebarOnAllPages	Show Custom Sidebar On All Pages	boolean				
PermissionsCustomizeApplication	Customize Application	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsDFODesignerUser	Allows user to gain Fulfillment Designer level access to DRO	boolean				
PermissionsDFOManagerOperatorUser	Allows user to gain Fulfillment Manager or Fulfillment Operator level access to DRO	boolean				
PermissionsDROrderSubmitInitiateUser	Submit Transactions User	boolean				
PermissionsDataExport	Weekly Data Export	boolean				
PermissionsDataPipelinesAppConsumer	Permission to access Data Pipelines license	boolean				
PermissionsDecimalQuantityDesigntime	Decimal Quantity Design time Access	boolean				
PermissionsDecimalQuantityRuntime	Decimal Quantity Runtime Access	boolean				
PermissionsDecisionTableExecUserAccess	Run Decision Tables	boolean				
PermissionsDelegatedPortalUserAdmin	Delegated External User Administrator	boolean				
PermissionsDelegatedTwoFactor	Manage MFA in User Interface	boolean				
PermissionsDeleteActivatedContract	Delete Activated Contracts	boolean				
PermissionsDeleteCrMemoAndInvoice	Delete Credit Memo and Invoice	boolean				
PermissionsDeleteDraftAndCanceledInvoices	Allow Draft and Canceled Invoice Deletion	boolean				
PermissionsDeleteNonSetupFlow	Delete Flows	boolean				
PermissionsDeleteRevenueRecords	Allow Revenue Records Deletion	boolean				
PermissionsDeleteTopics	Delete Topics	boolean				
PermissionsDesignContextRule	Manage Context Rules	boolean				
PermissionsDfoAdminUser	System Administrator access for DRO	boolean				
PermissionsDigitalAgentUser	Use Custom Agents	boolean				
PermissionsDigitalLendingAdminUser	Digital Lending Admin User	boolean				
PermissionsDigitalLendingEditReadOnly	Digital Lending Edit Read Only Party Related Records	boolean				
PermissionsDigitalLendingIndiaAdminUser	Digital Lending India Admin User	boolean				
PermissionsDigitalLendingUser	Digital Lending User	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsDigitalLendingWorkbench	Digital Lending Workbench	boolean				
PermissionsDisbursementUserAccess	Grant users access to Benefit Disbursement features.	boolean				
PermissionsDistributeFromPersWksp	Create Content Deliveries	boolean				
PermissionsDocGenDesigner	Enables Designers to create Document Templates.	boolean				
PermissionsDocGenRuntimeCCUser	Enables Customers and Partners to generate documents via communities.	boolean				
PermissionsDocGenRuntimeUser	Enables Business users to generate documents.	boolean				
PermissionsDocumentAutomationUserAccess	User license to access IntelligentDocumentAutomation in Financial Services Cloud.	boolean				
PermissionsDocumentChecklistUserAccess	User license to access the Document Checklist features.	boolean				
PermissionsDocumentWorkspaceCntyAccess	Permission to access Intelligent Document Workspace for community users	boolean				
PermissionsDocumentWorkspaceUserAccess	Permission to access Intelligent Document Workspace	boolean				
PermissionsDownloadPackageVersionZips	Download Package Version Zip Files	boolean				
PermissionsDynamicCommonOrchestratorUser	Dynamic Common Orchestrator User	boolean				
PermissionsEGPTSalesSummariesUser	Einstein Sales Summaries User	boolean				
PermissionsEditAccountScoreFields	View Account Scores	boolean				
PermissionsEditActivatedOrders	Edit Activated Orders	boolean				
PermissionsEditBillingInfo	Manage Billing	boolean				
PermissionsEditBrandTemplates	Manage Letterheads	boolean				
PermissionsEditCaseComments	Edit Case Comments	boolean				
PermissionsEditEvent	Edit Events	boolean				
PermissionsEditHtmlTemplates	Edit HTML Templates	boolean				
PermissionsEditKnowledge	Manage Articles	boolean				
PermissionsEditMyDashboards	Edit My Dashboards	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsEditMyReports	Edit My Reports	boolean				
PermissionsEditOppLineItemUnitPrice	Edit Opportunity Product Sales Price	boolean				
PermissionsEditPublicDocuments	Manage Public Documents	boolean				
PermissionsEditPublicFilters	Manage Public List Views	boolean				
PermissionsEditPublicTemplates	Manage Public Classic Email Templates	boolean				
PermissionsEditReadonlyFields	Edit Read Only Fields	boolean				
PermissionsEditRepricing	Edit Repricing Information	boolean				
PermissionsEditTask	Edit Tasks	boolean				
PermissionsEditTopics	Edit Topics	boolean				
PermissionsEditTranslation	Article Translation - Edit	boolean				
PermissionsEinsteinAgentPlatformBuilder	Manage AI Agents	boolean				
PermissionsEinsteinCopilotBuilder	Manage Agentforce Default Agent	boolean				
PermissionsEinsteinCopilotUser	Use Agentforce Default Agent	boolean				
PermissionsEinsteinGPTSalesEmailsUser	Use Einstein Sales Emails	boolean				
PermissionsEinsteinSalesRepRdbkUser	Use Einstein Coach	boolean				
PermissionsEmailAdministration	Email Administration	boolean				
PermissionsEmailMass	Mass Email	boolean				
PermissionsEmailSingle	Send Email	boolean				
PermissionsEmailTemplateManagement	Manage Email Templates	boolean				
PermissionsEmbeddedMessagingAgent	Messaging for In-App and Web Agent	boolean				
PermissionsEmployeeEntitiesAccess	Manage Employees	boolean				
PermissionsEnableBCTransactionPolling	Enable blockchain transaction polling API	boolean				
PermissionsEnableCommunityAppLauncher	Show App Launcher in Experience Cloud Sites	boolean				
PermissionsEnableIPFSUpload	Allow blockchain data upload	boolean				
PermissionsEnableNotifications	Send Outbound Messages	boolean				
PermissionsEngagementConfigUser	Engagement Config User	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsEnhancedSalesMobileExp	Salesforce Mobile App: Native Seller Experience	boolean				
PermissionsEntityAccessHealthCloudCommunity	Additional Objects for Health Cloud Features in Experience Cloud	boolean				
PermissionsExplainabilityCmtyAccess	Provides site users with access to Decision Explainers features and APIs.	boolean				
PermissionsExplainabilityUserAccess	Provides internal Org users with access to Decision Explainer features and APIs.	boolean				
PermissionsExportReport	Export Reports	boolean				
PermissionsExternalClientAppAdmin	View all External Client Apps, view their settings, and edit their policies	boolean				
PermissionsExternalClientAppDeveloper	Create, edit, and delete External Client Apps	boolean				
PermissionsExternalClientAppViewer	View all External Client Apps	boolean				
PermissionsFHIRCmtyAccess	Use objects in the Clinical data model via Experience Cloud sites	boolean				
PermissionsFSCAlertFrameworkUserAccess	Access Record Alerts	boolean				
PermissionsFSCArcGraphCommunityUser	Access Actionable Relationship Center for partner users	boolean				
PermissionsFSCB2BUserAccess	Grants access to B2B features	boolean				
PermissionsFSCInsClaimMgtPlatformUser	Insurance Claim Management Platform User	boolean				
PermissionsFSCInsPolicyAdmPlatformUser	Insurance Policy Administration Platform User	boolean				
PermissionsFSCInsuranceCmpCmtyAccess	Access Insurance Lightning Components	boolean				
PermissionsFSCInsuranceCmpOnlyAccess	Access Insurance Lightning Components	boolean				
PermissionsFSCInsurancePlatformUser	Access Insurance Objects	boolean				
PermissionsFeedPinning	Pin Posts in Feeds	boolean				
PermissionsFieldMappingUser	Field Mapping Configuration User	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsFieldServiceAccess	Field Service Standard	boolean				
PermissionsFieldServiceCopilotActions	Access Agent Topics and Actions for Field Service	boolean				
PermissionsFieldServiceDispatcher	Field Service Dispatcher	boolean				
PermissionsFieldServiceLastMile	Field Service Appointment Assistant	boolean				
PermissionsFieldServiceMobileApp	Field Service Mobile	boolean				
PermissionsFieldServiceScheduling	Field Service Scheduling	boolean				
PermissionsFieldServiceVoiceToForm	Access Field Service Data Capture Voice to Form (Beta)	boolean				
PermissionsFieldServiceVoiceToRecordEdit	Access Field Service Voice to Record Edit	boolean				
PermissionsFinancialServices2UserAccess	Access Actionable Relationship Center	boolean				
PermissionsFindPastCollaborators	Allow access to Find Past Collaborators in Einstein Copilot.	boolean				
PermissionsFlowUFLRequired	Require Flow User Feature License	boolean				
PermissionsForceTwoFactor	Multi-Factor Authentication for User Interface Logins	boolean				
PermissionsFreezeUsers	Freeze Users	boolean				
PermissionsFscPlansAndGoalsUser	Plans and Goals User	boolean				
PermissionsGetProductPricing	Allow access to Get Product Pricing in Einstein Copilot	boolean				
PermissionsGetSmartDataDiscovery	View Einstein Discovery Recommendations	boolean				
PermissionsGetSmartDataDiscoveryExternal	View Einstein Discovery Recommendations Via Connect API	boolean				
PermissionsGiveRecognitionBadge	Give Recognition Badges in Experience Builder Sites	boolean				
PermissionsGlobalCbQueryAccess	Global Controlled-by-Parent Query Access	boolean				
PermissionsGovernNetworks	Manage Experiences	boolean				
PermissionsGroupMembershipCntyUsr	Group Membership Experience Cloud User	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsGroupMembershipPsl	Group Membership	boolean				
PermissionsHasUnlimitedNBAExecutions	User Has Unlimited Next Best Action Strategy Executions	boolean				
PermissionsHcAdvancedTherapyUser	Manage Advanced Therapy Orchestration features	boolean				
PermissionsHeadlessCMSAccess	Enable Salesforce CMS Integration	boolean				
PermissionsHeadlessPublishNudges	Headless Publish Nudges User	boolean				
PermissionsHealthAgent	Health Assistive Agent	boolean				
PermissionsHealthCloudStarter	Health Cloud Starter	boolean				
PermissionsHideReadByList	Hide the Seen By List	boolean				
PermissionsIcmCmtyAccess	Enables the use of objects in the Integrated Care Management data model by Experience cloud site users.	boolean				
PermissionsIdentityConnect	Use Identity Connect	boolean				
PermissionsIdentityEnabled	Use Identity Features	boolean				
PermissionsIdentityVerificationUserAccess	Permission to access Identity Verification	boolean				
PermissionsImportCustomObjects	Import Custom Objects	boolean				
PermissionsImportLeads	Import Leads	boolean				
PermissionsImportPersonal	Import Personal Contacts	boolean				
PermissionsInboundMigrationToolsUser	Deploy Change Sets	boolean				
PermissionsIndustriesEpcNextPilot	Industries Epc Next Pilot	boolean				
PermissionsIndustryMilestonePlatformUser	Access Life Events or Business Milestones Component	boolean				
PermissionsInsightsAppAdmin	Manage CRM Analytics	boolean				
PermissionsInsightsAppDashboardEditor	Create and Edit CRM Analytics Dashboards	boolean				
PermissionsInsightsAppEltEditor	Edit CRM Analytics Dataflows	boolean				
PermissionsInsightsAppUploadUser	Upload External Data to CRM Analytics	boolean				
PermissionsInsightsAppUser	Use CRM Analytics	boolean				
PermissionsInsightsCreateApplication	Create CRM Analytics Apps	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsInsightsIntelAppUser	Use Intelligent Apps	boolean				
PermissionsInstallPackaging	Download AppExchange Packages	boolean				
PermissionsInsuranceGroupBenefitsUser	Insurance Group Benefits User	boolean				
PermissionsInteractionCalcAdminPerm	Grant administrators access to Industries Interaction Calculation features.	boolean				
PermissionsInteractionCalcUserPerm	Grant users access to Industries Interaction Calculation features.	boolean				
PermissionsInteractionObjStateDefUserPerm	Grant users access to Industries Interaction Object State Definition features.	boolean				
PermissionsInterestTaggingUserAccess	Access Interest Tags for Financial Services Cloud.	boolean				
PermissionsInvoiceOrErrorRecoveryAPI	Invoice or Recovery API	boolean				
PermissionsInvoiceSchedulerUser	Invoice Scheduler User	boolean				
PermissionsIsSsoEnabled	Is Single Sign-On Enabled	boolean				
PermissionsIsotopeAccess	Salesforce Anywhere on Mobile	boolean				
PermissionsIsotopeCToCUser	Salesforce Anywhere Integration Access	boolean				
PermissionsIsotopeLEX	Salesforce Anywhere in Lightning Experience	boolean				
PermissionsKycPlatformUser	Identity Verification and Screening User	boolean				
PermissionsMEndMessagingSessionUserPerm	End Messaging Session	boolean				
PermissionsMOutboundMessagingUserPerm	Agent Initiated Outbound Messaging	boolean				
PermissionsLPICommunityAccess	Grant community users access to LPI features.	boolean				
PermissionsLeadInspectorUser	Access Lead Intelligence View in Partner Sites	boolean				
PermissionsLeadScoreResultPublisher	Publish Einstein Lead Scoring results	boolean				
PermissionsLeadScoreUser	Use Einstein Lead Scoring	boolean				
PermissionsLearningManager	Manage Learning	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsLifecycleManagementAPIUser	Access Customer Asset Lifecycle Management APIs	boolean				
PermissionsLightningConsoleAllowedForUser	Lightning Console User	boolean				
PermissionsLightningExperienceUser	Lightning Experience User	boolean				
PermissionsLightningOnFSMobile	Lightning SDK for Field Service Mobile	boolean				
PermissionsLightningSchedulerUserAccess	Let a user be included in appointments in Salesforce Scheduler.	boolean				
PermissionsListEmailSend	Allow sending of List Emails	boolean				
PermissionsLiveMessageAgent	Messaging Agent	boolean				
PermissionsLobbyManagementUserAccess	Let greeters access the Lobby Management tab.	boolean				
PermissionsLtngPromoReservedUserPerm	Remain in Salesforce Classic	boolean				
PermissionsMCPMetadataApi	MCPMetadataApi	boolean				
PermissionsMakePayments	Make Payments	boolean				
PermissionsManageAccessPolicies	Manage Access Policies	boolean				
PermissionsManageAgentforceServiceAgent	Manage Agentforce Service Agents	boolean				
PermissionsManageAnalyticSnapshots	Manage Reporting Snapshots	boolean				
PermissionsManageAuthProviders	Manage Auth. Providers	boolean				
PermissionsManageBusinessHourHolidays	Manage Business Hours Holidays	boolean				
PermissionsManageC2CHighVolumePriming	Manage Cross-Cloud High-Volume Priming	boolean				
PermissionsManageC360AConnections	Connect Org to Data Cloud	boolean				
PermissionsManageCMS	Create CMS Workspaces and Channels	boolean				
PermissionsManageCallCenters	Manage Call Centers	boolean				
PermissionsManageCases	Manage Cases	boolean				
PermissionsManageCategories	Manage Categories	boolean				
PermissionsManageCdpMlModels	Allow users to manage models in Einstein Studio	boolean				
PermissionsManageCertificates	Manage Certificates	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageCertificatesExpiration	Receive Certificate Expiration Notifications	boolean				
PermissionsManageChatterMessages	Manage Chatter Messages and Direct Messages	boolean				
PermissionsManageClinicalDataModel	Provides access to Clinical Data Model entities for LifeSciences Users	boolean				
PermissionsManageClinicalTrials	Design and run clinical trials.	boolean				
PermissionsManageContentLinks	Manage Content Links	boolean				
PermissionsManageContentPermissions	Manage Content Permissions	boolean				
PermissionsManageContentProperties	Manage Content Properties	boolean				
PermissionsManageContentTaxonomy	Manage Content Taxonomy	boolean				
PermissionsManageContentTypes	Manage record types and layouts for Files	boolean				
PermissionsManageConvMiningReports	View and generate Einstein Conversation Mining reports	boolean				
PermissionsManageCssUsers	Manage Customer Users	boolean				
PermissionsManageCustomDomains	Manage Custom Domains	boolean				
PermissionsManageCustomPermissions	Manage Custom Permissions	boolean				
PermissionsManageCustomReportTypes	Manage Custom Report Types	boolean				
PermissionsManageDashbdsInPubFolders	Manage Dashboards in Public Folders	boolean				
PermissionsManageDataCategories	Manage Data Categories	boolean				
PermissionsManageDataIntegrations	Manage Data Integrations	boolean				
PermissionsManageDataMaskPolicies	Manage Data Mask Policies	boolean				
PermissionsManageDataProcessingEngine	Allow users to access the features of Data Processing Engine to transform data that's available in your Salesforce org.	boolean				
PermissionsManageDataspaceScope	Manage Dataspace Scope	boolean				
PermissionsManageDevSandboxes	Manage Dev Sandboxes	boolean				
PermissionsManageDynamicDashboards	Manage Dynamic Dashboards	boolean				
PermissionsManageEmailClientConfig	Manage Email Client Configurations	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageEmailMessagingSetup	Manage Email Messaging Setup	boolean				
PermissionsManageEncryptionKeys	Manage Encryption Keys	boolean				
PermissionsManageEntitlements	Manage Entitlements	boolean				
PermissionsManageExchangeConfig	Manage Lightning Sync	boolean				
PermissionsManageExternalConnections	Allow user to modify Private Connections	boolean				
PermissionsManageFilesAndAttachments	Manage Policies' Files And Attachments	boolean				
PermissionsManageForecastingCustomData	Manage Forecasts Custom Data	boolean				
PermissionsManageHcProviderRelMgmt	Manage Health Cloud Provider Relationship Management	boolean				
PermissionsManageHealthCheck	Manage Health Check	boolean				
PermissionsManageHealthCloud	Manage Health Cloud	boolean				
PermissionsManageHealthCloudFinancialData	Manage Health Cloud Financial Data	boolean				
PermissionsManageHerokuAppLink	Manage Heroku AppLink	boolean				
PermissionsManageHubConnections	Connect Org to Customer 360 Data Manager	boolean				
PermissionsManageIndustriesVisit	Manage Industries Visit	boolean				
PermissionsManageIntegrationConnections	Manage Integration Connections	boolean				
PermissionsManageIntelligenceApp	Manage Commerce Intelligence App	boolean				
PermissionsManageInteraction	Manage Flow	boolean				
PermissionsManageInternalUsers	Manage Internal Users	boolean				
PermissionsManageIpAddresses	Manage IP Addresses	boolean				
PermissionsManageKnowledge	Manage Salesforce Knowledge	boolean				
PermissionsManageKnowledgeImportExport	Manage Knowledge Article Import/Export	boolean				
PermissionsManageLeads	Manage Leads	boolean				
PermissionsManageLearningReporting	Manage Learning Reporting	boolean				
PermissionsManageLoginAccessPolicies	Manage Login Access Policies	boolean				
PermissionsManageMobile	Manage Mobile Configurations	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageMobileAppSecurity	Manage Enhanced Mobile App Security	boolean				
PermissionsManageMyExternalUsers	Manage External Users (Limited)	boolean				
PermissionsManageNamedCredentials	Allows users to modify Named Credentials and External Credentials	boolean				
PermissionsManageNetworks	Create and Set Up Experiences	boolean				
PermissionsManageOCIRecords	Manage Omnichannel Inventory Records	boolean				
PermissionsManageOrchInstsAndWorkItems	Manage Orchestration Runs and Work Items	boolean				
PermissionsManageOrchestrationRuns	Manage Orchestration Runs	boolean				
PermissionsManageOutcomeManagement	Manage Outcomes	boolean				
PermissionsManagePartners	Manage External Users	boolean				
PermissionsManagePasswordPolicies	Manage Password Policies	boolean				
PermissionsManagePatientProgramOutcomes	Manage Patient Program Outcomes	boolean				
PermissionsManagePharmacyBenefitsVerf	Gives users access to verify and reverify pharmacy benefits.	boolean				
PermissionsManageProductCatalog	Manage Product Catalog	boolean				
PermissionsManageProductDiscovery	Manage Product Discovery	boolean				
PermissionsManageProductIndexAndSearch	Create and delete indexes for Product Catalog Management, and configure product browsing options.	boolean				
PermissionsManageProfilesPermissionsets	Manage Profiles and Permission Sets	boolean				
PermissionsManageProgramManagement	Advanced Program Management	boolean				
PermissionsManagePropositions	Manage Next Best Action Recommendations	boolean				
PermissionsManageProviderSearch	Manage Provider Search	boolean				
PermissionsManagePvtRptsAndDashbds	Manage All Private Reports and Dashboards	boolean				
PermissionsManageQuotas	Manage Quotas	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageRecommendationStrategies	Manage Next Best Action Strategies	boolean				
PermissionsManageReleaseUpdates	Manage Release Updates	boolean				
PermissionsManageRemoteAccess	Manage Connected Apps	boolean				
PermissionsManageReportsInPubFolders	Manage Reports in Public Folders	boolean				
PermissionsManageRoles	Manage Roles	boolean				
PermissionsManageSALifecycle	Manage Service Appointment Lifecycle	boolean				
PermissionsManageSandboxes	Manage Sandboxes	boolean				
PermissionsManageSearchPromotionRules	Manage Promoted Search Terms	boolean				
PermissionsManageSecurityCommandCenter	Manage Security Center	boolean				
PermissionsManageSessionPermissionSets	Manage Session Permission Set Activations	boolean				
PermissionsManageSharing	Manage Sharing	boolean				
PermissionsManageSiteManagement	Manage Site Management	boolean				
PermissionsManageSiteProfile	Manage Site and Investigator Profile	boolean				
PermissionsManageSmartDataDiscovery	Manage Einstein Discovery	boolean				
PermissionsManageSmartDataDiscoveryModel	Can Deploy and Manage Einstein Discovery predictions	boolean				
PermissionsManageSocialDeterminant	Enable access to the Manage Social Determinants Data Model for Life Sciences users in a Salesforce org.	boolean				
PermissionsManageSolutions	Manage Published Solutions	boolean				
PermissionsManageStores	Manage Stores	boolean				
PermissionsManageSubscriptions	Manage CRM Analytics Subscriptions	boolean				
PermissionsManageSurveys	Manage Surveys	boolean				
PermissionsManageSynonyms	Manage Synonyms	boolean				
PermissionsManageTemplatedApp	Manage CRM Analytics Templated Apps	boolean				
PermissionsManageTrialMgmtRandomization	Manage Trial Management Randomization	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsManageTrustMeasures	Manage Trust Measures	boolean				
PermissionsManageTwoFactor	Manage MFA in API	boolean				
PermissionsManageUnlistedGroups	Manage Unlisted Groups	boolean				
PermissionsManageUsers	Manage Users	boolean				
PermissionsMassInlineEdit	Mass Edits from Lists	boolean				
PermissionsMaterialLineUser	Create Material Lines	boolean				
PermissionsMergeAndSplitGroups	Merge and Split Groups	boolean				
PermissionsMergeTopics	Merge Topics	boolean				
PermissionsMetadataStudioUser	Metadata studio User	boolean				
PermissionsMicrobatching	Use Micro-Batching to Create Records	boolean				
PermissionsMngBenVerfForAssistiveAgt	Gives AI agents access to the objects and fields required to reverify benefits.	boolean				
PermissionsMngFinancialAssistanceProgram	Access PSP Financial Assistance	boolean				
PermissionsMobileAppSecurity	Enforce Enhanced Mobile App Security	boolean				
PermissionsMobileMessagingAgent	Message on Mobile	boolean				
PermissionsModerateChatter	Moderate Chatter	boolean				
PermissionsModerateNetworkFeeds	Moderate Experience Cloud Site Feeds	boolean				
PermissionsModerateNetworkFiles	Moderate Files in Experience Cloud Sites	boolean				
PermissionsModerateNetworkMessages	Moderate Chatter Messages in Experience Cloud Sites	boolean				
PermissionsModerateNetworkUsers	Moderate Experience Cloud Site Users	boolean				
PermissionsModifyAccessAllowPolicies	Modify Allow Data Governance Policies	boolean				
PermissionsModifyAccessDenyPolicies	Modify Deny Data Governance Policies	boolean				
PermissionsModifyAllData	Modify All Data	boolean				
PermissionsModifyAllDataGovClassif	Modify All Data Governance Classification Tags	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsModifyAllDataGovClsfTax	Modify All Data Governance Classification Taxonomies	boolean				
PermissionsModifyAllDataGovPolicies	Modify All Data Governance Policies	boolean				
PermissionsModifyAllDataGovTagAssign	Modify All Data Governance Tag Assignments	boolean				
PermissionsModifyAllDataGovTags	Modify All Data Governance Tags	boolean				
PermissionsModifyAllDataGovTax	Modify All Data Governance Tag Taxonomies	boolean				
PermissionsModifyAllPolicyCenterPolicies	Modify All Policy Center Policies	boolean				
PermissionsModifyDataClassification	Modify Data Classification	boolean				
PermissionsModifyMetadata	Modify Metadata Through Metadata API Functions	boolean				
PermissionsMonitorLoginHistory	Monitor Login History	boolean				
PermissionsMortgageUserAccess	User license to access Mortgage in Financial Services Cloud.	boolean				
PermissionsMultiStepSchedulingUser	Manage Multi-Step Scheduling features	boolean				
PermissionsNativeWebviewScrolling	Salesforce Mobile App: Native scrolling on webviews	boolean				
PermissionsNewReportBuilder	Report Builder	boolean				
PermissionsOmniAssistiveActionUser	OmniAssistiveActionUser	boolean				
PermissionsOmniStudioDesigner	Enables admin/developer to create new OS/DR/VIP instances.	boolean				
PermissionsOmniStudioRuntime	Enables business users to execute OmniScripts, DRs, Cards, etc, in employee facing apps.	boolean				
PermissionsOmniStudioRuntimeCC	Enables consumers and partners to execute OmniScripts, DRs, Cards through a Community or off platform.	boolean				
PermissionsOmniSupervisorManageQueue	Manage Queue Memberships	boolean				
PermissionsOmnichannelInventoryBasic	Omnichannel Inventory Basic	boolean				
PermissionsOmnichannelInventorySync	Omnichannel Inventory Sync	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsOpportunityScoreUser	Use Einstein Opportunity Scoring	boolean				
PermissionsOptOutGeoLocationTracking	Exclude Technician from Geolocation Tracking	boolean				
PermissionsOrderSubmitUser	Submit Transactions and Fulfilment User	boolean				
PermissionsOrderToBSAPIUser	Access Order to Billing Schedule API	boolean				
PermissionsOrderToInvoiceAPIUser	Access Order to Invoice API	boolean				
PermissionsOutboundMigrationToolsUser	Create and Upload Change Sets	boolean				
PermissionsOverrideForecasts	Override Forecasts	boolean				
PermissionsPRMChannelMgmtConsoleUser	View Channel Management Console	boolean				
PermissionsPackaging2	Create and Update Second-Generation Packages	boolean				
PermissionsPackaging2Delete	Delete Second-Generation Packages	boolean				
PermissionsPackaging2PromoteVersion	Promote a package version to released	boolean				
PermissionsParticipateClinicalTrials	Let external users view and enroll in research studies.	boolean				
PermissionsPasswordNeverExpires	Password Never Expires	boolean				
PermissionsPaymentSchedulerUser	Payments Scheduler User	boolean				
PermissionsPaymentsAPIUser	Payments Api User	boolean				
PermissionsPersonalizationDecisioningUser	Provides users access to the Personalization Decisions invocable action.	boolean				
PermissionsPersonalizationIntelUser	Personalization Intelligence User	boolean				
PermissionsPersonalizationPlatform	Access Personalization Platform	boolean				
PermissionsPersonalizedFinanceUserAccess	Data Cloud FlexCards for Financial Services Cloud	boolean				
PermissionsPipelineInspectorUser	Pipeline Inspection User	boolean				
PermissionsPortalSuperUser	Portal Super User	boolean				
PermissionsPreventClassicExperience	Hide Option to Switch to Salesforce Classic	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsPreviewExperienceUser	Allow access to Preview Experience	boolean				
PermissionsPreviewTestSendEmail	Send Test Email	boolean				
PermissionsPriceSheetConfiguration	Configure Price Sheets	boolean				
PermissionsPricingRuleUser	Configure price rules	boolean				
PermissionsPrismBackofficeUser	Prism Backoffice User	boolean				
PermissionsPrismPlaygroundUser	Prism Playground User	boolean				
PermissionsPrivacyDataAccess	Allow user to access privacy data	boolean				
PermissionsPrmEnhancedPortalUser	PRM Enhanced Portal User	boolean				
PermissionsPrmExtIntPrtnrAdminUser	Set Up Partner Connect for a Partner Org	boolean				
PermissionsProductAdmin	Product Admin	boolean				
PermissionsProductCatalogApiAccess	View Product Catalog via API	boolean				
PermissionsProductCatalogMgmtApiCCAccess	View Product Catalog via API for Customer Community User	boolean				
PermissionsProductCatalogMgmtApiPCAccess	View Product Catalog via API for Partner Community User	boolean				
PermissionsProductCatalogMgmtBaseCCUser	View Product Catalog for Customer Community User	boolean				
PermissionsProductCatalogMgmtBasePCUser	View Product Catalog for Partner Community User	boolean				
PermissionsProductConfigurationRuleAccess	Manage Configurator with Business Rules Engine	boolean				
PermissionsProductDiscoveryUser	Allow access to Product Discovery	boolean				
PermissionsProposeMajorIncidents	Propose Major Incidents	boolean				
PermissionsProviderSearchUserAccess	Permission to access internal entities for provider search	boolean				
PermissionsPublicSectorPlatformUserAccess	Grant users access to Public Sector features.	boolean				
PermissionsPublishArticles	Publish Articles	boolean				
PermissionsPublishPackaging	Upload AppExchange Packages	boolean				
PermissionsPublishTranslation	Article Translation - Publish	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsQRCodeGeneratorMobilePublisherPlayground	Mobile Publisher QR Code Generator Playground User	boolean				
PermissionsQueryAllFiles	Query All Files	boolean				
PermissionsQueryNonVetoedFiles	Query Non Vetoed Files	boolean				
PermissionsQuipMetricsAccess	Quip Metrics	boolean				
PermissionsQuipUserEngagementMetrics	Quip User Engagement Metrics	boolean				
PermissionsQuoteToOrderUser	Create Orders from Quotes	boolean				
PermissionsReadConfigurationItemInformation	Allows user to read CMDB associations details.	boolean				
PermissionsReassignOrchestrationWorkItems	Reassign Orchestration Work Items	boolean				
PermissionsRebookWithAgentforceFromDispatchConsole	Rebook with Agentforce from Dispatch Console	boolean				
PermissionsRecordAggregationAccess	Record Aggregation Access	boolean				
PermissionsRecordVisibilityAPI	Enable RecordVisibility API	boolean				
PermissionsRefundPayments	Refund Payments	boolean				
PermissionsRemoveDirectMessageMembers	Remove People from Direct Messages	boolean				
PermissionsReopenChangeRequests	Reopen Change Requests	boolean				
PermissionsReopenProblems	Reopen Problems	boolean				
PermissionsResetPasswords	Reset User Passwords and Unlock Users	boolean				
PermissionsResolveChgRqstAssoc	Resolve Change Request Associations	boolean				
PermissionsResolveIncAssoc	Resolve Incident Associations	boolean				
PermissionsResolveProbAssoc	Resolve Problem Associations	boolean				
PermissionsRespondToSocialInsuranceClaims	Respond to Social Insurance Claims	boolean				
PermissionsRevenueIntelligenceUser	Revenue Intelligence User	boolean				
PermissionsRevenueProductImportUser	Import Products Using Subscription Management Console	boolean				
PermissionsReviewBuyingCommittee	Allow access to Review Buying Committee in Einstein Copilot	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsReviewMyDay	Review My Day	boolean				
PermissionsRunContextRule	Run Context Rules	boolean				
PermissionsRunDecisionMatrix	Run Decision Matrices	boolean				
PermissionsRunExpressionSet	Run Expression Sets	boolean				
PermissionsRunFlow	Run Flows	boolean				
PermissionsRunReports	Run Reports	boolean				
PermissionsRunTrialMgmtRandomization	Run Trial Management Randomization	boolean				
PermissionsSCEViewAllData	View Opportunity Scoring Model Factors	boolean				
PermissionsSDCommunityAccess	Use objects in the Social Determinants data model via Experience Cloud sites	boolean				
PermissionsSalesConsole	Sales Console	boolean				
PermissionsSalesInsightsUser	Sales Insights User	boolean				
PermissionsSalesMeetingFollowUpEmail	Sales Meeting Follow-Up Emails	boolean				
PermissionsSalesforceForecastingUser	Forecast on Any Business Model	boolean				
PermissionsSalesforceIQInbox	Use Inbox	boolean				
PermissionsSalesforceIQInternal	Allows the Cloud Integration User to perform SalesforceIQ internal operations	boolean				
PermissionsSandboxTestingInCommunityApp	Test Sandboxes in Mobile Publisher for Experience Cloud	boolean				
PermissionsScheduleJob	Schedule Dashboards	boolean				
PermissionsScheduleReports	Schedule Reports	boolean				
PermissionsScoringFrameworkAdmin	Scoring Framework Admin	boolean				
PermissionsScoringFrameworkUser	Scoring Framework User	boolean				
PermissionsSegmentIntelligenceUser	Segment Intelligence User	boolean				
PermissionsSelectFilesFromSalesforce	Select Files from Salesforce	boolean				
PermissionsSendAnnouncementEmails	Send announcement emails	boolean				
PermissionsSendCustomNotifications	Send Custom Notifications	boolean				
PermissionsSendEmail	Send Unified Messaging Email	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsSendExternalEmailAvailable	Send Email through External Email Service	boolean				
PermissionsSendMeetingRequest	Permission for Send Meeting Request.	boolean				
PermissionsSendSitRequests	Send Stay-in-Touch Requests	boolean				
PermissionsServiceECIUser	Use Conversation Insights for Service	boolean				
PermissionsServiceExcellencePlatformUser	Service Excellence Platform User	boolean				
PermissionsSessionScopeContext	Provides access to create session scope context.	boolean				
PermissionsSetupAgentBuilder	Manage Agent for Setup	boolean				
PermissionsSetupAgentUser	Access Agent for Setup	boolean				
PermissionsShareFilesWithNetworks	Share Files with People in Experience Cloud sites	boolean				
PermissionsShareInternalArticles	Share internal Knowledge articles externally	boolean				
PermissionsShareSmartDataDiscoveryStory	Share Einstein Discovery Models	boolean				
PermissionsShowCompanyNameAsUserBadge	Show Company Name as Site Role	boolean				
PermissionsShowPreWorkBriefGA	Show Pre-Work Brief	boolean				
PermissionsSimpleCsvDataImportUser	Basic Csv Data Import User Permission	boolean				
PermissionsSkipIdentityConfirmation	Skip Device Activation at Login	boolean				
PermissionsSlackCibUser	Financial Services Cloud for Slack User	boolean				
PermissionsSlackRecordChannels	Access Slack Record Channels	boolean				
PermissionsSmartDataDiscoveryForCommunity	Smart Data Discovery for experience users	boolean				
PermissionsSolutionImport	Import Solutions	boolean				
PermissionsSonicConsumer	Use Data Pipeline Base	boolean				
PermissionsStageManagementDesignUser	Stage Management Designer User	boolean				
PermissionsStageManagementUser	Stage Management User	boolean				
PermissionsStoAutomaticActivityCapture	Use Einstein Activity Capture Standard	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsStoryOnDSWithPredicate	Ignore predicate when creating model from dataset	boolean				
PermissionsSubmitForTranslation	Article Translation - Submit for Translation	boolean				
PermissionsSubmitMacrosAllowed	Manage Macros Users Can't Undo	boolean				
PermissionsSubscrMgmtAmendDecreaseUser	Decrease Subscription Quantity	boolean				
PermissionsSubscrMgmtAmendIncreaseUser	Increase Subscription Quantity	boolean				
PermissionsSubscrMgmtCancelUser	Cancel Subscriptions	boolean				
PermissionsSubscrMgmtOrderItemToAssetUser	Create Assets from Order Items	boolean				
PermissionsSubscrMgmtOrderToAssetUser	Create Assets from Orders	boolean				
PermissionsSubscrMgmtPymtSchedAutomation	Automate Payment Scheduling	boolean				
PermissionsSubscrMgmtRefundAutomation	Automate Refunds	boolean				
PermissionsSubscrMgmtRenewalUser	Renew Subscriptions	boolean				
PermissionsSubscribeDashboardRolesGrps	Subscribe to Dashboards: Send to Groups and Roles	boolean				
PermissionsSubscribeDashboardToOtherUsers	Subscribe to Dashboards: Add Recipients	boolean				
PermissionsSubscribeReportRolesGrps	Subscribe to Reports: Send to Groups and Roles	boolean				
PermissionsSubscribeReportToOtherUsers	Subscribe to Reports: Add Recipients	boolean				
PermissionsSubscribeReportsRunAsUser	Subscribe to Reports: Set Running User	boolean				
PermissionsSubscribeToLightningDashboards	Subscribe to Dashboards	boolean				
PermissionsSubscribeToLightningReports	Subscribe to Reports	boolean				
PermissionsSubscriptionManagementUser	Allow access to Subscription Management	boolean				
PermissionsTerritoryOperations	Administer territory operations	boolean				
PermissionsTraceXdsQueries	Access Tracer for External Data Sources	boolean				
PermissionsTransactionSecurityExempt	Exempt from Transaction Security	boolean				
PermissionsTransactionalEmailSend	Send Non-Commercial Email	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsTransferAnyCase	Transfer Cases	boolean				
PermissionsTransferAnyEntity	Transfer Record	boolean				
PermissionsTransferAnyLead	Transfer Leads	boolean				
PermissionsTriggerDataGovAutoTagging	Enable Data Governance Suggest Tags	boolean				
PermissionsTwoFactorApi	Multi-Factor Authentication for API Logins	boolean				
PermissionsUnifiedHealthScoringUser	View and assign scores for accounts, contacts, and leads using the Unified Health Scoring feature.	boolean				
PermissionsUpdateReportTypeReferences	Update Report Type References in Semantic Search	boolean				
PermissionsUseAddOrderItemSummary	Add additional items to an order summary.	boolean				
PermissionsUseAddOrderItemSummaryAPIs	Use Order Management Add Order Item Summary APIs	boolean				
PermissionsUseAdvancedDeliveryEstimationAPI	Use Advanced Delivery Estimation Service APIs	boolean				
PermissionsUseAssistantDialog	Instant Actionable Results	boolean				
PermissionsUseCanCancelInProgressChange	Can cancel Order Management in-progress async calls.	boolean				
PermissionsUseCompliantDataSharing	Use Compliant Data Sharing	boolean				
PermissionsUseCreateCreditMemo	Create credit memos.	boolean				
PermissionsUseCreateOrderSummary	Create order summaries by using APIs.	boolean				
PermissionsUseCriteriaBasedSearchFilter	Use Criteria-Based Search and Filter	boolean				
PermissionsUseDeliveryEstimation	Use Delivery Estimation Service	boolean				
PermissionsUseDeliveryEstimationAPIs	Use Delivery Estimation Service APIs	boolean				
PermissionsUseEnsureFunds	Execute ensure funds.	boolean				
PermissionsUseExpCloudCBSF	Use Criteria-Based Search and Filter for Experience Cloud	boolean				
PermissionsUseFulfillmentAPIs	Use Order Management Fulfillment APIs	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsUseInboxSchedulingOnBehalfOf	Inbox Scheduling Proxy User	boolean				
PermissionsUseMySearch	Einstein Search	boolean				
PermissionsUseOMAnalytics	Use Order Management Analytics	boolean				
PermissionsUseOmnichannelInventoryAPIs	Use Omnichannel Inventory APIs	boolean				
PermissionsUseOrderEntry	Use Order Entry	boolean				
PermissionsUseOrderItemSummaryCancel	Cancel order item summaries.	boolean				
PermissionsUseOrderItemSummaryReturn	Execute blind returns.	boolean				
PermissionsUsePaymentCreditAPIs	Use Order Management Payment Credit APIs	boolean				
PermissionsUseQuerySuggestions	Natural Language Search	boolean				
PermissionsUseRegisterGuestBuyerAPI	Use Register Guest Buyer API	boolean				
PermissionsUseRepricing	Use Repricing Objects and APIs	boolean				
PermissionsUseReturnOrder	Use Order Management Return Order	boolean				
PermissionsUseReturnOrderAPIs	Use Order Management Return APIs	boolean				
PermissionsUseRouting	Access the Fulfillment Order routing APIs.	boolean				
PermissionsUseServicePartReturn	Manufacturing Cloud Service Part Return Management User	boolean				
PermissionsUseSmartDataDiscovery	Use Einstein Discovery	boolean				
PermissionsUseSubscriptionEmails	Subscribe to CRM Analytics Assets	boolean				
PermissionsUseTeamReassignWizards	Use Team Reassignment Wizards	boolean				
PermissionsUseTeamsForItSrvcs	Manage ITSM Teams	boolean				
PermissionsUseTemplatedApp	Use CRM Analytics Templated Apps	boolean				
PermissionsUseWebLink	Allow Access to Customized Actions	boolean				
PermissionsUserCanAccessNLPResult	View Natural Language Process Results	boolean				
PermissionsUserCanDeployStore	Users can perform the deployment operation on a store.	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsUserCanPerformNLPOperation	Manage Natural Language Process Results	boolean				
PermissionsUserHasBillingAccount	Access EU User Billing Account	boolean				
PermissionsUserHasEAndUProgramAccess	EU User Program Access	boolean				
PermissionsUserHasEUCore	Access EU Objects	boolean				
PermissionsUserHasUsageImpactAccess	EU User Impact Access	boolean				
PermissionsUserHasWorkReportAccess	Manage User Work Report	boolean				
PermissionsVideoConferenceMeetUser	Use Video Conferencing with Google Meet	boolean				
PermissionsVideoConferenceTeamsUser	Use Video Conferencing with Teams	boolean				
PermissionsVideoConferenceZoomUser	Use Video Conferencing with Zoom	boolean				
PermissionsViewAccessPolicies	View Access Policies	boolean				
PermissionsViewAgtfrceAnlytDshbrd	View Agentforce Analytics Dashboard	boolean				
PermissionsViewAllActivities	View All Activities	boolean				
PermissionsViewAllCalls	View All Voice And Video Calls	boolean				
PermissionsViewAllCustomSettings	View All Custom Settings	boolean				
PermissionsViewAllData	View All Data	boolean				
PermissionsViewAllDataGovPolicies	View All Data Governance Policies	boolean				
PermissionsViewAllDataGovTags	View All Data Governance Tags, Classifications, and Taxonomies	boolean				
PermissionsViewAllFieldsGlobal	View All Fields (Global)	boolean				
PermissionsViewAllForecasts	View All Forecasts	boolean				
PermissionsViewAllForeignKeyNames	View All Lookup Record Names	boolean				
PermissionsViewAllNonSetupFlows	View All Non-Admin Flows	boolean				
PermissionsViewAllPolicyCenterPolicies	View All Policy Center Policies	boolean				
PermissionsViewAllProfiles	View All Profiles	boolean				
PermissionsViewAllUsers	View All Users	boolean				
PermissionsViewAnomalyEvents	View Threat Detection Events	boolean				
PermissionsViewArchivedArticles	View Archived Articles	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsViewCaseAnlytDshbrd	View Case Analytics Dashboard	boolean				
PermissionsViewChangeRequestAnlytDshbrd	View Change Request Analytics Dashboard	boolean				
PermissionsViewChangeRequestDshbrd	View Change Request Dashboard	boolean				
PermissionsViewClientSecret	View External Client App Consumer Secrets in Metadata	boolean				
PermissionsViewConsumption	View Consumption	boolean				
PermissionsViewContent	View Content in Portals	boolean				
PermissionsViewContentTaxonomy	View Content Taxonomy	boolean				
PermissionsViewCustomerSentiment	View Customer Insights	boolean				
PermissionsViewDataAssessment	Access to view Data Assessment	boolean				
PermissionsViewDataCategories	View Data Categories in Setup	boolean				
PermissionsViewDataGovTab	View the Data Governance Tab	boolean				
PermissionsViewDataLeakageEvents	View Real-Time Event Monitoring Data	boolean				
PermissionsViewDeveloperName	View Developer Name	boolean				
PermissionsViewDraftArticles	View Draft Articles	boolean				
PermissionsViewEmailMessagingSetup	View Email Messaging Setup	boolean				
PermissionsViewEncryptedData	View Encrypted Data	boolean				
PermissionsViewEventLogFiles	View Event Log Files	boolean				
PermissionsViewForecastingPredictive	Use Einstein Forecasting	boolean				
PermissionsViewGlobalHeader	View Global Header	boolean				
PermissionsViewHealthCheck	View Health Check	boolean				
PermissionsViewHelpLink	View Help Link	boolean				
PermissionsViewIncidentAnlytDshbrd	View Incident Analytics Dashboard	boolean				
PermissionsViewIncidentFulfrDshbrd	View Incident Fulfiller Dashboard	boolean				
PermissionsViewIncidentMgrDshbrd	View Incident Manager Dashboard	boolean				
PermissionsViewIntelligenceApp	View Commerce Intelligence App	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsViewItLeaderAnlytDshbrd	View IT Leader Analytics Dashboard	boolean				
PermissionsViewItsmConsoleAsFulfr	View ITSM Console App as Fulfillers	boolean				
PermissionsViewItsmConsoleHmpg	View ITSM Console App Home Page	boolean				
PermissionsViewKnwlgAnlytDshbrd	View Knowledge Analytics Dashboard	boolean				
PermissionsViewMLModels	Allow users to view MLModels and related Entities	boolean				
PermissionsViewMyTeamsDashboards	View My Team's Dashboards	boolean				
PermissionsViewNonSetupFlow	View Flows	boolean				
PermissionsViewOmnichnlAnlytDshbrd	View Omnichannel Analytics Dashboard	boolean				
PermissionsViewOnlyEmbeddedAppUser	Access to View-Only Licensed Templates and Apps	boolean				
PermissionsViewOrchestrationsInAutomApp	View Orchestrations in Automation App	boolean				
PermissionsViewPayments	Use Payments or Access Payments	boolean				
PermissionsViewPlatformEvents	View Login Forensics Events	boolean				
PermissionsViewPrivateStaticResources	View Private Static Resources	boolean				
PermissionsViewProblemFulfrDshbrd	View Problem Fulfiller Dashboard	boolean				
PermissionsViewProblemMgrDshbrd	View Problem Manager Dashboard	boolean				
PermissionsViewProductCatalogObjects	View Product Catalog	boolean				
PermissionsViewPublicDashboards	View Dashboards in Public Folders	boolean				
PermissionsViewPublicReports	View Reports in Public Folders	boolean				
PermissionsViewRecommendations	View Recommendations	boolean				
PermissionsViewRelAssoc	View Release Associations	boolean				
PermissionsViewReleaseDshbrd	View Release Dashboard	boolean				
PermissionsViewRestrictionAndScopingRules	View Restriction and Scoping Rules	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PermissionsViewRoles	View Roles and Role Hierarchy	boolean				
PermissionsViewSALifecycle	View Service Appointment Lifecycle	boolean				
PermissionsViewSecurityCommandCenter	View Security Center pages	boolean				
PermissionsViewSetup	View Setup and Configuration	boolean				
PermissionsViewShieldApp	View Shield App Pages	boolean				
PermissionsViewTrustMeasures	View Trust Measures	boolean				
PermissionsViewUserPII	View Concealed Field Data	boolean				
PermissionsVoiceCoach	Access Dialer Monitoring	boolean				
PermissionsVoiceInbound	Access Dialer Inbound Calls	boolean				
PermissionsVoiceMinutes	Access Dialer Minutes	boolean				
PermissionsVoiceOutbound	Access Dialer Outbound Calls	boolean				
PermissionsVoidInvoiceAPIUser	Void Invoice API	boolean				
PermissionsWaveCommunityUser	View CRM Analytics on Experience Cloud site pages.	boolean				
PermissionsWaveManagePrivateAssetsUser	Manage CRM Analytics Private Assets	boolean				
PermissionsWaveTabularDownload	Download CRM Analytics Data	boolean				
PermissionsWaveTrendReports	Trend Report Data in CRM Analytics	boolean				
PermissionsWorkCalibrationUser	Enable WDC Calibration	boolean				
PermissionsWorkDotComUserPerm	Enable WDC	boolean				
PermissionsYourAccountCAPublishEvents	Your Account Cache Durable Architecture Publish Events	boolean				

USERPREFERENCE

Represents a functional preference for a specific user in your organization.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserPreference in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Id`	User Preference ID	id		18		
`Preference`	Preference	picklist		40		
`SystemModstamp`	System Modstamp	datetime				
`UserId`	User ID	reference		18		
`Value`	Value	textarea		10000		

USERPRIORITIZEDRECORD

Represents records that Pipeline Inspection, Account Intelligence, Contact Intelligence, and Lead Intelligence users flag as important for tracking in pipeline and intelligence views and filters. This object is available in API version 53.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserPrioritizedRecord in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	User Prioritized Record ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`OwnerId`	Owner ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`TargetId`	Target ID	reference		18		
`TargetKeyPrefix`	Target Key Prefix	string		3		

USERPRIORITIZEDRECORDSHARE

Sharing for UserPrioritizedRecord.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

USERPROVACCOUNT

Represents information that links a Salesforce user account with an account in a third-party (target) system, such as Google, for users of connected apps with Salesforce user provisioning enabled. This object is available in API version 33.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserProvAccount in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConnectedAppId	Connected App ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeletedDate	Deleted Date	datetime				
ExternalEmail	External Email	string		150		
ExternalFirstName	External First Name	string		150		
ExternalLastName	External Last Name	string		150		
ExternalUserId	External User Id	string		150		
ExternalUsername	External Username	string		150		
Id	User Provisioning Account ID	id		18		
IsDeleted	Deleted	boolean				
IsKnownLink	Manual Override	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LinkState	Link State	picklist		255		
Name	Name	string		255		
SalesforceUserId	User ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

USERPROVACCOUNTSTAGING

Temporarily stores user account information while a user completes the User Provisioning Wizard. This information that is stored in the UserProvAccount object when you click the button to collect and analyze accounts on the target system.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserProvAccountStaging in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ConnectedAppId	Connected App ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalEmail	External Email	string		150		
ExternalFirstName	External First Name	string		150		
ExternalLastName	External Last Name	string		150		
ExternalUserId	External User Id	string		150		
ExternalUsername	External Username	string		150		
Id	User Provisioning Account Staging Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LinkState	Link State	picklist		255		
Name	Name	string		255		
SalesforceUserId	User ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				

USERPROVMOCKTARGET

Represents an entity for testing user data before committing the data to a third-party system for user provisioning.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserProvMockTarget in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalEmail	External Email	string		150		
ExternalFirstName	External First Name	string		150		
ExternalLastName	External Last Name	string		150		
ExternalUserId	External User Id	string		150		
ExternalUsername	External Username	string		150		
Id	UserProvMockTarget ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				

USERPROVISIONINGCONFIG

Represents information for a flow to use during a user provisioning request process, such as the attributes for an update. This object is available in API version 34.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserProvisioningConfig in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApprovalRequired	Approval Required	textarea		4000		
ConnectedAppId	Connected App ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
Enabled	Enabled	boolean				
EnabledOperations	Enabled Operations	textarea		4000		
Id	UserProvisioningConfig ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReconDateTime	Last Recon Date	datetime				
MasterLabel	Label	string		80		
NamedCredentialId	Named Credential ID	reference		18		
NamespacePrefix	Namespace Prefix	string		15		
Notes	Notes	textarea		65536		
OnUpdateAttributes	On Update Attributes	textarea		4000		
ReconFilter	Recon Filter	string		255		
SystemModstamp	System Modstamp	datetime				
UserAccountMapping	User Account Mapping	textarea		4000		

USERPROVISIONINGLOG

Represents messages generated during the process of provisioning users for third-party applications. This object is available in API version 33.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserProvisioningLog in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Details	Details	textarea		4000		
ExternalUserId	External User Id	string		150		
ExternalUsername	External Username	string		150		
Id	UserProvisioningLog ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
Status	Status	string		150		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		
UserProvisioningRequestId	UserProvisioningRequest ID	reference		18		

USERPROVISIONINGREQUEST

Represents an individual provisioning request to create, update, or delete a single user account in a third-party service system (or another Salesforce organization). This object is available in API version 33.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserProvisioningRequest in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppName	App Name	string		150		
ApprovalStatus	Approval Status	picklist		255		
ConnectedAppId	Connected App ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
ExternalUserId	External User Id	string		150		
Id	UserProvisioningRequest ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ManagerId	User ID	reference		18		
Name	Name	string		255		
Operation	Operation	picklist		255		
OwnerId	Owner ID	reference		18		
ParentId	UserProvisioningRequest ID	reference		18		
RetryCount	Retry Count	int	9			
SalesforceUserId	User ID	reference		18		
ScheduleDate	Scheduled Provisioning Time	datetime				
State	State	picklist		255		
SystemModstamp	System Modstamp	datetime				
UserProvAccountId	User Provisioning Account ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UserProvConfigId	UserProvisioningConfig ID	reference		18		

USERPROVISIONINGREQUESTSHARE

Sharing for UserProvisioningRequest.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

USERRECORDACCESS

Represents a user's access to a set of records. This object is read only and is available in API version 24.0 and later. This object doesn't consider whether a user's access is blocked by a restriction rule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserRecordAccess in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`HasAllAccess`	Has All Access	boolean				
`HasDeleteAccess`	Has Delete Access	boolean				
`HasEditAccess`	Has Edit Access	boolean				
`HasReadAccess`	Has Read Access	boolean				
`HasTransferAccess`	Has Transfer Access	boolean				
`Id`	User Record Access ID	id		18		
`MaxAccessLevel`	Maximum Access Level	picklist		40		
`RecordId`	Record ID	picklist		40		
`UserId`	User ID	reference		18		

USERROLE

Represents a user role in your organization.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserRole in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CaseAccessForAccountOwner	Case Access Level for Account Owner	picklist		40		
ContactAccessForAccountOwner	Contact Access Level for Account Owner	picklist		40		
DeveloperName	Developer Name	string		80		
ForecastUserId	User ID	reference		18		
Id	Role ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MayForecastManagerShare	May Forecast Manager Share	boolean				
Name	Name	string		80		
OpportunityAccessForAccountOwner	Opportunity Access Level for Account Owner	picklist		40		
ParentRoleId	Parent Role ID	reference		18		
PortalAccountId	Account ID	reference		18		
PortalAccountOwnerId	User ID	reference		18		
PortalRole	Portal Role	picklist		40		
PortalType	Portal Type	picklist		40		
RollupDescription	Description	string		80		
SystemModstamp	System Modstamp	datetime				

USERSERVICEPRESENCE

Represents a presence user's real-time presence status. This object is available in API version 32.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserServicePresence in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AtCapacityDuration	At Capacity Duration	int	9			
AverageCapacity	Average Capacity	double			10	2
ConfiguredCapacity	Configured Capacity	int	9			
ConfiguredInterruptCapacity	Configured Interruptible Capacity	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	User Presence ID	id		18		
IdleDuration	Idle Duration	int	9			
IsAway	Is Away	boolean				
IsCurrentState	Is Current State	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ServicePresenceStatusId	Service Presence Status ID	reference		18		
StatusDuration	Status Duration	int	9			
StatusEndDate	Status End Date	datetime				
StatusStartDate	Status Start Date	datetime				
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
UserId	User ID	reference		18		

USERSERVICEPRESENCESHARE

Sharing for UserServicePresence.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

USERSETUPENTITYACCESS

Represents the enabled custom permissions of the running user. This object is available in API version 48.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserSetupEntityAccess in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`DeveloperName`	Developer Name	string		80		
`DurableId`	User Setup Entity Access Key	string		255		
`Id`	UserSetupEntityAccess ID	id		18		
`KeyPrefix`	Key Prefix	string		15		
`LastCacheUpdate`	Last Cache Update	datetime				
`NamespacePrefix`	Namespace Prefix	string		15		
`SetupEntityId`	Setup Entity Id	string		18		

USERSHARE

Represents a sharing entry on a user record. This object is available in API version 26.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserShare in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`Id`	User Share ID	id		18		
`IsActive`	Active	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`RowCause`	Row Cause	picklist		40		
`UserAccessLevel`	User Access Level	picklist		40		
`UserId`	User ID	reference		18		
`UserOrGroupId`	User/Group ID	reference		18		

USERTEAMMEMBER

Represents a single User on the default opportunity team of another User.

For more information, see UserTeamMember in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	User Team Member ID	id		18		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OpportunityAccessLevel	Opportunity Access	picklist		40		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TeamMemberRole	Team Role	picklist		255		
UserId	User ID	reference		18		

USERUIPREFERENCE

Represents user preferences for Salesforce components. This object is available in API version 63.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserUIPreference in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	User UI Preference ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
ObjectScope	Object API Name	string		40		
PreferenceAttribute	Type	picklist		255		
SourceScope	Source	picklist		255		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		
Value	Value	textarea		131072		

USERWORKLIST

Represents a list of work items in the My Feed tab for Sales Engagement users.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserWorkList in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	UserWorkList ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ListType	List Type	picklist		255		
Name	UserWorkList Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

USERWORKLISTITEM

Represents an individual work item in the My Feed tab for Sales Engagement users.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see UserWorkListItem in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	UserWorkListItem ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`PriorityOrder`	Priority Order	int	9			
`RelatedRecordId`	RelatedRecord ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`UserWorkListId`	UserWorkList ID	reference		18		

USERWORKLISTSHARE

Sharing for UserWorkList.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

VEHICLEASSETCRBNFTPRNT

Represents the total carbon emissions from vehicles. Carbon footprint quantifies the effect of atmospheric warming, which is represented in metric tonnes of carbon dioxide equivalent (tCO_2e).

This guide only lists certain information for each object. For more information, including descriptions of the fields, see VehicleAssetCrbnFtprnt in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AnnualEmssnInventoryId	Annual Emissions Inventory ID	reference		18		
AuditApprovalStatus	Audit Approval Status	picklist		40		
CarbonInventoryRecordCount	Carbon Inventory Record Count	double			16	0
Ch4EmissionsInKg	CH4 Emissions (kg)	double			16	6
Co2EmissionsInKg	CO2 Emissions (kg)	double			16	6
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EndDate	End Date	date				
FootprintStage	Footprint Stage	picklist		40		
Id	Vehicle Asset Carbon Footprint ID	id		18		
IsDeleted	Deleted	boolean				
IsRecordLocked	Record Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
N2oEmissionsInKg	N2O Emissions (kg)	double			16	6
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ReportingDate	Reporting Date	date				
ReportingYear	Reporting Year	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Scp3EmssnBusTravl	Scope 3 Emissions from Business Travel (tCO2e)	double			15	2
Scp3EmssnDnstrmTrnspDstr	Scope 3 Emissions from Downstream Transportation and Distribution (tCO2e)	double			15	2
Scp3EmssnEmpComut	Scope 3 Emissions from Employee Commute (tCO2e)	double			15	2
Scp3EmssnUpstrmTrnspDstr	Scope 3 Emissions from Upstream Transportation and Distribution (tCO2e)	double			15	2
Scp3UncategorizedEmssn	Scope 3 Uncategorized Emissions (tCO2e)	double			18	2
StartDate	Start Date	date				
SuplScope1Emissions	Supplemental Scope 1 Emissions (tCO2e)	double			18	4
SuplScope2LocationBasedEmssn	Supplemental Scope 2 Location-Based Emissions	double			18	5
SuplScope2MarketBasedEmssn	Supplemental Scope 2 Market-Based Emissions	double			18	5
SuplScope3DnstrmEmissions	Supplemental Scope 3 Downstream Emissions	double			18	5
SuplScope3UpstrmEmissions	Supplemental Scope 3 Upstream Emissions	double			18	5
SystemModstamp	System Modstamp	datetime				
TotFuelCnsmpInGallons	Total Fuel Consumption (Gallons)	double			18	2
TotFuelCnsmpInLiters	Total Fuel Consumption (Liters)	double			18	2
TotScope1EmissionsInTco2e	Total Scope 1 Emissions (tCO2e)	double			18	2
TotScope2LocBasedEmissions	Total Scope 2 Location-Based Emissions	double			18	2
TotScope2MktBasedEmissions	Total Scope 2 Market-based Emissions	double			18	2
TotalScp3DnstrmEmissions	Total Scope 3 Downstream Emissions (tCO2e)	double			18	2
TotalScp3UpstrmEmissions	Total Scope 3 Upstream Emissions (tCO2e)	double			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
VehicleAssetEmssnSrcId	Vehicle Asset Emissions Source ID	reference		18		
VehicleType	Vehicle Type	picklist		40		

VEHICLEASSETCRBNFTPRNTFEED

Feed tracking for VehicleAssetCrbnFtprnt.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

VEHICLEASSETCRBNFTPRNTHISTORY

History for tracked fields of VehicleAssetCrbnFtprnt.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Vehicle Asset Carbon Footprint History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
VehicleAssetCrbnFtprntId	Vehicle Asset Carbon Footprint ID	reference		18		

VEHICLEASSETCRBNFTPRNTSHARE

Sharing for VehicleAssetCrbnFtprnt.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

VEHICLEASSETEMSSNSRC

Represents assets that are mobile in nature, use energy that can be recorded, and are the source of greenhouse gas emissions.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see VehicleAssetEmssnSrc in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BusinessRegion	Business Region	picklist		40		
City	City	string		255		
Country	Country	picklist		255		
CrbnEmssnScopeAlloc	Carbon Emissions Scope Allocation	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
FleetVehicleType	Fleet Vehicle Type	picklist		255		
Id	Vehicle Asset Emissions Source ID	id		18		
IsCompanyOwnedAsset	Company-Owned Asset	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LeaseExpirationDate	Lease Expiration Date	date				
LeaseIdentifier	Lease ID	string		100		
Name	Name	string		255		
OtherEmssnFctrId	Other Emissions Factor Set ID	reference		18		
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ParentEmissionSourceId	Vehicle Asset Emissions Source ID	reference		18		
PostalCode	Postal Code	string		20		
State	State	string		128		
StreetAddress	Street Address	string		255		
StreetAddress2	Street Address 2	string		255		
SystemModstamp	System Modstamp	datetime				
VehicleIdentifier	Vehicle ID	string		255		
VehicleType	Vehicle Type	picklist		40		

VEHICLEASSETEMSSNSRCFEED

Feed tracking for VehicleAssetEmssnSrc.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

VEHICLEASSETEMSSNSRCHISTORY

History for tracked fields of VehicleAssetEmssnSrc.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Vehicle Asset Emissions Source History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
VehicleAssetEmssnSrcId	Vehicle Asset Emissions Source ID	reference		18		

VEHICLEASSETEMSSNSRCSHARE

Sharing for VehicleAssetEmssnSrc.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

VEHICLEASSETENRGYUSE

Represents the fuel consumption related to vehicles.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see VehicleAssetEnrgyUse in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AircraftFuelEconomy	Aircraft Fuel Economy	double			18	2
AircraftFuelEconomyInGph	Aircraft Fuel Economy (gal/h)	double			18	2
AircraftFuelEconomyUnit	Aircraft Fuel Economy Unit	picklist		255		
AircraftType	Aircraft Type	string		100		
CarbonFootprintReportDate	Carbon Footprint Report Date	date				
Ch4EmissionsInKg	CH4 Emissions (kg)	double			16	6
Co2EmissionsInKg	CO2 Emissions (kg)	double			16	6
CostCenter	Cost Center	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Distance	Distance	double			18	2
DistanceUnit	Distance Unit	picklist		255		
EndDate	End Date	date				
FlightDate	Flight Date	date				
FlightDurationInHours	Flight Duration (Hours)	double			16	1
FuelConsumption	Fuel Consumption	double			18	2
FuelConsumptionUnit	Fuel Consumption Unit	picklist		255		
FuelEfficiency	Fuel Efficiency	double			18	2
FuelEfficiencyInMpg	Fuel Efficiency (mpg)	double			18	2
FuelEfficiencyUnit	Fuel Efficiency Unit	picklist		255		
FuelType	Fuel Type	picklist		255		
Id	Vehicle Asset Energy Use ID	id		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsCompanyOwnedAsset	Company-Owned Asset	boolean				
IsDeleted	Deleted	boolean				
IsRecordLocked	Record Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
N2oEmissionsInKg	N2O Emissions (kg)	double			16	6
Name	Name	string		255		
OtherEmssnFctrId	Other Emissions Factor Set ID	reference		18		
OwnerId	Owner ID	reference		18		
Scope1EmissionsInTco2e	Scope 1 Emissions (tCO2e)	double			18	4
Scope2LocBasedEmssnInTco2e	Scope 2 Location-Based Emissions (tCO2e)	double			18	4
Scope2MktBasedEmssnInTco2e	Scope 2 Market-Based Emissions (tCO2e)	double			18	4
Scope3DnstrmEmissionsInTco2e	Scope 3 Downstream Emissions (tCO2e)	double			18	5
Scope3GhgCategory	Scope 3 GHG Category	picklist		255		
Scope3UpstrmEmissionsInTco2e	Scope 3 Upstream Emissions (tCO2e)	double			18	5
StartDate	Start Date	date				
SuplScope1Emissions	Supplemental Scope 1 Emissions	double			18	5
SuplScope2LocationBasedEmssn	Supplemental Scope 2 Location-Based Emissions	double			18	5
SuplScope2MarketBasedEmssn	Supplemental Scope 2 Market-Based Emissions	double			18	5
SuplScope3DnstrmEmissions	Supplemental Scope 3 Downstream Emissions	double			18	5
SuplScope3UpstrmEmissions	Supplemental Scope 3 Upstream Emissions	double			18	5
SupplierId	Supplier ID	reference		18		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalFuelConsumptionInGal	Total Fuel Consumption (US Gallons)	double			18	2
TotalFuelConsumptionInLiter	Total Fuel Consumption (Liters)	double			18	2
VehicleAssetCrbnFtprntId	Vehicle Asset Carbon Footprint ID	reference		18		
VehicleAssetEmssnSrcId	Vehicle Asset Emissions Source ID	reference		18		

VEHICLEASSETENRGYUSEFEED

Feed tracking for VehicleAssetEnrgyUse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

VEHICLEASSETENRGYUSEHISTORY

History for tracked fields of VehicleAssetEnrgyUse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Vehicle Asset Energy Use History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
VehicleAssetEnrgyUseId	Vehicle Asset Energy Use ID	reference		18		

VEHICLEASSETENRGYUSESHARE

Sharing for VehicleAssetEnrgyUse.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

VENDORCALLCENTERSTATUSMAP

Stores a mapping between a call center vendor agent status and a Salesforce presence status for an associated call center.

For more information, see VendorCallCenterStatusMap in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CallCenterId`	Call Center ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`ExternalStatus`	External Presence Status	string		255		
`Id`	Vendor Call Center Status Mapping ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`ServicePresenceStatusId`	Service Presence Status ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				

VERIFICATIONHISTORY

Represents the past six months of your org users' attempts to verify their identity. This object is available in API version 36.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see VerificationHistory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Activity	User Activity	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EventGroup	Verification Attempt	int	9			
Id	Identity Verification ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LoginGeoId	Login Geo Data ID	reference		18		
LoginHistoryId	Login History ID	reference		18		
Policy	Triggered By	picklist		255		
Remarks	Activity Message	string		255		
ResourceId	Connected App ID	reference		18		
SourceIp	Source IP	string		200		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		
VerificationMethod	Method	picklist		255		
VerificationTime	Time	datetime				

VIDEOCALL

Represents a video call.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see VideoCall in the *Life Sciences Cloud Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AcceptanceTimeStamp	Acceptance Time	datetime				
ConsentedUserId	User ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
DurationInSeconds	Call Duration	int	8			
EndDateTime	Call Ended	datetime				
EventId	Activity ID	reference		18		
ExternalId	External Id	string		255		
HostId	User ID	reference		18		
Id	Video Call ID	id		18		
IntelligenceScore	Intelligence Score	int	8			
IsCallCoachingIncluded	Is Call Coaching Included	boolean				
IsDeleted	Deleted	boolean				
IsDiarizationOptIn	Is Diarization Opted In	boolean				
IsRecorded	Is Recorded	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MeetingType	Meeting Type	picklist		255		
Name	Name	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
OwnerId	Owner ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
StartDateTime	Call Started	datetime				
SystemModstamp	System Modstamp	datetime				
TranscribedLanguage	Language	string		10		
UsageType	Usage Type	picklist		255		
VendorMeetingKey	Vendor Meeting Key	string		255		
VendorMeetingUuid	Vendor Meeting Uuid	string		255		
VendorName	Provider	picklist		255		

VIDEOCALLFEED

Feed tracking for VideoCall.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

VIDEOCALLPARTICIPANT

Represents a participant in a video call.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see VideoCallParticipant in the *Life Sciences Cloud Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Email	Email	string		255		
Id	Video Call Participant ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
RelatedPersonId	Related Person ID	reference		18		
SystemModstamp	System Modstamp	datetime				
VideoCallId	Video Call ID	reference		18		

VIDEOCALLRECORDING

Represents a recording from a video call, such as a video recording, a voice recording, or a transcript.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see VideoCallRecording in the *Life Sciences Cloud Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DurationInSeconds	Recording Duration	int	8			
EndDateTime	Video Call Recording Ended	datetime				
ExpirationDateTime	Expiration Date Time	datetime				
ExternalRecordingKey	External Recording Key	string		255		
ExternalRecordingKeyLong	External Recording Key for Long values	string		1000		
FileSizeInByte	File Size In Bytes	long	18			
FileType	File Type	string		255		
Id	Video Call Recording ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
StartDateTime	Video Call Recording Started	datetime				
SystemModstamp	System Modstamp	datetime				
VideoCallRecordId	Video Call ID	reference		18		

VIDEOCALLSHARE

Sharing for VideoCall.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

VIOLATIONENFORCEMENTACTION

Represents the action that a regulatory authority takes to address violations. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ViolationEnforcementAction in the *Emergency Response Management Object Reference* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ComplianceDueDate	Compliance Due Date	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DateCreated	Date Created	datetime				
DateResolved	Date Resolved	datetime				
DaysOpen	Days Open	int	9			
Description	Description	string		255		
Id	Violation Enforcement Action ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Violation Enforcement Action Name	string		255		
Priority	Priority	picklist		40		
ResolutionNotes	Resolution Notes	textarea		1000		
Status	Status	picklist		40		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		
ViolationId	Regulatory Code Violation ID	reference		18		

VIOLATIONENFORCEMENTACTIONFEED

Feed tracking for ViolationEnforcementAction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

VIOLATIONENFORCEMENTACTIONHISTORY

History for tracked fields of ViolationEnforcementAction.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Violation Enforcement Action History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ViolationEnforcementActionId	Violation Enforcement Action ID	reference		18		

VIOLATIONTYPE

Represents violations types for licenses and permits. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ViolationType in the *Emergency Response Management Object Reference* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
Id	Violation Type ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Severity	Severity	picklist		40		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		40		

VIOLATIONTYPEASSESSMENTIND

Represents violation types associated with assessment indicator definitions. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see ViolationTypeAssessmentInd in the *Emergency Response Management Object Reference* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssessmentIndDefinitionId	Assessment Indicator Definition ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Violation Type Assessment Indicator ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Violation Type Assessment Indicator ID	string		255		
SystemModstamp	System Modstamp	datetime				
ViolationTypeId	Violation Type ID	reference		18		

VIOLATIONTYPEASSESSMENTINDFEED

Feed tracking for ViolationTypeAssessmentInd.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

VIOLATIONTYPEASSESSMENTINDHISTORY

History for tracked fields of ViolationTypeAssessmentInd.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Violation Type Assessment Indicator History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ViolationTypeAssessmentIndId	Violation Type Assessment Indicator ID	reference		18		

VIOLATIONTYPEFEED

Feed tracking for ViolationType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

VIOLATIONTYPEHISTORY

History for tracked fields of ViolationType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Violation Type History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
ViolationTypeId	Violation Type ID	reference		18		

VIOLATIONTYPESHARE

Sharing for ViolationType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

VIRTUALVISITCONFIG

Represents the configuration of an external video provider. This object is available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see VirtualVisitConfig in the *Virtual Calls Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ComprehendServiceType	Speech Analysis Service Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeveloperName	Name	string		80		
ExperienceCloudSiteUrl	Experience Cloud Page API Name	string		255		
ExternalRoleIdentifier	External Role Identifier	string		1600		
Id	Video Call Configuration ID	id		18		
IsDeleted	Deleted	boolean				
Language	Master Language	picklist		40		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Label	string		80		
MessagingRegion	AWS Video Waiting Room and Messaging Region	string		255		
NamedCredentialId	Named Credential ID	reference		18		
NamespacePrefix	Namespace Prefix	string		15		
StorageBucketName	Storage Bucket Name	string		255		
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		255		
VideoCallApptTypeValue	Video Call Appointment Type Value	string		255		
VideoControlRegion	AWS API Endpoint Region	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
VisitRegion	AWS Video Region	picklist		255		

VISIT

Represents a visit to inspect, assess compliance, or assess an applicant's ability to get a license or permit or inspect. This object is available in API version 47.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Visit in the *Automotive Cloud Developer Guide*, *Consumer Goods Cloud Developer Guide*, *Emergency Response Management Object Reference*, *Emergency Response Management for Public Health Developer Guide*, *Life Sciences Cloud Developer Guide*, *Manufacturing Cloud Developer Guide*, *Public Sector Solutions Developer Guide*, and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ActualVisitEndTime	Actual End Time	datetime				
ActualVisitStartTime	Actual Start Time	datetime				
AddressId	Address ID	reference		18		
ContactId	Contact ID	reference		18		
ContextId	Context ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Visit ID	id		18		
InstructionDescription	Special Instruction	textarea		1000		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentVisitId	Visit ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
PlaceId	Place ID	reference		18		
PlannedVisitEndTime	Planned End Time	datetime				
PlannedVisitStartTime	Planned Start Time	datetime				
ServiceResourceId	Resource ID	reference		18		
Status	Status	picklist		255		
StatusRemarks	Status Remark	textarea		1000		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		
VisitPriority	Visit Priority	picklist		40		
VisitTypeId	Visit Type ID	reference		18		
VisitorId	Visitor ID	reference		18		

VISITFEED

Feed tracking for Visit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

VISITHISTORY

History for tracked fields of Visit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Visit History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
VisitId	Visit ID	reference		18		

VISITSHARE

Sharing for Visit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

VISITEDPARTY

Represents the contact person at the account that's being visited. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see VisitedParty in the *Consumer Goods Cloud Developer Guide*, *Life Sciences Cloud Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Visited Party ID	id		18		
IsDeleted	Deleted	boolean				
IsPrimaryContact	Is Primary Contact	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				
VisitId	Visit ID	reference		18		

VISITEDPARTYFEED

This object represents the posts and feed-tracked changes of the VisitedParty object. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see VisitedPartyFeed in the *Life Sciences Cloud Developer Guide* and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

VISITEDPARTYHISTORY

History for tracked fields of VisitedParty.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Visited Party History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
VisitedPartyId	Visited Party ID	reference		18		

VISITOR

Represents the inspectors performing inspection visits. This object is available in API version 56.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Visitor in the *Consumer Goods Cloud Developer Guide*, *Life Sciences Cloud Developer Guide*, and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssigneeId	Assignee ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Visitor ID	id		18		
IsDeleted	Deleted	boolean				
IsPrimaryResource	Primary Resource	boolean				
IsRequired	Required	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Visitor	string		255		
SystemModstamp	System Modstamp	datetime				
VisitId	Visit ID	reference		18		

VISITORFEED

This object represents the posts and feed-tracked changes of the Visitor object. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see VisitorFeed in the *Life Sciences Cloud Developer Guide* and *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

VISITORHISTORY

History for tracked fields of Visitor.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Visitor History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
VisitorId	Visitor ID	reference		18		

VISUALFORCEACCESSMETRICS

Represents summary statistics for Visualforce pages.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see VisualforceAccessMetrics in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApexPageId	Page ID	reference		18		
DailyPageViewCount	Daily Page View Count	int	9			
Id	Visualforce Access Metric Id	id		18		
LogDate	Log Date	date				
MetricsDate	Metrics Date	date				
ProfileId	Profile ID	reference		18		
SystemModstamp	System Modstamp	datetime				

VOICECALL

Represents a call in Service Cloud Voice, Sales Dialer, or other supported voice connectors. For Service Cloud Voice, this can be a phone or Voice over Internet Protocol (VoIP) call. This object is available in API version 40.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see VoiceCall in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActivityId	Activity ID	reference		18		
CallConnectDateTime	Call Connected	datetime				
CallDisposition	Call Status	string		255		
CallDurationInSeconds	Call Duration	int	8			
CallEndDateTime	Call Ended	datetime				
CallOrigin	Call Origin	picklist		40		
CallRecordingId	Voice Call Recording ID	reference		18		
CallStartDateTime	Call Started	datetime				
CallType	Call Type	picklist		40		
CallerIdType	Caller Id	picklist		40		
ConferenceKey	Conference Key	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyCode	Currency Code	picklist		3		
FromPhoneNumber	Caller Contact Info	phone		40		
Id	Voice Call ID	id		18		
IsDeleted	Deleted	boolean				
IsDiarizationOptIn	Is Diarization Opted In	boolean				
IsRecorded	Is Call Recorded	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MediaProviderId	CallCoachingMediaProvider ID	reference		18		
Name	Name	string		30		
OwnerId	Owner ID	reference		18		
Price	Price	double			18	2
RelatedRecordId	RelatedRecord ID	reference		18		
SourceType	Source Type	picklist		40		
SystemModstamp	System Modstamp	datetime				
ToPhoneNumber	Recipient Contact Info	phone		40		
TranscribedLanguage	Language	string		10		
UserId	User ID	reference		18		
VendorCallKey	Vendor Call Key	string		255		
VendorParentCallKey	Vendor Parent Call Key	string		255		
VendorType	Vendor Type	picklist		40		
VoiceVendorLineId	Voice Vendor Line ID	reference		18		

VOICECALLFEED

Feed tracking for VoiceCall.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

VOICECALLQUALITYFEEDBACK

Represents feedback given by a Sales Dialer user about the quality of a VoiceCall .

This guide only lists certain information for each object. For more information, including descriptions of the fields, see VoiceCallQualityFeedback in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FeedbackText	Feedback Text	textarea		32000		
FeedbackType	Feedback Type	string		255		
Id	VoiceCallQualityFeedback ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
VoiceCallId	Voice Call ID	reference		18		

VOICECALLQUALITYFEEDBACKSHARE

Sharing for VoiceCallQualityFeedback.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

VOICECALLRECORDING

Represents a call recording in Service Cloud Voice and Sales Dialer. Call recordings for Service Cloud Voice with Amazon Connect and for Service Cloud Voice with Partner Telephony from Amazon Connect are stored in S3 buckets on your Amazon Web Services (AWS) account and can be accessed via AWS. Call recordings for Sales Dialer are saved as files in Salesforce.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see VoiceCallRecording in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DurationInSeconds	Duration in Seconds	int	8			
Id	Voice Call Recording ID	id		18		
IntelligenceScore	Intelligence Score	int	9			
IsConsented	Is Consented	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MediaContentId	ContentDocument ID	reference		18		
Name	Voice Call Recording Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UploadDateTime	Upload DateTime	datetime				
VoiceCallId	Voice Call ID	reference		18		

VOICECALLSHARE

Sharing for VoiceCall.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

VOICECOACHING

Represents a call that is using call monitoring.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see VoiceCoaching in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	VoiceCoaching Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OwnerId	Owner ID	reference		18		
RelatedRecordId	RelatedRecord ID	reference		18		
SystemModstamp	System Modstamp	datetime				
TraineeId	User ID	reference		18		

VOICECOACHINGSHARE

Sharing for VoiceCoaching.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

VOICELOCALPRESENCENUMBER

Represents a phone number with the same area code as the person who's being called.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see VoiceLocalPresenceNumber in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CountryCode	Country Code	string		10		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	VoiceLocalPresenceNumber ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastUsedDate	Last Used Date	datetime				
PhoneNumber	Phone Number	phone		40		
Prefix	Prefix	string		10		
SystemModstamp	System Modstamp	datetime				

VOICEMAILCONTENT

Represents a voicemail message left by a caller to the context user.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see VoiceMailContent in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DurationInSeconds	Duration in Seconds	int	8			
FirstHeardDateTime	DateTime First Heard	datetime				
Id	VoiceMailContent ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MediaContentId	ContentDocument ID	reference		18		
Name	VoiceMailContent Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
VoiceCallId	Voice Call ID	reference		18		

VOICEMAILCONTENTSHARE

Sharing for VoiceMailContent.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

VOICEMAILGREETING

Represents a custom greeting message that plays upon reaching a user's voicemail. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see VoiceMailGreeting in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DurationInSeconds	Duration in Seconds	int	8			
Id	VoiceMailGreeting ID	id		18		
IsDefault	Is Default	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MediaContentId	ContentDocument ID	reference		18		
Name	VoiceMailGreeting Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

VOICEMAILGREETINGSHARE

Sharing for VoiceMailGreeting.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

VOICEMAILMESSAGE

Represents a prerecorded voicemail message.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see VoiceMailMessage in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DurationInSeconds	Duration in Seconds	int	8			
Id	VoiceMailMessage ID	id		18		
IsDefault	Is Default	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MediaContentId	ContentDocument ID	reference		18		
Name	VoiceMailMessage Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

VOICEMAILMESSAGESHARE

Sharing for VoiceMailMessage.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

VOICEUSERLINE

Represents a user's forwarding phone number.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see VoiceUserLine in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Voice User Line ID	id		18		
IsCustomCallerIdNumber	Is Custom CallerId Number	boolean				
IsDeleted	Deleted	boolean				
IsVerified	Is Verified	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PhoneNumber	PhoneNumber	phone		40		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		
VendorVerifiedCallerIdKey	Vendor Verified Caller ID Key	string		255		
VoiceVendorInfoId	Voice Vendor Info ID	reference		18		

VOICEUSERLINESHARE

Sharing for VoiceUserLine.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

VOICEUSERPREFERENCES

Represents the number the user displays when making outbound calls. This object is available in API version 41.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see VoiceUserPreferences in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CallerIdType	Caller Id	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DeskPhoneNumber	Desk Phone Number	phone		40		
Id	VoiceUserPreferences Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

VOICEUSERPREFERENCESSHARE

Sharing for VoiceUserPreferences.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

VOICEVENDORINFO

Represents information about the Service Cloud Voice or Sales Dialer provider's vendor.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see VoiceVendorInfo in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CorporateNumber	Corporate Number	phone		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Voice Vendor Info ID	id		18		
IsActive	Is Active	boolean				
IsCallerIdTwilioVerified	Is the caller ID phone number for the org verified with Twilio and using STIR/SHAKEN	boolean				
IsDeleted	Deleted	boolean				
IsStirShakenEnrolled	Is the org using STIR/SHAKEN protocols from Twilio	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LocalPresenceDefaultNumber	LocalPresence Default Number	phone		40		
SystemModstamp	System Modstamp	datetime				
TenantConfigVersion	Tenant Configuration Version	string		10		
VendorAccountKey	Vendor Account Key	string		255		
VendorProviderName	Vendor Provider Name	string		255		
VendorType	Vendor Type	picklist		255		

VOICEVENDORLINE

Represents a user's phone number reserved with the vendor.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see VoiceVendorLine in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CallUsageInSecondsLastMonth	Call Usage in Seconds Last Month	int	8			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Voice Vendor Line ID	id		18		
IsDeleted	Deleted	boolean				
IsPhoneTwilioVerified	Is the phone number verified with Twilio and using STIR/SHAKEN	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OwnerId	Owner ID	reference		18		
PhoneNumber	PhoneNumber	phone		40		
ShouldRecord	ShouldRecord	boolean				
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
UserId	User ID	reference		18		
VoiceVendorInfoId	Voice Vendor Info ID	reference		18		

VOICEVENDORLINESHARE

Sharing for VoiceVendorLine.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

VOIDINVOICEPROCESSEDEVENT

Notifies subscribers when the process started by the `/commerce/invoicing/invoices/{invoiceId}/actions/void` request is complete. The request attempts to void an invoice by crediting an invoice and changing its status to Voided, which prevents further changes. This object is available in API version 55.0 and later. This object is available in API version 55.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see VoidInvoiceProcessedEvent in the *Billing Guide* and *Platform Events Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CorrelationIdentifier`	Correlation Identifier	string		80		
`CrMemoProcessErrDtlEvents`	Credit Memo Processed Error Detail Event ID	complexvalue				
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`ErrorDetails`	Error Details	string		2000		
`EventUuid`	Event UUID	string		36		
`InvoiceId`	Invoice ID	reference		18		
`IsSuccess`	Success	boolean				
`ReplayId`	Replay ID	string		1000		
`RequestIdentifier`	Request Identifier	string		80		

VOTE

Represents a vote that a user has made on a Knowledge Article, Idea, or Reply.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Vote in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Vote ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`ParentId`	Parent ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`Type`	Vote Type	picklist		40		

VOUCHER

Represents details about a voucher that's issued to a loyalty program member.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Voucher in the *Loyalty Management Developer Guide* and *Referral Marketing Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
BenefitId	Benefit ID	reference		18		
ContactId	Contact ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DiscountPercent	Discount Percentage	int	9			
EffectiveDate	Effective Date	date				
EffectiveDateTime	Effective Date Time	datetime				
ExpirationDate	Expiration Date	date				
ExpirationDateTime	Expiration Date Time	datetime				
FaceValue	Face Value	currency			18	2
Id	Voucher ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramMemberId	Loyalty Program Member ID	reference		18		
Name	Voucher Number	string		255		
OwnerId	Owner ID	reference		18		
PromotionId	Promotion ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Reason	Reason	string		255		
RedeemedValue	Redeemed Value	currency			18	2
RemainingValue	Remaining Value	currency			18	2
ReservationKey	Reservation Key	string		255		
ReservedDateTime	Reserved Date Time	datetime				
ReservedValue	Reserved Value	currency			18	2
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TransactionJournalId	Transaction Journal ID	reference		18		
UseDate	Use Date	date				
VoucherCode	Voucher Code	string		255		
VoucherDefinitionId	Voucher Definition ID	reference		18		

VOUCHERDEFINITION

Represents details about a voucher definition that's associated with a loyalty program.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see VoucherDefinition in the *Loyalty Management Developer Guide* and *Referral Marketing Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AutogeneratedCodeLength	Autogenerated Code Length	int	9			
CodePrefix	Code Prefix	string		64		
CodeSuffix	Code Suffix	string		64		
CostPerVoucher	Cost Per Voucher	currency			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		1000		
DiscountPercent	Discount Percentage	int	9			
EffectiveDate	Effective Date	date				
EffectiveDateTime	Effective Date Time	datetime				
ExpirationDate	Expiration Date	date				
ExpirationDateTime	Expiration Date Time	datetime				
ExpirationPeriod	Expiration Period	int	9			
ExpirationPeriodUnit	Expiration Period Unit	picklist		255		
ExpirationType	Expiration Type	picklist		255		
FaceValue	Face Value	currency			18	2
HasTimeBasedVoucherPeriod	Time-Based Voucher Period	boolean				
Id	Voucher Definition ID	id		18		
ImageUrl	Image URL	url		1000		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
IsPartialRedeemable	Partial Redeemable	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LoyaltyProgramId	Loyalty Program ID	reference		18		
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
PartnerAccountId	Account ID	reference		18		
ProductCategoryDerivedFieldId	Category ID	reference		18		
ProductDerivedFieldId	Product ID	reference		18		
ProductId	Product ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

VOUCHERDEFINITIONHISTORY

History for tracked fields of VoucherDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Voucher Definition History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
VoucherDefinitionId	Voucher Definition ID	reference		18		

VOUCHERDEFINITIONSHARE

Sharing for VoucherDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

VOUCHERHISTORY

History for tracked fields of Voucher.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Voucher History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
VoucherId	Voucher ID	reference		18		

VOUCHERSHARE

Sharing for Voucher.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WAITLIST

Represents a queue to which drop in customers who visit the branch without an already scheduled appointment are added. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see Waitlist in the *Education Cloud Developer Guide* and *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
Id	Waitlist ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ServiceTerritoryId	Territory ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

WAITLISTFEED

Feed tracking for Waitlist.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WAITLISTHISTORY

History for tracked fields of Waitlist.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Waitlist History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WaitlistId	Waitlist ID	reference		18		

WAITLISTPARTICIPANT

Represents a customer who is added to a waitlist. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WaitlistParticipant in the *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AcceptanceTime	Acceptance Time	datetime				
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		1000		
Id	Waitlist Participant ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
ParticipantId	Participant ID	reference		18		
ParticipantIdentifier	Participant Identifier	string		255		
ServiceAppointmentId	Service Appointment ID	reference		18		
ServiceResourceId	Resource ID	reference		18		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
WaitlistId	Waitlist ID	reference		18		
WorkTypeId	Work Type ID	reference		18		

WAITLISTPARTICIPANTFEED

Feed tracking for WaitlistParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WAITLISTPARTICIPANTHISTORY

History for tracked fields of WaitlistParticipant.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Waitlist Participant History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WaitlistParticipantId	Waitlist Participant ID	reference		18		

WAITLISTSERVICERESOURCE

Represents the relationship between the Waitlist object and the Service Resource object for Salesforce Scheduler. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WaitlistServiceResource in the *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Access Level	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Waitlist Service Resource ID	id		18		
IsAvailable	Available	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ServiceResourceId	Resource ID	reference		18		
SystemModstamp	System Modstamp	datetime				
WaitlistId	Waitlist ID	reference		18		

WAITLISTSERVICERESOURCEFEED

Feed tracking for WaitlistServiceResource.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WAITLISTSERVICERESOURCEHISTORY

History for tracked fields of WaitlistServiceResource.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Waitlist Service Resource History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WaitlistServiceResourceId	Waitlist Service Resource ID	reference		18		

WAITLISTSHARE

Sharing for Waitlist.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WAITLISTWORKTYPE

Represents the relationship between the Waitlist object and the Work Type object for Salesforce Scheduler. This object is available in API version 58.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WaitlistWorkType in the *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Waitlist Work Type ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
SystemModstamp	System Modstamp	datetime				
WaitlistId	Waitlist ID	reference		18		
WorkTypeId	Work Type ID	reference		18		

WAITLISTWORKTYPEFEED

Feed tracking for WaitlistWorkType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WAITLISTWORKTYPEHISTORY

History for tracked fields of WaitlistWorkType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Waitlist Work Type History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`WaitlistWorkTypeId`	Waitlist Work Type ID	reference		18		

WARRANTYTERM

Represents warranty terms defining the labor, parts, and expenses covered, along with any exchange options, provided to rectify issues with products. This object is available in API version 50.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WarrantyTerm in the *Automotive Cloud Developer Guide*, *Field Service Developer Guide*, *Manufacturing Cloud Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Code	Code	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
EffectiveStartDate	Effective Start Date	picklist		40		
ExchangeType	Exchange Type	picklist		40		
Exclusions	Exclusions	textarea		32000		
ExpensesCovered	Expenses Covered	percent			5	2
ExpensesCoveredDuration	Expenses Covered Duration	int	4			
ExpensesCoveredUnitOfTime	Expenses Covered Unit of Time	picklist		255		
Id	Warranty Term ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsTransferable	Transferable	boolean				
LaborCovered	Labor Covered	percent			5	2
LaborCoveredDuration	Labor Covered Duration	int	4			
LaborCoveredUnitOfTime	Labor Covered Unit of Time	picklist		255		
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
PartsCovered	Parts Covered	percent			5	2
PartsCoveredDuration	Parts Covered Duration	int	4			
PartsCoveredUnitOfTime	Parts Covered Unit of Time	picklist		255		
Pricebook2Id	Price Book ID	reference		18		
SystemModstamp	System Modstamp	datetime				
WarrantyDuration	Warranty Duration	int	4			
WarrantyTermName	Warranty Term Name	string		255		
WarrantyType	Warranty Type	picklist		40		
WarrantyUnitOfTime	Warranty Unit Of Time	picklist		255		

WARRANTYTERMFEED

Feed tracking for WarrantyTerm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

WARRANTYTERMHISTORY

History for tracked fields of WarrantyTerm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Warranty Term History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WarrantyTermId	Warranty Term ID	reference		18		

WARRANTYTERMSHARE

Sharing for WarrantyTerm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WASTEFOOTPRINT

Represents the volume of aggregated waste and carbon emissions from waste generated either as part of operations or during the end-of- life of a product.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WasteFootprint in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AnnualEmssnInventoryId	Annual Emissions Inventory ID	reference		18		
AuditApprovalStatus	Audit Approval Status	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
EndDate	End Date	date				
FootprintStage	Footprint Stage	picklist		40		
GeneratedWasteDetailRecordCnt	Generated Waste Detail Record Count	double			16	0
Id	Waste Footprint ID	id		18		
IsDeleted	Deleted	boolean				
IsRecordLocked	Record Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ReportingDate	Reporting Date	date				
ReportingYear	Reporting Year	picklist		255		
Scope1EmissionsInTco2e	Scope 1 Emissions (tCO2e)	double			18	2
Scope3EmssnSrcId	Scope 3 Emissions Source ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Scp3DnstrmEndLifeSoldPrdct	Scope 3 Downstream Emissions from End-of-Life Treatment of Sold Products (tCO2e)	double			18	2
Scp3UpstrmWstGenInOper	Scope 3 Upstream Emissions from Waste Generated in Operations (tCO2e)	double			18	2
StartDate	Start Date	date				
StnryAssetEnvrSrcId	Stationary Asset Environmental Source ID	reference		18		
SuplScope1EmissionsInTco2e	Supplemental Scope 1 Emissions (tCO2e)	double			18	5
SuplScp3DnstrmEndLifeSoldPrdct	Supplemental Scope 3 Downstream Emissions from End-of-Life Treatment of Sold Products (tCO2e)	double			18	5
SuplScp3UpstrmWstGenInOper	Supplemental Scope 3 Upstream Emissions from Waste Generated in Operations (tCO2e)	double			18	5
SystemModstamp	System Modstamp	datetime				
TotalWasteQuantityinTonnes	Total Waste Quantity in Tonnes	double			18	5

WASTEFOOTPRINTFEED

Feed tracking for WasteFootprint.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

WASTEFOOTPRINTHISTORY

History for tracked fields of WasteFootprint.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Waste Footprint History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WasteFootprintId	Waste Footprint ID	reference		18		

WASTEFOOTPRINTITEM

Represents the volume by waste type and disposal type of aggregated waste generated either as part of operations or during the end-of- life of a product.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WasteFootprintItem in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DisposalType	Disposal Type	picklist		40		
DisposedWasteQuantityPct	Disposed Waste Quantity Percentage	percent			18	2
DisposedWasteQuantityinTonnes	Disposed Waste Quantity in Tonnes	double			18	5
Id	Waste Footprint Item ID	id		18		
IsDeleted	Deleted	boolean				
IsRecordLocked	Record Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParentWasteFootprintId	Waste Footprint ID	reference		18		
SystemModstamp	System Modstamp	datetime				
WasteType	Waste Type	picklist		40		

WASTEFOOTPRINTITEMFEED

Feed tracking for WasteFootprintItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

WASTEFOOTPRINTITEMHISTORY

History for tracked fields of WasteFootprintItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Waste Footprint Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WasteFootprintItemId	Waste Footprint Item ID	reference		18		

WASTEFOOTPRINTSHARE

Sharing for WasteFootprint.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WAVEAUTOINSTALLREQUEST

Provides access to the concrete object that represents a CRM Analytics auto-install request. The auto-install request tracks the progress of CRM Analytics applications created from CRM Analytics templates by the automated process user. This object is available in API version 38.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WaveAutoInstallRequest in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Configuration	Configuration	textarea		100000		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FailedReason	Failed Reason	picklist		255		
FolderId	Folder ID	reference		18		
Id	Request Id	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Request Name	string		255		
RequestLog	Request Log	textarea		100000		
RequestStatus	Request Status	picklist		255		
RequestType	Request Type	picklist		255		
SystemModstamp	System Modstamp	datetime				
TemplateApiName	Wave Template Api Name	string		255		
TemplateVersion	Wave Template Version	string		50		

WEBCART

Represents an online shopping cart for a store built with B2B Commerce or D2C Commerce, with total amounts for products, shipping and handling, and taxes. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WebCart in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
BillingAddress	Billing Address	address				
BillingCity	Billing City	string		40		
BillingCountry	Billing Country	string		80		
BillingGeocodeAccuracy	Billing Geocode Accuracy	picklist		40		
BillingLatitude	Billing Latitude	double			18	15
BillingLongitude	Billing Longitude	double			18	15
BillingPostalCode	Billing Zip	string		20		
BillingState	Billing State	string		80		
BillingStreet	Billing Street	textarea		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
GrandTotalAmount	Grand Total Amount in Cart	currency			18	2
GuestCompanyName	Name of the company	string		255		
GuestEmailAddress	Email address for Guest User	email		80		
GuestFirstName	First Name for Guest User	string		255		
GuestLastName	Last Name for Guest User	string		255		
GuestPhoneNumber	Phone Number for Guest User	phone		40		
GuestSecondName	Second Name for Guest User	string		255		
Id	Cart ID	id		18		
InitialOrderReferenceNumber	Initial Order Reference Number	string		36		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
InventoryReservationIdentifier	The inventory reservation identifier.	string		255		
IsDeleted	Deleted	boolean				
IsRepricingNeeded	Is Repricing Needed	boolean				
IsSecondary	Is Cart Secondary	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastRepricingDate	Last Repricing Date	datetime				
Name	Cart Name	string		255		
OrderOwnerId	User ID	reference		18		
OwnerId	Owner ID	reference		18		
PaymentGroupId	Payment Group ID	reference		18		
PaymentMethodId	Payment Method ID	reference		18		
PoNumber	Purchase Order Number	string		80		
Status	Status	picklist		255		
SystemModstamp	System Modstamp	datetime				
TaxType	Tax Policy for Cart	picklist		255		
TotalAdjustmentAmount	Total Quantity Based and Promotional Adjustment Amount in Cart	currency			18	2
TotalAmount	Total Amount in Cart	currency			18	2
TotalAmountAfterAllAdjustments	Cart Total Adjusted Price	currency			18	2
TotalCartLevelAdjAmount	Total cart level adjustment amount for all the items in the cart. Includes discount and surcharge.	currency			18	2
TotalChargeAmount	Total Charge Amount in Cart	currency			18	2
TotalChargeItemAdjAmount	Total adjustment amount on a cart item of type charge. Includes discount and surcharge.	currency			18	2
TotalChargeTaxAmount	Total Charge Tax Amount in Cart	currency			18	2
TotalLineItemsWithErrors	Total Line Items with Errors	int	9			
TotalListAmount	Total List Amount in Cart	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
TotalProductAmount	Total Product Amount in Cart	currency			18	2
TotalProductCount	Total Quantity in the Cart	double			18	0
TotalProductItemAdjAmount	Total adjustment amount on a cart item. Includes discount and surcharge.	currency			18	2
TotalProductLineItemCount	Total Product Line Item Count	int	9			
TotalProductListAmount	Total Product List Amount in Cart	currency			18	2
TotalProductTaxAmount	Total Product Tax Amount in Cart	currency			18	2
TotalPromoAdjustmentAmount	Cart Promotions Adjustment	currency			18	2
TotalPromoAdjustmentTaxAmount	Cart Promotions Tax Adjustment	currency			18	2
TotalTaxAmount	Total Tax Amount in Cart	currency			18	2
Type	Type	picklist		255		
UniqueProductCount	Unique Products (SKUs) in the Cart	int	9			
WebStoreId	Store ID	reference		18		

WEBCARTADJUSTMENTBASIS

Coupons that trigger promotions for the cart. When a customer tries to add a coupon to the cart, the store looks for promotions associated with the coupon. If a promotion results in a price adjustment, a WebCartAdjusmentBasis record is created. This object is available in API version 54.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WebCartAdjustmentBasis in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentBasisDetail	Adjustment Basis Detail	string		255		
AdjustmentBasisReferenceId	Coupon ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Cart Adjustment Basis ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Cart Adjustment Basis Name	string		255		
SystemModstamp	System Modstamp	datetime				
WebCartId	Cart ID	reference		18		

WEBCARTADJUSTMENTGROUP

Group of price adjustments for a cart. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WebCartAdjustmentGroup in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdjustmentBasisReferenceId	Coupon ID	reference		18		
AdjustmentSource	Adjustment Source	picklist		255		
AdjustmentTargetType	Target Type for the Adjustment	picklist		255		
AdjustmentType	Adjustment Type	picklist		255		
AdjustmentValue	Adjustment Value	double			18	2
CartId	Cart ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		32000		
Id	Cart Adjustment Group ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Cart Adjustment Group Name	string		255		
PriceAdjustmentCauseId	Promotion ID	reference		18		
Priority	Priority Order for Adjustments	int	9			
SystemModstamp	System Modstamp	datetime				
TaxAmount	Tax Amount	currency			18	2
TotalAmount	Total Adjustment Amount	currency			18	2
TotalAmountWithTax	Total Adjustment Amount With Tax	currency			18	2

WEBCARTHISTORY

WebCartHistory represents the history of changes to the values in the fields of the WebCart object.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WebCartHistory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Cart History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`WebCartId`	Cart ID	reference		18		

WEBCARTSHARE

Sharing for WebCart.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WEBLINK

Represents a custom link to a URL or Scontrol.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WebLink in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	textarea		1000		
DisplayType	Display Type	picklist		40		
EncodingKey	Link Encoding	picklist		40		
HasMenubar	Show Menu Bar	boolean				
HasScrollbars	Show Scrollbars	boolean				
HasToolbar	Show Toolbars	boolean				
Height	Height (in pixels)	int	9			
Id	Custom Link ID	id		18		
IsProtected	Protected Component	boolean				
IsResizable	Resizeable	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LinkType	Content Source	picklist		40		
MasterLabel	Label	string		240		
Name	Name	string		240		
NamespacePrefix	Namespace Prefix	string		15		
OpenType	Behavior	picklist		40		
PageOrSobjectType	Page or sObject Type Name	picklist		40		
Position	Window Position	picklist		40		
RequireRowSelection	Require Row Selection	boolean				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ScontrolId	Custom S-Control ID	reference		18		
ShowsLocation	Show Address Bar	boolean				
ShowsStatus	Show Status Bar	boolean				
SystemModstamp	System Modstamp	datetime				
Url	URL	textarea		1048576		
Width	Width (in pixels)	int	9			

WEBLINKLOCALIZATION

Represents the translated value of the field label for a custom link to a URL or s-control when the Translation Workbench is enabled for your organization.

For more information, see WebLinkLocalization in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Custom Link Localization ID	id		18		
`Language`	Language	picklist		40		
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`NamespacePrefix`	Namespace Prefix	string		15		
`SystemModstamp`	System Modstamp	datetime				
`Value`	Translation Text	string		1000		
`WebLinkId`	Custom Link ID	reference		18		

WEBSTORE

Represents a B2B or D2C store. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WebStore in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DefaultTaxLocaleType	Tax Type	picklist		255		
ExternalReference	External Reference ID	textarea		32000		
Id	Store ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Store Name	string		255		
OptionsCartAsyncProcessingEnabled	Cart Async Processing Enabled	boolean				
OptionsDuplicateCartItemsEnabled	Duplicate Cart Items Enabled	boolean				
OptionsGuestBrowsingEnabled	Guest Browsing Enabled	boolean				
OptionsGuestCartEnabled	Guest Cart Enabled	boolean				
OptionsGuestCheckoutEnabled	Guest Checkout Enabled	boolean				
OptionsPreserveGuestCartEnabled	Preserve Guest Cart Enabled	boolean				
OptionsSkuDetectionEnabled	Sku Detection Enabled	boolean				
OptionsSplitShipmentEnabled	Split Shipment Enabled	boolean				
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Type	Type	picklist		255		

WEBSTORECATALOG

Represents the collection of products associated with a store. This object is available in API version 49.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WebStoreCatalog in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Store Catalog ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Store Catalog Name	string		255		
ProductCatalogId	Catalog ID	reference		18		
SalesStoreId	Store ID	reference		18		
SystemModstamp	System Modstamp	datetime				

WEBSTORECATALOGHISTORY

History for tracked fields of WebStoreCatalog.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Store Catalog History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WebStoreCatalogId	Store Catalog ID	reference		18		

WEBSTOREINVENTORYSOURCE

Used to configure the inventory source for a webstore. This object is available in API version 57.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WebStoreInventorySource in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DoesAllowGuestInventoryLevel	Allows guest user access to inventory level.	boolean				
Id	Web Store Inventory Source ID	id		18		
InventoryCacheTtl	Inventory Cache Time To Live (Seconds).	int	9			
InventoryDimension	Inventory Dimension	picklist		255		
IsBopisEnabled	BOPIS Enabled	boolean				
IsChkInvOnActiveCartEnabled	Check Inventory on Products For an Active Cart.	boolean				
IsDefault	Default	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationSourceExtRef	Location Source External Reference	string		255		
LocationSourceId	Location Source ID	reference		18		
Name	Web Store Inventory Source Name	string		255		
ReservationDurationInSeconds	Reservation Duration (Seconds)	int	9			
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
WebStoreId	Store ID	reference		18		

WEBSTORENETWORK

Represents the relationship between a web store and an experience site.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WebStoreNetwork in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Store Site ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Name	Store Site Name	string		255		
NetworkId	Network ID	reference		18		
SiteId	Site ID	reference		18		
SystemModstamp	System Modstamp	datetime				
WebStoreId	Store ID	reference		18		

WEBSTOREPRICEBOOK

Represents a store price book used in Lightning B2B Commerce.

For more information, see WebStorePricebook in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Store Price Book ID	id		18		
IsActive	Is Active	boolean				
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MayEdit	May Edit	boolean				
Name	Store Price Book Name	string		255		
Pricebook2Id	Price Book ID	reference		18		
SystemModstamp	System Modstamp	datetime				
WebStoreId	Store ID	reference		18		

WEBSTOREPRICEBOOKFEED

Feed tracking for WebStorePricebook.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WEBSTORESHARE

Represents a sharing entry on a B2B or D2C store. This object is available in API version 45.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WebStoreShare in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`AccessLevel`	Custom Object Access	picklist		40		
`Id`	Custom Object Share ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`ParentId`	Parent ID	reference		18		
`RowCause`	Row Cause	picklist		40		
`UserOrGroupId`	User/Group ID	reference		18		

WISHLIST

Represents a buyer-created list of WishlistItems in a store that's built with B2B Commerce on Lightning.

For more information, see Wishlist in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Wishlist ID	id		18		
IsDeleted	Deleted	boolean				
IsLocked	Is Locked	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MayEdit	May Edit	boolean				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				
WebStoreId	Store ID	reference		18		
WishlistProductCount	Unique Products in the Wishlist	int	9			

WISHLISTITEM

Represents an item on a `Wishlist` in a store built with B2B Commerce for Lightning.

For more information, see WishlistItem in the *Object Reference for Salesforce and Lightning Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Wishlist Item ID	id		18		
`IsDeleted`	Deleted	boolean				
`IsLocked`	Is Locked	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`MayEdit`	May Edit	boolean				
`Name`	Name	string		255		
`Product2Id`	Product ID	reference		18		
`SystemModstamp`	System Modstamp	datetime				
`WishlistId`	Wishlist ID	reference		18		

WISHLISTSHARE

Sharing for Wishlist.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKACCESS

Used to grant or restrict user access to give badge definitions. Each badge definition record must have one WorkAccess record.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkAccess in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessType	Work Access type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Work Access ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
OwnerId	Owner ID	reference		18		
ParentId	Badge ID	reference		18		
SystemModstamp	System Modstamp	datetime				

WORKACCESSSHARE

Used to control Givers of WorkBadgeDefinition records.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkAccessShare in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKBADGE

Represents information about who the badge was given to and which badge was given. A WorkBadge record is created for each recipient of a WorkBadgeDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkBadge in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DefinitionId	Badge ID	reference		18		
Description	Description	textarea		4000		
GiverId	User ID	reference		18		
Id	Badge Received ID	id		18		
ImageUrl	Image	url		255		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Message	Message	textarea		4000		
NetworkId	Network ID	reference		18		
RecipientId	User ID	reference		18		
SourceId	Thanks ID	reference		18		
SystemModstamp	System Modstamp	datetime				

WORKBADGEDEFINITION

Represents the attributes of a badge including the badge name, description, and image. Each WorkBadge record must have a lookup to a WorkBadgeDefinition since badge attributes (like badge name) are derived from the WorkBadgeDefinition object.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkBadgeDefinition in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		4000		
GivenBadgeCount	Given Badge Count	int	9			
Id	Badge ID	id		18		
ImageUrl	Image URL	url		255		
IsActive	Active	boolean				
IsCompanyWide	Company Badge	boolean				
IsDeleted	Deleted	boolean				
IsLimitPerUser	Limit Per User	boolean				
IsRewardBadge	Reward Badge	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LimitNumber	Limit Number	int	9			
LimitStartDate	Limit Start Date	date				
Name	Badge Name	string		255		
NetworkId	Network ID	reference		18		
OwnerId	Owner ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SystemModstamp	System Modstamp	datetime				

WORKBADGEDEFINITIONFEED

Feed tracking for WorkBadgeDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WORKBADGEDEFINITIONHISTORY

History for tracked fields of WorkBadgeDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Badge ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkBadgeDefinitionId	Badge ID	reference		18		

WORKBADGEDEFINITIONSHARE

Sharing for WorkBadgeDefinition.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKCAPACITYAVAILABILITY

Represents the available work capacity for a specific time and service territory. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkCapacityAvailability in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AvailCapacityHours	Available Capacity (in hours)	double			18	2
AvailCapacityMinutes	Available Capacity (in minutes)	double			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDate	End Date	date				
Id	Work Capacity Availability ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
OwnerId	Owner ID	reference		18		
ServiceTerritoryId	Territory ID	reference		18		
StartDate	Start Date	date				
SystemModstamp	System Modstamp	datetime				
TimePeriod	Time Period	picklist		255		
WcaUniqueField1	WcaUniqueField1	string		255		
WcaUniqueField2	WcaUniqueField2	string		255		
WorkCapacityAvailNumber	Availability Number	string		255		

WORKCAPACITYAVAILABILITYFEED

Feed tracking for WorkCapacityAvailability.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

WORKCAPACITYAVAILABILITYSHARE

Sharing for WorkCapacityAvailability.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKCAPACITYLIMIT

Represents the capacity limit in a specific service territory for a workstream or for the whole service territory in a given period. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkCapacityLimit in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CapacityLimitRelaxation	Limit Override Policy	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
EndDate	End Date	date				
Id	Work Capacity Limit ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
IsFriday	Friday	boolean				
IsMonday	Monday	boolean				
IsSaturday	Saturday	boolean				
IsSunday	Sunday	boolean				
IsSvcTerrOnlyLimit	Service Territory Limit	boolean				
IsThursday	Thursday	boolean				
IsTuesday	Tuesday	boolean				
IsWednesday	Wednesday	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LimitationUnits	Limitation Units	picklist		255		
LimitationValue	Limitation Value	double			18	2
OwnerId	Owner ID	reference		18		
ServiceTerritoryId	Territory ID	reference		18		
StartDate	Start Date	date				
SvcApptField	Service Appointment Field	picklist		255		
SvcApptFieldValDplyNm	Field Value Display Name	string		255		
SvcApptFieldValue	Field Value	string		255		
SystemModstamp	System Modstamp	datetime				
TimePeriod	Time Period	picklist		255		
WorkCapacityLimitNumber	Limit Number	string		255		

WORKCAPACITYLIMITFEED

Feed tracking for WorkCapacityLimit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

WORKCAPACITYLIMITHISTORY

History for tracked fields of WorkCapacityLimit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Capacity Limit History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkCapacityLimitId	Work Capacity Limit ID	reference		18		

WORKCAPACITYLIMITSHARE

Sharing for WorkCapacityLimit.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKCAPACITYUSAGE

Represents the capacity limit in a specific service territory for a workstream or for the whole service territory in a given period. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkCapacityUsage in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AvailCapacityHours	Available Capacity (in hours)	double			18	2
CapacityLimitRelaxation	Limit Override Policy	string		255		
ConsumptionToLimitRatio	Consumption to Limit Ratio (%)	double			18	2
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDate	End Date	date				
Id	Work Capacity Usage ID	id		18		
IsDeleted	Deleted	boolean				
IsSvcTerrOnlyLimit	Service Territory Limit	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LimitationPercentage	Limitation (in percentage)	double			18	2
LimitationUnits	Limitation Units	picklist		255		
LimitationValue	Limitation (in hours)	double			18	2
OriginalLimit	Original Limitation	double			18	2
OwnerId	Owner ID	reference		18		
ServiceTerritoryId	Territory ID	reference		18		
StartDate	Start Date	date				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
SvcApptField	Service Appointment Field	picklist		255		
SvcApptFieldValDplyNm	Field Value Display Name	string		255		
SvcApptFieldValue	Field Value	string		255		
SystemModstamp	System Modstamp	datetime				
TimeConsumedInHours	Time Consumed (in hours)	double			18	0
TimeConsumedInMinutes	Time Consumed (in minutes)	double			18	2
TimePeriod	Time Period	picklist		255		
WcuUniqueField1	WcuUniqueField1	string		255		
WcuUniqueField2	WcuUniqueField2	string		255		
WorkCapacityUsageNumber	Usage Number	string		255		

WORKCAPACITYUSAGEFEED

Feed tracking for WorkCapacityUsage.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

WORKCAPACITYUSAGESHARE

Sharing for WorkCapacityUsage.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKORDER

Represents field service work to be performed for a customer. This object is available in API version 36.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkOrder in the *Energy and Utilities Cloud Developer Guide*, *Field Service Developer Guide*, *Object Reference for the Salesforce Platform*, and *Work.com Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
Address	Address	address				
AssetId	Asset ID	reference		18		
AssetWarrantyId	Asset Warranty ID	reference		18		
BusinessHoursId	Business Hours ID	reference		18		
CaseId	Case ID	reference		18		
City	City	string		40		
ContactId	Contact ID	reference		18		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
Discount	Discount	percent			5	2
Duration	Duration	double			18	2
DurationInMinutes	Duration in Minutes	double			18	2
DurationType	Duration Type	picklist		255		
EndDate	End Date	datetime				
EntitlementId	Entitlement ID	reference		18		
GeocodeAccuracy	Geocode Accuracy	picklist		40		
GrandTotal	Grand Total	currency			18	2

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Id	Work Order ID	id		18		
IsClosed	Is Closed	boolean				
IsDeleted	Deleted	boolean				
IsGeneratedFromMaintenancePlan	Generated from maintenance plan	boolean				
IsStopped	Stopped	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
LineItemCount	Line Items	int	9			
LocationId	Location ID	reference		18		
Longitude	Longitude	double			18	15
MaintenancePlanId	Maintenance Plan ID	reference		18		
MaintenanceWorkRuleId	Maintenance Work Rule ID	reference		18		
MilestoneStatus	Milestone Status	string		30		
MinimumCrewSize	Minimum Crew Size	int	9			
OwnerId	Owner ID	reference		18		
ParentWorkOrderId	Parent Work Order ID	reference		18		
PostalCode	Zip/Postal Code	string		20		
PreWorkBriefPromptTemplate	Pre-Work Brief Prompt Template ID	string		255		
Pricebook2Id	Price Book ID	reference		18		
Priority	Priority	picklist		40		
ProductServiceCampaignId	Product Service Campaign ID	reference		18		
ProductServiceCampaignItemId	Product Service Campaign Item ID	reference		18		
RecommendedCrewSize	Recommended Crew Size	int	9			
ReturnOrderId	Return Order ID	reference		18		
ReturnOrderLineItemId	Return Order Line Item ID	reference		18		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
RootWorkOrderId	Root Work Order ID	reference		18		
ServiceAppointmentCount	Service Appointment Count	int	9			
ServiceContractId	Service Contract ID	reference		18		
ServiceReportLanguage	Service Report Language	picklist		255		
ServiceReportTemplateId	Service Report Layout ID	reference		18		
ServiceTerritoryId	Territory ID	reference		18		
SlaExitDate	Sla Policy End Time	datetime				
SlaStartDate	Sla Policy Start Time	datetime				
StartDate	Start Date	datetime				
State	State/Province	string		80		
Status	Status	picklist		255		
StatusCategory	Status Category	picklist		255		
StopStartDate	Stopped Since	datetime				
Street	Street	textarea		255		
Subject	Subject	string		255		
Subtotal	Subtotal	currency			18	2
SuggestedMaintenanceDate	Suggested Maintenance Date	date				
SystemModstamp	System Modstamp	datetime				
Tax	Tax	currency			18	2
TotalPrice	Total Price	currency			18	2
WorkOrderNumber	Work Order Number	string		255		
WorkTypeId	Work Type ID	reference		18		

WORKORDERFEED

Feed tracking for WorkOrder.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WORKORDERHISTORY

Represents the history of changes made to tracked fields on a work order. This object is available in API version 36.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkOrderHistory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Order History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkOrderId	Work Order ID	reference		18		

WORKORDERLINEITEM

Represents a subtask on a work order in field service. This object is available in API version 36.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkOrderLineItem in the *Energy and Utilities Cloud Developer Guide*, *Field Service Developer Guide*, and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Address	Address	address				
AssetId	Asset ID	reference		18		
AssetWarrantyId	Asset Warranty ID	reference		18		
City	City	string		40		
Country	Country	string		80		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
Discount	Discount	percent			5	2
Duration	Duration	double			18	2
DurationInMinutes	Duration in Minutes	double			18	2
DurationType	Duration Type	picklist		255		
EndDate	End Date	datetime				
GeocodeAccuracy	Geocode Accuracy	picklist		40		
Id	Work Order Line Item ID	id		18		
IsClosed	Is Closed	boolean				
IsDeleted	Deleted	boolean				
IsGeneratedFromMaintenancePlan	Generated from maintenance plan	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Latitude	Latitude	double			18	15
LineItemNumber	Work Order Line Item Number	string		255		
ListPrice	List Price	currency			18	2
LocationId	Location ID	reference		18		
Longitude	Longitude	double			18	15
MaintenancePlanId	Maintenance Plan ID	reference		18		
MaintenanceWorkRuleId	Maintenance Work Rule ID	reference		18		
MinimumCrewSize	Minimum Crew Size	int	9			
OrderId	Order ID	reference		18		
ParentWorkOrderLineItemId	Parent Work Order Line Item ID	reference		18		
PostalCode	Zip/Postal Code	string		20		
PricebookEntryId	Product ID	reference		18		
Priority	Priority	picklist		40		
Product2Id	Product ID	reference		18		
ProductServiceCampaignId	Product Service Campaign ID	reference		18		
ProductServiceCampaignItemId	Product Service Campaign Item ID	reference		18		
Quantity	Quantity	double			12	2
RecommendedCrewSize	Recommended Crew Size	int	9			
ReturnOrderId	Return Order ID	reference		18		
ReturnOrderLineItemId	Return Order Line Item ID	reference		18		
RootWorkOrderLineItemId	Root Work Order Line Item ID	reference		18		
ServiceAppointmentCount	Service Appointment Count	int	9			
ServiceReportTemplateId	Service Report Layout ID	reference		18		
ServiceTerritoryId	Territory ID	reference		18		
StartDate	Start Date	datetime				
State	State/Province	string		80		
Status	Status	picklist		40		
StatusCategory	Status Category	picklist		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Street	Street	textarea		255		
Subject	Subject	string		255		
Subtotal	Subtotal	currency			18	2
SuggestedMaintenanceDate	Suggested Maintenance Date	date				
SystemModstamp	System Modstamp	datetime				
TotalPrice	Total Price	currency			18	2
UnitPrice	Unit Price	currency			18	2
WorkOrderId	Work Order ID	reference		18		
WorkTypeId	Work Type ID	reference		18		

WORKORDERLINEITEMFEED

Feed tracking for WorkOrderLineItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WORKORDERLINEITEMHISTORY

Represents the history of changes made to tracked fields on a work order line item. This object is available in API version 36.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkOrderLineItemHistory in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Work Order Line Item History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`WorkOrderLineItemId`	Work Order Line Item ID	reference		18		

WORKORDERLINEITEMSTATUS

Represents a possible status of a work order line item in field service.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkOrderLineItemStatus in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Work Order Line Item Status Value ID	id		18		
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
StatusCode	Status Code	picklist		40		
SystemModstamp	System Modstamp	datetime				

WORKORDERSHARE

Represents a sharing entry on a work order. This object is available in API version 36.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkOrderShare in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKORDERSTATUS

Represents a possible status of a work order in field service.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkOrderStatus in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Work Order Status Value ID	id		18		
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
StatusCode	Status Code	picklist		40		
SystemModstamp	System Modstamp	datetime				

WORKPLAN

Represents a work plan for a work order or work order line item. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkPlan in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
ExecutionOrder	Execution Order	int	9			
Id	Work Plan ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentRecordId	Parent Record ID	reference		18		
ParentRecordType	Parent Record Type	string		50		
SystemModstamp	System Modstamp	datetime				
WorkOrderId	Work Order ID	reference		18		
WorkOrderLineItemId	Work Order Line Item ID	reference		18		
WorkPlanTemplateId	Work Plan Template ID	reference		18		

WORKPLANFEED

Feed tracking for WorkPlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

WORKPLANHISTORY

History for tracked fields of WorkPlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Plan History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkPlanId	Work Plan ID	reference		18		

WORKPLANSELECTIONRULE

Represents a rule that selects a work plan for a work order or work order line item. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkPlanSelectionRule in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
AssetId	Asset ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
Id	Work Plan Selection Rule ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
OwnerId	Owner ID	reference		18		
Product2Id	Product ID	reference		18		
ServiceContractId	Service Contract ID	reference		18		
ServiceTerritoryId	Territory ID	reference		18		
SystemModstamp	System Modstamp	datetime				
WorkPlanSelectionRuleNumber	Name	string		255		
WorkPlanTemplateId	Work Plan Template ID	reference		18		
WorkTypeId	Work Type ID	reference		18		

WORKPLANSELECTIONRULEFEED

Feed tracking for WorkPlanSelectionRule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

WORKPLANSELECTIONRULEHISTORY

History for tracked fields of WorkPlanSelectionRule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Plan Selection Rule History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkPlanSelectionRuleId	Work Plan Selection Rule ID	reference		18		

WORKPLANSELECTIONRULESHARE

Sharing for WorkPlanSelectionRule.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKPLANSHARE

Sharing for WorkPlan.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKPLANTEMPLATE

Represents a template for a work plan. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkPlanTemplate in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
Id	Work Plan Template ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
RelativeExecutionOrder	Relative Execution Order	int	9			
SystemModstamp	System Modstamp	datetime				

WORKPLANTEMPLATEENTRY

Represents an object that associates a work step template with a work plan template. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkPlanTemplateEntry in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
ExecutionOrder	Execution Order	int	9			
Id	Work Plan Template Entry ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
SystemModstamp	System Modstamp	datetime				
WorkPlanTemplateEntryNumber	Name	string		255		
WorkPlanTemplateId	Work Plan Template ID	reference		18		
WorkStepTemplateId	Work Step Template ID	reference		18		

WORKPLANTEMPLATEENTRYFEED

Feed tracking for WorkPlanTemplateEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

WORKPLANTEMPLATEENTRYHISTORY

History for tracked fields of WorkPlanTemplateEntry.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Plan Template Entry History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkPlanTemplateEntryId	Work Plan Template Entry ID	reference		18		

WORKPLANTEMPLATEFEED

Feed tracking for WorkPlanTemplate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

WORKPLANTEMPLATEHISTORY

History for tracked fields of WorkPlanTemplate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Plan Template History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkPlanTemplateId	Work Plan Template ID	reference		18		

WORKPLANTEMPLATESHARE

Sharing for WorkPlanTemplate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKPROCEDURE

Represent information about a procedure or process that's part of a program, such as a care program in Health Cloud or Life Sciences Cloud.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkProcedure in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssociatedFlowOrchestratorName	Associated Flow Orchestrator Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Description	Description	string		255		
Id	Work Procedure ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LeadTimeUnitType	Lead Time Unit Type	picklist		255		
Name	Work Procedure Name	string		255		
OwnerId	Owner ID	reference		18		
ReferenceRecordId	Reference Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				

WORKPROCEDUREFEED

Feed tracking for WorkProcedure.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WORKPROCEDUREHISTORY

History for tracked fields of WorkProcedure.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Procedure History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkProcedureId	Work Procedure ID	reference		18		

WORKPROCEDURESHARE

Sharing for WorkProcedure.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKPROCEDURESTEP

Represent information about the work type that's a part of a work procedure.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkProcedureStep in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AssociatedFlowName	Associated Flow Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Work Procedure Step ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LeadTime	Lead Time	int	9			
Name	Work Procedure Step Name	string		255		
SequenceNumber	Sequence Number	int	9			
SystemModstamp	System Modstamp	datetime				
WorkProcedureId	Work Procedure ID	reference		18		
WorkTypeId	Work Type ID	reference		18		

WORKPROCEDURESTEPFEED

Feed tracking for WorkProcedureStep.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WORKPROCEDURESTEPHISTORY

History for tracked fields of WorkProcedureStep.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Procedure Step History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkProcedureStepId	Work Procedure Step ID	reference		18		

WORKREPORT

Represents the total work performed by a contractor business in a certain period of time for utility customers at one or more locations, providing services for one or more measures. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkReport in the *Energy and Utilities Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApplicationCount	Application Count	int	9			
ContractorAccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
EndDate	Work End Date	date				
ExternalInvoiceIdentifier	External Invoice Identifier	string		255		
Id	Work Report ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
MeasureCount	Measure Count	int	9			
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ProcessingStatus	Processing Status	picklist		255		
StartDate	Work Start Date	date				
SystemModstamp	System Modstamp	datetime				

WORKREPORTERROR

Represents errors in the Work Report through the Work Report Line Item object. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkReportError in the *Energy and Utilities Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Code	Code	picklist		40		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	string		255		
Id	Work Report Error ID	id		18		
IsDeleted	Deleted	boolean				
IsOverridden	Overridden	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OverrideReason	Override Reason	textarea		255		
SystemModstamp	System Modstamp	datetime				
WorkReportLineItemId	Work Report Line Item ID	reference		18		

WORKREPORTERRORFEED

Feed tracking for WorkReportError.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

WORKREPORTERRORHISTORY

History for tracked fields of WorkReportError.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Report Error History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkReportErrorId	Work Report Error ID	reference		18		

WORKREPORTFEED

Feed tracking for WorkReport.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

WORKREPORTHISTORY

History for tracked fields of WorkReport.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Report History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkReportId	Work Report ID	reference		18		

WORKREPORTLINEITEM

Represents one measure of work performed by a contractor business for a consumer at a location within a program. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkReportLineItem in the *Energy and Utilities Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccountId	Account ID	reference		18		
ContractorAccountId	Account ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
CustomerFirstName	Customer First Name	string		255		
CustomerLastName	Customer Last Name	string		255		
Description	Description	string		255		
ExternalDocumentIdentifier	External Document Identifier	string		255		
HasError	Error	boolean				
Id	Work Report Line Item ID	id		18		
IsDeleted	Deleted	boolean				
LaborCost	Labor Cost	currency			18	2
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LocationId	Location ID	reference		18		
LocationStreetAddress	Customer Street Address	string		255		
MaterialCost	Material Cost	currency			18	2
Measure	Measure	string		255		

Field Name	Field Label	Type	Digits	Length	Precision	Scale
Name	Name	string		255		
OtherCost	Other Cost	currency			18	2
OwnerId	Owner ID	reference		18		
ProcessingStatus	Processing Status	picklist		255		
ProductQuantity	Product Quantity	int	9			
ProgramProductId	Program Product ID	reference		18		
ProjectName	Project Name	string		255		
ServiceDate	Service Date	date				
SystemModstamp	System Modstamp	datetime				
TotalCost	Total Cost	currency			18	2
UploadedById	User ID	reference		18		
WorkReportId	Work Report ID	reference		18		

WORKREPORTLINEITEMFEED

Feed tracking for WorkReportLineItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

WORKREPORTLINEITEMHISTORY

History for tracked fields of WorkReportLineItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Report Line Item History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkReportLineItemId	Work Report Line Item ID	reference		18		

WORKREPORTLINEITEMSHARE

Sharing for WorkReportLineItem.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKREPORTSHARE

Sharing for WorkReport.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKSTEP

Represents a work step in a work plan. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkStep in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionDefinition	Action Definition	picklist		255		
ActionType	Action Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		500		
EndTime	End Time	datetime				
ExecutionOrder	Execution Order	int	9			
Id	Work Step ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParentRecordId	Parent Record ID	reference		18		
ParentRecordType	Parent Record Type	string		50		
PausedFlowInterviewId	Paused Flow Interview ID	reference		18		
StartTime	Start Time	datetime				
Status	Status	picklist		40		
StatusCategory	Status Category	picklist		255		
SystemModstamp	System Modstamp	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
WorkOrderId	Work Order ID	reference		18		
WorkOrderLineItemId	Work Order Line Item ID	reference		18		
WorkPlanExecutionOrder	Work Plan Execution Order	int	9			
WorkPlanId	Work Plan ID	reference		18		

WORKSTEPFEED

Feed tracking for WorkStep.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

WORKSTEPHISTORY

History for tracked fields of WorkStep.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Step History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkStepId	Work Step ID	reference		18		

WORKSTEPSTATUS

Represents a picklist for a status category on a work step. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkStepStatus in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ApiName	Api Name	string		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Work Step Status Value ID	id		18		
IsDefault	Is Default	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
MasterLabel	Master Label	string		255		
SortOrder	Sort Order	int	9			
StatusCode	Status Code	picklist		40		
SystemModstamp	System Modstamp	datetime				

WORKSTEPTEMPLATE

Represents a template for a work step. This object is available in API version 52.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkStepTemplate in the *Field Service Developer Guide* and *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
ActionDefinition	Action Definition	picklist		255		
ActionType	Action Type	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		500		
Id	Work Step Template ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

WORKSTEPTEMPLATEFEED

Feed tracking for WorkStepTemplate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

WORKSTEPTEMPLATEHISTORY

History for tracked fields of WorkStepTemplate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Step Template History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkStepTemplateId	Work Step Template ID	reference		18		

WORKSTEPTEMPLATESHARE

Sharing for WorkStepTemplate.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKTHANKS

Represents the source and message of a thanks post.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkThanks in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
FeedItemId	Feed Item ID	reference		18		
GiverId	User ID	reference		18		
Id	Thanks ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
Message	Message	textarea		4000		
NetworkId	Network ID	reference		18		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

WORKTHANKSSHARE

Sharing for WorkThanks.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKTYPE

Represents a type of work to be performed in Field Service and Lightning Scheduler. Work types are templates that can be applied to work order or work order line items. This object is available in API version 38.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkType in the *Automotive Cloud Developer Guide*, *Field Service Developer Guide*, *Object Reference for the Salesforce Platform*, and *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppointmentCategoryId	Appointment Category ID	reference		18		
ApptStartTimeIntvlInMin	Appointment Start Time Interval (Min)	int	9			
AttendeeLimit	Attendee Limit	int	9			
BlockTimeAfterAppointment	Block Time After Appointment	int	9			
BlockTimeAfterUnit	Block Time After Unit	picklist		255		
BlockTimeBeforeAppointment	Block Time Before Appointment	int	9			
BlockTimeBeforeUnit	Block Time Before Unit	picklist		255		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
DefaultAppointmentType	Default Appointment Type	picklist		40		
Description	Description	textarea		32000		
DurationInMinutes	Duration in Minutes	double			18	2
DurationType	Duration Type	picklist		255		
EstimatedDuration	Estimated Duration	double			18	2
Id	Work Type ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				

Field Name	Field Label	Type	Digits	Length	Precision	Scale
LastViewedDate	Last Viewed Date	datetime				
MinimumCrewSize	Minimum Crew Size	int	9			
Name	Work Type Name	string		255		
OperatingHoursId	Operating Hour ID	reference		18		
OwnerId	Owner ID	reference		18		
RecommendedCrewSize	Recommended Crew Size	int	9			
ServiceReportTemplateId	Service Report Layout ID	reference		18		
ShouldAutoCreateSvcAppt	Auto-Create Service Appointment	boolean				
SystemModstamp	System Modstamp	datetime				
TimeFrameEndUnit	Time Frame End Unit	picklist		255		
TimeFrameStartUnit	Time Frame Start Unit	picklist		255		
TimeframeEnd	Timeframe End	int	9			
TimeframeStart	Timeframe Start	int	9			

WORKTYPECARESPECIALTY

Represents a relationship between a care specialty and a visit type (Work Type).

For more information, see WorkTypeCareSpecialty in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CareSpecialtyId	Care Specialty ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Work Type Care Specialty ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Work Type Care Specialty Name	string		255		
SystemModstamp	System Modstamp	datetime				
WorkTypeId	Work Type ID	reference		18		

WORKTYPECARESPECIALTYFEED

Feed tracking for WorkTypeCareSpecialty.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WORKTYPECARESPECIALTYHISTORY

History for tracked fields of WorkTypeCareSpecialty.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Type Care Specialty History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkTypeCareSpecialtyId	Work Type Care Specialty ID	reference		18		

WORKTYPECODESETBUNDLE

Represents a relationship between a code set and a visit type (Work Type).

For more information, see WorkTypeCodeSetBundle in the *Salesforce Health Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AppointmentTypeId	Code Set Bundle ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
FlowName	Flow Name	string		255		
Id	Work Type Code Set Bundle ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParentId	Work Type ID	reference		18		
SchedulingSystem	Scheduling System	picklist		255		
ServiceCategoryId	Code Set Bundle ID	reference		18		
ServiceTypeId	Code Set Bundle ID	reference		18		
SystemModstamp	System Modstamp	datetime				

WORKTYPECODESETBUNDLEFEED

Feed tracking for WorkTypeCodeSetBundle.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WORKTYPECODESETBUNDLEHISTORY

History for tracked fields of WorkTypeCodeSetBundle.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Type Code Set Bundle History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkTypeCodeSetBundleId	Work Type Code Set Bundle ID	reference		18		

WORKTYPEEXTENSION

Represent additional information about a work type.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkTypeExtension in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
IconUrl	Icon URL	url		255		
Id	Work Type Extension ID	id		18		
IsDeleted	Deleted	boolean				
IsNonStandard	Non Standard	boolean				
IsSchedulingRequired	Scheduling Required	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Work Type Extension Name	string		255		
ParentWorkTypeId	Work Type ID	reference		18		
SystemModstamp	System Modstamp	datetime				
WorkTypeId	Work Type ID	reference		18		

WORKTYPEEXTENSIONFEED

Feed tracking for WorkTypeExtension.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WORKTYPEEXTENSIONHISTORY

History for tracked fields of WorkTypeExtension.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Type Extension History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkTypeExtensionId	Work Type Extension ID	reference		18		

WORKTYPEFEED

Feed tracking for WorkType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WORKTYPEGROUP

Represents a grouping of work types used to categorize types of appointments available in Lightning Scheduler, or to define scheduling limits in Field Service. This object is available in API version 45.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkTypeGroup in the *Automotive Cloud Developer Guide*, *Field Service Developer Guide*, *Object Reference for the Salesforce Platform*, and *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AdditionalInformation	Additional Information	multipicklist		4099	0	
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Description	Description	textarea		32000		
GroupType	Group Type	picklist		255		
Id	Work Type Group ID	id		18		
IsActive	Active	boolean				
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Work Type Group Name	string		255		
OwnerId	Owner ID	reference		18		
SystemModstamp	System Modstamp	datetime				

WORKTYPEGROUPFEED

Feed tracking for WorkTypeGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WORKTYPEGROUPHISTORY

History for tracked fields of WorkTypeGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Work Type Group History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`WorkTypeGroupId`	Work Type Group ID	reference		18		

WORKTYPEGROUPMEMBER

Represents the relationship between a work type and the work type group it belongs to. This object is available in API version 45.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkTypeGroupMember in the *Automotive Cloud Developer Guide*, *Field Service Developer Guide*, *Object Reference for the Salesforce Platform*, and *Salesforce Scheduler Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Work Type Group Member ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Work Type Group Member Name	string		255		
SystemModstamp	System Modstamp	datetime				
WorkTypeGroupId	Work Type Group ID	reference		18		
WorkTypeId	Work Type ID	reference		18		

WORKTYPEGROUPMEMBERFEED

Feed tracking for WorkTypeGroupMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WORKTYPEGROUPMEMBERHISTORY

History for tracked fields of WorkTypeGroupMember.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Work Type Group Member History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`WorkTypeGroupMemberId`	Work Type Group Member ID	reference		18		

WORKTYPEGROUPSHARE

Sharing for WorkTypeGroup.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKTYPEHISTORY

History for tracked fields of WorkType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Type History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkTypeId	Work Type ID	reference		18		

WORKTYPESHARE

Sharing for WorkType.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKTYPESTEP

Represents each step within a work type.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkTypeStep in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`ActionPlanTemplateId`	Action Plan Template ID	reference		18		
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`Id`	Work Type Step ID	id		18		
`IsDeleted`	Deleted	boolean				
`LastModifiedById`	Last Modified By ID	reference		18		
`LastModifiedDate`	Last Modified Date	datetime				
`LastReferencedDate`	Last Referenced Date	datetime				
`LastViewedDate`	Last Viewed Date	datetime				
`LeadTime`	Lead Time	int	9			
`Name`	Name	string		255		
`ParentWorkTypeId`	Work Type ID	reference		18		
`SequenceNumber`	Sequence Number	int	9			
`SystemModstamp`	System Modstamp	datetime				

WORKTYPESTEPFEED

Feed tracking for WorkTypeStep.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WORKTYPESTEPHISTORY

History for tracked fields of WorkTypeStep.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Type Step History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkTypeStepId	Work Type Step ID	reference		18		

WORKTYPESTEPLDTIMEOVRIDE

Represents the lead time that's used to override the default lead time required for the work procedure, work type, or work type step that's performed at a service territory in a country. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkTypeStepLdTimeOvride in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CountryId	Geo Country ID	reference		18		
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Work Type Step Lead Time Override ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
LeadTime	Lead Time	int	9			
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Priority	Priority	int	9			
RelatedWorkTypeServiceTerritoryId	Related Work Type Service Territory ID	reference		18		
ServiceTerritoryId	Work Procedure Service Territory ID	reference		18		
SystemModstamp	System Modstamp	datetime				
WorkProcedureId	Work Procedure ID	reference		18		
WorkTypeId	Work Type ID	reference		18		
WorkTypeServiceTerritoryId	Work Type Service Territory ID	reference		18		
WorkTypeStepId	Work Type Step ID	reference		18		

WORKTYPESTEPLDTIMEOVRIDEFEED

Feed tracking for WorkTypeStepLdTimeOvride.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WORKTYPESTEPLDTIMEOVRIDEHISTORY

History for tracked fields of WorkTypeStepLdTimeOvride.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Type Step Lead Time Override History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkTypeStepLdTimeOvrideId	Work Type Step Lead Time Override ID	reference		18		

WORKTYPESTEPLDTIMEOVRIDESHARE

Sharing for WorkTypeStepLdTimeOvride.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKTYPESVCTERRSCHDPRIO

Represents the priority of the combination of the service territory, work type, and work procedure while fetching appointment slots. This object is available in API version 59.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkTypeSvcTerrSchdPrio in the *Life Sciences Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Work Type Service Territory Scheduling Priority ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ParentServiceTerritoryId	Territory ID	reference		18		
Priority	Priority	int	8			
ServiceTerritoryId	Territory ID	reference		18		
SystemModstamp	System Modstamp	datetime				
UsageType	Usage Type	picklist		255		
WorkProcedureId	Work Procedure ID	reference		18		
WorkTypeId	Work Type ID	reference		18		

WORKTYPESVCTERRSCHDPRIOFEED

Feed tracking for WorkTypeSvcTerrSchdPrio.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WORKTYPESVCTERRSCHDPRIOHISTORY

History for tracked fields of WorkTypeSvcTerrSchdPrio.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Work Type Service Territory Scheduling Priority History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkTypeSvcTerrSchdPrioId	Work Type Service Territory Scheduling Priority ID	reference		18		

WORKTYPESVCTERRSCHDPRIOSHARE

Sharing for WorkTypeSvcTerrSchdPrio.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WORKERCOMPCOVERAGECLASS

Represents the compensation coverage class that a worker belongs to. This object is available in API version 60.0 and later.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WorkerCompCoverageClass in the *Financial Services Cloud Developer Guide* and *Public Sector Solutions Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
CurrencyIsoCode	Currency ISO Code	picklist		3		
Id	Worker Compensation Coverage Class ID	id		18		
InsurancePolicyCoverageId	Insurance Policy Coverage ID	reference		18		
InsurancePolicyId	Insurance Policy ID	reference		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
Premium	Premium	currency			18	2
SystemModstamp	System Modstamp	datetime				
TotalExposure	Total Exposure	currency			18	2
WorkerClass	Worker Class	picklist		40		
WorkerCount	Number of Workers	int	9			
WorkerLocationId	Associated Location ID	reference		18		

WORKERCOMPCOVERAGECLASSFEED

Feed tracking for WorkerCompCoverageClass.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
NetworkScope	Network Scope	picklist		40		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		
Visibility	Visibility	picklist		40		

WORKERCOMPCOVERAGECLASSHISTORY

History for tracked fields of WorkerCompCoverageClass.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DataType	Datatype	picklist		40		
Field	Changed Field	picklist		255		
Id	Worker Compensation Coverage Class History ID	id		18		
IsDeleted	Deleted	boolean				
NewValue	New Value	anyType		255		
OldValue	Old Value	anyType		255		
WorkerCompCoverageClassId	Worker Compensation Coverage Class ID	reference		18		

WORKERCOMPCOVERAGECLASSSHARE

Sharing for WorkerCompCoverageClass.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		

WSTDISPOEMSSNFCTRSET

Represents the emissions factors for scope 3 waste handling.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WstDispoEmssnFctrSet in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
EmissionFactorDataSource	Emissions Factor Data Source	textarea		32000		
EmissionFactorUpdateYear	Emissions Factor Update Year	picklist		255		
ExternalIdentifier	External Identifier	string		255		
Id	Waste Disposal Emissions Factor ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
OwnerId	Owner ID	reference		18		
ReferenceDataLoadLogId	Reference Data Load Log ID	reference		18		
SystemModstamp	System Modstamp	datetime				

WSTDISPOEMSSNFCTRSETFEED

Feed tracking for WstDispoEmssnFctrSet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

WSTDISPOEMSSNFCTRSETHISTORY

History for tracked fields of WstDispoEmssnFctrSet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Waste Disposal Emissions Factor Set History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`WstDispoEmssnFctrSetId`	Waste Disposal Emissions Factor ID	reference		18		

WSTDISPOEMSSNFCTRSETITM

Represents the individual emissions factors for scope 3 waste handling based on the waste type and disposal type.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see WstDispoEmssnFctrSetItm in the *Net Zero Cloud Developer Guide*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
DisposalType	Disposal Type	picklist		40		
EmissionsFactorValue	Emissions Factor Value	double			18	4
EmissionsFactorValueUnit	Emissions Factor Value Unit	picklist		255		
EmssnFctrTco2eTonneWstMtrl	Emissions Factor Value (tCO2e/Tonne Waste Material)	double			18	4
ExternalIdentifier	External Identifier	string		255		
Id	Waste Disposal Emissions Factor Set Item ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
LastReferencedDate	Last Referenced Date	datetime				
LastViewedDate	Last Viewed Date	datetime				
Name	Name	string		255		
ParentEmissionFactorId	Waste Disposal Emissions Factor ID	reference		18		
ReferenceDataLoadLogId	Reference Data Load Log ID	reference		18		
SystemModstamp	System Modstamp	datetime				
WasteType	Waste Type	picklist		40		

WSTDISPOEMSSNFCTRSETITMFEED

Feed tracking for WstDispoEmssnFctrSetItm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Feed in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
BestCommentId	Best Comment ID	reference		18		
Body	Body	textarea		10000		
CommentCount	Comment Count	int	9			
CreatedById	Created By ID	reference		18		
CreatedDate	Created Date	datetime				
Id	Feed Item ID	id		18		
InsertedById	InsertedBy ID	reference		18		
IsDeleted	Deleted	boolean				
IsRichText	Is Rich Text	boolean				
LastModifiedDate	Last Modified Date	datetime				
LikeCount	Like Count	int	9			
LinkUrl	Link Url	url		1000		
ParentId	Parent ID	reference		18		
RelatedRecordId	Related Record ID	reference		18		
SystemModstamp	System Modstamp	datetime				
Title	Title	string		255		
Type	Feed Item Type	picklist		40		

WSTDISPOEMSSNFCTRSETITMHISTORY

History for tracked fields of WstDispoEmssnFctrSetItm.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*History in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
`CreatedById`	Created By ID	reference		18		
`CreatedDate`	Created Date	datetime				
`DataType`	Datatype	picklist		40		
`Field`	Changed Field	picklist		255		
`Id`	Waste Disposal Emissions Factor Set Item History ID	id		18		
`IsDeleted`	Deleted	boolean				
`NewValue`	New Value	anyType		255		
`OldValue`	Old Value	anyType		255		
`WstDispoEmssnFctrSetItmId`	Waste Disposal Emissions Factor Set Item ID	reference		18		

WSTDISPOEMSSNFCTRSETSHARE

Sharing for WstDispoEmssnFctrSet.

This guide only lists certain information for each object. For more information, including descriptions of the fields, see *StandardObjectName*Share in the *Object Reference for the Salesforce Platform*.

Fields

Field Name	Field Label	Type	Digits	Length	Precision	Scale
AccessLevel	Custom Object Access	picklist		40		
Id	Custom Object Share ID	id		18		
IsDeleted	Deleted	boolean				
LastModifiedById	Last Modified By ID	reference		18		
LastModifiedDate	Last Modified Date	datetime				
ParentId	Parent ID	reference		18		
RowCause	Row Cause	picklist		40		
UserOrGroupId	User/Group ID	reference		18		