
Einstein Conversation Insights RingCentral Guide

Salesforce, Winter '26

Winter '26



CONTENTS

- [Configure RingCentral with Einstein Conversation Insights](#) 1
- Create the RingCentral App
- Log In as the Integration User
- Set Up User Phone Number
- Set Up RingCentral User Identifier
- Add RingCentral as an Authorized Provider
- Add RingCentral Named Credentials
- Set Up the Connected App
- Add ECI as an Authorized Provider
- Set Up the Salesforce Site
- Add ECI Named Credentials
- Assign the Guest User Permission Set

CONFIGURE RINGCENTRAL WITH EINSTEIN CONVERSATION INSIGHTS

Follow these tasks to integrate RingCentral with Einstein Conversation Insights (ECI).

Complete these steps after installing and launching the Voice Connector app.

Additional steps are required to complete the integration process and turn on the feature. See the [ECI Voice Connector Guide](#) for more details.

[Create the RingCentral App](#)

Create an app from the RingCentral developer page.

[Log In as the Integration User](#)

Before you can set up the integration between the voice connector and Einstein Conversation Insights (ECI), a user with Salesforce admin permissions is required to be available for the integration. This user is typically a separate user created for the purpose of integrations. Make sure you're logged in as this user for the configuration tasks.

[Set Up User Phone Number](#)

If the phone number is unique to the RingCentral user, set up the phone number in the user's profile to match with the CTI.

[Set Up RingCentral User Identifier](#)

When the Voice Connector package is installed, three new fields are automatically added to each Salesforce user profile: Dialpad User Identifier, Aircall User Identifier, and RingCentral User Identifier. These fields must be populated with the user ID that Salesforce receives from each call record.

[Add RingCentral as an Authorized Provider](#)

Add an authorized provider from the Setup menu. Make sure you have access to your Salesforce org and email for this task.

[Add RingCentral Named Credentials](#)

Add the named credentials for the voice provider from the Setup menu.

[Set Up the Connected App](#)

To call the Einstein Conversation Insights (ECI) web service, create a connected app. If you've configured another voice connector, skip the remaining configuration tasks.

[Add ECI as an Authorized Provider](#)

Add Einstein Conversation Insights (ECI) as an authorized provider from the Setup menu.

[Set Up the Salesforce Site](#)

If a site isn't created, set up an active Salesforce site.

[Add ECI Named Credentials](#)

Add the named credentials for ECI from the Setup menu.

[Assign the Guest User Permission Set](#)

Assign the guest user permission set from Setup.

EDITIONS

Available in: Lightning Experience

Available in Einstein Conversation Insights, which is available in **Enterprise**, **Performance**, and **Unlimited** Editions

Available for an extra cost in **Enterprise** Edition for use with more than 10 users

Create the RingCentral App

Create an app from the RingCentral developer page.

1. Go to the [RingCentral Developers](#) page.

2. Click **Build your first app**.

If you haven't registered with RingCentral, you need to go through their registration process which isn't covered here.

3. From the [RingCentral Developers Console](#), under Apps, click **Register App**.

4. For the App Type, select **REST API App** and click **Next**.

5. Complete the App Properties fields. This information isn't shared publicly.

6. Complete the App Card fields.

7. In the Auth section, select **3-legged OAuth flow authorization code** and the **Server-side web app (most common)** option beneath it.

8. For OAuth Redirect URI, enter `https://dummyurl.com`
You're going to replace this URL later.

9. Under Issue refresh tokens? select **Yes**.

10. In the Security section, add these app permissions.

- Call Control
- Read Accounts
- Read Call Log
- Read Call Recording
- Read Messages
- Webhook Subscriptions

11. For Who will be authorized to access your app? select **This app is public and will be callable via any RingCentral customer**, and then click **Advanced Settings**.

12. For What brand partners are available? select **Make available to all current and future RingCentral carrier and brand partners (recommended)**.

13. Click **Create**.

14. After the app is created, you're prompted to create a password for the app. Enter a password and click **Submit**.

15. Return to the Apps page in RingCentral. Click the new app and copy the Client ID and Client Secret from the dashboard.

EDITIONS

Available in: Lightning Experience

Available in Einstein Conversation Insights, which is available in **Enterprise**, **Performance**, and **Unlimited** Editions

Available for an extra cost in **Enterprise** Edition for use with more than 10 users

USER PERMISSIONS

To enable Einstein Conversation Insights:

- Customize Application

Log In as the Integration User

Before you can set up the integration between the voice connector and Einstein Conversation Insights (ECI), a user with Salesforce admin permissions is required to be available for the integration. This user is typically a separate user created for the purpose of integrations. Make sure you're logged in as this user for the configuration tasks.

An integration user is assigned the custom access necessary to complete integrations between ECI and your voice provider. It's a Salesforce best practice to use a separate user for this purpose and to dedicate this user to this integration.

1. Add a user as an integration user by following the standard process to set up a user. See [Add a Single User](#).

Make sure **System Administrator** is selected for the Profile. The user also needs **API Enabled** enabled, access to the Voice Call object, an ECI access permission set, and the Conversation Insights Integration User permission set assigned.

2. Log in as the integration user, and open the Voice Connector app.
3. Use the integration user to complete the configuration tasks.

Set Up User Phone Number

If the phone number is unique to the RingCentral user, set up the phone number in the user's profile to match with the CTI.

If multiple users have the same phone number, configure the RingCentral ID. For steps, see [Set Up RingCentral User Identifier](#) on page 4.

1. From Setup, enter `users` in the Quick Find box, and then select **Users**.
2. Look for the user and click **Edit**.
3. Enter the user's phone number or mobile number with the correct country code and click **Save**.

EDITIONS

Available in: Lightning Experience

Available in Einstein Conversation Insights, which is available in **Enterprise**, **Performance**, and **Unlimited** Editions

Available for an extra cost in **Enterprise** Edition for use with more than 10 users

USER PERMISSIONS

To enable Einstein Conversation Insights:

- Customize Application

EDITIONS

Available in: Lightning Experience

Available in Einstein Conversation Insights, which is available in **Enterprise**, **Performance**, and **Unlimited** Editions

Available for an extra cost in **Enterprise** Edition for use with more than 10 users

USER PERMISSIONS


To enable Einstein Conversation Insights:

- Customize Application

Set Up RingCentral User Identifier

When the Voice Connector package is installed, three new fields are automatically added to each Salesforce user profile: Dialpad User Identifier, Aircall User Identifier, and RingCentral User Identifier. These fields must be populated with the user ID that Salesforce receives from each call record.

By default, these fields are hidden from users. To make the fields visible in the setup for the User object, complete these steps.

 **Note:** Before setting up the RingCentral user identifier, make sure to activate and assign users to unassigned extensions. Activating unassigned extensions allows you to check for available phone numbers and devices when adding new users to the RingCentral system. For steps, see [Assign an Extension to a User](#) on the RingCentral support page.

1. From Setup, enter *Object Manager* in the Quick Find box, and then select **Object Manager**.
 - a. From the Object Manager, enter *User* in the Quick Find box, and then select **User**.
 - b. Select **Fields & Relationships** and enter *Identifier* in the Quick Find box.
2. Select **RingCentral User Identifier** and click **Set Field-Level Security**.
3. Make sure that the visibility checkbox is selected for the required user profiles, and then click **Save**.

EDITIONS

Available in: Lightning Experience

Available in Einstein Conversation Insights, which is available in **Enterprise**, **Performance**, and **Unlimited** Editions

Available for an extra cost in **Enterprise** Edition for use with more than 10 users

USER PERMISSIONS

To enable Einstein Conversation Insights:

- Customize Application

Access User Identifier for RingCentral

For RingCentral, you can use only the user's extension ID to match the user with the CTI account. To get this ID, complete these steps.

1. Go to the RingCentral API URL: <https://developers.ringcentral.com/api-reference>. The landing page provides information about how to use the API.
2. From the left-menu bar, click **Address Book > Internal Contacts > Get Company Directory Entries**. From this API endpoint, you can get all the call coaching user information.
3. Click **Sign in to try it out**.
4. From the API Reference preferences window, select the Production environment, and then click **Authorize**. A success message confirms that you're authorized to make API calls.
5. Click **Try it out**. On the right-hand side of the screen, the metadata information is shown. It shows 200 OK, which means that your request was successful.
6. Expand **records** to see the users that are set up with RingCentral and find the user that you want to match with the corresponding Salesforce user profile field.
7. Get the "id" value for that user. For example, "id": "814243005".

Add RingCentral as an Authorized Provider

Add an authorized provider from the Setup menu. Make sure you have access to your Salesforce org and email for this task.

1. From Setup, enter *Identity* in the Quick Find box, and then select **Auth. Providers**.
2. Click **New**.
3. Select **Open ID Connect** for the Provider Type.
4. Complete these fields with the specified information.
 - Name: *Ring Central*
 - URL Suffix: *Ring_Central*
 - Consumer Key: The client ID copied from the App Dashboard
 - Consumer Secret: The client secret copied from the App Dashboard
 - Authorize Endpoint URL: <https://platform.ringcentral.com/restapi/oauth/authorize>
 - Token Endpoint URL: <https://platform.ringcentral.com/restapi/oauth/token>
 - User Info Endpoint URL: <https://platform.ringcentral.com/restapi/oauth/userinfo>
 - Default Scopes: *ReadCallRecording*
 - Send access token in the header: deselected
 - Send client credentials in header: selected
 - Include Consumer Secret in API Responses: selected
5. Click **Save**.
6. Copy the generated Callback URL under Salesforce Configuration.
7. Go to the RingCentral app on the [RingCentral Developers](#) page.
8. Under Settings, replace the dummy URL with the Callback URL in the OAuth Redirect URI.
9. Click **Update**.

EDITIONS

Available in: Lightning Experience

Available in Einstein Conversation Insights, which is available in **Enterprise**, **Performance**, and **Unlimited** Editions

Available for an extra cost in **Enterprise** Edition for use with more than 10 users

USER PERMISSIONS

To enable Einstein Conversation Insights:

- Customize Application

Add RingCentral Named Credentials

Add the named credentials for the voice provider from the Setup menu.

1. From Setup, enter *Named Credentials* in the Quick Find box, and then select **Named Credentials**.
2. Click the dropdown next to New and select **New Legacy**.
3. Complete these fields with the specified information.
 - Label: *Ring Central*
 - Name: *Ring_Central*
 - Production URL: <https://platform.ringcentral.com>
 - Identity Type: *Named Principal*
 - Authentication Protocol: *OAuth 2.0*
 - Authentication Provider: *Ring Central*
 - Scope: *ReadCallRecording*
 - Start Authentication Flow on Save: selected
 - Generate Authorization Header: selected
4. Click **Save**.
5. After you save, a login and an authorization page are shown. Follow the process to validate the account and click **Allow**.
6. Log in with the credentials provided from the RingCentral app.
7. Return to the Named Credentials page and verify that the Authentication Status now reads Authenticated.

EDITIONS

Available in: Lightning Experience

Available in Einstein Conversation Insights, which is available in **Enterprise**, **Performance**, and **Unlimited** Editions

Available for an extra cost in **Enterprise** Edition for use with more than 10 users

USER PERMISSIONS

To enable Einstein Conversation Insights:

- Customize Application

Set Up the Connected App

To call the Einstein Conversation Insights (ECI) web service, create a connected app. If you've configured another voice connector, skip the remaining configuration tasks.

 **Note:** If you've configured another connector, the remaining tasks in this guide are completed.

1. From Setup, enter *App Manager* in the Quick Find box, and then select **App Manager**.

2. Click **New Connected App**.

3. Complete these fields in the Basic Information section.


- Connected App Name: *ECI Connected App*
- API Name: *ECI_Connected_App*

 **Important:** Use this exact name.

- Contact Email: [the email address you want to use]

4. Select **Enable OAuth Settings** and complete these fields.

- Callback URL: `https://placeholder_url/services/authcallback/ECI_Auth_Provider`

 **Note:** This URL is obtained after you create the Auth Provider in the next section.

- Selected OAuth Scopes:
 - Access content resources (content)
 - Manage user data via APIs (api)
 - Manage user data via Web browsers (web)
 - Perform requests at any time (refresh_token, offline_access)
- Require Secret for Web Server Flow: selected
- Require Secret for Refresh Token Flow: selected

5. Click **Save**.


Changes can take up to 10 minutes to take effect. Deleting a parent org deletes all connected apps with OAuth settings enabled.

6. After the ECI Connected App is created, return to the App Manager page. Click the dropdown in the ECI Connected App row, and then click **Manage**.

7. Click **Edit Policies**.

8. Complete these fields.

- Permitted Users: *Admin approved users are pre-authorized*
- IP Relaxation: *Relax IP restrictions*
- Refresh Token Policy *Expire refresh token after 365 days*

 **Important:** The refresh token expires after 365 days, and you must reauthenticate the connected app. To do this, reauthenticate the `ECI_Named_Credential` named credential associated with the connected app.

It's not necessary to select **High assurance session required** even though the checkbox is marked as required.

9. Click **Save**.

EDITIONS

Available in: Lightning Experience

Available in Einstein Conversation Insights, which is available in **Enterprise**, **Performance**, and **Unlimited** Editions

Available for an extra cost in **Enterprise** Edition for use with more than 10 users

USER PERMISSIONS

To enable Einstein Conversation Insights:

- Customize Application

10. From the ECI Connected App Setup page, click **Manage Profiles** in the Profiles section.

11. Select the profiles you want to give access to, and then click **Save**.

We recommend selecting Standard User, System Administrator, and any other profiles that use the connected app.

12. From the App Manager page, select the dropdown in the ECI Connected App row, and then click **View**.

13. To see the Consumer Key and the Consumer Secret, click **Manage Consumer Details**.

A new window opens.

14. Enter the verification code sent to you over email.

The Consumer Key and Consumer Secret values are shown. Keep this window open, because these values are required to create the Auth Provider for the ECI Connected App.

Add ECI as an Authorized Provider

Add Einstein Conversation Insights (ECI) as an authorized provider from the Setup menu.

1. From Setup, enter *Identity* in the Quick Find box, and then select **Auth. Providers**.

2. Click **New**.

3. Select **Salesforce** for the Provider Type.

4. Complete these fields with the specified information.

- Name: *ECI Auth Provider*
- URL Suffix: *ECI_Auth_Provider*

 **Important:** Use this exact name.

- Consumer Key: Add the Consumer Key from the previous task here.
- Consumer Secret: Add the Consumer Secret from the previous task here.

5. Click **Save**.

The Callback URL can be obtained.

6. Copy the Callback URL, and replace the dummy one in the ECI Connected App.

7. From the App Manager page, go to the ECI Connected App and replace the dummy Callback URL value with the copied one.

8. Click **Save**.

Changes can take up to 10 minutes to take effect. Deleting a parent org also deletes all connected apps with OAuth settings enabled.

EDITIONS

Available in: Lightning Experience

Available in Einstein Conversation Insights, which is available in **Enterprise**, **Performance**, and **Unlimited** Editions

Available for an extra cost in **Enterprise** Edition for use with more than 10 users

USER PERMISSIONS

To enable Einstein Conversation Insights:

- Customize Application

Set Up the Salesforce Site

If a site isn't created, set up an active Salesforce site.

1. From Setup, enter *Sites* in the Quick Find box, and then select **Sites**.
2. Select the checkbox, and then select **Register My Salesforce Site Domain**.
3. Click **New**.
4. Complete these fields with the specified information.
 - Site Label: *VoiceConnector*
 - Site Name: *VoiceConnector*
 - Site Contact: [the email address you want to use]
 - Default Record Owner: a Salesforce admin is recommended
 - Active: selected
 - Active Site Home Page: *SiteLogin*
 - Clickjack Protection Level: *Allow framing by the same origin only (Recommended)*
5. Leave the other options as default, and then click **Save**.

EDITIONS

Available in: Lightning Experience

Available in Einstein Conversation Insights, which is available in **Enterprise**, **Performance**, and **Unlimited** Editions

Available for an extra cost in **Enterprise** Edition for use with more than 10 users

USER PERMISSIONS

To enable Einstein Conversation Insights:

- Customize Application

Add ECI Named Credentials

Add the named credentials for ECI from the Setup menu.

1. From Setup, enter *Named Credentials* in the Quick Find box, and then select **Named Credentials**.
2. Click the dropdown next to New and select **New Legacy**.
3. Complete these fields with the specified information.
 - Label: *ECI Named Credential*
 - Name: *ECI_Named_Credential*
 - URL: *https://MyDomainLoginUrl/* Replace *MyDomainLoginUrl* with your actual domain that is obtained from the My Domain page in Setup. It's labeled My Domain login URL in the My Domain Details section.
 - Identity Type: *Named Principal*
 - Authentication Protocol: *OAuth 2.0*
 - Authentication Provider: *ECI Auth Provider*
 - Scope: *refresh_token web api content*
 - Start Authentication Flow on Save: selected
 - Generate Authorization Header: selected
4. Click **Save**.
5. A login and an authorization page are shown. Follow the process to validate the account, and then click **Authorize**.

EDITIONS

Available in: Lightning Experience

Available in Einstein Conversation Insights, which is available in **Enterprise**, **Performance**, and **Unlimited** Editions

Available for an extra cost in **Enterprise** Edition for use with more than 10 users

USER PERMISSIONS

To enable Einstein Conversation Insights:

- Customize Application

6. Return to the Named Credentials page and verify that the Authentication Status now reads Authenticated with [your integration user with admin permissions].

Assign the Guest User Permission Set

Assign the guest user permission set from Setup.

1. From the Search box at the top of Setup, enter *Guest User* and select **Voice Connector Guest User**.
2. Make sure this user is marked Active.
3. Click **Permission Sets**.
4. Click **Edit Assignments**.
5. Add **Voice Connector Permission**.
6. Add **Conversation Insights Integration User**.
7. Click **Save**.

EDITIONS

Available in: Lightning Experience

Available in Einstein Conversation Insights, which is available in **Enterprise**, **Performance**, and **Unlimited** Editions

Available for an extra cost in **Enterprise** Edition for use with more than 10 users

USER PERMISSIONS

To enable Einstein Conversation Insights:

- Customize Application