



SALESFORCE DEVELOPER LIMITS AND ALLOCATIONS QUICK REFERENCE

Summary

Find the most critical limits for developing Lightning Platform applications.

About This Quick Reference

This quick reference provides common limits and allocations for Salesforce and doesn't cover all limits and allocations. It might contain limits or allocations that don't apply to your Salesforce org. Stated limits aren't a promise that the specified resource is available at its limit in all circumstances. Load, performance, and other system issues can prevent some limits from being reached.

This guide doesn't include limits or allocations for:

- User interface elements in the Salesforce application
- Field lengths of Salesforce objects
- Desktop integration clients
- Your Salesforce contract

Information for specific feature limits, such as the number of total and active rules in your org, are also in Salesforce Help; see the topics for using that feature. For allocations per edition, see [Salesforce Features and Edition Allocations](#). For information on limits when using Salesforce Functions, see [Functions Limits](#). Contractual limits might also apply, as per your Salesforce contract.

Apex Governor Limits

Read up on Apex limits details in [Execution Governors and Limits](#)

Because Apex runs in a multitenant environment, the Apex runtime engine strictly enforces limits so that runaway Apex code or processes don't monopolize shared resources. If some Apex code exceeds a limit, the associated governor issues a runtime exception that can't be handled.

Per-Transaction Apex Limits

These limits count for each Apex transaction. For Batch Apex, these limits are reset for each execution of a batch of records in the `execute` method.

This table lists limits for synchronous Apex and asynchronous Apex (Batch Apex and future methods) when they're different. Otherwise, this table lists only one limit that applies to both synchronous and asynchronous Apex.

Note:

- Although scheduled Apex is an asynchronous feature, synchronous limits apply to scheduled Apex jobs.
- For Bulk API and Bulk API 2.0 transactions, the effective limit is the higher of the synchronous and asynchronous limits. For example, the maximum number of Bulk Apex jobs added to the queue with `System.enqueueJob` is the synchronous limit (50), which is higher than the asynchronous limit (1).

Description	Synchronous Limit	Asynchronous Limit
Total number of SOQL queries issued ¹	100	200
Total number of records retrieved by SOQL queries	50,000	50,000
Total number of records retrieved by <code>Database.getQueryLocator</code>	10,000	10,000
Total number of SOSL queries issued	20	20
Total number of records retrieved by a single SOSL query	2,000	2,000
Total number of DML statements issued ²	150	150
Total number of records processed as a result of DML statements, <code>Approval.process</code> , or <code>database.emptyRecycleBin</code>	10,000	10,000
Total stack depth for any Apex invocation that recursively fires triggers due to <code>insert</code> , <code>update</code> , or <code>delete</code> statements ³	16	16
Total number of callouts (HTTP requests or web services calls) in a transaction	100	100
Maximum cumulative timeout for all callouts (HTTP requests or Web services calls) in a transaction	120 seconds	120 seconds
Maximum number of methods with the <code>future</code> annotation allowed per Apex invocation	50	0 in batch and future contexts; 1 in queueable context
Maximum number of Apex jobs added to the queue with <code>System.enqueueJob</code>	50	1
Total number of <code>sendEmail</code> methods allowed	10	10
Total heap size ⁴	6 MB	12 MB
Maximum CPU time on the Salesforce servers ⁵	10,000 milliseconds	60,000 milliseconds
Maximum execution time for each Apex transaction	10 minutes	10 minutes
Maximum number of push notification method calls allowed per Apex transaction	10	10
Maximum number of push notifications that can be sent in each push notification method call	2,000	2,000
Maximum number of <code>EventBus.publish</code> calls for platform events configured to publish immediately	150	150

¹ In a SOQL query with parent-child relationship subqueries, each parent-child relationship counts as an extra query. These types of queries have a limit of three times the number for top-level queries. The limit for subqueries corresponds to the value that `Limits.getLimitAggregateQueries()` returns. The row counts from these relationship queries contribute to the row counts of the overall code execution. This limit doesn't apply to custom metadata types. In a single Apex transaction, custom metadata records can have unlimited SOQL queries. In addition to static SOQL statements, calls to the following methods count against the number of SOQL statements issued in a request.

- `Database.countQuery`
- `Database.getQueryLocator`
- `Database.query`

² Calls to the following methods count against the number of DML statements issued in a request.

- `Approval.process`
- `Database.convertLead`
- `Database.emptyRecycleBin`
- `Database.rollback`
- `Database.setSavePoint`
- `delete` and `Database.delete`
- `insert` and `Database.insert`
- `merge` and `Database.merge`
- `undelete` and `Database.undelete`
- `update` and `Database.update`
- `upsert` and `Database.upsert`
- `EventBus.publish` for platform events configured to publish after commit
- `System.runAs`

³ Recursive Apex that doesn't fire any triggers with `insert`, `update`, or `delete` statements, exists in a single invocation, with a single stack. Conversely, recursive Apex that fires a trigger spawns the trigger in a new Apex invocation. The new invocation is separate from the invocation of the code that caused it to fire. Spawning a new invocation of Apex is a more expensive operation than a recursive call in a single invocation. Therefore, there are tighter restrictions on the stack depth of these types of recursive calls.

⁴ Email services heap size is 36 MB.

⁵ CPU time is calculated for all executions on the Salesforce application servers occurring in one Apex transaction. CPU time is calculated for the executing Apex code, and for any processes that are called from this code, such as package code and workflows. CPU time is private for a transaction and is isolated from other transactions. Operations that don't consume application server CPU time aren't counted toward CPU time. For example, the portion of execution time spent in the database for DML, SOQL, and SOSL isn't counted, nor is waiting time for Apex callouts. Application server CPU time spent in DML operations is counted towards the Apex CPU limit, but isn't expected to be significant. Bulk API and Bulk API 2.0 consume a unique governor limit for CPU time on Salesforce Servers, with a maximum value of 60,000 milliseconds.

 **Note:**

- Limits apply individually to each `testMethod`.
- To determine the code execution limits for your code while it's running, use the Limits methods. For example, you can use the `getDMLStatements` method to determine the number of DML statements that have already been called by your program. Or, you can use the

`getLimitDMLStatements` method to determine the total number of DML statements available to your code.

Per-Transaction Certified Managed Package Limits

Certified managed packages—managed packages that have passed the security review for AppExchange—get their own set of limits for most per-transaction limits. Salesforce ISV Partners develop certified managed packages, which are installed in your org from AppExchange and have unique namespaces.

Here's an example that illustrates the separate certified managed package limits for DML statements. If you install a certified managed package, all the Apex code in that package gets its own 150 DML statements. These DML statements are in addition to the 150 DML statements your org's native code can execute. This limit increase means more than 150 DML statements can execute during a single transaction if code from the managed package and your native org both executes. Similarly, the certified managed package gets its own 100-SOQL-query limit for synchronous Apex, in addition to the org's native code limit of 100 SOQL queries.

There's no limit on the number of certified namespaces that can be invoked in a single transaction. However, the number of operations that can be performed in each namespace must not exceed the per-transaction limits. There's also a limit on the cumulative number of operations that can be made across namespaces in a transaction. This cumulative limit is 11 times the per-namespace limit. For example, if the per-namespace limit for SOQL queries is 100, a single transaction can perform up to 1,100 SOQL queries. In this case, the cumulative limit is 11 times the per-namespace limit of 100. These queries can be performed across an unlimited number of namespaces, as long as any one namespace doesn't have more than 100 queries. The cumulative limit doesn't affect limits that are shared across all namespaces, such as the limit on maximum CPU time.

Note:

- These cross-namespace limits apply only to namespaces in certified managed packages.
- Namespaces in non-certified packages don't have their own separate governor limits. The resources that they use continue to count against the same governor limits used by the org's custom code.

This table lists the cumulative cross-namespace limits.

Description	Cumulative Cross-Namespace Limit
Total number of SOQL queries issued	1,100
Total number of records retrieved by <code>Database.getQueryLocator</code>	110,000
Total number of SOSL queries issued	220
Total number of DML statements issued	1,650
Total number of callouts (HTTP requests or web services calls) in a transaction	1,100
Total number of <code>sendEmail</code> methods allowed	110

All per-transaction limits count separately for certified managed packages except for:

- The total heap size
- The maximum CPU time
- The maximum transaction execution time
- The maximum number of unique namespaces

These limits count for the entire transaction, regardless of how many certified managed packages are running in the same transaction.

The code from a package from AppExchange, not created by a Salesforce ISV Partner and not certified, doesn't have its own separate governor limits. Any resources used by the package count against the total org governor limits. Cumulative resource messages and warning emails are also generated based on managed package namespaces.

For more information on Salesforce ISV Partner packages, see [Salesforce Partner Programs](#).

Lightning Platform Apex Limits

The limits in this table aren't specific to an Apex transaction; Lightning Platform enforces these limits.

Description	Limit
The maximum number of asynchronous Apex method executions (batch Apex, future methods, Queueable Apex, and scheduled Apex) per a 24-hour period ¹	250,000 or the number of user licenses in your org multiplied by 200, whichever is greater
Number of synchronous concurrent transactions for long-running transactions that last longer than 5 seconds for each org. ²	10
Maximum number of Apex classes scheduled concurrently	100. In Developer Edition orgs, the limit is 5.
Maximum number of batch Apex jobs in the Apex flex queue that are in <code>holding</code> status	100
Maximum number of batch Apex jobs queued or active concurrently ³	5
Maximum number of batch Apex job <code>start</code> method concurrent executions ⁴	1
Maximum number of batch jobs that can be submitted in a running test	5
Maximum number of test classes that can be queued per 24-hour period (production orgs other than Developer Edition) ⁵	The greater of 500 or 10 multiplied by the number of test classes in the org
Maximum number of test classes that can be queued per 24-hour period (sandbox and Developer Edition orgs) ⁵	The greater of 500 or 20 multiplied by the number of test classes in the org
Maximum number of query cursors open concurrently per user ⁶	50

Description	Limit
Maximum number of query cursors open concurrently per user for the Batch Apex <code>start</code> method	15
Maximum number of query cursors open concurrently per user for the Batch Apex <code>execute</code> and <code>finish</code> methods	5

¹ For Batch Apex, method executions include executions of the `start`, `execute`, and `finish` methods. This limit is for your entire org and is shared with all asynchronous Apex: Batch Apex, Queueable Apex, scheduled Apex, and future methods. To check how many asynchronous Apex executions are available, make a request to REST API `limits` resource. See [List Organization Limits](#) in the *REST API Developer Guide*. The license types that count toward this limit include full Salesforce and Salesforce Platform user licenses, App Subscription user licenses, Chatter Only users, Identity users, and Company Communities users.

² If more transactions are started while the 10 long-running transactions are still running, they're denied. HTTP callout processing time isn't included when calculating this limit.

³ When batch jobs are submitted, they're held in the flex queue before the system queues them for processing.

⁴ Batch jobs that haven't started yet remain in the queue until they're started. If more than one job is running, this limit doesn't cause any batch job to fail. `execute` methods of batch Apex jobs still run in parallel.

⁵ This limit applies to tests running asynchronously. This group of tests includes tests started through the Salesforce user interface including the Developer Console or by inserting `ApexTestQueueItem` objects using SOAP API.

⁶ For example, assume that 50 cursors are open. If a client application, logged in as the same user, attempts to open a new one, the oldest of the 50 cursors is released. Cursor limits for different Lightning Platform features are tracked separately. You can have all these cursors open concurrently: 50 Apex query cursors, 15 for the Batch Apex `start` method, 5 each for the Batch Apex `execute` and `finish` methods, and 5 Visualforce cursors. This limit applies to complex sub-queries in structures such as `for (Account acct: [SELECT ...])`. Cursors for simple sub-queries, or no sub-queries, may be exempt from the limit. Regular in-line queries such as `List<Account> acct = [SELECT...]` are exempt from the limit.

Static Apex Limits

Description	Limit
Default timeout of callouts (HTTP requests or Web services calls) in a transaction	10 seconds
Maximum size of callout request or response (HTTP request or Web services call) ¹	6 MB for synchronous Apex or 12 MB for asynchronous Apex
Maximum SOQL query run time before Salesforce cancels the transaction	120 seconds
Maximum number of class and trigger code units in a deployment of Apex	7500

Description	Limit
Apex trigger batch size ²	200
For loop list batch size	200
Maximum number of records returned for a Batch Apex query in <code>Database.QueryLocator</code>	50 million

¹ The HTTP request and response sizes count towards the total heap size.

² The Apex trigger batch size for platform events and Change Data Capture events is 2,000.

Size-Specific Apex Limits

Description	Limit
Maximum number of characters for a class	1 million
Maximum number of characters for a trigger	1 million
Maximum amount of code used by all Apex code in an org ¹	6 MB
Method size limit (Large methods that exceed the allowed limit cause an exception to be thrown during the execution of your code.)	65,535 bytecode instructions in compiled form

¹ This limit doesn't apply to Apex code in first generation(1GP) or second generation(2GP) managed packages. The code in those types of packages belongs to a namespace unique from the code in your org. This limit also doesn't apply to any code included in a class defined with the `@isTest` annotation.

² Large methods that exceed the allowed limit cause an exception to be thrown during the execution of your code.

Push Notification Limits

An org can send up to 20,000 iOS and 10,000 Android push notifications per hour (for example, 4:00 to 4:59 UTC).

Only *deliverable* notifications count toward this limit. For example, a notification is sent to 1,000 employees in your company, but 100 employees haven't installed the mobile app yet. Only the notifications sent to the 900 employees who have installed the mobile app count toward this limit.

Each test push notification that is generated through the Test Push Notification page is limited to a single recipient. Test push notifications count toward an org's hourly push notification limit.

When an org's hourly push notification limit is met, any additional notifications are still created for in-app display and retrieval via REST API.

API Request Limits and Allocations

To maintain optimum performance and ensure that the Lightning Platform API is available to all our customers, Salesforce balances transaction loads by imposing three types of limits:

- Concurrent API Request Limits
- API Timeout Limits
- Total API Request Allocations

When a call exceeds a request limit, an error is returned.

Concurrent API Request Limits

The following table lists the limits for various types of orgs for concurrent inbound requests (calls) with a duration of 20 seconds or longer.

Org Type	Limit
Developer Edition and Trial orgs	5
Production orgs and Sandboxes	25

API Timeout Limits

The timeout limit for an API call is 600,000 milliseconds (10 minutes).

If a request exceeds this limit, the API returns a `REQUEST_RUNNING_TOO_LONG` status code (for SOAP API) or a `QUERY_TIMEOUT` exception code (for REST API).

For calls to [Composite Resources](#) in REST API, this timeout applies to the entire composite request, not to each subrequest.

Total API Request Allocations

The following table lists the limits for the total inbound API requests (calls) per 24-hour period for an org.

Salesforce Edition	API Calls Per License Type Per 24-Hour Period	Total Calls Per 24-Hour Period
Developer Edition	N/A	15,000
<ul style="list-style-type: none"> • Enterprise Edition • Professional Edition with API access enabled 	<ul style="list-style-type: none"> • Salesforce: 1,000 • Salesforce Platform: 1,000 • Lightning Platform - One App: 200 • Customer Community: 0 • Customer Community Login: 0 	100,000 + (number of licenses x calls per license type) + purchased API Call Add-Ons

Salesforce Edition	API Calls Per License Type Per 24-Hour Period	Total Calls Per 24-Hour Period
	<ul style="list-style-type: none"> Customer Community Plus: 200 Customer Community Plus Login: 10 External Identity 25,000 SKU: 70,000 External Identity 250,000 SKU, 750,000 External Identity 1,000,000 SKU: 4,000,000 Partner Community: 200 Partner Community Login: 10 Lightning Platform Starter: 200 per member for Enterprise Edition orgs Lightning Platform Plus: 1000 per member for Enterprise Edition orgs 	
<ul style="list-style-type: none"> Unlimited Edition Performance Edition 	<ul style="list-style-type: none"> Salesforce: 5,000 Salesforce Platform: 5,000 Lightning Platform - One App: 200 Customer Community: 0 Customer Community Login: 0 Customer Community Plus: 200 Customer Community Plus Login: 10 External Identity 25,000 SKU: 70,000 External Identity 250,000 SKU, 750,000 External Identity 1,000,000 SKU: 4,000,000 Partner Community: 200 Partner Community Login: 10 Lightning Platform Starter: 200 per member for Unlimited and Performance Edition orgs 	100,000 + (number of licenses x calls per license type) + purchased API Call Add-Ons

Salesforce Edition	API Calls Per License Type Per 24-Hour Period	Total Calls Per 24-Hour Period
	<ul style="list-style-type: none"> Lightning Platform Plus: 5,000 per member for Unlimited and Performance Edition orgs 	
Sandbox	N/A	5,000,000

For Experience Cloud limits, see [Experience Cloud User Licenses](#).

 **Note:** Load, performance, and other system issues can prevent you from using your entire allocation of calls in a 24-hour period.

APIs that count toward this allocation include the Lightning Platform REST API, the Lightning Platform SOAP API, Bulk API, and Bulk API 2.0. API calls issued by certain Salesforce connected apps (for example, the Salesforce mobile app) don't count. To determine which APIs affect the allocation, see [Monitoring Your API Usage](#).

Calls that include `DebuggingHeader` have a separate allocation limit of 1,000 calls per 24-hour period. These calls can continue to be made after the total request limit for an org is reached.

Limits and allocations are enforced against the aggregate of all API calls made to the org in a 24-hour period. Limits and allocations are on a per-user basis.

Monitoring Your API Usage

To better monitor your org's API usage and limits, you can use these resources:

- The API Usage section of the System Overview page in Setup.
- The API Requests, Last 24 Hours item in the Organization Detail section of the System Overview page in Setup.
- The API Request Limit per Month usage-based entitlement, which shows you your org's API calls aggregated over 30 days. This information can be found on the Company Information page in Setup.
- Information returned in the `Sforce-Limit-Info` response header for REST APIs.
- Information returned in the response body (in `<type>API_REQUESTS</type>`) for SOAP APIs.
- The `/limits` call in the Lightning Platform REST API.

You can configure your org so that email is sent to a designated user when the number of API requests has exceeded a specified percentage of the amount allotted. Perform this configuration from Setup by entering *API Usage Notifications* in the Quick Find box and then selecting **API Usage Notifications**.

See also the [Learn About Daily Rate Limits](#) section in the App Development Without Limits Trailhead module.

What Happens If You Reach or Exceed Your API Request Limit

If your org reaches or exceeds its daily API request limit, Salesforce still allows the operations to proceed by a certain amount, if possible. This helps avoid blocking your workflows during unexpected spikes in workloads and occasional peak periods. A hard cap is in place to safeguard platform resources and prevent API requests from exceeding the daily limit unimpeded.

 **Note:** The ability to go over your normal daily limit is always subject to restrictions to protect the overall health of the Salesforce instance that hosts your org. (You can monitor the health of your instance on [Salesforce Trust](#).)

This ability is designed to be used occasionally to help avoid interruptions in your workflow. Don't rely on it on an ongoing basis. To increase your allocation, contact your Salesforce account representative.

This ability only applies to paid orgs in active status. It doesn't apply to trial orgs, Developer Edition, or sandboxes.

API request activity is aggregated into 30-day periods, starting with your contract start date, and includes calls that exceed the org's entitled limit.

Increasing Total API Request Allocations

The calculation of the API request amounts based on user licenses is designed to allow sufficient capacity for your org based on your number of users. If you need a higher amount and you don't want to purchase extra user licenses or upgrade to Performance Edition, you can purchase extra API calls. For information, contact your account representative.

Before you purchase more API calls, perform due diligence of your API usage. You can optimize a client application, whether it's your own enterprise application or partner application, to use fewer API calls and still accomplish the same work. If you use a partner product, consult with the vendor to verify that the product makes optimal use of the API. A product that makes inefficient use of the API incurs unnecessary costs for your company. Use REST API [composite resources](#) to improve your application's performance by minimizing the number of round-trips between the client and server.

Example API Usage Metering Calculations

The following examples illustrate API usage metering calculations for several scenarios.

- For an Enterprise Edition org with 15 Salesforce licenses, the request limit is 115,000 requests (100,000 plus 15 licenses x 1,000 calls).
- For a Developer Edition org that made 14,500 calls at 5:00 AM Wednesday, 499 calls at 11:00 PM Wednesday, only one more call can successfully be made until 5:00 AM Thursday.

Request Size Limits

In each REST call, the maximum length for the combined URI and headers is 16,384 bytes. A request exceeding this limit returns a 431 Request Header Fields Too Large error. If the URI itself exceeds this limit, the request returns a 414 URI Too Long error.

 **Note:** Other factors, such as browsers and load balancers, can lower the maximum length of the URI and headers. For public-facing services, it's recommended to limit URI length to 2000 characters and headers to approximately 8000 bytes.

Length of Stored Third-Party Refresh and Access Tokens

Salesforce stores third-party access and refresh tokens of up to 10,000 characters in length.

Connect REST API Limits

Limits protect shared resources. These are the limits for consumers of Connect REST API.

Connect REST API requests are subject to rate limiting. Connect REST API has a different rate limit than other Salesforce APIs. Connect REST API has a per user, per application, per hour rate limit. When you exceed the rate limit, all Connect REST API resources return a 503 Service Unavailable error code.

For applications using a session ID from Salesforce, the rate limit is per user, per hour—there isn't a separate bucket for applications. All applications the user accesses with a session ID use this general quota. To take advantage of the per user, per application, per hour limit, use OAuth tokens.

 **Note:** Load, performance, and other system issues can prevent some limits from being reached. Limits can change without notice. Applications should make efficient use of available requests and gracefully handle the 503 error code.

Bulk API and Bulk API 2.0 Limits and Allocations

Any data operation that includes more than 2,000 records is a good candidate for Bulk API 2.0 to successfully prepare, execute, and manage an *asynchronous* workflow that makes use of the Bulk framework. Jobs with fewer than 2,000 records should involve “bulkified” *synchronous* calls in REST (for example, Composite) or SOAP.

Batch Allocations

You can submit up to 15,000 batches per rolling 24-hour period. This allocation is shared between Bulk API and Bulk API 2.0, so every batch that is processed in Bulk API or Bulk API 2.0 counts towards this allocation.

In Bulk API 2.0, only ingest jobs consume batches. Query jobs don't. For details, see *How Requests Are Processed* in the *Bulk API 2.0 Developer Guide*.

In Bulk API 2.0, batches are created for you automatically. In Bulk API, you must create the batches yourself.

General Limits

Item	Bulk API Limit	Bulk API 2.0 Limit
Batch and job lifespan	Batches and jobs that are older than seven days are removed from the queue if batches are in a terminal state (completed, aborted, or	Jobs in a terminal state (completed, aborted, or failed) that are older than seven days are

Item	Bulk API Limit	Bulk API 2.0 Limit
	failed), regardless of their respective job status. The seven days are measured from the youngest batch associated with a job, or the age of the job if there are no batches. You can't create batches associated with a job that is more than 24 hours old. Batches in a non-terminal state that are older than seven days are periodically cleaned up with their respective jobs.	deleted. Jobs in a non-terminal state that are older than seven days are periodically cleaned up.
Binary content	<ul style="list-style-type: none"> The length of any file name can't exceed 512 bytes. A zip file can't exceed 10 MB. The total size of the unzipped content can't exceed 20 MB. A maximum of 1,000 files can be contained in a zip file. Directories don't count toward this total. 	N/A
Maximum time that a job can remain open	24 hours	The same. (But this only applies to ingest jobs, not query jobs.)

Limits Specific to Ingest Jobs

Item	Bulk API Limit	Bulk API 2.0 Limit
Maximum number of records uploaded per 24-hour rolling period	150,000,000 (15,000 batches x 10,000 records per batch maximum)	150,000,000
Batch processing time	Batches are processed in chunks. The chunk size depends on the API version. In API version 20.0 and earlier, the chunk size is 100 records. In API version 21.0 and later, the chunk size is 200 records. If it takes longer than 10 minutes to process a whole batch, the Bulk API places the remainder of the batch back in the queue for later processing. If the Bulk API continues to exceed the 10-minute limit on subsequent attempts, the batch is placed back in the queue and reprocessed up to 10 times before the batch is permanently marked as failed.	Same as Bulk API

Item	Bulk API Limit	Bulk API 2.0 Limit
Maximum time before a batch is retried	10 minutes	The API automatically handles retries. If you receive a message that the API retried more than 10 times, use a smaller upload file and try again.
Maximum file size	10 MB	150 MB
Maximum number of characters in a field	131072	Same as Bulk API
Maximum number of fields in a record	5,000	Same as Bulk API
Maximum number of characters in a record	400,000	Same as Bulk API
Maximum number of records in a batch	10,000	N/A
Maximum number of characters for all the data in a batch	10,000,000	N/A

Limits Specific to Query Jobs

Item	Bulk API Limit	Bulk API 2.0 Limit
Number of attempts to query	15 attempts at 10 minutes each to process the batch. There's also a 2-minute limit on the time to process the query. If more than 15 attempts are made for the query, an error message of "Tried more than fifteen times" is returned. If the query takes more than 2 minutes to process, a QUERY_TIMEOUT error is returned.	The API automatically handles retries. If you receive a message that the API retried more than 15 times, apply a filter criteria and try again.
Number of retrieved files	15 files. If the query returns more than 15 files, add filters to the query to return less data. Bulk batch sizes aren't used for bulk queries.	N/A
Timeout for retrieving query results	20 minutes	Same as Bulk API

Item	Bulk API Limit	Bulk API 2.0 Limit
Results lifespan	You can retrieve the query job's results within 7 days of job completion.	Same as Bulk API
Maximum retrieved file size	1 GB. If processing of the batch results in 1 GB of retrieved data, then those results are saved to disk, and then the batch is put back on the queue to be resumed later. This also counts as one of the 15 retries.	Same as Bulk API. Additionally, the API client can navigate through the full set of results by using the <code>locator</code> and <code>maxRecords</code> query parameters. The client isn't bound to a set of files.
Number of query jobs that can be submitted per 24-hour rolling window	See Batch Allocations .	10,000 The current number can be seen in the <code>DailyBulkV2QueryJobs</code> value in the response to the <code>/vXX.X/limits/</code> REST API method.
Total query results that can be generated per 24 hour rolling window	N/A	1 TB. The current size can be seen in the <code>DailyBulkV2QueryFileStorageMB</code> value in the response to the <code>/vXX.X/limits/</code> REST API method.
Number of characters in a SELECT clause. This limit pertains to all the fields listed between SELECT and FROM. This includes the commas that separate the fields and the quotation marks that Salesforce automatically wraps around each field. Salesforce automatically removes any spaces between fields. For example, in this query <pre>SELECT CloseDate, Name, StageName, Amount FROM Opportunity</pre> Salesforce converts the SELECT clause to	N/A	32,000

Item	Bulk API Limit	Bulk API 2.0 Limit
"CloseDate", "Name", "StageName", "Amount"		
The number of characters in this example is 39.		

API Query Cursor Limits

A user can have up to 10 query cursors open at a time. If 10 `QueryLocator` cursors are open when a client application, logged in as the same user, attempts to open a new one, then the oldest of the 10 cursors is released. If the client application attempts to open the released query cursor, an error results.

 **Note:** Cursor limits for different Lightning Platform features are tracked separately. For example, you can have 10 SOAP API query cursors, 10 Metadata API cursors, and 50 Apex query cursors open at the same time.

SOAP API Call Limits

API Name	API Limit	Limit Description
<code>create()</code>	Maximum number of records created	Your client application can add up to 200 records in a single <code>create()</code> call. If a create request exceeds 200 records, then the entire operation fails.
<code>describeSObjects()</code>	Maximum number of objects returned	The <code>describeSObjects()</code> call is limited to a maximum of 100 objects returned.
<code>emptyRecycleBin()</code>	Maximum number of records in the Recycle Bin	Your org can have up to 5,000 records per license in the Recycle Bin at any one time. For example, if your org has five user licenses, 25,000 records can be stored in the Recycle Bin. If your org reaches its Recycle Bin limit, Salesforce automatically removes the oldest records, as long as they've been in the recycle bin for at least two hours.
<code>getDeleted()</code>	Limits for returned records	If a <code>getDeleted()</code> call returns more than 600,000 records, the exception <code>EXCEEDED_ID_LIMIT</code> is returned.
<code>login()</code>	Login request size limit	The login request size is limited to 10 KB.
<code>merge()</code>	Merge request limits	<ul style="list-style-type: none"> Up to 200 merge requests can be made in a single SOAP call. Up to three records can be merged in a single request, including the master record. This limit is the same as the limit enforced by the Salesforce user interface. To merge more than 3 records, do a successive merge.

API Name	API Limit	Limit Description
		<ul style="list-style-type: none"> External ID fields can't be used with <code>merge()</code>. If you selected the option to retain the most recently updated data privacy record for merging leads and contacts, but the caller doesn't have CRUD permission for the selected data privacy record, the merge process selects the data privacy record already associated with the master record.
<code>update()</code>	Maximum number of records updated	Your client application can change up to 200 records in a single <code>update()</code> call. If an update request exceeds 200 records, the entire operation fails.
<code>query()</code> and <code>queryMore()</code>	Batch size limits	<p>The maximum batch size is 2,000 records, but this number is only a suggestion. To maximize performance, the requested batch size isn't necessarily the actual batch size. Salesforce Web Service Connector (WSC) clients can set the batch size by calling <code>setQueryOptions()</code> on the connection object. C# client applications can change the batch size in the <code>QueryOptions</code> portion of the SOAP header before invoking the <code>query()</code> call.</p> <p>If the SOQL statement selects two or more custom fields of type long text, the batch size can't be greater than 200 records. This limit prevents large SOAP messages from being returned.</p>

Metadata Limits

The following limits apply to the Salesforce Extensions for Visual Studio Code, the Ant Migration Tool, and the Metadata API.

Limit	Description
Retrieving and deploying metadata	<p>You can deploy or retrieve up to 10,000 files at once. AppExchange packages use different limits: They can contain up to 35,000 files. The maximum size of the deployed or retrieved .zip file is 39 MB. If the files are uncompressed in an unzipped folder, the size limit is 400 MB. Note the following:</p> <ul style="list-style-type: none"> If using the Ant Migration Tool to deploy an unzipped folder, all files in the folder are compressed first. The maximum size of uncompressed components in an unzipped folder is 400 MB or less depending on the compression ratio. If the files have a high compression ratio, you can migrate a total of approximately 400 MB because the compressed size would be under 39 MB. However, if the components can't be compressed much, like binary static resources, you can migrate less than 400 MB. Metadata API base-64 encodes components after they're compressed. The resulting .zip file can't exceed 50 MB, which is the limit for SOAP

Limit	Description
	<p>messages. Base-64 encoding increases the size of the payload, so your compressed payload can't exceed approximately 39 MB before encoding.</p> <ul style="list-style-type: none"> You can perform a <code>retrieve()</code> call for a big object only if its index is defined. If a big object is created in Setup and doesn't yet have an index defined, you can't retrieve it.
Change sets	Inbound and outbound change sets can have up to 10,000 files of metadata.

SOQL and SOSL Limits for Search Queries

Feature	Limit	Limit Description
SOQL statements	Maximum length of SOQL statements	<p>By default, 100,000 characters. For details on SOQL statement limits, including information on queries that involve external objects, see Understanding Relationship Query Limitations.</p> <p> Note: Long, complex SOQL statements, such as statements that contain many formula fields, can result in a <code>QUERY_TOO_COMPLICATED</code> error. The error occurs because the statement is expanded internally when processed by Salesforce, even though the original SOQL statement is under the 100,000 character limit. To avoid this error, reduce the complexity of your SOQL statement.</p> <p>Page layouts in Lightning with more than 250 fields can also cause a <code>QUERY_TOO_COMPLICATED</code> error. Lightning uses auto-generated SOQL to retrieve fields for a record page layout, so the error can occur even if there isn't any customer-written SOQL.</p> <p>The character limit can also be reached by including too many currency fields. Currency fields require SOQL to use a format method, roughly doubling the field API name length for each currency field.</p>
SOQL <code>WHERE</code> clause	Strings in SOQL <code>WHERE</code> clauses	4,000 characters for each string within a <code>WHERE</code> clause.
SOQL query results	Maximum rows returned	2,000 results per request (API version 28.0 and later), unless you specify custom limits in the query. This limit includes results from child objects. Previous API versions return 200 results. When a query is executed from within

Feature	Limit	Limit Description
		an Apex class, additional limits apply. See Apex Governor Limits for more information.
SOQL query timeout	Maximum runtime for a SOQL query	120 seconds per query operation.
SOSL statements	Maximum length of SOSL statements	By default, 100,000 characters. This limit is tied to the SOQL statement character limit defined for your org.
SOSL search query strings	Maximum length of <code>SearchQuery</code> string	If the <code>SearchQuery</code> string is longer than 10,000 characters, no result rows are returned. If <code>SearchQuery</code> is longer than 4,000 characters, any logical operators are removed. For example, the <code>AND</code> operator in a statement with a <code>SearchQuery</code> that's 4,001 characters will default to the <code>OR</code> operator, which could return more results than expected.
SOSL query results	Maximum rows returned	2,000 results total (API version 28.0 and later), unless you specify custom limits in the query. This limit includes results from child objects. Previous API versions return 200 results.
Relationship queries	Relationship query limits	<ul style="list-style-type: none"> No more than 55 child-to-parent relationships can be specified in a query. A custom object allows up to 40 relationships, so you can reference all the child-to-parent relationships for a custom object in one query. No more than 20 parent-to-child relationships can be specified in a query. In each specified relationship, no more than five levels can be specified in a child-to-parent relationship. For example, <code>Contact.Account.Owner.FirstName</code> (three levels). In each specified relationship, only one level of parent-to-child relationship can be specified in a query. For example, if the <code>FROM</code> clause specifies <code>Account</code>, the <code>SELECT</code> clause can specify only the <code>Contact</code> or other objects at that level. It could not specify a child object of <code>Contact</code>.
FOR VIEW and FOR REFERENCE	Maximum RecentlyViewed records allowed	The <code>RecentlyViewed</code> object is updated every time the logged-in user views or references a record. It is also updated when records are retrieved using the <code>FOR VIEW</code> or <code>FOR REFERENCE</code> clause in a SOQL query. To ensure that the most recent data is available, <code>RecentlyViewed</code> data is periodically truncated down to

Feature	Limit	Limit Description
		200 records per object. RecentlyViewed data is retained for 90 days, after which it is removed on a periodic basis.
OFFSET clause	Maximum number of rows skipped by OFFSET	The maximum offset is 2,000 rows. Requesting an offset greater than 2,000 results in a NUMBER_OUTSIDE_VALID_RANGE error.

Visualforce Limits

Limit	Value
Maximum response size for a Visualforce page	Less than 15 MB
Maximum view state size in a Visualforce page	170KB
Maximum size of a Visualforce email template	1 MB
Maximum file size for a file uploaded using a Visualforce page	10 MB
Maximum size of HTML response <i>before</i> rendering, when Visualforce page is rendered as PDF	Less than 15 MB
Maximum PDF file size for a Visualforce page rendered as a PDF	60 MB
Maximum total size of all images included in a Visualforce page rendered as a PDF	30 MB
Maximum header size of a Visualforce page	8,192 bytes
Maximum request size of a JavaScript remoting call	4 MB
Maximum response size of a JavaScript remoting call	15 MB
Default timeout for a JavaScript remoting call	30,000 milliseconds (30 seconds)
Maximum timeout for a JavaScript remoting call	120,000 milliseconds (120 seconds)
Maximum rows retrieved by queries for a single Visualforce page request	50,000
Maximum rows retrieved by queries for a single Visualforce page request in read-only mode	1,000,000
Maximum collection items that can be iterated in an iteration component such as <code><apex:pageBlockTable></code> and <code><apex:repeat></code>	1,000
Maximum collection items that can be iterated in an iteration component such as <code><apex:pageBlockTable></code> and <code><apex:repeat></code> in read-only mode	10,000
Maximum field sets that can be displayed on a single Visualforce page.	50

Limit	Value
Maximum field sets allowed per sObject.	2,000
Maximum fields through lookup relationships allowed per field set.	25
Maximum records that can be handled by StandardSetController	10,000

Platform Event Allocations

Check out allocations for platform events, change data capture events, and Pub/Sub API.

Platform Event Allocations

Learn about the allocations for platform events including platform event definitions, event publishing, and event delivery.

Change Data Capture Allocations

Learn about the allocations for change events including the number custom channels, selected entities in a channel, and event delivery.

Pub/Sub API and Event Allocations

Learn about the allocations related to publishing and subscribing to platform events and change events with Pub/Sub API.